1 A Systematic Examination of Generative Artificial Intelligence (GAI) Usage Guidelines for **Scholarly Publishing in Medical Journals** 2 Shuhui Yin, MA¹*, Peiyi Lu, PhD²*, Zhuoran Xu, MSc³*, Zi Lian, EdD⁴, Chenfei Ye, PhD^{5,6}, 3 Chihua Li, DrPH^{7,8} 4 *Equally contributed as first authors 5 6 1. Applied Linguistics & Technology, Department of English, Iowa State University, IA, USA 2. Department of Social Work and Social Administration, The University of Hong Kong, Hong 7 Kong SAR, China 8 9 3. Graduate Group in Genomics and Computational Biology, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA, USA 10 4. Center for Health Equity & Urban Science Education, Teachers College, Columbia University, 11 New York, NY, USA 12 13 5. International Research Institute for Artificial Intelligence, Harbin Institute of Technology (Shenzhen), Shenzhen, Guangdong, China 14 15 6. Pengcheng Laboratory, Shenzhen, Guangdong, China 7. State Key Laboratory of Quality Research in Chinese Medicine, University of Macau, Macao 16 17 SAR, China 8. Survey Research Center, Institute for Social Research, University of Michigan, MI, USA 18 19 Word count: 3,359 20 21 **Corresponding authors** 22 23 Chihua Li Institute for Social Research, University of Michigan, MI, USA 24 25 426 Thompson St Ann Arbor, MI 48104 26 Phone: +1 917-528-8696 27 28 chihuali@umich.edu 29 30 31 Chenfei Ye International Research Institute for Artificial Intelligence, Harbin Institute of Technology 32 (Shenzhen), Shenzhen, China 33

Phone: +86 0755-27905894

chenfei.ye@foxmail.com

34

35 36 37 **Key points** Question What are the provision and specificity of generative artificial intelligence (GAI) usage 38 39 guidelines for scholarly publishing in top and whole-spectrum medical journals and their relationships with journal characteristics? 40 Findings Author guidelines were more abundant and specific in top journals than in whole-41 spectrum journals. However, reviewer guidelines were extremely scarce in both groups of 42 journals. Journal ranking score was associated with both provision and specificity of GAI usage 43 guidelines in whole-spectrum journals while no significant relationship was found in top journals. 44 Meaning The lack of provision and specificity as well as the inconsistencies in existing 45 46 guidelines suggest that immediate attention is needed to guide GAI usage in scholarly publishing and safeguard integrity and trust in medical research. 47 48 49 50

Abstract

51

52

57

62

72

Background

- A thorough and in-depth examination of generative artificial intelligence (GAI) usage guidelines
- in medical journals will inform potential gaps and promote proper GAI usage in scholarly
- 55 publishing. This study aims to examine the provision and specificity of GAI usage guidelines
- and their relationships with journal characteristics.

Methods

- From the SCImago Journal Rank (SJR) list for medicine in 2022, we selected 98 journals as top
- journals to represent highly indexed journals and 144 as whole-spectrum sample journals to
- represent all medical journals. We examined their GAI usage guidelines for scholarly publishing
- between December 2023 and January 2024.

Results

- 63 Compared to whole-spectrum sample journals, the top journals were more likely to provide
- author guidelines (64.3% vs. 27.8%) and reviewer guidelines (11.2% vs. 0.0%) as well as refer to
- external guidelines (85.7% vs 74.3%). Probit models showed that SJR score or region was not
- associated with the provision of these guidelines among top journals. However, among whole-
- spectrum sample journals, SJR score was positively associated with the provision of author
- guidelines (0.85, 95% CI 0.49 to 1.25) and references to external guidelines (2.01, 95% CI 1.24
- 69 to 3.65). Liner models showed that SJR score was positively associated with the specificity level
- of author and reviewer guidelines among whole-spectrum sample journals (1.21, 95% CI 0.72 to
- 71 1.70), and no such pattern was observed among top journals.

Conclusions

- 73 The provision of GAI usage guidelines is limited across medical journals, especially for reviewer
- 74 guidelines. The lack of specificity and consistency in existing guidelines highlights areas
- deserving improvement. These findings suggest that immediate attention is needed to guide GAI
- visage in scholarly publishing in medical journals.

Introduction

ChatGPT, a chatbot powered by generative artificial intelligence (GAI) through large language models, was released in November 2022. It can generate responses based on statistical language patterns and is easily accessible to people without technical expertise. Its multifaceted capabilities and potential applications within diverse contexts have attracted billions of users and visits. Consequently, many researchers have been actively exploring ChatGPT and other similar tools' potential applications to scholarly publishing, including manuscript preparation and peer review. To date, at least 1000 medical publications reported the use and impact of such tools in scholarly publishing. For manuscript preparation, researchers have used GAI tools to conduct literature review, formulate study design, analyze data, and even interpret results. Per peer review, GAI has been used to summarize manuscript contents, review code, check methods, and even draft comments and feedback. These practices highlight that such tools have and will continue to transform scholarly publishing.

However, GAI is far from perfect and can lead to multiple concerns.^{17–19} Major concerns regarding its role in scholarly publishing include the eligibility of these tools for authorship, the risk of producing misleading or inaccurate information, breaches of data privacy and confidentiality, as well as challenges to integrity and originality.^{20–23} In response, many journals, organizations, and publishers have started to provide GAI usage guidelines for authors and reviewers and made continuous updates.^{24–26} For example, medical publication organizations, and publishers, such as the International Committee of Medical Journal Editors (ICMJE) and Elsevier, have decided that GAI should not be listed as authors because they cannot be accountable for the submitted work;^{27,28} some journals require authors to document details of GAI usage and fact-check GAI-generated contents; and some journals strictly prohibit the use of GAI in peer review.²⁹ These developments show the new challenges posed by GAI and the scientific community's corresponding adaptations.

Despite a fast-growing increase in discussions on GAI usage in scientific research, few have examined GAI usage guidelines systematically. For example, one study examined GAI usage guidelines for authors based on the 100 largest publishers and top 100 highly ranked journals of different disciplines, and it found less than a quarter of these publishers and around 85% of the top journals provided author guidelines. ³⁰ The other study examined author

disclosure requirements for GAI usage in 125 nursing journals and found less than 40% of them had explicit instructions.³¹ They offered valuable insights into the evolving ethical standards and practices of this rapidly changing field.

However, many other important aspects of GAI usage guidelines remain less explored or unknown. First, few or no existing studies examined GAI guidelines for reviewers, ignoring the equal importance of peer review in scholarly publishing. Second, previous studies either focused on top-ranked journals or only on nursing journals, leading to an incomplete assessment of such guidelines across medical journals. Third, little exploration has been made on the relationship between journal characteristics and GAI guidelines for authors and reviewers. To address these gaps, our study focuses on medical journals and includes both top and whole-spectrum journals. We aim to delineate the provision and specificity of GAI guidelines for authors and reviewers as well as external guidelines referred by these journals. We will also examine potential relationships between journal characteristics and the provision and specificity of different GAI guidelines. These together will provide a thorough overview of current practices and contribute to the ongoing development of GAI usage guidelines across medical journals.

Methods

Journal selection

Based on the SCImago Journal Rank (SJR), two lists of journals were selected from the journal ranking list for medicine in 2022: 'top' journals and whole-spectrum sample journals (**Figure 1**).³² Each journal's ranking was determined by its corresponding SJR score, a measure of the number of citations received by its articles that contextualizes the journal's prestige and popularity within the academic community.

The list of top journals was generated due to the observation that many leading journals had extensive discussions on how to use GAI or relevant tools in scholarly publishing, the inclusion of which may provide rich information on such guidelines. To obtain a list of top journals, we selected a representative journal with the highest SJR score from each journal family among the first 200 ranked journals. This is because journals within the same family

usually adopt identical GAI usage guidelines. For example, the Lancet and other 21 Lancetaffiliated journals were all among the first 200 ranked journals and adopted identical guidelines.

The list of whole-spectrum sample journals was generated to comprehensively examine the current state of GAI usage guidelines across medical journals. For this journal list, we randomly selected two journals from every 100 journals on the ranking list. Non-English journals were excluded, and journals of the same family were replaced. As a result, we included 98 journals for top journals and 144 journals for whole-spectrum sample journals.

Data collection and extraction

For each journal selected above, two members of our research team independently carried out a thorough examination of the guidelines, which were publicly available on each journal's website. This was to identify any content related to the GAI usage. The following information was extracted to create two datasets for top journals and whole-spectrum sample journals respectively: journal characteristics and three types of GAI usage guidelines (**Table 1**). Journal characteristics included three items: journal name, SJR score, and region. Three types of GAI usage guidelines included author guidelines, reviewer guidelines, and references to external guidelines. All the data extraction was completed between December 2023 and January 2024. Any disagreements were resolved through group discussions.

For author guidelines, we identified eight requirements: usage permission, language editing, manuscript writing, data analysis and interpretation, image generating, fact-checking requirement, usage documentation, and authorship eligibility. Usage permission refers to whether GAI tools are allowed to be used in manuscript preparation. Language editing, manuscript writing, data analysis and interpretation, and image generating refer to whether GAI tools are allowed to be used in each of these manuscript development steps. Fact-checking requirement refers to whether authors are required to check and verify AI-generated content. Usage documentation refers to whether authors are required to disclose and document the use of GAI tools. Authorship eligibility refers to whether AI owns authorship and is allowed to be listed as an author. Journals providing any of these eight requirements were marked as providing author guidelines.

For reviewer guidelines, we identified three requirements: usage permission, language editing, and usage documentation. Journals providing any of these three requirements were marked as providing reviewer guidelines. We further coded each of the 11 requirements for author and reviewer guidelines as 'Yes', 'No', or 'Not Reported'.

For each journal, we generated a specificity score for author guidelines (range: 0 to 8), reviewer guidelines (range: 0 to 3), and author and reviewer guidelines combined (range: 0 to 11), respectively. Those scores were derived from the above coding: a score of '1' was assigned for either 'Yes' or 'No' to each requirement; and a score of '0' for "Not Reported". A higher specificity score indicated a higher specificity level.

Many journals referred to external guidelines formulated by publishing organizations or publishers for authors and reviewers. For these external guidelines on GAI usage, we focused on standards formulated by four groups: the Committee on Publication Ethics (COPE), ICMJE, the World Association of Medical Editors (WAME), and publishers. We coded the reference to each of these four external guidelines as 'Yes' or 'Not Reported'. We did not examine the specificity score of external guidelines because they were not journal-specific.

Statistical analysis

We summarized and compared the characteristics and provision of different usage guidelines between top journals and whole-spectrum sample journals. We used Probit regression to examine relationships between journal characteristics and the provision of author or reviewer guidelines and references to external guidelines. We used linear regression to relationships between journal characteristics and the specificity score of these guidelines. We conducted all analyses using R 4.2. All data used for this study was provided in **Supplementary Tables 1 and 2**.

Results

Table 2 summarizes journal characteristics and the provision of different GAI usage guidelines. The 98 top journals had a median SJR score of 4.2, and 95 of them (96.9%) were based in either Northern America or Western Europe. The 144 whole-spectrum sample journals

had a median SJR score of 0.5, and they were more evenly distributed across the three regions. The top journals were more likely to provide different types of GAI usage guidelines than whole-spectrum sample journals, including author guidelines (64.3% vs. 27.8%), reviewer guidelines (11.2% vs. 0.0%), and references to external guidelines (85.7% vs 74.3%). A detailed summary of the provision and specificity of GAI usage guidelines is presented for top journals and whole-spectrum sample journals in **Supplementary Table 3**, including eight requirements for authors, three requirements for reviewers, and four frequently referred external guidelines. Compared to whole-spectrum sample journals, top journals had a higher specificity level of author guidelines, reviewer guidelines, and the two combined.

Relationships between journal characteristics and the provision of GAI usage guidelines among top journals differed from those among whole-spectrum sample journals (**Table 3**). Among top journals, the provision of these guidelines generally showed no significant differences comparing journals with varying SJR scores or those based in different regions. However, journals based in Western Europe were more likely to refer to external guidelines than those based in Northern America (2.07, 95% CI: 1.07 to 4.26). Among whole-spectrum sample journals, journals with a higher SJR score were more likely to provide author guidelines (0.85, 95% CI: 0.49 to 1.25) and refer to external guidelines (2.01, 95% CI: 1.24 to 3.65). Compared to journals based in Northern America, those in Western Europe had a similar likelihood of providing author guidelines (0.02, 95% CI: -0.51 to 0.55), whereas journals in other regions were less likely to do so (-1.03, 95% CI: -1.67 to -0.43). Since no reviewer guidelines were provided by whole-spectrum sample journals, no association estimates were obtained.

Figure 2 shows the specificity level of author and reviewer guidelines and detailed requirements of different guidelines among top journals. The specificity score was determined by how many of the 11 requirements of author and reviewer guidelines were provided. For author guidelines, a consensus emerged on five requirements whenever provided: permitting GAI usage, allowing for language editing, requiring fact-checking, mandating usage documentation, and prohibiting AI authorship. However, disagreements were observed about whether GAI can be used for writing manuscripts, analyzing and interpreting data, and generating images. For reviewer guidelines, fewer journals provided requirements, and there were disagreements on permitting GAI usage and allowing for language editing. Among external guidelines, the ICMJE guideline was the most frequently referred to. Details of external guidelines are summarized in

Supplementary Table 4. Among whole-spectrum sample journals, similar patterns of requirements were observed except that a lower proportion of journals provided specific requirements (**Supplementary Figure 1**).

Relationships between journal characteristics and specificity scores of author and reviewer guidelines were examined (**Supplementary Table 5**). Among top journals, the journal's SJR score was not associated with the specificity level of usage guidelines. In contrast, whole-spectrum sample journals with a higher SJR score exhibited a higher specificity level. Among both groups of journals, those based in Western Europe had a similar level of specificity as those in North America, whereas journals from other regions had a lower specificity level. Relationships for author guidelines showed similar patterns among top journals.

Discussion

Our study systematically examined GAI usage guidelines for scholarly publishing across medical journals, including author guidelines, reviewer guidelines, and references to external guidelines. Around two-thirds of top journals provided author guidelines while less than one-third of whole-spectrum journals did so, highlighting differential acknowledgment and integration of GAI practices and room for improvement across medical journals. The extremely low proportion of both top and whole-spectrum sample journals providing reviewer guidelines showed their negligence in setting guidance on the use of such tools for reviewers. The high proportion of both journal groups referred to external guidelines showed the critical role of these external standards in fostering ethical practices of GAI usage. We also identified journal characteristics that were associated with the provision and specificity level of different guidelines. Together, our results suggest the urgent need for explorations and improvements of GAI usage guidelines in scholarly publishing.

Among medical journals across the whole spectrum, only a small proportion of journals (28%) provided GAI usage guidelines for authors, highlighting a serious lack of alertness in guiding the proper use of such tools. Lack of proper guidance can lead to unethical practices or allow AI-generated manuscripts to infiltrate publications undetected, jeopardizing the quality, integrity, and transparency of research. Interestingly, the figure we observed is considerably lower than that reported by another study (86%) focusing on only top journals. Moreover, the

provision of author guidelines among top medical journals (64%) is also lower in our study compared to that study. The main reason for the discrepancy in the provision of author guidelines between our study and the other is the different journal selection methods. Our study selected one representative journal from each journal family while the other study included multiple journals of the same families. For example, among their 51 top medical journals, six were Nature family journals and three were JAMA family journals, which usually adopted the same guidelines. This journal selection method can lead to biases in examining the provision of GAI usage guidelines. Indeed, we observed a similar proportion of journals providing author guidelines among the first 200 SJR-ranked medical journals when we included multiple journals of the same families.

The better provisions of author guidelines comparing top journals to whole-spectrum journals can be attributed to several factors. They include more accessible advanced AI technology in Western Europe and Northern America, stringent regulatory environments, and robust scholarly communication networks. ^{37–39} Author guidelines provided by top journals are also more specific than others, evidenced by two observations. First, top journals had a much higher specificity level than whole-spectrum sample journals; second, among whole-spectrum sample journals, journals with a higher SJR score tend to be more specific. This greater specificity level can help authors adhere to ethical standards and prevent potential misconduct, including plagiarism or misrepresentation of AI-generated content as human work. Our findings showed that both top and whole-spectrum journals have significant room for improvement.

Across journals, consensus has been achieved for five of the eight requirements examined in author guidelines, and disagreements were observed for three requirements related to content generating applications. The remarkable capacities of GAI justify its usage in scholarly writing, especially for language editing. However, its risks threatening research integrity require authors to conduct fact-checking and usage documentation but not to grant such tools authorship. These agreements show how the scientific community is embracing GAI in a cautious way. For example, the emphasis on fact-checking and usage documentation is necessary for preventing fabrication and potential biases and promoting transparency and trust.

Notably, journals differ in instructions for usage documentation on what should be disclosed. While some journals require authors to report any use of GAI, other journals allow

authors not to do so if such tools were solely used for language editing. This may be explained by journals' different interpretations of GAI applications. Together with two other recent studies showing inconsistencies in what to disclose of GAI usage, a need is highlighted surrounding standardization of GAI usage disclosure and documentation. More importantly, journals held different and even opposite stances for content-generating applications, including manuscript writing, data analysis and interpretation, and image generating. This is due to concern centered on plagiarism because it is challenging to trace and verify the originality of AI-generated content. A7,48

As the first study that systematically examined GAI usage guidelines for reviewers, we are surprised to find that an extremely small proportion of journals did so. For example, only 10% of top journals and none of the whole-spectrum sample journals provided reviewer guidelines. Given the reviewers' pivotal role in safeguarding the quality and integrity of scholarly work, this negligence reflects a concerning gap in guiding the use of such tools in the peer review process. The misuse of GAI in peer review can have multiple negative consequences, including the breach of private data and violation of intellectual property. These are important issues considering the sensitive nature of health data and medical research.²²

Among the merely available reviewer guidelines identified, we observed disagreements on requirements regarding usage permission, language editing, and usage documentation across journals. We interpreted these disagreements as journals' different stances on how to protect the confidentiality of manuscripts. Some journals specified conditions in which GAI can be used. For example, they required reviewers to obtain permission from authors and editors, to confirm that manuscripts shall not be used as training data, and provide authors with the choice to opt for or against a GAI-assisted review process. All provides a gainst a GAI-assisted review process.

Around 90% of top journals and three quarters of whole-spectrum sample journals have referred to external guidelines on GAI usage formulated by ICMJE, COPE, WAWE, or publishers. This underscores a collective endeavor to establish ethical benchmarks for GAI usage in scholarly publishing. Notably, top journals based in Western Europe were more likely to refer to external standards than their Northern American counterparts. This may stem from Western Europe's pioneering regulations on GAI usage. ^{52,53} Importantly, we identified conflicts between journal-specific guidelines and referred external guidelines for at least five of the top journals we

selected. For example, *Molecular Aspects of Medicine* prohibits content-generating applications, while its referred external guideline, WAME, permits such usage. These conflicts have also been reported by another study. ³⁰ To avoid confusion, we call for attention to resolve such conflicts.

We identified three main aspects of GAI usage guidelines that need urgent improvements. First, it is important for journals to provide specific GAI usage guidelines for both authors and reviewers rather than only refer to external guidelines. Journal-specific guidelines can better ensure the relevance and effectiveness in guiding GAI usage in their unique scholar environment. Second, details of the guidelines should be specified to avoid confusion, especially for content-generating applications. Our systematic evaluation of available GAI usage guidelines provides a roadmap to clarify expectations on proper GAI practices. Third, disagreements identified across guidelines warrant special attention. Although these disagreements highlight the continuously evolving use of GAI, it is possible to establish a framework of proper practices and specify requirements under different scenarios. For example, journals may consider standardizing usage documentation by integrating questions into the manuscript submission system; ascertaining whether GAI was used, and if so, detailing specific purposes and ensuring accountability.

Besides, it is essential to regularly review, discuss, and update GAI usage guidelines.

Our study has several strengths. It pioneered a systematic and quantitative examination of GAI usage guidelines across top and whole-spectrum medical journals, which provides an overview of the current regulations in scholarly publishing. It also synthesized existing GAI usage guidelines for both authors and reviewers and established a systematic checklist. We further provided recommendations aimed at improving existing GAI usage guidelines for scholarly publishing and promoting the proper use of GAI tools. While our study focused on medical journals, we believe our findings and recommendations can be applied to journals in other disciplines.

Our study also has limitations. First, for whole-spectrum sample journals, we sampled 2% of the 7,174 medical journals with an SJR score and included only English journals. Despite this, our use of stratified random sampling enables the representation of all medical journals listed in the SJR database and allows for timely communication of our important findings. Second, the scarce provision of reviewer guidelines observed in our findings might be attributed to the potential non-public accessibility of reviewer guidelines, which we think is uncommon. Third,

our analysis did not include guidelines for editors, despite their relevance and importance, due to their scarce availability across the journals we examined. In the future, we would like to collaborate with different journals to conduct such examinations.

Conclusions

The provision of GAI usage guidelines is limited across medical journals, especially for reviewer guidelines. The lack of specificity and inconsistencies in existing guidelines highlight areas deserving improvement. Immediate attention is needed to guide GAI usage in scholarly publishing and safeguard the integrity and trust of medical research.

- 353 **Corresponding Author:** Chenfei Ye, Chihua Li.
- Author Contributions: Li had full access to all of the data in the study and took responsibility
- for the integrity of the data and the accuracy of the data analysis.
- 356 *Concept and design:* Yin, Li.
- 357 *Acquisition, analysis, or interpretation of data:* All authors.
- 358 *Drafting of the manuscript:* Yin, Li.
- 359 *Critical review of the manuscript for important intellectual content:* All authors.
- 360 *Statistical analysis:* All authors.
- 361 *Obtained funding:* Ye, Li.
- 362 Administrative, technical, or material support: Yin, Li.
- 363 *Supervision:* Li.
- 364 **Conflict of Interest Disclosures:** None.
- Funding/Support: Chenfei Ye is supported by grants from the National Natural Science
- Foundation of P.R. China (62106113); Guangdong Basic and Applied Basic Research
- Foundation (2023A1515010792), Basic Research Foundation of Shenzhen Science and
- Technology Stable Support Program (GXWD 20231129121139001).
- Role of the Funder/Sponsor: The funders had no role in the design and conduct of the study;
- 370 collection, management, analysis, and interpretation of the data; preparation, review, or approval
- of the manuscript; and decision to submit the manuscript for publication.
- Data Sharing Statement: All data relevant to the study are included in the article or included as
- supplementary materials. Full data and analytical code are available from the corresponding
- author at chihuali@umich.edu.

- 375 References
- 1. OpenAI. Introducing ChatGPT. Accessed December 1, 2023. https://openai.com/blog/chatgpt
- 2. Hern A. AI bot ChatGPT stuns academics with essay-writing skills and usability. *The*
- 378 *Guardian*. Accessed December 4, 2022.
- https://www.theguardian.com/technology/2022/dec/04/ai-bot-chatgpt-stuns-academics-with-
- 380 essay-writing-skills-and-usability
- 3. Stokel-Walker C. AI bot ChatGPT writes smart essays should professors worry? *Nature*.
- 382 Accessed December 9, 2022. doi:10.1038/d41586-022-04397-7
- 4. Editorial. ChatGPT: friend or foe? *Lancet Digit Health*. 2023;5(3):e102. doi:10.1016/S2589-
- 384 7500(23)00023-7
- 5. Flanagin A, Bibbins-Domingo K, Berkwits M, Christiansen SL. Nonhuman "authors" and
- implications for the integrity of scientific publication and medical knowledge. *JAMA*.
- 387 2023;329(8):637. doi:10.1001/jama.2023.1344
- 6. Watkins R. Guidance for researchers and peer-reviewers on the ethical use of Large Language
- Models (LLMs) in scientific research workflows. AI Ethics. Accessed May 16, 2023.
- 390 doi:10.1007/s43681-023-00294-5
- 7. Biswas S. ChatGPT and the future of medical writing. *Radiology*. 2023;307(2):e223312.
- 392 doi:10.1148/radiol.223312
- 8. Hosseini M, Horbach SPJM. Fighting reviewer fatigue or amplifying bias? considerations and
- recommendations for use of ChatGPT and other large language models in scholarly peer
- review. Res Integr Peer Rev. 2023;8(1):4. doi:10.1186/s41073-023-00133-5
- 9. Van Noorden R, Perkel JM. AI and science: what 1,600 researchers think. *Nature*.
- 397 2023;621(7980):672-675. doi:10.1038/d41586-023-02980-0
- 10. Thirunavukarasu AJ, Ting DSJ, Elangovan K, et al. Large language models in medicine. *Nat*
- 399 *Med.* 2023; 29(8): 1930-1940. doi:10.1038/s41591-023-02448-8
- 400 11. AI will transform science now researchers must tame it. *Nature*, 2023;621(7980):658-658.
- 401 doi:10.1038/d41586-023-02988-6
- 402 12. Editorial. Prepare for truly useful large language models. *Nat Biomed Eng.* 2023;7(2):85-86.
- 403 doi:10.1038/s41551-023-01012-6
- 404 13. Editorial. Not a generative AI–generated Editorial. *Nat Cancer*. 2023;4(2):151-152.
- doi:10.1038/s43018-023-00531-0
- 406 14. Owens B. How Nature readers are using ChatGPT. *Nature*. 2023;615(7950):20-20.
- 407 doi:10.1038/d41586-023-00500-8

- 408 15. Messeri L, Crockett MJ. Artificial intelligence and illusions of understanding in scientific
- research. *Nature*. 2024;627(8002):49-58. doi:10.1038/s41586-024-07146-0
- 410 16. Donker T. The dangers of using large language models for peer review. *Lancet Infect Dis.*
- 411 2023;23(7):781. doi:10.1016/S1473-3099(23)00290-6
- 412 17. Zheng H, Zhan H. ChatGPT in Scientific Writing: A Cautionary Tale. *Am J Med*.
- 413 2023;136(8):725-726.e6. doi:10.1016/j.amjmed.2023.02.011
- 18. Hwang SI, Lim JS, Lee RW, et al. Is ChatGPT a "Fire of Prometheus" for Non-Native
- English-Speaking Researchers in Academic Writing? *Korean J Radiol.* 2023;24(10):952.
- 416 doi:10.3348/kjr.2023.0773
- 19. Van Dis EAM, Bollen J, Zuidema W, Van Rooij R, Bockting CL. ChatGPT: five priorities
- for research. *Nature*. 2023;614(7947):224-226. doi:10.1038/d41586-023-00288-7
- 20. Thorp HH. ChatGPT is fun, but not an author. *Science*. 2023;379(6630):313.
- 420 doi:10.1126/science.adg7879
- 21. Stokel-Walker C. ChatGPT listed as author on research papers: many scientists disapprove.
- *Nature*. 2023;613(7945):620-621. doi:10.1038/d41586-023-00107-z
- 423 22. National Institutes of Health. The use of generative artificial intelligence technologies is
- prohibited for the NIH peer review process. Accessed December 21, 2023.
- https://grants.nih.gov/grants/guide/notice-files/NOT-OD-23-149.html
- 426 23. Liverpool L. AI intensifies fight against 'paper mills' that churn out fake research. *Nature*.
- 427 2023;618(7964):222-223.
- 428 24. Flanagin A, Kendall-Taylor J, Bibbins-Domingo K. Guidance for authors, peer reviewers,
- and editors on use of AI, language models, and chatbots. *JAMA*. 2023;330(8):702-703.
- doi:10.1001/jama.2023.12500
- 431 25. Committee on Publication Ethics. Authorship and AI tools. Accessed December 8, 2023.
- https://publicationethics.org/cope-position-statements/ai-author
- 26. Leung TI, De Azevedo Cardoso T, Mavragani A, Eysenbach G. Best practices for using AI
- tools as an author, peer reviewer, or editor. *J Med Internet Res.* 2023;25:e51584.
- 435 doi:10.2196/51584
- 436 27. International Committee of Medical Journal Editors. Defining the role of authors and
- contributors. Accessed December 8, 2023.
- https://www.icmje.org/recommendations/browse/roles-and-responsibilities/defining-the-role-
- 439 of-authors-and-contributors.html
- 28. Elsevier. Publishing ethics. Accessed December 8, 2023.
- https://www.elsevier.com/about/policies-and-standards/publishing-ethics#0-publishing-ethics


- 29. The Lancet Peer Review. Accessed December 10, 2023. https://www.thelancet.com/peer-
- 443 review
- 30. Ganjavi C, Eppler MB, Pekcan A, Biedermann B, Abreu A, Collins GS, Gill IS, Cacciamani
- GE. Publishers' and journals' instructions to authors on use of generative artificial intelligence
- in academic and scientific publishing: bibliometric analysis. *BMJ*. 2024;384:e077192.
- 447 doi:10.1136/bmj-2023-077192
- 31. Tang A, Li K, Kwok KO, Cao L, Luong S, Tam W. The importance of transparency:
- declaring the use of generative artificial intelligence (AI) in academic writing. J Nurs
- 450 *Scholarsh.* 2024;56(2):314-318. doi:10.1111/jnu.12938
- 451 32. SciMago. Journal and country rank. Accessed December 1, 2023.
- 452 https://www.scimagojr.com/journalrank.php
- 453 33. Editorial. Tools such as ChatGPT threaten transparent science; here are our ground rules for
- 454 their use. *Nature*. 2023;613(7945):612. doi:10.1038/d41586-023-00191-1
- 455 34. Prillaman M. "ChatGPT detector" catches AI-generated papers with unprecedented accuracy.
- *Nature*. Accessed November 06, 2023. doi:10.1038/d41586-023-03479-4
- 457 35. Misra DP, Chandwar K. ChatGPT, artificial intelligence and scientific writing: what authors,
- peer reviewers and editors should know. J R Coll Physicians Edinb. 2023;53(2):90-93.
- 459 doi:10.1177/14782715231181023
- 36. Conroy G. Scientific sleuths spot dishonest ChatGPT use in papers. *Nature*. Accessed
- 461 September 8, 2023. doi:10.1038/d41586-023-02477-w
- 37. Roche C, Wall PJ, Lewis D. Ethics and diversity in artificial intelligence policies, strategies
- and initiatives. AI Ethics. 2023;3(4):1095-1115. doi:10.1007/s43681-022-00218-9
- 38. Fjeld J, Achten N, Hilligoss H, Nagy A, Srikumar M. Principled artificial intelligence:
- mapping consensus in ethical and rights-based approaches to principles for AI. Berkman Klein
- 466 *Cent Res Publ.* Accessed January 15, 2020. doi:10.2139/ssrn.3518482
- 39. Jobin A, Ienca M, Vayena E. The global landscape of AI ethics guidelines. *Nat Mach Intell*.
- 468 2019;1(9):389-399. doi:10.1038/s42256-019-0088-2
- 40. Berdejo-Espinola V, Amano T. AI tools can improve equity in science. Science. 2023 Mar
- 470 10;379(6636):991. doi: 10.1126/science.adg9714.
- 41. Yan M, Cerri GG, Moraes FY. ChatGPT and medicine: how AI language models are shaping
- the future and health related careers. *Nat Biotechnol*. 2023;41(11):1657-1658.
- 473 doi:10.1038/s41587-023-02011-3
- 474 42. Huang J, Tan M. The role of ChatGPT in scientific communication: writing better scientific
- 475 review articles. *Am J Cancer Res.* 2023;13(4):1148-1154.

- 43. Li H, Moon JT, Purkayastha S, Celi LA, Trivedi H, Gichoya JW. Ethics of large language
- models in medicine and medical research. *Lancet Digit Health*. 2023;5(6):e333-e335.
- 478 doi:10.1016/S2589-7500(23)00083-3
- 44. Bell S. The write algorithm: promoting responsible artificial intelligence usage and
- accountability in academic writing. *BMC Med*. 2023;21(1):334. doi:10.1186/s12916-023-
- 481 03039-7
- 482 45. Vintzileos AM, Chavez MR, Romero R. A role for artificial intelligence chatbots in the
- writing of scientific articles. *Am J Obstet Gynecol*. 2023;229(2):89-90.
- 484 doi:10.1016/j.ajog.2023.03.040
- 46. Beall J. Predatory publishers are corrupting open access. *Nature*. 2012;489(7415):179-179.
- 486 doi:10.1038/489179a
- 47. Lund BD, Wang T, Mannuru NR, Nie B, Shimray S, Wang Z. ChatGPT and a new academic
- reality: artificial intelligence written research papers and the ethics of the large language
- models in scholarly publishing. J Assoc Inf Sci Technol. 2023;74(5):570-581.
- 490 doi:10.1002/asi.24750
- 48. Dehouche N. Plagiarism in the age of massive Generative Pre-trained Transformers (GPT-3).
- 492 *Ethics Sci Environ Polit.* 2021;21:17-23.
- 49. Hosseini M, Horbach SPJM. Fighting reviewer fatigue or amplifying bias? considerations
- and recommendations for use of ChatGPT and other large language models in scholarly peer
- review. Res Integr Peer Rev. 2023;8(1):4. doi:10.1186/s41073-023-00133-5
- 496 50. Al-Hawawreh M, Aljuhani A, Jararweh Y. Chatgpt for cybersecurity: practical applications,
- challenges, and future directions. *Clust Comput.* 2023;26(6):3421-3436. doi:10.1007/s10586-
- 498 023-04124-5

507

- 499 51. Flanagin A, Kendall-Taylor J, Bibbins-Domingo K. Guidance for Authors, Peer Reviewers,
- and Editors on Use of AI, Language Models, and Chatbots. *JAMA*. 2023;330(8):702.
- 501 doi:10.1001/jama.2023.12500
- 502 52. Li Z. Why the European AI Act transparency obligation is insufficient. *Nat Mach Intell*.
- 503 2023;5(6):559-560. doi:10.1038/s42256-023-00672-y
- 504 53. Roberts H, Cowls J, Hine E, et al. Governing artificial intelligence in China and the
- European Union: Comparing aims and promoting ethical outcomes. *Inf Soc.* 2023;39(2):79-97.
- 506 doi:10.1080/01972243.2022.2124565

Figure 1. Flowchart of journal selection




Footnote: * Journals from the same family most likely adopted identical guidelines for GAI usage.

Non-English journals were excluded; Journals from the same family were replaced.

Figure 2. Specificity level of author and reviewer guidelines and requirements of different GAI usage guidelines among top journals

Journal ID



Footnote: The specificity score displays how many requirements were provided for author and reviewer guidelines combined (range: 0-11).

Table 1. Journal characteristics and three types of generative artificial intelligence (GAI) usage guidelines extracted

Items	Journal characteristics	Three types of GAI usage guidelines					
		Author guidelines (Y/N/NR)	Reviewer guidelines (Y/N/NR)	References to external guidelines (Y/NR)			
1	Journal name	Usage permission	Usage permission	COPE			
2	SJR score	Language editing	Language editing	ICMJE			
3	Region	Manuscript writing	Usage documentation	WAME			
4		Data analysis and interpretation		Publishers			
5		Image generating					
6		Fact-checking requirement					
7		Usage documentation					
8		Authorship eligibility					

Footnote: Abbreviations: Y, Yes; N, No; NR, Not Reported;

COPE, Committee on Publication Ethics; ICMJE, International Committee of Medical Journal Editors; WAME, World Association of Medical Editors.

Table 2. Journal characteristics and provision of different GAI usage guidelines

	Top journals (n = 98)	Whole-spectrum sample journals (n = 144)	P value [#]	
Journal characteristics				
SJR score, median (IQR)	4.2 (3.6, 6.7)	0.5 (0.2, 0.9)	< 0.01	
Region, n (%)				
Northern America	50 (51.0)	39 (27.1)		
Western Europe	45 (45.9)	51 (35.4)	< 0.01	
Other regions*	3 (3.1)	54 (37.5)		
Provision of different usage guidelines				
Author guidelines, n (%)	63 (64.3)	40 (27.8)	< 0.01	
Reviewer guidelines, n (%)	11 (11.2)	0 (0.0)	< 0.01	
References to external guidelines, n (%)	84 (85.7)	107 (74.3)	< 0.05	

Footnote: *Other regions included Africa, Asiatic region, Eastern Europe, Latin America, Middle East, and Pacific region. # Differences between the two groups of journals were analyzed using Wilcoxon Rank Sum test or Chi-Square tests.

Table 3. Probit regression analysis of the relationship between journal characteristics and the provision of different GAI usage guidelines

		Top journals			Whole-spectrum sample journals				
	Journal characteristics	Coefficient	95% CI	P value	Coefficient	95% CI	P value		
		Provision of any author guidelines							
Model 1	SJR score	-0.01	(-0.04, 0.02)	0.58	0.85	(0.49, 1.25)	< 0.01		
	Northern America	Ref	-	-	Ref	-	-		
Model 2	Western Europe	0.02	(-0.50, 0.54)	0.95	0.02	(-0.51, 0.55)	0.94		
	Other regions	-5.62	(NA, 22.74)	0.98	-1.03	(-1.67, -0.43)	< 0.01		
		Provision of any reviewer guidelines							
Model 1	SJR score	0.00	(-0.06, 0.03)	1.00	-	-	-		
	Northern America	Ref	-	-	-	-	-		
Model 2	Western Europe	-0.05	(-0.72, 0.62)	0.89	-	-	-		
	Other regions	-4.22	(NA, 41.32)	0.99	-	-	-		
		Any reference to external guidelines							
Model 1	SJR score	1.00	(0.97, 1.06)	0.85	2.01	(1.24, 3.65)	< 0.05		
	Northern America	Ref	-	-	Ref	-	-		
Model 2	Western Europe	2.07	(1.07, 4.26)	< 0.05	1.53	(0.87, 2.70)	0.14		
	Other regions	101.92	(0.00, NA)	0.99	1.24	(0.72, 2.14)	0.44		

Footnote: NA (not available) indicates that the 95% CI hits infinity due to small sample size. No association estimates were obtained for the provision of reviewer guidelines in whole-spectrum sample journals because none of these journals provided reviewer guidelines.