Running Head: SOCIOCULTURAL CONTEXT AND INNOVATION SCALE UP

1

2

3

26

"Our culture prohibits some things": Qualitative inquiry into

how sociocultural context influences the scale up of community-

based injectable contraceptives in Nigeria

4				
5	Oluwaseun Akinyemi, a,d* (ooakinyemi@comui.edu.ng, seunakinyemi@hotmail.com)			
6	Bronwyn Harris, b,c (b.harris.2@warwick.ac.uk)			
7	Mary Kawonga, (mary.kawonga@wits.ac.za)			
8	^a Department of Health Policy and Management, College of Medicine, University of Ibadan			
9 10				
11	^c Division of Health Sciences, Warwick Medical School, University of Warwick, Coventry			
12 13	^d Department of Community Health, School of Public Health, Faculty of Health Sciences, University of the Witwatersrand, Johannesburg			
14	Original research article			
15	*Corresponding author: Dr O.O. Akinyemi			
16	Department of Health Policy and Management			
17	College of Medicine, University of Ibadan			
18	Ibadan, Nigeria			
19	+234 803 502 0136			
20	Word counts:			
21	Abstract: 298			
22	Manuscript: 4133			
23				
24	Running Title:			
25	Sociocultural context and innovation scale up			

Abstract 27 28 **Objectives** To explore how sociocultural factors may support or impede the adoption of 29 community-based distribution of injectable contraceptives in Nigeria. 30 **Design** A qualitative study based on a grounded theory approach was conducted through in-31 depth interviews and focus group discussions. 32 Setting Most participants lived in Gombe State, North East Nigeria. Other participants were 33 from Ibadan (South West) and Abuja (Federal capital territory). 34 Participants Through seven key informant interviews, 15 in-depth interviews and 10 focus 35 group discussions, 102 participants were involved in the study. 36 Methods This study, conducted in 2016 was part of a larger study on scale up of community-37 based distribution of injectable contraceptives. Qualitative data were collected from 38 traditional and religious leaders, health workers and community members. The data were 39 audio recorded, transcribed and analysed using a thematic framework method. 40 **Results** Sociocultural challenges to scale up included patriarchy and men's fear of losing 41 control over their spouses, traditional and religious beliefs about fertility, and myths about 42 contraceptives and family planning. As a result of deep-rooted beliefs that children are 43 'divine blessings' and that procreation should not be regulated, participants described a subtle 44 resistance to uptake of injectable contraceptives. Since Gombe is largely a patriarchal society, 45 male involvement emerged as important to the success of meaningful innovation uptake. 46 Community leaders largely described their participation in the scale up process as active, 47 although they also identified scope for further involvement and recognition. 48 **Conclusion** Scale up is more than setting up health sector implementing structures, training 49 health workers and getting innovation supplies, but also requires preparedness which includes 50 paying attention to complex contextual issues. This requires the health system and those who 51 work in it, to move beyond a narrow health 'comfort zone' by actively engaging with, and 52 learning from, those who are leading, caring for and living in, the community.

Strengths and limitations of this study

53

54

55

• The study participants represented a range of stakeholders - users of injectable

56 contraceptives, community members, providers and health system managers. 57 Our results highlighted that scale up is influenced by several socio-cultural factors; 58 thus, showing the importance of paying attention to complex contextual issues during 59 innovation uptake. 60 The findings of our study emphasized how health systems and communities should 61 interact in order to ensure successful scale up of health innovations. As with any qualitative study, the findings of this study are not statistically 62 63 generalizable. 64 65 **Keywords:** Nigeria; Scale up; Community-based distribution of injectable contraceptives; 66 Community participation; Male involvement; Stakeholder collaboration; Sociocultural 67 context 68 69 **Funding** 70 This research was supported by the Consortium for Advanced Research Training in Africa 71 (CARTA). CARTA is jointly led by the African Population and Health Research Center and the University of the Witwatersrand and funded by the Carnegie Corporation of New York (Grant 72 73 No--B 8606.Ro2), Sida (Grant No:54100113), the DELTAS Africa Initiative (Grant No: 74 107768/Z/15/Z) and Deutscher Akademischer Austauschdienst (DAAD). The DELTAS Africa Initiative is an independent funding scheme of the African Academy of Sciences (AAS)'s Alliance 75 76 for Accelerating Excellence in Science in Africa (AESA) and supported by the New Partnership 77 for Africa's Development Planning and Coordinating Agency (NEPAD Agency) with funding from 78 the Wellcome Trust (UK) and the UK government. The statements made and views expressed are 79 solely the responsibility of the authors. 80 **Declarations of interest** 81 None. 82 83

1. Introduction

84

85

86

87

88

89 90

91

92

93

94

95

96

97 98

99

100

101102

103104

105

106

107

108 109

110

111112

113

114

115

Scale up of effective health innovations, through their increased availability to a larger population over a wider geographic area, is essential for achieving universal health coverage, particularly in developing countries. ¹² Scale up is influenced by various factors related to the innovation, the users, and the social context in which the innovation is introduced.³ The nature of the innovation itself, preferences and characteristics of the intended users (including their willingness to adopt the innovation), and ways that the innovation is adapted to the local context are also some of the factors affecting innovation scale up.⁴ The sociocultural context, which includes religious and cultural beliefs, gender and societal norms and attitudes, is an important predictor of adoption of a health innovation in a population. ^{5 6} The sociocultural context may promote health or be a barrier to health utilization. For example, cultural beliefs and practices have been shown to influence the uptake of a range of health innovations including male circumcision, breast cancer screening⁷⁹ and contraceptives. ^{10 11} Without due consideration of the sociocultural context, health innovation development, delivery and scale up is likely to be limited, if not dangerous!¹² Evidence highlights the influence of sociocultural context on the adoption of contraceptive innovations. For example, in a study in rural Poland, Colleran and Mace¹³ reported that religious and sociocultural factors, particularly social networks, influence the uptake of contraceptive use more than individual characteristics. Dalaba and colleagues¹⁴ in their study in northern Ghana reported that inadequate male participation led to resistance towards female reproductive freedom. Interventions at societal level, such as adequate male mobilisation coupled with appropriate community-based distribution strategies were shown to be effective in improving contraceptive uptake. ¹⁴ In Nigeria, where society is largely patriarchal, with consequences for access to and use of contraceptives, a study found that about two-thirds of rural women who had spousal approval were reported to use contraceptives while all those who were forbidden by their husbands did not use any family planning method.¹⁵ Understanding whether and how the sociocultural context influences scale up of contraceptive innovation is thus important. Nigeria started its family planning policy review in 2007 and successfully piloted the community-based distribution of injectable contraceptives through community health extension workers (CHEWs) as a new innovation in the health system in 2010 in Gombe

116117

118

119120

121

122

123

124125

126

127

128

129

130

131

132

133

134

135

136137

138

139

140

141

142

143

144

145

146

State, North-eastern region. 16 17 Afterwards, the scale up of this innovation started in 2014, led by a national non-governmental organization and supported by international donor agencies.¹⁸ According to Bradley et al,³ assessing the receptivity and willingness of community members to adopt a health innovation within their environmental and sociocultural settings is one of the key first steps in the scale up process. In their conception, poor understanding by implementers of potential users' sociocultural context will limit scale up efforts, while good understanding will help program managers to recognise contextual factors that may enhance or inhibit the uptake of an innovation.³ However, the understanding of how sociocultural contextual factors may facilitate or impede the successful scale up of the contraceptive innovation beyond the initial pilot site in Nigeria is limited. This study therefore assesses how sociocultural factors may influence the scale up of the community-based distribution of injectable contraceptives in Nigeria. 2. Methods 2.1 Study design and setting This cross-sectional study conducted from September to November 2016, part of a larger research project on scale up of community-based distribution of injectable contraceptives, took place in Gombe (North eastern Nigeria), one of 36 States in Nigeria. Gombe State, with a population of 2,353,879 people according to the 2006 population census, ¹⁹ has one of the lowest contraceptive prevalence rates in the country (3.5% for modern methods and 4.0% for any method) and one of the highest maternal mortality rates (1,726/100,000). ^{16 20 21} Gombe was purposively selected because it was the setting for the national pilot test for communitybased distribution of injectable contraceptives in 2010. Gombe is divided administratively into 11 Local Government Areas (LGAs). The study held in two LGAs – Gombe (A) and Yamaltu/Deba (B). Although participants were primarily based in Gombe State, one interview took place in Ibadan (South west) and 3 interviews in Abuja (Federal Capital Territory). Participants and sample Qualitative data were collected from a range of stakeholders, including traditional and religious leaders, health workers as well as community members, through seven key informant interviews, 15 in-depth interviews and 10 focus group discussions (see Table 1). In

147

148

149150

151

152

153

154

155 156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173174

175

176

total, 102 people participated in this study. The participants were selected through a purposive sampling method, where study respondents are recruited based on characteristics of interest, availability, and ability to provide relevant information to the research question: $^{22\,23}$ how may sociocultural context influence the process of introducing, translating and integrating health innovation? The number of interviews and FGDs was determined by the principle of saturation in qualitative study, a point where no new data is being gotten.²⁴ This study adopted the grounded theory approach using inductive reasoning. This approach is appropriate for this study since it is exploratory in nature and principles are being derived from specific observations. ^{24 25} Of the three authors, two are women, two are physicianresearchers and two are domiciled in Africa. [Table 1] 2.2 Data collection Interview guide and focus group guide were used to conduct the interviews and focus group discussions, respectively (see Supplementary file 1). The interview guides for the discussions with community members and interview with traditional leaders were translated to the predominant local language - Hausa. The main issues covered in the interview and discussions included community perceptions about contraceptives and specifically about the innovation (community-based delivery of contraceptives), their role in the scale up process, as well as their views regarding the sociocultural challenges and facilitators of the scale up process and community engagement regarding the scale up. Interviews and discussions were tape-recorded and later translated and transcribed in full. 2.3 Data analysis Transcripts were analyzed iteratively with the aid of the NVIVO (version 10) software using the thematic framework approach. ²⁴ ²⁵ The pre-defined thematic areas included features of the sociocultural context that may influence scale up of the innovation. These were: community members' perceptions regarding community-based distribution of injectable contraceptives, community members' acceptance (or rejection) of contraceptives, and community engagement in the scale up process. Emerging themes were also considered and were indexed

177

178179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

and compared with themes from subsequent interviews until saturation was attained. Interviews were stopped at the point of saturation, where no new information was obtained.²⁴ The authors reviewed the transcripts and compared themes, before these were applied to subsequent coding of all the transcripts. The SRQR reporting guidelines for qualitative studies²⁶ was used in preparing this manuscript. 2.4 Ethics approval and consent to participate Ethical approval for this study was obtained from the University of Ibadan/University College Hospital Ethical Review Board (Reference No.: UI/EC/16/0022) as well as the Human Research Ethics Committee (Medical) of the University of the Witwatersrand (Reference No.: M160737). Written informed consent were obtained from study participants before the interviews and FGDs (see Supplementary file 2). Participants were also assured of confidentiality by ensuring that all identifiers were removed from the data and that only the research team has access to the data. 3. Results Respondents described a number of sociocultural factors that challenge the scale up process encountered right from the pilot stage (see Figure 1). [Figure 1] 3.1 Deep rooted cultural and religious beliefs about fertility Participants spoke about a deep-rooted belief amongst community members that children are 'divine blessings' and that procreation should not be regulated. Emerging from this world view, participants described a subtle resistance to the uptake of injectable contraceptives, more passive than overt in its expression by individuals and families who would feign acceptance but refuse the intervention when given. "...there will always be resistance to this use of contraceptives, because here, we are

205

206

207

208

209

210

211

212

213

214

215

216

217218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

people that believe that children are a blessing, so you give birth to as many as possible. ... The resistance may not be as a group, but when you come to individual levels... as a government, they might not show you the resistance, but when it comes to the actual usage, that's where you start having problems." (IDI, male, Doctor, SMoH) Also, there were issues about religious beliefs influencing perception about family planning/ contraceptive use at the community level. Religiosity, that is, strong adherence to religious beliefs, was said to be one of the major factors impeding the uptake of contraceptives in general. "...when you look at northern Nigeria, majority are Muslims and when you look at the south eastern states, you know we have issue of religion, issue of uptake of all contraceptives, not even injectables alone. To the south eastern man, most of them are Catholics, they frown at family planning, so also here (northern Nigeria) people frown at family planning in general" (KII, male, Senior official, SMoH). 3.2 Awareness and perceptions regarding family planning Most interview respondents agreed that there was a need to continue to educate community members about the overall benefits of contraceptives and family planning as well as emphasize possible side effects of contraceptives use among women. Also, informants were of the opinion that lack of knowledge about benefits of contraception contributes to reluctance to adopt the innovation. In the words of a respondent: "...the community and people at the grassroots have little information (on contraceptives)" (KII, female, Senior official, SMoH). These challenges were further compounded by reports of adverse effects of the contraception from some women especially "severe bleeding during menstruation" (IDI, female, CHEW). Healthcare providers felt that to effectively deal with these challenges, it was important to listen sympathetically to the women and treat reported side effects, in line with the training received for the innovation scale up. Education was also given when clients had questions in order to resolve doubts about the innovation. For example, a respondent said: "We listen to them, and we explain to them that since it (contraceptive) is a new thing in the body, Focus group discussants highlighted many reasons why women in their reproductive age

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

group used injectable contraceptives, including desire to stay attractive in order to prevent husbands from 'straying', space the children and enjoy life with fewer financial and parenting constraints. One of the discussants who currently uses injectable contraceptives described her motivation thus: "...If we space our children well, we will enjoy our lives because our husbands will always desire us since we are always looking attractive. He will not stay out late because he will be thinking of you at home" (FGD, female, current user). Also, a participant stated that the impetus for contraceptive use was the fact that spacing her children afforded her the ability to take care of herself and the home thereby promoting hygiene and healthy living in the home. She said: "...You will be able to take care of yourself as well as your house, your husband will also desire you as you will look good as well as your children. Flies will not follow you around and anyone that comes to your house will be able to eat and drink because everywhere is clean and attractive" (FGD, female, current user). 3.3 Perceptions regarding the community-based distribution (CBD) approach Many of the women who were current users of injectable contraceptives stated their preference for the community-based approach over the facility-based system of distributing the contraceptives. Some of their reasons for this position included convenience, affordability (saves cost as transport fare is not needed), improved privacy and focused attention from the health worker. "...During home visit, it's between you and the woman (health worker) and she can explain it very well to you since she is not in a hurry; although in the hospital they can also explain but the home visit is better since the health worker will explain until you understand." (FGD, female, current user). Likewise, some male discussants preferred the community-based approach because they believed it was more confidential and gave women more time to deal with domestic issues. The CBD approach was also believed to align with men's desire to be in control of 'family issues'. "...Maybe the time the wife wants to go (to the health facility) the husband needed her for something else...Sometimes some husbands want all these things to be

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291292

293

294

confidential, but when you now tell them to release their wives to the hospital, they will think you are exposing the family issues" (FGD, married men). However, one of the discussants who favoured the facility-based approach 'prefer[ed] to go to the hospital, so I can be checked properly, including to check my BP" (FGD, female, current user). Similarly, some married men also preferred the facility-based approach as they believed that the community-based method is intrusive of their privacy and undermines their authority: "...My advice is that the woman should come to hospital ...because some husbands will query you that who gave you the permission to see their wives (at home) and advise them about child spacing. Some disagree with the community-based method" (FGD, married men). 3.4 Spousal involvement in family planning In addition, male involvement was highlighted as important if uptake of innovation will be meaningful since Gombe is largely a society where the women need the men's permission for doing many things including obtaining injectable contraceptives. "Some men will not accept it (contraceptive) because they want plenty children...she (the wife) should continue begging the husband until he agrees if she wants to use contraceptives" (FGD, women not using contraceptives). Furthermore, cultural beliefs and sociocultural context were reported as fuelling poor awareness and knowledge about contraceptive use. Also, male involvement was described as important in dealing with the problem of ignorance and poor perception about family planning in the community. According to the participants in this study, once the men are well informed, it is easier to get their buy-in and cooperation in permitting their wives to get the injections. "...some of the men don't know much about family planning commodities and some (people) are telling them some of the side effects. So, they prevent the women from using them...that's why we need more sensitization to the men and the youths" (IDI, female, Nurse). "The perception of men (about contraceptives) is lower than that of women. The women know the implications better than the men. The men in the rural areas don't

295

296

297

298299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

mind having any number of children..." (FGD, married men) Also, a female health worker emphasised the importance of male involvement particularly in communities where the literacy rate is low: "Honestly, we need to do more in carrying them [men] along, Male involvement is very important because you know they are our superiors. We in the North, it is only the educated that may be sometimes at loggerhead (with their husbands)... but these illiterates and native people, it is always the man that is superior. So, it is very important for us to consider male involvement, it will help a lot (IDI, female, Nurse). 3.5 Community support for scale up The traditional leaders interviewed believed that community support for the innovation is very high. "In fact, the support our community gives to this programme, without exageration, I will say maybe 80-90%. They (the community) have been very supportive of the programme" (IDI, male, Traditional ruler, Yemaltu-Deba). "Definitely, you have 70% support from the communities. From the religious leaders, traditional rulers and even of ward heads in the community we get 100% support" (IDI, male, Traditional leader, Gombe). However, some cautioned that the community support is not as high as expected due to what they call low knowledge and awareness about contraceptive choices in Northern Nigeria. "...Really, people have supported the program but I know some people do not have the knowledge (about injectable contraceptives) but those that have the knowledge are really in support of the program... [you know] the Northern culture prohibits some things, that's why I said the support for it (injectable contraceptives scale up) is not as much as we expect." (IDI, male, Christian religious leader) One community leader described his role as active in the scale up process because he helps in disseminating information to all the wards under his domain. He shared his experience: "Whenever the need arises, we normally call the kingmakers, district head kingmakers, they are about seven, and we have at least 54 ward heads, we use to call them from ti Many of the leaders ascribed the progress with the scale up in their communities to the

324

325

326

327

328

329 330

331

332

333

334

335336

337338

339

340

341

342

343

344

345 346

347

348 349

350

351

352 353

354

involvement of the traditional leaders in the programme. However, some leaders complained of not being officially involved in the programme, although they still offer their support. "There are so many traditional rulers that were involved in this program; that is the reason why it has been accepted 100%, especially in Gombe State now" (IDI, male, Traditional leader, Gombe). "...My involvement is...passive involvement. Of course, we preachers, you can push people, encourage them in your own little way... We preach it, we tell people about it... (IDI, male, Christian religious leader) 4. Discussion In our study, there were a number of sociocultural issues alluded to as factors that may affect scale up of a contraceptive innovation in Nigeria, including patriarchy, traditional and religious norms, beliefs and myths about contraceptives and family planning. Agunbiade & Ogunleye²⁷ reported in their study assessing the sociocultural barriers to the scale up of exclusive breastfeeding in Nigeria, the scale up process cannot be separated from the context and the culture in the environment. Further, in a study among African American women, culture and health beliefs were found to be significant predictors of health innovation uptake.²⁸ Our study indicates it is vital to secure the understanding and support of the men and significant others for scale up of the community-based distribution of injectable contraceptives to succeed in environments like our study site that are still largely patriarchal.²⁷ Similar to the findings of our study, male involvement and support of women's significant others, particularly the mothers-in-law, have been reported to be crucial to innovation scale up in Nigeria as these significant others have strong influence on choices made by women.²⁷ In other settings, increased male participation through increasing men's knowledge and reducing their opposition has been shown to improve uptake and continued use of contraceptives²⁹⁻³¹ and enhancement of prevention of mother to child transmission of HIV (PMTCT) scale up processes.³² In this study, one of the reasons why women reportedly use contraceptives was to look attractive and satisfy their husbands in order to prevent them from engaging in extramarital relationships. Thus, contraception is both liberating for women on one hand but also perhaps serving the very patriarchy they are trapped in on the other.

355

356

357

358

359

360 361

362

363

364

365

366 367

368

369

370

371

372

373 374

375

376

377

378

379 380

381

382 383

384

385

386

Studies have shown that in many African societies, patriarchy is perpetuated by the socialisation process which starts from the family and is often preserved by women themselves. 33 34 Also, findings from our study show passive resistance to contraceptive uptake, particularly at the individual levels. Research has shown that passive resistance is one of the major reasons for the high failure rate of innovation scale up. 35 36 Passive resistance often results from individuals' resistance to change and contentment with or lack of power to change the status quo. 36 Further, consumers will not adopt an innovation if they are not sure of its value or benefits.³⁷ According to Heidenreich and Kraemer, passive innovation resistance should be addressed before the introduction of new innovations into the society. 35 Strategies for reducing passive resistance to uptake of health innovations in the community include actively involving men in their uptake, ¹⁴ as well as giving adequate and correct information about the advantages of contraceptive use to all stakeholders - health workers, community and religious leaders, trained volunteers and program managers.³⁷ Since the passive resistance reported in this study is largely underpinned by deep-seated issues of patriarchy, religious beliefs and traditional norms/values, it is imperative for policy makers and program managers to engage men – who are custodians, in most cases, of both religious and cultural values. 38 39 Male involvement can bring benefits for all community stakeholders, ³⁸ as well as social change. ⁴⁰ With careful management and ongoing monitoring, the involvement of men may ultimately give the scale up of this health innovation a greater chance of success. Furthermore, religious beliefs were also found to influence scale up of the community-based injectable contraceptives and family planning in general in our study sites in Northern Nigeria. Religion has been shown to significantly influence decisions on contraceptive use, 41 as well as individual/household choices, lifestyle and even traditional values. 42 Thus, religion has great implications for the social marketing of commodities particularly contraceptives, as uptake of health products has been shown to differ significantly among adherents of major religions. 42 For example, research done in Islamic countries 43 44 highlights the need to understand Islamic religion in order to do effective social marketing, and recommends that approval be obtained from religious leadership before certain sensitive products like contraceptives are marketed. Understanding religious nuances in local contexts is important in multi-faith countries such as Nigeria – for example, what 'works' in the

387

388

389

390 391

392

393 394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412 413

414

415

416

417

largely-Islamic North⁴⁵ may need adaptation for Christian populations elsewhere. Our study demonstrated the importance of strong community support and partnership with community gate-keepers in the scale up process. Research has shown that the CBD approach cannot succeed without community participation. 46 Therefore, programme implementers need to learn from the community what works (or may work) in the setting, what distribution method the community prefers or what modification to the existing methods they favour. Research has shown that there is no quick fix to scaling up. 46 It is essentially a learning process which is unique in different contexts. Therefore, scale up may not be effective without adequate contextual knowledge and willingness to learn through the process of community participation and stakeholder collaboration. 46 47 While the focus of this paper has been on challenges as identified in the wider context of religion and patriarchy, many of the suggested solutions rely on the health systems and those working in it, to navigate these challenges and overcome them. However, this cannot be a static or reactive approach but rather needs to recognise that health systems and those working in them are also part of the sociocultural context and therefore it is important to find ways to support healthcare workers in mediating, translating and promoting the innovation in this context. 4.1 Limitations of the study Some limitations of this study should be emphasised. As with any qualitative study, the findings are not statistically generalizable but the theories and ideas can be applied to other contexts. Thus, the findings of this study provide valuable information into how sociocultural context and user support affect the scale up of health innovations in LMICs, particularly in a patriarchal society like Nigeria. 4.2 Recommendations Further studies are needed on the barriers and facilitators to community-based distribution of health innovations. 41 Although the pilot project 16 provided some evidence that communitybased distribution is feasible in Nigeria, more understanding about what may impede or enhance this approach to health commodity distribution is needed. In addition, incorporating the CBD approach with other outreach programmes, developing a more effective supervision of the approach may help make CBD more productive.

4.3 Conclusion

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

Our study revealed a number of sociocultural factors influencing the scale up of communitybased distribution of injectable contraceptives in Nigeria. These include subtle resistance to innovation uptake as a result of deep-rooted cultural and religious beliefs about fertility and contraceptive use, influence of patriarchy and prominent role of traditional and religious leaders on innovation uptake. Findings also suggest the need for continuous community education and engagement with the significant others and community leadership structures – both traditional and religious. Thus, providing an innovation does not necessarily translate to uptake. Therefore, program implementers should also consider sociocultural and health system contexts when packaging a health innovation. Hence, supporting those in the health system to mediate the innovation in ways that are sensitive to the context but which, by working with communities and others, promotes transformation is imperative. Policy implementers should also see scale up as a learning process and be willing to move at the speed of the community. Acknowledgements We are grateful to Drs Mariya Saleh, Wole Adefalu, Edward Oladele and Hadiza Kamofu for expediting access to key informants. Also, we appreciate Dr Alex Eze for his feedback on the early draft of the manuscript. We are grateful for the support of Dr Busola Adebayo, Jimi Latunji and Wunmi Folajimi-Senjobi with editing the manuscript. We would like to thank all the participants in this study. **Authors' contributions** OA conceived the study; OA and MK designed it. The data was collected by OA. OA, MK and BH drafted and commented on the draft of the manuscript. OA, MK and BH read and approved the final version of the manuscript. **Data Availability Statement**

Dataset for this study is available at https://doi.org/10.5061/dryad.8kprr4xj4.

References

- 1. Subramanian S, Naimoli J, Matsubayashi T, et al. Do we have the right models for scaling up health services to achieve the Millennium Development Goals? *BMC health* services research 2011;11(1):336.
- 2. Manham L, Hanson K. Scaling up in international health: what are the key issues? Review. *Health Policy Plan* 2010;25:85-96.
- 3. Bradley EH, Curry LA, Taylor LA, et al. A model for scale up of family health innovations in low-income and middle-income settings: a mixed methods study. *BMJ open* 2012;2(4):e000987.
- 4. Hecht R, Stover J, Bollinger L, et al. Financing of HIV/AIDS programme scale-up in low-income and middle-income countries, 2009–31. *The Lancet* 2010;376(9748):1254-60.
- 5. Johns B, Torres TT. Costs of scaling up health interventions: a systematic review. *Health policy and planning* 2005;20(1):1-13.
- 6. Mangham LJ, Hanson K. Scaling up in international health: what are the key issues? Health policy and planning 2010;25(2):85-96.
- 7. Rajaram SS, Rashidi A. Asian-Islamic women and breast cancer screening: a socio-cultural analysis. *Women & health* 1999;28(3):45-58.
- 8. Westercamp N, Bailey RC. Acceptability of Male Circumcision for Prevention of
 HIV/AIDS in Sub-Saharan Africa: A Review. AIDS and Behavior 2007;11(3):341-55.
 doi: 10.1007/s10461-006-9169-4
- 9. Katapodi MC, Lee KA, Facione NC, et al. Predictors of perceived breast cancer risk and the relation between perceived risk and breast cancer screening: a meta-analytic review. *Preventive medicine* 2004;38(4):388-402.
- 10. Muanda M, Ndongo PG, Taub LD, et al. Barriers to modern contraceptive use in Kinshasa, DRC. *PloS one* 2016;11(12):e0167560.
- 11. Muanda MF, Ndongo GP, Messina LJ, et al. Barriers to modern contraceptive use in rural areas in DRC. *Culture, health & sexuality* 2017;19(9):1011-23.
- 470 12. Airhihenbuwa CO. Health and culture: Beyond the Western paradigm: Sage 1995.
- 13. Colleran H, Mace R. Social network-and community-level influences on contraceptive use: evidence from rural Poland. *Proc R Soc B* 2015;282(1807):20150398.
- 14. Dalaba MA, Stone AE, Krumholz AR, et al. A qualitative analysis of the effect of a
 community-based primary health care programme on reproductive preferences and
 contraceptive use among the Kassena-Nankana of northern Ghana. BMC health
 services research 2016;16(1):80.
- 15. Etukudo IW. Spousal approval, communication and contraceptive behaviour in rural Nigeria. *African Journal of Midwifery and Women's Health* 2015;9(4):170-76.
- 16. FHI. The Effectiveness of Community-Based Access to Injectable Contraceptives in
 Nigeria: A Technical Report. 2010
- 481 17. Association for Reproductive and Family Health. Increasing access to contraceptives in
 482 Nigeria through task-shifting to Community Health Extension Workers (CHEWs)
 483 Abuja: Association for Reproductive and Family Health; 2015 [cited 2015 6 January].
 484 Available from: http://www.arfh-ng.org/news/item012.php accessed 6 January 2015.
- 18. Association for Reproductive and Family Health. Increasing Access to Contraceptives in
 Nigeria Through Task-shifting to Community Health Extension Workers (CHEWS)
- 487 Ibadan: Association for Reproductive and Family Health,; 2014 [cited 2015 5
- November]. Available from: http://arfh-ng.org/increasing-access-contraceptives-
- nigeria-task-shifting-community-health-extension-workers-chews/ accessed 5
 November 2015.
- 491 19. National Population Commission. Population and housing census of the Federal Republic

492 of Nigeria. *Priority tables* 2006;1

509

510

511

523

524

- 20. National Population Commission. Nigeria demographic and health survey 2008. Nigeria
 494 and ICF Macro 2008
- 21. National Population Commission, ICF International. Nigeria Demographic and Health
 Survey 2013. *Abuja*, *Nigeria* 2014
- 497 22. Vonk ME, Tripodi T, Epstein I. Research techniques for clinical social workers:
 498 Columbia University Press 2007.
- 23. Pope C, Mays N. Qualitative research: reaching the parts other methods cannot reach: an introduction to qualitative methods in health and health services research. *Bmj* 1995;311(6996):42-45.
- 502 24. Temple B, Edwards R. Interpreters/translators and cross-cultural research: Reflexivity and border crossing. *International Journal of Qualitative Methods* 2002;1(2)
- 25. Hutchison AJ, Johnston LH, Breckon JD. Using QSR□NVivo to facilitate the
 development of a grounded theory project: an account of a worked example.
 International journal of social research methodology 2010;13(4):283-302.
- 507 26. O'Brien BC, Harris IB, Beckman TJ, et al. Standards for reporting qualitative research: a synthesis of recommendations. *Academic Medicine* 2014;89(9):1245-51.
 - 27. Agunbiade OM, Ogunleye OV. Constraints to exclusive breastfeeding practice among breastfeeding mothers in Southwest Nigeria: implications for scaling up. *International breastfeeding journal* 2012;7(1):5.
- 512 28. Sociocultural context of mammography screening use. Oncology nursing forum; 2006. 513 Oncology Nursing Society.
- 514 29. Kabagenyi A, Jennings L, Reid A, et al. Barriers to male involvement in contraceptive 515 uptake and reproductive health services: a qualitative study of men and women's 516 perceptions in two rural districts in Uganda. *Reproductive health* 2014;11(1):21.
- 517 30. Ujuju C, Anyanti J, Adebayo S, et al. Religion, culture and male involvement in the use 518 of the Standard Days Method: evidence from Enugu and Katsina states of Nigeria. 519 *International nursing review* 2011;58(4):484-90.
- 31. Sanusi AA, Akinyemi OO, Onoviran OO. Do knowledge and cultural perceptions of modern female contraceptives predict male involvement in Ayete, Nigeria? *African journal of reproductive health* 2014;18(4):105-14.
 - 32. Peltzer K, Jones D, Weiss SM, et al. Promoting male involvement to improve PMTCT uptake and reduce antenatal HIV infection: a cluster randomized controlled trial protocol. *BMC Public Health* 2011;11(1):778. doi: 10.1186/1471-2458-11-778
- 33. Florence N. Bukusu (Kenya) folktales: how women perpetuate patriarchy. *International Feminist Journal of Politics* 2013;15(3):370-90.
- 528 34. Kambarami M. Femininity, sexuality and culture: Patriarchy and female subordination in Zimbabwe. *South Africa: ARSRC* 2006
- 530 35. Heidenreich S, Kraemer T. Innovations—doomed to fail? Investigating strategies to 531 overcome passive innovation resistance. *Journal of Product Innovation Management* 532 2016;33(3):277-97.
- 36. Heidenreich S, Spieth P. Why innovations fail—The case of passive and active
 innovation resistance. *International Journal of Innovation Management* 2013;17(05):1350021.
- 37. KISS Communications. Why Consumers Resist Innovation part one 2016 [cited 2018 1
 September]. Available from: https://www.kisscom.co.uk/news/why-consumers-resist-innovation-part-one accessed 1 September 2018.
- 38. Orji E, Onwudiegwu U. Contraceptive practice among married market men in Nigeria.
 East African medical journal 2003;80(7):357-60.
- 39. Orji E, Onwudiegwu U. Contraceptive practice among married men in Nigeria. East Afr

Med J 2008;200(80):7.

542

562

- 40. Onwukwe LC, Njemanze VC, Ebeh R, et al. Religiosity and Sexism as Indices of
 People's Perception of Women in Politics in Nigeria. *American Journal of Social* Science Research 2017;3(2):9-16.
- 41. Mitike G. Community-based distribution of family planning as perceived by people in the reproductive age group, North and South Gondar zones, Ethiopia. *Ethiopian Journal of Health Development* 2000;14(1):31-42.
- 549 42. Shyan Fam K, Waller DS, Zafer Erdogan B. The influence of religion on attitudes 550 towards the advertising of controversial products. *European Journal of marketing* 551 2004;38(5/6):537-55.
- 43. Michell P, Al-Mossawi M. Religious commitment related to message contentiousness. International Journal of Advertising 1999;18(4):427-43.
- 44. Luqmani M, Yavas U, Quraeshi Z. Advertising in Saudi Arabia: content and regulation.
 International Marketing Review 1989;6(1)
- 45. Watts MJ. Silent violence: Food, famine, and peasantry in northern Nigeria: University of Georgia Press 2013.
- 46. Gilson L, Schneider H. Commentary: Managing scaling up: what are the key issues? Health Policy and Planning 2010;25(2):97-98.
- 47. Phillips JF, Greene WL. Community based distribution of family planning in Africa:
 lessons from operations research. 1993

Table and Figure

564

565

566

567

568

Table 1: Participants and data collection methods across study sites

Location	Type	n	Participant type	
Federal and State Level				
	KII	4	NGO program manager, Senior official at	
			the Federal MoH ^a , NGO program managers	
Gombe State				
	KII	3	Senior officials of State MoH.	
	IDI	7	Health workers (Nurses, CHEWs ^b)	
LGA A				
	FGD	5	Current contraceptive users, older women	
			non-users, younger women non-users (in	
			reproductive age group), married and single	
			men	
LGA B	IDI	8	Health workers (Nurses, CHEWs ^b)	
	FGD	5	Current contraceptive users, older women	
			non-users, younger women non-users (in	
			reproductive age group), married and single	
			men	
Total		32		

^aMoH – Ministry of Health; ^bCHEWs – Community Health Extension Workers




Figure 1: Socio-cultural factors influencing uptake of CBD of injectable contraceptives in Gombe State