

1 **Balancing revenue generation with capacity generation: Case distribution, financial impact and**
2 hospital capacity changes from cancelling or resuming elective surgeries in the US during COVID-19

3
4 Joseph E. Tonna, MD

5 Surgical Population Analytic Research Core (SPARC)

6 Department of Surgery

7 University of Utah Health

8 Salt Lake City, UT, USA

9 joseph.tonna@hsc.utah.edu

10 ORCID: 0000-0001-8879-2628

11
12 Heidi A. Hanson, PhD

13 Surgical Population Analytic Research Core (SPARC)

14 Department of Surgery

15 University of Utah Health

16 Salt Lake City, UT, USA

17 heidi.hanson@hci.utah.edu

18 *AND*

19 Department of Population Health Sciences

20 University of Utah Health

21 Salt Lake City, UT, USA

22
23 Jessica N. Cohan, MD, MAS

24 Surgical Population Analytic Research Core (SPARC)

25 Department of Surgery

26 University of Utah Health

27 Salt Lake City, UT, USA

28 jessica.cohan@hsc.utah.edu

29 *AND*

30 Department of Population Health Sciences

31 University of Utah Health

32 Salt Lake City, UT, USA

33

34 Marta L. McCrum, MD, MPH

35 Surgical Population Analytic Research Core (SPARC)

36 Department of Surgery

37 University of Utah Health

38 Salt Lake City, UT, USA

39 marta.mccrum@hsc.utah.edu

40

41 Joshua J. Horns, PhD

42 Surgical Population Analytic Research Core (SPARC)

43 Department of Surgery

44 University of Utah Health

45 Salt Lake City, UT, USA

46 joshua.horns@hsc.utah.edu

47

48 Benjamin S. Brooke, MD, PhD

49 Surgical Population Analytic Research Core (SPARC)

50 Department of Surgery

51 University of Utah Health

52 Salt Lake City, UT, USA

53 *AND*

54 Department of Population Health Sciences

55 University of Utah Health

56 Salt Lake City, UT, USA

57
58 Rupam Das, MS, MBA

59 Surgical Population Analytic Research Core (SPARC)

60 Department of Surgery

61 University of Utah Health

62 Salt Lake City, UT, USA

63 rupam.das@hsc.utah.edu

64
65 Brenna C. Kelly

66 Surgical Population Analytic Research Core (SPARC)

67 Department of Surgery

68 University of Utah Health

69 Salt Lake City, UT, USA

70 brenna.kelly@hsc.utah.edu

71
72 Alexander John Campbell, MS

73 Surgical Population Analytic Research Core (SPARC)

74 Department of Surgery

75 University of Utah Health

76 Salt Lake City, UT, USA

77 u1209855@utah.edu

79 James Hotaling, MD

80 Surgical Population Analytic Research Core (SPARC)

81 Department of Surgery

82 University of Utah Health

83 Salt Lake City, UT, USA

84 jim.hotaling@hsc.utah.edu

85

86 Corresponding Author:

87 Joseph E. Tonna, MD

88 Surgical Population Analytic Research Core (SPARC)

89 Department of Surgery

90 University of Utah Health

91 Salt Lake City, UT, USA

92 joseph.tonna@hsc.utah.edu

93 ORCID: 0000-0001-8879-2628

94 @JoeTonnaMD

95

96

97

98

99

100

101

102

103

104

05 **Abstract**

06 **Background:**

07 To increase bed capacity and resources, hospitals have postponed elective surgeries, although the
08 financial impact of this decision is unknown. We sought to report elective surgical case distribution,
09 associated gross hospital earnings and regional hospital and intensive care unit (ICU) bed capacity
10 as elective surgical cases are cancelled and then resumed under simulated trends of COVID-19
11 incidence.

12
13 **Methods:**

14 A retrospective, cohort analysis was performed using insurance claims from 161 million enrollees
15 from the MarketScan database from January 1, 2008 to December 31, 2017. COVID-19 cases were
16 calculated using a generalized Richards model. Centers for Disease Control (CDC) reports on the
17 number of hospitalized and intensive care patients by age were used to estimate the number of cases
18 seen in the ICU, the reduction in elective surgeries and the financial impact of this from historic claims
19 data, using a denominator of all inpatient revenue and outpatient surgeries.

20
21 **Results:**

22 Assuming 5% infection prevalence, cancelling all elective procedures decreases ICU overcapacity
23 from 340% to 270%, but these elective surgical cases contribute 78% (IQR 74, 80) (1.1 trillion (T) US
24 dollars) to inpatient hospital plus outpatient surgical gross earnings per year. Musculoskeletal,
25 circulatory and digestive category elective surgical cases compose 33% (\$447B) of total revenue.

26
27 **Conclusions:**

28 Procedures involving the musculoskeletal, cardiovascular and digestive system account for the
29 largest loss of hospital gross earnings when elective surgery is postponed. As hospital bed capacity

increases following the COVID-19 pandemic, restoring volume of these elective cases will help maintain revenue.

Key Words:

COVID-19 pandemic

Critical care capacity

Resource allocation

Available hospital beds

Overcapacity

WORD COUNT: 2160 (manuscript); 246 (abstract)

DECLARATIONS

Ethics approval and consent to participate

This study did not meet criteria for IRB review.

Consent for publication

Not applicable

Availability of data and materials

To facilitate research reproducibility, replicability, accuracy and transparency, the associated analytic code is available on the Open Science Foundation [1] (OSF) repository, [DOI 10.17605/OSF.IO/U53M4] at [<https://osf.io/u53m4>]. The data that support the findings of this study were obtained under license from Truven. Data were received de-identified in accordance with Section 164.514 of the Health Insurance Portability and Accountability Act (HIPAA).

56

57 **Competing interests**

58 JET received modest financial support for speakers fees from LivaNova and from Philips Healthcare,
59 outside of the work. The other authors declare that they have no competing interests.

50

51 **Funding**

52 JET is supported by a career development award (K23HL141596) from the National Heart, Lung, And
53 Blood Institute (NHLBI) of the National Institutes of Health (NIH). The content is solely the
54 responsibility of the authors and does not necessarily represent the official views of the National
55 Institutes of Health. None of the funding sources were involved in the design or conduct of the study,
56 collection, management, analysis or interpretation of the data, or preparation, review or approval of
57 the manuscript.

58

59 **Authors' contributions**

70 JET, JH had full access to all the data in the study, takes responsibility for the integrity of the data, the
71 accuracy of the data analysis, and the integrity of the submission as a whole, from inception to
72 published article. JET, HH, BSB, JC, MM, JJH, JH conceived study design; JET, HH, BSB, JC, MM,
73 JJH, RD, BK, AJC, JH contributed to data acquisition and analysis; JET, HH, JJH, JH drafted the
74 work; all authors revised the article for important intellectual content, had final approval of the work to
75 be published, and agree to be accountable to for all aspects of the work.

76

77 **Acknowledgements**

78 Not applicable

79

30

31

INTRODUCTION

The novel Coronavirus Infectious Disease 2019 (COVID-19) is a highly transmittable virus that has resulted in over 2.5 million infections worldwide [2]. United States (US) health systems are designed for stable, predictable utilization patterns; they are generally unprepared for surge medical need as is required with the COVID-19 pandemic. Surge situations have historically been addressed by deploying temporary medical teams and tent facilities, or have overwhelmed the available resources with resultant excess morbidity and mortality [3]. Current estimates suggest 5% of the US population will contract COVID-19, of whom 15% will require hospitalization, and 5% will require intensive care [4-6]. At this rate, there will be 5 infected patients requiring hospitalization for every existing US hospital bed in addition to concomitant hospitalized non-COVID patients [7].

In order to decrease the resources needed during the peak of COVID-19, many countries have adopted physical distancing to attempt to flatten the curve of COVID-19 [8]. Some nations, such as China, have taken extreme measures such as forced quarantines and a completely shutdown of all aspects of society whereas other countries such as Norway have chosen to remain largely open. The United States has emphasized physical distancing and suspension of non-essential business operations which have, until now, included elective surgical procedures. This has resulted in hospitals in areas with relatively few COVID-19 patients, such as Utah, functioning at only 30% of their typical inpatient and surgical capacity. The financial implications of cancelling elective surgical procedures has been devastating for healthcare systems with some systems currently losing upwards of \$25 million USD per week [9].

However, to mitigate large anticipated surges in hospitalizations and deaths over the coming months, US hospitals need to sustainably absorb increases in patients requiring hospitalization and intensive care, while continuing to care for non-COVID patients. After a statement from the American College of Surgeons (ACS), many hospitals across the country ceased elective surgery to free beds and limit

patient exposure. While cancelling elective surgical cases has increased capacity, the financial impact of these surgeries, including relative financial contribution by case type, has not been described. Furthermore, the epidemiology of the deferred elective surgical cases, case counts, and their resultant contribution to bed capacity has not been described.

We estimate the financial implications of cancelling elective surgeries using a national insurance claim database, Truven MarketScan (MS). This information can be used to inform strategies for resuming elective surgical procedures. We describe regional differences in capacity of US hospitals to absorb COVID-related inpatient surges if measures are not taken to slow the spread, describe elective case distribution, and present the relative financial impact and case counts of resumption of elective surgical cases.

METHODS

Our analysis is reported according to the Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) Guidelines (Supplemental Methods) [10].

Data Source and Study Population

Gross inpatient hospital earnings, outpatient surgical earnings, and inpatient and ICU (I/ICU) beds were estimated using Truven MarketScan (MS). MS billing data captured 8-16% of the entire US population from 2013-2017. For every MS patient, we determined the total number of I/ICU days from 2008-2017 for 161 million (M) enrollees and aggregated visit counts by month, state, and major diagnostic category (MDC). Elective surgery admissions were identified by surgery revenue codes not associated with emergency revenue or provider codes. Admissions occurring within 30 days post-elective (including outpatient) surgery were considered complications and categorized as resulting from elective surgery. Gross earnings were aggregated by MDC codes and surgical (elective vs non-

33 elective) vs non-surgical. Analysis by MDC excluded eye, human immunodeficiency virus, health
34 status and missing categories.

36 **Study Variables and Outcomes**

37 MS data were used to report gross hospital earnings derived from inpatient admissions and outpatient
38 surgeries for each MDC category by elective vs non-elective surgical and non-surgical. We calculated
39 proportion of gross earnings from elective surgeries by state, and the proportion of I/ICU beds
40 unoccupied, and occupied by elective and emergent cases by state. The average number of
41 unoccupied beds was defined as the difference between the average number of I/ICU days and the
42 maximum number of I/ICU days in a given state. We used data from the Harvard Global Health
43 Institute (HGI) to identify the total number of I/ICU patient beds per state and applied the proportion
44 from the MS data to obtain estimates of occupied beds [11].

46 The Centers for Disease Control (CDC) Morbidity and Mortality Weekly Report (MMWR) was used to
47 calculate the number of expected I/ICU beds occupied by age group [12]. We applied these age-
48 specific rates to 5% of each state's population using 2018 U.S. Census Bureau age-specific
49 population estimates to calculate the number of expected hospitalizations and inpatient cases by
50 state [13]. We calculated lower bound (LB) and upper bound (UB) estimates based on the CDC's
51 reported uncertainty.

53 **Statistical Analysis**

54 In order to estimate the financial implications of cancelling or resuming elective surgical cases, we
55 calculated the distribution of gross earnings by MDC code and then by elective and non-elective
56 surgical, and non-surgical classifications. To inform the balance of revenue and capacity generation,
57 we illustrate the effect of cancellation of elective surgical cases on hospital capacity by modeling a
58 scenario that may exist if 5% of the US population were infected with COVID-19. We constructed a

59 Generalized Richards Growth Model (GRM), which has been proven effective for capturing single
60 epidemic transmission dynamics, to describe a scenario that could happen in the absence of
61 limitation to the disease spread [14]. Our GRM assumed a 5% infection rate, 5.2-day doubling rate,
62 and 100-day period of disease progression. These values were based on current published rates and
63 do not account for variation in social distancing [15, 16].

64
65 We illustrated gross earnings by MDC code and by classification. We calculated the number of
66 hospitalized patients in each state during the simulated pandemic peak using 11-day inpatient and 9-
67 day ICU length of stay [5, 6, 17]. We then calculated the ratio of cases to total number of available
68 beds per state with and without removal of elective surgery.

70 RESULTS

71 Across the U.S. there were an average of 1,442,013 (Interquartile range [IQR]: 1,378,039, 1,507,994)
72 inpatient days per month and 104,265 ([IQR] 101,961, 104,842) ICU days per month in the MS
73 sample. Roughly 30% of these days were associated with elective surgery (**Figure 1**). We applied
74 these percentages to US Hospital data and classified beds as emergent, elective, and available. Of
75 735,996 hospital beds in the US, 351,369 were emergent, 136,264 were elective, and 248,363 were
76 available.

78 *Financial Impact*

79 Elective surgical cases contribute 78% (IQR of statewide variation 74, 80) to of the gross inpatient
80 and outpatient surgical earnings per year for hospitals represented in our sample, or 1.1 trillion US
81 dollars. This value varies by MDC from \$488M to \$231 billion (B) (median 39B; IQR 16B, 59B)
82 (**Figure 2**). Within each MDC, the percent of earnings from elective surgical cases varies from <27%
83 to 97% (median 68%; IQR 53, 86). When restricting our analyses to inpatient-derived revenue,
84 elective surgery accounted for 43% (IQR of statewide variation 40, 45) of total gross earnings, or

35 \$254B. This value varies by MDC from <1% to 88%, (\$25M to \$80B). The relative financial
36 contribution of elective surgical cases varies regionally and has important financial implications for
37 hospital specific decisions on resumption of these elective procedures (**Figure 3**).

39 *Case Counts*

40 With the cancellation of elective surgery, there is a need to balance revenue generation with capacity
41 increases. Elective surgical procedures contribute 3B cases in the MS population, of which 7.9M are
42 inpatient. This varies by MDC (median 96M [IQR 47M, 224M], range 1.9M – 515M), of which 197396
43 (IQR 86781, 372544; range 915 - 2.4M) are inpatient. Elective musculoskeletal, circulatory and
44 digestive categories comprise 1.1B cases, of which 3.8M are inpatient. These three categories
45 together compose 13% of hospital admissions, but 23% (\$142B) of inpatient gross earnings.
46 Including outpatient surgical cases, they compose 33% (\$447B) of total inpatient and surgical-
47 outpatient hospital earnings.

49 *Hospital and ICU Capacity*

50 Cancelling elective surgeries adds significant capacity for *new daily ICU admits* (**Figure 4A**), but falls
51 short of the *full capacity required* when 5% of the population is infected over a relatively short period
52 of time and median ICU length of stay is 9 days (**Figure 4B**). Without cancelling elective surgery,
53 median state hospital and ICU capacity was 4967 (IQR 1867, 6100) beds, and 743 (IQR 254.94,
54 944.37) respectively. This increased to 7692 (IQR 2553, 9679) hospital beds, and 991 (IQR 298,
55 1197) ICU beds if elective surgeries were cancelled.

56
57 There is variability in hospital capacity by state. As modeled, states would have mean 3.4 patients
58 requiring admission per available ICU bed (IQR: 2.65 – 4.09) (**Figure 4C**). If we use the UB rates of
59 ICU provided by the CDC, this increases to mean 8.2 patients per bed (IQR: 6.33 – 9.67) (**Figure**
60 **4E**). Removing elective surgeries will alleviate some of this stress, with LB estimates of an average of

2.7 ICU patients per bed IQR (2.19 – 3.16) (**Figure 4D**) and UB estimates of an average 6.4 (IQR 5.3 – 7.6) (**Figure 4F**).

DISCUSSION

Using billing and utilization data to model the financial contribution of elective surgical cases to hospital gross earnings, we demonstrate that cessation of elective musculoskeletal, cardiovascular and digestive cases account for the largest loss of hospital gross earnings, at \$447B or 33% of all inpatient and surgical-outpatient revenue. In contrast, by case count, musculoskeletal, pregnancy, and circulatory categories account for the greatest contribution of elective inpatient cases. Applying case counts to the available hospital beds, cancelling elective surgeries at all US hospitals will decrease ICU overcapacity from 340% to 270% (lower bound) or from 820% to 640% (upper bound) assuming 5% of the U.S. population is infected as shown in our models, but at a financial cost. In light of the significant contribution of elective surgeries to gross hospital earnings, selective resumption of high contributing elective MDC categories may be a way to resume surgery in a financially sustainable way when deemed safe.

Continued provision of care to patients with COVID-19 involves balancing increasing healthcare capacity with sustaining revenue generation. Previous models have addressed the expected healthcare burden of COVID-19 in various ways, but have not addressed revenue generation. To our knowledge, ours is the first to report case distribution and financial contribution of elective surgeries. We incorporated state specific billing data, reporting the relative contribution of elective surgeries to gross hospital earnings, and case counts, by MDC code. Our study informs the relative financial and capacity impact from selective resumption of elective cases. Further, we model the expected increase in bed capacity from cancelling these surgeries. Tsai *et al* previously estimated 1.7 excess COVID-19 patients per hospital bed and 4 excess patients per critical care bed assuming a 40% cumulative infection rate over 12 and 18 months, and an aggressive 50% bed availability [18]. Similarly, Murry

37 used occupancy data from Medicare and Medicaid patients to estimate a capacity gap of 17,000 ICU
38 beds and 64,000 hospital beds at peak infection assuming some measure of social distancing [19].
39 Our study differs from these by modeling disease transmission under a lower infection rate (5%) but
40 faster course (100 days) than Tsai *et al*, and in a worse-case scenario without complete shelter in
41 place orders, which 9 states do not currently have [20]. We also incorporated state-specific data for
42 elective case volume and temporal variation. We demonstrated substantial state-level variation in
43 overcapacity. This suggests an opportunity for regional cooperation and resource redistribution.

44
45 Our results are generated using a financial denominator of total inpatient revenue plus outpatient
46 surgical cases, and do not account for the Medicare population that is not insured by Part C. We
47 determined overcapacity values using consistent rates of infection across the population in less than
48 100 days and assumptions that regional rates are equal [7, 18, 19]. It is important to note that we
49 applied rates of disease progression from regions prior to enforced distancing. Consistent with this,
50 we assumed a stable rate of disease progression of 100 days since first case and do not account for
51 policy responses to the pandemic, such as closure of non-essential service and stay-at-home orders,
52 which are highly variable across states.

53 54 **CONCLUSIONS**

55 Elective inpatient surgeries account for and account 27% of hospital and ICU beds and 43% of gross
56 earnings, which varies substantially by specialty. Among elective cases, musculoskeletal,
57 cardiovascular and digestive MDC categories account for the largest contribution to hospital gross
58 earnings, at 33%. The greatest contribution of bed capacity comes from musculoskeletal, pregnancy
59 and circulatory categories. The cancellation of elective surgery will result in a substantial increase in
60 hospital and ICU bed capacity, though this will vary between states, and at significant financial cost.

53 **Figure Legends**

54
55 **Figure 1.** Average Proportion of Inpatient and ICU Person Days per State Resulting from Elective
56 Surgery.

57
58 Data from 161 million Marketscan patients from 2008-2017 displaying aggregated counts of hospital
59 and ICU beds in total and those resulting from elective surgery averaged across all states. For each
60 month.

61
62 **Figure 2.** Financial contribution of major diagnostic categories (MDC) to gross hospital earnings.

63
64 Data from 161 million Marketscan patients from 2008-2017 displaying aggregated gross hospital
65 earnings by surgery type, separated by major diagnostic category (MDC), across the US. Levels are
66 listed in descending order the percentage of each MDC category contributed by elective inpatient
67 cases. Level width is proportional to the absolute value in US dollars.

68
69 **Figure 3.** Regional variation by state in percentage financial contribution of non-elective, elective
70 inpatient and outpatient surgeries.

71
72 **Panel A** shows percent financial contribution to gross hospital earnings by state for non-elective
73 cases. **Panel B** shows elective inpatient cases. **Panel C** shows outpatient cases.

74
75 **Figure 4.** ICU Capacity across the US with and without cancelling elective surgeries.

76 **Panel A** represents the number of ICU patients admitted each day while **Panel B** represents total
77 ICU patient days during peak infection assuming each COVID-19 patient spent 9 days in the ICU.

78 Green denotes normal availability of ICU beds, purple shows the additive ICU beds that are available



when all elective surgeries are cancelled and pink indicates ICU capacity that would have to be generated by adding additional capacity in hospitals beyond what could be generated through cancellation of elective cases. The dotted lines represent estimates of the number of patients admitted into ICUs from the time the first person was infected and modeled for 100 days after this based on a Generalized Richards Growth Model (GRM). The low and high estimates for COVID-19 infection are based on the CDC low and high estimates. **Panels C-F: Impact of Cancelling All Elective OR Cases on ICU Bed Availability if 5% of U.S. Population Infected with COVID-19.** Estimates of low (**Panel C**) and high (**Panel E**) ICU cases are derived the uncertainty estimates from CDC MMWR reports from the CDC COVID-19 Response Team. Additional capacity through cancellation of elective cases (**Panel D, Panel F**) was determined by applying estimates of the occupied and unoccupied beds resulting from elective surgery from the Marketscan database to the Harvard Global Health Institute (HGHI) estimates of total inpatient and ICU beds in each state.

REFERENCES


1. Foster ED, Deardorff A: **Open Science Framework (OSF)**. *Journal of the Medical Library Association : JMLA* 2017, **105**(2):203-206.
2. **Coronavirus disease 2019 (COVID-19) Situation Report – 92**. In. World Health Organization.
3. Dosa D, Feng Z, Hyer K, Brown LM, Thomas K, Mor V: **Effects of Hurricane Katrina on nursing facility resident mortality, hospitalization, and functional decline**. *Disaster Med Public Health Prep* 2010, **4 Suppl 1**:S28-32.
4. Wu Z, McGoogan JM: **Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72314 Cases From the Chinese Center for Disease Control and Prevention**. *JAMA* 2020.
5. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, Xiang J, Wang Y, Song B, Gu X *et al*: **Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study**. *The Lancet* 2020, **395**(10229):1054-1062.
6. Guan WJ, Ni ZY, Hu Y, Liang WH, Ou CQ, He JX, Liu L, Shan H, Lei CL, Hui DSC *et al*: **Clinical Characteristics of Coronavirus Disease 2019 in China**. *N Engl J Med* 2020.
7. Emanuel EJ, Persad G, Upshur R, Thome B, Parker M, Glickman A, Zhang C, Boyle C, Smith M, Phillips JP: **Fair Allocation of Scarce Medical Resources in the Time of Covid-19**. *N Engl J Med* 2020.
8. **Social Distancing, Quarantine and Isolation** [<https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/social-distancing.html>]
9. Werner E, Harris S, Goldstein A: **Hospital relief money slow to reach places that need it most, lawmakers and industry groups say**. In: *Washington Post*.
10. von Elm E, Altman DG, Egger M, Pocock SJ, Gotsche PC, Vandenbroucke JP, Initiative S: **The Strengthening the Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies**. *PLoS Med* 2007, **4**(10):e296.







11. **Can Hospitals Around the Nation Keep Up?** [<https://globalepidemics.org/our-data/hospital-capacity/>]
12. **Team CC-R: Severe Outcomes Among Patients with Coronavirus Disease 2019 (COVID-19) - United States, February 12-March 16, 2020.** *MMWR Morb Mortal Wkly Rep* 2020, **69**(12):343-346.
13. **Annual County Resident Population Estimates by Age, Sex, Race, and Hispanic Origin: April 1, 2010 to July 1, 2018.** United States Census Bureau. In., 2018 edn.
14. Chowell G: **Fitting dynamic models to epidemic outbreaks with quantified uncertainty: A Primer for parameter uncertainty, identifiability, and forecasts.** *Infect Dis Model* 2017, **2**(3):379-398.
15. Li Q, Guan X, Wu P, Wang X, Zhou L, Tong Y, Ren R, Leung KSM, Lau EHY, Wong JY *et al*: **Early Transmission Dynamics in Wuhan, China, of Novel Coronavirus-Infected Pneumonia.** *N Engl J Med* 2020, **382**(13):1199-1207.
16. Kucharski AJ, Russell TW, Diamond C, Liu Y, Edmunds J, Funk S, Eggo RM, Sun F, Jit M, Munday JD *et al*: **Early dynamics of transmission and control of COVID-19: a mathematical modelling study.** *The Lancet Infectious Diseases* 2020.
17. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, Wang B, Xiang H, Cheng Z, Xiong Y *et al*: **Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China.** *JAMA* 2020.
18. **American Hospital Capacity And Projected Need for COVID-19 Patient Care**
19. Murray C: **Forecasting COVID-19 impact on hospital bed-days, ICU-days, ventilator- days and deaths by US state in the next 4 months.**
20. Ortiz JL, Hauck G: **Coronavirus in the US: How all 50 states are responding – and why nine still refuse to issue stay-at-home orders.** In: *USA Today*.

Average inpatient/ICU days per state




Total gross earnings







A. Number of New ICU Admits |
Assuming 5% of the population is infected within 100 days
and doubling time of 5.2




B. Number of ICU Patients |
Assuming 5% of the population is infected within 100 days
and doubling time of 5.2




C. No Change in Elective Cases | Low Estimate of ICU Cases



D. All Elective Cases Cancelled | Low Estimate of ICU Cases



E. No Change in Elective Cases | High Estimate of ICU Cases



F. All Elective Cases Cancelled | High Estimate of ICU Cases

