### 1 An examination of COVID-19 mitigation efficiency

## 2 among 23 countries

- 3
- 4 Yi-Tui Chen<sup>1</sup>, Shih-Heng Yu<sup>2</sup>, Emily Chia-Yu Su<sup>3,4,\*</sup>
- 5
- <sup>1</sup>Department of Health Care Management, National Taipei University of Nursing and
- 7 Health Sciences, Taipei, Taiwan
- <sup>2</sup>Department of Business Management, National United University, Miaoli, Taiwan
- 9 <sup>3</sup>Graduate Institute of Biomedical Informatics, College of Medical Science and
- 10 Technology, Taipei Medical University, Taipei, Taiwan
- <sup>4</sup> Clinical Big Data Research Center, Taipei Medical University Hospital, Taipei,
- 12 Taiwan
- 13
- 14 \*Corresponding author: emilysu@tmu.edu.tw(E.C.-Y.S.)
- 15

### 17 Abstract

18 The purpose of this paper is to compare the relative mitigation efficiency of 19 COVID-19 transmission among 23 selected countries, including 19 countries in the 20 G20, two heavily infected countries (Iran and Spain), and two highly populous 21 countries (Pakistan and Nigeria). This paper evaluated the mitigation efficiency for 22 each country at each stage by using data envelopment analysis (DEA) tools and 23 analyzed changes in mitigation efficiency across stages. Pearson correlation tests were 24 conducted between each change to examine the impact of efficiency ranks in the 25 previous stage on subsequent stages. An indicator was developed to judge epidemic 26 stability and was applied to practical cases involving lifting travel restrictions and 27 restarting the economy in some countries.

The results showed that Korea and Australia performed with the highest efficiency in preventing the diffusion of COVID-19 for the whole period covering 120 days since the first confirmed case, while the USA ranked at the bottom. China, Japan, Korea and Australia were judged to have recovered from the attack of COVID-19 due to higher epidemic stability.

33

Keywords: COVID-19; stay-at-home order; mitigation efficiency; epidemic stability

### 36 Introduction

37 The COVID-19 pandemic has been raging across the world since the beginning of 38 2020, resulting in a substantial death toll. At the present time (2020/07/12), the World 39 Health Organization (WHO) has indicated that more than 216 countries, areas or 40 territories have been found to have 12,552,765 confirmed cases associated with 41 561,617 deaths [1]. The number of daily, newly confirmed cases in some countries has 42 fallen to single or double digits, but in some other countries, it has not reached its 43 peak and continues to increase. This shows that the response strategies adopted in 44 each country may have different effects on the mitigation of COVID-19 transmission.

45 In this paper, we attempt to measure the relative efficiency in preventing the 46 spread of COVID-19 by using the data envelopment analysis (DEA) technique. In 47 practice, the DEA technique has been widely used in various applications, including 48 health industries (e.g., Yaya et al. [2]; Cavalieri et al. [3]), energy sectors (e.g., 49 Balitskiy et al. [4]; Cruz et al. [5]; Vazhayil and Balasubramanian [6]), cement 50 industries (e.g., Oggioni et al. [7]), agricultural production (e.g., Mousavi-Avval et al. 51 [8]; Mohammadi *et al.* [9]), and manufacturing sectors (e.g., Egilmez *et al.* [10]), and 52 DEA has proven to be an effective approach in identifying the best practice frontiers.

In the field of medical services, DEA has also been widely used to measure the efficiency of hospitals in association with patient visits, surgeries and discharges. For example, Khushalani and Ozcan [11] employed a dynamic network DEA to examine the efficiency of producing quality in hospitals and found that urban and teaching hospitals were less likely to improve quality production efficiency. Deily and McKay [12] used efficiency scores obtained from a DEA analysis as explanatory variables to determine hospital efficiency. In other fields, Oggioni *et al.* [7] employed DEA to

analyze efficiency by using energy as an input and one desired output accompanied by
undesired outputs (CO2 emissions). Mousavi-Avval *et al.* [8] and Mohammadi *et al.*[9] applied the DEA technique to measure the efficiency of agricultural production to
identify wasteful energy. Vazhayil and Balasubramanian [6] showed that the
weight-restricted stochastic DEA method was appropriate to optimize power sector
strategies.

66 To compare the mitigation efficiency among countries on a fair basis, the time 67 period for each stage was calculated from the date of the first confirmed case in each 68 country. The whole period covers 120 days from the first confirmed case and was 69 divided into 6 stages. In addition to the measurement of overall efficiency covering 70 120 days, the efficiency at each stage was also evaluated. The trends in efficiency 71 ranks across stages for each country were analyzed. Eventually, an indicator for 72 epidemic stability was developed to judge the status of epidemic stability for each 73 country.

# 74 **Research methods**

To compare the relative prevention efficiency to reduce the spread of COVID-19, a total of 23 countries were selected, including 19 countries in the G20 and the other four representative countries, as listed in Table 1. The reasons for the selection of Iran and Spain was due to their high levels of confirmed cases and deaths. Pakistan and Nigeria were chosen due to their large populations, which reached 212.2 million and 195.9 million, respectively, at the end of 2018 [13].

The WHO [1] has divides the stages of transmission into (1) no cases reported or observed (Stage 0); (2) imported cases (Stage 1); (3) localized community transmission (Stage 2); and (4) large-scale community transmission (Stage 3). As the

84 date of the first confirmed case varied across countries, the period of each stage was 85 not based on the same date among these countries but was calculated from the first 86 confirmed case in each country. The date of the first confirmed case was identified 87 based on the daily situation report released by the WHO [1] starting on 21 January 88 2020. Among the 23 counties selected, China, Japan, and Korea reported having 89 confirmed cases of COVID-19 before 21 January 2020. The information released 90 from the WHO [1] demonstrated that some cases of pneumonia of unknown etiology 91 were detected in Wuhan City, Hubei Province, China, on 31 December 2019. On 7 92 January 2020, a new type of coronavirus was isolated and identified. Thus, the first 93 case in China may be considered to have occurred at the end of 2019. According to 94 the WHO [1], the first confirmed cases of COVID-19 in Japan and Korea were 95 reported on 15 and 20 January 2020, respectively.

The overall efficiency was compared based on the whole period covering 120 days since the first confirmed case for each country. This paper separated the development process of COVID-19 spread into 6 stages. Stage 1 covers the first 30 days after the first confirmed case in each country. Each stage from Stage 2 to Stage 6 covered 15 days each. In summary, the starting and ending dates of each stage for each country are listed in Table 1.

|       | Stage 1   | Stage 2   | Stage 3   | Stage 4   | Stage 5   | Stage 6   |
|-------|-----------|-----------|-----------|-----------|-----------|-----------|
|       | 2019/12/  | 2020/1/3  | 02/15-02/ | 02/30-03/ | 03/16-03/ | 03/31-04/ |
| China | 31-       | 1-        | 29        | 15        | 30        | 14        |
| China | 2020/1/3  | 02/14     |           |           |           |           |
|       | 0         |           |           |           |           |           |
| T     | 01/15-02/ | 02/15-02/ | 03/01-03/ | 03/16-03/ | 03/31-04/ | 04/15-04/ |
| Japan | 14        | 29        | 15        | 30        | 14        | 29        |
| V     | 01/20-02/ | 02/20-03/ | 03/06-03/ | 03/21-04/ | 04/05-04/ | 04/20-05/ |
| Korea | 19        | 05        | 20        | 04        | 19        | 04        |
| TICA  | 01/23-02/ | 02/23-03/ | 03/09-03/ | 03/24-04/ | 04/08-04/ | 04/23-05/ |
| USA   | 22        | 08        | 23        | 07        | 22        | 07        |

| 102 | Table 1. | . The starting | and ending | dates of | each stage | for each co | untrv. |
|-----|----------|----------------|------------|----------|------------|-------------|--------|
|     |          |                |            |          |            |             |        |

| Australia, | 01/25-02/ | 02/25-03/ | 03/11-03/ | 03/26-04/ | 04/10-04/ | 04/25-05/ |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|
| France     | 24        | 10        | 25        | 09        | 24        | 09        |
| Traffee    | 01/07.00/ | 02/27.02/ | 02/12 02/ | 02/20.04/ | 04/10 04/ | 04/07.05/ |
| Canada     | 01/27-02/ | 02/27-03/ | 03/13-03/ | 03/28-04/ | 04/12-04/ | 04/27-05/ |
|            | 26        | 12        | 27        | 11        | 26        | 11        |
| Germany    | 01/28-02/ | 02/28-03/ | 03/14-03/ | 03/29-04/ | 04/13-04/ | 04/28-05/ |
| Germany    | 27        | 13        | 28        | 12        | 27        | 12        |
| India      | 01/30-02/ | 03/01-03/ | 03/16-03/ | 03/31-04/ | 04/15-04/ | 04/30-05/ |
| muta       | 29        | 15        | 30        | 14        | 29        | 14        |
| Italy      | 01/31-03/ | 03/02-03/ | 03/17-03/ | 04/01-04/ | 04/16-04/ | 05/01-05/ |
| Italy      | 01        | 16        | 31        | 15        | 30        | 15        |
| Russia,    | 02/01-03/ | 03/03-03/ | 03/18-04/ | 04/02-04/ | 04/17-05/ | 05/02-05/ |
| Spain      | 02        | 17        | 01        | 16        | 01        | 16        |
| Spani,     |           |           |           |           |           |           |
| UK         |           |           |           |           |           |           |
| Ince       | 02/20-03/ | 03/22-04/ | 04/06-04/ | 04/21-05/ | 05/06-05/ | 05/21-06/ |
| Iran       | 21        | 05        | 20        | 05        | 20        | 04        |
| Brazil.    | 02/27-03/ | 03/29-04/ | 04/13-04/ | 04/28-05/ | 05/13-05/ | 05/28-06/ |
| D-1-i-t-u  | 28        | 12        | 27        | 12        | 27        | 11        |
| Pakistan   |           |           |           |           |           |           |
| Nigeria    | 02/28-03/ | 03/30-04/ | 04/14-04/ | 04/29-05/ | 05/14-05/ | 05/29-06/ |
| ingenia    | 29        | 13        | 28        | 13        | 28        | 12        |
| Mexico     | 02/29-03/ | 03/31-04/ | 04/15-04/ | 04/30-05/ | 05/15-05/ | 05/30-06/ |
| WICKICO    | 30        | 14        | 29        | 14        | 29        | 13        |
| Indonasia  | 03/02-04/ | 04/02/04/ | 04/17-05/ | 05/02-05/ | 05/17-05/ | 06/01-06/ |
| muonesia   | 01        | 16        | 01        | 16        | 31        | 15        |
| Saudi      | 03/03-04/ | 04/03-04/ | 04/18-05/ | 05/03-05/ | 05/18-06/ | 06/02-06/ |
| A          | 02        | 17        | 02        | 17        | 01        | 16        |
| Arabia     |           |           |           |           |           |           |
| Argenting  | 03/04-04/ | 04/04-04/ | 04/19-05/ | 05/04-05/ | 05/19-06/ | 06/03-06/ |
| i ngentinu | 03        | 18        | 03        | 18        | 02        | 17        |
| Snain      | 03/06-04/ | 04/06-04/ | 04/21-05/ | 05/06-05/ | 05/21-06/ | 06/05-06/ |
| Span       | 05        | 20        | 05        | 20        | 04        | 19        |
| Turkey     | 03/12-04/ | 04/12-04/ | 04/27-05/ | 05/12-05/ | 05/27-06/ | 06/11-06/ |
| -          | 11        | 26        | 11        | 26        | 10        | 25        |

103

### 104 The DEA model

In this paper, the DEA model was employed to measure the mitigation efficiency regarding the spread of COVID-19 at each stage for each country. The DEA was pioneered by Charnes *et al.* [14] based on the theoretical concept of frontier production developed by Farrell [15]. It is a linear programming technique to estimate production or cost efficiency by measuring the ratio of total inputs employed to total

110 output produced for each decision-making unit (DMU). The mitigation of the 111 COVID-19 transmission in each country was executed by a technology whereby Ncountries in terms of DMUs transform multiple inputs  $X_{\equiv}(x_1, ..., x_m) \in \Re^m_+$  into 112 multiple outputs  $y \equiv (y_1, ..., y_s) \in \mathfrak{R}^s_+$ . This paper employed the basic DEA 113 114 model of Charnes, Coopers, and Rhodes (CCR) to calculate the mitigation efficiency 115 of COVID-19 transmission. The CCR model, under the hypothesis of constant returns 116 to scale, is expressed as follows: 9

118  

$$s.t. \quad \theta x_0 - X\lambda \ge 0$$

$$Y\lambda \ge y_0 \qquad (1)$$

$$\lambda \ge 0$$

where  $y_0$  is the output,  $x_0$  is the input, X, Y are the data sets in the matrices, 119

 $\lambda$  is a semipositive vector, and  $\theta$  represents the technical efficiency. 120

121 After the efficiency at each stage was obtained, Pearson correlation tests were 122 conducted between the different stages at a p value < 0.01 to examine the variation in 123 efficiency ranks across stages. The correlation tests were used to explain the impact of 124 the efficiency ranks at previous stages on subsequent stages.

#### The variables 125

126 Efficiency is described as the relative performance regarding the reduction in the 127 COVID-19 transmission, was measured in this paper by the DEA method, and is 128 stated in the form of an output/input ratio. The objective of the authority 129 administration was to minimize the total confirmed cases that occurred in each stage 130 with a given amount of resources used. Cooper et al. [16] suggested that the DEA

technique can be easily applied to a multiple input–output framework to compare the
relative efficiency among various DMUs. The information produced from the DEA
analysis is valuable for identifying specific efficient units for future learning [17].

134 Neiderud [18] suggested that the rise of megacities may yield potential risks for 135 new epidemics and become a threat in the world. The high human population density 136 and close human-to-human contact are the major sources for the rapid spread of 137 respiratory diseases or avian flu. The growth and density of the human population 138 may work as an incubator for infectious diseases, and urbanization as a driver of 139 disease may have a negative effect on public health (Lienhardt [19]; Hayward et 140 al. [20]). Thus, the input and output variables included (1) newly confirmed cases n, (2) 141 population density d, and (3) urbanization degree u in each country. As more 142 confirmed cases represent less efficiency, the total newly confirmed cases in each 143 stage was considered the output variable of mitigation inefficiency. High population 144 density and urbanization degree in a country may present a greater chance of being 145 infected; thus, population and urbanization degree are seen as input variables of 146 mitigation inefficiency. Since mitigation efficiency is the inverse of mitigation 147 inefficiency, newly confirmed cases n was treated as an output variable in this paper, 148 and population density d and urbanization degree u were treated as output variables 149 for the measurement of mitigation efficiency.

### 150 **Data collection**

151 The data for accumulated confirmed cases were extracted from the daily situation 152 reports from the WHO [1], and the total confirmed cases in each stage were calculated 153 by the difference in the accumulated confirmed cases on the last day of each stage and 154 the previous stage. The population density data for each country were provided by

| 155 | Worldometer [21], and the urbanization degree data were extracted from the World                  |
|-----|---|
| 156 | Bank [13]. The descriptive statistics for the total accumulated confirmed cases across            |
| 157 | the 6 stages (i.e., 120 days since the first confirmed case), population density and              |
| 158 | urbanization degree are presented in Table 2. By the end of Stage 6 (i.e., 120 days               |
| 159 | since the first confirmed case), the USA had 1,193,452 confirmed cases, ranking at the            |
| 160 | top of the 23 countries, while Australia had the lowest number (6,914) of confirmed               |
| 161 | cases. Korea has the highest population density at 527.30 persons per $km^{2}$ , while            |
| 162 | Australia has a much lower population density at 3.32 persons per km <sup>2</sup> . Argentina has |
| 163 | the largest urbanization degree at 92% and ranked at the top. In contrast, the                    |
| 164 | urbanization degree of India is much less than the average of 71.48% based on the                 |
| 165 | other countries and was only 34%.   |

166

| Variables Total confirmed |           | Population density              | Urbanization        |
|---------------------------|-----------|---------------------------------|---------------------|
|                           | cases n   | d (person per km <sup>2</sup> ) | degree <i>u</i> (%) |
| Max.                      | 1,193,452 | 527.30                          | 92.00               |
| Min.                      | 6,914     | 3.32                            | 34.00               |
| Average                   | 190,093   | 151.40                          | 71.48               |
| Standard deviation        | 260,495   | 146.28                          | 15.45               |

#### 167 Table 2. Descriptive statistics of study variables.

168

169 The efficiency score was calculated through the assistance of the software DEA170 solver 13.

### 171 **Results**

The mitigation efficiency of the COVID-19 epidemic covering the first 120 days after a confirmed case for each of these countries is depicted in Fig 1. Australia and Korea rank at the top of mitigation efficiency. In contrast, the USA ranks at the

bottom, followed by Brazil and Russia. The major cause affecting the efficiency ranks
may be attributed to the number of total confirmed cases occurring over the whole
period. The total confirmed cases in Australia and Korea in the whole period
(covering 120 days since the first confirmed case) were only 6,667 cases and 10,801
cases, respectively, while the USA, Brazil, and Russia had 1,193,452, 739,503, and
272,043 cases, respectively.

181

#### 182 Fig 1. Mitigation efficiency scores among the 23 countries.

183

184 The efficiency scores and ranks at each stage for each country were also 185 calculated according to Eq. (1). Based on the shape of the efficiency ranking trend, 186 this paper classifies these countries into 5 types:

187 Type (1): An inverted U-shaped pattern including Korea, China, Italy, Spain, UK,

188 Germany and France

189 This pattern in the efficiency rank trends, depicted in Fig 2, was characterized by 190 a continual decline in mitigation efficiency from Stage 1, and after reaching the 191 lowest point of in their efficiency ranks, these scores continued to improve until the 192 last stage (Stage 6). Efforts to mitigate newly confirmed cases through the 193 implementation of response strategies may have eventually achieved a certain effect. 194 Basically, the mitigation efficiency in Type (1) gradually deteriorated in the middle 195 stages. Passing through the peak of daily newly confirmed cases, the COVID-19 196 transmission was then reduced, and the efficiency started to improve through the last stage. For example, Italy ranked 14<sup>th</sup> in Stage 1 and then dropped to 20<sup>th</sup> in Stage 2. 197 198 Italy reached a peak of daily confirmed cases, amounting to 6,557 cases on 22 March 199 2020, which occurred in Stage 3. After Stage 3, the COVID-19 transmission in Italy

improved, and the efficiency ranks rose to 13<sup>th</sup> place in Stage 6. The efficiency ranks 200 201 for China after Stage 3 and Korea after Stage 2 showed great improvement and 202 attained a relatively more stable state. China ranked 21<sup>st</sup> place and 22<sup>nd</sup> place at Stage 1 and Stage 2, respectively, but the efficiency ranks were improved to  $2^{nd}$  place at 203 Stage 4 and 3<sup>rd</sup> place at Stage 5 and 6 through a great number of emergency response 204 strategies. Similar to China, Korea ranked in 10<sup>th</sup> place and 13<sup>th</sup> place for mitigation 205 206 efficiency at Stages 1 and 2, respectively, and efficiency was improved to 6<sup>th</sup> place at 207 Stage 3 and first place at Stage 4 which was subsequently maintained to the final stage. 208 The other countries showed similar processes, but the degree of efficiency 209 improvement was different. 210 211 Fig 2. The trends in efficiency ranks for Type (1) countries. 212 213 Type (2): An inverted N-shaped pattern including Japan and Australia 214 The trend in efficiency ranks for Type (2) countries is depicted in Fig3. Basically, 215 efficiency ranks fluctuated across stages, with initial improvements followed by 216 deterioration in the middle stages, but eventually efficiency ranks improved in the 217 final stages. For example, the efficiency ranks for Japan improved continuously from 12<sup>th</sup> place in Stage 1 to 6<sup>th</sup> place in Stage 2 to first place in Stage 3, then dropped to 4<sup>th</sup> 218 219 place in Stage 4 and  $6^{th}$  place in Stage 5, and eventually improved to  $4^{th}$  place again. 220 221 Fig 3. The trends in efficiency ranks for Type (2) countries. 222 223 Type (3): Continual decreases in efficiency ranks including Russia and India 224 The trend pattern in efficiency ranks for Type (3) countries depicted in Fig 4 is

| 225 | characterized by the gradual deterioration in mitigation efficiency. The efficiency               |
|-----|---|
| 226 | ranks are not bad in the earlier stages but worsen. For example, Russia performed at              |
| 227 | the highest level regarding mitigation efficiency in Stage 1 and was ranked in first              |
| 228 | place. Unfortunately, Russia do not maintain this advantage, but its ranks continued to           |
| 229 | deteriorate to 4 <sup>th</sup> place in Stage 2 and finally 21 <sup>st</sup> place in Stage 6.    |
| 230 |   |
| 231 | Fig 4. The trends in efficiency ranks for Type (3) countries.                                     |
| 232 |   |
| 233 | Type (4): U-shaped pattern including the USA, Iran, Turkey, Indonesia, Pakistan,                  |
| 234 | South Africa, Argentina and Brazil  |
| 235 | This trend pattern in the efficiency ranks depicted in Fig 5 is characterized by                  |
| 236 | some improvements in mitigation efficiency in the middle stages, but eventually                   |
| 237 | rebounded back to a worse state. For example, the response in the USA to avoid                    |
| 238 | COVID-19 transmission was not bad in Stages 1 and 2, as it ranked in 8 <sup>th</sup> place and    |
| 239 | 5 <sup>th</sup> place, respectively. However, its efficiency continually and dramatically dropped |
| 240 | after Stage 2 and fell to 23rd place (the bottom of the ranking) in Stages 5 and 6. The           |
| 241 | efficiency improvement from Stage 1 to Stage 2 in the USA may be attributed to its                |
| 242 | prompt travel restrictions on China from 2 February 2020 and additional travel                    |
| 243 | restrictions on Iran, Italy, and Korea on 29 February (Garda world, 2020). The gradual            |
| 244 | deterioration in efficiency ranking in the later stages in the USA implies that its               |
| 245 | response strategies may be ineffective for avoiding the epidemic.                                 |
| 246 |   |
| 247 | Fig 5. The trends in efficiency ranks for Type (4) countries.                                     |
| 248 |   |

249 The trend pattern in the efficiency ranking for Brazil provides a different story.

| <ul> <li>2020 (the final observation point in Stage 6) in Brazil, newly confirmed cases</li> <li>remained at a high level of 39,436 cases. This implies that the response strategies</li> <li>adopted by Brazil contained flaws.</li> <li>Type (5): N-shaped and W-shaped patterns including Mexico, Nigeria and Saudi</li> <li>Arabia.</li> <li>An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud</li> <li>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency</li> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> </ul> | 250 | From Stage 1 to Stage 6, the efficiency ranks for Brazil were not good. On 25 June                  |
|---|-----|---|
| <ul> <li>remained at a high level of 39,436 cases. This implies that the response strategies</li> <li>adopted by Brazil contained flaws.</li> <li>Type (5): N-shaped and W-shaped patterns including Mexico, Nigeria and Saudi</li> <li>Arabia.</li> <li>An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud</li> <li>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency</li> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and tha</li> <li>the future trends for these countries is not optimistic.</li> </ul>                        | 251 | 2020 (the final observation point in Stage 6) in Brazil, newly confirmed cases                      |
| <ul> <li>adopted by Brazil contained flaws.</li> <li>Type (5): N-shaped and W-shaped patterns including Mexico, Nigeria and Saudi</li> <li>Arabia.</li> <li>An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud</li> <li>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency</li> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> </ul>  | 252 | remained at a high level of 39,436 cases. This implies that the response strategies                 |
| <ul> <li>Type (5): N-shaped and W-shaped patterns including Mexico, Nigeria and Saudi</li> <li>Arabia.</li> <li>An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud</li> <li>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency</li> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> <li>the future trends for these countries is not optimistic.</li> </ul>  | 253 | adopted by Brazil contained flaws.  |
| <ul> <li>Arabia.</li> <li>An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud</li> <li>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency</li> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> <li>the future trends for these countries is not optimistic.</li> </ul>  | 254 | Type (5): N-shaped and W-shaped patterns including Mexico, Nigeria and Saudi                        |
| An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saud<br>Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency<br>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked<br>13 <sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually<br>dropping again to 17 <sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops<br>again in the last stages, this implies that the mitigation efficiency is not stable and that<br>the future trends for these countries is not optimistic.   | 255 | Arabia.   |
| Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency<br>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked<br>13 <sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually<br>dropping again to 17 <sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops<br>again in the last stages, this implies that the mitigation efficiency is not stable and that<br>the future trends for these countries is not optimistic.  | 256 | An N-shaped pattern for Mexico and W-shaped patterns for Nigeria and Saudi                          |
| <ul> <li>ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked</li> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> <li>the future trends for these countries is not optimistic.</li> </ul>  | 257 | Arabia are categorized and depicted in Fig 6. At the middle stages, the efficiency                  |
| <ul> <li>13<sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually</li> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> <li>the future trends for these countries is not optimistic.</li> </ul>   | 258 | ranks for these Type (5) countries fluctuated very much. For example, Mexico ranked                 |
| <ul> <li>dropping again to 17<sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops</li> <li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li> <li>the future trends for these countries is not optimistic.</li> </ul>  | 259 | 13 <sup>th</sup> place at Stage 1 and then dropped and rose in the middle stages, eventually        |
| <ul><li>again in the last stages, this implies that the mitigation efficiency is not stable and that</li><li>the future trends for these countries is not optimistic.</li></ul>   | 260 | dropping again to 17 <sup>th</sup> place in Stage 6. As the efficiency for these two patterns drops |
| the future trends for these countries is not optimistic.  | 261 | again in the last stages, this implies that the mitigation efficiency is not stable and that        |
|   | 262 | the future trends for these countries is not optimistic.  |

263

Fig 6. The trends in efficiency ranks for Type (5) countries.

### 265 **Discussions**

266 The DEA analysis in this paper finds that Korea, Australia and Japan had better 267 mitigation efficiency by 27 June 2020, while the USA, Brazil and Russia performed 268 less efficiently and were ranked at the bottom. Michael [22] suggested that the 269 successful experience in Korea to defeat COVID-19 may be attributed to the massive 270 testing and effective contact tracking system. Individuals testing positive for the 271 infection after viral tests were hospitalized at special facilities. The people who had 272 been in contact with the infected were to remain self-quarantined for 14 days. The 273 availability of personal protective equipment was ensured to have sufficient supply to

avoid further infection at the onset of COVID-19 in Korea. In contrast, the testing
capacity have not been sufficient to support the policies of a gradual reopening of the
economy planned in many US states [23].

The trend patterns in efficiency ranks also revealed information about future trends regarding epidemic mitigation. Type (1) and Type (2) countries may have more optimism regarding recovery from the attack of COVID-19, as the efficiency ranks of Type (1) and Type (2) countries were good in Stage 6.

281 The Type (1) countries included the following 7 countries: Korea, China, Italy,282 Spain, the UK, Germany and France.

283 In addition to Korea, the other countries implemented effective responsive 284 strategies, including extensive viral tests, lockdown, social distancing, temporary 285 cessation of sports events, school closures, and wearing masks. In China, testing 286 policies were promoted by expanding testing of individuals from persons with 287 symptoms to the open public on 12 February 2020, and all levels of school were 288 closed on 26 January 2020 [24]. China has successfully slowed the transmission of 289 COVID-19 through a combination of lockdown, viral tests, contacting tracing and 290 other minor strategies, including street sanitization, school closures and wearing 291 masks. Strict lockdown and strict checks to avoid close contact between people were 292 implemented in China after the outbreak. In less than three months, China has 293 gradually released the strict policy of the lockdown and started to motivate the 294 opening of economic activities. The strict lockdown, wearing masks, and social 295 distancing implemented in China may be the major contributor to the effective 296 prevention of transmission in a short time.

In contrast, the response of European countries such as Italy was not as prompt and urgent as that in Korea or China, and their efficiency ranks after Stage 4 were

299 worse. For example, Italy closed their schools on 2 March 2020, asked their people to 300 stay at home, with exceptions for daily exercise and grocery shopping, on 23 February 301 2020. However, the testing policy adopted in Italy focused on testing anyone with 302 COVID-19 symptoms after 26 February [24]. However, the efficiency ranks for the 303 UK in the later stages (Stage 4-6) were much worse than those of other European 304 countries. In March 2020, the UK attempted to reduce the impact of COVID-19 by 305 means of herd immunity, but later, it denied the claims of herd immunity and argued 306 that herd immunity is a natural by-product of an epidemic [25]. Given this situation, 307 the strategy to fight against the epidemic was delayed, and thus, the effect was 308 reduced.

Type (2) countries consisted of only Japan and Australia with overall efficiency ranks of first and third place, respectively. In the middle stages, the efficiency ranks initially improved and then got worse. A possible cause for these changes in efficiency ranks may be explained by the low levels of viral testing in the earlier stages.

Extensive viral tests have been performed in Australia and amounted to nearly 1000 tests per 100,000 people in the population by 31 March 2020 [26]. This number continued to increase and reached 2081 tests per 100,000 people on 28 April 2020 and 316 3119 tests per 100,000 people on 9 May 2020 (the final observation point in Stage 6 for Australia). The high testing rate in Australia may have been a major factor in mitigating the increase in new cases and had the best overall efficiency among these 23 countries.

In contrast, the trend in efficiency ranks for Type (3) countries showed with continual deterioration in mitigation efficiency. Compared to other countries, the coronavirus testing rate per capita in India was very low, reaching a total of 144,910 tests in a population with more than 1.3 billion people by 9 April 2020 [27]. On 14

May 2020 (the final observation point in Stage 6 for India), the viral testing rate was only 1.41 tests per 1,000 people [24]. The low testing rate may be a key factor in explaining the good performance based on the high efficiency ranking from Stage 1 to Stage 4. Without testing, no data are generated; thus, higher efficiency scores are obtained. On 27 June 2020, the total confirmed cases in India reached 508,953 cases, approximately 6.5 times the total confirmed cases in the whole period examined in this study.

331 At the onset of the outbreak, Russia announced temporarily banning Chinese 332 citizens from entering Russia on 20 February 2020 [28]. This strategy may have been 333 effective in preventing infection through imported cases from China in Stage 1 and 334 Stage 2. Extensive testing had been conducted in Russia, including 0.32 tests per 335 1,000 people on 5 March 2020, 1.12 tests per 1,000 people on 22 March 2020, 4.38 336 tests per 1,000 people on 4 April 2020, 11.06 tests per 1,000 people on 16 April 2020, 337 27.04 tests per 1,000 people on 2 May 2020, and 45.61 tests per 1,000 people on 16 338 May 2020 (the last day of Stage 6). However, Russia's health department admitted 339 that the test kits were often wrong and provided false negative results. Therefore, the 340 tested people with the virus were allowed to go home and infect other people. Thus, 341 the real number of infected individuals was more than triple the official figure [29]. 342 The ineffective tests may explain the continual deterioration in efficiency scores for 343 Russia.

Type (4) countries contained the following 9 countries: the USA, Iran, Turkey, Canada, Indonesia, Pakistan, South Africa, Argentina and Brazil. Basically, if the current trends continue into the future, there is not much optimism regarding the epidemic, and these countries need to devote more effort to improving mitigation in newly confirmed cases as the efficiency ranks were bad in the final stages. Some Type

(4) countries lacked testing capacity in the earlier stages of the pandemic, and thus,
the amount of testing that was performed was much less than needed. Due to less viral
testing than the actual need, underestimation of newly confirmed cases may have
taken place and led to the illusion of efficiency improvements but eventually
efficiency ranks dropped in the final stages.

354 In the USA, the total number of tests performed relative to the size of the 355 population before 7 March 2020 was very low, less than 0.01 tests per 1,000 people, 356 and the situation gradually improved in March 2020 (in Stage 3). The testing rate 357 increased to 0.23 tests per 1,000 people by the end of March 2020 (in Stage 4) and 358 then quickly increased to 10.43 tests per 1,000 people on 16 April 2020 (in Stage 5). 359 On the day of the final observation point at Stage 6 (7 May 2020), the testing rate rose 360 to 24.63 tests per 1,000 people, which seems to be a good figure compared to other 361 countries. However, several experts have criticized that the testing levels were not 362 sufficient to meet the need for a gradual reopening by 1 May 2020 [23]. In addition, 363 existing flaws in other response strategies also blocked improvements in efficiency 364 ranks for the USA. For example, the US Centers for Disease Control and Prevention 365 (CDC) emphasized the importance of mask wearing, but Trump continued to reject 366 being photographed in public wearing a mask [30]. Some experts have suggested that 367 guidelines for mask wearing have been confusing. Thus, many protesters across the 368 country are described as people who refuse to wear a mask [31].

In fact, the USA has not been positively and seriously prepared for epidemic mitigation since the first confirmed case occurred on 23 January 2020. On 23 April 2020, Trump suggested injecting powerful disinfectant into coronavirus patients as a possible cure for COVID-19. This news resulted in criticism from many scholars and reporters and disbelief and derision worldwide [32].

374 The trends in efficiency ranks for Type (5) countries, including Mexico, Nigeria, 375 and Saudi Arabia, fluctuated more than the other country types. The testing rate in 376 Mexico ranged from 0.01 to 3.1 tests per 1,000 people during the whole period, which 377 was much lower than that in other countries. Thus, the mitigation efficiency of Mexico ranked 17<sup>th</sup> among the 23 countries in Stage 5 and Stage 6. On 13 June 2020 378 379 (the final day of Stage 6 for Nigeria), the testing rate was 0.44 tests per 1,000 people. 380 Nigeria had a lower testing rate than Mexico, but the efficiency ranks for Nigeria were 381 not bad. This paper reasonably suspects that the high efficiency ranks of Nigeria may 382 be caused by an underestimation due to low viral testing rates.

383 The trends in efficiency ranks in Figures 2-6 also demonstrate high variation in 384 efficiency ranking across stages for some countries. To examine the impact of 385 efficiency ranks at the previous stage on the subsequent stage, a Pearson correlation 386 test of efficiency scores between different stages was conducted. The results listed in 387 Table 3 indicate that the correlation coefficient between two adjacent stages was 388 higher and that the correlation coefficients between Stage 1 and each stage after Stage 389 3 were low and negative. The negative or near zero correlation coefficients between 390 Stage 1 and Stages 4-6 implies that the efficiency ranking of the sampled countries at 391 Stages 4-6 had been reorganized and completely differed from Stage 1. This implies 392 that at Stage 1, some countries started to implement effective response strategies such 393 as extensive viral testing, lockdown, wearing masks, etc. to prevent the spread of 394 COVID-19 and thus created improved effects at Stages 4-6. In contrast, some 395 countries purposely neglected the serious and emergent impacts arising from 396 COVID-19 and failed to take any measures in response to the emergence of the 397 epidemic.

398

399

|         | Stage 1  | Stage 2 | Stage 3 | Stage 4 | Stage 5 | Stage 6 |
|---------|----------|---------|---------|---------|---------|---------|
| Stage 1 | 1        |         |         |         |         |         |
| Stage 2 | 0.6739*  | 1       |         |         |         |         |
| Stage 3 | 0.4048*  | 0.5666* | 1       |         |         |         |
| Stage 4 | -0.1433* | 0.0210* | 0.4297* | 1       |         |         |
| Stage 5 | -0.0982* | 0.1918* | 0.2002* | 0.7884* | 1       |         |
| Stage 6 | -0.0824* | 0.1401* | 0.1783* | 0.7602* | 0.9828* | 1       |

#### 400 Table 3. Correlations of mitigation efficiency between different stages.

401 \* Marks statistical significance at the 95% confidence level

402

In contrast, the correlation coefficient was 0.788 between Stage 4 and Stage 5,
0.760 between Stage 4 and Stage 6, and 0.983 between Stage 5 and Stage 6. These
high correlation coefficients imply that the relative efficiency ranks among these
countries became stable because their response strategies had stabilized.

407 The efficiency ranks in some countries showed a high degree of fluctuation 408 across stages, especially the Type (5) countries. The high fluctuation in efficiency 409 ranks implied that good efficiency rankings at a particular stage were only temporary 410 and may have deteriorated in the next stage. The mitigation efficiency rankings for 411 Type (3) countries continually worsened from Stage 1 to Stage 6. Thus, the Type (3) 412 countries cannot recover from the attack of COVID-19 in a short time and have to 413 adopt stricter response policies to mitigate the spread of COVID-19. Type (4) 414 countries executed a U-shaped pattern, demonstrating temporarily improved ranks in 415 the middle stages but eventually the ranking turned bad in the final stages.

Both an inverted U-shaped (Type 1) and an inverted N-shaped (Type 2) pattern in the trends in efficiency ranks seemed to be a good sign of improvement as the efficiency ranks increased in the last stages. The probability of recovering from the attack of COVID-19 for Type (1) and (2) patterns is higher than other patterns.

420 Nevertheless, the overall efficiency was calculated based on the whole period 421 covering 120 days since the first confirmed case. The efficiency obtained was only 422 temporary and may change for the better or worse if the assessment stage was 423 extended to cover more days.

In the beginning of June 2020, the infectious disease COVID-19 remained a high risk in the world, but many countries have attempted to lift the state of lockdown, restart the economy and take actions, as their governments have considered that the number of confirmed cases was greatly reduced and that newly diagnosed cases may be considered sporadic cases. For example, Trump attempted to end the lockdown and the stay-at-home order and to reopen schools at the beginning of June 2020.

There was a high correlation between efficiency scores in two adjacent stages, but it was still difficult to predict the epidemic stability of the next stage based on the previous stage. Thus, the data of the newly confirmed cases for the current dates are only for reference to determine the timing of restarting the economy.

434 This paper suggests that an epidemic stability indicator in combination with a 435 trend pattern of efficiency ranks such as Type (1) or (2) may be employed to judge the 436 appropriateness of any measures to lift the response strategies such as travel 437 restrictions, stay-at-home orders, and mask wearing. In this paper, epidemic stability 438 (ES) is defined as the recovery status from the epidemic, and the indicator ES is 439 presented by measuring an average increase in proportion of confirmed cases to 440 population (PCCP) during the period of the last day of Stage 6 and a day designated to 441 restart the economies, expressed as follows:

$$ES = \frac{S_f - S_0}{\Delta t} \tag{2}$$

443 where  $S_f$  and  $S_0$  denote the PCCP on the last day of Stage 6 and the designated day, 444 respectively, and  $\Delta t$  represents the period between the two dates.

| 445 | A numerical example is presented in this paper. As an example, if it was                          |
|-----|---|
| 446 | proposed that the travel restrictions are lifted on the designed date of 27 June 2020,            |
| 447 | ES, $S_f$ , $S_0$ and $\Delta t$ were calculated according to Eq. (2) for these 23 countries, and |
| 448 | the result is listed in Table 4, where $S_f$ and $S_0$ are measured by cases per 100,000          |
| 449 | persons, $\Delta t$ in days, and <i>ES</i> by cases per 1,000,000 persons.                        |
|     |   |

| DMU          | S <sub>0</sub> | S <sub>f</sub> | Δt | ES     | Ranks |
|--------------|----------------|----------------|----|--------|-------|
| China        | 5.81           | 5.92           | 74 | 0.01   | 1     |
| Japan        | 12.04          | 14.47          | 59 | 0.46   | 2     |
| Korea        | 21.07          | 24.68          | 54 | 0.68   | 3     |
| Australia    | 27.11          | 29.78          | 30 | 0.89   | 4     |
| Nigeria      | 7.06           | 11.3           | 15 | 2.83   | 5     |
| Indonesia    | 13.99          | 18.74          | 12 | 3.95   | 6     |
| Germany      | 203.51         | 230.64         | 46 | 5.90   | 7     |
| Italy        | 368.99         | 396.88         | 43 | 6.49   | 8     |
| India        | 5.65           | 36.88          | 44 | 7.10   | 9     |
| Spain        | 492.32         | 530.22         | 42 | 9.02   | 10    |
| France       | 209.24         | 239.23         | 30 | 10.00  | 11    |
| Turkey       | 227.25         | 230.63         | 2  | 16.92  | 12    |
| Canada       | 180.16         | 271.9          | 47 | 19.52  | 13    |
| Pakistan     | 54.12          | 90.04          | 16 | 22.45  | 14    |
| UK           | 348.69         | 455.71         | 42 | 25.48  | 15    |
| Iran         | 191.32         | 259.22         | 21 | 32.33  | 16    |
| Mexico       | 103.91         | 157.41         | 14 | 38.21  | 17    |
| Argentina    | 72.54          | 116.07         | 10 | 43.53  | 18    |
| Russia       | 186.41         | 430.09         | 42 | 58.02  | 19    |
| USA          | 360.56         | 727.36         | 51 | 71.92  | 20    |
| South Africa | 141.45         | 210.07         | 8  | 85.78  | 21    |
| Saudi Arabia | 379.3          | 501.46         | 13 | 93.97  | 22    |
| Brazil       | 347.9          | 577.77         | 16 | 143.67 | 23    |

450 **Table 4. The epidemic stability for each country by ranks.** 

451

452 Table 4 indicates that India has the lowest value of  $S_0$  (PCCP in 120 days),

453 amounting to 5.65 cases per 100,000 persons, and slightly lower value than China

| 454 | (5.81 cases per 100,000 persons). In contrast, Spain and Saudi Arabia have the highest     |
|-----|--|
| 455 | value of $S_0$ , amounting to 492.32 and 379.30 cases per 100,000 persons, respectively,   |
| 456 | which is much higher than the average of 172.19 cases per 100,000 persons. However,        |
| 457 | the ranking of the PCCP on 27 June 2020 $(S_f)$ changes very much. China ranks at the      |
| 458 | top with the lowest $S_f$ , amounting to 5.92 cases per 100,000 persons. The PCCP in       |
| 459 | India increases very much from 5.65 at $S_0$ to 36.88 cases per million at $S_f$ . The USA |
| 460 | has the highest value at $S_f$ , amounting to 727.37 cases per 100,000 persons.            |

461 Table 4 also demonstrates that the ES in China, Japan, Korea and Australia is 462 much better than that in the other countries, amounting to 0.01, 0.46, 0.68, and 0.89 463 cases per million persons per day during the period between the last day of Stage 6 464 and 27 June 2020. In contrast, the ES in Brazil, Saudi Arabia, South Africa and the 465 USA reaches 143.67, 93.97, 85.78 and 71.92 cases per million persons per day, 466 respectively. Based on the value of ES, it is suggested that the future trends regarding 467 the pandemic in Brazil, Saudi Arabia, South Africa and the USA are not optimistic, 468 and it is full of challenges.

469 Low values of epidemic stability imply that the trend regarding the epidemic has 470 attained a stable state and approached zero confirmed cases. Thus, China, Japan, 471 Korea and Australia seem to have recovered from the attack of COVID-19, while 472 Brazil, Saudi Arabia, South Africa and the USA remain engaged in the battle fighting 473 against COVID-19 and are required to devote more effort to create new opportunities. 474 On 27 June 2020, China, Japan, Korea, and Australia had 24, 100, 51, 37 daily newly 475 confirmed cases (WHO, 2020), much lower than the peak of newly confirmed cases 476 for each country. In contrast, at the end of June 2020, Brazil and the USA have 477 continually set new records for daily, newly confirmed cases. The number of newly 478 confirmed cases on 27 June 2020 was 39,483, 3,938, 6,215, and 40,526 cases for

479 Brazil, Saudi Arabia, South Africa and the USA, respectively [1].

480 On 30 June 2020, the European Council announced the release of travel 481 restrictions from 1 July 2020 for residents of recommended countries, including 482 Australia, Japan, Korea, China and Canada [33]. As indicated in Table 4, China, Japan, 483 Korea and Australia ranked first to fourth in epidemic stability. Canada is slightly behind in 13<sup>th</sup> place. To examine the appropriateness of lifting the travel restrictions at 484 485 the external borders for residents of these countries, this paper uses the data for 27 486 June 2020 as an example. On that day, the number of newly confirmed cases in China, 487 Japan, Korea, Australia and Canada was 24, 100, 51, 37, and 380, respectively, 488 equivalent to the stability of 0.0168, 0.791, 0.995, 1.451 and 10.068 cases per million 489 per day. The ES on 27 June 2020 in China, Japan, Korea and Australia was much 490 lower than the value of Germany's ES (Table 4). This implies that the spread of 491 COVID-19 has been controlled in these countries and is more stable than in Germany. 492 The ES value on 27 June 2020 for Canada was nearly the same as that for France, as 493 indicated in Table 4. However, Canada has executed a U-shaped pattern for the trend 494 in efficiency ranks, and this paper suggests that the EU wait and observe the 495 efficiency trend and the newly confirmed cases for Canada. Thus, this paper suggests 496 that the lifting of travel restriction for these countries, with the exception of Canada, is 497 quite reasonable based on the indicator of epidemic stability and the trends in 498 efficiency ranking presented in this paper.

### 499 **Conclusions**

At the onset of COVID 19 infection in a population, a massive testing program and effective tracing system on infected people were implemented in some countries, such as China and Korea. Based on the trends in efficiency ranks and the epidemic

503 stability indicators, China, Korea, Japan and Australia have performed better than 504 other counties. Thus, this paper suggests massive testing together with other strategies, 505 such as contact tracing, lockdown, mask wearing, and social distancing is 506 significantly effective in mitigating the transmission of COVID-19. Testing suspected 507 persons identified through contact tracing and reducing interpersonal contacts through 508 complete or partial lockdown also play important roles in reducing the number of 509 confirmed cases. Castillo et al. [34] examined the effect of the stay-at-home policy on 510 COVID-19 infection rates and found that the infection rate decreased from 0.113/day 511 pre policy to 0.047/day post policy. Ferguson et al. [35] found that a lockdown may 512 result in an average reduction in COVID-19 transmission by 50%, school closure by 513 20%, and other measures by approximately 10% (cited from Willis et al. [36]). Some 514 other studies have also presented the same conclusions that nonpharmaceutical 515 interventions may effectively prevent the spread of infection [37, 38].

516 Pearson's correlation tests were also performed in this paper to examine the impact 517 of efficiency at earlier stages on subsequent stages and found that efficiency ranks for 518 each country dramatically changed across stages. Thus, the data of newly confirmed 519 cases occurring at the present time are only for reference. The major contribution of 520 this paper was to develop an epidemic stability measure integrating the trends in 521 efficiency ranks to judge the appropriateness to reopen economies. Having not 522 reached an appropriate level of epidemic stability, economic reopening may damage 523 the anti-epidemic achievements from the earlier stages and lead to a second wave of 524 epidemic with exponential growth in the number of newly confirmed cases.

### 525 **References**

526 1. WHO (World Health Organization). Coronavirus Disease (COVID-19) Situation

| 527 |    | Reports [Internet]. Who.int. 2020 [cited 2020]. Available from:                  |
|-----|----|--|
| 528 |    | https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-repor  |
| 529 |    | <u>ts</u>  |
| 530 | 2. | Yaya S, Xi C, Xiaoyang Z, Meixia Z. Evaluating the efficiency of China's         |
| 531 |    | healthcare service: A weighted DEA-game theory in a competitive environment.     |
| 532 |    | Journal of Cleaner Production. 2020;270:122431.                                  |
| 533 | 3. | Cavalieri M, Guccio C, Rizzo I. On the role of environmental corruption in       |
| 534 |    | healthcare infrastructures: An empirical assessment for Italy using DEA with     |
| 535 |    | truncated regression approach. Health Policy. 2017;121(5):515-524.               |
| 536 | 4. | Balitskiy S, Bilan Y, Strielkowski W, Štreimikiene D. Energy efficiency and      |
| 537 |    | natural gas consumption in the context of economic development in the European   |
| 538 |    | Union. Renewable and Sustainable Energy Reviews. 2016;55:156-168.                |
| 539 | 5. | Cruz N, Carvalho P, Marques R. Disentangling the cost efficiency of jointly      |
| 540 |    | provided water and wastewater services. Utilities Policy. 2013;24:70-77.         |
| 541 | 6. | Vazhayil J, Balasubramanian R. Optimization of India's power sector strategies   |
| 542 |    | using weight-restricted stochastic data envelopment analysis. Energy Policy.     |
| 543 |    | 2013;56:456-465.   |
| 544 | 7. | Oggioni G, Riccardi R, Toninelli R. Eco-efficiency of the world cement industry: |
| 545 |    | A data envelopment analysis. Energy Policy. 2011;39(5):2842-2854.                |
| 546 | 8. | Mousavi-Avval S, Rafiee S, Mohammadi A. Optimization of energy consumption       |
| 547 |    | and input costs for apple production in Iran using data envelopment analysis.    |
| 548 |    | Energy. 2011;36(2):909-916.  |
| 549 | 9. | Mohammadi A, Rafiee S, Mohtasebi S, Mousavi Avval S, Rafiee H. Energy            |
| 550 |    | efficiency improvement and input cost saving in kiwifruit production using Data  |

551 Envelopment Analysis approach. Renewable Energy. 2011;36(9):2573-2579.

- 552 10. Egilmez G, Kucukvar M, Tatari O. Sustainability assessment of U.S.
- 553 manufacturing sectors: an economic input output-based frontier approach. Journal
- of Cleaner Production. 2013;53:91-102.
- 11. Khushalani J, Ozcan Y. Are hospitals producing quality care efficiently? An
  analysis using Dynamic Network Data Envelopment Analysis (DEA).
  Socio-Economic Planning Sciences. 2017;60:15-23.
- 558 12. Deily M, McKay N. Cost inefficiency and mortality rates in Florida hospitals.
  559 Health Economics. 2006;15(4):419-431.
- 560 13. The world bank. Urban population (% of total population) Iceland [Internet].
- 561 Data.worldbank.org. 2020 [cited 30 June 2020]. Available from:
- 562 https://data.worldbank.org/indicator/SP.URB.TOTL.IN.ZS?end=2018&locations=
- 563 IS&start=1987
- 14. Charnes A, Cooper W, Rhodes E. Measuring the efficiency of decision making
  units. European Journal of Operational Research. 1978;2(6):429-444.
- 566 15. Farrell M. The Measurement of Productive Efficiency. Journal of the Royal
  567 Statistical Society Series A (General). 1957;120(3):253-281.
- 16. Cooper W, Seiford L, Tone K. Data Envelopment Analysis: A Comprehensive Text
- with Models, Applications, References and DEA-Solver Software. Boston, MA:Springer; 2007.
- 571 17. Hawdon D. Efficiency, performance and regulation of the international gas
  572 industry—a bootstrap DEA approach. Energy Policy. 2003;31(11):1167-1178.
- 573 18. Neiderud C. How urbanization affects the epidemiology of emerging infectious
- diseases. Infection Ecology & Epidemiology. 2015;5(1):27060.

| 575 | 19. Lienhardt C. From Exposure to Disease: The Role of Environmental Factors in       |
|-----|---|
| 576 | Susceptibility to and Development of Tuberculosis. Epidemiologic Reviews.             |
| 577 | 2001;23(2):288-301.   |
| 578 | 20. Hayward A, Darton T, Van-Tam J, Watson J, Coker R, Schwoebel V.                   |
| 579 | Epidemiology and control of tuberculosis in Western European cities. The              |
| 580 | International Journal of Tuberculosis and Lung Disease. 2003;7(8):751-757.            |
| 581 | 21. Worldometer. Countries in the world by population (2020) [Internet]. Worldometer. |
| 582 | 2020 [cited 2020]. Available from:  |
| 583 | https://www.worldometers.info/world-population/population-by-country/6                |
| 584 | 22. Michael A. How South Korea flattened the coronavirus curve with technology        |
| 585 | [Internet]. The Conversation. 2020 [cited 21 April 2020]. Available from:             |
| 586 | https://theconversation.com/how-south-korea-flattened-the-coronavirus-curve-          |
| 587 | with-technology-136202  |
| 588 | 23. Ferrier K, Hwang S. How South Korea Is Building Influence Through COVID-19        |
| 589 | Testing Kits [Internet]. Thediplomat.com. 2020 [cited 30 April 2020]. Available       |
| 590 | from:   |
| 591 | https://thediplomat.com/2020/04/how-south-korea-is-building-influence-through-c       |
| 592 | ovid-19-testing-kits/   |
| 593 | 24. Ritchie H, Ortiz-Ospina E, Beltekian D, Mathieu E, Hasell J, Macdonald B et al.   |
| 594 | Statistics and Research: Coronavirus (COVID-19) Testing [Internet]. Our World in      |
| 595 | Data. 2020 [cited 12 May 2020]. Available from:                                       |

### 596 https://ourworldindata.org/coronavirus-data

| 597 | 25 Barr S            | Coronavirus. | what is here | l immunity     | and is it an c | ntion for | dealing with the |
|-----|----------------------|--------------|--------------|----------------|----------------|-----------|------------------|
| 551 | $\Delta J$ . Dall S. | Coronavirus. | what is nor  | J IIIIIIIUIIIU | and is it and  | puon ior  | ucaning with the |

- 598 UK coronavirus outbreak? [Internet]. The Independent. 2020 [cited 15 April 2020].
- 599 Available from:
- 600 https://www.independent.co.uk/life-style/health-and-families/coronavirus-herd-im
- 601 munity-meaning-definition-what-vaccine-immune-covid-19-a9397871.html
- 602 26. Tadros E, McIlroy T, Margo J. Australia's virus testing rate leads world [Internet].
- Australian Financial Review. 2020 [cited 10 July 2020]. Available from:
- 604 https://www.afr.com/politics/federal/australia-s-testing-is-key-to-slower-infection-
- 605 rate-20200401-p54fx7
- 27. Vaidyanathan G. People power: How India is attempting to slow the coronavirus
  [Internet]. Nature.com. 2020 [cited 12 April 2020]. Available from: https://www.nature.com/articles/d41586-020-01058-5
- 609 28. Garda world. Russia: Chinese citizens to be barred entry into Russia from
  610 February 20 /update 7 [Internet]. GardaWorld. 2020 [cited 2 July 2020]. Available
  611 from:
- 612 https://www.garda.com/crisis24/news-alerts/315171/russia-chinese-citizens-to-be-
- 613 barred-entry-into-russia-from-february-20-update-7
- 614 29. Tsvetkova M. False negative: officials say Russian virus tests often give wrong
  615 result [Internet]. U.S. 2020 [cited 8 May 2020]. Available from:
  616 https://www.reuters.com/article/us-health-coronavirus-russia-tests/false-negative-o
  617 fficials-say-russian-virus-tests-often-give-wrong-result-idUSKBN22J347
- 30. Wibawa T. Wearing a mask in the United States is political, but Republicans are
  speaking out as coronavirus cases grow [Internet]. Abc.net.au. 2020 [cited 10 July
  2020]. Available from:

| 621 | https://www.abc.net.au/news/2020-07-01/coronavirus-masks-are-political-in-us-do            |
|-----|--|
| 622 | nald-trump-rejects-them/12403962   |
| 623 | 31. Prasad R. Coronavirus: Why is there a US backlash to masks? [Internet]. BBC            |
| 624 | News. 2020 [cited 10 July 2020]. Available from:   |
| 625 | https://www.bbc.com/news/world-us-canada-52540015  |
| 626 | 32. Eaton M, Borden King A, Emma K, Seigler A. Trump Suggested 'Injecting'                 |
| 627 | Disinfectant to Cure Coronavirus? We're Not Surprised [Internet]. Nytimes.com.             |
| 628 | 2020 [cited 26 April 2020]. Available from:  |
| 629 | https://www.nytimes.com/2020/04/26/opinion/coronavirus-bleach-trump-autism.ht              |
| 630 | ml   |
| 624 |  |
| 631 | 33. European Council. Council agrees to start lifting travel restrictions for residents of |
| 632 | some third countries [Internet]. Consilium.europa.eu. 2020 [cited 30 June 2020].           |

- 633 Available from:
- 634 <u>https://www.consilium.europa.eu/en/press/press-releases/2020/06/30/council-agre</u>

635 <u>es-to-start-lifting-travel-restrictions-for-residents-of-some-third-countries/</u>

636 34. Castillo R, Staguhn E, Weston-Farber E. The effect of state-level stay-at-home

637 orders on COVID-19 infection rates. American Journal of Infection Control.

638 2020;48(8):958-960.

639 35. Ferguson N, Laydon D, Nedjati-Gilani G, Imai N, Ainslie K, Baguelin M et al.

640 Report 9: Impact of non-pharmaceutical interventions (NPIs) to reduce COVID19

| 641 mortality and healthcare demand. London: Imperial College COVID-19 Resp |
|---|
|---|

- 642 Team; 2020.
- 643 36. Willis M, Díaz V, Prado-Rubio O, von Stosch M. Insights into the dynamics and
- 644 control of COVID-19 infection rates. Chaos, Solitons & Fractals.
  645 2020;138:109937.
- 646 37. Aledort J, Lurie N, Wasserman J, Bozzette S. Non-pharmaceutical public health
- 647 interventions for pandemic influenza: an evaluation of the evidence base. BMC
- 648 Public Health. 2007;7(1).
- 649 38. Torner N, Soldevila N, Garcia J, Launes C, Godoy P, Castilla J, Domínguez A.
- 650 Effectiveness of non-pharmaceutical measures in preventing pediatric influenza: a
- 651 case–control study. BMC Public Health. 2015;15(1):543.











