

Additional file 3: Table S2: Detailed histological findings in all patients.

ID	Lung	Other Organs
1	Bilateral lesions of E-DAD Microthrombosis Acute broncho-pneumonia (RIL, ML) Acute pneumonia (LIL) Atypical pneumocytes	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Fibrosis Atheromatosis</p> <p>Gastro-intestinal system: Congestive hepatopathy Esophagitis Chronic gastritis</p> <p>Urinary system: Acute tubular injury (ATI) with severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Arteriosclerosis Discrete chronic cystitis</p> <p>CNS: Craniotomy for subdural hematoma drainage Cerebral hemorrhage Focal necrosis Edema Focal spongiosis</p> <p>Bone Marrow: Hyperplasia</p>
2	Bilateral lesions of E-DAD Bilateral lesions of L-DAD Microthrombosis Emphysema Focal lympho-plasmocytic infiltrate Atypical pneumocytes	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Fibrosis Atheromatosis</p> <p>Gastrointestinal system: Congestive hepatopathy Esophagitis</p> <p>Urinary system: Acute tubular injury (ATI) with severe autolysis Pigmented casts Severe arteriosclerosis</p> <p>Bone Marrow: Hyperplasia</p>
3	E-DAD (L) Microthrombosis Emphysema Left pneumonectomy	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Chronic pericarditis</p>

		<p>Atheromatosis</p> <p>Gastrointestinal system: Congestive hepatopathy Esophagitis</p> <p>Urinary system: Acute tubular injury (ATI) with severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Severe arteriosclerosis Chronic cystitis</p> <p>CNS: Vascular congestion Extravasation of erythrocytes into the surrounding Virchow-Robin spaces Hemosiderin-laden macrophages Spongiosis (also observed in brainstem)</p> <p>Bone marrow: Hyperplasia with dysplastic megakaryocyte</p>
4	<p>Bilateral lesions of E-DAD Microthrombosis Emphysema Focal lympho-plasmocytic infiltrate Atypical pneumocytes</p>	<p>Cardiovascular system: Ischemic cardiomyopathy Pericardial effusion Atheromatosis</p> <p>Gastrointestinal system: Ascites Esophagitis Peri-pancreatic steato-necrosis Right adrenal carcinoma</p> <p>Urinary system: Acute tubular injury (ATI) with severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Arteriosclerosis</p> <p>CNS: Brain cortical ischemic lesion with meningeal thickening associated to hemosiderin-laden macrophages Cerebral hemorrhage Spongiosis</p> <p>Bone marrow: Hyperplasia with dysplastic megakaryocyte</p>
5	<p>Bilateral lesions of E-DAD L-DAD (RSL, LSL) Microthrombosis Acute broncho-pneumonia (RSL)</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Pericardial effusion</p>

	<p>Lung infarct (RIL) Right bilobectomy (RIL-ML)</p>	<p>Atheromatosis</p> <p>Gastrointestinal system: Hepatomegaly Hepatic steatosis (40%) Cholestasis Macroscopic and microscopic ischemic enteritis associated with microthrombi</p> <p>Urinary system: ATI not assessable due to severe autolysis Hemorrhagic cystitis</p> <p>CNS: Edema Hemorrhagic suffusion Spongiosis (also located to brainstem and centrum ovale)</p> <p>Bone marrow: Hyperplasia with dysplastic megakaryocyte</p>
6	<p>Bilateral lesions of E-DAD Bilateral lesions of L-DAD Microthrombosis Invasive aspergillosis (lung and trachea) Acute broncho-pneumonia (LIL) Acute pneumonia (LIL, ML, RSL, RIL) Atypical pneumocytes</p>	<p>Cardiovascular system: Recent coronary stent Cardiomegaly Ischemic cardiomyopathy Fibrosis Severe atheromatosis Abdominal aortic aneurysm</p> <p>Gastrointestinal system: Hepatomegaly Hepatic steatosis (<5%) Esophagitis with few multinucleated giant cells Gastric congestion</p> <p>Urinary system: ATI not assessable due to severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Moderate arteriosclerosis</p> <p>Bone marrow: Hyperplasia</p>
7	<p>Bilateral lesions of E-DAD L-DAD (LSL) Bilateral invasive aspergillosis Acute broncho-pneumonia (RIL) Acute pneumonia (RIL,ML) Inhalation pneumonia Lung infarct (LIL)</p>	<p>Cardiovascular system: Ischemic cardiomyopathy</p> <p>Gastrointestinal system: Hepatic steatosis (50%) Esophagitis Gastric congestion Splenic white pulp hypoplasia</p>

		<p>Urinary system: ATI not assessable due to severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Discrete arteriosclerosis</p>
8	<p>Bilateral lesions of E-DAD Acute pneumonia (RSL) Advanced interstitial fibrosis Pulmonary hypertension pneumopathy Emphysema</p>	<p>Cardiovascular system: Recent coronary stent Ischemic cardiomyopathy Severe atheromatosis</p> <p>Gastrointestinal system: Congestive hepatopathy Esophagitis Gastric congestion Colic sevelamer crystals Chronic pancreatitis</p> <p>Urinary system: ATI not assessable due to severe autolysis Thrombus in an interlobar artery Hemosiderin granules in tubular epithelium Pigmented casts Diabetic nephropathy Severe chronic pyelonephritis Calcium oxalate crystal deposits Severe arteriosclerosis Chronic cystitis</p> <p>CNS: Edema Focal necrosis Spongiosis</p> <p>Bone marrow: Hyperplasia with dysplastic megakaryocytes</p>
9	<p>Bilateral lesions of E-DAD L-DAD (ML) Microthrombosis Lung infarct Inhalation pneumonia</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Fibrosis Discrete atheromatosis</p> <p>Gastrointestinal system: Hepatic steatosis (<5%) Kayexalate crystals in the esophagus, stomach and colon Adrenal cortical adenoma</p> <p>Urinary system: ATI not assessable due to severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts</p>

		<p>Chronic interstitial inflammation Severe arteriosclerosis Hemorrhagic cystitis</p> <p>CNS: Edema Focal necrosis Hemorrhagic suffusion Spongiosis (located to brain and brainstem)</p> <p>Bone marrow: Hyperplasia with dysplastic megakaryocyte</p>
10	<p>Bilateral lesions of E-DAD L-DAD (L) Microthrombosis Hyperplasia of pneumocytes type-II Syncytial multinucleated giant cells</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy</p> <p>Gastrointestinal system: Hepatomegaly, congestive hepatopathy Hepatic steatosis <5% Chronic hepatitis Kayexalate crystals in the stomach and colon</p> <p>Urinary system: ATI not assessable due to severe autolysis Calcium deposits in the medulla Severe arteriosclerosis</p> <p>CNS: Hemorrhagic suffusion Spongiosis</p>
11	<p>Bilateral lesions of E-DAD Hyperplasia of pneumocytes type-II Syncytial multinucleated giant cells</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy</p> <p>Gastrointestinal system: Liver cirrhosis Hepatic steatosis <5% Microsphere bead for hepatocarcinoma Esophagitis</p> <p>Urinary system: ATI not assessable due to severe autolysis Diabetic nephropathy Discrete glomerulosclerosis Chronic pyelonephritis Pigmented casts Calcium deposits in medulla Moderate arteriosclerosis Prostatic adenocarcinoma</p> <p>Bone Marrow: Hyperplasia</p>

12	<p>Bilateral lesions of E-DAD L-DAD (L) Microthrombosis Pulmonary embolism (RIL) Bronchitis (LIL, ML) Acute pneumonia (LSL, RIL) Acute broncho-pneumonia (ML) Syncytial multinucleated giant cells</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy</p> <p>Gastrointestinal system: Hepatomegaly Hepatic steatosis (5%) Esophagitis Kayexalate crystals in the esophagus, stomach and colon</p> <p>Urinary system: ATI not assessable due to severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Discrete glomerulosclerosis Chronic pyelonephritis Moderate arteriosclerosis Subacute cystitis.</p> <p>CNS: Hemorrhagic suffusion Spongiosis Extravasation of erythrocytes into the surrounding Virchow-Robin spaces Hemosiderin-laden macrophages</p> <p>Bone Marrow: Hyperplasia</p>
13	<p>Bilateral lesions of E-DAD Perivascular chronic inflammatory infiltrate Acute broncho-pneumonia (LIL)</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy Fibrosis</p> <p>Gastrointestinal system: Liver cirrhosis Chronic hepatitis Hepatic steatosis (5%) Barrett's esophagus Discrete gastritis</p> <p>Urinary system: ATI not assessable due to severe autolysis Moderate glomerulosclerosis Chronic pyelonephritis Discrete arteriosclerosis. Follicular cystitis</p> <p>Bone Marrow: Hyperplasia (predominantly myeloid)</p>
14	<p>Bilateral alveolar edema Bilateral aspiration pneumonia</p>	<p>Cardiovascular system: Cardiomegaly</p>

	Perivascular chronic inflammatory infiltrate	<p>Ischemic cardiomyopathy</p> <p>Gastrointestinal system: Congestive hepatopathy Esophagitis</p> <p>Urinary system: ATI not assessable due to autolysis Hyaline arteriosclerosis Angiomyolipoma (2mm)</p> <p>Bone Marrow: Hyperplasia</p>
15	<p>Bilateral E-DAD L-DAD (L) Microthrombosis Lung infarct (RIL, LIL ,RSL,ML) Pulmonary embolism (L)</p>	<p>Cardiovascular system: Cardiomegaly Recent myocardial infarction</p> <p>Gastrointestinal system: Hepatomegaly Hepatic steatosis (10%) Esophagitis Gastritis</p> <p>Urinary system: ATI not assessable due to severe autolysis Pigmented casts Discrete arteriosclerosis. Acute mycotic cystitis Vascular thrombi into the bladder</p> <p>CNS: Hemorrhagic suffusion Hemosiderin-laden macrophages Extravasation of erythrocytes into the surrounding Virchow-Robin spaces</p>
16	<p>Bilateral E-DAD L-DAD (L) Microthrombosis Hyperplasia of pneumocytes type-II</p>	<p>Cardiovascular system: Cardiomegaly Recent myocardial infarction</p> <p>Gastrointestinal system: Hepatic steatosis (5%) Centro-lobular hepatic necrosis Esophagitis Gastritis</p> <p>Kidneys and urinary system: ATI not assessable due to severe autolysis Hemosiderin granules in tubular epithelium Pigmented casts Moderate glomerulosclerosis Moderate arteriosclerosis Subacute cystitis</p>

		<p>CNS: Spongiosis Extravasation of erythrocytes into the surrounding Virchow-Robin spaces Hemosiderin-laden macrophages Edema</p> <p>Bone Marrow: Hyperplasia</p> <p>Others: Thyroid follicular carcinoma</p>
17	<p>Bilateral hemorrhage (post-thoracotomy) Embolization right bronchial artery L-DAD Acute broncho-pneumonia (LSL; LIL)</p>	<p>Cardiovascular system: Cardiomegaly Ischemic cardiomyopathy</p> <p>Gastrointestinal system, liver: Congestive hepatopathy Chronic hepatitis (C-virus) Esophagitis Gastritis Acute pancreatitis</p> <p>Urinary system: Acquired cystic kidney disease (ACKD) Multiple tubular adenomas in native kidneys ATI not assessable due to severe autolysis in kidney transplant</p> <p>CNS: Spongiosis Hemorrhagic suffusion Hemosiderin-laden macrophages</p> <p>Bone Marrow: Hyperplasia</p>

E-DAD: Diffuse alveolar damage early phase, L-DAD: Diffuse alveolar damage late phase, R: right lung, L: left lung, RSL: right superior lobe, ML: right middle lobe, RIL: right superior lobe, LSL: left superior lobe, LIL: left inferior lobe, ATI: acute tubular injury; CNS: central nervous system