

Supplemental File

Supplemental Table 1: Co-morbidity definitions

NCD group	UK Biobank self-reported illnesses included
Hypertension	Hypertension Essential hypertension
Chronic cardiac disease	Angina Cardiomyopathy Heart attack/myocardial infarction heart failure/pulmonary oedema Hypertrophic cardiomyopathy Coronary angioplasty (ptca) +/- stent Coronary artery bypass grafts Triple heart bypass
Chronic respiratory disease	Asthma Bronchiectasis Chronic obstructive airways disease/COPD Emphysema Emphysema/chronic bronchitis Fibrosing alveolitis/unspecified alveolitis Interstitial lung disease Other chronic respiratory problems Pulmonary fibrosis
Diabetes	Diabetes Diabetic eye disease Diabetic nephropathy Diabetic neuropathy/ulcers Type 1 diabetes Type 2 diabetes
Cancer	Any cancer diagnosis during lifetime
Chronic liver disease	Liver failure/cirrhosis Non-infective hepatitis Oesophageal varices Primary biliary cirrhosis
Chronic kidney disease	Diabetic nephropathy Immunoglobulin A (IgA) nephropathy Kidney nephropathy Polycystic kidney Renal failure not requiring dialysis Renal failure requiring dialysis Renal/kidney failure
Prior stroke/TIA	Brain haemorrhage Ischaemic stroke Stroke Subarachnoid haemorrhage

	Transient ischaemic attack (TIA)
Other neurology disease	Cerebral palsy Epilepsy Motor neurone disease Multiple sclerosis Myasthenia gravis Parkinson's disease
Psychiatric disease	Depression Mania/bipolar disorder/manic depression Postnatal depression Schizophrenia
Chronic inflammatory and autoimmune rheumatic disease (Rheumatological disease)	Ankylosing spondylitis Dermatomyositis Dermatopolymyositis Giant cell/temporal arteritis Myositis/myopathy Polymyalgia rheumatica Polymyositis Psoriatic arthropathy Rheumatoid arthritis Sarcoidosis Scleroderma/systemic sclerosis Sjogren's syndrome/sicca syndrome Systemic lupus erythematosus Vasculitis

Legend: All comorbidities are defined using self-reported illness at verbal nurse led interview (UK Biobank data fields 20002 and 20004). COPD, chronic obstructive pulmonary disease.

Supplemental Table 2: ICD-10 infection-death codes

A00.0, A00.1, A00.9, A01.0-A01.4, A02.0-A02.2, A02.8, A02.9, A03.0-A03.3, A03.8, A03.9, A04.0-A04.9, A06.2, A06.4-A06.6, A07.0, A07.8, A07.9, A08.0-A08.4, A09.9, A15.0-A15.9, A16.0-A16.9, A17.0, A17.1, A17.8, A17.9, A18.0-A18.8, A19.0-A19.2, A19.8, A19.9, A20.0-A20.3, A20.7-A20.9, A21.0-A21.3, A21.7-A21.9, A22.0-A22.2, A22.7-A22.9, A23.0-A23.3, A23.8, A23.9, A24.0-A24.4, A25.0, A25.9, A26.7-A26.9, A27.0, A27.8, A27.9, A28.8, A28.9, A30.0-A30.5, A30.8, A30.9, A31.0, A31.1, A31.8, A31.9, A32.0, A32.1, A32.7-A32.9, A33.X, A34.X, A35.X, A36.0-A36.3, A36.8, A36.9, A37.0, A37.1, A37.8, A37.9, A39.0, A39.2-A39.5, A39.8, A39.9, A40.0-A40.3, A40.8, A40.9, A41.0, A41.0-A41.5, A41.8, A41.9, A42.0-A42.2, A42.7-A42.9, A46.X, A48.0, A48.8, A49.0-A49.3, A49.2, A49.8, A49.9, A54.0, A54.2-A54.4, A54.5, A54.6, A54.8, A54.9, A56.4, A57.X, A66.0-A66.4, A66.6-A66.9, A67.0-A67.3, A67.9, A68.0, A68.1, A68.9, A69.1, A70.X, A71.0, A71.1, A71.9, A74.0, A74.8, A74.9, A75.0-A75.3, A75.9, A77.0, A79.0, A79.8, A79.9, A80.9, A81.0, A81.8, A81.9, A82.0, A82.1, A82.9, A83.0, A83.6, A83.8, A83.9, A84.0, A84.8, A84.9, A85.0-A85.2, A85.8, A86.X, A87.0, A87.1, A87.2, A87.8, A87.9, A88.0, A88.8, A89.X, A90.X, A91.X, A92.0, A92.3, A92.8, A92.9, A93.0, A93.8, A94.X, A95.0, A95.1, A95.9, A96.0, A96.8, A96.9, A98.0, A98.3, A98.4, A98.8, A99.X, B00.0, B00.1, B00.2, B00.3-B00.5, B00.7-B00.9, B01.0, B01.1, B01.2, B01.8, B01.9, B02.0, B02.1, B02.2, B02.3, B02.7-B02.9, B03.X, B05.0, B05.1, B05.2, B05.3, B05.4, B05.8, B05.9, B06.0, B06.8, B06.9, B07.X, B08.0, B08.4, B08.5, B08.8, B09.X, B16.0-B16.2, B16.9, B17.0, B17.1, B17.8, B17.9, B18.0-B18.2, B18.8, B18.9, B19.0, B19.9, B25.0, B25.1, B25.2, B25.8, B25.9, B26.0, B26.1, B26.2, B26.3, B26.8, B26.9, B27.0, B27.1, B27.8, B27.9, B30.0-B30.2, B30.3, B30.8, B30.9, B33.0, B33.2-B33.4, B33.8, B34.0-B34.4 (exclude corona), B34.8, B34.9, B35.9, B36.8, B37.0-B37.9, B38.0-B38.4, B38.7-B38.9, B41.0, B41.7-B41.9, B43.1, B43.2, B44.0-B44.2, B44.7-B44.9, B45.0-B45.3, B45.7-B45.9, B46.8, B47.1, B48.7, B48.8, B50.0, B50.8, B50.9, B51.0, B51.8, B51.9, B52.0, B52.8, B52.9, B53.0, B53.1, B53.8, B54.X, B55.0-B55.2, B55.9, B56.0, B56.1, B56.9, B58.0-B58.3, B58.8, B58.9, B60.0, B60.8, B64.X, B65.0-B65.2, B65.8, B65.9, B67.8, B67.9, B71.0, B71.8, B71.9, B76.1, B81.0, B81.4, B81.8, B82.0, B82.9, B83.0, B83.8, B83.9, B85.0-B85.2, B85.4, B87.0-B87.4, B87.8, B87.9, B88.0, B89.X, B91.X, B92.X, B94.0, B94.0, B94.1, B94.2, B94.8, B94.9, B95.0-B95.8, B96.0-B96.2, B96.3, B96.4, B96.5, B96.7, B96.8, B97.0-B97.8, D47.5, D73.3, E32.1, G00.0-G00.3, G00.8, G00.9, G01.X, G02.0, G02.1, G02.8, G03.0-G03.2, G03.8, G03.9, G04.2, G05.0, G05.1, G05.2, G06.0-G06.2, G07X, G14.X, G53.0, G53.1, G63.0, G73.1, G73.4, G93.3, G94.0, H03.0, H06.1, H10.0, H10.2, H10.3, H10.4, H10.5, H10.8, H10.9, H13.0, H13.1, H13.2, H16.1, H16.2, H19.1, H19.2, H19.3, H22.0, H32.0, H60.0, H60.1, H60.2, H60.3, H60.5, H60.8, H60.9, H62.0, H62.1, H62.3, H62.4, H65.0, H65.1, H65.2-H65.4, H65.9, H66.0-H66.4, H66.9, H67.0, H67.1, H67.8, H70.0, H70.1, H70.8, H70.9, H73.0, H73.1, H75.0, H94.0, I32.0, I32.1, I41.0, I41.1, I41.2, I42.3, I43.0, I52.0, I52.1, I68.1, I98.1, J00.X, J01.0-J01.4, J01.8, J01.9, J02.0, J02.8, J02.9, J03.0, J03.0, J03.8, J03.9, J06.0, J06.8, J06.9, J09.X, J10.0, J10.0, J10.1, J10.8, J11.0, J11.1, J11.8, J12.0, J12.1, J12.2, J12.3, J12.8, J12.9, J13X, J14X, J15.0- J15.9, J16.0, J16.8, J17.0, J17.1, J17.2, J17.3, J17.8, J18.0-J18.2, J18.8, J18.9, J20.0, J20.1, J20.2, J20.3, J20.4, J20.5-J20.7, J21.0, J21.1, J22.X, J31.0-J31.2, J32.0-J32.4, J32.8, J32.9, J34.0, J35.0, J36X, J39.0, J39.1, J44.0, J65X, J85.0, J85.1, J85.2, J85.3, K04.6, K04.7, K11.3, K12.2, K23.0, K35.2, K35.3, K35.8, K36.X, K37.X, K51.5, K52. 3, K57.0, K57.1, K57.2, K57.3, K57.4, K57.5, K57.8, K57.9, K61.0-K61.4, K63.0, K65.0, K65.8, K65.9, K67.0-K67.3, K75.0, K77.0, K80.0-K80.5, K81.0, K81.1, K81.9, K83.0, K93.0, L00.X, L02.0-L02.4, L02.8, L02.9, L03.0-L03.3, L03.8, L03.9, L05.0, L05.9, L92.2, L98.3, M00.0-M00.2, M00.8, M01, M01.0, M01.1,

M01.3, M01.4, M01.5, M01.6, M02.3, M03.0, M03.1, M35.4, M46.2, M49.0-M49.2, M49.3, M63.0, M63.1, M65.0, M68.0, M71.0, M73.0, M86.0-M86.2, M86.3-M86.6, M86.8, M86.9, M89.6, N08.0, N15.1, N16.0, N22.0, N29.1, N33.0, N34.0, N35.1, N39.0, N41.2, N45.0, N45.9, N73.0, N73.1, N73.2, N73.3, N73.4, N73.5, N74.0, N74.1, N75.1, N76.4, N77.0, N77.1, O26.4, O35.3, O75.3, O98.0, O98.4, O98.5, O98.6, O98.8, O989, P36.0-P36.5, P36.8, P36.9, P37.2, P78.1, R57.2, R76.1

Legend: ICD-10 codes adapted from Wu J *et al* (Incidence of infections associated with oral glucocorticoid dose in people diagnosed with polymyalgia rheumatica or giant cell arteritis: a cohort study in England. *CMAJ*; 2019; 191(25): E680-E688) with additional inclusion of codes I33, I38, I39 (for infective endocarditis) and removal of code symptoms (R05, R07.0)

Supplemental Table 3: Classification of infection deaths

Infection classification	Number (%)
Blood stream	81 (5.9%)
Bone, joint and connective tissue	5 (0.4%)
Digestive tract, including liver	196 (14.2%)
Genitourinary	82 (5.9%)
Heart and circulation	61 (4.4%)
Lower respiratory tract	840 (60.7%)
Neurological and eye	59 (4.3%)
Other infections	38 (2.7%)
Skin and soft tissue	20 (1.4%)
Upper respiratory tract, including ENT	3 (0.2%)

Legend: Data illustrated Figure 1b. ENT denotes ear, nose and throat.

Supplemental Table 4: Multivariate competing risks regression analysis of the association between participant characteristics and risk of infection or non-infection death.

	Infection death			Non-infection death		
	HR	95% CI	p value	HR	95% CI	p value
Age (in years)						
<45	1.0 (ref)			1.0 (ref)		
45 to <50	1.36	(0.81-2.27)	0.243	1.57	(1.42-1.73)	<0.001
50 to <55	2.90	(1.85-4.57)	<0.001	2.36	(2.16-2.59)	<0.001
55 to <60	4.48	(2.9-6.92)	<0.001	3.45	(3.16-3.76)	<0.001
60 to <65	6.53	(4.28-9.98)	<0.001	5.14	(4.73-5.59)	<0.001
65+	13.05	(8.56-19.88)	<0.001	8.26	(7.6-8.98)	<0.001
Sex						
Female	1.0 (ref)			1.0 (ref)		
Male	1.55	(1.39-1.74)	<0.001	1.62	(1.58-1.66)	<0.001
Ethnicity						
White	1.0 (ref)			1.0 (ref)		
Mixed	0.59	(0.22-1.57)	0.287	0.88	(0.73-1.07)	0.193
Asian	0.79	(0.5-1.25)	0.320	0.80	(0.71-0.89)	<0.001
Black	0.68	(0.38-1.21)	0.188	0.79	(0.69-0.89)	<0.001
Chinese	0.48	(0.07-3.4)	0.462	0.79	(0.58-1.1)	0.163
Other	0.49	(0.2-1.18)	0.113	0.88	(0.75-1.03)	0.102
SED quintile						
1	1.0 (ref)			1.0 (ref)		
2	1.18	(0.96-1.44)	0.117	1.00	(0.96-1.04)	0.99
3	1.33	(1.09-1.62)	0.005	1.06	(1.02-1.11)	0.003
4	1.60	(1.32-1.93)	<0.001	1.15	(1.1-1.19)	<0.001
5	2.10	(1.75-2.51)	<0.001	1.39	(1.33-1.44)	<0.001
Smoking						
Never	1.0 (ref)			1.0 (ref)		
Former	1.37	(1.21-1.56)	<0.001	1.28	(1.24-1.31)	<0.001
Current	3.44	(2.98-3.98)	<0.001	2.51	(2.42-2.6)	<0.001
Obesity						
Not obese	1.0 (ref)			1.0 (ref)		
Class 1	0.95	(0.83-1.09)	0.479	1.06	(1.02-1.09)	0.001
Class 2	1.03	(0.83-1.28)	0.759	1.22	(1.16-1.28)	<0.001
Class 3	2.14	(1.68-2.73)	<0.001	1.53	(1.42-1.64)	<0.001
Hypertension	1.37	(1.22-1.53)	<0.001	1.16	(1.13-1.19)	<0.001

Chronic cardiac disease	1.61	(1.39-1.86)	<0.001	1.56	(1.51-1.62)	<0.001
Chronic respiratory disease	2.17	(1.92-2.44)	<0.001	1.28	(1.24-1.32)	<0.001
Diabetes	1.72	(1.47-2.01)	<0.001	1.63	(1.56-1.69)	<0.001
Cancer	1.25	(1.06-1.46)	0.006	2.28	(2.21-2.35)	<0.001
Chronic liver disease	3.10	(1.75-5.48)	<0.001	2.37	(2.02-2.79)	<0.001
Chronic kidney disease	4.58	(3.16-6.64)	<0.001	2.54	(2.24-2.88)	<0.001
Prior stroke/TIA	1.77	(1.44-2.18)	<0.001	1.53	(1.44-1.62)	<0.001
Other neurology disease	2.69	(2.06-3.52)	<0.001	2.15	(2-2.31)	<0.001
Psychiatric disorder	1.52	(1.28-1.82)	<0.001	1.23	(1.17-1.29)	<0.001
Rheumatological disease	2.39	(1.94-2.95)	<0.001	1.41	(1.32-1.5)	<0.001

Legend: All characteristics listed are included in the multivariate model. Data are illustrated in Figure 2. HR – hazard ratio, CI – confidence interval, ref – reference group, SED – socio-economic deprivation, BMI – body mass index, TIA – transient ischaemic attack.

Supplemental Table 5: Multivariate competing risks regression analysis of the association between multimorbidity and risk of infection or non-infection death.

Number of Comorbidities	Infection Death			Non-infection death		
	HR	95% CI	p	HR	95% CI	p
0	1.0 (ref)			1.0 (ref)		
1	1.71	(1.44-2.01)	<0.001	1.47	(1.43-1.52)	<0.001
2	3.01	(2.55-3.56)	<0.001	2.01	(1.94-2.08)	<0.001
3	4.64	(3.86-5.58)	<0.001	2.69	(2.58-2.81)	<0.001
4	6.86	(5.49-8.59)	<0.001	3.87	(3.65-4.09)	<0.001
5+	9.03	(6.61-12.34)	<0.001	5.68	(5.22-6.17)	<0.001

Legend: The multivariate model is corrected for age, sex, ethnicity and socio-economic deprivation. Data are illustrated in Figure 3. HR – hazard ratio, CI – confidence interval, ref – reference group.