1	Psychological impact of Covid-19 lockdown in India: Different strokes for different folks
2	
3	Anupam Joya Sharma <sup>1</sup> *
4	Malavika A. Subramanyam <sup>1</sup>
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	<sup>1</sup> Social Epidemiology, Indian Institute of Technology Gandhinagar, India
22	* Corresponding author
23	Email: <u>Anupam.sharma@iitgn.ac.in</u>
24	Ph: +919265058908
25	
26	
27	
28	
29	
30	

### 31 Abstract

32 The psychological impact of the lockdown due to the Covid-19 pandemic are widely 33 documented. In India, a family-centric society with a high population density and extreme 34 social stratification, the impact of the lockdown might vary across diverse social groups. 35 However, the patterning in the psychological impact of the lockdown among sexual 36 minorities and persons known to be at higher risk of contracting Covid-19 is not known in the 37 Indian context. We used mixed methods (online survey, n=282 and in-depth interviews, 38 n=14) to investigate whether the psychological impact of the lockdown was different across 39 these groups of Indian adults. We fitted linear and logistic regression models adjusted for 40 sociodemographic covariates. Thematic analysis helped us identify emergent themes in our 41 qualitative narratives. Anxiety was found to be higher among sexual minorities ( $\beta$ =2.44, CI: 42 0.58, 4.31), high-risk group ( $\beta$ =2.20, CI:0.36, 4.05), and those with history of 43 depression/loneliness ( $\beta$ =3.89, CI:2.34, 5.44). Addiction to pornography was also found to be higher among sexual minorities ( $\beta$ =2.72, CI: 0.09, 5.36). Qualitative findings suggested that 44 45 sexual minorities likely used pornography and masturbation to cope with the lockdown, given 46 the limited physical access to sexual partners in a society that stigmatizes homosexuality. 47 Moreover, both qualitative and quantitative study findings suggested that greater frequency of 48 calling family members during lockdown could strengthen social relationships and increase 49 social empathy. The study thereby urgently calls for the attention of policymakers to take 50 sensitive and inclusive health decisions for the marginalized and the vulnerable, both during 51 and after the crisis.

52

53

54

55

### 56 Introduction

57

The novel coronavirus (Covid-19), taxonomically termed SARS-CoV-2, first emerged in 58 59 Wuhan, China during late 2019 and was labeled a public health emergency by the World 60 Health Organization (1). The recent and rapid increase in the number of Covid-19 cases, 43,07,287 as on 15<sup>th</sup> May 2020 globally (2), has increased panic across countries (3). Every 61 62 country affected by the virus adopted several measures in order to curb its spread. India, home to 1.3 billion people, announced a nationwide "lockdown" on 25th March 2020 (4). The 63 lockdown restricted citizens' physical mobility, advocated social distancing norms, and 64 65 limited a majority of public services while allowing the essentials. However, these measures 66 of sheltering-in-place, equivalent to an extended quarantine, likely created a stressful 67 environment for the citizens, given the sudden disruption in their daily routines (5,6). These 68 disruptions could contribute towards adverse psychological outcomes such as post-traumatic 69 stress symptoms (7) and aggressive behaviors (8). For instance, one Indian study by Gautam 70 & Sharma (9), highlighted that lockdown could increase the psychological toll on the Indian 71 academic fraternity because of the disruption in their work, which additionally brings 72 financial instability to the contractual staff. However, the impact of a lockdown might vary 73 across diverse social groups. Individuals who are living alone or away from family (or loved 74 ones), suffering from economic losses, and have a history of negative psychological states, 75 could be at higher risk of depression, loneliness, and anxiety disorders during the lockdown. 76 For instance, queer individuals, known to be already burdened with minority stressors which likely lead to sense of psychological distress (10), could suffer from increased stress during 77 78 lockdown. Further, restrictions on physical mobility might have not only disrupted their 79 social lives but also paused the sexual lives of many, which could lead to several 80 complications. These disruptions in sexual lives in addition with the on-going stress due to

the lockdown could also persuade individuals to (mis)use pornography for coping (11), which
could further lead to depressive symptoms (12).

83 While Covid-19 is non-discriminatory, the psychosocial impact of its spread could also vary 84 across diverse social groups. For instance, the impact on individuals with a known higher risk of contracting Covid-19, such as the elderly or those with co-morbid conditions, might be 85 86 different from individuals with a lower risk. The extent of daily exposure to the pandemic 87 may also matter: A study from Wuhan, China, found a high prevalence of depressive 88 symptoms among frontline healthcare workers (13). Similarly, another study from Australia 89 showed that people living in high risk infection zones reported higher psychological distress 90 than those living in uninfected areas (14). These findings suggest that a higher perceived risk 91 to Covid-19 could increase anticipatory fear and anxiety. This fear, depression, loneliness, 92 and anxiety during the time of crisis not only could affect mental health but also adversely 93 affect one's lifestyle and diet, ultimately impacting physical health (15). Previous studies 94 have shown that depression (or anxiety) worsens sleep disorders (16) and eating disorders 95 (17).

96 Despite these risks, several personal and social resources could be available for individuals to 97 cope with the adverse effects of the crisis. In a family-centric country such as India, family is 98 regarded as a vital social support (18), especially during a crisis. Living with family/relatives 99 (or regular virtual interactions through phone or Internet media) could act as social support 100 which could result in lowering stress during the lockdown. Of note, an opportunity to spend 101 extended time with family members could strengthen family bonds and enhance work-family 102 balance, leading to a better quality of life (19). The lockdown situation has created 103 opportunities for many to spend time with family (and loved ones) and improve the quality of 104 family relationships, if not through physical proximity, virtually. Nevertheless, these 105 opportunities might act as a situational coercion for a few individuals (who have a history of

family maladjustment or family conflict) and induce additional stressors, further increasingtheir vulnerability to adverse psychological outcomes during a lockdown.

In addition to these social resources, several individual-level characteristics such as the nature
of employment, access to material resources; and, psychological resources such as resiliencecoping and optimism might be beneficial in minimizing the effect of this crisis (20,21).
Findings of a recent study from China suggest that positive personal-level characteristics such
as emotional-control and optimism could also help minimizing the negative effects of the
Covid-19 crisis (22).

114 Although these concerns warrant attention in the Indian context, we could locate only a few 115 studies reporting the prevalence of depression and anxiety during the Covid-19 crisis in India, 116 including a comparison across age and gender groups (23,24). Moreover, these studies did 117 not examine the prevalence of these outcomes across other social groups, including the 118 vulnerable and the hidden group of sexual minorities. The rapid increase in the number of 119 Covid-19 cases in India and the disruptions due to the lockdown, warrant investigating the 120 processes explaining any social patterning in the psychosocial wellbeing of Indian citizens 121 during this crisis. In response, we conducted a mixed-methods study of Indian adults to 122 unpack how social factors such as sexual orientation, relationship status, and residence in 123 high-infection areas, could be linked with any negative mental health outcomes during the 124 lockdown. We also investigated whether a higher risk of the infection and a history of 125 depression or loneliness worsens the mental health impact of the lockdown. We further 126 explored the complex processes explaining if and how anxiety and depressive symptoms 127 were related to sleeping and eating habits during the lockdown. We also investigated the role 128 individual-level resources played in coping with the effects of the crisis. Because the 129 lockdown likely changed the nature of social interactions, we additionally examined if this

130	brought any change in how individuals viewed the world and increased their social empathy,
131	which could be an important psychological resource for overall wellbeing and quality of life.
132	Research questions
133	The primary research questions explored in this study were:
134	1. Do levels of adverse psychological outcomes (depressive symptoms, anxiety,
135	addiction to the Internet and pornography, frequency of masturbation, and experiences
136	of hostile attitudes) vary across sexual orientation, relationship status, groups with
137	varying health risk of Covid-19, history of depression/loneliness, and staying in a
138	state with a high number of Covid-19 cases? If yes, what processes explain these
139	differences?
140	2. Are anxiety and depressive symptoms related to changes in eating and sleeping habits
141	among Indian adults during the lockdown?
142	In addition to the above primary questions, inspired by the initial two qualitative interviews,
143	we also addressed the following in our study:
144	3. How are sharing vulnerabilities (stress and depression) with loved ones, and
145	frequency of interaction with family related to strengthening of social bonds and
146	social empathy during the lockdown?
147	Methods
148	Study design
149	We followed a convergent mixed methods approach (25,26) in our study. First, two
150	exploratory qualitative in-depth interviews were conducted to refine our research questions.
151	The narratives of the two participants (one male and one female participant) guided us in
152	identifying key factors affecting their mental wellbeing during the time of the lockdown. The

participants shared their frustrations related to the lockdown, the disruption in their routine work, the chaos around them regarding the increase in number of cases, their challenges in general, and overall feeling about the entire situation of crisis. Based on the data from these two interviews, we constructed our online quantitative survey. Data for the study were collected through the online survey and qualitative interviews simultaneously. However, whenever the data from the quantitative survey revealed an interesting picture, we dug deeper about it in our qualitative interviews to understand its complexity and context.

### 160 **Quantitative survey**

We carried out an online survey from 9<sup>th</sup> May to 15<sup>th</sup> May 2020. Our survey questionnaire in 161 162 the form of an anonymous Google form was circulated through several Facebook groups as 163 well as WhatsApp and Instagram contacts. We further used a snowball sampling procedure to 164 increase the number of responses. The authors requested their family members, friends, 165 colleagues, and professional networks to further spread the form among their networks. The 166 introductory passage in the Google form briefed the participants about the broad objective of 167 the study and requested for their voluntary participation. Further, the passage also promised 168 anonymity and confidentiality to the participants. Due to the online nature of the survey, we 169 could not limit its spread to a specific geography. However, we specified our eligibility 170 criteria (Indian citizen, presently residing in India, aged 18 years or above, and who were 171 willing to fill the form in English) in the introductory passage to maximize the chance that we 172 only got responses from India. We received responses from 282 participants.

173 Variables and Measures

# 174 **Response variables**

Anxiety: We measured anxiety using the General Anxiety Disorder (GAD-7) scale (27). This
widely used scale includes items such as "Over the past 2 weeks how often have you been

177 *bothered by the following problems: Feeling nervous, anxious or on edge?*" The responses

- were recorded on a 4-point Likert scale ranging from "not at all (0)" to "nearly every day
- 179 (3)." We found a good internal consistency of the GAD-7 scale in our sample (Cronbach's
- alpha=0.91). The aggregate of the item scores reflected the total anxiety score.
- 181 **Depressive symptoms**: We assessed depressive symptoms of our participants using the short
- version of the CESD-D scale, a 10-item scale (28). The scale includes items such as "In the
- 183 past week how often have you felt any of these: *I had trouble keeping my mind on what I*
- 184 *was doing.*" Two items were reverse scored. The responses to the items varied from "*less*
- *than a day*" (0) to "5-7 *days*" (3). We later discovered that responses to one item (*I was*
- 186 *bothered by things that usually do not bother me*) did not get recorded possibly due to some
- technical error in the Google form. However, following Siddiqui (29) and Hawthorne et al.
- 188 (30), we imputed the person-mean score for the missing item. We found good internal
- 189 consistency of the scale (including the imputed score) in our sample (Cronbach's
- alpha=0.86). The item total was used as the depressive symptom score.
- **Symptoms of the Internet addiction**: We used the Internet Addiction Test (IAT) scale (31)
- 192 to measure symptoms of addiction of the Internet. The scale includes 12 items such as "Over
- the past 2 weeks, how often have your felt: find yourself saying "just a few more minutes"
- 194 *when online?*" Responses varied from *rarely* (1) to *always* (5). The Cronbach's alpha was
- found to be 0.92. The total score of all 12 items yielded the Internet addiction score.
- 196 Symptoms of pornography addiction: The Compulsive Pornography Consumption (CPC)
- scale (32) was used to assess the symptoms of addiction of pornography. The 6-item scale
- included items such as "Please indicate how these statements described you during the past 2
- 199 weeks: I thought of pornography (porn) when I was trying to focus on other things." The
- 200 responses were recorded on a 7-point Likert scale ranging from never (1) to very frequently

(7). The Cronbach's alpha was 0.87 in our sample. The sum total of the scores of all items
resulted in the pornography addiction score.

### 203 Experiences of hostility: A single item was used to measure experiences of hostility during

the lockdown: *Have you been facing the following problems in the last 2 weeks?* You faced a

205 hostile situation (including emotional, physical, and mental violence) from anyone in the

206 place you are currently in. Responses were recorded as yes and no.

207 Change in food habits (time and consumption): We assessed any change in the

208 participants' food habits using a single item: *Have you been facing the following problems in* 

209 the last 2 weeks? Food patterns (type of foods consumed/timings) have changed. Responses

210 varied from *not at all* (1) to *always* (5).

211 Sleeping problems: Sleeping problems were measured using a combination of two items,

212 have you been facing the following problems in the last 2 weeks? Your sleep cycle has

213 changed drastically, and You have difficulty in falling asleep. The responses varied from not

at all (1) to always (5). The additive score yielded the level of sleeping problem with scores

ranging from 2 to 10.

216 Frequency of masturbation: Frequency of masturbation was assessed using a single item,

217 *how often are you engaging yourself in masturbation activities in the last 4 weeks?* The

responses varied from *never* (1) to *multiple times a day* (6).

219 Social empathy and quality of social relationships: Social empathy was operationalized

based on the participants' choice of several options offered. The selection of any of the

following options: You have become more socially responsible; you have become more active

222 in neighborhood associations/groups or other social groups near your residence; You have

223 been thinking about the vulnerable in our society and tried to do at least something for them

224 (donating or helping in other ways) indicated increased social empathy coded as 1 (otherwise

225 0). Similarly, the quality of social relationships was recorded as 1 (improved), if the

226 participants selected even one of the following options: You have started liking to spend time

227 with your closed ones more than before; you have strengthened your relationship with your

228 *friends; and you have strengthened your relationship with your family/partner, otherwise as* 

229 0.

230 **Predictors** 

Sharing stress and anxiety with loved ones: If participants selected "yes" to the question *have you shared your stress and vulnerability with loved ones during the lockdown*, it was
coded as 1, else as 0.

234 **Resilience coping:** We assessed resilience coping of the participants using the 4-item Brief

Resilience Coping Scale (BRCS) (33). The scale included items such as *I look for creative* 

236 *ways to alter difficult situations,* with responses varying from *does not describe me at all* (1)

237 to describes me very well (5). The aggregated score of all items reflected the participants'

```
resilience. The Cronbach's alpha was 0.82.
```

239 **Optimism:** Optimism was measured using the 10-item Revised Life Orientation Test (LOT-

R) scale (34). It included items such as in uncertain times, I usually expect the best while

responses ranged from, *I disagree a lot* (1) to *I agree a lot* (5). Four items were fillers and

242 were removed from the analysis. The aggregate of all item scores resulted in the optimism

score. We found moderate internal consistency of the scale in our sample (Cronbach's

244 alpha=0.55).

245 **Change in frequency of calling family members:** We compared the frequency of calling

family members during the lockdown with that during October 2019-March 2020. We treated

- this as an indicator of the change in frequency of calling family members during the
- lockdown. We coded it as 1 if the frequency increased, otherwise as 0.

- 249 High-risk group: Individuals who reported having any of the following: chronic respiratory
- 250 illnesses, diabetes, heart disease, hypertension, or a weakened immune system, were

categorized as belonging to the "high-risk group (1)", else as "low-risk group (0)."

- 252 **History of depression/loneliness:** We grouped the participants who reported having a history
- of depression or loneliness as "group with history of depression/loneliness (1)", otherwise
- 254 "group with no history of depression/loneliness (0)."
- 255 Categories of state exposed to Covid-19: We referred to data from Ministry of Health and
- Family Welfare, India (35) for categorizing the states as per the counts of Covid-19 cases.
- 257 We coded Maharashtra (with cases more than 25000 during the data collection) as "highest
- exposure;" Tamil Nadu, Gujarat and New Delhi (with around 10,000 cases) as "high
- exposure;" Rajasthan, Madhya Pradesh, and Uttar Pradesh (near to 5000 cases) as "moderate
- 260 exposure"; and rest of the states as "low exposure."
- 261 Sociodemographic characteristics: We also collected information on age (18-29/30-44/45-
- 262 59/and above 60 years), gender (male/female/others), sexual orientation (straight/queer),
- relationship status (opposite-sex relationship/same-sex relationship/single/complicated), place
- <sup>264</sup> of residence (rural/urban), educational qualification (postgraduate/graduate or diploma/12<sup>th</sup> or
- lower), and annual income in Indian Rupees (0-3,00,000/3,00,000-10,00,000/10,00,000-
- 266 20,00,000/above 20,00,000), and the state of residence.

### 267 Qualitative strand

We conducted 14 in-depth interviews from 10<sup>th</sup> May through 17<sup>th</sup> May 2020. We circulated

an advertisement inviting participants for telephonic interviews through social media

270 (Facebook, Instagram, and Twitter) and personal contacts of the authors. The advertisement

- 271 included a brief introduction about the study, contact information of the first author (also the
- interviewer) the nature of the interviews, and about the approximate length of the interview.

273 The introduction also informed the participants about the sensitive nature of the topic (which 274 included questions on their personal/intimate lives) and asked their preferences of the gender 275 of the interviewer. However, none of the participants shared concerns being interviewed by 276 AJS (a man). Interested participants contacted AJS through email/Facebook/WhatsApp 277 showing their willingness to participate. AJS and the participants mutually agreed on a time 278 for the telephonic interview. Before beginning the interview, AJS once again briefed the 279 participants about the study; and informed them about their anonymity and confidentiality of 280 data, and that the interview would be terminated at any point the participant showed 281 discomfort. In addition to verbal consent, AJS also sought consent to audiotape the 282 interviews. Four participants were reluctant to get the interviews audiotaped. Detailed notes 283 (including several quotes) were taken during these interviews. All interviews began with 284 broader questions like "How do you feel about the entire situation (of Covid-19 and 285 lockdown)?" AJS was cautious while asking personal questions, especially about romantic 286 and sexual lives of the participants. AJS ensured participants' comfort, not only while asking 287 sensitive questions, but throughout the interview process, by taking a pause and asking, 288 "should we proceed?" However, there were no instances where there arose the need to 289 terminate any interview. All participants shared their emotions, vulnerabilities, moods, 290 challenges, change of lifestyle, and perceived wellbeing during the lockdown (and the Covid-291 19 crisis). Specific comments regarding the mood and context were noted by AJS to give 292 rigor to the analysis. At the end of the interviews, the participants were requested to share 293 about the study with their peers and network, seeking their participation. The length of the 294 interviews ranged from 28 minutes to 1 hour 40 minutes. 295 Eight participants were recruited through the advertisement while 2 participants were

recruited through snowball sampling. Additionally, we allowed the participants of the online

297 quantitative survey to express interest for a follow-up telephone call. We recruited 4

298 participants through this method. Different methods of recruitment helped us get a socially 299 diverse sample in a short time.

In addition to the interviews, we collected data through an open-ended question in the online 301 quantitative survey. This allowed the participants to share their concerns related to the 302 pandemic situation (and lockdown). Extracted quotes were used in our qualitative analysis. 303 Analyses

#### 304 **Quantitative analysis**

300

305

306 separate multivariable linear regression models to estimate the association of the independent 307 variables (gender, sexual orientation, relationship status, occupation, high-risk group, and

The distribution of all continuous variables was checked for normality (36). Next, we fitted

308 living in a states with high number of cases) with psychological outcomes (anxiety,

309 depressive symptoms, Internet and pornography addiction) adjusted for the sociodemographic

310 covariates—age, gender, annual income, educational qualification, place of residence—and

311 for individual personal resources (optimism and resilience). We fitted separate logistic

312 regression models to estimate the associations of sexual orientation and relationship status

313 with the binary variable indicating the experience of hostility, adjusting for all

314 sociodemographic variables.

315 We also fitted multivariable linear regression models to estimate the association of anxiety

316 and depressive symptoms with changes in sleep and food cycles (separate models), adjusted

317 for the sociodemographic covariates and personal resources.

318 Additionally, we fitted separate logistic regression models to estimate the association of

319 increased frequency of calling family members with social empathy and the quality of social

320 relationships adjusted for sociodemographic covariates. For all our analyses, alpha was set at

321 0.05. All statistical models were run in Stata version 12 (37). 322 We chose a thematic analysis approach (38) to analyze the qualitative data. The analysis 323 began with AJS (who also conducted all the interviews) familiarizing himself with the data 324 by spending prolonged time in re-listening to the audiotaped interviews and reviewing the 325 transcript excerpts. The participants' narratives about their emotional responses to the 326 situation; their description of how the lockdown affected their routine, relationships, and 327 social responsibilities; their sense of self (including their body); their perspective on life; 328 their coping mechanisms; and, views towards a "new world" guided the coding process. Four 329 themes emerged from these indexed codes (39) and the detailed comments. Additionally, 330 NVT (an external researcher) categorized the themes emerging from the codes. The coding 331 scheme was discussed among the two authors (and NVT), and after critical analysis, the 332 themes were confirmed with a high inter-coder reliability (40). Follow-up interviews with 333 two participants were carried out separately for respondent validation (41). Additionally, 334 several quotes from the open-ended section of the online survey were included in the themes 335 that emerged from the qualitative interviews allowing better representation of all the voices 336 heard.

Both quantitative and qualitative findings carried equal weight in this study. The qualitative
themes that emerged gave richer context to the quantitative results during the interpretation
phase.

340 Positionality

The study was motivated by previous work of AJS and MAS on the queer community, and their understanding of the community's unique vulnerabilities. Apart from this, the lockdown has severely restricted the ability of AJS and MAS, not only in terms of physical mobility but also in terms of distance from loved ones and has affected their productivity. Interviews by AJS were conducted with this frame of reference.

### 346 **Ethical considerations**

- 347 The study was approved by the Institutional Ethics Committee, IIT Gandhinagar, India.
- 348 Utmost precaution was taken by AJS while conducting the telephonic interviews. The
- 349 participants were informed about the sensitive nature of the questions and were informed that
- they could skip any question. AJS constantly monitored the mood of the conversation and
- 351 frequently asked the participants about their willingness to continue. Names of all
- 352 participants have been changed in this study to protect anonymity.

# 353 **Results**

### 354 **Quantitative results**

355 We analyzed a sample of 282 Indian adults who responded to the online survey. A majority

356 (~75%) of our participants were 30 years or younger. Around 60% identified themselves as

- male, and about 77% reported to be heterosexuals. Only a small proportion (~12%) of our
- participants had education less than  $12^{\text{th}}$  standard (high school). Greatest proportion (~81%)
- 359 of the participants resided in Urban areas.

360 Table 1: Sociodemographic characteristics of participants of the quantitative survey ( $n=2$	its of the quantitative survey (n=282	juantitative survey (n=2	of the quantitat	participants of t	characteristics of	ociodemographic	Table 1: S	360
--	---------------------------------------	--------------------------	------------------	-------------------	--------------------	-----------------	------------	-----

	Frequency (%)	Anxiety M (SD)	Depressive symptoms M (SD)	Addiction to Internet M (SD)	Addiction to pornography M (SD)
Age group (in years)					
	212	7.07	12.65	29.18	
18-29	(75.71)	(5.84)	(7.13)	(11.53)	13.43 (8.54)
30-44	48 (17.14)	4.02 (3.68)	10.21 (7.39)	22.65 (8.19)	12.09 (6.58)
		6.28		29.55	
45-59	15 (5.36)	(6.86)	9.87 (9.05)	(16.31)	11.71 (8.44)
		5.8	11.48	29	
60 and above	5 (1.79)	(6.68)	(9.95)	(12.28)	12.6 (9.04)

Gender					
	175	6.15	11.31	28.43	
Male	(62.50)	(5.82)	(7.36)	(11.33)	14.90 (8.37)
	102	6.90	13.14	27.43	
Female	(36.43)	(5.25)	(7.06)	(11.68)	10.08 (7.08)
		12.33	19.62	25.33	
Other	3 (1.07)	(9.07)	(4.62)	(13.05)	11.66 (8.14)
Sexual					
orientation					
	218	5.95	11.72	27.26	
Heterosexual	(77.86)	(5.44)	(7.39)	(11.55)	12.10 (8.02)
		8.23	13.46	30.63	
Sexual minority	62 (22,14)	(6.18)	(6.89)	(10.75)	16.44 (8.06)
Educational					
qualification					
	160	6.60	12.25	26.99	
Postgraduate	(57.35)	(5.88)	(7.52)	(11.46)	12.24 (7.53)
			11.78	28.72	
Graduate/Diploma	94 (33.69)	6 (5.44)	(7.15)	(10.98)	14.18 (8.98)
		7.04	12.04	31.14	
12th or lower	25 (8.96)	(5.20)	(6.72)	(11.65)	14.90 (9.55)
Annual income					
(in Indian					
Rupees)					
		6.48	13.41	29.22	
0-3,00,000	56 (20.82)	(5.01)	(7.41)	(12.29)	14.17 (8.13)
3,00,000-	115	7.27	12.85	29.31	
10,00,000	(42.75)	(6.20)	(6.94)	(11.55)	13.65 (8.41)
10,00,000-		5.93	10.41	26.19	
20,00,000	60 (22.30)	(5.29)	(6.61)	(10.14)	12.45 (8.55)
		5.32	10.78	24.19	
above 20,00,000	38 (14.13)	(5.55)	(8.12)	(10.53)	11.30 (7.39)
Place of					
residence					
		6.73	12.48	29.26	
Rural	53 (18.93)	(5.52)	(6.81)	(11.71)	12.37 (6.98)
	227	6.42	12.01	27.76	
Urban	(81.07)	(5.74)	(7.42)	(11.39)	13.24 (8.47)

# 361

# 362 Anxiety and depressive symptoms across social groups

363	Our fully adjusted models (adjusted for gender, age, educational qualification, income, and
364	place of residence) (see Table 2) found that GAD scores were higher, on average, in sexual
365	minorities ( $\beta$ =2.44, CI: 0.58, 4.31) versus heterosexuals, high-risk group ( $\beta$ =2.20, CI:0.36,
366	4.05) versus low-risk group, and participants with history of depression/loneliness ( $\beta$ =3.89,
367	CI:2.34, 5.44) versus participants with no history of depression/loneliness. However, GAD
368	scores were lower for single participants ( $\beta$ = -2.35, CI: -4.30, -0.39) than those who were in
369	opposite-sex relationships. Although statistically not significant, our fully adjusted model
370	found lower GAD scores among participants who were in same-sex relationships ( $\beta$ = -0.28,
371	CI: -6.24, 5.68) than opposite-sex relationships. We could not find statistically significant
372	associations of living in a state reporting a high count of Covid-19 cases with anxiety
373	symptoms.
374	Unsurprisingly, we found a statistically significant association of a history of
375	depression/loneliness with increased depressive symptoms during the lockdown ( $\beta$ =4.34, CI:
376	2.38, 6.30), independent of other covariates. However, we could not find any evidence
377	linking sexual orientation, relationship status, living in a state reporting a high count of
378	Covid-19 cases, and belonging to a high-risk group with depressive symptoms.
379	Table 2: Associations of sexual orientation, relationship status, risk of Covid-19 infection,
380	history of depression/loneliness, and state's exposure to Covid-19 (regression coefficients
381	( $\beta$ ), and 95% confidence intervals) with anxiety, depressive symptoms, and addiction to the
382	Internet and pornography (Also sexual orientation and relationship status (adjusted odds
383	rations (AOR, 95% confidence intervals) with experiences of hostility during the lockdown
384	

				Experience
			Addiction to	s of
	Depressive	Addiction to	pornography	hostility
Anxiety*	symptoms*	Internet*	*	(AOR)#

Sexual orientation					
Heterosexual (ref)					
Sexual minority	2.440 (0.567, 4.313)	1.988 (- 0.464, 4.441)	3.638 (-0.075, 7.352)	2.724 (0.089, 5.358)	1.632 (0.824, 3.231)
Relationship status					
Opposite-sex relationship (ref)					
Same-sex relationship	-0.281 (-6.238, 5.675)	-2.776 (- 10.318, 4.766)	-2.701 (- 14.234, 8.830)	9.341 (0.976, 17.705)	0.529 (0.052, 5.333) 0.859
Single	-2.347 (-4.306, -0.389)	-2.029 (- 4.506, 0.446)	0.461 (-3.315, 4.238)	0.541 (- 2.168, 3.251)	(0.439, 1.680)
Risk to Covid-19					
Low-risk group (ref)					
High-risk group	2.203 (-0.360, 4.046)	0.832 (- 1.565, 3.230)	0.458 (-3.234, 4.151)	2.805 (0.223, 5.387)	-
History of depression/loneline ss					
No history (ref)					
with history	3.892 (2.343, 5.440)	4.341 (2.378, 6.304)	4.547 (1.466, 7.628)	2.635 (0.406, 4.863)	-
Group of states					
Highest exposure (ref)					
High exposure	-1.625 (-4.490, 1.239)	-1.135 (- 4.827, 2.557)	-3.488 (- 8.992, 2.015)	0.753 (- 3.160, 4.668)	-
Moderate exposure	-1.244 (-4.374, 1.885)	-0.086 (- 4.072, 3.899)	-2.286 (- 8.234, 3.661)	-0.532 (- 4.830, 3.766)	-
Lowest exposure	-0.972 (-3.885, 1.939)	0.561 (- 3.160, 4.284)	-3.872 (- 9.423, 1.677)	1.491 (- 2.485, 5.467)	-

385

\* Adjusted for age, gender, income, education, place of residence, optimism, and resilience.

387 # Adjusted for age, gender, income, education, and place of residence.

# 388 Addiction to the Internet and pornography, frequency of masturbation across groups

389	We found that a history of depression/loneliness was statistically significantly associated with
390	higher Internet-addiction symptoms ( $\beta$ =4.55, CI: 1.47, 7.63), independent of all other
391	covariates. However, we could not find evidence that other predictors were associated with
392	Internet addiction.
393	Moreover, our fully adjusted models showed greater symptoms of pornography addiction, on
394	average, in sexual minorities ( $\beta$ =2.72, CI: 0.09, 5.36) versus heterosexuals, in the high-risk
395	group ( $\beta$ =2.80, CI: 0.22, 5.39) versus low-risk group, in participants in same-sex
396	relationships ( $\beta$ =9.15, CI: 0.93, 17.38) versus opposite-sex relationships, and among those
397	with a history of depression/loneliness ( $\beta$ =2.63, CI: 0.41, 4.86) versus no such history.
398	Additionally, our adjusted models revealed that sexual minorities ( $\beta$ =1.39, CI:0.94, 1.86) and
399	participants in same-sex relationships ( $\beta$ =2.07, CI=0.50, 3.63) reported a higher frequency of
400	masturbation during the lockdown compared to their heterosexual peers.

- 401 **Experiences of hostility**
- 402 We did not find statistical evidence that experiences of hostility differed across sexual
- 403 orientation and relationship status. Although statistically not significant, sexual minorities
- 404 (versus heterosexuals) had higher odds of experiencing hostility (AOR=1.63, CI: 0.82, 3.23)

405 during the lockdown independent of the sociodemographic covariates.

# 406 Association of anxiety and depressive symptoms with food and sleep habits

- 407 Our fully adjusted models (adjusted for sociodemographic variables and positive resources)
- 408 (see Table 3) showed that higher depressive symptoms and anxiety symptoms were
- associated with greater reports of self-reported sleep disorders ( $\beta$ =0.16, CI: 0.11, 0.20 and
- 410  $\beta$ =0.19, CI: 0.14, 0.25, respectively) and self-reported changes in food pattern ( $\beta$ =0.05, CI:
- 411 0.03, 0.08 and  $\beta$ =0.08, CI: 0.05, 0.11).

# 412 Social empathy and quality of relationships

413 Our fully adjusted logistic regression models (see Table 3) showed that participants who	413	Our fully adjusted logistic	regression models (see	Table 3) showed that	participants who
--	-----	-----------------------------	------------------------	----------------------	------------------

414 increased the frequency of calling their family members during the lockdown (compared to 6

415 months earlier) had higher odds of enhancing the quality of their social relationships

- 416 (AOR=2.56, CI: 1.19, 5.52), and reporting increased social empathy (AOR=2.27, CI: 1.06,
- 417 4.88), independent of all sociodemographic covariates. Moreover, our models found that
- sharing vulnerabilities (stress/depression) with loved ones was associated with higher odds of
- being socially empathetic (AOR=3.99, CI:1.95, 8.14), and enhancing social relationships
- 420 (AOR=2.96, CI: 1.52, 5.74), after accounting for all sociodemographic covariates.
- 421 Table 3: Associations of anxiety and depressive symptoms (regression coefficients ( $\beta$ ), and
- 422 95% confidence intervals) with sleep and food related problems; and of sharing of stress and
- 423 increased frequency of calling family members (adjusted odds rations (AOR, 95% confidence
- 424 intervals) with the quality of social relationships and social empathy among Indian adults.

	Sleep related problems (β)*	Food related problems (β)*	Social relationships (quality) (AOR)#	Social empathy (AOR)#
Anxiety	0.19 (0.14, 0.25)	0.08 (0.05, 0.11)	-	-
Depressive				
symptoms	0.16 (0.11, 0.20)	0.05 (0.03, 0.08)	-	-
Sharing of stress				
with others	-	-	2.96 (1.52, 5.74)	3.99 (1.95, 8.14)
Increased				
frequency of				
calling family				
members	-	-	2.56 (1.19, 5.52)	2.27 (1.06, 4.88)

425

426 \* Adjusted for age, gender, income, education, place of residence, optimism, and resilience.

427 # Adjusted for age, gender, income, education, and place of residence.

428

### 429 Qualitative results

430 Fourteen participants shared with us the slices of their lives during the lockdown. Of the 14

431 participants, 8 were male, 5 were female, and 1 identified themselves as a non-binary

transgender. Six of the 14 identified themselves as sexual minorities. Four were students, 5

433 worked in private/public sectors (hereafter "service"), and 5 engaged in

434 business/entrepreneurship. The thematic analysis of the narratives of these 14 participants

435 revealed four broad themes. Not all participants' narratives highlighted all the themes;

436 however, each participant's narrative was reflected in at least one theme.

### 437 Theme 1: Emotional responses to "distance from the real world"

438 All 14 participants expressed their unique concerns about the lockdown situation. Words such

as "frustrated," "stressed," "angry," and "suffocated," were frequently used to describe their

440 emotions. Although the intensity of the negative impact of the lockdown varied across

441 participants, most participants (9/10) shared how the lockdown disrupted their lives causing

- 442 frustration and agitation. For instance, Ashok (name changed) (male, heterosexual, service, in
- 443 his 20s) shared,

444 Initially it was chill. I thought things would ease out pretty fast. But it now looks like an

- 445 *exceptionally long pause. Each and every day I feel there is an increase of frustration...*
- 446 *Hmm... let me put it as...it is like a feeling of anxiety...about the future. We do not know if*
- 447 things would be the same. Especially, am concerned about my work. My work got stuck. Upar
- se (on top of that), you hear about the increasing number of cases in your own neighborhood.
- 449 All these accumulate and makes you lose your patience. I have not been able to put my focus
- 450 *on work* (since he was working from home). *And for me, productivity takes very long to*

451 *revive once it goes down.* 

452 Similar responses of frustration were shared by several students who had mostly enjoyed an

453 outdoorsy life, be it spending time on their college campuses or with friends outside.

454 However, a few shared a different reason for their anxiety: Living in a place with a high

- number of Covid-19 cases. Rajini's (female, heterosexual, homemaker, in her 30s) narrative
- 456 is an example:
- 457 We are in a containment (severe movement restriction) zone, and since the last 12 days none

458 of us have stepped out of the house. And you know what the situation is in Bombay (Mumbai)

459 right now! It is pretty stressful [...] I have personally kept myself off from news, but there is

460 always social media to give that to you. If you ask me now, I really do not know what the

461 number of cases is, or even what is happening around the neighborhood. I just am

- 462 *desperately waiting for the day when we all will be safe.*
- 463 While several respondents shared the fear they felt currently due to a high number of Covid-

464 19 cases in their areas, two respondents, Tulika (female, sexual minority, service, in her 20s)

and Salma (transgender (non-binary), sexual minority, service, in their 40s) shared how this

- 466 "worse" time had forced them to revisit their past trauma. Tulika, who had gone through a
- break-up one year earlier and was recovering with the help of therapy elaborated,
- 468 [...] and then sometime in my head it is like a relapse... earlier I would be going out, meeting
- 469 friends and keep myself distracted, but now since you do not have that opportunity, it just
- 470 *keeps coming back [...] I have been a workaholic and that's another thing that in therapy we*
- 471 *are trying to work on, but given the ample amount of free time you have; it just keeps coming*
- 472 back to you.
- 473 Another instance of past trauma being triggered was in the case of Salma (they/their/them),

474 who had always managed situations of discrimination (against their transgender identity)

475 calmly but recently lost their temper during such an event.

476 *The policewoman stopped us* (them and their partner), *and asked me "what do you think you* 

477 *are,* "[...] I have always tried to be calm in such situations, but this time, I just lost all my

478 calmness. It was a mix of so many things, my frustration at work during the crisis, my X (a

479 *close relative) falling ill just a week before the incident, all these acted together.* 

480 Their stories revealed that the stress and anxiety developed during the lockdown had revived

481 old memories of trauma. Thus, in response, Tulika chose to go through emergency sessions

with her therapist, while Salma failed to stay calm and burst out when faced with gender-

483 based discrimination.

484 While Tulika and Salma revisited trauma, Anurag (male, sexual minority, businessman, in his

485 30s) who moved to his relatives' home during the lockdown felt distant from his "real"

486 world. He shared,

487 After I moved out of X (a city in Uttar Pradesh) around 17 years ago, this is the longest time I

488 *am spending with them* (his close relatives). *They are old and in their 70s, and need me* 

489 *during this time, so I came here to live with them. I came here around the X March, maybe* 

490 *the Y, just before the lockdown. Honestly, I am happy to be here for them, but you know,* 

491 *sometimes it feels like you are so far away from your real world. It took me quite some time* 

492 to confront my own sexuality. And the fact that I stayed away from my X (relatives), who by

493 the way still do not understand the meaning of "gay," had helped me a lot in coming to terms

494 with myself (sexuality). [...] I miss meeting people. The longer I am here, the more I feel that

495 *I am losing the chance to meet my life partner. I know it may sound silly and selfish to you,* 

496 *but for me at this age, losing* (even) *one single chance of meeting someone is a big thing.* 

497 Anurag's feeling of distance from his "real" world highlighted how uncomfortable he was at

498 his old home with his relatives. He shared how things around his relatives' house reminded

499 him of how uneasy he felt while growing up as a gay man. Anurag was conflicted by a

dilemma: While the lockdown brought him closer to his relatives at a time of their need, italso placed on him an additional psychological burden.

502 The suffocation potentially felt by sexual minorities forced due to the lockdown to stay with 503 others to whom they were not out was evident in this quote shared via the online survey:

504 Belonging to sexual or gender minorities in India and spending time with family when you

sos are not open, was already like a cage, with family having lot of expectations and along with

societal pressures and humiliations. Closing in (being confined to) a non-accepting society

507 and with high-in-expectation family members is destroying my mental health in COVID-19


times. I want to go away from this Society and breathe in fresh air once again where I will

509 *not be judged for how I was born.* 

510 While a majority of the participants (9/14) shared mostly about their negative states of mind,

a few took a moment to share the positive impact of the lockdown on their lives. For instance,

512 Rumi (female, heterosexual, businessperson, in her 30s) described how she saw the lockdown



514 Not frustrated with it, but I am seeing this as an opportunity that, you know, I have been

515 married for 8 years and there has been so many ups and downs. My life was going without

516 any clarity, but now I am taking this as an opportunity to see what I could do. Life was fast

517 and now it is like I got a break. I do not think of it as a frustration, but it is an opportunity.

518 Since long I was looking for a time where I could sit and do nothing, especially taking a

519 break from my business.

520 The narrative of Ashish (male, sexual minority, service, in his 20s, HIV positive) highlighted

521 his equanimity during the crisis. He shared that he did not have any trouble during the

522 lockdown, mostly because he was an introvert who had always loved spending time indoors.

523 However, he mentioned that he and his X (close relative whom he was living with) had been

adhering to the usual precautions to avoid the virus. He said that he had always been

525 protective about his health, as was his X (close relative).

### 526 Theme 2: Impact of the lockdown/Covid-19 on lifestyle

Almost all participants (11/14) described how their daily routines had changed because of the
lockdown. While many of them were trying to keep themselves healthy by striving to live a
"normal" life, a few mentioned about drastic changes in lifestyle, especially in their eating
and sleep patterns. For instance, Tulika shared how she lost motivation to stick to a routine
during the lockdown.

532 I usually am a morning person. But ever since this lockdown, my schedule has drastically

533 changed. I have not been waking up early. I am going to sleep around 5 in the morning and

534 *continue sleeping till late* [...] *maybe it is because there is no structure anymore. It is more* 

535 *like what do you look forward to. Earlier I used to wake up, looking forward to something.* 

536 *Maybe to go to work and meet people or just to go out. But now I really do not have a point.* 

Almost 50% of the narratives suggested such changes in sleep cycles. On the other hand,

538 Subhash (male, sexual minority, service, in his 20s) shared about changes in food habits

while also highlighting his mild concerns related to the disruption in his sexual life,

540 *I have not been able to keep myself hydrated properly, earlier I had a schedule for that too,* 

541 *and now I feel it is really messed.* (He did not have access to a water purifier at home and

relied on purchasing mineral water, which was difficult during the lockdown.) Also, the food,

543 now it is like there is no strict schedule ... working out has stopped as well. I guess these are

544 the things that majorly got influenced. Also, sex. Earlier I used to meet people, not very active

sexually I would say but 3-4 times a month, but yeah once a while. But now, there is this

546 longer break. [...] it just made me hornier that I had been in the normal times. But there is no

547 permanent mental impact honestly. I mean you can watch porn and then masturbate, that is

- 548 it. But yeah, there is this constant yearning is there in the back of the mind, like, as soon as
- 549 the lockdown is over, I would start dating again, and so on.

550 Rumi however understood this "bad time" as an opportunity to work on herself, a point

shared by three other participants. She believed that she could explore a completely different

- side of hers because of this long break from her busy work. She narrated,
- 553 *I have been experimenting with my life these days. I wake up early and do yoga and then*
- 554 meditation, and then helped my X (a close relative) with some household chores. Currently, I
- think I feel physically very light, maybe because of exercise. The free time has helped me a lot
- to explore these, which otherwise was not really possible given the busy life that I had.

### 557 Theme 3: Coping with challenges

Each participant shared unique stories of coping with the crisis. While most adapted

themselves to the "smaller world," a few struggled with it and found alternate ways to

negotiate their challenges. A few other participants were positive about the crisis, spending

time relaxing or pursuing long-held passions. For instance, Rumi described her introspective

solution and enhanced ability to connect with the society through solitude and meditation.

563 [...] then I was doing nothing and looking at trees and people around... and then... cooking

has been one thing that I am enjoying these days... I have also been listening to Sadhguru

which I have never done before...in fact I have hated all these... but now...maybe I have

- 566 found him very interesting [...] I have also engaged in meditation, and book reading... so I
- 567 *am happy (about this).*

On the other hand, Tulika kept her mind distracted from the "outside chaos" by immersingherself in social media. For instance, Tulika shared,

570 The number of hours I am awake, I am using social media. Even if I am going to sleep, I will

571 mindlessly keep scrolling until I fall asleep. Because these are the places currently where you

572 see people. Otherwise it is quite just you. I think it is a good place to connect. It keeps me

573 *engaged*.

574 Tulika's narrative indicates that the online activities have connected her with the outside

world, which created an avenue for her to share her vulnerabilities with others through online

576 interactions (messaging and commenting on posts). Notably, more than 50% of the

577 participants reported perceiving the Internet as a way to reduce stress and anxiety during the

578 lockdown. In fact, most of them referred the Internet as the easiest way to keep them

- 579 distracted from thinking (or overthinking).
- 580 A few of the participants who shared their frustration about disruption in their sex lives,

reported finding solace in watching pornography and masturbating. Sujoy (male, sexual

- 582 minority, student, in his 20s) quoted,
- 583 I think it is the only thing you could right now. I mean I see people online in Grindr (a dating

584 app for sexual minorities), and surprisingly people are still looking for sex. And very

585 *honestly, I completely understand this desperateness. Most of them, and that includes me,* 

586 were having our fun days. And all of a sudden this happens. Initially, even I had the thought,

587 ghar ke paas to jake hookup kar sakte hain (it should be okay to have a hookup close to my

place). But I realized immediately that it is not wise enough to meet people during this time,

- especially when you know that it (Covid-19) could also not show any symptoms[...] What I
- 590 *do right now is watch porn and jerk off.*
- 591 Sujoy's initial inclination to violate the lockdown norms to go out of his home to have sex
- highlight the repercussions of sudden disruptions in an active sexual life. Similarly, a

- 593 participant (male, heterosexual, student, 18-25 years old) answering the online quantitative
- survey shared via the open-ended question:
- 595 *My sexual desires are making me feel more anxious to masturbate, as a single* (man), *very*
- 596 *often during this lockdown period.*
- 597 Theme 4: New perspectives on self, life, and society
- 598 Ten of the 14 participants believed that their lives were no longer the same. They believed
- that they had changed significantly in terms of how they viewed their selves and society in
- 600 general. For instance, Tulika said,
- 601 *Earlier I used to be worried about very little things, and now it has changed drastically,*
- 602 maybe after spending so much time with myself. I am clearer about my life. I feel I got clarity
- and I see a huge change in myself. I feel spending time with myself has been the best thing.
- 604 Similar observation was made by Rumi, who pointed out that,
- 605 [...] my mental state is also is very different than before. Earlier I used to get irritated,
- 606 worried, angry frequently, but now I feel that I am quite easy, surprisingly, even with my
- 607 husband. We used to fight (giggles) but now I see that I have been very much calm even with
- 608 *him.* It is more because of a lot of things, like about spending time with myself.
- 609 The universal vulnerability, extended time to reflect on their lives, and sharing their
- vulnerabilities with others had increased the participants' level of compassion and social
- 611 empathy, which further strengthened their relationships with their loved ones. This was
- 612 reflected in what Tulika shared,
- 613 What I have learnt from this entire situation is that you do not take things for granted
- 614 anymore, even for like interacting with people. I connected with a lot of friends lately, made a
- 615 *couple of new friends as well, and I feel the conversations are no longer superficial but they*

617 people more than when we were closer physically [...]People have become more vulnerable 618 and have started sharing. Everyone is going through some upheaval right now with this 619 feeling and everyone is trying to connect with others. We are in our mid 20s and everyone is 620 going through this time in pretty much (a) similar way, a huge disruption in our lives I would 621 say. So, we become more vulnerable, now I guess these feelings of vulnerability comes out, 622 when you are sharing. And especially when you know that the other person is going through 623 the same as well, and it actually also allows you to connect to the society at large...to a wide 624 range of people. 625 Similarly, Rajan (male, heterosexual, student, in his 30s) reflected,

seem very real, even though we are not in the same physical space but I feel closer to the

616

- 626 Thinking of my parents, who are in their 60s, and knowing about their vulnerability makes
- 627 *me think more and more my own life. Also, you know that you are in a privileged position to*
- 628 *understand lockdown and follow self-quarantine measures. But there are people* (who are)

629 *like my parents, in their 60s,* (but unlike his privileged parents) who cannot afford to sit

- 630 *inside their homes for like 40 days. I have started to think more and more about them,*
- 631 especially knowing that people are dying because of hunger and poverty during this crucial
- time. While we all are affected by this virus, we all are suffering differently.
- 633 While the narratives of Tulika and Rajan highlighted how their vulnerabilities connected
- them to the society at large, Rumi shared how the situation (and thus the vulnerability)
- strengthened her relationship with her husband of eight years. She narrated,
- 636 *I think that I am looking forward to it* (reuniting with her husband who was stuck in a
- 637 different city due to the lockdown) and I have a very strong feeling that it would be very
- 638 different than before, because I am in a completely different situation now. Also, because I
- 639 was not clear about my life, I would say we did not have a great relationship. I mean not "not

640 great" but we used to fight a lot. But now I feel little concerned and am little worried about

641 *him given the whole situation. And then I realized what is important, that the person is* 

642 *important. I also realized where I was wrong and about my frustration. Now I can say I am* 

- 643 *looking forward to a much better relationship.*
- Rumi considered the lockdown situation as an opportunity to reflect upon her own life, tried
- to connect with people around her, spent longer time in spiritual, motivational, and

646 meditational activities—all of which had helped her find meaning in her life and optimism

647 about her marriage.

648 Discussion

649 Using quantitative data from 282 Indian adults and qualitative narratives of 14 adults, our 650 mixed methods study found that even though the Covid-19 crisis indiscriminately affected 651 everyone, its psychological effects were disproportionate among diverse social groups in 652 India. Our quantitative and qualitative findings both suggest that sexual minority adults, 653 compared to the heterosexuals, are at a higher risk of developing anxiety, depressive 654 symptoms, and addiction to pornography during the lockdown. Moreover, higher levels of 655 anxiety and depressive symptoms were associated with greater disruption in sleep and food 656 cycles. Lastly, our findings unpacked how sharing vulnerability with loved ones, and 657 frequently talking to family members, strengthened social relationships and social empathy 658 among Indian adults during the Covid-19 lockdown.

The higher risk of anxiety in our survey among the sexual minorities than heterosexuals was corroborated by our qualitative findings. Several reasons might explain this. First, previous research suggests that the sexual minority community have a higher prevalence of anxiety and depressive symptoms compared to heterosexuals (42), independent of any crisis. This could be explained using the Meyer's Minority Stress model (10), which posits that sexual 664 minorities are exposed to unique and additional stressors related to their minority identity, 665 which could combine with other stressors to impact psychological wellbeing. Thus, during 666 the lockdown, their minority stressors (such as sexual orientation-based discrimination and 667 internalized homonegativity) could interact with the lockdown-related stressors, thereby 668 increasing their anxiety much more than that experienced by heterosexuals. Second, the 669 lockdown had likely paused their social as well as sexual lives (which connected them with 670 their own community) which likely restricted their access to a safe space, and limited the 671 social support they received from the community (43). Our qualitative findings corroborate 672 this. Subhash and Sujoy's narratives showed how an interruption in their active sex life could 673 make the sexual minorities more anxious during the lockdown. This also explains our 674 qualitative finding which suggests a higher likelihood of addiction to pornography and 675 greater frequency of masturbation among sexual minorities (and people in same-sex 676 relationships) during the lockdown compared to heterosexuals (and people in opposite-sex 677 relationships). This disruption in sexual life could explain our quantitative finding which 678 suggested greater anxiety among heterosexuals who were in (opposite-sex) relationships. The 679 lockdown could have resulted in restrictions in physical interactions and romantic dates with 680 their partners, and reduced the social support received, thus increasing their anxiety. Lastly, 681 during the lockdown, it is likely that most adults would move closer to their families for 682 support and to avoid loneliness (44), especially in a family-centric country such as India. 683 However, for many sexual minorities moving in with their parents/relatives, to whom they 684 were not out or who disapproved of their sexuality, could be challenging, increasing their risk 685 of experiencing hostility during the lockdown. Previous studies have shown that parental 686 support and familial environment play crucial roles in self-acceptance among sexual 687 minorities (45,46). The lack of such familial and/or parental support could hinder self-688 acceptance among sexual minorities, see for instance, Anurag's narrative of how he could

accept his sexuality only after he moved out of his relatives' home. Moreover, moving away
from his "safe space" to a place which brought memories of discomfort likely increased his
anxiety. This could be true for several of the sexual minorities who had gone through
interpersonal and familial conflict earlier.

693 Our quantitative findings also found that individuals at greater, versus lower, risk of the 694 effects of Covid-19 showed higher levels of anxiety. A previous study suggested that patients 695 with existing risk factors to Covid-19 such as cardiovascular disease (CVD) were more also 696 more likely have *worse health outcomes* if infected(47). Irrespective of worse health 697 outcomes, belonging to a group with increased risk of contracting Covid-19, which has no 698 known cure and unpredictably causes mortality, could potentially induce additional stress and 699 anxiety. This corroborates findings from previous studies suggesting a higher prevalence of 700 stress among front-line health workers (48), elderly persons (49), and people living with HIV 701 (50,51) during the global public health crisis. However, our qualitative findings are in 702 contrast to this finding. Ashish (who was living with HIV) showed no added concern (or 703 anxiety) due to the lockdown. One explanation for this could be that Ashish was among those 704 who adopt optimism and, in combination with constant precaution, show stronger resilience 705 to adverse situations. Findings from a previous study found that people living with HIV could 706 develop resilience despite their physical and psychological challenges (52). In fact, our study 707 found that optimism and resilience coping were negatively related to anxiety and depressive 708 symptoms. Moreover, Ashish enjoyed spending time indoors, which likely reduced any 709 frustration related to not being able to enjoy regular life, in addition to the lower likelihood of 710 contracting Covid-19.

We did not find quantitative evidence supporting the hypothesis that living in a state with a
higher count of Covid-19 cases predicted greater anxiety and depressive in Indian adults. This
is in contrast to previous research in Australia which found that respondents living in areas

714 with a high number of influenza cases were at much greater risk of stress than those living in 715 uninfected areas (53). However, our qualitative results supported our hypothesis. The lack of 716 evidence in our quantitative findings could be because of the operationalization of the 717 concept of area. Our study operationalized area-level risk at the state level. It is possible that 718 anxiety was higher among people living in a neighborhood (and not the state) with higher 719 number of Covid-19 cases. Also, in addition to just the count of Covid-19 in the 720 neighborhood (or state) including the infection fatality rate in the operationalization could 721 have given a reliable estimate of the influence of place.

722 Our quantitative findings suggest that a past history of depression or loneliness could increase 723 anxiety and depressive symptoms during the lockdown. Our qualitative findings corroborate 724 this. Tulika and Salma's narratives suggest that stress during lockdown could revive past 725 trauma. Previous study findings also support this interpretation (54). Our qualitative and 726 quantitative findings also suggested that increased depressive symptoms in this group could 727 also increase their Internet consumption leading to Internet addiction during the lockdown. 728 Depressed individuals could use the Internet as way to cope with their negative psychological 729 state during the lockdown, which risks addiction during a restrictive state such as a lockdown 730 and could affect their quality of life even after the lockdown.

Anxiety and depressive symptoms during lockdown were found to predict disruptions in sleep and food schedules, corroborating findings from a previous study (55). Qualitative data found that an increase in anxiety and a lack of motivation to lead a routine life increased the risk of an unbalanced sleep cycle, which also impacted food consumption and its timings. Additionally, the inaccessibility to quality food due to the restrictions in physical mobility during the lockdown could affect the balanced diet among Indian adults. Beyond any immediate health effects which could further worsen mental health, such prolonged changes in timing and consumption of food could impact their overall food eating patterns even afterthe lockdown, resulting in poorer physical and mental health in the longer term as well.

740 Our quantitative findings suggest that sharing about stress with loved ones and an increase in 741 frequency of interacting with family members likely strengthened social bonds and also 742 increased social empathy among Indian adults. Our qualitative findings elucidate this. 743 Tulika's narrative highlighted that the universal vulnerability due to the global pandemic and 744 her sharing about it with others in a similar situation improved her connectedness with the 745 people thereby strengthening her social relationships. Similarly, interacting and knowing the 746 vulnerability of Rajan's parents (more vulnerable) made him more empathetic, and increase 747 his connection with the society at large. This fits with the findings from a previous study that 748 highlighted this argument--sharing and expressing emotions (and vulnerabilities) could make 749 people more empathetic (56). Such increased social empathy could also be a positive 750 response to the pandemic (and lockdown). For instance, a recent study from the West found 751 that higher empathy towards the more vulnerable could induce motivation to maintain and 752 promote social distancing (57).

753 Limitations and strengths

754 There are several limitations of this study that need to be noted while interpreting the results. 755 First, we used psychological scales to measure anxiety, depressive symptoms, Internet 756 addiction, and pornography addiction, instead of clinical interviews which would have 757 yielded medical diagnoses. However, our use of widely cited, reliable, and validated scales 758 are informative, and could indicate symptoms of the psychological outcomes we explore. 759 Second, our recruitment through online media limited our sample to only those who use the 760 Internet, which may have biased the sample towards the higher socioeconomic spectrum. 761 However, the lockdown prevented us from reaching people on the other side of the digital

762 divide. Third, our quantitative study included several shorter and single-item scales (such as 763 the brief resilience coping scale). Longer scales could have yielded robust results. Because 764 our pretest suggested that the length of the questionnaire was perceived as "a lot" we chose to 765 use shorter scales. However, our qualitative findings align with our quantitative findings and 766 unpack the complex processes explaining the psychological outcomes across diverse groups 767 during the lockdown, thereby enhancing our confidence about the conclusions drawn. Lastly, 768 the cross-sectional nature of the study limits our ability to make causal claims. Longitudinal 769 studies with frequent follow-ups during the lockdown could have shed light on causal 770 processes. However, we were grateful to be able to recruit a diverse sample for our 771 quantitative and qualitative strands, which allowed us to explore the differences in the 772 psychological outcomes during the lockdown across different groups in India. 773 Despite these limitations, our mixed methods findings highlight the additional psychological 774 burden that the lockdown has brought to an invisible group, the sexual minorities. To our 775 knowledge this is the first study to look at the differential psychological impact of the 776 lockdown across different social groups (including sexual orientation) in India. Moreover, 777 our use of qualitative narratives allowed us to understand the processes linking several social 778 factors to the psychological outcomes in a nuanced manner. Our study also highlights a few

positive aspects of the lockdown, underscoring the increase in social empathy and

strengthened social bonds among Indian adults.

# 781 Implications and conclusions

782 Our findings echo Balagos' argument that the marginalization of sexual minorities would be

heightened during disasters, because existing inequalities are magnified at such times (58).

784 While the Indian Supreme Court decriminalized homosexual acts in 2018, Indian policies are

not yet inclusive of sexual minorities, who remain socially invisible. Our findings call for the

attention of counsellors and health professionals in understanding the specific psychological
needs of the sexual minorities during such crises and providing services accordingly.

788 This study highlights the need for regular interaction and emotional support from friends,

family, partners, and caregivers of sexual minorities, individuals with a history of depression

or loneliness, a higher risk of contracting Covid-19. A recent study (59) highlighted the

791 promise of delivering psychological support through online- and tele-counselling. This study

792 warrants the use of such technologies in an inclusive manner. The study also opens avenues

for researchers to further investigate the extent and nature of the psychological impact in such

marginalized groups during crises or disasters.

Lastly, our study findings provide evidence for mental health policymakers to begin

designing inclusive policies to address the concerns of marginalized groups during and in theaftermath of the Covid-19 global crisis.

All in all, our study highlights the differential psychological effect of the Covid-19 pandemic among sexual minorities, groups with history of depression, and those with high-risk of Covid-19. The study thereby urgently calls for the attention of policymakers to take sensitive and inclusive health decisions for the marginalized and the vulnerable, both during and after the crisis.

803

Acknowledgement: AJS and MAS thank Nilesh Thube (NVT) for his diligent contribution in
data management and representation of results. AJS conveys special thanks to Dipankar
Dutta for being extremely patient during the work. AJS and MAS thank Harvansh Dandelia,
Rakshit Verma, and several other friends and colleagues who helped in the circulation of the
online survey in a short time. AJS thanks his Bula da. AJS thanks all the participants for

809	filling	up the form and sharing their emotions during this crisis. AJS was supported by
810	fellow	ships by Department of Science and Technology, India and IIT Gandhinagar.
811 812 813 814 815	1.	Statement on the second meeting of the International Health Regulations (2005) Emergency Committee regarding the outbreak of novel coronavirus (2019-nCoV) [Internet]. [cited 2020 May 15]. Available from: https://www.who.int/news-room/detail/30-01-2020-statement-on- the-second-meeting-of-the-international-health-regulations-(2005)-emergency-committee- regarding-the-outbreak-of-novel-coronavirus-(2019-ncov)
816 817	2.	Coronavirus disease 2019 [Internet]. [cited 2020 May 15]. Available from: https://www.who.int/emergencies/diseases/novel-coronavirus-2019
818 819	3.	Song P, Karako T. COVID-19: Real-time dissemination of scientific information to fight a public health emergency of international concern. BioScience Trends. 2020;
820 821 822	4.	India coronavirus lockdown   Day 1 updates March 25, 2020 - The Hindu [Internet]. [cited 2020 May 15]. Available from: https://www.thehindu.com/news/national/india-coronavirus- lockdown-day-1-updates-march-25-2020/article31159466.ece
823 824 825	5.	Braunack-Mayer A, Tooher R, Collins JE, Street JM, Marshall H. Understanding the school community's response to school closures during the H1N1 2009 influenza pandemic. BMC Public Health. 2013.
826 827 828	6.	Blendon RJ, Benson JM, DesRoches CM, Raleigh E, Taylor-Clark K. The Public's Response to Severe Acute Respiratory Syndrome in Toronto and the United States. Clinical Infectious Diseases. 2004;
829 830	7.	Hawryluck L, Gold WL, Robinson S, Pogorski S, Galea S, Styra R. SARS control and psychological effects of quarantine, Toronto, Canada. Emerging Infectious Diseases. 2004;
831 832 833	8.	Marjanovic Z, Greenglass ER, Coffey S. The relevance of psychosocial variables and working conditions in predicting nurses' coping strategies during the SARS crisis: An online questionnaire survey. International Journal of Nursing Studies. 2007;
834 835	9.	Gautam R, Sharma M. 2019-nCoV pandemic: A disruptive and stressful atmosphere for Indian academic fraternity. Brain, Behavior, and Immunity. 2020.
836 837	10.	Meyer IH. Prejudice, Social Stress, and Mental Health in Lesbian, Gay, and Bisexual Populations: Conceptual Issues and Research Evidence. Vol. 129, Psychological Bulletin. 2003.
838 839	11.	Perry SL. Pornography Use and Depressive Symptoms: Examining the Role of Moral Incongruence. Society and Mental Health. 2018;
840 841 842	12.	Grubbs JB, Volk F, Exline JJ, Pargament KI. Internet pornography use: Perceived addiction, psychological distress, and the validation of a brief measure. Journal of Sex and Marital Therapy. 2015;
843 844 845	13.	Lai J, Ma S, Wang Y, Cai Z, Hu J, Wei N, et al. Factors Associated With Mental Health Outcomes Among Health Care Workers Exposed to Coronavirus Disease 2019. JAMA network open. 2020;

846 847 848	14.	Taylor MR, Agho KE, Stevens GJ, Raphael B. Factors influencing psychological distress during a disease epidemic: Data from Australia's first outbreak of equine influenza. BMC Public Health. 2008;
849 850 851	15.	Kang HJ, Bae KY, Kim SW, Shin HY, Shin IS, Yoon JS, et al. Impact of anxiety and depression on physical health condition and disability in an elderly Korean population. Psychiatry Investigation. 2017;
852 853	16.	Nutt DJ, Wilson S, Paterson L. Sleep disorders as core symptoms of depression. Dialogues in Clinical Neuroscience. 2008;
854 855 856	17.	Peterson RE, Latendresse SJ, Bartholome LT, Warren CS, Raymond NC. Binge eating disorder mediates links between symptoms of depression, anxiety, and caloric intake in overweight and obese women. Journal of Obesity. 2012;
857 858	18.	Vanita R. Queering india: Same-sex love and eroticism in indian culture and society. Queering India: Same-Sex Love and Eroticism in Indian Culture and Society. 2013.
859 860	19.	Greenhaus JH, Collins KM, Shaw JD. The relation between work-family balance and quality of life. Journal of Vocational Behavior. 2003;
861 862	20.	Sinclair VG, Wallston KA, Strachan E. Resilient Coping Moderates the Effect of Trauma Exposure on Depression. Research in nursing & health. 2016;
863 864 865	21.	Conversano C, Rotondo A, Lensi E, della Vista O, Arpone F, Reda MA. Optimism and Its Impact on Mental and Physical Well-Being. Clinical Practice & Epidemiology in Mental Health. 2010;
866 867 868	22.	Wang H, Xia Q, Xiong Z, Li Z, Xiang W, Yuan Y, et al. The psychological distress and coping styles in the early stages of the 2019 coronavirus disease (COVID-19) epidemic in the general mainland Chinese population: a web-based survey. medRxiv. 2020;
869 870	23.	Kazmi SSH, Hasan K, Talib S, Saxena S. COVID-19 and Lockdwon: A Study on the Impact on Mental Health. SSRN Electronic Journal. 2020;
871 872 873	24.	Roy D, Tripathy S, Kar SK, Sharma N, Verma SK, Kaushal V. Study of knowledge, attitude, anxiety & perceived mental healthcare need in Indian population during COVID-19 pandemic. Asian Journal of Psychiatry. 2020 Jun 1;51:102083.
874 875	25.	Cresswell JW. A Framework for Design: Qualitative, Quantitative, and mixed Methods Approaches. Research Design. 1994.
876 877	26.	Creswell JW, Plano Clark VL. Designing and Conducting Mixed Methods Research   SAGE Publications Ltd. SAGE Publications, Inc. 2017.
878 879	27.	Spitzer RL, Kroenke K, Williams JBW, Löwe B. A brief measure for assessing generalized anxiety disorder: The GAD-7. Archives of Internal Medicine. 2006 May 22;166(10):1092–7.
880 881 882	28.	Andresen EM, Malmgren JA, Carter WB, Patrick DL. Screening for depression in well older adults: Evaluation of a short form of the CES-D. American Journal of Preventive Medicine. 1994;
883 884	29.	Siddiqui OI. Methods for Computing Missing Item Response in Psychometric Scale Construction. American Journal of Biostatistics. 2015;

885 886 887 888	30.	Hawthorne G, Hawthorne G, Elliott P. Imputing Cross-Sectional Missing Data: Comparison of Common Techniques. Australian & New Zealand Journal of Psychiatry [Internet]. 2005 Jul 26 [cited 2020 May 18];39(7):583–90. Available from: http://journals.sagepub.com/doi/10.1080/j.1440-1614.2005.01630.x
889 890	31.	Young KS. Internet addiction: The emergence of a new clinical disorder. Cyberpsychology and Behavior. 1998;
891 892 893	32.	Noor SW, Rosser BRS, Erickson DJ. A Brief Scale to Measure Problematic Sexually Explicit Media Consumption: Psychometric Properties of the Compulsive Pornography Consumption (CPC) Scale Among Men Who Have Sex With Men. Sexual Addiction and Compulsivity. 2014;
894 895	33.	Smith BW, Dalen J, Wiggins K, Tooley E, Christopher P, Bernard J. The brief resilience scale: Assessing the ability to bounce back. International Journal of Behavioral Medicine. 2008;
896 897 898	34.	Scheier MF, Carver CS, Bridges MW. Distinguishing Optimism From Neuroticism (and Trait Anxiety, Self-Mastery, and Self-Esteem): A Reevaluation of the Life Orientation Test. Journal of Personality and Social Psychology. 1994;
899	35.	MoHFW   Home [Internet]. [cited 2020 May 22]. Available from: https://www.mohfw.gov.in/
900 901	36.	Curran PJ, West SG, Finch JF. The Robustness of Test Statistics to Nonnormality and Specification Error in Confirmatory Factor Analysis. Psychological Methods. 1996;
902	37.	StataCorp. Stata Statistical Software:Release 14. Stata Statistical Software. 2015.
903 904	38.	Braun V, Clarke V. Using thematic analysis in psychology. Qualitative Research in Psychology. 2006;
905 906	39.	Merriam SB. Case study research in education: A qualitative approach. Telemedicine Journal and eHealth. 1988.
907 908 909	40.	Burla L, Knierim B, Barth J, Liewald K, Duetz M, Abel T. From Text to Codings. Nursing Research [Internet]. 2008 Mar [cited 2020 May 22];57(2):113–7. Available from: http://journals.lww.com/00006199-200803000-00007
910 911 912	41.	Birt L, Scott S, Cavers D, Campbell C, Walter F. Member Checking: A Tool to Enhance Trustworthiness or Merely a Nod to Validation? Qualitative Health Research. 2016 Nov 1;26(13):1802–11.
913 914 915 916	42.	Ross LE, Salway T, Tarasoff LA, MacKay JM, Hawkins BW, Fehr CP. Prevalence of Depression and Anxiety Among Bisexual People Compared to Gay, Lesbian, and Heterosexual Individuals:A Systematic Review and Meta-Analysis. Vol. 55, Journal of Sex Research. Routledge; 2018. p. 435–56.
917 918	43.	Nesmith AA, Burton DL, Cosgrove TJ. Gay, lesbian, and bisexual youth and young adults: Social support in their own words. Journal of Homosexuality. 1999;
919 920 921	44.	Coronavirus drives some millennials home to their parents - Vox [Internet]. [cited 2020 May 21]. Available from: https://www.vox.com/the-goods/2020/3/26/21193038/millennials- moving-home-coronavirus-pandemic

922 923 924	45.	Darby-Mullins P, Murdock TB. The influence of family environment factors on self- acceptance and emotional adjustment among gay, lesbian, and bisexual adolescents. Journal of GLBT Family Studies. 2007;3(1):75–91.
925 926 927	46.	D'amico E, Julien D, Tremblay N, Chartrand E. Gay, lesbian, and bisexual youths coming out to their parents: Parental reactions and youths' outcomes. Journal of GLBT Family Studies. 2015 Oct 20;11(5):411–37.
928 929	47.	Bansal M. Cardiovascular disease and COVID-19. Diabetes and Metabolic Syndrome: Clinical Research and Reviews. 2020;
930 931 932	48.	Lai J, Ma S, Wang Y, Cai Z, Hu J, Wei N, et al. Factors Associated With Mental Health Outcomes Among Health Care Workers Exposed to Coronavirus Disease 2019. JAMA network open. 2020 Mar 2;3(3):e203976.
933 934 935 936	49.	Moen P, Chermack K. Imported from https://academic.oup.com/psychsocgerontology/article/68/4/540/569189. The Journals of Gerontology: Series B [Internet]. 2005 [cited 2020 May 21];60(Special_Issue_2):S99–108. Available from: https://academic.oup.com/psychsocgerontology/article/68/4/540/569189
937 938 939 940	50.	Marziali ME, Card KG, Mclinden · Taylor, Wang · Lu, Trigg J, Hogg RS. Physical Distancing in COVID-19 May Exacerbate Experiences of Social Isolation among People Living with HIV. AIDS and Behavior [Internet]. [cited 2020 May 21];1:3. Available from: https://doi.org/10.1007/s10461-020-02872-8
941 942 943 944	51.	Algarin AB, Varas-Rodríguez E, Valdivia C, Fennie KP, Larkey L, Hu N, et al. NOTES FROM THE FIELD Symptoms, Stress, and HIV-Related Care Among Older People Living with HIV During the COVID-19 Pandemic, Miami, Florida. AIDS and Behavior [Internet]. [cited 2020 May 21];1:3. Available from: https://doi.org/10.1007/s10461-020-02869-3
945 946 947 948	52.	de Santis JP, Florom-Smith A, Vermeesch A, Barroso S, DeLeon DA. Motivation, Management, and Mastery. Journal of the American Psychiatric Nurses Association [Internet]. 2013 Jan 7 [cited 2020 May 21];19(1):36–46. Available from: http://journals.sagepub.com/doi/10.1177/1078390312474096
949 950 951	53.	Taylor MR, Agho KE, Stevens GJ, Raphael B. Factors influencing psychological distress during a disease epidemic: Data from Australia's first outbreak of equine influenza. BMC Public Health. 2008;8:347.
952 953	54.	Burcusa SL, Iacono WG. Risk for recurrence in depression. Vol. 27, Clinical Psychology Review. NIH Public Access; 2007. p. 959–85.
954	55.	Staner L. Sleep and anxiety disorders. Dialogues in Clinical Neuroscience. 2003;5(3):249–58.
955 956 957	56.	Stanley S, Mettilda Buvaneswari G, Meenakshi A. Predictors of empathy in women social workers. Journal of Social Work [Internet]. 2020 Jan 19 [cited 2020 May 22];20(1):43–63. Available from: http://journals.sagepub.com/doi/10.1177/1468017318794280
958 959	57.	Pfattheicher S, Nockur L, Böhm R, Sassenrath C, Petersen MB. The emotional path to action: Empathy promotes physical distancing during the COVID-19 pandemic.
960 961	58.	Balgos B, Gaillard JC, Sanz K. The warias of Indonesia in disaster risk reduction: the case of the 2010 Mt Merapi eruption in Indonesia. Gender and Development. 2012;

96259.Figueroa CA, Aguilera A. The need for a mental health technology revolution in the COVID-19963pandemic. Frontiers in Psychiatry. 2020;11:523.