

## **Identification of potential key genes and pathway linked with sporadic Creutzfeldt-Jakob disease based on integrated bioinformatics analyses**

Basavaraj Vastrad<sup>1</sup>, Chanabasayya Vastrad<sup>\*2</sup>, Iranna Kotturshetti

1. Department of Biochemistry, Basaveshwar College of Pharmacy, Gadag, Karnataka 582103, India.
2. Biostatistics and Bioinformatics, Chanabasava Nilaya, Bharthinagar, Dharwad 580001, Karnataka, India.
3. Department of Ayurveda, Rajiv Gandhi Education Society's Ayurvedic Medical College, Ron, Karnataka 562209, India.

\* Chanabasayya Vastrad

[channu.vastrad@gmail.com](mailto:channu.vastrad@gmail.com)

Ph: +919480073398

Chanabasava Nilaya, Bharthinagar,  
Dharwad 580001 , Karnataka, India

## Abstract

Sporadic Creutzfeldt-Jakob disease (sCJD) is neurodegenerative disease also called prion disease linked with poor prognosis. The aim of the current study was to illuminate the underlying molecular mechanisms of sCJD. The mRNA microarray dataset GSE124571 was downloaded from the Gene Expression Omnibus database. Differentially expressed genes (DEGs) were screened. Pathway and GO enrichment analyses of DEGs were performed. Furthermore, the protein-protein interaction (PPI) network was predicted using the IntAct Molecular Interaction Database and visualized with Cytoscape software. In addition, hub genes and important modules were selected based on the network. Finally, we constructed target genes - miRNA regulatory network and target genes - TF regulatory network. Hub genes were validated. A total of 891 DEGs 448 of these DEGs presented significant up regulated, and the remaining 443 down regulated were obtained. Pathway enrichment analysis indicated that up regulated genes were mainly linked with glutamine degradation/glutamate biosynthesis, while the down regulated genes were involved in melatonin degradation. GO enrichment analyses indicated that up regulated genes were mainly linked with chemical synaptic transmission, while the down regulated genes were involved in regulation of immune system process. hub and target genes were selected from the PPI network, modules, and target genes - miRNA regulatory network and target genes - TF regulatory network namely YWHAZ, GABARAPL1, EZR, CEBPA, HSPB8, TUBB2A and CDK14. The current study sheds light on the molecular mechanisms of sCJD and may provide molecular targets and diagnostic biomarkers for sCJD.

**Key words:** sporadic Creutzfeldt-Jakob disease; ToppGene database; protein-protein interaction (PPI) network; bioinformatics tools; gene ontology enrichment analysis

## Introduction

Prion diseases of human beings are linked with the aggregation in the brain of an abnormal, slightly protease-resistant isoform, of cellular prion protein (PrPC) [1]. Prion diseases are neurodegenerative diseases that affect human beings [2]. However, dissimilar with the most common diseases of this group, such as Alzheimer's disease, Lewy body disorders and frontotemporal dementias [3]. Sporadic Creutzfeldt-Jakob disease (sCJD) is the most prevalent human prion disease occurs through unknown origin [4]. sCJD is considered as a gene-related disease [5]. Expanding confirmation also has demonstrated that multiple genes and cellular pathways participate in the occurrence and advancement of sCJD [6-7]. Alteration and polymorphism in prion protein was associated with progression of sCJD [8-9]. To date, a deficiency of understanding the accurate molecular mechanisms underlying sCJD development limits the ability to treat advanced disease. In recent years, microarray technology is now undergoing a revolution, which could be used on tissue or blood samples to diagnose key biomarkers and novel pathways in individual person [10-11]. Therefore, further knowledge of molecular mechanism associated in genetic expression disorder of sCJD, which is extremely key for the future advancement of diagnosis and treatment could be learned through this latest technology. Gene expression analysis [12] now is a popular approach to analyze the expression changes of gene in the advancement and progression of sCJD, comprehensively. In this current study, we downloaded the original gene expression dataset (GSE124571) from the Gene Expression Omnibus (GEO), which is repository leads to the archiving as a hub for microarray data deposit and retrieval. Gene expression profiles of brain tissue in patients with sCJD were compared with those in normal controls to diagnose the differentially expressed genes (DEGs). Selected DEGs were screened by pathway enrichment and gene ontology (GO) enrichment analysis. Subsequently, PPI network construction, module analysis, target genes - miRNA regulatory network construction and target genes - TF regulatory network construction were performed. Finally validation of hub genes was carried out. By using various bioinformatics tools, we may take a further insight of sCJD at molecular level and explore the potential diagnostic and prognostics biomarkers for the therapeutic strategies of sCJD.

## **Materials and methods**

### **Microarray data**

The gene expression profile dataset GSE124571 [13] was downloaded from the GEO database ([www.ncbi.nlm.nih.gov/geo/](http://www.ncbi.nlm.nih.gov/geo/)) [14]. The platform for GSE124571 is GPL14951, [Human] Illumina HumanHT-12 WG-DASL V4.0 R2 expression beadchip. The platform files and raw data were downloaded as TXT files. Only data from sCJD and normal control samples were extracted and further analyzed.

## Data Preprocessing and DEG Screening

The R software package beadarray was used to preprocess the downloaded original TXT data. This process involved background adjustment, normalization and expression calculation. Probes not matching any known genes were deleted, and the mean was determined, when numerous probes were balanced to the same gene. The probe ID was converted into gene symbol and saved in a TXT file. The DEGs of sCJD and normal control samples were identified using the R bioconductor package limma [15]. Genes with an adjusted p value  $< 0.05$ ,  $|\logFC| > 0.856$  for up regulated genes and  $|\logFC| > -0.84$  for down regulated genes were considered DEGs.

## Pathway enrichment analysis of DEGs

To analyze the identified DEGs at the functional level, BIOCYC (<https://biocyc.org/>) [16], Kyoto Encyclopedia of Genes and Genomes (KEGG) (<http://www.genome.jp/kegg/pathway.html>) [17], Pathway Interaction Database (PID) (<https://wiki.nci.nih.gov/pages/viewpage.action?pageId=315491760>) [18], REACTOME (<https://reactome.org/>) [19], GenMAPP (<http://www.genmapp.org/>) [20], MSigDB C2 BIOCARTEA (v6.0) (<http://software.broadinstitute.org/gsea/msigdb/collections.jsp>) [21], PantherDB (<http://www.pantherdb.org/>) [22], Pathway Ontology (<http://www.obofoundry.org/ontology/pw.html>) [23] and Small Molecule Pathway Database (SMPDB) (<http://smpdb.ca/>) [24] pathway analysis were performed using ToppGene (<https://toppgene.cchmc.org/enrichment.jsp>) [25]. ToppGene is an updated web server which provides a comprehensive set of functional annotation tools for researchers to understand biological meanings behind a large list of genes. In this current study, we analyzed the candidate DEGs that were importantly up and down regulated, and  $P < 0.05$  was set as the threshold value.

## Gene ontology (GO) enrichment analysis of DEGs

GO enrichment analysis (<http://www.geneontology.org/>) [26] is progressively tested for functional studies of large-scale genomic or transcriptomic data, which constitute three separate ontologies such as biological process (BP), molecular function (MF), and cellular component (CC). The usual up regulated and down regulated genes were analyzed using ToppGene (<https://toppgene.cchmc.org/enrichment.jsp>) [25], an online program that provides a complete set of function annotation tools for investigators to understand the biological meaning lists of genes. GO enrichment an analysis was performed using ToppGene.  $P < 0.05$  was considered to indicate statistically significant difference.

### **Protein–protein interaction network (PPI) and modular analysis**

To study the interactive relationships among the DEGs, a PPI network of up and down regulated genes were constructed using the IntAct Molecular Interaction Database (<https://www.ebi.ac.uk/intact/>) [27], which integrates different PPI databases such as Molecular INteraction Database (MINT, <https://mint.bio.uniroma2.it/>) [28], UniProt (<https://www.uniprot.org/>) [29], Interologous interaction database (I2D, <http://ophid.utoronto.ca/ophidv2.204/>) [30], InnateDB (<https://www.innatedb.com/>) [31], MatrixDB (<http://matrixdb.univ-lyon1.fr/>) [32] and The International Molecular Exchange Consortium (IMEx, <http://www.imexconsortium.org/>) [33]. Then, the PPI network was visualized using the Cytoscape software (<http://www.cytoscape.org>) [34]. In this network, each node is a DEG (up or down regulated genes), and the connections between nodes represent the interactions between these genes. PPI network topological properties nodes such as node degree [35], betweenness [36], stress [37], closeness [38] and clustering coefficient [39] were calculated. Modular analysis was conducted with the Molecular Complex Detection PEWCC1 [40] (version 1.3) app of Cytoscape software, and an PEWCC1 score  $> 2$  was set as the cut-off criterion.

### **Construction of target genes - miRNA regulatory network**

miRNet (<https://www.mirnet.ca/>) [41] is a comprehensive database of miRNAs, which hosts predicted as well as validated miRNA binding sites. miRNet compares the identified miRNA binding sites with the results obtained from ten established target gene – miRNA prediction databases such as TarBase (<http://diana.imis.athena-innovation.gr/DianaTools/index.php?r=tarbase/index>)

[42], miRTarBase (<http://mirtarbase.mbc.nctu.edu.tw/php/download.php>) [43], miRecords (<http://miRecords.umn.edu/miRecords>) [44], miR2Disease (<http://www.mir2disease.org/>) [45], HMDD (<http://www.cuilab.cn/hmdd>) [46], PhenomiR (<http://mips.helmholtz-muenchen.de/phenomir/>) [47], SM2miR (<http://bioinfo.hrbmu.edu.cn/SM2miR/>) [48], PharmacomiR (<http://www.pharmaco-mir.org/>) [49], EpimiR (<http://bioinfo.hrbmu.edu.cn/EpimiR/>) [50] and starBase (<http://starbase.sysu.edu.cn/>) [51]. The target gene – miRNA pairs were visualized by Cytoscape software (<http://www.cytoscape.org>) [34].

### **Construction of target genes - TF regulatory network**

NetworkAnalyst (<https://www.networkanalyst.ca/>) [52] is a web based tool which can search transcription factors for the input up and down regulated genes as well as assess the effect of a transcription factor on the expression of the target genes. In this study, the transcription factors of the target genes were predicted from NetworkAnalyst database which ingrates TF database ChEA (<http://amp.pharm.mssm.edu/lib/chea.jsp>) [53] and target genes - TF regulatory network was constructed and visualized by Cytoscape software(<http://www.cytoscape.org>) [34].

### **Validation of hub genes**

Receiver operating characteristic (ROC) curves were used to analyze the potential clinical significance of these hub genes as molecular prognostic markers in sCJD. Based on the obtained optimal prognostic gene biomarkers for sCJD, we established the GLM (generalized linear models) was a managed learning model by using the pROC package [54] in R software. The prognostic ability of this models was accessed by obtaining the area under a ROC curve (AUC), accuracy, sensitivity and specificity.  $P < 0.05$  was considered to indicate a statistically significant difference.

## **Results**

### **Identification of DEGs in sCJD**

After gene expression profile data processing and standardization, we screened DEGs in GSE124571 dataset using integrated bioinformatics analysis and the



results are shown in Fig. 1A and Fig. 1B. The limma package of the R software identified 891 DEGs (Table 1), with the cutoff standard of P value  $< 0.05$ ,  $|\log_{2}FC| > 0.856$  for up regulated genes and  $|\log_{2}FC| > -0.84$  for down regulated genes; 448 of these DEGs presented significant up regulated, and the remaining 443 down regulated. Fig. 2 presents the volcano plot of DEGs for data set. A cluster heatmap developed with R software showed the distribution of all up and down regulated genes (Fig. 3 and Fig. 4).

### **Pathway enrichment analysis of DEGs**

Pathway enrichment analysis of DEGs was conducted with ToppGene, and the results are given in Table 2 and Table 3. The signaling pathways of up regulated were mainly enriched in glutamine degradation/glutamate biosynthesis, asparagine biosynthesis, GABAergic synapse, synaptic vesicle cycle, effects of Botulinum toxin, role of calcineurin-dependent NFAT signaling in lymphocytes, transmission across chemical synapses, neuronal system, type III secretion system, ATP synthesis, regulation of PGC-1 $\alpha$ , bioactive peptide induced signaling pathway, muscarinic acetylcholine receptor 1 and 3 signaling pathway, oxytocin receptor mediated signaling pathway, glutamate metabolic, insulin secretion pathway, cimetidine pathway and malate-aspartate shuttle, whereas down regulated were mainly enriched in melatonin degradation II, proline degradation, leishmaniasis, phagosome, validated targets of C-MYC transcriptional repression, CXCR4-mediated signaling events, neutrophil degranulation, cytokine signaling in immune system, inositol phosphate metabolism, monocyte and its surface molecules, cystic fibrosis transmembrane conductance regulator and beta 2 adrenergic receptor pathway, T cell activation, 5-hydroxytryptamine degradation, integrin signaling, altered lipoprotein metabolic, lactic acidemia and lysosomal acid lipase deficiency (Wolman Disease).

### **Gene ontology (GO) enrichment analysis of DEGs**

Gene ontology (GO) enrichment analysis of DEGs was performed with ToppGene, and, up and down regulated genes were classified into three functional groups such as biological processes (BP), molecular functions (MF) and cell compositions (CC). The results of Gene ontology (GO) enrichment analysis are given in Table 4 and Table 5. In the BP group, the up regulated genes were mainly enriched in

chemical synaptic transmission and neuron projection development, and the down regulated genes were mainly enriched in the regulation of immune system process and cell activation. In the CC group, the up regulated genes were mainly enriched in neuron part and synapse, and the down regulated genes were mainly enriched in the membrane region and cell surface. In the MF group, the up regulated genes were mainly enriched in cytoskeletal protein binding and molecular function regulator, and the down regulated genes were mainly enriched in the enzyme binding and molecular transducer activity.

### **Protein–protein interaction network (PPI) and modular analysis**

The potential relationships among these DEGs (up and down regulated genes) at protein levels were predicted based on the IntAct Molecular Interaction database. As shown in Fig. 5, the establishment of the PPI network for up regulated genes identified 3664 nodes and 6054 edges. The top hub genes (GABARAPL1, YWHAZ, SSX2IP, YWHAH, UBE2N, CALM3, TUBB3, NME5, CAPRIN2, BEX5, SV2B and KCNIP4) were identified based on their connectivity degree, betweenness centrality, stress centrality, closeness centrality and clustering coefficient and are listed in Table 6. Scatter plot along with statistical results for node degree, betweenness centrality, stress centrality, closeness centrality and clustering coefficient are shown in Fig. 6A - 6E. Pathways and GO enrichment analysis revealed that these hub genes were markedly enriched in GABAergic synapse, role of calcineurin-dependent NFAT signaling in lymphocytes, cell projection organization, chemical synaptic transmission, enzyme binding, oxytocin signaling pathway, Huntington disease, cell morphogenesis, signaling receptor binding, cell-cell signaling and ion transport. As shown in Fig. 7, the establishment of the PPI network for down regulated genes identified 3095 nodes and 4747 edges. The top hub genes (HSPB1, HDAC1, CDKN1A, TNFRSF1A, FKBP5, BCL6, MYL12A, SPTBN1, SFMBT2, NUPR1, TRIM47, RAPGEF3 and MS4A7) were identified based on their connectivity degree, betweenness centrality, stress centrality, closeness centrality and clustering coefficient and are listed in Table 6. Scatter plot along with statistical results for node degree, betweenness centrality, stress centrality, closeness centrality and clustering coefficient are shown in Fig. 8A - 8E. Pathways and GO enrichment analysis revealed that these hub genes were markedly enriched in cell activation, validated targets of C-MYC transcriptional repression, HTLV-I infection, defense response, direct p53 effectors, regulation of



actin cytoskeleton, neutrophil degranulation, regulation of cell proliferation and hemostasis,

To explore the significance of the molecules of the sCJD related PPI network, the module analysis was performed by PEWCC1. The four most significant modules of the PPI network for up regulated genes were shown in Fig 9, in which GABARAPL1, YWHAZ, YWHAH, EPB41L3, KLC1, CYFIP2, NCKAP1, MAGED1, RBFOX1, RBFOX2, SSX2IP, TUBB2A, USP11, PFN2, HPRT1, NCOA and ENO2 were the top hub genes. Pathway and GO enrichment analyses of these hub genes associated in these module were performed using ToppGene. Results showed that the genes in these significant modules were predominantly enriched for terms associated with GABAergic synapse, neurotrophic factor-mediated Trk receptor signaling, Huntington disease, superpathway of purine nucleotide salvage, cell-cell signaling, neuron projection development, cell projection organization and chemical synaptic transmission. The four most significant modules of the PPI network for down regulated genes were shown in Fig 10, in which PTPN6, CD37, EZR, MSN, SLC9A3R1, CD44, CEBPA, CEBPB, CEBPD, HSPB1, LYN, HSPB8, BAG3 and CRYAB were the top hub genes. Pathway and GO enrichment analyses of these hub genes associated in these module were performed using ToppGene. Results showed that the genes in these significant modules were predominantly enriched for terms associated with leishmaniasis, regulation of actin cytoskeleton, validated targets of C-MYC transcriptional repression, regulation of immune system process, biological adhesion, cell activation, cell adhesion and identical protein binding.

### **Construction of target gene - miRNA regulatory network**

The target gene - miRNA regulatory network for up regulated genes is shown in Fig. 11. Top five up regulated target genes such as TUBB2A interacts with 183 miRNAs (ex, hsa-mir-5681a), YWHAZ interacts with 156 miRNAs (ex, hsa-mir-3189-5p), MAP3K9 interacts with 121 miRNAs (ex, hsa-mir-6791-3p), PGM2L1 interacts with 117 miRNAs (ex, hsa-mir-6764-3p) and ALDOA interacts with 112 miRNAs (ex, hsa-mir-4476) are listed in Table 7. Pathways and GO enrichment analysis revealed that these target genes were markedly enriched in Huntington disease, role of calcineurin-dependent NFAT signaling in lymphocytes, purine nucleotide binding and identical protein binding. Similarly, target gene - miRNA

regulatory network for down regulated genes is shown in Fig. 12. Top five down regulated target genes such as CCND1 interacts with 197 miRNAs (ex, hsa-mir-3973), MKNK2 interacts with 153 miRNAs (ex, hsa-mir-6515-5p), CDKN1A interacts with 131 miRNAs (ex, hsa-mir-6886-3p), SYNJ2BP interacts with 120 miRNAs (ex, hsa-mir-4659a-3p) and BRI3BP interacts with 119 miRNAs (ex, hsa-mir-3689b-3p) are listed in Table 7. Pathways and GO enrichment analysis revealed that these target genes were markedly enriched in HTLV-I infection, regulation of immune system process and locomotion.

### **Construction of target genes - TF regulatory network**

The target gene - TF regulatory network for up regulated genes is shown in Fig.13. Top five up regulated target genes such as CDK14 interacts with 235 TFs (ex, SOX2), YWHAH interacts with 193 TFs (ex, MYC), SYN2 interacts with 182 TFs (ex, REST), SYT1 interacts with 179 TFs (ex, SUZ12) and MICAL2 interacts with 169 TFs (ex, AR) are listed in Table 8. Pathways and GO enrichment analysis revealed that these target genes were markedly enriched in purine nucleotide binding, role of calcineurin-dependent NFAT signaling in lymphocytes, transmission across chemical synapses, synaptic vesicle cycle and cytoskeletal protein binding. Similarly, target gene - miRNA regulatory network for down regulated genes is shown in Fig.14. Top five down regulated target genes such as HSPA1A interacts with 224 TFs (ex, SOX2), CD300A interacts with 212 TFs (ex, SPI1), HLA-DOA interacts with 197 TFs (ex, EGR1), TST interacts with 184 TFs (ex, HNF4A) and HSPB1 interacts with 179 TFs (ex, MYC) are listed in Table 8. Pathways and GO enrichment analysis revealed that these target genes were markedly enriched in toxoplasmosis, neutrophil degranulation, extracellular space and cell activation.

### **Validation of hub genes**

Based on these hub genes between sCJD and normal control, the GLM model was established. AUC values of YWHAZ, GABARAPL1, SSX2IP, YWHAH, UBE2N, HSPB1, HDAC1, CDKN1A, TNFRSF1A and FKBP5 were 0.891, 0.909, 0.873, 0.809, 0.927, 0.973, 0.936, 0.800, 0.918 and 0.945 suggesting that these ten hub genes had high sensitivity and specificity for sCJD prognosis. The ROC results are displayed in Fig. 15. These results indicated that YWHAZ, GABARAPL1,

SSX2IP, YWHAH, UBE2N, HSPB1, HDAC1, CDKN1A, TNFRSF1A and FKBP5 may be used as biomarkers for the prognosis of sCJD.

## Discussion

With the development of microarray and high-throughput sequencing technology in current years, integrated bioinformatics methods have been broadly applied in discovering new biomarkers correlated with the diagnosis, prognosis, and treatment of numerous brain diseases [55-56]. sCJD is an prion disease which has brought a heavy burden to European, Australia, and Canadian countries [57]. Understanding the molecular mechanism of sCJD is of essential importance for prognosis, diagnosis and treatment. It has been extensively used to predict therapeutic targets for sCJD since high-throughput sequencing can implement expression levels of genes in human genome simultaneously. The aim of this study was to diagnose several key genes and pathways with similar action highly expressed in sCJD compared to normal controls and discover their potential mechanisms. In the current study, we extract the gene expression profile of GSE124571 downloaded from GEO database and identify 448 up regulated and 443 down regulated genes between RA and normal control using bioinformatics analysis. Less expression of VAMP2 was associated with development of dementia [58], but decrease expression of this gene may be responsible for progression of sCJD. CIRBP (cold inducible RNA binding protein) was linked with neuroinflammation in cerebral ischemia [59], but this gene may be liable for neuroinflammation in sCJD. CRYM (crystallin mu) was involved in progression of Huntington's disease [60], but this gene may be liable for advancement of sCJD. DOCK3 was involved in growth of hyperactivity disorder [61], but this gene may be associated with progression of sCJD. Genes such as CYFIP2 [62] PC (pyruvate carboxylase) [63] and PLOD1 [64] were responsible for advancement of Alzheimer's disease, but these genes may be involved in pathogenesis of sCJD. PLOD3 was liable for advancement of brain cancer [65], but this gene may be associated with growth of sCJD. High expression of CRYAB (crystallin alpha B) [66] and DNAJB6 [67] was important for development of Parkinson's disease, but this gene may be associated with development of sCJD.

In pathway enrichment analysis, up regulated genes were enriched in various pathways. Enriched genes such as GLS2 [68], SLC12A5 [69], GAD1 [70], GAD2

[71], STXBP1 [72], NPTN (neuroplastin) [73] and PPP3CB [74] were associated with development of schizophrenia, but these genes may be important for pathogenesis of sCJD. GLS (glutaminase) was linked with neuroinflammation in brain diseases [75], but this gene may be involved with neuroinflammation in sCJD. Alteration in GNB5 was responsible for advancement of hyperactivity disorder [76], but mutation in this gene may be identified with development of sCJD. Enriched genes such as PRKCB (protein kinase C beta) [77], SNAP25 [78], CALM3 [79], ATP6V0C [80] and SST (somatostatin) [81] were important for pathogenesis of Alzheimer's disease, but this gene may be linked with progression of sCJD. Enriched genes such as PRKCG (protein kinase C gamma), [82] ITPR1 [83] and VAMP1 [84] were involved in advancement of spinocerebellar ataxia, but these genes may be important for advancement of sCJD. Modification in GABRA1 [85], GABRB3 [86] and GABRG2 [87] were identified with progression of epilepsy, but alteration in these genes may be linked with pathogenesis of sCJD. Mutation in GNAO1 was responsible for progression of movement disorder [88], but Alteration in this gene may associated with development of sCJD. Enriched genes such as STX1A [89], LIN7B [90] and CACNB2 [91] were involved in development of autism, but these genes may be liable for advancement of sCJD. Enriched genes such as NEFL (neurofilament light) [92] and YWHAH (tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein eta) [93] were responsible for development of sCJD. ATP6V1B2 was associated with progression of depression, but this gene may be identified with advancement of sCJD [94]. CHRM1 was associated with pathogenesis of Huntington's disease [95], but this gene may be liable for advancement of sCJD. Polymorphism in CCKBR (cholecystokinin B receptor) was liable for advancement of Parkinson's disease [96], this polymorphic gene may be associated with progression of sCJD. Our study found that GNG2, ADCY1, GABARAPL1, GABBR2, SLC32A1, GABRD (gamma-aminobutyric acid type A receptor delta subunit), SLC38A1, GNG3, NSF (N-ethylmaleimide sensitive factor, vesicle fusing ATPase), SYT1, NCALD (neurocalcin delta), CACNG3, CPLX1, KCNJ4, KCNJ12, SYN1, SYN2, CAMK2B, CAMK2G, EPB41L1, ATP6V1A, ATP6V1E1, ATP6V1G2, CAMK1G, PRKCE (protein kinase C epsilon) and GOT1 are up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Down regulated genes were enriched in various pathways. Enriched genes such as MAOA (monoamine oxidase A) [97], TGFB3 [98], CEBPD (CCAAT

enhancer binding protein delta) [99], NDRG2 [100], SLC11A1 [101], HDAC1 [102], TYROBP (TYRO protein tyrosine kinase binding protein) [103], ALOX5 [104], DOCK2 [105], OLR1 [106], CD14 [107], CD44 [108], CD68 [109], ITPKB (inositol-trisphosphate 3-kinase B) [110], WAS (Wiskott-Aldrich syndrome) [111], CD86 [112] and CD74 [113] were linked with development of Alzheimer's disease, but these genes may be involved in progression of sCJD. HLA-DPA1 was involved in progression of acute disseminated encephalomyelitis [114], but this gene may be important for development of sCJD. Enriched genes such as HLA-DQA1 [115] and IRF8 [116] were associated with advancement of multiple sclerosis, but these genes may be responsible for pathogenesis of sCJD. Enriched genes such as IFNGR1 [117], PRDX6 [118] and LAMP2 [119] were identified with progression of Parkinson's disease, but these genes may be linked with advancement of sCJD. NDRG1 was liable for progression of Charcot-Marie-Tooth disease [120], but this gene may be identified with development of sCJD. ITGB4 was liable for progression of bipolar disorder [121], but this gene may be important for advancement of sCJD. SERPINA3 was involved in advancement of sCJD [122]. CLEC5A was important for development of brain cancer [123], but this gene be linked with pathogenesis of sCJD. HSPA1A was responsible for progression of schizophrenia [124], but this gene identified with pathogenesis of sCJD. NPC2 was associated with growth of Niemann-Pick C2 disease [125], but this gene may be important for pathogenesis of sCJD. RNASET2 was linked with progression of cystic leukoencephalopathy [126], but this gene may be liable for advancement of sCJD. Our study found that HLA-DMA (major histocompatibility complex, class II, DM alpha), HLA-DMB (major histocompatibility complex, class II, DM beta), HLA-DOA (major histocompatibility complex, class II, DO alpha), HLA-DRA (major histocompatibility complex, class II, DR alpha), FCGR1A, CYBA (cytochrome b-245 alpha chain), ITGB1, ITGB2, PTPN6, CDKN1A, CEBPA (CCAAT enhancer binding protein alpha), CCND1, ATP8B4, CD300A, CTSC (cathepsin C), TMC6, SERPINB6, FCER1G, FGR (FGR proto-oncogene, Src family tyrosine kinase), SLC2A5, RHOG (ras homolog family member G), PRCP (prolylcarboxypeptidase), PYCARD (PYD and CARD domain containing), VAMP8, CTSH (cathepsin H), ITGAX (integrin subunit alpha X), ADA2, TM6SF1, BST2, LILRB3, RAB31, STOM (stomatin), PLCD1, INPPL1, CSK (C-terminal Src kinase), APBB1IP, PARVG (parvin gamma) and ITGB5 are down



regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target.

In GO enrichment analysis, up regulated genes were enriched in all GO categories. Enriched genes such as RTN3 [127], VGF (VGF nerve growth factor inducible) [128], SNCA (synuclein alpha) [129], SYP (synaptophysin) [130], NPTX1 [131], NRG1 (neurogranin) [132], EGR1 [133], CDK5 [134], MAP1B [135], UCHL1 [136], VPS35 [137], CNTNAP2 [138], KLC1 [139], FZD3 [140], CCK (cholecystokinin) [141], EPHA4 [142], TPM1 [143] and WASF1 [144] were responsible for progression of Alzheimer's disease, but these genes may be associated in progression of sCJD. PFN2 was liable for development of Charcot-Marie-Tooth disease [145], but this gene may be linked with pathogenesis of sCJD. Enriched genes such as ADCYAP1 [146], NRXN1 [147] LRRTM1 [148], BASP1 [72] and DCLK1 [149] were involved in progression of schizophrenia, but these genes may be responsible for advancement of sCJD. Enriched genes such as SCN1B [150], FGF12 [151], NAPB (NSF attachment protein beta) [152], DNMI1 [153] and AP3B2 [154] were important in advancement of epilepsy, but these genes may be identified with progression of sCJD. Enriched genes such as SNCB (synuclein beta) [155], RIT2 [156], TUBB3 [157], PVALB (parvalbumin) [158] and ELAVL4 [159] were involved in progression of Parkinson's disease, but these genes may be linked with development of sCJD. Enriched genes such as CADPS2 [160], ATP2B2 [161] and ENO2 [162] were important for progression of autism, but these genes may be identified with pathogenesis of sCJD. TAC1 was responsible for advancement of multiple sclerosis [163], but this gene may be associated with progression of sCJD. Enriched genes such NPY (neuropeptide Y) [164], MAP2 [165], APP (amyloid beta precursor protein) [166], STMN2 [167] and PRNP (prion protein) [168] were important for advancement of sCJD. PACSIN1 was liable for advancement of Huntington's disease [169], but this gene may be involved in progression of sCJD. Our study found that LRFN5, SCN2B, SYT13, AMPH (amphiphysin), ICA1, ADGRL1, PNKD (PNKD, MBL domain containing), SLC8A2, ATP2A2, CLSTN3, CPLX2, PTPRN2, SV2B, GLRB (glycine receptor beta), KALRN (kalirinRhoGEF kinase), SYNGR1, PAK1, PCP4, PDE1A, MAP4, CYGB (cytoglobin), ACOT7, HPCA (hippocalcin), AP1S1, SCAMP5, NGEF (neuronal guanine nucleotide exchange factor), OLFM1, FLRT3, FKBP1A, SVOP (SV2 related protein), SLC9A6, CAP2, MAP2K4, ATCAY



(ATCAY, caytaxin), CNTNAP1, ENC1, MYRIP (myosin VIIA and Rab interacting protein), MAGEE1, PPP1R2, ERC2, KCNIP4, ATP1A1, TBR1, NRSN1, MAPK9, MAP2K1, ATP2B1, ARHGAP32, NMNAT2, FRMPD4, SLC6A17, KCTD8, RAP1GAP2, LAMP5, EPB41L3, SLC30A3, NEFM (neurofilament medium), NEFH (neurofilament heavy), NELL2, PTPRN (protein tyrosine phosphatase, receptor type N), ARHGAP44, KIF3C, SLC17A6, GPM6A, DPP6, DMXL2, WDR7, RTN4, STMN1, RGS7, OPA1, SYNGR3, ALDOA (aldolase, fructose-bisphosphate A), BAIAP2L2, GAS7, SYBU (syntabulin), RAB6B, MICAL2, ABLIM2, REEP1, NME1, CDK5R2, DYNC1I1, PTPRT (protein tyrosine phosphatase, receptor type T) and CORO6 are up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Down regulated genes were enriched in all GO categories. Enriched genes such as HMOX1 [170], RGCC (regulator of cell cycle) [171], CSF1R [172], HTRA1 [173], BCL6 [174], SYK (spleen associated tyrosine kinase) [175], C1QB [176], ADAM17 [177], PLA2G7 [178], TLR5 [179], PDE9A [180], ITSN1 [181], GJA1 [182], FERMT2 [183], NTRK2 [184], TNFRSF1A [185], S100A1 [186], ALOX5AP [104], APOC2 [187], DIO2 [188] and GSTM3 [189] were responsible for progression of Alzheimer's disease, but these genes may be liable in progression of sCJD. Enriched genes such as AIF1 [190], ABCA1 [191], AQP4 [192] and GFAP (glial fibrillary acidic protein) [193] were important for pathogenesis of sCJD. Enriched genes such as FGFR3 [194], VEGFB (vascular endothelial growth factor B) [195], GPER1 [196], WASF2 [197], ADRB2 [198], ATXN3 [199], SGK1 [200] and TIMP1 [201] were identified with growth of Parkinson's disease, but these genes may be linked with progression of sCJD. SLC1A3 was associated with development of hyperactivity disorder [202], but this gene may be liable for progression of sCJD. MEGF10 was involved in progression of schizophrenia [203], but this gene may be liable for advancement of sCJD. Our study found that CMTM3, CEBPB (CCAAT enhancer binding protein beta), PDK4, VSIG4, RFTN2, LY96, VAMP3, SASH3, FCGRT (Fc fragment of IgG receptor and transporter), MERTK (MER proto-oncogene, tyrosine kinase), CHST3, EZR (ezrin), LAT2, MSN (moesin), SLC7A2, CSF3R SCIN (scinderin), GPRC5B, MYOM1, TNFSF14, RASSF2, MYO10, AXL (AXL receptor tyrosine kinase), LILRB1, VSIR (V-set immunoregulatory receptor), HCST (hematopoietic cell signal transducer), STAT5A, MAPKAPK3, C1QA, C1QC, UNC93B1, TAP1, RAC2, RARRES2, GPX1, LGALS9, HAVCR2, EBI3, CD37, LYN (LYN proto-

oncogene, Src family tyrosine kinase), TRIB1, HCK (HCK proto-oncogene, Src family tyrosine kinase), HCLS1, HERC5, CYBRD1, DHRS3, SLCO2B1, ADGRV1, FZD9, SLC9A3R1, RAPGEF3, AHNAK (AHNAK nucleoprotein), ANTXR1, PLEK (pleckstrin), CNGB1, SDC4, HSPB1, PDPN (podoplanin), NECAP2, ATP1B2, PIEZO1, SPTBN1, DAB2, MFRP (membrane frizzled-related protein), PTH1R, HEPH (hephaestin), KANK1, KCNMA1, GNA12, DDR1, GRIN2C, LCP1, SLC7A7, RHOQ (ras homolog family member Q), SYTL4, LRP4, EPHX1, CARHSP1, ADD3, SRGAP1, FOXO4, WFS1, RHOBTB3, PPP1R3C, ARHGDIB (Rho GDP dissociation inhibitor beta), RANBP3L, ZFHX3, MAPK4, NEK6, RAB3IL1, NACC2 and FARP1 are down regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target.

Up regulated hub genes were identified from PPI network for up regulated genes. YWHAZ was responsible for progression of schizophrenia [204], but this gene may liable for advancement of sCJD. Our study found that SSX2IP, UBE2N, NME5, CAPRIN2 and BEX5 are up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Down regulated hub genes were identified from PPI network for down regulated genes. Our study found that FKBP5, MYL12A, SFMBT2, NUPR1, TRIM47 and MS4A7 are down regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target.

In module analysis, up regulated hub genes showing the highest node degree in all four significant modules. NCKAP1 was linked with development of Alzheimer's disease [205], but this gene may be involved in progression of sCJD. RBFOX1 was important for progression autism [206], but this gene may be identified with pathogenesis of sCJD. Our study found that MAGED1, RBFOX2, TUBB2A, USP11, HPRT1 and NCOA7 are up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Similarly, down regulated hub genes showing the highest node degree in all four significant modules. Genes such as HSPB8 [207] and BAG3 [208] were responsible for advancement of Alzheimer's disease, but these genes may be important for progression of sCJD.

In target gene - miRNA network, up regulated target genes showing the highest number of integration with miRNAs. Our study found that MAP3K9 and PGM2L1 are up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Similarly, down regulated target genes showing the highest number of integration with miRNAs. Our study found that MKNK2, SYNJ2BP and BRI3BP are down regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target

In target gene - TF network, up regulated target genes showing the highest number of integration with TFs. Our study found that CDK14 is up regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target. Similarly, down regulated target genes showing the highest number of integration with TFs. Our study found that TST is down regulated in sCJD and has potential as a novel diagnostic and prognostic biomarker, and therapeutic target.

In conclusion, although the current study had certain conditions, including the limited number of cases and the absence of validation in clinical samples, the current analysis diagnosed distinct important genes and pathways closely linked with sCJD, which may contribute to the current knowledge of the complex molecular mechanisms of sCDJ. Of note, the current results credential acceptance by further examination.

## **Acknowledgement**

We thank Piero Parchi, University of Bologna, DIMES, Neuropathology, Bologna, Italy, very much, the authors who deposited their microarray dataset, GSE124571, into the public GEO database.

## **Availability of data and materials**

The datasets supporting the conclusions of this article are available in the GEO (Gene Expression Omnibus) (<https://www.ncbi.nlm.nih.gov/geo/>) repository. [(GSE124571) (<https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE124571>)]

## **Consent for publication**

Not applicable.

### **Competing interests**

The authors declare that they have no competing interests.

### **Conflict of interest**

The authors declare that they have no conflict of interest.

### **Ethical approval**

This article does not contain any studies with human participants or animals performed by any of the authors.

### **Informed consent**

No informed consent because this study does not contain human or animals participants.

### **Author Contributions**

B. V. - Writing original draft, and review and editing

C. V. - Software and investigation

I. K. - Supervision and resources

### **Authors**

Basavaraj Vastrad                      ORCID ID: [0000-0003-2202-7637](https://orcid.org/0000-0003-2202-7637)

Chanabasayya Vastrad                ORCID ID: [0000-0003-3615-4450](https://orcid.org/0000-0003-3615-4450)

Iranna Kotturshetti                    ORCID ID: [0000-0003-1988-7345](https://orcid.org/0000-0003-1988-7345)

### **References**

Hill AF, Butterworth RJ, Joiner S, Jackson G, Rossor MN, Thomas DJ, Frosh A, Tolley N, Bell JE, Spencer M et al. Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. Lancet. 1999;353(9148):183-189. doi:[10.1016/s0140-6736\(98\)12075-5](https://doi.org/10.1016/s0140-6736(98)12075-5)

Palmer MS, Dryden AJ, Hughes JT, Collinge J. Homozygous prion protein genotype predisposes to sporadic Creutzfeldt-Jakob disease. *Nature*. 1991;352(6333):340-342. doi:[10.1038/352340a0](https://doi.org/10.1038/352340a0)

Paulson HL. Protein fate in neurodegenerative proteinopathies: polyglutamine diseases join the (mis)fold. *Am J Hum Genet*. 1999;64(2):339-345. doi:[10.1086/302269](https://doi.org/10.1086/302269)

Cali I, Castellani R, Yuan J, Al-Shekhlee A, Cohen ML, Xiao X, Moleres FJ, Parchi P, Zou WQ, Gambetti P. Classification of sporadic Creutzfeldt-Jakob disease revisited. *Brain*. 2006;129(Pt 9):2266-2277. doi:[10.1093/brain/awl224](https://doi.org/10.1093/brain/awl224)

Mead S, Poulter M, Uphill J, Beck J, Whitfield J, Webb TE, Campbell T, Adamson G, Deriziotis P, Tabrizi SJ et al. Genetic risk factors for variant Creutzfeldt-Jakob disease: a genome-wide association study. *Lancet Neurol*. 2009;8(1):57-66. doi:[10.1016/S1474-4422\(08\)70265-5](https://doi.org/10.1016/S1474-4422(08)70265-5)

López González I, Garcia-Esparcia P, Llorens F, Ferrer I. Genetic and Transcriptomic Profiles of Inflammation in Neurodegenerative Diseases: Alzheimer, Parkinson, Creutzfeldt-Jakob and Tauopathies. *Int J Mol Sci*. 2016;17(2):206. doi:[10.3390/ijms17020206](https://doi.org/10.3390/ijms17020206)

Richardson EP., Masters CL. The nosology of Creutzfeldt-Jakob disease and conditions related to the accumulation of PrPCJD in the nervous system. *Brain Pathol*. 1995;5(1):33-41.

Spudich S, Mastrianni JA, Wrensch M, Gabizon R, Meiner Z, Kahana I, Rosenmann H, Kahana E, Prusiner SB. Complete penetrance of Creutzfeldt-Jakob disease in Libyan Jews carrying the E200K mutation in the prion protein gene. *Mol Med*. 1995;1(6):607-613.

Monari L, Chen SG, Brown P, Parchi P, Petersen RB, Mikol J, Gray F, Cortelli P, Montagna P, Ghetti B, et al. Fatal familial insomnia and familial Creutzfeldt-Jakob disease: different prion proteins determined by a DNA polymorphism. *Proc Natl Acad Sci U S A*. 1994;91(7):2839-2842. doi:[10.1073/pnas.91.7.2839](https://doi.org/10.1073/pnas.91.7.2839)

He D, Liu L, Wang Y, Sheng M. A Novel Genes Signature Associated with the Progression of Polycystic Ovary Syndrome. *Pathol Oncol Res.* 2019. doi:[10.1007/s12253-019-00676-3](https://doi.org/10.1007/s12253-019-00676-3)

Li C, Zeng X, Yu H, Gu Y, Zhang W. Identification of hub genes with diagnostic values in pancreatic cancer by bioinformatics analyses and supervised learning methods. *World J Surg Oncol.* 2018;16(1):223. doi:[10.1186/s12957-018-1519-y](https://doi.org/10.1186/s12957-018-1519-y)

Haage V, Semtner M, Vidal RO, Hernandez DP, Pong WW, Chen Z, Hambarzumyan D, Magrini V, Ly A, Walker J et al. Comprehensive gene expression meta-analysis identifies signature genes that distinguish microglia from peripheral monocytes/macrophages in health and glioma. *Acta Neuropathol Commun.* 2019;7(1):20. doi:[10.1186/s40478-019-0665-y](https://doi.org/10.1186/s40478-019-0665-y)

Bartoletti-Stella A, Corrado P, Mometto N, Baiardi S, Durrenberger PF, Arzberger T, Reynolds R, Kretzschmar H, Capellari S, Parchi P. Analysis of RNA Expression Profiles Identifies Dysregulated Vesicle Trafficking Pathways in Creutzfeldt-Jakob Disease. *Mol Neurobiol.* 2019;56(7):5009-5024. doi:[10.1007/s12035-018-1421-1](https://doi.org/10.1007/s12035-018-1421-1)

Barrett T, Wilhite SE, Ledoux P, Evangelista C, Kim IF, Tomashevsky M, Marshall KA, Phillippy KH, Sherman PM, Holko M et al. NCBI GEO: archive for functional genomics data sets--update. *Nucleic Acids Res.* 2013;41(Database issue):D991-D995. doi:[10.1093/nar/gks1193](https://doi.org/10.1093/nar/gks1193)

Ritchie ME, Phipson B, Wu D, Hu Y, Law CW, Shi W, Smyth GK. limma powers differential expression analyses for RNA-sequencing and microarray studies. *Nucleic Acids Res.* 2015;43(7):e47. doi:[10.1093/nar/gkv007](https://doi.org/10.1093/nar/gkv007)

Caspi R, Billington R, Ferrer L, Foerster H, Fulcher CA, Keseler IM, Kothari A, Krummenacker M, Latendresse M, Mueller LA et al. The MetaCyc database of metabolic pathways and enzymes and the BioCyc collection of pathway/genome databases. *Nucleic Acids Res.* 2016;44(D1):D471-D480. doi:[10.1093/nar/gkv1164](https://doi.org/10.1093/nar/gkv1164)

Kanehisa M, Furumichi M, Tanabe M, Sato Y, Morishima K. KEGG: new perspectives on genomes, pathways, diseases and drugs. *Nucleic Acids Res.* 2017;45(D1):D353-D361. doi:[10.1093/nar/gkw1092](https://doi.org/10.1093/nar/gkw1092)



Schaefer CF, Anthony K, Krupa S, Buchoff J, Day M, Hannay T, Buetow KH. PID: the Pathway Interaction Database. *Nucleic Acids Res.* 2009;37(Database issue):D674-D679. doi:[10.1093/nar/gkn653](https://doi.org/10.1093/nar/gkn653)

Sidiropoulos K, Viteri G, Sevilla C, Jupe S, Webber M, Orlic-Milacic M, Jassal B, May B, Shamovsky V, Duenas C et al. Reactome enhanced pathway visualization. *Bioinformatics.* 2017;33(21):3461-3467. doi:[10.1093/bioinformatics/btx441](https://doi.org/10.1093/bioinformatics/btx441)

Dahlquist KD, Salomonis N, Vranizan K, Lawlor SC, Conklin BR. GenMAPP, a new tool for viewing and analyzing microarray data on biological pathways. *Nat Genet.* 2002;31(1):19-20. doi:[10.1038/ng0502-19](https://doi.org/10.1038/ng0502-19)

Subramanian A, Tamayo P, Mootha VK, Mukherjee S, Ebert BL, Gillette MA, Paulovich A, Pomeroy SL, Golub TR, Lander ES et al. Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc Natl Acad Sci U S A.* 2005;102(43):15545-15550. doi:[10.1073/pnas.0506580102](https://doi.org/10.1073/pnas.0506580102)

Mi H, Huang X, Muruganujan A, Tang H, Mills C, Kang D, Thomas PD. PANTHER version 11: expanded annotation data from Gene Ontology and Reactome pathways, and data analysis tool enhancements. *Nucleic Acids Res.* 2017;45(D1):D183-D189. doi:[10.1093/nar/gkw1138](https://doi.org/10.1093/nar/gkw1138)

Petri V, Jayaraman P, Tutaj M, Hayman GT, Smith JR, De Pons J, Laulederkind SJ, Lowry TF, Nigam R, Wang SJ et al. The pathway ontology - updates and applications. *J Biomed Semantics.* 2014;5(1):7. doi:[10.1186/2041-1480-5-7](https://doi.org/10.1186/2041-1480-5-7)

Jewison T, Su Y, Disfany FM, Liang Y, Knox C, Maciejewski A, Poelzer J, Huynh J, Zhou Y, Arndt D et al. SMPDB 2.0: big improvements to the Small Molecule Pathway Database. *Nucleic Acids Res.* 2014;42(Database issue):D478-D484. doi:[10.1093/nar/gkt1067](https://doi.org/10.1093/nar/gkt1067)

Chen J, Bardes EE, Aronow BJ, Jegga AG. ToppGene Suite for gene list enrichment analysis and candidate gene prioritization. *Nucleic Acids Res.* 2009;37(Web Server issue):W305-W311. doi:[10.1093/nar/gkp427](https://doi.org/10.1093/nar/gkp427)

Bauer S. Gene-Category Analysis. *Methods Mol Biol.* 2017;1446:175-188. doi:[10.1007/978-1-4939-3743-1\\_13](https://doi.org/10.1007/978-1-4939-3743-1_13)

Orchard S, Ammari M, Aranda B, Breuza L, Briganti L, Broackes-Carter F, Campbell NH, Chavali G, Chen C, del-Toro N et al. The MIntAct project—IntAct as a common curation platform for 11 molecular interaction databases. *Nucleic Acids Res.* 2014;42(Database issue):D358-D363. doi:[10.1093/nar/gkt1115](https://doi.org/10.1093/nar/gkt1115)

Bateman A, Martin MJ, O'Donovan C, Magrane M, Apweiler R, Alpi E, Antunes R, Arganiska J, Bely B, Bingley M et al. UniProt: a hub for protein information. *Nucleic Acids Res.* 2015;43(Database issue):D204-D212. doi:[10.1093/nar/gku989](https://doi.org/10.1093/nar/gku989)

Brown KR, Jurisica I. Unequal evolutionary conservation of human protein interactions in interologous networks. *Genome Biol.* 2007;8(5):R95. doi:[10.1186/gb-2007-8-5-r95](https://doi.org/10.1186/gb-2007-8-5-r95)

Breuer K, Foroushani AK, Laird MR, Chen C, Sribnaia A, Lo R, Winsor GL, Hancock RE, Brinkman FS, Lynn DJ. InnateDB: systems biology of innate immunity and beyond--recent updates and continuing curation. *Nucleic Acids Res.* 2013;41(Database issue):D1228-D233. doi:[10.1093/nar/gks1147](https://doi.org/10.1093/nar/gks1147)

Clerc O, Deniaud M, Vallet SD, Naba A, Rivet A, Perez S, Thierry-Mieg N, Ricard-Blum S. MatrixDB: integration of new data with a focus on glycosaminoglycan interactions. *Nucleic Acids Res.* 2019;47(D1):D376-D381. doi:[10.1093/nar/gky1035](https://doi.org/10.1093/nar/gky1035)

Orchard S, Kerrien S, Abbani S, Aranda B, Bhate J, Bidwell S, Bridge A, Briganti L, Brinkman FS, Cesareni G et al. Protein interaction data curation: the International Molecular Exchange (IMEx) consortium. *Nat Methods.* 2012;9(4):345-350. doi:[10.1038/nmeth.1931](https://doi.org/10.1038/nmeth.1931)

Shannon P., Markiel A., Ozier O., Baliga N.S., Wang J.T., Ramage D. *et al.* 2003 Cytoscape: a software environment for integrated models of biomolecular interaction networks. *Genome Res.* 3,2498-504. doi:[10.1101/gr.1239303](https://doi.org/10.1101/gr.1239303)

Brown KR, Jurisica I. Unequal evolutionary conservation of human protein interactions in interologous networks. *Genome Biol.* 2007;8(5):R95. doi:[10.1186/gb-2007-8-5-r95](https://doi.org/10.1186/gb-2007-8-5-r95)

Hormozdiari F, Berenbrink P, Przulj N, Sahinalp SC. Not all scale-free networks are born equal: the role of the seed graph in PPI network evolution. *PLoS Comput Biol*. 2007;3(7):e118. doi:[10.1371/journal.pcbi.0030118](https://doi.org/10.1371/journal.pcbi.0030118)

Bi D, Ning H, Liu S, Que X, Ding K. Gene expression patterns combined with network analysis identify hub genes associated with bladder cancer. *Comput Biol Chem*. 2015;56:71-83. doi:[10.1016/j.compbiolchem.2015.04.001](https://doi.org/10.1016/j.compbiolchem.2015.04.001)

Shi Z, Zhang B. Fast network centrality analysis using GPUs. *BMC Bioinformatics*. 2011;12:149. doi:[10.1186/1471-2105-12-149](https://doi.org/10.1186/1471-2105-12-149)

Stelzl U, Worm U, Lalowski M, Haenig C, Brembeck FH, Goehler H, Stroedicke M, Zenkner M, Schoenherr A, Koeppen S et al. A human protein-protein interaction network: a resource for annotating the proteome. *Cell*. 2005;122(6):957-968. doi:[10.1016/j.cell.2005.08.029](https://doi.org/10.1016/j.cell.2005.08.029)

Zaki N., Efimov D. and Berengueres J. 2013 Protein complex detection using interaction reliability assessment and weighted clustering coefficient. *BMC Bioinformatics*. 14,163. doi:[10.1186/1471-2105-14-163](https://doi.org/10.1186/1471-2105-14-163)

Fan Y, Xia J miRNet-Functional Analysis and Visual Exploration of miRNA-Target Interactions in a Network Context. *Methods Mol Biol*. 2018;1819:215-233. doi:[10.1007/978-1-4939-8618-7\\_10](https://doi.org/10.1007/978-1-4939-8618-7_10)

Vlachos IS, Paraskevopoulou MD, Karagkouni D, Georgakilas G, Vergoulis T, Kanellos I, Anastasopoulos IL, Maniou S, Karathanou K, Kalfakakou D et al DIANA-TarBase v7.0: indexing more than half a million experimentally supported miRNA:mRNA interactions. *Nucleic Acids Res*. 2015;43(Database issue):D153-D159. doi:[10.1093/nar/gku1215](https://doi.org/10.1093/nar/gku1215)

Chou CH, Shrestha S, Yang CD, Chang NW, Lin YL, Liao KW, Huang WC, Sun TH, Tu SJ, Lee WH et al miRTarBase update 2018: a resource for experimentally validated microRNA-target interactions. *Nucleic Acids Res*. 2018;46(D1):D296-D302. doi:[10.1093/nar/gkx1067](https://doi.org/10.1093/nar/gkx1067)

Xiao F, Zuo Z, Cai G, Kang S, Gao X, Li T. miRecords: an integrated resource for microRNA-target interactions. *Nucleic Acids Res*. 2009;37(Database issue):D105-D110. doi:[10.1093/nar/gkn851](https://doi.org/10.1093/nar/gkn851)

Jiang Q, Wang Y, Hao Y, Juan L, Teng M, Zhang X, Li M, Wang G, Liu Y. miR2Disease: a manually curated database for microRNA deregulation in human disease. *Nucleic Acids Res.* 2009;37(Database issue):D98-104. doi:[10.1093/nar/gkn714](https://doi.org/10.1093/nar/gkn714)

Huang Z, Shi J, Gao Y, Cui C, Zhang S, Li J, Zhou Y, Cui Q. HMDD v3.0: a database for experimentally supported human microRNA-disease associations. *Nucleic Acids Res.* 2019;47(D1):D1013-D1017. doi:[10.1093/nar/gky1010Z](https://doi.org/10.1093/nar/gky1010Z)

Ruepp A, Kowarsch A, Schmidl D, Buggenthin F, Brauner B, Dunger I, Fobo G, Frishman G, Montrone C, Theis FJ. PhenomiR: a knowledgebase for microRNA expression in diseases and biological processes. *Genome Biol.* 2010;11(1):R6. doi:[10.1186/gb-2010-11-1-r6](https://doi.org/10.1186/gb-2010-11-1-r6)

Liu X, Wang S, Meng F, Wang J, Zhang Y, Dai E, Yu X, Li X, Jiang W. SM2miR: a database of the experimentally validated small molecules' effects on microRNA expression. *Bioinformatics.* 2013;29(3):409-411. doi:[10.1093/bioinformatics/bts698](https://doi.org/10.1093/bioinformatics/bts698)

Rukov JL, Wilentzik R, Jaffe I, Vinther J, Shomron N. Pharmaco-miR: linking microRNAs and drug effects. *Brief Bioinform.* 2014;15(4):648-659. doi:[10.1093/bib/bbs082](https://doi.org/10.1093/bib/bbs082)

Dai E, Yu X, Zhang Y, Meng F, Wang S, Liu X, Liu D, Wang J, Li X, Jiang W. EpimiR: a database of curated mutual regulation between miRNAs and epigenetic modifications. *Database (Oxford).* 2014;2014:bau023. doi:[10.1093/database/bau023](https://doi.org/10.1093/database/bau023)

Li JH, Liu S, Zhou H, Qu LH, Yang JH. starBase v2.0: decoding miRNA-ceRNA, miRNA-ncRNA and protein-RNA interaction networks from large-scale CLIP-Seq data. *Nucleic Acids Res.* 2014;42(Database issue):D92-D97. doi:[10.1093/nar/gkt1248](https://doi.org/10.1093/nar/gkt1248)

Zhou G, Soufan O, Ewald J, Hancock REW, Basu N, Xia J. NetworkAnalyst 3.0: a visual analytics platform for comprehensive gene expression profiling and meta-analysis. *Nucleic Acids Res.* 2019. doi:[10.1093/nar/gkz240](https://doi.org/10.1093/nar/gkz240)

Lachmann A, Xu H, Krishnan J, Berger SI, Mazloom AR, Ma'ayan A. (2010) ChEA: transcription factor regulation inferred from integrating genome-wide ChIP-X experiments. *Bioinformatics*. 2010;26(19):2438-2444. doi:[10.1093/bioinformatics/btq466](https://doi.org/10.1093/bioinformatics/btq466)

Robin X, Turck N, Hainard A, Tiberti N, Lisacek F, Sanchez JC, Müller M. pROC: an open-source package for R and S+ to analyze and compare ROC curves. *BMC Bioinformatics*. 2011;12:77. doi:[10.1186/1471-2105-12-77](https://doi.org/10.1186/1471-2105-12-77)

Gao L, Li C, Yang RY, Lian WW, Fang JS, Pang XC, Qin XM, Liu AL, Du GH. Ameliorative effects of baicalein in MPTP-induced mouse model of Parkinson's disease: A microarray study. *Pharmacol Biochem Behav*. 2015;133:155-163. doi:[10.1016/j.pbb.2015.04.004](https://doi.org/10.1016/j.pbb.2015.04.004)

Zhao Y, Tan W, Sheng W, Li X. Identification of Biomarkers Associated With Alzheimer's Disease by Bioinformatics Analysis. *Am J Alzheimers Dis Other Demen*. 2016;31(2):163-168. doi:[10.1177/1533317515588181](https://doi.org/10.1177/1533317515588181)

Ladogana A, Puopolo M, Croes EA, Budka H, Jarius C, Collins S, Klug GM, Sutcliffe T, Giulivi A, Alperovitch A et al. Mortality from Creutzfeldt-Jakob disease and related disorders in Europe, Australia, and Canada. *Neurology*. 2005;64(9):1586-1591. doi:[10.1212/01.WNL.0000160117.56690.B2](https://doi.org/10.1212/01.WNL.0000160117.56690.B2)

Vallortigara J, Whitfield D, Quelch W, Alghamdi A, Howlett D, Hortobágyi T, Johnson M, Attems J, O'Brien JT, Thomas A et al. Decreased Levels of VAMP2 and Monomeric Alpha-Synuclein Correlate with Duration of Dementia. *J Alzheimers Dis*. 2016;50(1):101-110. doi:[10.3233/JAD-150707](https://doi.org/10.3233/JAD-150707)

Zhou M, Yang WL, Ji Y, Qiang X, Wang P. Cold-inducible RNA-binding protein mediates neuroinflammation in cerebral ischemia. *Biochim Biophys Acta*. 2014;1840(7):2253-2261. doi:[10.1016/j.bbagen.2014.02.027](https://doi.org/10.1016/j.bbagen.2014.02.027)

Francelle L, Galvan L, Gaillard MC, Guillermier M, Houitte D, Bonvento G, Petit F, Jan C, Dufour N, Hantraye P et al. Loss of the thyroid hormone-binding protein Crym renders striatal neurons more vulnerable to mutant huntingtin in Huntington's disease. *Hum Mol Genet*. 2015;24(6):1563-1573. doi:[10.1093/hmg/ddu571](https://doi.org/10.1093/hmg/ddu571)

Silva MG, Elliott K, Dahl HH, Fitzpatrick E, Wilcox S, Delatycki M, Williamson R, Efron D, Lynch M, Forrest S. Disruption of a novel member of a sodium/hydrogen exchanger family and DOCK3 is associated with an attention deficit hyperactivity disorder-like phenotype. *J Med Genet.* 2003;40(10):733-740. doi:[10.1136/jmg.40.10.733](https://doi.org/10.1136/jmg.40.10.733)

Tiwari SS, Mizuno K, Ghosh A, Aziz W, Troakes C, Daoud J, Golash V, Noble W, Hortobágyi T, Giese KP. Alzheimer-related decrease in CYFIP2 links amyloid production to tau hyperphosphorylation and memory loss. *Brain.* 2016;139(Pt 10):2751-2765. doi:[10.1093/brain/aww205](https://doi.org/10.1093/brain/aww205)

Tiwari V, Patel AB. Pyruvate carboxylase and pentose phosphate fluxes are reduced in A $\beta$ PP-PS1 mouse model of Alzheimer's disease: a <sup>13</sup>C NMR study. *J Alzheimers Dis.* 2014;41(2):387-399. doi:[10.3233/JAD-122449](https://doi.org/10.3233/JAD-122449)

Chong MS, Goh LK, Lim WS, Chan M, Tay L, Chen G, Feng L, Ng TP, Tan CH, Lee TS. Gene expression profiling of peripheral blood leukocytes shows consistent longitudinal downregulation of TOMM40 and upregulation of KIR2DL5A, PLOD1, and SLC2A8 among fast progressors in early Alzheimer's disease. *J Alzheimers Dis.* 2013;34(2):399-405. doi:[10.3233/JAD-121621](https://doi.org/10.3233/JAD-121621)

Tsai CK, Huang LC, Tsai WC, Huang SM, Lee JT, Hueng DY. Overexpression of PLOD3 promotes tumor progression and poor prognosis in gliomas. *Oncotarget.* 2018;9(21):15705-15720. doi:[10.18632/oncotarget.24594](https://doi.org/10.18632/oncotarget.24594)

Liu Y, Zhou Q, Tang M, Fu N, Shao W, Zhang S, Yin Y, Zeng R, Wang X, Hu G et al. Upregulation of alphaB-crystallin expression in the substantia nigra of patients with Parkinson's disease. *Neurobiol Aging.* 2015;36(4):1686-1691. doi:[10.1016/j.neurobiolaging.2015.01.015](https://doi.org/10.1016/j.neurobiolaging.2015.01.015)

Durrenberger PF, Filiou MD, Moran LB, Michael GJ, Novoselov S, Cheetham ME, Clark P, Pearce RK, Graeber MB. DnaJB6 is present in the core of Lewy bodies and is highly up-regulated in parkinsonian astrocytes. *J Neurosci Res.* 2009;87(1):238-245. doi:[10.1002/jnr.21819](https://doi.org/10.1002/jnr.21819)

Maeshima H, Ohnuma T, Sakai Y, Shibata N, Baba H, Ihara H, Higashi M, Ohkubo T, Nozawa E, Abe S et al. Increased plasma glutamate by antipsychotic medication and its relationship to glutaminase 1 and 2 genotypes in schizophrenia -



- Juntendo University Schizophrenia Projects (JUSP). *Prog Neuropsychopharmacol Biol Psychiatry*. 2007;31(7):1410-1418. doi:[10.1016/j.pnpbp.2007.06.009](https://doi.org/10.1016/j.pnpbp.2007.06.009)

Tao R, Li C, Newburn EN, Ye T, Lipska BK, Herman MM, Weinberger DR, Kleinman JE, Hyde TM. Transcript-specific associations of SLC12A5 (KCC2) in human prefrontal cortex with development, schizophrenia, and affective disorders. *J Neurosci*. 2012;32(15):5216-5222. doi:[10.1523/JNEUROSCI.4626-11.2012](https://doi.org/10.1523/JNEUROSCI.4626-11.2012)

Akbarian S, Huang HS. Molecular and cellular mechanisms of altered GAD1/GAD67 expression in schizophrenia and related disorders. *Brain Res Rev*. 2006;52(2):293-304. doi:[10.1016/j.brainresrev.2006.04.001](https://doi.org/10.1016/j.brainresrev.2006.04.001)

Davis KN, Tao R, Li C, Gao Y, Gondré-Lewis MC, Lipska BK, Shin JH, Xie B, Ye T, Weinberger DR et al. GAD2 Alternative Transcripts in the Human Prefrontal Cortex, and in Schizophrenia and Affective Disorders. *PLoS One*. 2016;11(2):e0148558. doi:[10.1371/journal.pone.0148558](https://doi.org/10.1371/journal.pone.0148558)

Behan AT, Byrne C, Dunn MJ, Cagney G, Cotter DR. Proteomic analysis of membrane microdomain-associated proteins in the dorsolateral prefrontal cortex in schizophrenia and bipolar disorder reveals alterations in LAMP, STXBP1 and BASP1 protein expression. *Mol Psychiatry*. 2009;14(6):601-613. doi:[10.1038/mp.2008.7](https://doi.org/10.1038/mp.2008.7)

Saito A, Fujikura-Ouchi Y, Kuramasu A, Shimoda K, Akiyama K, Matsuoka H, Ito C. Association study of putative promoter polymorphisms in the neuroplastin gene and schizophrenia. *Neurosci Lett*. 2007;411(3):168-173. doi:[10.1016/j.neulet.2006.08.042](https://doi.org/10.1016/j.neulet.2006.08.042)

Liu CM, Fann CS, Chen CY, Liu YL, Oyang YJ, Yang WC, Chang CC, Wen CC, Chen WJ, Hwang TJ et al. ANXA7, PPP3CB, DNAJC9, and ZMYND17 genes at chromosome 10q22 associated with the subgroup of schizophrenia with deficits in attention and executive function. *Biol Psychiatry*. 2011;70(1):51-58. doi:[10.1016/j.biopsych.2011.02.033](https://doi.org/10.1016/j.biopsych.2011.02.033)

Huang Y, Zhao L, Jia B, Wu L, Li Y, Curthoys N, Zheng JC. Glutaminase dysregulation in HIV-1-infected human microglia mediates neurotoxicity: relevant

to HIV-1-associated neurocognitive disorders. *J Neurosci.* 2011;31(42):15195-204. doi:[10.1523/JNEUROSCI.2051-11.2011](https://doi.org/10.1523/JNEUROSCI.2051-11.2011)

Shamseldin HE, Masuho I, Alenizi A, Alyamani S, Patil DN, Ibrahim N, Martemyanov KA, Alkuraya FS. GNB5 mutation causes a novel neuropsychiatric disorder featuring attention deficit hyperactivity disorder, severely impaired language development and normal cognition. *Genome Biol.* 2016;17(1):195. doi:[10.1186/s13059-016-1061-6](https://doi.org/10.1186/s13059-016-1061-6)

Antonell A, Lladó A, Sánchez-Valle R, Sanfeliu C, Casserras T, Rami L, Muñoz-García C, Dangla-Valls A, Balasa M, Boya P et al. Altered Blood Gene Expression of Tumor-Related Genes (PRKCB, BECN1, and CDKN2A) in Alzheimer's Disease. *Mol Neurobiol.* 2016;53(9):5902-5911. doi:[10.1007/s12035-015-9483-9](https://doi.org/10.1007/s12035-015-9483-9)

Brinkmalm A, Brinkmalm G, Honer WG, Frölich L, Hausner L, Minthon L, Hansson O, Wallin A, Zetterberg H, Blennow K et al. SNAP-25 is a promising novel cerebrospinal fluid biomarker for synapse degeneration in Alzheimer's disease. *Mol Neurodegener.* 2014;9:53. doi:[10.1186/1750-1326-9-53](https://doi.org/10.1186/1750-1326-9-53)

Ibarreta D, Tao J, Parrilla R, Ayuso MS. Mutation analysis of chromosome 19 calmodulin (CALM3) gene in Alzheimer's disease patients. *Neurosci Lett.* 1997;229(3):157-160. doi:[10.1016/s0304-3940\(97\)00453-9](https://doi.org/10.1016/s0304-3940(97)00453-9)

Liu QY, Lei JX, Sikorska M, Liu R. A novel brain-enriched E3 ubiquitin ligase RNF182 is up regulated in the brains of Alzheimer's patients and targets ATP6V0C for degradation. *Mol Neurodegener.* 2008;3:4. doi:[10.1186/1750-1326-3-4](https://doi.org/10.1186/1750-1326-3-4)

Gahete MD, Rubio A, Durán-Prado M, Avila J, Luque RM, Castaño JP. Expression of Somatostatin, cortistatin, and their receptors, as well as dopamine receptors, but not of neprilysin, are reduced in the temporal lobe of Alzheimer's disease patients. *J Alzheimers Dis.* 2010;20(2):465-475. doi:[10.3233/JAD-2010-1385](https://doi.org/10.3233/JAD-2010-1385)

Seki T, Takahashi H, Adachi N, Abe N, Shimahara T, Saito N, Sakai N. Aggregate formation of mutant protein kinase C gamma found in spinocerebellar ataxia type 14 impairs ubiquitin-proteasome system and induces endoplasmic reticulum stress. *Eur J Neurosci.* 2007;26(11):3126-3140. doi:[10.1111/j.1460-9568.2007.05933.x](https://doi.org/10.1111/j.1460-9568.2007.05933.x)

Leemput J, Chandran J, Knight MA, Holtzclaw LA, Scholz S, Cookson MR, Houlden H, Gwinn-Hardy K, Fung HC, Lin X et al. Deletion at ITPR1 underlies ataxia in mice and spinocerebellar ataxia 15 in humans. *PLoS Genet.* 2007;3(6):e108. doi:[10.1371/journal.pgen.0030108](https://doi.org/10.1371/journal.pgen.0030108)

Bourassa CV, Meijer IA, Merner ND, Grewal KK, Stefanelli MG, Hodgkinson K, Ives EJ, Pryse-Phillips W, Jog M, Boycott K et al. VAMP1 mutation causes dominant hereditary spastic ataxia in Newfoundland families. *Am J Hum Genet.* 2012;91(3):548-552. doi:[10.1016/j.ajhg.2012.07.018](https://doi.org/10.1016/j.ajhg.2012.07.018)

Cossette P, Liu L, Brisebois K, Dong H, Lortie A, Vanasse M, Saint-Hilaire JM, Carmant L, Verner A, Lu WY et al. Mutation of GABRA1 in an autosomal dominant form of juvenile myoclonic epilepsy. *Nat Genet.* 2002;31(2):184-189. doi:[10.1038/ng885](https://doi.org/10.1038/ng885)

Lü JJ, Zhang YH, Pan H, Chen YC, Liu XY, Jiang YW, Bao XH, Shen Y, Wu HS, Xu KM et al. Case-control study and transmission/disequilibrium tests of the genes encoding GABRA5 and GABRB3 in a Chinese population affected by childhood absence epilepsy. *Chin Med J (Engl).* 2004;117(10):1497-501.

Kang JQ, Macdonald RL. Molecular Pathogenic Basis for GABRG2 Mutations Associated With a Spectrum of Epilepsy Syndromes, From Generalized Absence Epilepsy to Dravet Syndrome. *JAMA Neurol.* 2016;73(8):1009-1016. doi:[10.1001/jamaneurol.2016.0449](https://doi.org/10.1001/jamaneurol.2016.0449)

Kulkarni N, Tang S, Bhardwaj R, Bernes S, Grebe TA. Progressive Movement Disorder in Brothers Carrying a GNAO1 Mutation Responsive to Deep Brain Stimulation. *J Child Neurol.* 2016;31(2):211-214. doi:[10.1177/0883073815587945](https://doi.org/10.1177/0883073815587945)

Nakamura K, Iwata Y, Anitha A, Miyachi T, Toyota T, Yamada S, Tsujii M, Tsuchiya KJ, Iwayama Y, Yamada K et al. Replication study of Japanese cohorts supports the role of STX1A in autism susceptibility. *Prog Neuropsychopharmacol Biol Psychiatry.* 2011;35(2):454-458. doi:[10.1016/j.pnpbp.2010.11.033](https://doi.org/10.1016/j.pnpbp.2010.11.033)

Mizuno M, Matsumoto A, Hamada N, Ito H, Miyauchi A, Jimbo EF, Momoi MY, Tabata H, Yamagata T, Nagata K. Role of an adaptor protein Lin-7B in brain development: possible involvement in autism spectrum disorders. *J Neurochem.* 2015;132(1):61-69. doi:[10.1111/jnc.12943](https://doi.org/10.1111/jnc.12943)

Breitenkamp AF, Matthes J, Nass RD, Sinzig J, Lehmkuhl G, Nürnberg P, Herzig S. Rare mutations of CACNB2 found in autism spectrum disease-affected families alter calcium channel function. *PLoS One*. 2014;9(4):e95579. doi:[10.1371/journal.pone.0095579](https://doi.org/10.1371/journal.pone.0095579)

Thompson AGB, Luk C, Heslegrave AJ, Zetterberg H, Mead SH, Collinge J, Jackson GS. Neurofilament light chain and tau concentrations are markedly increased in the serum of patients with sporadic Creutzfeldt-Jakob disease, and tau correlates with rate of disease progression. *J Neurol Neurosurg Psychiatry*. 2018;89(9):955-961. doi:[10.1136/jnnp-2017-317793](https://doi.org/10.1136/jnnp-2017-317793)

Yun J, Jeong BH, Kim HJ, Park YJ, Lee YJ, Choi EK, Carp RI, Kim YS. A polymorphism in the YWHAH gene encoding 14-3-3 eta that is not associated with sporadic Creutzfeldt-Jakob disease (CJD). *Mol Biol Rep*. 2012;39(4):3619-3625. doi:[10.1007/s11033-011-1136-0](https://doi.org/10.1007/s11033-011-1136-0)

Gonda X, Eszlari N, Anderson IM, Deakin JF, Bagdy G, Juhasz G. Association of ATP6V1B2 rs1106634 with lifetime risk of depression and hippocampal neurocognitive deficits: possible novel mechanisms in the etiopathology of depression. *Transl Psychiatry*. 2016;6(11):e945. doi:[10.1038/tp.2016.221](https://doi.org/10.1038/tp.2016.221)

Lee J, Hwang YJ, Shin JY, Lee WC, Wie J, Kim KY, Lee MY, Hwang D, Ratan RR, Pae AN et al. Epigenetic regulation of cholinergic receptor M1 (CHRM1) by histone H3K9me3 impairs Ca(2+) signaling in Huntington's disease. *Acta Neuropathol*. 2013;125(5):727-739. doi:[10.1007/s00401-013-1103-z](https://doi.org/10.1007/s00401-013-1103-z)

Wang J, Si YM, Liu ZL, Yu L. Cholecystokinin, cholecystokinin-A receptor and cholecystokinin-B receptor gene polymorphisms in Parkinson's disease. *Pharmacogenetics*. 2003;13(6):365-369. doi:[10.1097/01.fpc.0000054095.48725.fe](https://doi.org/10.1097/01.fpc.0000054095.48725.fe)

Takehashi M, Tanaka S, Masliah E, Ueda K. Association of monoamine oxidase A gene polymorphism with Alzheimer's disease and Lewy body variant. *Neurosci Lett*. 2002;327(2):79-82. doi:[10.1016/s0304-3940\(02\)00258-6](https://doi.org/10.1016/s0304-3940(02)00258-6)

Peress NS, Perillo E. Differential expression of TGF-beta 1, 2 and 3 isotypes in Alzheimer's disease: a comparative immunohistochemical study with cerebral infarction, aged human and mouse control brains. *J Neuropathol Exp Neurol*. 1995;54(6):802-811. doi:[10.1097/00005072-199511000-00007](https://doi.org/10.1097/00005072-199511000-00007)

Ko CY, Chu YY, Narumiya S, Chi JY, Furuyashiki T, Aoki T, Wang SM, Chang WC, Wang JM. CCAAT/enhancer-binding protein delta/miR135a/thrombospondin 1 axis mediates PGE2-induced angiogenesis in Alzheimer's disease. *Neurobiol Aging*. 2015;36(3):1356-1368. doi:[10.1016/j.neurobiolaging.2014.11.020](https://doi.org/10.1016/j.neurobiolaging.2014.11.020)

Mitchelmore C, Büchmann-Møller S, Rask L, West MJ, Troncoso JC, Jensen NA. NDRG2: a novel Alzheimer's disease associated protein. *Neurobiol Dis*. 2004;16(1):48-58. doi:[10.1016/j.nbd.2004.01.003](https://doi.org/10.1016/j.nbd.2004.01.003)

Jamieson SE, White JK, Howson JM, Pask R, Smith AN, Brayne C, Evans JG, Xuereb J, Cairns NJ, Rubinsztein DC et al. Candidate gene association study of solute carrier family 11a members 1 (SLC11A1) and 2 (SLC11A2) genes in Alzheimer's disease. *Neurosci Lett*. 2005;374(2):124-128. doi:[10.1016/j.neulet.2004.10.038](https://doi.org/10.1016/j.neulet.2004.10.038)

Zhang J, Zhang R, Zhan Z, Li X, Zhou F, Xing A, Jiang C, Chen Y, An L. Beneficial Effects of Sulforaphane Treatment in Alzheimer's Disease May Be Mediated through Reduced HDAC1/3 and Increased P75NTR Expression. *Front Aging Neurosci*. 2017;9:121. doi:[10.3389/fnagi.2017.00121](https://doi.org/10.3389/fnagi.2017.00121)

Ma J, Jiang T, Tan L, Yu JT. TYROBP in Alzheimer's disease. *Mol Neurobiol*. 2015;51(2):820-826. doi:[10.1007/s12035-014-8811-9](https://doi.org/10.1007/s12035-014-8811-9)

Manev H, Manev R. 5-Lipoxygenase (ALOX5) and FLAP (ALOX5AP) gene polymorphisms as factors in vascular pathology and Alzheimer's disease. *Med Hypotheses*. 2006;66(3):501-503. doi:[10.1016/j.mehy.2005.09.031](https://doi.org/10.1016/j.mehy.2005.09.031)

Cimino PJ, Sokal I, Leverenz J, Fukui Y, Montine TJ. DOCK2 is a microglial specific regulator of central nervous system innate immunity found in normal and Alzheimer's disease brain. *Am J Pathol*. 2009;175(4):1622-1630. doi:[10.2353/ajpath.2009.090443](https://doi.org/10.2353/ajpath.2009.090443)

Kong Y, Wu JB, Wang X, Zhao JF, Song H, Yuan LD. Polymorphism of the OLR1 3'UTR potential microRNA binding site and risk of Alzheimer's disease: a meta-analysis. *Genet Mol Res*. 2014;13(4):10162-10172. doi:[10.4238/2014](https://doi.org/10.4238/2014)

Fassbender K, Walter S, Kühl S, Landmann R, Ishii K, Bertsch T, Stalder AK, Muehlhauser F, Liu Y, Ulmer AJ et al. The LPS receptor (CD14) links innate

immunity with Alzheimer's disease. *FASEB J.* 2004;18(1):203-205. doi:[10.1096/fj.03-0364fje](https://doi.org/10.1096/fj.03-0364fje)

Akiyama H, Tooyama I, Kawamata T, Ikeda K, McGeer PL. Morphological diversities of CD44 positive astrocytes in the cerebral cortex of normal subjects and patients with Alzheimer's disease. *Brain Res.* 1993;632(1-2):249-259. doi:[10.1016/0006-8993\(93\)91160-t](https://doi.org/10.1016/0006-8993(93)91160-t)

Matsumura A, Suzuki S, Iwahara N, Hisahara S, Kawamata J, Suzuki H, Yamauchi A, Takata K, Kitamura Y, Shimohama S. Temporal changes of CD68 and  $\alpha 7$  nicotinic acetylcholine receptor expression in microglia in Alzheimer's disease-like mouse models. *J Alzheimers Dis.* 2015;44(2):409-423. doi:[10.3233/JAD-141572](https://doi.org/10.3233/JAD-141572)

Salta E, Sierksma A, Vanden Eynden E, De Strooper B. miR-132 loss de-represses ITPKB and aggravates amyloid and TAU pathology in Alzheimer's brain. *EMBO Mol Med.* 2016;8(9):1005-1018. doi:[10.15252/emmm.201606520](https://doi.org/10.15252/emmm.201606520)

Kitamura Y, Tsuchiya D, Takata K, Shibagaki K, Taniguchi T, Smith MA, Perry G, Miki H, Takenawa T, Shimohama S. Possible involvement of Wiskott-Aldrich syndrome protein family in aberrant neuronal sprouting in Alzheimer's disease. *Neurosci Lett.* 2003;346(3):149-152. doi:[10.1016/s0304-3940\(03\)00506-8](https://doi.org/10.1016/s0304-3940(03)00506-8)

Busse S, Steiner J, Alter J, Dobrowolny H, Mawrin C, Bogerts B, Hartig R, Busse M. Expression of HLA-DR, CD80, and CD86 in Healthy Aging and Alzheimer's Disease. *J Alzheimers Dis.* 2015;47(1):177-184. doi:[10.3233/JAD-150217](https://doi.org/10.3233/JAD-150217)

Bryan KJ, Zhu X, Harris PL, Perry G, Castellani RJ, Smith MA, Casadesus G. Expression of CD74 is increased in neurofibrillary tangles in Alzheimer's disease. *Mol Neurodegener.* 2008;3:13. doi:[10.1186/1750-1326-3-13](https://doi.org/10.1186/1750-1326-3-13)

Alves-Leon SV, Veluttini-Pimentel ML, Gouveia ME, Malfetano FR, Gaspareto EL, Alvarenga MP, Frugulhetti I, Quirico-Santos T. Acute disseminated encephalomyelitis: clinical features, HLA DRB1\*1501, HLA DRB1\*1503, HLA DQA1\*0102, HLA DQB1\*0602, and HLA DPA1\*0301 allelic association study. *Arq Neuropsiquiatr.* 2009;67(3A):643-651.



Haegert DG, Muntoni F, Murru MR, Costa G, Francis GS, Marrosu MG. HLA-DQA1 and -DQB1 associations with multiple sclerosis in Sardinia and French Canada: evidence for immunogenetically distinct patient groups. *Neurology*. 1993;43(3 Pt 1):548-552. doi:[10.1212/wnl.43.3\\_part\\_1.548](https://doi.org/10.1212/wnl.43.3_part_1.548)

De Jager PL, Jia X, Wang J, de Bakker PI, Ottoboni L, Aggarwal NT, Piccio L, Raychaudhuri S, Tran D, Aubin C et al. Meta-analysis of genome scans and replication identify CD6, IRF8 and TNFRSF1A as new multiple sclerosis susceptibility loci. *Nat Genet*. 2009;41(7):776-782. doi:[10.1038/ng.401](https://doi.org/10.1038/ng.401)

Strickland MR, Koller EJ, Deng DZ, Ceballos-Diaz C, Golde TE, Chakrabarty P. Ifngr1 and Stat1 mediated canonical Ifn- $\gamma$  signaling drives nigrostriatal degeneration. *Neurobiol Dis*. 2018;110:133-141. doi:[10.1016/j.nbd.2017.11.007](https://doi.org/10.1016/j.nbd.2017.11.007)

Yun HM, Choi DY, Oh KW, Hong JT. PRDX6 Exacerbates Dopaminergic Neurodegeneration in a MPTP Mouse Model of Parkinson's Disease. *Mol Neurobiol*. 2015;52(1):422-431. doi:[10.1007/s12035-014-8885-4](https://doi.org/10.1007/s12035-014-8885-4)

Pang S, Chen D, Zhang A, Qin X, Yan B. Genetic analysis of the LAMP-2 gene promoter in patients with sporadic Parkinson's disease. *Neurosci Lett*. 2012;526(1):63-67. doi:[10.1016/j.neulet.2012.07.044](https://doi.org/10.1016/j.neulet.2012.07.044)

Han L, Wang L, Tang S, Yuan L, Wu S, Du X, Xiang Y, Qu X, Liu H, Luo H et al. ITGB4 deficiency in bronchial epithelial cells directs airway inflammation and bipolar disorder-related behavior. *J Neuroinflammation*. 2018;15(1):246. doi:[10.1186/s12974-018-1283-5](https://doi.org/10.1186/s12974-018-1283-5)

Vanni S, Moda F, Zattoni M, Bistaffa E, De Cecco E, Rossi M, Giaccone G, Tagliavini F, Haik S, Deslys JP et al. Differential overexpression of SERPINA3 in human prion diseases. *Sci Rep*. 2017;7(1):15637. doi:[10.1038/s41598-017-15778-8](https://doi.org/10.1038/s41598-017-15778-8)

Fan HW, Ni Q, Fan YN, Ma ZX, Li YB. C-type lectin domain family 5, member A (CLEC5A, MDL-1) promotes brain glioblastoma tumorigenesis by regulating PI3K/Akt signalling. *Cell Prolif*. 2019;52(3):e12584. doi:[10.1111/cpr.12584](https://doi.org/10.1111/cpr.12584)

Pae CU, Kim TS, Kwon OJ, Artioli P, Serretti A, Lee CU, Lee SJ, Lee C, Paik IH, Kim JJ. Polymorphisms of heat shock protein 70 gene (HSPA1A, HSPA1B and

HSPA1L) and schizophrenia. *Neurosci Res.* 2005;53(1):8-13. doi:[10.1016/j.neures.2005.05.004](https://doi.org/10.1016/j.neures.2005.05.004)

Liou HL, Dixit SS, Xu S, Tint GS, Stock AM, Lobel P. NPC2, the protein deficient in Niemann-Pick C2 disease, consists of multiple glycoforms that bind a variety of sterols. *J Biol Chem.* 2006;281(48):36710-36723. doi:[10.1074/jbc.M608743200](https://doi.org/10.1074/jbc.M608743200)

Sinkevicius KW, Morrison TR, Kulkarni P, Caffrey Cagliostro MK, Iriah S, Malmberg S, Sabrick J, Honeycutt JA, Askew KL et al. RNaseT2 knockout rats exhibit hippocampal neuropathology and deficits in memory. *Dis Model Mech.* 2018;11(6). doi:[10.1242/dmm.032631](https://doi.org/10.1242/dmm.032631)

Carson R, McKnight AJ, Todd S, Liu WW, Heggarty S, Craig D, McGuinness B, Irvine GB, Passmore AP, Johnston JA. Variation in RTN3 and PPIL2 genes does not influence platelet membrane beta-secretase activity or susceptibility to Alzheimer's disease in the northern Irish population. *Neuromolecular Med.* 2009;11(4):337-44. doi:[10.1007/s12017-009-8080-3](https://doi.org/10.1007/s12017-009-8080-3)

Llano DA, Devanarayan P, Devanarayan V. VGF in Cerebrospinal Fluid Combined With Conventional Biomarkers Enhances Prediction of Conversion From MCI to AD. *Alzheimer Dis Assoc Disord.* 2019. doi:[10.1097/WAD.0000000000000328](https://doi.org/10.1097/WAD.0000000000000328)

Shibasaki Y, Baillie DA, St Clair D, Brookes AJ. High-resolution mapping of SNCA encoding alpha-synuclein, the non-A beta component of Alzheimer's disease amyloid precursor, to human chromosome 4q21.3-->q22 by fluorescence in situ hybridization. *Cytogenet Cell Genet.* 1995;71(1):54-55. doi:[10.1159/000134061](https://doi.org/10.1159/000134061)

Liu SJ, Yang C, Zhang Y, Su RY, Chen JL, Jiao MM, Chen HF, Zheng N, Luo S, Chen YB et al. Neuroprotective effect of  $\beta$ -asarone against Alzheimer's disease: regulation of synaptic plasticity by increased expression of SYP and GluR1. *Drug Des Devel Ther.* 2016;10:1461-1469. doi:[10.2147/DDDT.S93559](https://doi.org/10.2147/DDDT.S93559)

Ma QL, Teng E, Zuo X, Jones M, Teter B, Zhao EY, Zhu C, Bilousova T, Gylys KH, Apostolova LG et al. Neuronal pentraxin 1: A synaptic-derived plasma biomarker in Alzheimer's disease. *Neurobiol Dis.* 2018;114:120-128. doi:[10.1016/j.nbd.2018.02.014](https://doi.org/10.1016/j.nbd.2018.02.014)

Tarawneh R, D'Angelo G, Crimmins D, Herries E, Griest T, Fagan AM, Zipfel GJ, Ladenson JH, Morris JC, Holtzman DM. Diagnostic and Prognostic Utility of the Synaptic Marker Neurogranin in Alzheimer Disease. *JAMA Neurol.* 2016;73(5):561-571. doi:[10.1001/jamaneurol.2016.0086](https://doi.org/10.1001/jamaneurol.2016.0086)

Bakalash S, Pham M, Koronyo Y, Salumbides BC, Kramerov A, Seidenberg H, Berel D, Black KL, Koronyo-Hamaoui M. Egr1 expression is induced following glatiramer acetate immunotherapy in rodent models of glaucoma and Alzheimer's disease. *Invest Ophthalmol Vis Sci.* 2011;52(12):9033-9046. doi:[10.1167/iovs.11-7498](https://doi.org/10.1167/iovs.11-7498)

Liu SL, Wang C, Jiang T, Tan L, Xing A, Yu JT. The Role of Cdk5 in Alzheimer's Disease. *Mol Neurobiol.* 2016;53(7):4328-4342. doi:[10.1007/s12035-015-9369-x](https://doi.org/10.1007/s12035-015-9369-x)

Hasegawa M, Arai T, Ihara Y. Immunochemical evidence that fragments of phosphorylated MAP5 (MAP1B) are bound to neurofibrillary tangles in Alzheimer's disease. *Neuron.* 1990;4(6):909-918.

Zhang M, Cai F, Zhang S, Zhang S, Song W. Overexpression of ubiquitin carboxyl-terminal hydrolase L1 (UCHL1) delays Alzheimer's progression in vivo. *Sci Rep.* 2014;4:7298. doi:[10.1038/srep07298](https://doi.org/10.1038/srep07298)

Wen L, Tang FL, Hong Y, Luo SW, Wang CL, He W, Shen C, Jung JU, Xiong F, Lee DH et al. VPS35 haploinsufficiency increases Alzheimer's disease neuropathology. *J Cell Biol.* 2011;195(5):765-779. doi:[10.1083/jcb.201105109](https://doi.org/10.1083/jcb.201105109)

Abel D, Michel O, Veerhuis R, Jacobs M, van Dijk M, Oudejans CB. Direct downregulation of CNTNAP2 by STOX1A is associated with Alzheimer's disease. *J Alzheimers Dis.* 2012;31(4):793-800. doi:[10.3233/JAD-2012-120472](https://doi.org/10.3233/JAD-2012-120472)

Traina G, Federighi G, Brunelli M. Up-regulation of kinesin light-chain 1 gene expression by acetyl-L-carnitine: therapeutic possibility in Alzheimer's disease. *Neurochem Int.* 2008;53(6-8):244-247. doi:[10.1016/j.neuint.2008.08.001](https://doi.org/10.1016/j.neuint.2008.08.001)

Zhang L, Fang Y, Cheng X, Lian YJ, Xu HL. Silencing of Long Noncoding RNA SOX21-AS1 Relieves Neuronal Oxidative Stress Injury in Mice with Alzheimer's Disease by Upregulating FZD3/5 via the Wnt Signaling Pathway. *Mol Neurobiol.* 2019;56(5):3522-3537. doi:[10.1007/s12035-018-1299-y](https://doi.org/10.1007/s12035-018-1299-y)

Perry RH, Dockray GJ, Dimaline R, Perry EK, Blessed G, Tomlinson BE. Neuropeptides in Alzheimer's disease, depression and schizophrenia. A post mortem analysis of vasoactive intestinal peptide and cholecystokinin in cerebral cortex. *J Neurol Sci.* 1981;51(3):465-472. doi:[10.1016/0022-510x\(81\)90123-4](https://doi.org/10.1016/0022-510x(81)90123-4)

Matsui C, Inoue E, Kakita A, Arita K, Deguchi-Tawarada M, Togawa A, Yamada A, Takai Y, Takahashi H. Involvement of the  $\gamma$ -secretase-mediated EphA4 signaling pathway in synaptic pathogenesis of Alzheimer's disease. *Brain Pathol.* 2012;22(6):776-787. doi:[10.1111/j.1750-3639.2012.00587.x](https://doi.org/10.1111/j.1750-3639.2012.00587.x)

Reumiller CM, Schmidt GJ, Dhrami I, Umlauf E, Rappold E, Zellner M. Gender-related increase of tropomyosin-1 abundance in platelets of Alzheimer's disease and mild cognitive impairment patients. *J Proteomics.* 2018;178:73-81. doi:[10.1016/j.jprot.2017.12.018](https://doi.org/10.1016/j.jprot.2017.12.018)

Watanabe N, Toba J, Yoshii A, Nikkuni M, Ohshima T. Colocalization of phosphorylated forms of WAVE1, CRMP2, and tau in Alzheimer's disease model mice: Involvement of Cdk5 phosphorylation and the effect of ATRA treatment. *J Neurosci Res.* 2016;94(1):15-26. doi:[10.1002/jnr.23674](https://doi.org/10.1002/jnr.23674)

Juneja M, Azmi A, Baets J, Roos A, Jennings MJ, Saveri P, Pisciotta C, Bernard-Marissal N, Schneider BL, Verfaillie C et al PFN2 and GAMT as common molecular determinants of axonal Charcot-Marie-Tooth disease. *J Neurol Neurosurg Psychiatry.* 2018;89(8):870-878. doi:[10.1136/jnnp-2017-317562](https://doi.org/10.1136/jnnp-2017-317562)

Koga M, Ishiguro H, Horiuchi Y, Inada T, Ujike H, Itokawa M, Otowa T, Watanabe Y, Someya T, Arinami T. Replication study of association between ADCYAP1 gene polymorphisms and schizophrenia. *Psychiatr Genet.* 2010;20(3):123-125. doi:[10.1097/YPG.0b013e32833a1f52](https://doi.org/10.1097/YPG.0b013e32833a1f52)

Duong L, Klitten LL, Møller RS, Ingason A, Jakobsen KD, Skjødt C, Didriksen M, Hjalgrim H, Werge T, Tommerup N. Mutations in NRXN1 in a family multiply affected with brain disorders: NRXN1 mutations and brain disorders. *Am J Med Genet B Neuropsychiatr Genet.* 2012;159B(3):354-358. doi:[10.1002/ajmg.b.32036](https://doi.org/10.1002/ajmg.b.32036)

Francks C, Maegawa S, Laurén J, Abrahams BS, Velayos-Baeza A, Medland SE, Colella S, Groszer M, McAuley EZ, Caffrey TM et al. LRRTM1 on chromosome 2p12 is a maternally suppressed gene that is associated paternally with handedness

and schizophrenia. *Mol Psychiatry*. 2007;12(12):1129-1139. doi:[10.1038/sj.mp.4002053](https://doi.org/10.1038/sj.mp.4002053)

Håvik B, Degenhardt FA, Johansson S, Fernandes CP, Hinney A, Scherag A, Lybæk H, Djurovic S, Christoforou A, Ersland KM et al. DCLK1 variants are associated across schizophrenia and attention deficit/hyperactivity disorder. *PLoS One*. 2012;7(4):e35424. doi:[10.1371/journal.pone.0035424](https://doi.org/10.1371/journal.pone.0035424)

Scheffer IE, Harkin LA, Grinton BE, Dibbens LM, Turner SJ, Zielinski MA, Xu R, Jackson G, Adams J, Connellan M et al. Temporal lobe epilepsy and GEFS+ phenotypes associated with SCN1B mutations. *Brain*. 2007;130(Pt 1):100-109. doi:[10.1093/brain/awl272](https://doi.org/10.1093/brain/awl272)

Guella I, Huh L, McKenzie MB, Toyota EB, Bebin EM, Thompson ML, Cooper GM, Evans DM, Buerki SE, Adam S et al De novo FGF12 mutation in 2 patients with neonatal-onset epilepsy. *Neurol Genet*. 2016;2(6):e120. doi:[10.1212/NXG.0000000000000120](https://doi.org/10.1212/NXG.0000000000000120)

Conroy J, Allen NM, Gorman KM, Shahwan A, Ennis S, Lynch SA, King MD. NAPB - a novel SNARE-associated protein for early-onset epileptic encephalopathy. *Clin Genet*. 2016;89(2):E1-E3. doi:[10.1111/cge.12648](https://doi.org/10.1111/cge.12648)

Dhindsa RS, Bradrick SS, Yao X, Heinzen EL, Petrovski S, Krueger BJ, Johnson MR, Frankel WN, Petrou S, Boumil RM et al. Epileptic encephalopathy-causing mutations in DNMI1 impair synaptic vesicle endocytosis. *Neurol Genet*. 2015;1(1):e4. doi:[10.1212/01.NXG.0000464295.65736.da](https://doi.org/10.1212/01.NXG.0000464295.65736.da)

Assoum M, Philippe C2, Isidor B3, Perrin L4, Makrythanasis P5, Sondheimer N6, Paris C7, Douglas J8, Lesca G9, Antonarakis S et al. Autosomal-Recessive Mutations in AP3B2, Adaptor-Related Protein Complex 3 Beta 2 Subunit, Cause an Early-Onset Epileptic Encephalopathy with Optic Atrophy. *Am J Hum Genet*. 2016;99(6):1368-1376. doi:[10.1016/j.ajhg.2016.10.009](https://doi.org/10.1016/j.ajhg.2016.10.009)

Brighina L, Okubadejo NU, Schneider NK, Lesnick TG, de Andrade M, Cunningham JM, Farrer MJ, Lincoln SJ, Rocca WA, Maraganore DM. Beta-synuclein gene variants and Parkinson's disease: a preliminary case-control study. *Neurosci Lett*. 2007;420(3):229-234. doi:[10.1016/j.neulet.2007.05.021](https://doi.org/10.1016/j.neulet.2007.05.021)

Pankratz N, Beecham GW, DeStefano AL, Dawson TM, Doheny KF, Factor SA, Hamza TH, Hung AY, Hyman BT, Ivinson AJ et al. Meta-analysis of Parkinson's disease: identification of a novel locus, RIT2. *Ann Neurol.* 2012;71(3):370-384. doi:[10.1002/ana.22687](https://doi.org/10.1002/ana.22687)

Lorenzo-Betancor O, Wszolek ZK, Ross OA. Rare variants in MC1R/TUBB3 exon 1 are not associated with Parkinson's disease. *Ann Neurol.* 2016;79(2):331. doi:[10.1002/ana.24581](https://doi.org/10.1002/ana.24581)

Lanoue AC, Blatt GJ, Soghomonian JJ. Decreased parvalbumin mRNA expression in dorsolateral prefrontal cortex in Parkinson's disease. *Brain Res.* 2013;1531:37-47. doi:[10.1016/j.brainres.2013.07.025](https://doi.org/10.1016/j.brainres.2013.07.025)

Nouredine MA, Qin XJ, Oliveira SA, Skelly TJ, van der Walt J, Hauser MA, Pericak-Vance MA, Vance JM, Li YJ. Association between the neuron-specific RNA-binding protein ELAVL4 and Parkinson disease. *Hum Genet.* 2005;117(1):27-33. doi:[10.1007/s00439-005-1259-2](https://doi.org/10.1007/s00439-005-1259-2)

Okamoto N, Hatsukawa Y, Shimojima K, Yamamoto T. Submicroscopic deletion in 7q31 encompassing CADPS2 and TSPAN12 in a child with autism spectrum disorder and PHPV. *Am J Med Genet A.* 2011;155A(7):1568-1573. doi:[10.1002/ajmg.a.34028](https://doi.org/10.1002/ajmg.a.34028)

Carayol J, Sacco R, Tores F, Rousseau F, Lewin P, Hager J, Persico AM. Converging evidence for an association of ATP2B2 allelic variants with autism in male subjects. *Biol Psychiatry.* 2011;70(9):880-887. doi:[10.1016/j.biopsych.2011.05.020](https://doi.org/10.1016/j.biopsych.2011.05.020)

Wang Y, Fang Y, Zhang F, Xu M, Zhang J, Yan J, Ju W, Brown WT, Zhong N. Hypermethylation of the enolase gene (ENO2) in autism. *Eur J Pediatr.* 2014;173(9):1233-1244. doi:[10.1007/s00431-014-2311-9](https://doi.org/10.1007/s00431-014-2311-9)

Cunningham S, O'Doherty C, Patterson C, McDonnell G, Hawkins S, Marrosu MG, Vandebroek K. The neuropeptide genes TAC1, TAC3, TAC4, VIP and PACAP(ADCYAP1), and susceptibility to multiple sclerosis. *J Neuroimmunol.* 2007;183(1-2):208-213. doi:[10.1016/j.jneuroim.2006.11.002](https://doi.org/10.1016/j.jneuroim.2006.11.002)



Diez M, Koistinaho J, Dearmond SJ, Groth D, Prusiner SB, Hökfelt T. Marked decrease of neuropeptide Y Y2 receptor binding sites in the hippocampus in murine prion disease. *Proc Natl Acad Sci U S A*. 1997;94(24):13267-13272. doi:[10.1073/pnas.94.24.13267](https://doi.org/10.1073/pnas.94.24.13267)

Guo Y, Gong HS, Zhang J, Xie WL, Tian C, Chen C, Shi Q, Wang SB, Xu Y, Zhang BY et al. Remarkable reduction of MAP2 in the brains of scrapie-infected rodents and human prion disease possibly correlated with the increase of calpain. *PLoS One*. 2012;7(1):e30163. doi:[10.1371/journal.pone.0030163](https://doi.org/10.1371/journal.pone.0030163)

Gavín R, Ferrer I, del Río JA. Involvement of Dab1 in APP processing and beta-amyloid deposition in sporadic Creutzfeldt-Jakob patients. *Neurobiol Dis*. 2010;37(2):324-329. doi:[10.1016/j.nbd.2009.10.010](https://doi.org/10.1016/j.nbd.2009.10.010)

Jeong BH, Kim HJ, Lee KH, Carp RI, Kim YS. RARB and STMN2 polymorphisms are not associated with sporadic Creutzfeldt-Jakob disease (CJD) in the Korean population. *Mol Biol Rep*. 2014;41(4):2389-2395. doi:[10.1007/s11033-014-3093-x](https://doi.org/10.1007/s11033-014-3093-x)

Peoc'h K, Manivet P, Beaudry P, Attane F, Besson G, Hannequin D, Delasnerie-Lauprêtre N, Laplanche JL. Identification of three novel mutations (E196K, V203I, E211Q) in the prion protein gene (PRNP) in inherited prion diseases with Creutzfeldt-Jakob disease phenotype. *Hum Mutat*. 2000;15(5):482. doi:[10.1002/\(SICI\)1098-1004\(200005\)15:5<482::AID-HUMU16>3.0.CO;2-1](https://doi.org/10.1002/(SICI)1098-1004(200005)15:5<482::AID-HUMU16>3.0.CO;2-1)

Modregger J, DiProspero NA, Charles V, Tagle DA, Plomann M. PACSIN 1 interacts with huntingtin and is absent from synaptic varicosities in presymptomatic Huntington's disease brains. *Hum Mol Genet*. 2002;11(21):2547-2558. doi:[10.1093/hmg/11.21.2547](https://doi.org/10.1093/hmg/11.21.2547)

Schipper HM. Heme oxygenase-1 in Alzheimer disease: a tribute to Moussa Youdim. *J Neural Transm (Vienna)*. 2011;118(3):381-387. doi:[10.1007/s00702-010-0436-1](https://doi.org/10.1007/s00702-010-0436-1)

Counts SE, Mufson EJ. Regulator of Cell Cycle (RGCC) Expression During the Progression of Alzheimer's Disease. *Cell Transplant*. 2017;26(4):693-702. doi:[10.3727/096368916X694184](https://doi.org/10.3727/096368916X694184)

Olmos-Alonso A, Schettters ST, Sri S, Askew K, Mancuso R, Vargas-Caballero M, Holscher C, Perry VH, Gomez-Nicola D. Pharmacological targeting of CSF1R inhibits microglial proliferation and prevents the progression of Alzheimer's-like pathology. *Brain*. 2016;139(Pt 3):891-907. doi:[10.1093/brain/awv379](https://doi.org/10.1093/brain/awv379)

Turunen M, Vepsäläinen S, Mäkinen P, Helisalmi S, Haapasalo A, Soininen H, Hiltunen M. No association between high temperature requirement 1 (HTRA1) gene polymorphisms and Alzheimer's disease. *Neurobiol Aging*. 2011;32(3):547.e7-9. doi:[10.1016/j.neurobiolaging.2009.08.010](https://doi.org/10.1016/j.neurobiolaging.2009.08.010)

Baron BW, Pytel P. Expression Pattern of the BCL6 and ITM2B Proteins in Normal Human Brains and in Alzheimer Disease. *Appl Immunohistochem Mol Morphol*. 2017;25(7):489-496. doi:[10.1097/PAI.0000000000000329](https://doi.org/10.1097/PAI.0000000000000329)

Paris D, Ait-Ghezala G, Bachmeier C, Laco G, Beaulieu-Abdelahad D, Lin Y, Jin C, Crawford F, Mullan M. The spleen tyrosine kinase (Syk) regulates Alzheimer amyloid- $\beta$  production and Tau hyperphosphorylation. *J Biol Chem*. 2014;289(49):33927-33944. doi:[10.1074/jbc.M114.608091](https://doi.org/10.1074/jbc.M114.608091)

Grewal RP, Morgan TE, Finch CE. C1qB and clusterin mRNA increase in association with neurodegeneration in sporadic amyotrophic lateral sclerosis. *Neurosci Lett*. 1999;271(1):65-67. doi:[10.1016/s0304-3940\(99\)00496-6](https://doi.org/10.1016/s0304-3940(99)00496-6)

Bernstein HG, Stricker R, Lendeckel U, Bertram I, Dobrowolny H, Steiner J, Bogerts B, Reiser G. Reduced neuronal co-localisation of nardilysin and the putative alpha-secretases ADAM10 and ADAM17 in Alzheimer's disease and Down syndrome brains. *Age (Dordr)*. 2009;31(1):11-25. doi:[10.1007/s11357-008-9076-x](https://doi.org/10.1007/s11357-008-9076-x)

Koshy B, Miyashita A, St Jean P, Stirnadel H, Kaise T, Rubio JP, Mooser V, Kuwano R, Irizarry MC. Genetic deficiency of plasma lipoprotein-associated phospholipase A2 (PLA2G7 V297F null mutation) and risk of Alzheimer's disease in Japan. *J Alzheimers Dis*. 2010;21(3):775-780. doi:[10.3233/JAD-2010-100513](https://doi.org/10.3233/JAD-2010-100513)

Chakrabarty P, Li A, Ladd TB, Strickland MR, Koller EJ, Burgess JD, Funk CC, Cruz PE, Allen M, Yaroshenko M et al. TLR5 decoy receptor as a novel anti-amyloid therapeutic for Alzheimer's disease. *J Exp Med*. 2018;215(9):2247-2264. doi:[10.1084/jem.20180484](https://doi.org/10.1084/jem.20180484)

Schwam EM, Nicholas T, Chew R, Billing CB, Davidson W, Ambrose D, Altstiel LD. A multicenter, double-blind, placebo-controlled trial of the PDE9A inhibitor, PF-04447943, in Alzheimer's disease. *Curr Alzheimer Res.* 2014;11(5):413-421.

Keating DJ, Chen C, Pritchard MA. Alzheimer's disease and endocytic dysfunction: clues from the Down syndrome-related proteins, DSCR1 and ITSN1. *Ageing Res Rev.* 2006;5(4):388-401. doi:[10.1016/j.arr.2005.11.001](https://doi.org/10.1016/j.arr.2005.11.001)

Yi C, Mei X, Ezan P, Mato S, Matias I, Giaume C, Koulakoff A. Astroglial connexin43 contributes to neuronal suffering in a mouse model of Alzheimer's disease. *Cell Death Differ.* 2016;23(10):1691-701. doi:[10.1038/cdd.2016.63](https://doi.org/10.1038/cdd.2016.63)

Chapuis J, Flaig A, Grenier-Boley B, Eysert F, Pottiez V, Deloison G, Vandeputte A, Ayrat AM, Mendes T, Desai S et al. Genome-wide, high-content siRNA screening identifies the Alzheimer's genetic risk factor FERMT2 as a major modulator of APP metabolism. *Acta Neuropathol.* 2017;133(6):955-966. doi:[10.1007/s00401-016-1652-z](https://doi.org/10.1007/s00401-016-1652-z)

Zeng F, Zou HQ, Zhou HD, Li J, Wang L, Cao HY, Yi X, Wang X, Liang CR, Wang YR et al. The relationship between single nucleotide polymorphisms of the NTRK2 gene and sporadic Alzheimer's disease in the Chinese Han population. *Neurosci Lett.* 2013;550:55-59. doi:[10.1016/j.neulet.2013.06.061](https://doi.org/10.1016/j.neulet.2013.06.061)

Shang Z, Lv H, Zhang M, Duan L, Wang S, Li J, Liu G, Ruijie Z, Jiang Y. Genome-wide haplotype association study identify TNFRSF1A, CASP7, LRP1B, CDH1 and TG genes associated with Alzheimer's disease in Caribbean Hispanic individuals. *Oncotarget.* 2015;6(40):42504-42514. doi:[10.18632/oncotarget.6391](https://doi.org/10.18632/oncotarget.6391)

Afanador L, Roltsch EA, Holcomb L, Campbell KS, Keeling DA, Zhang Y, Zimmer DB. The Ca<sup>2+</sup> sensor S100A1 modulates neuroinflammation, histopathology and Akt activity in the PSAPP Alzheimer's disease mouse model. *Cell Calcium.* 2014;56(2):68-80. doi:[10.1016/j.ceca.2014.05.002](https://doi.org/10.1016/j.ceca.2014.05.002)

Shao Y, Shaw M, Todd K, Khrestian M, D'Aleo G, Barnard PJ, Zahratka J, Pillai J, Yu CE, Keene CD et al. DNA methylation of TOMM40-APOE-APOC2 in Alzheimer's disease. *J Hum Genet.* 2018;63(4):459-471. doi:[10.1038/s10038-017-0393-8](https://doi.org/10.1038/s10038-017-0393-8)

McAninch EA, Rajan KB, Evans DA, Jo S, Chaker L, Peeters RP, Bennett DA, Mash DC, Bianco AC. A Common DIO2 Polymorphism and Alzheimer Disease Dementia in African and European Americans. *J Clin Endocrinol Metab.* 2018;103(5):1818-1826. doi:[10.1210/jc.2017-01196](https://doi.org/10.1210/jc.2017-01196)

Maes OC, Schipper HM, Chong G, Chertkow HM, Wang E. A GSTM3 polymorphism associated with an etiopathogenetic mechanism in Alzheimer disease. *Neurobiol Aging.* 2010;31(1):34-45. doi:[10.1016/j.neurobiolaging.2008.03.007](https://doi.org/10.1016/j.neurobiolaging.2008.03.007)

Deiningner MH, Weinschenk T, Meyermann R, Schluesener HJ. The allograft inflammatory factor-1 in Creutzfeldt-Jakob disease brains. *Neuropathol Appl Neurobiol.* 2003;29(4):389-399.

Kumar R, McClain D, Young R, Carlson GA. Cholesterol transporter ATP-binding cassette A1 (ABCA1) is elevated in prion disease and affects PrPC and PrPSc concentrations in cultured cells. *J Gen Virol.* 2008;89(Pt 6):1525-32. doi:[10.1099/vir.0.83358-0](https://doi.org/10.1099/vir.0.83358-0)

Rodríguez A, Pérez-Gracia E, Espinosa JC, Pumarola M, Torres JM, Ferrer I. Increased expression of water channel aquaporin 1 and aquaporin 4 in Creutzfeldt-Jakob disease and in bovine spongiform encephalopathy-infected bovine-PrP transgenic mice. *Acta Neuropathol.* 2006;112(5):573-585. doi:[10.1007/s00401-006-0117-1](https://doi.org/10.1007/s00401-006-0117-1)

Kordek R, Nerurkar VR, Liberski PP, Isaacson S, Yanagihara R, Gajdusek DC. Heightened expression of tumor necrosis factor alpha, interleukin 1 alpha, and glial fibrillary acidic protein in experimental Creutzfeldt-Jakob disease in mice. *Proc Natl Acad Sci U S A.* 1996;93(18):9754-9758. doi:[10.1073/pnas.93.18.9754](https://doi.org/10.1073/pnas.93.18.9754)

Claus P, Werner S, Timmer M, Grothe C. Expression of the fibroblast growth factor-2 isoforms and the FGF receptor 1-4 transcripts in the rat model system of Parkinson's disease. *Neurosci Lett.* 2004;360(3):117-120. doi:[10.1016/j.neulet.2004.01.046](https://doi.org/10.1016/j.neulet.2004.01.046)

Falk T, Zhang S, Sherman SJ. Vascular endothelial growth factor B (VEGF-B) is up-regulated and exogenous VEGF-B is neuroprotective in a culture model of Parkinson's disease. *Mol Neurodegener.* 2009;4:49. doi:[10.1186/1750-1326-4-49](https://doi.org/10.1186/1750-1326-4-49)

Bourque M, Morissette M, Côté M, Soulet D, Di Paolo T. Implication of GPER1 in neuroprotection in a mouse model of Parkinson's disease. *Neurobiol Aging*. 2013;34(3):887-901. doi:[10.1016/j.neurobiolaging.2012.05.022](https://doi.org/10.1016/j.neurobiolaging.2012.05.022)

Kim KS, Marcogliese PC, Yang J, Callaghan SM, Resende V, Abdel-Messih E, Marras C, Visanji NP, Huang J, Schlossmacher MG et al. Regulation of myeloid cell phagocytosis by LRRK2 via WAVE2 complex stabilization is altered in Parkinson's disease. *Proc Natl Acad Sci U S A*. 2018;115(22):E5164-E5173. doi:[10.1073/pnas.1718946115](https://doi.org/10.1073/pnas.1718946115)

Mittal S, Bjørnevik K, Im DS, Flierl A, Dong X, Locascio JJ, Abo KM, Long E, Jin M, Xu B et al.  $\beta$ 2-Adrenoreceptor is a regulator of the  $\alpha$ -synuclein gene driving risk of Parkinson's disease. *Science*. 2017;357(6354):891-898. doi:[10.1126/science.aaf3934](https://doi.org/10.1126/science.aaf3934)

Okubadejo N, Britton A, Crews C, Akinyemi R, Hardy J, Singleton A, Bras J. Analysis of Nigerians with apparently sporadic Parkinson disease for mutations in LRRK2, PRKN and ATXN3. *PLoS One*. 2008;3(10):e3421. doi:[10.1371/journal.pone.0003421](https://doi.org/10.1371/journal.pone.0003421)

Stichel CC, Schoenebeck B, Foguet M, Siebertz B, Bader V, Zhu XR, Lübbert H. sgk1, a member of an RNA cluster associated with cell death in a model of Parkinson's disease. *Eur J Neurosci*. 2005;21(2):301-316. doi:[10.1111/j.1460-9568.2005.03859.x](https://doi.org/10.1111/j.1460-9568.2005.03859.x)

Lorenzl S, Albers DS, Narr S, Chirichigno J, Beal MF. Expression of MMP-2, MMP-9, and MMP-1 and their endogenous counterregulators TIMP-1 and TIMP-2 in postmortem brain tissue of Parkinson's disease. *Exp Neurol*. 2002;178(1):13-20. doi:[10.1006/exnr.2002.8019](https://doi.org/10.1006/exnr.2002.8019)

Turic D, Langley K, Williams H, Norton N, Williams NM, Moskvina V, Van den Bree MB, Owen MJ, Thapar A, O'Donovan MC. et al. A family based study implicates solute carrier family 1-member 3 (SLC1A3) gene in attention-deficit/hyperactivity disorder. *Biol Psychiatry*. 2005;57(11):1461-1466. doi:[10.1016/j.biopsych.2005.03.025](https://doi.org/10.1016/j.biopsych.2005.03.025)

Chen X, Wang X, Chen Q, Williamson V, van den Oord E, Maher BS, O'Neill FA, Walsh D, Kendler KS. MEGF10 association with schizophrenia. *Biol Psychiatry*. 2008;63(5):441-448. doi:[10.1016/j.biopsych.2007.11.003](https://doi.org/10.1016/j.biopsych.2007.11.003)

Jia Y, Yu X, Zhang B, Yuan Y, Xu Q, Shen Y, Shen Y. An association study between polymorphisms in three genes of 14-3-3 (tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein) family and paranoid schizophrenia in northern Chinese population. *Eur Psychiatry*. 2004;19(6):377-379. doi:[10.1016/j.eurpsy.2004.07.006](https://doi.org/10.1016/j.eurpsy.2004.07.006)

Yamamoto A, Suzuki T, Sakaki Y. Isolation of hNap1BP which interacts with human Nap1 (NCKAP1) whose expression is down-regulated in Alzheimer's disease. *Gene*. 2001;271(2):159-169. doi:[10.1016/s0378-1119\(01\)00521-2](https://doi.org/10.1016/s0378-1119(01)00521-2)

Bill BR, Lowe JK, Dybuncio CT, Fogel BL. Orchestration of neurodevelopmental programs by RBFOX1: implications for autism spectrum disorder. *Int Rev Neurobiol*. 2013;113:251-267. doi:[10.1016/B978-0-12-418700-9.00008-3](https://doi.org/10.1016/B978-0-12-418700-9.00008-3)

Wilhelmus MM, Boelens WC, Otte-Höller I, Kamps B, Kusters B, Maat-Schieman ML, de Waal RM, Verbeek MM. Small heat shock protein HspB8: its distribution in Alzheimer's disease brains and its inhibition of amyloid-beta protein aggregation and cerebrovascular amyloid-beta toxicity. *Acta Neuropathol*. 2006;111(2):139-149. doi:[10.1007/s00401-005-0030-z](https://doi.org/10.1007/s00401-005-0030-z)

Seidel K, Vinet J, Dunnen WF, Brunt ER, Meister M, Boncoraglio A, Zijlstra MP, Boddeke HW, Rüb U, Kampinga HH et al. The HSPB8-BAG3 chaperone complex is upregulated in astrocytes in the human brain affected by protein aggregation diseases. *Neuropathol Appl Neurobiol*. 2012;38(1):39-53. doi:[10.1111/j.1365-2990.2011.01198.x](https://doi.org/10.1111/j.1365-2990.2011.01198.x)



## Tables

**Table 1** The statistical metrics for key differentially expressed genes (DEGs)

Illumina Id	Gene Symbol	logFC	P Value	Adj. P Value	t value	Regulation	Gene Name
ILMN_1803036	TARBP1	0.862546	7.81E-09	0.000122	9.215789	Up	TAR (HIV-1) RNA binding protein 1
ILMN_1756701	DHRS11	0.863093	3.8E-07	0.000337	7.250194	Up	dehydrogenase/reductase 11
ILMN_2204754	TMX4	0.934932	6.8E-07	0.000381	6.976256	Up	thioredoxin related transmembrane protein 4
ILMN_1713491	VAMP2	1.205196	8.98E-07	0.000408	6.847422	Up	vesicle associated membrane protein 2
ILMN_1814787	ICA1	1.096951	9E-07	0.000408	6.846489	Up	islet cell autoantigen 1
ILMN_1771652	BAIAP2L2	0.946928	3.01E-06	0.000587	6.296104	Up	BAI1 associated protein 2 like 2
ILMN_1674661	CIRBP	1.937232	3.31E-06	0.000602	6.253559	Up	cold inducible RNA binding protein
ILMN_2365569	ICA1	0.907275	3.38E-06	0.000609	6.245363	Up	islet cell autoantigen 1
ILMN_1682326	PCP4	2.050131	3.42E-06	0.000609	6.239412	Up	Purkinje cell protein 4
ILMN_1779742	GABRD	0.922308	3.47E-06	0.000609	6.232455	Up	gamma-aminobutyric acid type A receptor delta subunit
ILMN_1808765	ZNF25	1.182797	3.52E-06	0.000609	6.226058	Up	zinc finger protein 25
ILMN_1652540	RELL2	1.110282	3.68E-06	0.000613	6.206913	Up	RELT like 2
ILMN_1719998	STRBP	0.992143	4.01E-06	0.000613	6.168852	Up	spermatid perinuclear RNA binding protein
ILMN_1779241	CRYM	1.258922	4.14E-06	0.000613	6.154647	Up	crystallin mu
ILMN_1727805	SYNGR1	0.949612	4.22E-06	0.000613	6.145733	Up	synaptogyrin 1
ILMN_1812297	CYP26B1	1.695928	4.35E-06	0.000613	6.132594	Up	cytochrome P450 family 26 subfamily B member 1
ILMN_2345739	CAPRIN2	0.999502	5.33E-06	0.000666	6.042169	Up	caprin family member 2
ILMN_1769911	SLC38A1	1.016462	5.63E-06	0.000667	6.018074	Up	solute carrier family 38 member 1
ILMN_1763412	SPHKAP	1.196793	6.22E-06	0.000693	5.974505	Up	SPHK1 interactor, AKAP domain containing
ILMN_1712352	DOCK3	1.178133	6.68E-06	0.000705	5.942612	Up	dedicator of cytokinesis 3
ILMN_2354478	CYFIP2	1.308629	6.75E-06	0.000705	5.938463	Up	cytoplasmic FMR1 interacting protein 2
ILMN_2381938	ATP2B2	1.659403	6.76E-06	0.000705	5.937753	Up	ATPase plasma membrane Ca <sup>2+</sup> transporting 2
ILMN_1695947	SCN4B	0.856007	7.19E-06	0.000722	5.910291	Up	sodium voltage-gated channel beta subunit 4
ILMN_1682938	ARF3	0.863489	7.26E-06	0.000722	5.90645	Up	ADP ribosylation factor 3
ILMN_1758128	CYGB	0.966147	7.55E-06	0.000729	5.888887	Up	cytoglobin
ILMN_1735553	MAP3K9	0.88995	8.15E-06	0.000757	5.855754	Up	mitogen-activated protein kinase kinasekinase 9
ILMN_2400947	CELF2	0.998713	8.61E-06	0.000777	5.831371	Up	CUGBP Elav-like family member 2
ILMN_1793651	UBE2N	0.922853	8.77E-06	0.000781	5.823227	Up	ubiquitin conjugating enzyme E2 N
ILMN_1730818	MIR7-3HG	0.98763	8.82E-06	0.000781	5.820718	Up	MIR7-3 host gene
ILMN_1662470	FAM241B	0.921613	9.1E-06	0.000785	5.807224	Up	family with sequence similarity 241 member B
ILMN_1764780	SVOP	1.731461	9.43E-06	0.000789	5.791618	Up	SV2 related protein
ILMN_1795561	CAMK1D	1.083349	9.51E-06	0.000789	5.788122	Up	calcium/calmodulin dependent protein kinase ID
ILMN_1657554	TSPYL2	1.050072	9.51E-06	0.000789	5.787888	Up	TSPY like 2
ILMN_1692398	CNTNAP1	1.130697	1.03E-05	0.00081	5.7551	Up	contactin associated protein 1
ILMN_1802223	ATP2B2	1.235419	1.04E-05	0.00081	5.749995	Up	ATPase plasma membrane Ca <sup>2+</sup> transporting 2
ILMN_1784783	NME5	0.935549	1.11E-05	0.00082	5.720686	Up	NME/NM23 family member 5

ILMN_1723837	SLC6A17	1.33733	1.15E-05	0.000837	5.706401	Up	solute carrier family 6 member 17
ILMN_1680738	NREP	1.304269	1.16E-05	0.000847	5.700352	Up	neuronal regeneration related protein
ILMN_1805039	DPP10	0.939222	1.23E-05	0.000867	5.674692	Up	dipeptidyl peptidase like 10
ILMN_2397646	GPM6A	1.37146	1.24E-05	0.000867	5.673776	Up	glycoprotein M6A
ILMN_1736015	JADE1	0.949637	1.26E-05	0.000877	5.665905	Up	jade family PHD finger 1
ILMN_1753345	SCAMP5	1.137935	1.34E-05	0.000894	5.637955	Up	secretory carrier membrane protein 5
ILMN_1779428	CCDC184	1.321623	1.35E-05	0.000894	5.635181	Up	coiled-coil domain containing 184
ILMN_2414878	STXBP1	2.276537	1.39E-05	0.000902	5.621837	Up	syntaxin binding protein 1
ILMN_1654541	ATP6V1G2	1.571122	1.44E-05	0.000926	5.608303	Up	ATPase H <sup>+</sup> transporting V1 subunit G2
ILMN_1703408	FZD3	0.958702	1.5E-05	0.000936	5.59104	Up	frizzled class receptor 3
ILMN_1734021	CLSTN3	1.545043	1.54E-05	0.000949	5.578818	Up	calsyntenin 3
ILMN_1732066	CKMT1A	1.325128	1.57E-05	0.000953	5.571652	Up	creatine kinase, mitochondrial 1A
ILMN_1744937	PTPRM	0.917724	1.62E-05	0.000962	5.556377	Up	protein tyrosine phosphatase, receptor type M
ILMN_1722559	NEUROD6	1.043615	1.64E-05	0.000962	5.550915	Up	neuronal differentiation 6
ILMN_1728844	PTPRN2	0.935214	1.72E-05	0.000987	5.531362	Up	protein tyrosine phosphatase, receptor type N2
ILMN_2165463	HAPLN4	1.426121	1.73E-05	0.000994	5.527401	Up	hyaluronan and proteoglycan link protein 4
ILMN_1701483	SYP	1.850749	1.75E-05	0.001001	5.522234	Up	synaptophysin
ILMN_1803818	NMNAT2	1.622559	1.85E-05	0.001033	5.499488	Up	nicotinamide nucleotide adenylyltransferase 2
ILMN_2415189	ATP1A1	1.223192	1.93E-05	0.001053	5.481202	Up	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit alpha 1
ILMN_1720844	SSX2IP	0.871649	1.95E-05	0.001053	5.47711	Up	SSX family member 2 interacting protein
ILMN_1772627	NSG1	1.612518	2E-05	0.00106	5.464876	Up	neuronal vesicle trafficking associated 1 microtubule associated monooxygenase, calponin and LIM domain containing 2
ILMN_1785141	MICAL2	1.139667	2.04E-05	0.00107	5.45801	Up	SET and MYND domain containing 2
ILMN_1721605	SMYD2	1.16347	2.1E-05	0.001083	5.444879	Up	SET and MYND domain containing 2
ILMN_1754727	GPRASP2	1.424101	2.11E-05	0.001084	5.442489	Up	G protein-coupled receptor associated sorting protein 2
ILMN_1801703	CPLX1	1.453918	2.17E-05	0.0011	5.430795	Up	complexin 1
ILMN_1765796	ENO2	1.299932	2.2E-05	0.0011	5.424636	Up	enolase 2
ILMN_1712506	DPP6	1.033487	2.2E-05	0.0011	5.424246	Up	dipeptidyl peptidase like 6
ILMN_1676998	SCN2B	1.546344	2.24E-05	0.0011	5.417596	Up	sodium voltage-gated channel beta subunit 2
ILMN_1796673	RIT2	0.914308	2.26E-05	0.001102	5.413704	Up	Ras like without CAAX 2
ILMN_1672121	CCDC184	1.246942	2.28E-05	0.001107	5.408925	Up	coiled-coil domain containing 184
ILMN_1664537	USP11	0.88041	2.31E-05	0.001115	5.403764	Up	ubiquitin specific peptidase 11
ILMN_1684143	NPTXR	0.953438	2.32E-05	0.001115	5.402735	Up	neuronal pentraxin receptor
ILMN_1791726	TUBB3	1.350431	2.35E-05	0.001115	5.397323	Up	tubulin beta 3 class III
ILMN_1717803	CDK5R2	1.050159	2.38E-05	0.001117	5.391108	Up	cyclin dependent kinase 5 regulatory subunit 2
ILMN_1700628	DDX24	0.965537	2.39E-05	0.001121	5.388703	Up	DEAD-box helicase 24
ILMN_1717799	PRKCE	1.392944	2.42E-05	0.001124	5.383748	Up	protein kinase C epsilon
ILMN_2038775	TUBB2A	1.142039	2.52E-05	0.001153	5.36694	Up	tubulin beta 2A class IIa
ILMN_2044813	TUBB2A	1.13073	2.53E-05	0.001153	5.365452	Up	tubulin beta 2A class IIa
ILMN_1653200	SLC22A17	0.908235	2.62E-05	0.001165	5.350312	Up	solute carrier family 22 member 17
ILMN_2359168	RBFOX1	1.348472	2.74E-05	0.001195	5.331188	Up	RNA binding fox-1 homolog 1
ILMN_1728747	STXBP1	1.562887	2.74E-05	0.001195	5.330369	Up	syntaxin binding protein 1
ILMN_1760088	CCKBR	1.114844	2.81E-05	0.001211	5.320566	Up	cholecystokinin B receptor

ILMN_1685496	RGS7	1.71146	2.83E-05	0.001211	5.317251	Up	regulator of G protein signaling 7
ILMN_1658289	WDR54	1.138994	2.84E-05	0.001212	5.315345	Up	WD repeat domain 54
ILMN_2195462	C1QTNF4	1.223524	2.92E-05	0.001236	5.302989	Up	C1q and TNF related 4
ILMN_1786379	SYNGR3	1.432497	2.95E-05	0.001242	5.298854	Up	synaptogyrin 3
ILMN_1763750	NPTX1	1.361965	2.98E-05	0.001246	5.295223	Up	neuronal pentraxin 1
ILMN_1701637	SULT4A1	1.825606	2.98E-05	0.001246	5.294821	Up	sulfotransferase family 4A member 1
ILMN_1806147	GNG3	1.056058	3.04E-05	0.001251	5.287106	Up	G protein subunit gamma 3
ILMN_1772645	AGK	0.908287	3.05E-05	0.001252	5.28498	Up	acylglycerol kinase
ILMN_1796962	PPP3R1	1.221939	3.1E-05	0.001261	5.278764	Up	protein phosphatase 3 regulatory subunit B, alpha
ILMN_1663444	LIN7B	1.00565	3.12E-05	0.001265	5.275107	Up	lin-7 homolog B, crumbs cell polarity complex component HECT and RLD domain containing E3 ubiquitin protein ligase family member 1
ILMN_1786211	HERC1	1.04834	3.19E-05	0.00128	5.26529	Up	HECT and RLD domain containing E3 ubiquitin protein ligase family member 1
ILMN_2221808	DGCR5	1.004588	3.26E-05	0.001287	5.256214	Up	DiGeorge syndrome critical region gene 5
ILMN_2151281	GABARAPL1	1.229594	3.44E-05	0.001312	5.233168	Up	GABA type A receptor associated protein like 1
ILMN_1808095	RNF41	1.041425	3.55E-05	0.001336	5.220184	Up	ring finger protein 41
ILMN_2120210	RCAN2	1.430712	3.63E-05	0.001342	5.211143	Up	regulator of calcineurin 2
ILMN_1683044	PPP1R2	0.857977	3.63E-05	0.001342	5.210627	Up	protein phosphatase 1 regulatory inhibitor subunit 2
ILMN_1779343	SNCB	2.22442	3.74E-05	0.001362	5.197702	Up	synuclein beta
ILMN_2215989	NEFM	2.490849	3.75E-05	0.001362	5.196827	Up	neurofilament medium
ILMN_1729165	TCEAL6	1.347129	3.95E-05	0.001411	5.17479	Up	transcription elongation factor A like 6
ILMN_1809613	NGEF	1.29077	3.97E-05	0.001416	5.172601	Up	neuronal guanine nucleotide exchange factor
ILMN_1731783	ATP1A1	1.590389	3.98E-05	0.001416	5.171812	Up	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit alpha 1
ILMN_1658576	PTPRN	1.23347	4.14E-05	0.001444	5.15524	Up	protein tyrosine phosphatase, receptor type N
ILMN_1693481	ATP2B3	1.00926	4.14E-05	0.001444	5.154901	Up	ATPase plasma membrane Ca <sup>2+</sup> transporting 3
ILMN_1763344	ADCYAP1	1.015132	4.14E-05	0.001444	5.15476	Up	adenylatecyclase activating polypeptide 1
ILMN_2120555	ADCY1	1.636339	4.15E-05	0.001444	5.153623	Up	adenylatecyclase 1
ILMN_1765966	CHGB	2.106015	4.26E-05	0.001459	5.142884	Up	chromogranin B
ILMN_1760160	STX1A	1.787104	4.27E-05	0.001459	5.141842	Up	syntaxin 1A
ILMN_2319326	ADARB1	0.861643	4.4E-05	0.001483	5.128896	Up	adenosine deaminase, RNA specific B1
ILMN_1716563	PRKCB	1.776401	4.42E-05	0.001483	5.127035	Up	protein kinase C beta
ILMN_1762531	FGF9	1.042022	4.42E-05	0.001483	5.126907	Up	fibroblast growth factor 9
ILMN_1800381	GNAO1	1.29281	4.54E-05	0.001506	5.115838	Up	G protein subunit alpha o1
ILMN_1806908	PRKCB	1.511486	4.7E-05	0.001532	5.10128	Up	protein kinase C beta
ILMN_1715927	VSTM2L	1.084737	4.73E-05	0.001534	5.097857	Up	V-set and transmembrane domain containing 2 like
ILMN_2199768	SLITRK4	1.258524	4.74E-05	0.001534	5.097762	Up	SLIT and NTRK like family member 4
ILMN_1785202	STAT4	1.640651	5.06E-05	0.001572	5.069645	Up	signal transducer and activator of transcription 4
ILMN_1814316	RBFOX1	1.382443	5.07E-05	0.001572	5.06842	Up	RNA binding fox-1 homolog 1
ILMN_2342554	TAGLN3	2.095976	5.34E-05	0.001625	5.046396	Up	transgelin 3
ILMN_1687821	C16orf45	1.077658	5.37E-05	0.001631	5.044189	Up	chromosome 16 open reading frame 45
ILMN_1788053	SLC25A12	1.247596	5.39E-05	0.001632	5.043036	Up	solute carrier family 25 member 12
ILMN_1655177	PI4KA	0.899499	5.45E-05	0.001639	5.038219	Up	phosphatidylinositol 4-kinase alpha
ILMN_1767662	CERS6	1.179006	5.46E-05	0.001639	5.03744	Up	ceramide synthase 6
ILMN_1673152	NRXN1	0.871951	5.53E-05	0.001654	5.032187	Up	neurexin 1

ILMN_1794200	KCNJ12	0.908552	5.77E-05	0.001692	5.014264	Up	
ILMN_1670000	DCAF6	1.163643	5.79E-05	0.001694	5.012302	Up	DDB1 and CUL4 associated factor 6
ILMN_2332250	ACOT7	1.61114	5.86E-05	0.001705	5.007401	Up	acyl-CoA thioesterase 7
ILMN_1679256	AP3B2	1.085251	5.89E-05	0.001709	5.005566	Up	adaptor related protein complex 3 subunit beta 2
ILMN_1751020	PACSIN1	1.253138	5.92E-05	0.001709	5.002919	Up	protein kinase C and casein kinase substrate in neurons 1
ILMN_2408430	LARGE1	1.142725	5.93E-05	0.001709	5.002365	Up	LARGE xylosyl- and glucuronyltransferase 1
ILMN_1685699	PRSS3	1.064411	5.94E-05	0.001709	5.001544	Up	serine protease 3
ILMN_1767365	PAK1	1.603493	5.99E-05	0.001711	4.997957	Up	p21 (RAC1) activated kinase 1
ILMN_1759613	PNMA6A	1.025044	6.03E-05	0.001713	4.995636	Up	PNMA family member 6A
ILMN_2241750	KALRN	0.921739	6.12E-05	0.00172	4.988947	Up	kalirinRhoGEF kinase
ILMN_1674778	ATP6V1G2- DDX39B	1.358803	6.23E-05	0.00174	4.981273	Up	ATP6V1G2-DDX39B readthrough (NMD candidate)
ILMN_2377900	MAP1B	1.551639	6.25E-05	0.001741	4.979938	Up	microtubule associated protein 1B
ILMN_1677439	GLS2	0.985317	6.28E-05	0.001741	4.978289	Up	glutaminase 2
ILMN_1734695	MAP4	1.805336	6.39E-05	0.001747	4.970938	Up	microtubule associated protein 4
ILMN_1690397	DYNC1H1	1.784178	6.42E-05	0.001751	4.968675	Up	dynein cytoplasmic 1 intermediate chain 1
ILMN_2281786	RTN1	2.860193	6.44E-05	0.001751	4.967598	Up	reticulon 1
ILMN_1770758	AKAP6	0.91749	6.45E-05	0.001753	4.966713	Up	A-kinase anchoring protein 6
ILMN_1770938	PAK5	1.103874	6.48E-05	0.001753	4.964722	Up	p21 (RAC1) activated kinase 5
ILMN_1801090	KRT222	1.307607	6.65E-05	0.001764	4.953809	Up	keratin 222
ILMN_1758825	ABLIM2	1.327023	6.74E-05	0.001779	4.948065	Up	actin binding LIM protein family member 2
ILMN_1751689	CHRM1	1.184176	6.79E-05	0.001784	4.945433	Up	cholinergic receptor muscarinic 1
ILMN_1679984	ZCCHC12	1.664142	6.92E-05	0.001803	4.937304	Up	zinc finger CCHC-type containing 12
ILMN_2412294	GNB5	1.038777	6.97E-05	0.001807	4.934222	Up	G protein subunit beta 5
ILMN_1657796	STMN1	1.226101	7.01E-05	0.001811	4.931623	Up	stathmin 1
ILMN_1716507	EPB41L1	1.151569	7.03E-05	0.001812	4.930356	Up	erythrocyte membrane protein band 4.1 like 1
ILMN_1802633	GABRA1	1.217609	7.11E-05	0.00182	4.925449	Up	gamma-aminobutyric acid type A receptor alpha1 subunit
ILMN_2180371	FAM216A	1.008591	7.18E-05	0.001824	4.921628	Up	family with sequence similarity 216 member A
ILMN_1739812	PRKCG	0.959013	7.25E-05	0.001834	4.917253	Up	protein kinase C gamma
ILMN_1733831	PGBD5	0.968327	7.39E-05	0.00185	4.909418	Up	piggyBac transposable element derived 5
ILMN_2165354	DCLK1	2.138468	7.43E-05	0.001852	4.90726	Up	doublecortin like kinase 1
ILMN_2104295	TMEM178A	1.366287	7.44E-05	0.001852	4.906361	Up	transmembrane protein 178A
ILMN_1756928	RTN1	2.206973	7.45E-05	0.001852	4.905889	Up	reticulon 1
ILMN_1672022	EPHA4	1.59297	7.6E-05	0.00187	4.897643	Up	EPH receptor A4
ILMN_1737611	VAMP1	1.668208	7.69E-05	0.00189	4.892354	Up	vesicle associated membrane protein 1
ILMN_2175317	CYP4X1	1.140455	7.73E-05	0.001897	4.890179	Up	cytochrome P450 family 4 subfamily X member 1
ILMN_1675797	EPDR1	1.424979	7.83E-05	0.001916	4.884851	Up	ependymin related 1
ILMN_1789505	ITPR1	1.51934	8.12E-05	0.001955	4.869687	Up	inositol 1,4,5-trisphosphate receptor type 1
ILMN_1798485	ATP6V1E1	0.872992	8.29E-05	0.001983	4.86103	Up	ATPase H+ transporting V1 subunit E1
ILMN_1779014	TSPYL1	1.542033	8.65E-05	0.002024	4.843112	Up	TSPY like 1
ILMN_1693233	KIAA0513	1.134577	8.7E-05	0.002028	4.840586	Up	KIAA0513
ILMN_2126038	STMN2	1.663457	8.71E-05	0.002028	4.839929	Up	stathmin 2
ILMN_1796417	ASNS	0.895524	8.73E-05	0.002028	4.839186	Up	asparagine synthetase (glutamine-hydrolyzing)

ILMN_1774604	PNKD	1.057759	8.77E-05	0.002028	4.837188	Up	PNKD, MBL domain containing
ILMN_2347298	TSPYL2	1.064776	8.84E-05	0.002028	4.834038	Up	TSPY like 2
ILMN_1726359	NECAP1	1.192472	8.9E-05	0.002034	4.83114	Up	NECAP endocytosis associated 1
ILMN_2342271	BCL11A	1.227763	9.03E-05	0.002054	4.825048	Up	B cell CLL/lymphoma 11A
ILMN_1700328	SCN3B	0.872911	9.04E-05	0.002055	4.82443	Up	sodium voltage-gated channel beta subunit 3
ILMN_2344298	STEAP2	1.198661	9.22E-05	0.00208	4.816293	Up	STEAP2 metalloreductase
ILMN_1733746	REEP1	1.349277	9.26E-05	0.002085	4.814404	Up	receptor accessory protein 1
ILMN_1806473	BEX5	1.878332	9.5E-05	0.002112	4.803748	Up	brain expressed X-linked 5
ILMN_1748812	TMEM130	1.346479	9.64E-05	0.00212	4.797232	Up	transmembrane protein 130
ILMN_1738989	SYBU	1.077237	9.69E-05	0.002126	4.795173	Up	syntabulin
ILMN_2109197	EPB41L3	1.514318	9.81E-05	0.00214	4.789886	Up	erythrocyte membrane protein band 4.1 like 3
ILMN_1775566	ATP1A1	1.616419	9.84E-05	0.002141	4.788846	Up	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit alpha 1
ILMN_1809101	STEAP2	1.155132	9.84E-05	0.002141	4.788732	Up	STEAP2 metalloreductase
ILMN_2289825	ARPP21	1.137896	9.85E-05	0.002141	4.788554	Up	cAMP regulated phosphoprotein 21
ILMN_1668619	FAM234B	1.003935	9.92E-05	0.002151	4.785496	Up	family with sequence similarity 234 member B
ILMN_2041236	RAP1GAP2	1.249491	0.0001	0.002165	4.780824	Up	RAP1 GTPase activating protein 2
ILMN_1757387	UCHL1	1.98895	0.000101	0.002171	4.779018	Up	ubiquitin C-terminal hydrolase L1
ILMN_1708508	PPM1E	1.130203	0.000102	0.002188	4.772476	Up	protein phosphatase, Mg <sup>2+</sup> /Mn <sup>2+</sup> dependent 1E
ILMN_2278152	TPM1	1.062929	0.000103	0.002188	4.771353	Up	tropomyosin 1
ILMN_1796069	CBLN2	1.276346	0.000103	0.002196	4.767961	Up	cerebellin 2 precursor
ILMN_1673704	INA	1.889812	0.000104	0.002201	4.76478	Up	internexin neuronal intermediate filament protein alpha
ILMN_2345319	PREPL	1.711017	0.000105	0.002215	4.76076	Up	prolylendopeptidase like
ILMN_1785406	NAP1L3	1.226425	0.000107	0.00223	4.752824	Up	nucleosome assembly protein 1 like 3
ILMN_1750599	ATP2B1	1.248732	0.000107	0.00223	4.752516	Up	ATPase plasma membrane Ca <sup>2+</sup> transporting 1
ILMN_2181892	BEX2	1.266488	0.000109	0.002248	4.746767	Up	brain expressed X-linked 2
ILMN_1656576	ATCAY	1.005135	0.00011	0.002252	4.740502	Up	ATCAY, caytaxin
ILMN_2387865	KCNIP4	1.047731	0.000112	0.002265	4.735491	Up	potassium voltage-gated channel interacting protein 4
ILMN_1792997	NPTN	0.936031	0.000114	0.002278	4.728252	Up	neuroplastin
ILMN_2234697	BEX1	1.475736	0.000114	0.00228	4.727445	Up	brain expressed X-linked 1
ILMN_1682799	STAMBPL1	0.947502	0.000115	0.002287	4.724256	Up	STAM binding protein like 1
ILMN_2376847	PDE1A	0.924609	0.000115	0.002287	4.724005	Up	phosphodiesterase 1A
ILMN_2139125	LRFN5	1.361166	0.000116	0.002301	4.720442	Up	leucine rich repeat and fibronectin type III domain containing 5
ILMN_1755582	PCSK1N	1.107307	0.000117	0.002315	4.715868	Up	proproteinconvertasesubtilisin/kexin type 1 inhibitor
ILMN_1783837	SYN1	1.245466	0.000117	0.002318	4.714308	Up	synapsin I
ILMN_1656560	PARM1	1.837656	0.00012	0.002349	4.704746	Up	prostate androgen-regulated mucin-like protein 1
ILMN_1770653	MAL2	1.601022	0.00012	0.00235	4.703987	Up	mal, T cell differentiation protein 2 (gene/pseudogene)
ILMN_1760866	FRRS1L	1.170745	0.000121	0.002358	4.701463	Up	ferric chelate reductase 1 like
ILMN_2056975	HPRT1	1.626848	0.000121	0.002358	4.700977	Up	hypoxanthine phosphoribosyltransferase 1
ILMN_1799604	OCIAD1	0.970674	0.000122	0.002363	4.698522	Up	OCIA domain containing 1
ILMN_1677680	FGF12	1.16096	0.000122	0.002364	4.698159	Up	fibroblast growth factor 12
ILMN_2065254	ELAVL4	1.483665	0.000123	0.002376	4.694342	Up	ELAV like RNA binding protein 4
ILMN_1680154	MAP1B	1.8944	0.000124	0.002379	4.69264	Up	microtubule associated protein 1B

ILMN_2406106	CACNB2	1.029685	0.000125	0.002387	4.689352	Up	calcium voltage-gated channel auxiliary subunit beta 2
ILMN_1759117	XK	1.015353	0.000125	0.002387	4.688738	Up	X-linked Kx blood group
ILMN_1745817	NELL1	1.650308	0.000128	0.002433	4.677612	Up	neural EGFL like 1
ILMN_1666385	CALM3	0.908609	0.000132	0.002471	4.664155	Up	calmodulin 3
ILMN_1653762	NRSN1	1.489678	0.000137	0.002515	4.650257	Up	neurensin 1
ILMN_1717477	PSD3	1.235456	0.000137	0.002515	4.649539	Up	pleckstrin and Sec7 domain containing 3
ILMN_2408080	SNAP25	2.729178	0.000137	0.002515	4.648781	Up	synaptosome associated protein 25
ILMN_2322446	PABPC1L2B	0.981356	0.000138	0.002516	4.646219	Up	poly(A) binding protein cytoplasmic 1 like 2B
ILMN_2100689	MAP2K4	1.174395	0.00014	0.002538	4.641062	Up	mitogen-activated protein kinase kinase 4
ILMN_1745994	GAS7	0.868175	0.000141	0.002556	4.636857	Up	growth arrest specific 7
ILMN_1705663	DMXL2	0.858505	0.000142	0.002558	4.636103	Up	Dmx like 2
ILMN_1745593	STMN1	0.870251	0.000142	0.002559	4.63579	Up	stathmin 1
ILMN_2330845	NSF	1.685669	0.000144	0.002584	4.628835	Up	N-ethylmaleimide sensitive factor, vesicle fusing ATPase
ILMN_1658499	SYT13	1.546667	0.000154	0.002686	4.60051	Up	synaptotagmin 13
ILMN_2373566	PJA1	0.94189	0.000155	0.002692	4.598467	Up	praja ring finger ubiquitin ligase 1
ILMN_2342174	WASF1	1.000147	0.00016	0.002746	4.58483	Up	WAS protein family member 1
ILMN_1787750	CD200	0.969315	0.000163	0.002784	4.577323	Up	CD200 molecule
ILMN_1801928	YWHAZ	1.041207	0.000165	0.0028	4.572621	Up	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein zeta
ILMN_1763491	CKMT1B	0.920718	0.000166	0.002807	4.569837	Up	creatine kinase, mitochondrial 1B
ILMN_1669631	GLRB	1.748696	0.000166	0.002807	4.569747	Up	glycine receptor beta
ILMN_2351638	BEX4	1.116916	0.00017	0.002841	4.55986	Up	brain expressed X-linked 4
ILMN_2049274	ARHGDIG	1.097655	0.00017	0.002841	4.559562	Up	Rho GDP dissociation inhibitor gamma
ILMN_1781987	CDK5	0.900754	0.000171	0.002854	4.556496	Up	cyclin dependent kinase 5
ILMN_1651826	BASP1	1.227162	0.000174	0.002881	4.549455	Up	brain abundant membrane attached signal protein 1
ILMN_2080080	MAP7D2	1.664082	0.000175	0.002887	4.547144	Up	MAP7 domain containing 2
ILMN_1697512	SLC32A1	1.428158	0.000176	0.002895	4.544283	Up	solute carrier family 32 member 1
ILMN_1661940	CAMTA1	1.1418	0.000177	0.002901	4.542908	Up	calmodulin binding transcription activator 1
ILMN_1733669	CDH18	1.227135	0.000186	0.002988	4.521046	Up	cadherin 18
ILMN_1813175	ADGRL1	1.07624	0.00019	0.00303	4.511742	Up	adhesion G protein-coupled receptor L1
ILMN_1742881	SYT1	2.010766	0.000192	0.003051	4.507944	Up	synaptotagmin 1
ILMN_2179029	LRRTM1	0.918806	0.000194	0.003065	4.504932	Up	leucine rich repeat transmembrane neuronal 1
ILMN_1797277	KIF3C	1.085299	0.000197	0.003093	4.497691	Up	kinesin family member 3C
ILMN_1759097	MLLT11	1.68688	0.0002	0.003117	4.491988	Up	MLLT11, transcription factor 7 cofactor
ILMN_1773307	NAP1L5	1.289208	0.0002	0.003123	4.490932	Up	nucleosome assembly protein 1 like 5
ILMN_1781060	SYN2	1.331032	0.000201	0.003129	4.489421	Up	synapsin II
ILMN_1745130	RBFOX2	0.884037	0.000202	0.003137	4.48675	Up	RNA binding fox-1 homolog 2
ILMN_1775448	PFN2	1.089696	0.000203	0.003149	4.484038	Up	profilin 2
ILMN_2060086	ADAM23	0.906705	0.000209	0.003196	4.47374	Up	ADAM metallopeptidase domain 23
ILMN_1810604	ELMOD1	1.760984	0.000209	0.003198	4.473179	Up	ELMO domain containing 1
ILMN_1679051	PTPRR	0.902585	0.000212	0.003228	4.467051	Up	protein tyrosine phosphatase, receptor type R
ILMN_1680353	NSF	1.448469	0.000215	0.003244	4.461914	Up	N-ethylmaleimide sensitive factor, vesicle fusing ATPase
ILMN_1679580	KCNIP4	1.166354	0.00022	0.003296	4.452236	Up	potassium voltage-gated channel interacting protein 4



ILMN_1804339	CAMK1G	1.065073	0.000221	0.003304	4.448736	Up	calcium/calmodulin dependent protein kinase IG
ILMN_1742167	TUBA1B	1.299942	0.000221	0.003304	4.448626	Up	tubulin alpha 1b
ILMN_1656145	GOT1	1.181531	0.000222	0.003304	4.448432	Up	glutamic-oxaloacetic transaminase 1
ILMN_1656913	MDH1	1.28813	0.000222	0.00331	4.446898	Up	malate dehydrogenase 1
ILMN_1733956	IARS	0.931889	0.000229	0.003365	4.433939	Up	isoleucyl-tRNA synthetase
ILMN_2306189	MAGED1	0.941965	0.000231	0.003365	4.431465	Up	MAGE family member D1
ILMN_1720158	ETS2	0.871497	0.000231	0.003367	4.430649	Up	ETS proto-oncogene 2, transcription factor
ILMN_2364700	ENSA	1.014412	0.000232	0.003371	4.428839	Up	endosulfine alpha
ILMN_1777261	FAM3C	1.265698	0.000235	0.003404	4.423196	Up	family with sequence similarity 3 member C
ILMN_2397842	SNCB	1.000319	0.000236	0.003415	4.421383	Up	synuclein beta
ILMN_2155816	DIRAS2	1.221898	0.00025	0.003522	4.398712	Up	DIRAS family GTPase 2
ILMN_1813386	CORO6	0.876115	0.000254	0.003544	4.391816	Up	coronin 6
ILMN_2404256	PTPRT	1.294807	0.000254	0.003547	4.39085	Up	protein tyrosine phosphatase, receptor type T
ILMN_1810533	SLC6A15	0.967843	0.000256	0.003555	4.388596	Up	solute carrier family 6 member 15
ILMN_1756755	LINGO1	1.137146	0.000259	0.00359	4.382612	Up	leucine rich repeat and Ig domain containing 1
ILMN_1677829	SLC9A6	0.956883	0.000262	0.003605	4.378914	Up	solute carrier family 9 member A6
ILMN_1770850	PNMA1	0.950351	0.000267	0.00365	4.370158	Up	PNMA family member 1
ILMN_1742968	NMNAT2	0.878846	0.000271	0.003684	4.363652	Up	nicotinamide nucleotide adenyltransferase 2
ILMN_2223805	CEP41	1.158787	0.000273	0.003698	4.361357	Up	centrosomal protein 41
ILMN_1758067	RGS4	2.188549	0.000278	0.003733	4.353745	Up	regulator of G protein signaling 4
ILMN_1740231	ELMO1	0.904089	0.000278	0.003733	4.353502	Up	engulfment and cell motility 1
ILMN_1668411	FHL2	1.200832	0.000279	0.003749	4.351287	Up	four and a half LIM domains 2
ILMN_1751569	ERICH3	1.657535	0.000287	0.003824	4.339571	Up	glutamate rich 3
ILMN_1741698	OPCML	1.162858	0.000294	0.003861	4.330139	Up	opioid binding protein/cell adhesion molecule like
ILMN_1669633	ACP1	0.916951	0.000308	0.003964	4.311366	Up	acid phosphatase 1
ILMN_2181125	NAPB	1.629482	0.000312	0.003996	4.30581	Up	NSF attachment protein beta
ILMN_1773849	ATP6V0C	1.101831	0.000314	0.004013	4.303148	Up	ATPase H+ transporting V0 subunit c
ILMN_1679796	TOMM20	1.485763	0.000315	0.004021	4.301491	Up	translocase of outer mitochondrial membrane 20
ILMN_1683998	CREG2	1.841295	0.000318	0.004052	4.297566	Up	cellular repressor of E1A stimulated genes 2
ILMN_2403730	ATP6V1H	0.940966	0.000322	0.004083	4.292045	Up	ATPase H+ transporting V1 subunit H
ILMN_2407824	ATP1B1	1.481632	0.000328	0.004123	4.284957	Up	ATPase Na+/K+ transporting subunit beta 1
ILMN_2368773	FAM3C	1.226697	0.000329	0.004129	4.283343	Up	family with sequence similarity 3 member C
ILMN_1685834	AMPH	1.531304	0.000338	0.004185	4.271972	Up	amphiphysin
ILMN_1741133	NME1	0.906309	0.000339	0.004185	4.271187	Up	NME/NM23 nucleoside diphosphate kinase 1
ILMN_1690179	CRYM	0.995305	0.000339	0.004185	4.271119	Up	crystallin mu
ILMN_1810376	C11orf87	1.13745	0.000339	0.004185	4.270706	Up	chromosome 11 open reading frame 87
ILMN_2205032	MAGEE1	0.894519	0.00034	0.004189	4.269661	Up	MAGE family member E1
ILMN_1714709	OLFM1	0.961828	0.000341	0.004194	4.268472	Up	olfactomedin 1
ILMN_1740500	TSPYL4	1.106939	0.000342	0.004202	4.267048	Up	TSPY like 4
ILMN_1710209	MFSD6	0.887553	0.000343	0.004206	4.266077	Up	major facilitator superfamily domain containing 6
ILMN_2171295	CDK14	1.202522	0.000343	0.004212	4.265211	Up	cyclin dependent kinase 14
ILMN_1655884	ATP2A2	0.879432	0.000344	0.00422	4.264014	Up	ATPase sarcoplasmic/endoplasmic reticulum Ca2+ transporting 2

ILMN_2383516	WDR7	0.866859	0.000345	0.004222	4.263246	Up	WD repeat domain 7
ILMN_1705153	NEFH	1.53841	0.000348	0.004246	4.259455	Up	neurofilament heavy
ILMN_1665856	CA10	0.925833	0.00035	0.004253	4.257756	Up	carbonic anhydrase 10
ILMN_1687090	GABRB3	1.19619	0.000365	0.00437	4.239761	Up	gamma-aminobutyric acid type A receptor beta3 subunit
ILMN_1699768	CBLN4	1.236672	0.00037	0.004407	4.233629	Up	cerebellin 4 precursor
ILMN_1702199	FAM19A1	0.942571	0.000379	0.004478	4.224517	Up	family with sequence similarity 19 member A1, C-C motif chemokine like
ILMN_1729775	OPA1	0.856929	0.000382	0.004509	4.220622	Up	OPA1, mitochondrial dynamin like GTPase
ILMN_1725417	NELL2	2.014706	0.000384	0.004517	4.219036	Up	neural EGFL like 2
ILMN_1684461	CADPS2	0.973921	0.000389	0.00455	4.213363	Up	calcium dependent secretion activator 2
ILMN_1761721	VPS35	0.874961	0.000391	0.004566	4.210599	Up	VPS35, retromer complex component
ILMN_1730291	ATP1B1	1.340271	0.000395	0.00459	4.207189	Up	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit beta 1
ILMN_1805665	FLRT3	1.078651	0.000395	0.004594	4.206621	Up	fibronectinleucine rich transmembrane protein 3
ILMN_1697561	FBXL16	1.16672	0.000397	0.004606	4.204781	Up	F-box and leucine rich repeat protein 16
ILMN_1663397	CAMK2B	1.029691	0.000398	0.004613	4.203299	Up	calcium/calmodulin dependent protein kinase II beta
ILMN_1682428	HENMT1	0.885948	0.000401	0.004622	4.200864	Up	HEN methyltransferase 1
ILMN_1736441	PDXP	1.001109	0.000401	0.004622	4.200707	Up	pyridoxal phosphatase
ILMN_1690223	CNTNAP2	1.225355	0.000401	0.004622	4.200567	Up	contactin associated protein like 2
ILMN_1754570	KCTD8	0.997214	0.000403	0.004636	4.198879	Up	potassium channel tetramerization domain containing 8
ILMN_1704383	TRIM37	1.475103	0.000406	0.004652	4.195738	Up	tripartite motif containing 37
ILMN_1784207	PITHD1	0.958834	0.000409	0.00467	4.192505	Up	PITH domain containing 1
ILMN_1660718	GABBR2	1.784204	0.000411	0.004688	4.190524	Up	gamma-aminobutyric acid type B receptor subunit 2
ILMN_2129910	SLC12A5	1.570048	0.000413	0.004716	4.187814	Up	solute carrier family 12 member 5
ILMN_2359601	CAMK2G	0.869404	0.000416	0.00473	4.185576	Up	calcium/calmodulin dependent protein kinase II gamma
ILMN_2198594	RFPL1S	0.919892	0.000416	0.004732	4.184871	Up	RFPL1 antisense RNA 1
ILMN_2388484	MAP2	1.008756	0.000425	0.004792	4.176168	Up	microtubule associated protein 2
ILMN_1728512	YWHAH	0.990966	0.000427	0.004804	4.174055	Up	tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein eta
ILMN_2413964	GABRG2	1.817738	0.000428	0.004804	4.173736	Up	gamma-aminobutyric acid type A receptor gamma2 subunit
ILMN_2096623	SLITRK1	1.137666	0.000428	0.004805	4.173471	Up	SLIT and NTRK like family member 1
ILMN_1669382	CPLX2	1.140671	0.000434	0.004846	4.167067	Up	complexin 2
ILMN_2354547	TUSC3	1.033281	0.000441	0.004907	4.160685	Up	tumor suppressor candidate 3
ILMN_1764201	MAP2	1.015209	0.000447	0.004938	4.155227	Up	microtubule associated protein 2
ILMN_1672229	FGF12	0.998556	0.00047	0.005087	4.134378	Up	fibroblast growth factor 12
ILMN_1771622	CALY	1.054178	0.00047	0.005088	4.134121	Up	calcyon neuron specific vesicular protein
ILMN_1787705	ATP6V1B2	0.951592	0.000471	0.00509	4.133231	Up	ATPase H <sup>+</sup> transporting V1 subunit B2
ILMN_1788250	LDOC1	0.887884	0.000474	0.00511	4.1306	Up	LDOC1, regulator of NFkB signaling
ILMN_2069224	PVALB	2.097766	0.000475	0.00511	4.130032	Up	parvalbumin
ILMN_1757384	RAN	0.936454	0.00048	0.005148	4.125198	Up	RAN, member RAS oncogene family
ILMN_1798254	ACTR10	0.861182	0.000485	0.005175	4.121377	Up	actin related protein 10 homolog
ILMN_1806306	SV2B	1.422749	0.00049	0.005196	4.11658	Up	synaptic vesicle glycoprotein 2B
ILMN_1716265	PGM2L1	1.695377	0.000493	0.005222	4.114195	Up	phosphoglucomutase 2 like 1
ILMN_1678493	CHN1	1.375119	0.000501	0.005259	4.107589	Up	chimerin 1
ILMN_1687375	ATP2A2	1.021708	0.000512	0.005324	4.098487	Up	ATPase sarcoplasmic/endoplasmic reticulum Ca <sup>2+</sup> transporting 2

ILMN_2082209	TOX2	0.972651	0.000524	0.005404	4.089064	Up	TOX high mobility group box family member 2
ILMN_2400292	MAPK9	1.158768	0.000524	0.005408	4.088361	Up	mitogen-activated protein kinase 9
ILMN_1654653	KLC1	1.120856	0.000534	0.005486	4.080576	Up	kinesin light chain 1
ILMN_1658071	ATP1B1	1.479993	0.000544	0.005559	4.073159	Up	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit beta 1
ILMN_1704353	IGSF3	0.940687	0.000553	0.005619	4.065835	Up	immunoglobulin superfamily member 3
ILMN_1698179	TAGLN3	1.43532	0.000565	0.005688	4.057534	Up	transgelin 3
ILMN_1722726	ARHGAP32	1.185469	0.000565	0.005688	4.056933	Up	Rho GTPase activating protein 32
ILMN_1731062	NPY	1.286873	0.00057	0.005716	4.053207	Up	neuropeptide Y
ILMN_1699585	BHLHE22	1.088313	0.000578	0.005747	4.047726	Up	basic helix-loop-helix family member e22
ILMN_1752299	RAB6B	0.902792	0.000579	0.005749	4.047222	Up	RAB6B, member RAS oncogene family
ILMN_1688639	FBXL2	1.021148	0.000622	0.006033	4.017174	Up	F-box and leucine rich repeat protein 2 gamma-aminobutyric acid type A receptor gamma2 subunit
ILMN_1800270	GABRG2	1.14622	0.000623	0.006037	4.01629	Up	
ILMN_1809947	TMEM155	1.546645	0.000625	0.006053	4.014895	Up	transmembrane protein 155
ILMN_1658094	ZNF365	1.274555	0.000626	0.006053	4.014089	Up	zinc finger protein 365
ILMN_2157099	CCNA1	0.858119	0.000627	0.006053	4.013998	Up	cyclin A1
ILMN_1790778	PNMA2	1.314415	0.000631	0.006073	4.011158	Up	PNMA family member 2
ILMN_1729208	BEX3	1.000632	0.000642	0.006153	4.004008	Up	brain expressed X-linked 3
ILMN_1767722	AFTPH	0.887896	0.00065	0.006209	3.998294	Up	aftiphilin
ILMN_2381753	G3BP2	1.04966	0.000655	0.006231	3.995288	Up	G3BP stress granule assembly factor 2
ILMN_1794829	MRAP2	1.338085	0.000666	0.006291	3.988733	Up	melanocortin 2 receptor accessory protein 2
ILMN_1717599	CNTN3	0.924043	0.00067	0.006326	3.986056	Up	contactin 3
ILMN_2385097	NDRG3	1.147091	0.00067	0.006326	3.985765	Up	NDRG family member 3
ILMN_2360415	PRNP	1.22849	0.000715	0.006598	3.958815	Up	prion protein
ILMN_1765060	FBXO34	0.963559	0.000729	0.006688	3.950361	Up	F-box protein 34
ILMN_1805200	DNM1	1.076665	0.000749	0.006801	3.939565	Up	dynamin 1
ILMN_2182148	CNRIP1	0.955556	0.000769	0.006927	3.928046	Up	cannabinoid receptor interacting protein 1
ILMN_2224486	C3orf14	0.971681	0.000774	0.006953	3.925748	Up	chromosome 3 open reading frame 14
ILMN_2081813	PCSK1	0.873768	0.0008	0.007071	3.911932	Up	proproteinconvertasesubtilisin/kexin type 1
ILMN_1756049	NT5DC3	1.089225	0.000806	0.007112	3.908842	Up	5'-nucleotidase domain containing 3
ILMN_1676449	SLIT2	0.905433	0.000806	0.007112	3.908773	Up	slit guidance ligand 2
ILMN_1729117	COL5A2	0.90876	0.000832	0.007236	3.895522	Up	collagen type V alpha 2 chain
ILMN_1657087	ZNF385B	0.884837	0.000837	0.007275	3.892842	Up	zinc finger protein 385B
ILMN_1802669	PPP3CB	1.107178	0.000872	0.007462	3.875848	Up	protein phosphatase 3 catalytic subunit beta cytidine monophosphate N-acetylneuraminic acid synthetase
ILMN_2125374	CMAS	0.951394	0.000875	0.007476	3.874235	Up	
ILMN_1728301	GAD2	1.250004	0.000919	0.007716	3.8536	Up	glutamate decarboxylase 2
ILMN_1711516	ATP6V1A	1.07788	0.000924	0.007747	3.851224	Up	ATPase H <sup>+</sup> transporting V1 subunit A
ILMN_1807925	GNG2	0.943333	0.000927	0.007755	3.849891	Up	G protein subunit gamma 2
ILMN_1800697	LDB2	1.402167	0.000988	0.008098	3.823271	Up	LIM domain binding 2
ILMN_1754018	FRMPD4	0.925268	0.000995	0.008137	3.820123	Up	FERM and PDZ domain containing 4
ILMN_1739366	TBR1	1.046965	0.001001	0.008156	3.817771	Up	T-box, brain 1
ILMN_1804988	MOAP1	1.215398	0.001015	0.008226	3.812072	Up	modulator of apoptosis 1
ILMN_1693218	ART3	0.887243	0.001016	0.008226	3.811695	Up	ADP-ribosyltransferase 3

ILMN_2103547	GOLGA8B	0.973208	0.001042	0.00836	3.801114	Up	golgin A8 family member B
ILMN_2412822	SCN3B	1.376592	0.001054	0.008429	3.796206	Up	sodium voltage-gated channel beta subunit 3
ILMN_1766165	SNCA	1.323592	0.001058	0.008452	3.794361	Up	synuclein alpha
ILMN_1800059	KCNIP4	0.937112	0.001076	0.008548	3.787346	Up	potassium voltage-gated channel interacting protein 4
ILMN_1788538	NCALD	1.308467	0.0011	0.008678	3.778363	Up	neurocalcin delta
ILMN_1698885	PTPRT	1.187645	0.001119	0.008781	3.771022	Up	protein tyrosine phosphatase, receptor type T
ILMN_2292646	GAD1	1.504949	0.001124	0.008811	3.76921	Up	glutamate decarboxylase 1
ILMN_1783805	PNMA3	1.057284	0.001139	0.008876	3.763584	Up	PNMA family member 3
ILMN_1668125	MYRIP	0.881157	0.001151	0.008941	3.759166	Up	myosin VIIA and Rab interacting protein
ILMN_2068747	OAT	0.93165	0.001159	0.008988	3.75641	Up	ornithine aminotransferase
ILMN_1709809	SNU13	1.062798	0.001208	0.009244	3.738696	Up	small nuclear ribonucleoprotein 13
ILMN_1715384	B4GAT1	1.216566	0.001274	0.00959	3.716501	Up	beta-1,4-glucuronyltransferase 1
ILMN_2333367	FKBP1A	1.053811	0.00129	0.009661	3.711169	Up	FK506 binding protein 1A
ILMN_2316173	AP1S1	1.083351	0.001291	0.009661	3.711049	Up	adaptor related protein complex 1 subunit sigma 1
ILMN_1767503	GABRB3	0.997851	0.001301	0.009719	3.707638	Up	gamma-aminobutyric acid type A receptor beta3 subunit
ILMN_1797950	EXTL2	0.912675	0.001305	0.009736	3.706276	Up	exostosin like glycosyltransferase 2
ILMN_1674390	PRKAR1B	1.265797	0.001322	0.009824	3.700847	Up	protein kinase cAMP-dependent type I regulatory subunit beta
ILMN_1791593	DENND5B	0.878818	0.001337	0.009891	3.6963	Up	DENN domain containing 5B
ILMN_1728803	NSG2	0.988385	0.001392	0.010185	3.679377	Up	neuronal vesicle trafficking associated 2
ILMN_1757081	SYN2	1.519785	0.001413	0.010306	3.672987	Up	synapsin II
ILMN_1794490	PNMA8A	0.870046	0.001424	0.010365	3.669552	Up	PNMA family member 8A
ILMN_1661491	SH3GL2	1.214223	0.001473	0.010608	3.65528	Up	SH3 domain containing GRB2 like 2, endophilin A1
ILMN_1671149	MEG3	0.991892	0.001486	0.010678	3.651581	Up	maternally expressed 3
ILMN_1684771	PGRMC1	0.869092	0.001492	0.010702	3.650146	Up	progesterone receptor membrane component 1
ILMN_1716988	OPN3	1.017428	0.001503	0.010749	3.646806	Up	opsin 3
ILMN_1756715	RUNDC3A	1.0861	0.001555	0.01096	3.63251	Up	RUN domain containing 3A
ILMN_1711327	TRIM37	0.866207	0.00157	0.011041	3.62844	Up	tripartite motif containing 37
ILMN_2065022	ARHGAP44	0.880778	0.001725	0.011814	3.588849	Up	Rho GTPase activating protein 44
ILMN_1687768	NCOA7	0.901733	0.001733	0.011851	3.586802	Up	nuclear receptor coactivator 7
ILMN_1748983	RTN4	1.414516	0.001738	0.011874	3.585694	Up	reticulon 4
ILMN_2172318	FAM19A2	0.958634	0.001846	0.012418	3.560162	Up	family with sequence similarity 19 member A2, C-C motif chemokine like
ILMN_1698323	PLEKHB2	1.009521	0.001865	0.012493	3.555748	Up	pleckstrin homology domain containing B2
ILMN_1802082	PRDM8	0.876177	0.001886	0.012588	3.551142	Up	PR/SET domain 8
ILMN_2384409	TAC1	0.85989	0.00194	0.012787	3.539145	Up	tachykinin precursor 1
ILMN_1762899	EGR1	0.92929	0.00209	0.013475	3.507603	Up	early growth response 1
ILMN_1701933	SNCA	1.414152	0.002248	0.014163	3.476811	Up	synuclein alpha
ILMN_1698846	SLC8A2	1.119861	0.002336	0.014532	3.460477	Up	solute carrier family 8 member A2
ILMN_2148469	RASL11B	1.260365	0.002343	0.014547	3.459144	Up	RAS like family 11 member B
ILMN_1672094	DLX1	0.898442	0.002363	0.014636	3.45553	Up	distal-less homeobox 1
ILMN_2112417	PGAM1	0.892946	0.002462	0.015025	3.43812	Up	phosphoglyceratemutase 1
ILMN_1812824	SST	1.543958	0.002582	0.01553	3.417852	Up	somatostatin
ILMN_1694240	MAP2K1	1.007904	0.002585	0.015536	3.417495	Up	mitogen-activated protein kinase kinase 1

ILMN_1737462	OXR1	0.925948	0.002631	0.015708	3.409883	Up	oxidation resistance 1
ILMN_1713561	LAMP5	1.16465	0.002686	0.015932	3.401186	Up	lysosomal associated membrane protein family member 5
ILMN_1785191	TMEM14A	1.043406	0.002696	0.015972	3.399558	Up	transmembrane protein 14A
ILMN_1755428	CABP1	0.860897	0.002941	0.017008	3.362521	Up	calcium binding protein 1
ILMN_2188722	GLS	1.038939	0.003007	0.01733	3.35295	Up	glutaminase
ILMN_1736700	ALDOA	1.070599	0.003373	0.018834	3.303849	Up	aldolase, fructose-bisphosphate A
ILMN_1769195	ERC2	0.886673	0.003646	0.019933	3.27057	Up	ELKS/RAB6-interacting/CAST family member 2
ILMN_2320906	RTN3	0.861172	0.003678	0.020036	3.266831	Up	reticulon 3
ILMN_2065773	SCG5	0.877681	0.003838	0.02062	3.248563	Up	secretogranin V
ILMN_1691237	CAP2	1.107805	0.003973	0.021136	3.233725	Up	cyclase associated actin cytoskeleton regulatory protein 2
ILMN_1801302	SCN1B	1.133305	0.004066	0.021487	3.223746	Up	sodium voltage-gated channel beta subunit 1
ILMN_2322552	NCKAP1	0.898556	0.004172	0.021856	3.212655	Up	NCK associated protein 1
ILMN_1656537	SNRPN	1.026159	0.004316	0.022429	3.198027	Up	small nuclear ribonucleoprotein polypeptide N
ILMN_2172497	PLPPR4	0.911827	0.00438	0.022663	3.191732	Up	phospholipid phosphatase related 4
ILMN_1814770	CPNE4	1.017515	0.004448	0.022948	3.185067	Up	copine 4
ILMN_1669410	CHGA	1.166899	0.004682	0.023808	3.16298	Up	chromogranin A
ILMN_1800179	KCNJ4	1.043876	0.0047	0.023852	3.161273	Up	potassium voltage-gated channel subfamily J member 4
ILMN_2151114	VSNL1	0.884021	0.004768	0.024087	3.155094	Up	visinin like 1
ILMN_1779147	ENC1	1.764661	0.004801	0.024192	3.15214	Up	ectodermal-neural cortex 1
ILMN_1659086	NEFL	1.036968	0.004808	0.024209	3.151492	Up	neurofilament light
ILMN_1691413	NNAT	1.004985	0.004822	0.024267	3.15019	Up	neuronatin
ILMN_1705686	NRGN	1.410225	0.005315	0.026071	3.108125	Up	neurogranin
ILMN_2218758	NECAB1	1.077346	0.005426	0.026446	3.099143	Up	N-terminal EF-hand calcium binding protein 1
ILMN_2387712	AK5	1.241329	0.0058	0.027719	3.070203	Up	adenylate kinase 5
ILMN_1815033	HPCA	0.883788	0.006283	0.029465	3.035337	Up	hippocalcin
ILMN_1805807	SLC30A3	0.945231	0.006471	0.030088	3.022478	Up	solute carrier family 30 member 3
ILMN_1757497	VGF	1.293038	0.006572	0.030442	3.015722	Up	VGF nerve growth factor inducible
ILMN_1703178	SCG2	1.073561	0.006878	0.031403	2.995818	Up	secretogranin II
ILMN_1712943	CCK	1.284335	0.0072	0.032517	2.975772	Up	cholecystokinin
ILMN_1776121	KIAA1211L	1.011563	0.007417	0.033207	2.962798	Up	KIAA1211 like
ILMN_2404063	APP	1.103321	0.007971	0.035055	2.931134	Up	amyloid beta precursor protein
ILMN_1666904	SLC17A6	0.933499	0.010996	0.044237	2.788597	Up	solute carrier family 17 member 6
ILMN_2404065	APP	1.04849	0.011234	0.04489	2.779017	Up	amyloid beta precursor protein
ILMN_1768758	CACNG3	1.100505	0.012521	0.048569	2.73043	Up	calcium voltage-gated channel auxiliary subunit gamma 3
ILMN_1671489	PC	-0.87051	1.49E-08	0.000122	-8.87107	Down	pyruvate carboxylase
ILMN_1774836	PLOD3	-0.9444	4.67E-08	0.000191	-8.2785	Down	procollagen-lysine,2-oxoglutarate 5-dioxygenase 3
ILMN_1781400	SLC7A2	-2.01982	8.29E-08	0.000192	-7.99016	Down	solute carrier family 7 member 2
ILMN_1729216	CRYAB	-1.18385	2.03E-07	0.000266	-7.55019	Down	crystallin alpha B
ILMN_1684391	PLOD1	-1.10563	2.28E-07	0.000266	-7.49528	Down	procollagen-lysine,2-oxoglutarate 5-dioxygenase 1
ILMN_1793770	DNAJB6	-0.92558	3.17E-07	0.000305	-7.33637	Down	DnaJ heat shock protein family (Hsp40) member B6
ILMN_1758315	SLC9A9	-0.86852	3.23E-07	0.000305	-7.327	Down	solute carrier family 9 member A9
ILMN_1702487	SGK1	-0.95517	4.11E-07	0.000337	-7.21293	Down	serum/glucocorticoid regulated kinase 1
ILMN_2071937	ATP6V0E1	-1.21139	4.18E-07	0.000337	-7.20474	Down	ATPase H+ transporting V0 subunit e1

ILMN_2149494	NPL	-1.23256	4.39E-07	0.000337	-7.18162	Down	N-acetylneuraminate pyruvate lyase
ILMN_1769091	PRCP	-0.9903	5.47E-07	0.000354	-7.07861	Down	prolylcarboxypeptidase
ILMN_1810559	RHOQ	-1.31603	7.04E-07	0.000381	-6.96075	Down	ras homolog family member Q
ILMN_1687652	TGFB3	-1.41714	7.11E-07	0.000381	-6.95593	Down	transforming growth factor beta 3
ILMN_1681679	TSPO	-1.65071	7.62E-07	0.000381	-6.92385	Down	translocator protein
ILMN_2305544	DBI	-0.88496	9.59E-07	0.000408	-6.81698	Down	diazepam binding inhibitor, acyl-CoA binding protein
ILMN_1810844	RARRES2	-0.99786	9.64E-07	0.000408	-6.81459	Down	retinoic acid receptor responder 2
ILMN_1801441	RFTN2	-1.14454	9.86E-07	0.000408	-6.804	Down	raftlin family member 2
ILMN_2064725	METTL7B	-1.57323	1.08E-06	0.000422	-6.76357	Down	methyltransferase like 7B
ILMN_1783231	PLEKHB1	-1.22052	1.11E-06	0.000427	-6.74766	Down	pleckstrin homology domain containing B1
ILMN_1655612	ARRDC2	-0.92216	1.2E-06	0.000453	-6.71366	Down	arrestin domain containing 2
ILMN_1674236	HSPB1	-1.92156	1.27E-06	0.000465	-6.68801	Down	heat shock protein family B (small) member 1
ILMN_1809931	NDRG1	-0.96878	1.33E-06	0.000471	-6.66763	Down	N-myc downstream regulated 1
ILMN_1656395	MYOT	-0.9505	1.33E-06	0.000471	-6.66522	Down	myotilin
ILMN_2352303	RASSF2	-1.05568	1.63E-06	0.000503	-6.57449	Down	Ras association domain family member 2
ILMN_1779448	EFHD1	-1.00984	1.68E-06	0.000503	-6.56108	Down	EF-hand domain family member D1
ILMN_1696537	DDIT4L	-1.36563	1.68E-06	0.000503	-6.55984	Down	DNA damage inducible transcript 4 like
ILMN_1758731	CYP2J2	-1.01095	1.74E-06	0.000504	-6.54309	Down	cytochrome P450 family 2 subfamily J member 2
ILMN_1707503	SZRD1	-0.97749	1.75E-06	0.000504	-6.54202	Down	SUZ RNA binding domain containing 1
ILMN_1661599	DDIT4	-1.58688	1.82E-06	0.000517	-6.52333	Down	DNA damage inducible transcript 4
ILMN_1778977	TYROBP	-2.11065	1.83E-06	0.000517	-6.52037	Down	TYRO protein tyrosine kinase binding protein
ILMN_1811921	CSRP1	-1.08353	1.97E-06	0.000539	-6.48767	Down	cysteine and glycine rich protein 1
ILMN_1721636	TSC22D4	-0.94645	1.98E-06	0.000539	-6.48556	Down	TSC22 domain family member 4
ILMN_1801205	GPNMB	-1.53861	2E-06	0.000539	-6.48122	Down	glycoprotein nmb
ILMN_1728478	CXCL16	-2.09688	2.38E-06	0.000574	-6.40308	Down	C-X-C motif chemokine ligand 16
ILMN_1815812	CDIP1	-0.84864	2.42E-06	0.000574	-6.3954	Down	cell death inducing p53 target 1
ILMN_1753312	PLXDC2	-1.13611	2.43E-06	0.000574	-6.39334	Down	plexin domain containing 2
ILMN_2331082	MS4A7	-1.2624	2.45E-06	0.000574	-6.38971	Down	membrane spanning 4-domains A7
ILMN_1803423	ARHGEF6	-1.03039	2.49E-06	0.000574	-6.38139	Down	Rac/Cdc42 guanine nucleotide exchange factor 6
ILMN_1749011	NECAP2	-0.99525	2.51E-06	0.000574	-6.37824	Down	NECAP endocytosis associated 2
ILMN_2349658	TSPO	-1.05416	2.7E-06	0.000584	-6.34512	Down	translocator protein
ILMN_1660021	PLIN3	-1.05105	2.77E-06	0.000584	-6.33357	Down	perilipin 3
ILMN_1767523	IL17RB	-1.06383	2.8E-06	0.000584	-6.32947	Down	interleukin 17 receptor B
ILMN_2390853	CTSH	-1.25338	2.9E-06	0.000584	-6.31411	Down	cathepsin H
ILMN_1720282	NQO1	-1.8993	2.9E-06	0.000584	-6.31404	Down	NAD(P)H quinone dehydrogenase 1
ILMN_1812262	DDR1	-1.14337	3.18E-06	0.000599	-6.27213	Down	discoidin domain receptor tyrosine kinase 1
ILMN_1692938	PSAT1	-1.09161	3.18E-06	0.000599	-6.27147	Down	phosphoserine aminotransferase 1
ILMN_1695851	PARVG	-1.71728	3.23E-06	0.000599	-6.26522	Down	parvin gamma
ILMN_1698732	PALLD	-1.27866	3.63E-06	0.000613	-6.21341	Down	palladin, cytoskeletal associated protein
ILMN_1713124	AKR1C3	-1.22642	3.67E-06	0.000613	-6.20794	Down	aldo-ketoreductase family 1 member C3
ILMN_1785926	ZNF621	-0.90867	3.82E-06	0.000613	-6.18986	Down	zinc finger protein 621
ILMN_2407389	GPNMB	-0.86527	4.18E-06	0.000613	-6.14984	Down	glycoprotein nmb
ILMN_1719599	SYTL4	-1.47637	4.23E-06	0.000613	-6.14469	Down	synaptotagmin like 4



ILMN_1673232	CERS1	-0.90409	4.28E-06	0.000613	-6.13915	Down	ceramide synthase 1
ILMN_1787813	SLC5A3	-1.24295	4.42E-06	0.000613	-6.12566	Down	solute carrier family 5 member 3
ILMN_1722981	TLR5	-1.24313	4.42E-06	0.000613	-6.12552	Down	toll like receptor 5
ILMN_1651315	HMG20B	-1.0812	4.45E-06	0.000613	-6.12236	Down	high mobility group 20B
ILMN_1778444	FKBP5	-1.09012	4.52E-06	0.000619	-6.11539	Down	FK506 binding protein 5
ILMN_1669409	VSIG4	-1.56578	4.58E-06	0.000621	-6.10966	Down	V-set and immunoglobulin domain containing 4
ILMN_1772359	LAPTM5	-1.80203	4.89E-06	0.000647	-6.08027	Down	lysosomal protein transmembrane 5
ILMN_1701877	AXL	-1.42481	4.9E-06	0.000647	-6.07932	Down	AXL receptor tyrosine kinase
ILMN_2094856	RANBP3L	-1.49822	4.96E-06	0.000647	-6.07461	Down	RAN binding protein 3 like
ILMN_1682139	RAI14	-0.94545	5.16E-06	0.000657	-6.05648	Down	retinoic acid induced 14
ILMN_1752478	DHRS3	-0.90409	5.19E-06	0.000657	-6.05419	Down	dehydrogenase/reductase 3
ILMN_1705442	CMTM3	-1.19361	5.21E-06	0.000657	-6.05201	Down	CKLF like MARVEL transmembrane domain containing 3
ILMN_1795865	FGFRL1	-1.77628	5.55E-06	0.000667	-6.0245	Down	fibroblast growth factor receptor like 1
ILMN_1754660	ZCCHC24	-1.10333	5.55E-06	0.000667	-6.02429	Down	zinc finger CCHC-type containing 24
ILMN_1727458	HDAC1	-0.94915	5.6E-06	0.000667	-6.02055	Down	histone deacetylase 1
ILMN_2348367	FGFRL1	-1.07157	5.75E-06	0.000668	-6.00916	Down	fibroblast growth factor receptor like 1
ILMN_2260991	TSPO	-0.84244	5.87E-06	0.000676	-5.99955	Down	translocator protein
ILMN_1657683	C1orf198	-0.94546	5.92E-06	0.000676	-5.99591	Down	chromosome 1 open reading frame 198
ILMN_1799725	DOCK2	-1.12419	6.15E-06	0.000692	-5.97925	Down	dedicator of cytokinesis 2
ILMN_1809477	CARHSP1	-0.90202	6.31E-06	0.0007	-5.96783	Down	calcium regulated heat stable protein 1
ILMN_1810560	NUPR1	-1.12935	6.47E-06	0.0007	-5.95699	Down	nuclear protein 1, transcriptional regulator
ILMN_1732452	MAPKAPK3	-1.22959	6.47E-06	0.0007	-5.95662	Down	mitogen-activated protein kinase-activated protein kinase 3
ILMN_1800512	HMOX1	-1.04217	6.81E-06	0.000708	-5.93414	Down	hemeoxygenase 1
ILMN_1718769	ITSN1	-1.13479	6.93E-06	0.000715	-5.92645	Down	intersectin 1
ILMN_1809522	NACC2	-1.10616	7.03E-06	0.000716	-5.92038	Down	NACC family member 2
ILMN_1752075	MYBPC1	-1.60214	7.49E-06	0.000729	-5.89251	Down	myosin binding protein C, slow type
ILMN_2123743	FCER1G	-1.95198	7.53E-06	0.000729	-5.89041	Down	Fc fragment of IgE receptor Ig
ILMN_1714527	VAMP3	-0.87899	7.65E-06	0.000733	-5.88337	Down	vesicle associated membrane protein 3
ILMN_1668374	ITGB5	-1.20897	8.05E-06	0.000756	-5.86065	Down	integrin subunit beta 5
ILMN_1791280	HSPB8	-0.85424	8.39E-06	0.000765	-5.84272	Down	heat shock protein family B (small) member 8
ILMN_1796409	C1QB	-2.50406	8.57E-06	0.000776	-5.83334	Down	complement C1q B chain
ILMN_1716678	NPC2	-1.28946	8.8E-06	0.000781	-5.82191	Down	NPC intracellular cholesterol transporter 2
ILMN_2360784	RRBP1	-1.04661	8.92E-06	0.000785	-5.81591	Down	ribosome binding protein 1
ILMN_1693826	HAVCR2	-2.10807	9.21E-06	0.000785	-5.80185	Down	hepatitis A virus cellular receptor 2
ILMN_1789007	APOC1	-2.32	9.28E-06	0.000785	-5.7987	Down	apolipoprotein C1
ILMN_2190084	VAMP8	-1.60976	9.38E-06	0.000788	-5.79414	Down	vesicle associated membrane protein 8
ILMN_1684158	GPT2	-1.0484	9.69E-06	0.000798	-5.77969	Down	glutamic--pyruvic transaminase 2
ILMN_1776861	HAP1	-1.06409	9.83E-06	0.000802	-5.77355	Down	huntingtin associated protein 1
ILMN_1668345	OAF	-1.61698	1E-05	0.000809	-5.76587	Down	out at first homolog
ILMN_1660871	NEK6	-1.10464	1.01E-05	0.00081	-5.76135	Down	NIMA related kinase 6
ILMN_1662932	LCP1	-1.86774	1.01E-05	0.00081	-5.76056	Down	lymphocyte cytosolic protein 1
ILMN_2364521	AXL	-1.33863	1.03E-05	0.00081	-5.7527	Down	AXL receptor tyrosine kinase
ILMN_2044453	LPAR5	-1.53377	1.05E-05	0.00081	-5.74464	Down	lysophosphatidic acid receptor 5

ILMN_1698934	CMTM7	-1.27691	1.07E-05	0.000812	-5.73688	Down	CKLF like MARVEL transmembrane domain containing 7
ILMN_1651354	SPP1	-1.98642	1.08E-05	0.000814	-5.73153	Down	secreted phosphoprotein 1
ILMN_2282641	TBXAS1	-1.29648	1.12E-05	0.000823	-5.71518	Down	thromboxane A synthase 1
ILMN_2216582	LYL1	-1.27072	1.22E-05	0.000864	-5.68136	Down	LYL1, basic helix-loop-helix family member
ILMN_1796455	RYR3	-1.28249	1.22E-05	0.000864	-5.67995	Down	ryanodine receptor 3
ILMN_1693014	CEBPB	-1.07582	1.27E-05	0.000877	-5.66128	Down	CCAAT enhancer binding protein beta
ILMN_2175912	ITGB2	-2.16115	1.27E-05	0.000877	-5.66103	Down	integrin subunit beta 2
ILMN_1709683	RASSF2	-1.05164	1.27E-05	0.000877	-5.661	Down	Ras association domain family member 2
ILMN_2059549	SYK	-1.14395	1.29E-05	0.000884	-5.65538	Down	spleen associated tyrosine kinase
ILMN_1730201	DTNA	-1.81488	1.31E-05	0.000889	-5.64772	Down	dystrobrevin alpha
ILMN_1684982	PDK4	-1.25527	1.34E-05	0.000894	-5.63735	Down	pyruvate dehydrogenase kinase 4
ILMN_1791771	HCK	-0.95686	1.35E-05	0.000894	-5.63453	Down	HCK proto-oncogene, Src family tyrosine kinase
ILMN_1712095	FOXO4	-0.88154	1.36E-05	0.000894	-5.63402	Down	forkhead box O4
ILMN_1786034	GPRC5B	-0.88305	1.37E-05	0.000898	-5.63046	Down	G protein-coupled receptor class C group 5 member B
ILMN_2216157	GNA12	-1.29598	1.46E-05	0.000933	-5.60298	Down	G protein subunit alpha 12
ILMN_1662963	PSD2	-1.00118	1.47E-05	0.000935	-5.59891	Down	pleckstrin and Sec7 domain containing 2
ILMN_1769546	RIN2	-0.88732	1.48E-05	0.000935	-5.59713	Down	Ras and Rabinteractor 2
ILMN_2128750	PTTG1IP	-1.12882	1.49E-05	0.000935	-5.59436	Down	PTTG1 interacting protein
ILMN_1810275	SLC7A7	-1.3872	1.5E-05	0.000936	-5.58985	Down	solute carrier family 7 member 7
ILMN_1658494	RGCC	-0.85383	1.51E-05	0.000936	-5.58791	Down	regulator of cell cycle
ILMN_1675268	LRP4	-1.02072	1.55E-05	0.00095	-5.5763	Down	LDL receptor related protein 4
ILMN_1733259	TMIGD3	-1.80185	1.61E-05	0.000962	-5.55814	Down	transmembrane and immunoglobulin domain containing 3
ILMN_1765446	EMP3	-1.07395	1.62E-05	0.000962	-5.55795	Down	epithelial membrane protein 3
ILMN_2138589	MERTK	-1.04084	1.66E-05	0.000967	-5.54649	Down	MER proto-oncogene, tyrosine kinase
ILMN_2065690	GRAMD2B	-1.06582	1.68E-05	0.000972	-5.54127	Down	GRAM domain containing 2B
ILMN_1815086	NINJ1	-1.03546	1.68E-05	0.000972	-5.54114	Down	ninjurin 1
ILMN_1807825	LY86	-1.49474	1.78E-05	0.001009	-5.51595	Down	lymphocyte antigen 86
ILMN_1695590	ADRB2	-0.92086	1.84E-05	0.001031	-5.50231	Down	adrenoceptor beta 2
ILMN_1723467	ITGB1	-1.03672	1.85E-05	0.001033	-5.49885	Down	integrin subunit beta 1
ILMN_1714523	HEPH	-0.98444	1.9E-05	0.001048	-5.48874	Down	hephaestin
ILMN_1659075	HLA-DOA	-1.06043	1.91E-05	0.001052	-5.48585	Down	major histocompatibility complex, class II, DO alpha
ILMN_1670881	CHST6	-1.32059	1.97E-05	0.001056	-5.47139	Down	carbohydrate sulfotransferase 6
ILMN_1723481	CHST3	-1.13652	1.99E-05	0.001056	-5.46859	Down	carbohydrate sulfotransferase 3
ILMN_1666594	IRF8	-1.17618	2.05E-05	0.001073	-5.45573	Down	interferon regulatory factor 8
ILMN_1659895	MSN	-1.31384	2.13E-05	0.001089	-5.43883	Down	moesin
ILMN_2309848	FXYD5	-1.13186	2.22E-05	0.0011	-5.42098	Down	FXYD domain containing ion transport regulator 5
ILMN_1744795	TBL1X	-1.28825	2.23E-05	0.0011	-5.42007	Down	transducin beta like 1 X-linked
ILMN_1695290	FERMT2	-1.25677	2.23E-05	0.0011	-5.41852	Down	fermitin family member 2
ILMN_1682332	GYPC	-1.35288	2.27E-05	0.001103	-5.41156	Down	glycophorin C (Gerbich blood group)
ILMN_1781155	LYN	-1.40204	2.36E-05	0.001115	-5.39504	Down	LYN proto-oncogene, Src family tyrosine kinase
ILMN_2187746	EMX2	-1.11174	2.36E-05	0.001115	-5.39485	Down	empty spiracles homeobox 2
ILMN_1786176	CD37	-0.87384	2.37E-05	0.001115	-5.39366	Down	CD37 molecule
ILMN_1714602	CD86	-1.11793	2.41E-05	0.001124	-5.386	Down	CD86 molecule

ILMN_1752199	LHPP	-0.88175	2.67E-05	0.001179	-5.34225	Down	phospholysinephosphohistidine inorganic pyrophosphate phosphatase
ILMN_1680652	SELENBP1	-0.92212	2.69E-05	0.001185	-5.33852	Down	selenium binding protein 1
ILMN_1742330	PLXNB1	-1.33814	2.72E-05	0.001192	-5.3345	Down	plexin B1
ILMN_1682930	SIPA1	-1.28477	2.74E-05	0.001195	-5.3316	Down	signal-induced proliferation-associated 1
ILMN_1777397	MSX1	-1.06783	2.78E-05	0.001208	-5.32442	Down	mshhomeobox 1
ILMN_1785902	C1QC	-2.30605	2.82E-05	0.001211	-5.31819	Down	complement C1q C chain
ILMN_1660364	CYTH4	-1.19865	2.82E-05	0.001211	-5.31788	Down	cytohesin 4
ILMN_2385220	DFFA	-0.88215	2.87E-05	0.001222	-5.31044	Down	DNA fragmentation factor subunit alpha
ILMN_1659564	SEC61A1	-0.87072	2.9E-05	0.001231	-5.30663	Down	Sec61 translocon alpha 1 subunit
ILMN_1671565	RNASET2	-1.46987	2.93E-05	0.001236	-5.30191	Down	ribonuclease T2
ILMN_1738116	TMEM119	-1.79973	2.99E-05	0.001246	-5.29403	Down	transmembrane protein 119
ILMN_1798288	MOB3C	-1.18371	2.99E-05	0.001247	-5.29288	Down	MOB kinase activator 3C
ILMN_1729749	HERC5	-1.00142	3.02E-05	0.00125	-5.2888	Down	HECT and RLD domain containing E3 ubiquitin protein ligase 5
ILMN_1666453	STK3	-0.86473	3.07E-05	0.001256	-5.28259	Down	serine/threonine kinase 3
ILMN_1754121	CSK	-0.92241	3.13E-05	0.001265	-5.27421	Down	C-terminal Src kinase
ILMN_2402600	GLIS3	-0.89411	3.18E-05	0.001279	-5.26738	Down	GLIS family zinc finger 3
ILMN_1704537	PHGDH	-0.93098	3.18E-05	0.001279	-5.2673	Down	phosphoglycerate dehydrogenase
ILMN_1700432	ITPKB	-1.63456	3.2E-05	0.00128	-5.26388	Down	inositol-trisphosphate 3-kinase B
ILMN_1728426	INPPL1	-1.22821	3.23E-05	0.001287	-5.26046	Down	inositol polyphosphate phosphatase like 1
ILMN_2330170	MYBPC1	-0.95106	3.24E-05	0.001287	-5.25976	Down	myosin binding protein C, slow type
ILMN_1691572	TST	-1.0133	3.24E-05	0.001287	-5.25867	Down	thiosulfate sulfurtransferase
ILMN_1765578	TIPARP	-1.09379	3.31E-05	0.001287	-5.24996	Down	TCDD inducible poly(ADP-ribose) polymerase
ILMN_1680925	SLC9A3R1	-1.33146	3.33E-05	0.001293	-5.24725	Down	SLC9A3 regulator 1
ILMN_1749662	GPX1	-0.91289	3.34E-05	0.001295	-5.24608	Down	glutathione peroxidase 1
ILMN_1660691	RAB31	-1.13134	3.39E-05	0.001307	-5.23996	Down	RAB31, member RAS oncogene family
ILMN_2242463	CTSC	-1.0194	3.44E-05	0.001312	-5.23389	Down	cathepsin C
ILMN_1813561	SCIN	-1.70847	3.5E-05	0.001324	-5.22653	Down	scinderin
ILMN_1744604	CYBA	-1.64975	3.51E-05	0.001324	-5.22537	Down	cytochrome b-245 alpha chain
ILMN_1668039	GYPC	-1.42623	3.58E-05	0.001341	-5.217	Down	glycophorin C (Gerbich blood group)
ILMN_1701613	RARRES3	-1.41669	3.61E-05	0.001342	-5.21315	Down	retinoic acid receptor responder 3
ILMN_1753547	STAT5A	-0.89784	4.04E-05	0.001432	-5.16499	Down	signal transducer and activator of transcription 5A
ILMN_2135258	RAPGEF3	-0.98324	4.05E-05	0.001432	-5.16378	Down	Rap guanine nucleotide exchange factor 3
ILMN_2243687	LAMP2	-0.89465	4.06E-05	0.001432	-5.16339	Down	lysosomal associated membrane protein 2
ILMN_1731418	SP110	-0.85174	4.06E-05	0.001432	-5.16328	Down	SP110 nuclear body protein
ILMN_1758672	FAM107B	-0.97374	4.11E-05	0.001444	-5.15776	Down	family with sequence similarity 107 member B
ILMN_1699931	HCST	-1.58721	4.16E-05	0.001444	-5.15308	Down	hematopoietic cell signal transducer
ILMN_2366330	FERMT3	-1.08457	4.17E-05	0.001444	-5.15152	Down	fermitin family member 3
ILMN_1715715	CEBPA	-1.49784	4.17E-05	0.001444	-5.15133	Down	CCAAT enhancer binding protein alpha
ILMN_1803560	LAT2	-1.18665	4.27E-05	0.001459	-5.14176	Down	linker for activation of T cells family member 2
ILMN_1727043	COLGALT1	-0.8402	4.31E-05	0.001465	-5.13784	Down	collagen beta(1-O)galactosyltransferase 1
ILMN_1741165	SLC11A1	-1.59253	4.41E-05	0.001483	-5.12822	Down	solute carrier family 11 member 1
ILMN_1747744	LHFPL2	-0.99133	4.42E-05	0.001483	-5.12745	Down	LHFPL tetraspan subfamily member 2

ILMN_2112128	MAPK4	-0.93495	4.42E-05	0.001483	-5.12714	Down	mitogen-activated protein kinase 4
ILMN_1695311	HLA-DMA	-1.5564	4.46E-05	0.001488	-5.12313	Down	major histocompatibility complex, class II, DM alpha
ILMN_1678353	FARP1	-0.84646	4.46E-05	0.001488	-5.12273	Down	FERM, ARH/RhoGEF and pleckstrin domain protein 1
ILMN_2373062	RHBDF2	-1.37198	4.56E-05	0.001509	-5.11333	Down	rhomboid 5 homolog 2
ILMN_1705213	TMBIM1	-1.17662	4.6E-05	0.001514	-5.11022	Down	transmembrane BAX inhibitor motif containing 1
ILMN_1795937	EZR	-1.51604	4.62E-05	0.001518	-5.10821	Down	ezrin
ILMN_1798354	PAPOLA	-0.91839	4.69E-05	0.001532	-5.10164	Down	poly(A) polymerase alpha
ILMN_1685005	TNFRSF1A	-1.1923	4.76E-05	0.001539	-5.09552	Down	TNF receptor superfamily member 1A
ILMN_2138765	PLIN2	-0.99803	4.79E-05	0.001539	-5.09316	Down	perilipin 2
ILMN_1752249	PIEZO1	-1.23462	4.82E-05	0.001539	-5.09032	Down	piezo type mechanosensitive ion channel component 1
ILMN_1720083	EHD4	-0.86477	4.89E-05	0.001552	-5.08413	Down	EH domain containing 4
ILMN_1702231	C1orf54	-0.96825	4.91E-05	0.001556	-5.08251	Down	chromosome 1 open reading frame 54
ILMN_1795762	PLEK	-0.995	4.97E-05	0.001566	-5.07758	Down	pleckstrin
ILMN_1740706	PMP2	-1.10743	4.98E-05	0.001566	-5.07618	Down	peripheral myelin protein 2
ILMN_1678143	ARHGDIB	-1.58703	5.01E-05	0.001566	-5.07388	Down	Rho GDP dissociation inhibitor beta
ILMN_1705302	FCGRT	-1.03361	5.04E-05	0.00157	-5.07131	Down	Fc fragment of IgG receptor and transporter
ILMN_1723035	OLR1	-1.97632	5.07E-05	0.001572	-5.0686	Down	oxidized low density lipoprotein receptor 1
ILMN_1670490	PDPN	-1.09006	5.19E-05	0.001598	-5.05883	Down	podoplanin
ILMN_1802653	EBI3	-1.07358	5.3E-05	0.001617	-5.05011	Down	Epstein-Barr virus induced 3
ILMN_2322996	EYA2	-0.87404	5.38E-05	0.001632	-5.04341	Down	EYA transcriptional coactivator and phosphatase 2
ILMN_1675939	IFNGR1	-0.97692	5.56E-05	0.00166	-5.02961	Down	interferon gamma receptor 1
ILMN_1803180	PRDX6	-0.93109	5.61E-05	0.001668	-5.02603	Down	peroxiredoxin 6
ILMN_2232712	MYO10	-0.87714	5.73E-05	0.001692	-5.01726	Down	myosin X
ILMN_1676563	HTRA1	-0.85827	5.75E-05	0.001692	-5.01571	Down	Htra serine peptidase 1
ILMN_1656368	ALDH4A1	-1.0135	5.93E-05	0.001709	-5.00254	Down	aldehyde dehydrogenase 4 family member A1
ILMN_1713274	OTOS	-0.89385	5.95E-05	0.001709	-5.00103	Down	otospiralin
ILMN_1674985	TMEM51	-1.05465	5.97E-05	0.001711	-4.99927	Down	transmembrane protein 51
ILMN_1653494	S100A1	-1.08313	5.99E-05	0.001711	-4.99836	Down	S100 calcium binding protein A1
ILMN_1734929	BBOX1	-0.92557	6E-05	0.001711	-4.99725	Down	gamma-butyrobetaine hydroxylase 1
ILMN_1685625	UCP2	-1.3206	6.02E-05	0.001713	-4.9957	Down	uncoupling protein 2
ILMN_1754864	SLC25A18	-1.32251	6.28E-05	0.001741	-4.97789	Down	solute carrier family 25 member 18
ILMN_1737918	C1QA	-1.04461	6.4E-05	0.001748	-4.97017	Down	complement C1q A chain
ILMN_1715760	LGALS9	-0.84506	6.48E-05	0.001753	-4.96507	Down	galectin 9
ILMN_1683211	NCAN	-1.03171	6.5E-05	0.001753	-4.96354	Down	neurocan
ILMN_1682781	TEAD2	-0.90037	6.52E-05	0.001753	-4.9622	Down	TEA domain transcription factor 2
ILMN_1729234	TPP1	-0.89058	6.57E-05	0.001756	-4.95878	Down	tripeptidyl peptidase 1
ILMN_2193591	UNC93B1	-1.02238	6.64E-05	0.001764	-4.95463	Down	unc-93 homolog B1, TLR signaling regulator
ILMN_1773427	KANK1	-0.96181	6.91E-05	0.001803	-4.93751	Down	KN motif and ankyrin repeat domains 1
ILMN_1701441	LPAR1	-0.92092	7.13E-05	0.001821	-4.92439	Down	lysophosphatidic acid receptor 1
ILMN_1684051	WASF2	-0.84342	7.18E-05	0.001824	-4.92152	Down	WAS protein family member 2
ILMN_1783956	ATP8B4	-0.8948	7.3E-05	0.001842	-4.91466	Down	ATPase phospholipid transporting 8B4 (putative)
ILMN_1806403	RASL12	-0.9977	7.32E-05	0.001842	-4.91369	Down	RAS like family 12
ILMN_1724533	LY96	-1.15292	7.35E-05	0.001843	-4.91178	Down	lymphocyte antigen 96

ILMN_1697554	SASH3	-0.84241	7.51E-05	0.001857	-4.90272	Down	SAM and SH3 domain containing 3
ILMN_1698766	PYCARD	-1.12399	7.8E-05	0.00191	-4.88655	Down	PYD and CARD domain containing amyloid beta precursor protein binding family B member 1 interacting protein
ILMN_1801710	APBB1IP	-1.24443	7.86E-05	0.001916	-4.88355	Down	
ILMN_1802167	ALDH1L1	-1.50879	8.03E-05	0.001942	-4.87455	Down	aldehyde dehydrogenase 1 family member L1
ILMN_1675848	MYL12A	-0.94028	8.14E-05	0.001955	-4.86849	Down	myosin light chain 12A
ILMN_1797875	ALOX5AP	-1.38325	8.29E-05	0.001983	-4.86085	Down	arachidonate 5-lipoxygenase activating protein
ILMN_1655549	SIGLEC10	-1.30448	8.38E-05	0.001992	-4.85644	Down	sialic acid binding Ig like lectin 10
ILMN_1794017	SERTAD1	-0.85735	8.56E-05	0.002011	-4.84748	Down	SERTA domain containing 1
ILMN_1723480	BST2	-1.27529	8.56E-05	0.002011	-4.84748	Down	bone marrow stromal cell antigen 2
ILMN_1727402	HCLS1	-1.37672	8.6E-05	0.002017	-4.84541	Down	hematopoietic cell-specific Lyn substrate 1
ILMN_1694589	PAQR8	-1.11775	8.65E-05	0.002024	-4.84325	Down	progesterone and adiponutrient receptor family member 8
ILMN_1720850	BAZ2B	-0.89055	8.71E-05	0.002028	-4.84011	Down	bromodomain adjacent to zinc finger domain 2B
ILMN_2085862	SLC15A3	-1.32691	8.75E-05	0.002028	-4.83815	Down	solute carrier family 15 member 3
ILMN_1756595	SH3TC1	-0.89823	8.8E-05	0.002028	-4.83596	Down	SH3 domain and tetratricopeptide repeats 1
ILMN_1763000	ADAP2	-1.03912	8.83E-05	0.002028	-4.83418	Down	ArfGAP with dual PH domains 2
ILMN_2404688	NUPR1	-0.89176	8.88E-05	0.002034	-4.83207	Down	nuclear protein 1, transcriptional regulator
ILMN_1726981	VEGFB	-0.93446	9.06E-05	0.002056	-4.82346	Down	vascular endothelial growth factor B
ILMN_2412214	LGALS9	-0.84754	9.31E-05	0.002091	-4.81221	Down	galectin 9
ILMN_1693552	CD300A	-1.04773	9.34E-05	0.002091	-4.81093	Down	CD300a molecule
ILMN_1663640	MAOA	-0.97927	9.36E-05	0.002092	-4.80993	Down	monoamine oxidase A
ILMN_1670379	ANTXR1	-1.21747	9.45E-05	0.002106	-4.80568	Down	ANTXR cell adhesion molecule 1
ILMN_2157441	HLA-DRA	-1.86831	9.59E-05	0.00212	-4.79956	Down	major histocompatibility complex, class II, DR alpha
ILMN_2244841	ALDH4A1	-0.91264	9.59E-05	0.00212	-4.79947	Down	aldehyde dehydrogenase 4 family member A1
ILMN_1671337	SLC2A5	-1.38535	9.61E-05	0.00212	-4.79851	Down	solute carrier family 2 member 5
ILMN_1691717	RHBDF2	-1.34499	9.88E-05	0.002147	-4.78703	Down	rhomboid 5 homolog 2
ILMN_1738675	PTPN6	-1.10539	0.000103	0.002193	-4.77006	Down	protein tyrosine phosphatase, non-receptor type 6
ILMN_2129234	TMEM47	-1.17592	0.000103	0.002196	-4.76807	Down	transmembrane protein 47
ILMN_1756982	CLIC1	-1.06088	0.000104	0.002196	-4.76713	Down	chloride intracellular channel 1
ILMN_1782439	CNN3	-1.31016	0.000104	0.0022	-4.76528	Down	calponin 3
ILMN_2241775	TROVE2	-0.93526	0.000106	0.002226	-4.75674	Down	TROVE domain family member 2
ILMN_2359907	CD68	-1.40686	0.000106	0.002229	-4.75586	Down	CD68 molecule
ILMN_1677432	SRGAP1	-1.03784	0.000107	0.002229	-4.75483	Down	SLIT-ROBO Rho GTPase activating protein 1
ILMN_1655987	STAB1	-1.01047	0.000108	0.002248	-4.74782	Down	stabilin 1
ILMN_1687840	ATCB7	-0.91909	0.00011	0.002248	-4.74282	Down	ATP binding cassette subfamily B member 7
ILMN_2297765	KCNMA1	-0.90411	0.00011	0.002248	-4.74232	Down	potassium calcium-activated channel subfamily M alpha 1
ILMN_1752269	ACSS1	-1.08814	0.000111	0.002257	-4.73795	Down	acyl-CoA synthetase short chain family member 1
ILMN_1768505	IL13RA1	-1.11483	0.000113	0.002272	-4.73071	Down	interleukin 13 receptor subunit alpha 1
ILMN_1736178	AEBP1	-1.10127	0.000113	0.002278	-4.72896	Down	AE binding protein 1
ILMN_1738552	SLC1A3	-1.38109	0.000114	0.002278	-4.72806	Down	solute carrier family 1 member 3
ILMN_1655154	PTBP1	-1.12111	0.000115	0.002297	-4.72199	Down	polypyrimidine tract binding protein 1
ILMN_1687508	ALDH7A1	-0.90537	0.000116	0.002308	-4.71848	Down	aldehyde dehydrogenase 7 family member A1
ILMN_1809467	VAMP5	-0.95918	0.000118	0.002327	-4.71238	Down	vesicle associated membrane protein 5

ILMN_2364022	SLC16A3	-1.12445	0.00012	0.002342	-4.70661	Down	solute carrier family 16 member 3
ILMN_1761733	HLA-DMB	-1.80048	0.000121	0.002358	-4.7008	Down	major histocompatibility complex, class II, DM beta
ILMN_1703330	FEM1C	-0.84819	0.000122	0.002369	-4.6967	Down	fem-1 homolog C
ILMN_1685441	ASAP3	-0.89215	0.000123	0.002376	-4.69383	Down	ArfGAP with SH3 domain, ankyrin repeat and PH domain 3
ILMN_1686623	CSF1R	-1.66221	0.000125	0.002387	-4.68834	Down	colony stimulating factor 1 receptor
ILMN_1712400	SERPINB6	-0.98311	0.000129	0.002447	-4.67353	Down	serpin family B member 6
ILMN_1701025	EPHX1	-1.10209	0.000129	0.002447	-4.67347	Down	epoxide hydrolase 1
ILMN_1751851	ADA2	-1.02455	0.00013	0.002456	-4.67157	Down	adenosine deaminase 2
ILMN_1808587	ZFXH3	-0.86205	0.000131	0.002459	-4.66911	Down	zinc finger homeobox 3
ILMN_2179717	FAM189A2	-0.94927	0.000136	0.002505	-4.65429	Down	family with sequence similarity 189 member A2
ILMN_1659766	BAG3	-1.48902	0.000136	0.002511	-4.65208	Down	BCL2 associated athanogene 3
ILMN_1709747	EXOG	-1.22546	0.000137	0.002515	-4.64942	Down	exo/endonuclease G
ILMN_2374449	SPP1	-1.66792	0.000137	0.002515	-4.64851	Down	secreted phosphoprotein 1
ILMN_1747499	EMID1	-0.86351	0.000151	0.002654	-4.60875	Down	EMI domain containing 1
ILMN_2302757	FCGBP	-2.34218	0.000151	0.002654	-4.60857	Down	Fc fragment of IgG binding protein
ILMN_1741632	RAB3IL1	-0.84802	0.000152	0.002655	-4.60682	Down	RAB3A interacting protein like 1
ILMN_1751079	TAP1	-0.93331	0.000155	0.002691	-4.59882	Down	transporter 1, ATP binding cassette subfamily B member
ILMN_1744949	RHOBTB3	-1.01304	0.000159	0.00274	-4.58655	Down	Rho related BTB domain containing 3
ILMN_1794677	TMC6	-0.86609	0.000161	0.002766	-4.5808	Down	transmembrane channel like 6
ILMN_1701195	PLA2G7	-0.89751	0.000165	0.002801	-4.5721	Down	phospholipase A2 group VII
ILMN_1789244	SOX8	-0.86327	0.000168	0.002821	-4.56529	Down	SRY-box 8
ILMN_2205963	VSIR	-1.21173	0.000168	0.002825	-4.56423	Down	V-set immunoregulatory receptor
ILMN_1737314	BCL6	-1.03335	0.000171	0.002854	-4.55684	Down	B cell CLL/lymphoma 6
ILMN_1704398	FZD9	-0.93759	0.000175	0.002887	-4.54601	Down	frizzled class receptor 9
ILMN_1740938	APOE	-1.39818	0.000176	0.002892	-4.545	Down	apolipoprotein E
ILMN_1766657	STOM	-1.07331	0.000179	0.002926	-4.53871	Down	stomatin
ILMN_2146389	MEGF10	-0.95815	0.000182	0.002955	-4.53048	Down	multiple EGF like domains 10
ILMN_1712708	TRIM47	-1.01888	0.000188	0.003007	-4.51674	Down	tripartite motif containing 47
ILMN_1732410	SLC16A9	-1.25039	0.000197	0.003095	-4.4972	Down	solute carrier family 16 member 9
ILMN_1739792	RHOG	-0.86338	0.000198	0.003103	-4.49448	Down	ras homolog family member G
ILMN_1736567	CD74	-1.62418	0.000198	0.003103	-4.49443	Down	CD74 molecule
ILMN_1759023	WFS1	-0.97166	0.0002	0.003123	-4.49039	Down	wolframin ER transmembrane glycoprotein
ILMN_1766054	ABCA1	-1.55785	0.000203	0.003144	-4.48516	Down	ATP binding cassette subfamily A member 1
ILMN_1672536	FBLN1	-0.88096	0.000206	0.003173	-4.47915	Down	fibulin 1
ILMN_2326713	CD151	-0.91821	0.000206	0.003173	-4.47873	Down	CD151 molecule (Raph blood group)
ILMN_2379644	CD74	-1.46615	0.000212	0.003228	-4.46606	Down	CD74 molecule
ILMN_1660125	SFMBT2	-1.42268	0.000215	0.00325	-4.46069	Down	Scm like with four mbt domains 2
ILMN_2352097	ADGRG1	-1.12033	0.00022	0.003296	-4.45227	Down	adhesion G protein-coupled receptor G1
ILMN_1780465	CLEC5A	-0.85234	0.00022	0.003301	-4.45062	Down	C-type lectin domain containing 5A
ILMN_1688886	GPC5	-1.08779	0.000221	0.003304	-4.44895	Down	glypican 5
ILMN_1782050	CEBPD	-1.1621	0.000228	0.003364	-4.43557	Down	CCAAT enhancer binding protein delta
ILMN_1680344	MYOM1	-1.00101	0.000229	0.003364	-4.43513	Down	myomesin 1



ILMN_2333319	PTBP1	-1.01501	0.000229	0.003364	-4.43502	Down	polypyrimidine tract binding protein 1
ILMN_2384122	ADGRG1	-1.11724	0.00023	0.003365	-4.43314	Down	adhesion G protein-coupled receptor G1
ILMN_1762696	FAM181A	-1.19022	0.00023	0.003365	-4.43293	Down	family with sequence similarity 181 member A
ILMN_1788874	SERPINA3	-3.16742	0.000231	0.003365	-4.43133	Down	serpin family A member 3
ILMN_2334210	ITGB4	-1.06675	0.000232	0.003371	-4.42892	Down	integrin subunit beta 4
ILMN_1782944	GPR37L1	-1.11851	0.000238	0.003431	-4.41783	Down	G protein-coupled receptor 37 like 1
ILMN_1760027	WAS	-1.09035	0.000249	0.003518	-4.39997	Down	Wiskott-Aldrich syndrome
ILMN_1794803	NDP	-0.88575	0.000249	0.003518	-4.39991	Down	NDP, norrincystine knot growth factor
ILMN_2144426	HIST2H2AA3	-0.85173	0.000261	0.003605	-4.37951	Down	histone cluster 2 H2A family member a3
ILMN_2176063	FCGR1A	-1.00902	0.000264	0.003617	-4.37548	Down	Fc fragment of IgG receptor 1a
ILMN_2286987	BTBD17	-1.03886	0.000264	0.003623	-4.37436	Down	BTB domain containing 17
ILMN_1742618	XAF1	-1.14564	0.000269	0.003661	-4.3674	Down	XIAP associated factor 1
ILMN_1703123	CSRNP1	-0.92513	0.000272	0.003685	-4.36326	Down	cysteine and serine rich nuclear protein 1
ILMN_1691156	MT1A	-1.28131	0.000284	0.003788	-4.34511	Down	metallothionein 1A
ILMN_1767337	SFXN5	-0.93232	0.000291	0.003843	-4.33435	Down	sideroflexin 5
ILMN_1780057	RENBP	-0.99772	0.000292	0.003854	-4.33229	Down	renin binding protein
ILMN_1714067	NTRK2	-1.15825	0.000304	0.003941	-4.31617	Down	neurotrophic receptor tyrosine kinase 2
ILMN_1721540	NWD1	-1.04035	0.000304	0.003942	-4.31569	Down	NACHT and WD repeat domain containing 1
ILMN_1792473	AIF1	-1.32938	0.000309	0.003974	-4.30999	Down	allograft inflammatory factor 1
ILMN_1728049	S100A16	-0.85785	0.00031	0.003983	-4.30845	Down	S100 calcium binding protein A16
ILMN_1688480	CCND1	-1.03472	0.000313	0.004004	-4.30452	Down	cyclin D1
ILMN_2254635	ITGAX	-1.38076	0.000314	0.004015	-4.30255	Down	integrin subunit alpha X
ILMN_1736670	PPP1R3C	-1.32738	0.000325	0.004106	-4.28867	Down	protein phosphatase 1 regulatory subunit 3C
ILMN_1772218	HLA-DPA1	-1.31052	0.000335	0.004169	-4.27599	Down	major histocompatibility complex, class II, DP alpha 1
ILMN_1813639	NKAIN4	-0.86855	0.000338	0.004185	-4.27219	Down	sodium/potassium transporting ATPase interacting 4
ILMN_1733538	RGS10	-0.86955	0.000339	0.004185	-4.27112	Down	regulator of G protein signaling 10
ILMN_1775330	CCDC9B	-0.84316	0.000351	0.004256	-4.25639	Down	coiled-coil domain containing 9B
ILMN_2371280	CSF3R	-0.90393	0.000352	0.00426	-4.25504	Down	colony stimulating factor 3 receptor
ILMN_1696839	RPS27	-0.84631	0.000352	0.00426	-4.25489	Down	ribosomal protein S27
ILMN_1686664	MT2A	-1.35351	0.000353	0.004265	-4.25418	Down	metallothionein 2A
ILMN_2259119	PRMT2	-0.92999	0.000355	0.004284	-4.2516	Down	protein arginine methyltransferase 2
ILMN_1797693	BRI3BP	-0.84114	0.000357	0.004304	-4.24878	Down	BRI3 binding protein
ILMN_1760890	SELENON	-0.84534	0.000358	0.00431	-4.24753	Down	selenoprotein N
ILMN_1744897	KCNN3	-0.98378	0.000377	0.004467	-4.22597	Down	potassium calcium-activated channel subfamily N member 3
ILMN_1736184	GSTM3	-0.85687	0.000377	0.004467	-4.22593	Down	glutathione S-transferase mu 3
ILMN_1697176	GFAP	-1.71446	0.00038	0.004489	-4.22326	Down	glial fibrillary acidic protein
ILMN_1732154	BCAN	-0.85376	0.000386	0.004527	-4.21691	Down	brevican
ILMN_1663042	SDC4	-1.50698	0.000387	0.004539	-4.215	Down	syndecan 4
ILMN_1768101	HOXB6	-0.92457	0.000398	0.004613	-4.20347	Down	homeobox B6
ILMN_1802923	APOC2	-1.07369	0.000404	0.004645	-4.1977	Down	apolipoprotein C2
ILMN_1680996	ALOX5	-0.91327	0.000414	0.004725	-4.18672	Down	arachidonate 5-lipoxygenase
ILMN_1726388	ACBD7	-1.0819	0.000425	0.004792	-4.17607	Down	acyl-CoA binding domain containing 7

ILMN_1769394	PLCD1	-0.8429	0.000427	0.004804	-4.17378	Down	phospholipase C delta 1
ILMN_1686679	ZNF462	-0.86512	0.000429	0.004812	-4.17223	Down	zinc finger protein 462
ILMN_1744487	MFRP	-0.87517	0.000433	0.004838	-4.16858	Down	membrane frizzled-related protein
ILMN_1718063	LIPA	-0.8547	0.000447	0.004938	-4.15557	Down	lipase A, lysosomal acid type
ILMN_1803811	TRIB1	-0.94381	0.000448	0.004942	-4.15431	Down	tribblespseudokinase 1
ILMN_1730229	CGNL1	-0.9493	0.00046	0.005031	-4.14294	Down	cingulin like 1
ILMN_2136089	MT1IP	-1.0151	0.000465	0.005061	-4.1382	Down	metallothionein 1I, pseudogene
ILMN_1753182	COL20A1	-0.84268	0.000488	0.005189	-4.11881	Down	collagen type XX alpha 1 chain
ILMN_2115490	NBPF9	-1.26164	0.000504	0.005285	-4.10505	Down	NBPF member 9
ILMN_1727087	GJA1	-1.27222	0.000509	0.005312	-4.10061	Down	gap junction protein alpha 1
ILMN_2128428	DAB2	-1.08238	0.000513	0.005325	-4.09779	Down	DAB2, clathrin adaptor protein
ILMN_1784884	LILRB3	-0.84783	0.000518	0.005373	-4.09335	Down	leukocyte immunoglobulin like receptor B3
ILMN_1763852	ACACB	-0.98693	0.000528	0.005442	-4.08517	Down	acetyl-CoA carboxylase beta
ILMN_1709795	RAC2	-0.8545	0.000544	0.005563	-4.07267	Down	Rac family small GTPase 2
ILMN_1702698	LSM11	-0.95097	0.000552	0.005614	-4.06676	Down	LSM11, U7 small nuclear RNA associated
ILMN_1725696	ATXN3	-1.28811	0.000561	0.005671	-4.06011	Down	ataxin 3
ILMN_1753143	RHPN2	-1.09171	0.000563	0.005681	-4.05835	Down	rhopilin Rho GTPase binding protein 2
ILMN_1714567	AHNAK	-1.01719	0.000568	0.00571	-4.05503	Down	AHNAK nucleoprotein
ILMN_1803429	CD44	-1.48233	0.00057	0.005716	-4.05346	Down	CD44 molecule (Indian blood group)
ILMN_2384056	GPER1	-0.93709	0.000596	0.005862	-4.03489	Down	G protein-coupled estrogen receptor 1
ILMN_1779706	TP53BP2	-0.9149	0.000601	0.005894	-4.0316	Down	tumor protein p53 binding protein 2 LIM domain containing preferred translocation partner in lipoma
ILMN_1651254	LPP	-0.97791	0.000631	0.006073	-4.0113	Down	lipoma
ILMN_2360291	UGGT1	-0.98566	0.000657	0.006231	-3.99441	Down	UDP-glucose glycoprotein glucosyltransferase 1
ILMN_1775380	SMOX	-0.85447	0.000683	0.006406	-3.97814	Down	spermine oxidase
ILMN_2206746	BGN	-1.10183	0.00072	0.006632	-3.95603	Down	biglycan
ILMN_1737650	DIO2	-1.33173	0.000745	0.006784	-3.94172	Down	iodothyroninedeiodinase 2
ILMN_1656011	RGS1	-1.07966	0.000754	0.006828	-3.93674	Down	regulator of G protein signaling 1
ILMN_2396444	CD14	-1.7274	0.000768	0.006918	-3.92883	Down	CD14 molecule
ILMN_2227790	GRIN2C	-1.33411	0.000795	0.007052	-3.91424	Down	glutamate ionotropic receptor NMDA type subunit 2C
ILMN_2128795	LRIG1	-1.02318	0.000814	0.007156	-3.90424	Down	leucine rich repeats and immunoglobulin like domains 1
ILMN_1697793	SYNJ2BP	-0.88542	0.000817	0.00717	-3.9028	Down	synaptojanin 2 binding protein
ILMN_2379599	CD163	-1.28796	0.000853	0.007373	-3.88498	Down	CD163 molecule
ILMN_1740015	CD14	-1.44122	0.00087	0.007454	-3.87653	Down	CD14 molecule
ILMN_2087656	SLCO2B1	-1.08271	0.000923	0.007739	-3.85189	Down	solute carrier organic anion transporter family member 2B1
ILMN_1814526	ADD3	-0.91359	0.000931	0.007774	-3.84818	Down	adducin 3
ILMN_2306540	PDE9A	-0.91804	0.000981	0.008072	-3.82612	Down	phosphodiesterase 9A
ILMN_1772644	EML3	-0.95437	0.001028	0.008302	-3.80649	Down	echinoderm microtubule associated protein like 3
ILMN_1707727	ANGPTL4	-1.57156	0.001041	0.00836	-3.80145	Down	angiopoietin like 4
ILMN_2121068	ADAM17	-0.88252	0.00105	0.008417	-3.79783	Down	ADAM metallopeptidase domain 17
ILMN_1747271	ATP1B2	-0.93591	0.001093	0.008639	-3.78095	Down	ATPase Na <sup>+</sup> /K <sup>+</sup> transporting subunit beta 2
ILMN_1754894	C1orf162	-1.14419	0.001117	0.008772	-3.77161	Down	chromosome 1 open reading frame 162
ILMN_2227011	ACSBG1	-1.22586	0.00121	0.009246	-3.73812	Down	acyl-CoA synthetasebubblegum family member 1

ILMN_2261600	FCGR1A	-0.86034	0.001233	0.009352	-3.73021	Down	Fc fragment of IgG receptor Ia
ILMN_2087692	CYBRD1	-0.89054	0.001247	0.00943	-3.7256	Down	cytochrome b reductase 1
ILMN_2313730	RHOC	-0.85699	0.001247	0.00943	-3.7255	Down	ras homolog family member C
ILMN_1735502	FAM181B	-0.926	0.001285	0.00963	-3.71293	Down	family with sequence similarity 181 member B
ILMN_1733042	BCAS1	-0.9612	0.001431	0.010398	-3.66758	Down	breast carcinoma amplified sequence 1
ILMN_2367258	SMOX	-0.88417	0.00146	0.010535	-3.65914	Down	spermine oxidase
ILMN_2347068	MKNK2	-1.02245	0.001532	0.010863	-3.63882	Down	MAP kinase interacting serine/threonine kinase 2
ILMN_1789074	HSPA1A	-1.16346	0.001898	0.012634	-3.54846	Down	heat shock protein family A (Hsp70) member 1A
ILMN_1743445	FAM107A	-1.00871	0.001989	0.013017	-3.52852	Down	family with sequence similarity 107 member A
ILMN_2396272	PDCD4	-0.8512	0.00201	0.013123	-3.52408	Down	programmed cell death 4
ILMN_1795166	PTH1R	-0.90801	0.002026	0.013179	-3.52073	Down	parathyroid hormone 1 receptor
ILMN_2173611	MT1E	-1.05379	0.00203	0.013188	-3.52007	Down	metallothionein 1E
ILMN_1687440	HIPK2	-1.13642	0.00204	0.013234	-3.5179	Down	homeodomain interacting protein kinase 2
ILMN_1774077	GBP2	-0.97232	0.00204	0.013234	-3.51784	Down	guanylate binding protein 2
ILMN_1667295	VASN	-0.86466	0.002062	0.013346	-3.51336	Down	vasorin
ILMN_2368318	FGR	-1.04922	0.002082	0.013437	-3.50926	Down	FGR proto-oncogene, Src family tyrosine kinase
ILMN_1748473	GIMAP4	-0.86993	0.002197	0.013942	-3.48645	Down	GTPase, IMAP family member 4
ILMN_1711566	TIMP1	-1.2569	0.002303	0.014402	-3.46645	Down	TIMP metalloproteinase inhibitor 1
ILMN_1784602	CDKN1A	-1.23783	0.002486	0.015123	-3.43408	Down	cyclin dependent kinase inhibitor 1A
ILMN_1670535	NDRG2	-0.89413	0.002628	0.015698	-3.41036	Down	NDRG family member 2
ILMN_1721167	MYT1	-0.91541	0.00279	0.016352	-3.38501	Down	myelin transcription factor 1
ILMN_1690621	ADGRV1	-0.84474	0.002894	0.016806	-3.36935	Down	adhesion G protein-coupled receptor V1
ILMN_1750271	MOBP	-0.91256	0.002909	0.016877	-3.36716	Down	myelin-associated oligodendrocyte basic protein
ILMN_1674063	OAS2	-0.8934	0.002941	0.017008	-3.36245	Down	2'-5'-oligoadenylate synthetase 2
ILMN_2109708	TYMP	-1.18389	0.003125	0.01785	-3.33651	Down	thymidine phosphorylase
ILMN_1805750	IFITM3	-1.2593	0.003142	0.017902	-3.33428	Down	interferon induced transmembrane protein 3
ILMN_1653412	RAX2	-0.9492	0.003157	0.017962	-3.33217	Down	retina and anterior neural fold homeobox 2
ILMN_1656656	COX19	-0.85084	0.003166	0.017995	-3.33102	Down	cytochrome c oxidase assembly factor COX19
ILMN_1658356	PAMR1	-0.88446	0.003288	0.018485	-3.31488	Down	peptidase domain containing associated with muscle regeneration 1
ILMN_1773389	PLTP	-0.84743	0.003347	0.018731	-3.30727	Down	phospholipid transfer protein
ILMN_2183938	LEMD3	-1.0824	0.003402	0.018924	-3.30024	Down	LEM domain containing 3
ILMN_1673352	IFITM2	-1.30998	0.003546	0.019524	-3.28253	Down	interferon induced transmembrane protein 2
ILMN_1667893	TNS3	-0.84886	0.00378	0.020377	-3.25505	Down	tensin 3
ILMN_2321931	DCLRE1C	-0.87553	0.003843	0.020637	-3.24799	Down	DNA cross-link repair 1C
ILMN_2316974	LILRB1	-0.85386	0.00397	0.021128	-3.23406	Down	leukocyte immunoglobulin like receptor B1
ILMN_1801616	EMP1	-0.99008	0.00409	0.021561	-3.22117	Down	epithelial membrane protein 1
ILMN_1808405	HLA-DQA1	-0.84979	0.004133	0.021699	-3.21675	Down	major histocompatibility complex, class II, DQ alpha 1
ILMN_1747683	AQP4	-0.93583	0.004542	0.02331	-3.17606	Down	aquaporin 4
ILMN_1702383	CNGB1	-0.89827	0.00457	0.023405	-3.1734	Down	cyclic nucleotide gated channel beta 1
ILMN_2109416	NAPSB	-1.17974	0.004592	0.023486	-3.17138	Down	napsin B aspartic peptidase, pseudogene
ILMN_2394777	DTNA	-1.03594	0.004722	0.02393	-3.15925	Down	dystrobrevin alpha
ILMN_2326273	CHI3L2	-1.16679	0.004956	0.024766	-3.13838	Down	chitinase 3 like 2

ILMN_1775170	MT1X	-1.19236	0.004958	0.024767	-3.13818	Down	metallothionein 1X
ILMN_1652549	DTNA	-1.00054	0.005029	0.025005	-3.13204	Down	dystrobrevin alpha
ILMN_1680110	ADIRF	-1.15131	0.005636	0.027171	-3.08264	Down	adipogenesis regulatory factor
ILMN_2376458	CSF2RA	-0.93258	0.005641	0.027181	-3.08227	Down	colony stimulating factor 2 receptor alpha subunit
ILMN_2201580	#N/A	-0.94087	0.005782	0.027669	-3.07156	Down	NA
ILMN_1661335	SPTBN1	-0.86298	0.006971	0.031749	-2.98998	Down	spectrin beta, non-erythrocytic 1
ILMN_2363392	TNFSF14	-0.85388	0.007499	0.033469	-2.95798	Down	TNF superfamily member 14
ILMN_1723123	FGFR3	-0.8616	0.007561	0.03368	-2.95435	Down	fibroblast growth factor receptor 3
ILMN_1657435	MT1M	-0.87928	0.010473	0.042682	-2.81032	Down	metallothionein 1M
ILMN_1700183	APLNR	-1.08822	0.011405	0.045366	-2.77227	Down	apelin receptor

**Table 2** The enriched pathway terms of the up regulated differentially expressed genes

### BIOCYC

Pathway ID	Pathway Name	P-value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
547502	glutamine degradation/glutamate biosynthesis	4.54E-04	1.16E-02	5.24E-02	2.32E-02	2	GLS2, GLS
142134	asparagine biosynthesis	4.54E-04	1.16E-02	5.24E-02	2.32E-02	2	ASNS, GOT1
782395	purine deoxyribonucleosides salvage	1.78E-03	3.03E-02	1.37E-01	9.08E-02	3	NME5, AK5, NME1
142344	malate-aspartate shuttle	2.59E-03	3.31E-02	1.49E-01	1.32E-01	2	MDH1, GOT1
782382	gluconeogenesis	3.51E-03	3.58E-02	1.62E-01	1.79E-01	3	MDH1, ALDOA, ENO2
907942	superpathway of purine nucleotide	1.07E-02	8.89E-02	4.02E-01	5.45E-01	4	HPRT1, NME5, AK5, NME1

salvage							
782393	CMP phosphorylation	1.79E-02	8.89E-02	4.02E-01	9.12E-01	2	NME5,NME1
142346	L-cysteine degradation I	4.18E-02	8.89E-02	4.02E-01	1.00E+00	1	GOT1
545272	CMP-N-acetylneuraminate biosynthesis I (eukaryotes)	4.18E-02	8.89E-02	4.02E-01	1.00E+00	1	CMAS
545371	MAP kinase cascade	4.18E-02	8.89E-02	4.02E-01	1.00E+00	1	MAP2K1
KEGG							
377263	GABAergic synapse	8.38E-17	1.98E-14	1.20E-13	1.98E-14	21	GNG2,ADCY1,SLC12A5,GABARAPL1,GABBR2,SLC32A1,GNB5,PRKCB,PRKCG,GABRA1,GABRB3,GABRD,GABRG2,GAD1,GAD2,GLS2,SLC38A1,GLS,GNAO1,GNG3,NF
373900	Synaptic vesicle cycle	8.42E-15	9.94E-13	6.00E-12	1.99E-12	17	SLC32A1,ATP6V1H,SNAAP25,ATP6V1A,ATP6V1B2,ATP6V0C,ATP6V1E1,ATP6V1G2,CPLX2,CPLX1,STX1A,STXBP1,VAMP2,SYT1,SNM1,SLC17A

							6,NSF
537443	Retrograde endocannabinoid signaling	2.93E-09	2.31E-07	1.40E-06	6.93E-07	15	GNG2,ADCY1,SLC32A1,GNB5,PRKCB,PRKCG,MAPK9,GABRA1,GABRB3,GABRD,GABRG2,ITPR1,GNAO1,GNG3,SLC17A6
552665	Morphine addiction	6.24E-09	3.68E-07	2.23E-06	1.47E-06	14	PDE1A,GNG2,ADCY1,GABBR2,SLC32A1,GNB5,PRKCB,PRKCG,GABRA1,GABRB3,GABRD,GABRG2,GNAO1,GNG3
952859	Oxytocin signaling pathway	2.34E-08	1.11E-06	6.68E-06	5.53E-06	17	ADCY1,CACNG3,PPP3CB,PPP3R1,PRKCB,PRKCG,MAP2K1,ITPR1,KCNJ4,KCNJ12,GNAO1,CACNB2,CAMK1D,CALM3,CAMK2B,CAMK2G,CAMK1G
217716	Cholinergic synapse	9.46E-08	3.72E-06	2.25E-05	2.23E-05	14	GNG2,CHRM1,ADCY1,GNB5,PRKCB,PRKCG,MAP2K1,ITPR1,KCNJ4,KC



							NJ12,GNAO1,GNG3,CAMK2B,CAMK2G
213818	Glutamatergic synapse	1.19E-07	4.00E-06	2.41E-05	2.80E-05	14	GNG2,ADCY1,PPP3CB,PPP3R1,GNB5,PRKCB,PRKCG,GLS2,ITPR1,SLC38A1,GLS,GNAO1,GNG3,SLC17A6
83050	Calcium signaling pathway	3.01E-07	8.89E-06	5.37E-05	7.11E-05	17	PDE1A,CHRM1,ADCY1,SLC8A2,PPP3CB,PPP3R1,PRKCB,PRKCG,ATP2A2,ATP2B1,ATP2B2,ATP2B3,ITPR1,CALM3,CAMK2B,CAMK2G,CCKBR
1017634	cAMP signaling pathway	4.60E-06	7.23E-05	4.37E-04	1.09E-03	16	CHRM1,ADCY1,GABBR2,ATP1A1,ATP1B1,MAPK9,MAP2K1,ATP2A2,ATP2B1,ATP2B2,ATP2B3,NPY,CALM3,CAMK2B,CAMK2G,PAK1
983748	cGMP-PKG signaling pathway	9.10E-06	1.13E-04	6.83E-04	2.15E-03	14	ADCY1,SLC8A2,PPP3CB,PPP3R1,PRKCE,ATP1A

---

1,ATP1B1,M  
AP2K1,ATP2  
A2,ATP2B1,  
ATP2B2,AT  
P2B3,ITPR1,  
CALM3

**Pathway Interaction Database**

138028	Effects of Botulinum toxin	4.76E-07	6.10E-05	3.31E-04	6.10E-05	5	SNAP25,STX1A,STXBP1,VAMP2,SYT1
137953	Role of Calcineurin-dependent NFAT signaling in lymphocytes	1.02E-06	6.55E-05	3.56E-04	1.31E-04	9	FKBP1A,YWHAH,YWHAZ,PRKCE,PRKCG,MAPK9,RAN,CALM3,RCAN2
138018	Downstream signaling in naive CD8+ T cells	7.97E-05	3.40E-03	1.85E-02	1.02E-02	7	PRKCB,PRKCE,MAPK9,MAP2K1,STAT4,CALM3,EGR1
138057	ErbB1 downstream signaling	3.02E-04	9.66E-03	5.25E-02	3.86E-02	9	MAP2K4,YWHAH,YWHAZ,CYFIP2,MAPK9,MAP2K1,NCKAIP1,CALM3,EGR1
169355	RAC1 signaling pathway	9.27E-04	2.37E-02	1.29E-01	1.19E-01	6	MAP2K4,CYFIP2,MAPK9,NCKAP1,WASF1,PAK1
137977	Neurotrophic factor-mediated Trk receptor signaling	1.13E-03	2.37E-02	1.29E-01	1.44E-01	6	MAGED1,MAP2K1,ELMO1,DNM1,RIPT2,PAK1
169346	Regulation of RAC1	1.30E-03	2.37E-02	1.29E-01	1.66E-01	5	CHN1,NGEF,ELMO1,NM

	activity		02	01	01		E1,KALRN
138019	p75(NTR)-mediated signaling	1.76E-03	2.82E-02	1.53E-01	2.26E-01	6	MAGED1,A PP,BEX3,M APK9,BEX1, RTN4
138060	Thromboxane A2 receptor signaling	2.48E-03	3.53E-02	1.92E-01	3.18E-01	5	GNG2,GNB5 ,PRKCE,PR KCG,DNM1
138044	Trk receptor signaling mediated by the MAPK pathway	3.05E-03	3.55E-02	1.93E-01	3.90E-01	4	MAP2K1,RI T2,EGR1,CD K5

---

**REACTOME**

---

1268766	Transmission across Chemical Synapses	2.81E-23	1.94E-20	1.38E-19	1.94E-20	37	NCALD,GN G2,ADCY1, CACNG3,G ABBR2,SLC 32A1,NPTN, GNB5,PRKC B,PRKCG,S NAP25,GAB RA1,GABRB 3,GABRG2, GAD1,GAD2 ,GLS2,CPLX 1,SLC38A1, LIN7B,NEFL ,STX1A,STX BP1,KCNJ4, KCNJ12,GLS ,VAMP2,SY N1,SYN2,SY T1,GNG3,C ACNB2,CAL M3,NSF,CA MK2B,CAM K2G,EPB41L 1
1268763	Neuronal System	1.97E-19	6.82E-	4.85E-	1.36E-	41	NCALD,GN G2,RTN3,A

			17	16	16		DCY1,CACN G3,NRXN1, GABBR2,SL C32A1,NPT N,GNB5,PR KCB,PRKCG ,SNAP25,GA BRA1,GABR B3,GABRG2 ,GAD1,GAD 2,GLS2,CPL X1,LRRTM1 ,EPB41L3,SL C38A1,LIN7 B,NEFL,STX 1A,STXBP1, KCNJ4,KCN J12,GLS,VA MP2,SYN1,S YN2,SYT1,G NG3,CACNB 2,CALM3,N SF,CAMK2B ,CAMK2G,E PB41L1
1339115	Cardiac conduction	1.99E-12	3.43E-10	2.44E-09	1.37E-09	21	CACNG3,SC N1B,SCN2B, SCN4B,FGF 12,SLC8A2, KCNIP4,ATP 1A1,ATP1B1 ,ATP2A2,AT P2B1,ATP2B 2,ATP2B3,S CN3B,ITPR1 ,KCNJ4,KCN J12,CACNB2 ,CALM3,CA MK2B,CAM K2G
1268786	Neurotransmitter Receptor Binding And Downstream	3.95E-12	5.46E-10	3.89E-09	2.73E-09	21	NCALD,GN G2,ADCY1, CACNG3,G

	Transmission In The Postsynaptic Cell						
							ABBR2,NPT N,GNB5,PR KCB,PRKCG ,GABRA1,G ABRB3,GAB RG2,NEFL,K CNJ4,KCNJ1 2,GNG3,CA LM3,NSF,C AMK2B,CA MK2G,EPB4 1L1
1269868	Muscle contraction	3.37E-10	3.32E-08	2.37E-07	2.33E-07	22	TPM1,CACN G3,SCN1B,S CN2B,SCN4 B,FGF12,SL C8A2,KCNIP 4,ATP1A1,A TP1B1,ATP2 A2,ATP2B1, ATP2B2,AT P2B3,SCN3B ,ITPR1,KCN J4,KCNJ12,C ACNB2,CAL M3,CAMK2 B,CAMK2G
1269903	Transmembrane transport of small molecules	8.90E-07	3.24E-05	2.30E-04	6.15E-04	35	GNG2,ADC Y1,SLC22A1 7,SLC12A5,S LC9A6,SLC3 2A1,SLC8A2 ,ATP6V1H,G NB5,PRKAR 1B,ATP1A1, ATP1B1,AT P2A2,ATP2B 1,ATP2B2,A TP2B3,GAB RA1,GABRB 3,GABRG2, ATP6V1A,A TP6V1B2,AT

							P6V0C,ATP6 V1E1,ATP6 V1G2,STEA P2,SLC30A3, SLC38A1,GL RB,GNG3,S LC17A6,CA LM3,CAMK 2B,CAMK2G ,TUSC3,SLC 6A15
1269443	Signalling by NGF	5.92E-04	6.02E-03	4.28E-02	4.09E-01	22	PDE1A,ADC Y1,ADCYAP 1,NGEF,FGF 9,MAGED1, SH3GL2,BE X3,PRKAR1 B,PRKCE,PR KCG,MAP2 K1,ITPR1,N EFL,DNM1, KALRN,CA LM3,CAMK 2B,CAMK2G ,RTN4,RIT2, LINGO1
1269340	Hemostasis	4.60E-03	3.31E-02	2.36E-01	1.00E+00	24	PDE1A,GNG 2,FAM3C,A LDOA,APP, YWHAZ,SL C8A2,GNB5, PRKAR1B,P RKCB,PRKC E,PRKCG,A TP1B1,ATP2 A2,ATP2B1, ATP2B2,AT P2B3,ITPR1, KIF3C,GNG 3,KLC1,DOC K3,CALM3, CDK5



1269203	Innate Immune System	1.75E-02	1.01E-01	7.19E-01	1.00E+00	39	PDE1A,CHGA,PGAM1,ADCY1,UBE2N,FGF9,ALDOA,MAP2K4,APP,CYFIP2,ATP6V1H,PPP3CB,PPP3R1,PRKAR1B,PRKCE,PRKCG,SNAP25,MAPK9,MAP2K1,ATP6V1A,PRSS3,ATP6V1B2,ATP6V0C,ATP6V1E1,ATP6V1G2,NCAP1,ACTR10,PGRMC1,ELMO1,ITPR1,NEFL,PTPRN2,DNM1,WASF1,CALM3,CAMK2B,CAMK2G,SYNGR1,PAK1
1269543	Signaling by GPCR	3.99E-02	1.77E-01	1.00E+00	1.00E+00	38	PDE1A,OPN3,GNG2,CHRM1,ADCY1,ADCYAP1,NGEF,FGF9,XK,APP,GABBR2,PPP3CB,PPP3R1,GNB5,PRKAR1B,PRKCB,PRKCE,PRKCG,MAP2K1,REEP1,SST,ITPR1,NEFL,PLPPR4,TA

---

C1,GNAO1,  
GNG3,NPY,  
KALRN,FZD  
3,CALM3,C  
AMK2B,CA  
MK2G,RGS4  
,RGS7,CCK,  
CCKBR,CD  
K5

**Gen MAPP**

MAP03070	Type III secretion system	3.69E-05	5.00E-04	2.02E-03	1.15E-03	5	ATP6V1A,A TP6V1B2,AT P6V0C,ATP6 V1E1,ATP6 V1G2
MAP00193	ATP synthesis	3.69E-05	5.00E-04	2.02E-03	1.15E-03	5	ATP6V1A,A TP6V1B2,AT P6V0C,ATP6 V1E1,ATP6 V1G2
MAP00195	Photosynthesis	4.84E-05	5.00E-04	2.02E-03	1.50E-03	5	ATP6V1A,A TP6V1B2,AT P6V0C,ATP6 V1E1,ATP6 V1G2
MAP00252	Alanine and aspartate metabolism	8.77E-04	6.80E-03	2.74E-02	2.72E-02	4	ASNS,GAD1 ,GAD2,GOT 1
MAP00190	Oxidative phosphorylation	2.24E-03	1.34E-02	5.40E-02	6.96E-02	5	ATP6V1A,A TP6V1B2,AT P6V0C,ATP6 V1E1,ATP6 V1G2
MAP00430	Taurine and hypotaurine metabolism	2.59E-03	1.34E-02	5.40E-02	8.04E-02	2	GAD1,GAD2
MAP00710	Carbon fixation	4.26E-03	1.89E-02	7.59E-02	1.32E-01	3	MDH1,ALD OA,GOT1

MAP00251	Glutamate metabolism	8.14E-03	3.16E-02	1.27E-01	2.52E-01	3	GAD1,GAD2, GOT1
MAP00400	Phenylalanine tyrosine and tryptophan biosynthesis	1.14E-02	3.94E-02	1.59E-01	3.55E-01	2	GOT1,ENO2
MAP00410	beta Alanine metabolism	4.91E-02	1.52E-01	6.13E-01	1.00E+00	2	GAD1,GAD2
<b>MSigDB C2 BIOCARTA (v6.0)</b>							
M15181	Regulation of PGC-1a	8.21E-06	1.31E-03	7.43E-03	1.31E-03	6	YWHAH,PP3CB,CALM3,CAMK2B,CAMK2G,CAMK1G
M13494	Bioactive Peptide Induced Signaling Pathway	2.92E-05	1.97E-03	1.11E-02	4.66E-03	7	PRKCB,MAP2K1,STAT4,CALM3,CAMK2B,CAMK2G,CDK5
M5940	Endocytotic role of NDK, Phosphins and Dynamin	3.69E-05	1.97E-03	1.11E-02	5.91E-03	5	AMPH,PPP3CB,NME1,DNM1,CALM3
M9664	Signaling Pathway from G-Protein Families	8.14E-05	3.26E-03	1.84E-02	1.30E-02	6	ADCY1,PPP3CB,PRKAR1B,PRKCB,MAP2K1,CALM3
M3412	Ca <sup>++</sup> / Calmodulin-dependent Protein Kinase Activation	1.65E-04	5.28E-03	2.98E-02	2.64E-02	4	CALM3,CAMK2B,CAMK2G,CAMK1G
M9070	Transcription factor CREB and its extracellular signals	2.23E-04	5.96E-03	3.37E-02	3.57E-02	5	ADCY1,PRKAR1B,PRKCB,CAMK2B,CAMK2G

M7739	Links between Pyk2 and Map Kinases	3.17E-04	7.26E-03	4.10E-02	5.08E-02	5	MAP2K4,PRKCB,MAP2K1,CALM3,PAK1
M19118	Keratinocyte Differentiation	3.87E-04	7.74E-03	4.38E-02	6.19E-02	6	ETS2,MAP2K4,PRKCB,PRKCE,PRKCG,MAP2K1
M14899	Angiotensin II mediated activation of JNK Pathway via Pyk2 dependent signaling	6.82E-04	1.21E-02	6.86E-02	1.09E-01	5	MAP2K4,PRKCB,MAP2K1,CALM3,PAK1
M2288	NFAT and Hypertrophy of the heart (Transcription in the broken heart)	9.27E-04	1.36E-02	7.67E-02	1.48E-01	6	FKBP1A,PPP3CB,PRKAR1B,MAP2K1,CALM3,CAMK1G
<b>Panther DB</b>							
P00042	Muscarinic acetylcholine receptor 1 and 3 signaling pathway	1.60E-08	1.28E-06	6.34E-06	1.28E-06	11	CHRM1,GNB5,PRKCB,PRKCE,PRKCG,SNAP25,ITPR1,STX1A,VAMP1,VAMP2,GNG3
P04391	Oxytocin receptor mediated signaling pathway	1.89E-07	6.38E-06	3.17E-05	1.51E-05	10	GNG2,GNB5,PRKCB,PRKCE,PRKCG,SNAP25,VAMP1,VAMP2,GNG3,CACNB2
P05734	Synaptic vesicle trafficking	3.18E-07	6.38E-06	3.17E-05	2.55E-05	7	STX1A,STXBP1,VAMP1,SYN1,SYP,SYT1,NSF
P00040	Metabotropic glutamate receptor	3.27E-06	3.30E-06	1.64E-06	2.62E-06	8	GNB5,PRKAR1B,SNAP25

	group II pathway		05	04	04		,STX1A,VA MP1,VAMP2 ,GNAO1,GN G3
P00003	Alzheimer disease- amyloid secretase pathway	8.31E-06	6.65E- 05	3.30E- 04	6.65E- 04	9	PCSK1,CHR M1,APP,PR KCB,PRKCE ,PRKCG,MA PK9,KLC1,C ACNB2
P00027	Heterotrimeric G- protein signaling pathway-Gq alpha and Go alpha mediated pathway	1.18E-04	4.72E- 04	2.34E- 03	9.44E- 03	10	GNG2,CHR M1,PRKCB, PRKCE,PRK CG,ITPR1,G NAO1,GNG3 ,RGS4,RGS7
P00021	FGF signaling pathway	3.02E-04	1.01E- 03	5.00E- 03	2.42E- 02	9	FGF9,FGF12 ,MAP2K4,Y WHAZ,PRK CB,PRKCE,P RKCG,MAP K9,MAP2K1
P00018	EGF receptor signaling pathway	5.65E-04	1.74E- 03	8.63E- 03	4.52E- 02	9	MAP2K4,Y WHAH,YW HAZ,PRKCB ,PRKCE,PR KCG, MAPK9,MA P2K1,STAT4
P00029	Huntington disease	1.18E-03	3.15E- 03	1.57E- 02	9.46E- 02	9	TUBB2A,TU BB3,MAP2K 4,PAC SIN1, CYFIP2,ARF 3, MAPK9,DY NC111,KAL RN
P00031	Inflammation mediated by chemokine and	2.02E-02	3.95E- 02	1.96E- 01	1.00E+0 0	9	GNG2,PRKC B,PRKCE,IT PR1,GNG3,C

cytokine signaling pathway							AMK2G,PAK5,RGS4,PAK1
Pathway Ontology							
PW:0000027	glutamate metabolic	1.20E-04	7.90E-03	3.77E-02	7.90E-03	4	GAD1,GAD2,GLS,GOT1
PW:0000674	insulin secretion pathway	4.72E-04	1.56E-02	7.43E-02	3.11E-02	4	SNAP25,STX1A,STXBP1,VAMP2
PW:0000028	alanine and aspartate metabolic	1.00E-03	2.20E-02	1.05E-01	6.61E-02	3	GAD1,GAD2,GOT1
PW:0000057	carbon fixation	2.28E-03	3.42E-02	1.63E-01	1.50E-01	3	MDH1,ALDOA,GOT1
PW:0000274	neuron-to-neuron signaling via the chemical synapse	2.59E-03	3.42E-02	1.63E-01	1.71E-01	2	KCNJ4,KCNJ12
PW:0000018	Parkinson disease	4.26E-03	3.52E-02	1.68E-01	2.81E-01	3	UCHL1,SNCA,MAPK9
PW:0000640	glycolysis pathway	9.35E-03	5.61E-02	2.68E-01	6.17E-01	3	PGAM1,ALDOA,ENO2
PW:0000015	Alzheimer disease	1.36E-02	7.37E-02	3.52E-01	8.97E-01	3	APP,SNCA,GNAO1
PW:0000543	protein kinase A (PKA) signaling	1.71E-02	8.04E-02	3.84E-01	1.00E+00	4	PDE1A,ADCY1,AKAP6,PRKAR1B
PW:0000448	neuropeptide Y metabolic	2.16E-02	9.50E-02	4.54E-01	1.00E+00	1	NPY
SMPDB							
SMP00232	Cimetidine Pathway	2.04E-05	3.32E-04	1.78E-03	2.44E-03	5	SNAP25,SST,STX1A,VAMP2,CCKBR
SMP00129	Malate-Aspartate Shuttle	4.26E-03	4.65E-02	2.50E-01	5.12E-01	2	MDH1,SLC25A12



SMP00072	Glutamate Metabolism	5.09E-03	5.09E-02	2.73E-01	6.11E-01	3	GAD1, GLS2, GOT1
SMP00128	Gluconeogenesis	7.03E-03	6.17E-02	3.31E-01	8.44E-01	3	MDH1, PGAM1, ALDOA
SMP00009	Ammonia Recycling	1.14E-02	6.17E-02	3.31E-01	1.00E+00	2	ASNS, GLS2
SMP00392	Benzocaine Pathway	1.79E-02	6.17E-02	3.31E-01	1.00E+00	2	SCN1B, ATP1A1
SMP00103	Cyclothiazide Pathway	2.16E-02	6.17E-02	3.31E-01	1.00E+00	2	ATP1A1, ATP1B1
SMP00365	Gout or Kelley-Seegmiller Syndrome	2.16E-02	6.17E-02	3.31E-01	1.00E+00	1	HPRT1
SMP00363	Ornithine Aminotransferase Deficiency (OAT Deficiency)	2.16E-02	6.17E-02	3.31E-01	1.00E+00	1	OAT
SMP00375	Verapamil Pathway	3.21E-02	6.17E-02	3.31E-01	1.00E+00	4	TPM1, ATP1A1, ATP2A2, KCNJ4

**Table 3** The enriched pathway terms of the down regulated differentially expressed genes

<b>BIOCYC</b>							
<b>Pathway ID</b>	<b>Pathway Name</b>	<b>P-value</b>	<b>FDR B&amp;H</b>	<b>FDR B&amp;Y</b>	<b>Bonferroni</b>	<b>Gene Count</b>	<b>Gene</b>
545357	melatonin degradation II	2.64E-02	2.54E-01	1.00E+00	1.00E+00	1	MAOA
142377	proline degradation	2.64E-02	2.54E-01	1.00E+00	1.00E+00	1	ALDH4A1

<b>KEGG</b>							
-------------	--	--	--	--	--	--	--

144181	Leishmaniasis	3.61E-08	8.96E-06	5.46E-05	8.96E-06	13	HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,HLA-DRA,FCGR1A,IFNGR1,CYBA,ITGB1,ITGB2,PTPN6,TGFB3
153910	Phagosome	8.28E-08	1.03E-05	6.26E-05	2.05E-05	18	HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,HLA-DRA,VAMP3,FCGR1A,SEC61A1,CYBA,ITGB1,ITGB2,ITGB5,TAP1,ATP6V0E1,LAMP2,OLR1,CD14
213780	Tuberculosis	8.06E-07	5.00E-05	3.05E-04	2.00E-04	18	CEBPB,HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,HLA-DRA,FCER1G,FCGR1A,IFNGR1,ITGAX,ITGB2,SYK,LAMP2,TGFB3,CD14,CD74,TNFRSF1A
83078	Hematopoietic cell lineage	1.12E-06	5.56E-05	3.39E-04	2.78E-04	13	HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,HLA-DRA,FCGR1A,CSF1R,CSF2RA,CSF3R,CD14,CD37,CD44

114228	Fc gamma R-mediated phagocytosis	3.46E-06	1.23E-04	7.48E-04	8.59E-04	12	FCGR1A,WAS,A SAP3,SCIN,MYO 10,INPPL1,SYK, RAC2,DOCK2,W ASF2,LYN,HCK
169642	Toxoplasmosis	6.39E-06	1.76E-04	1.07E-03	1.58E-03	13	HLA-DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,HLA- DRA,LY96,HSPA 1A,ALOX5,IFNG R1,ITGB1,TGFB3 ,TNFRSF1A
83122	Systemic lupus erythematosus	3.75E-05	8.15E-04	4.96E-03	9.30E-03	13	HLA-DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,HLA- DRA,HIST2H2A A3,FCGR1A,RO6 0,C1QA,C1QB,C1 QC,CD86
83089	Regulation of actin cytoskeleton	1.17E-04	1.71E-03	1.04E-02	2.91E-02	16	FGFR3,ARHGEF 6,EZR,WAS,MSN ,MYL12A,SCIN,I TGAX,ITGB1,IT GB2,ITGB4,ITGB 5,GNA12,RAC2,C D14,WASF2
373901	HTLV-I infection	2.58E-03	2.55E-02	1.55E-01	6.40E-01	15	CDKN1A,HLA- DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,HLA- DRA,FZD9,MSX1 ,CCND1,ITGB2,S TAT5A,TSPO,TG FB3,TNFRSF1A

782000	Proteoglycans in cancer	6.27E-03	4.51E-02	2.75E-01	1.00E+00	12	CDKN1A,FZD9,SDC4,EZR,MSN,CND1,ITGB1,ITGB5,PDCD4,PTPN6,CD44,HCLS1
<b>Pathway Interaction Database</b>							
169353	Validated targets of C-MYC transcriptional repression	3.62E-07	4.56E-05	2.47E-04	4.56E-05	11	CDKN1A,CEBPA,CEBPD,NDRG2,NDRG1,IRF8,SLC11A1,CCND1,ITGB1,ITGB4,HDAC1
137910	CXCR4-mediated signaling events	1.37E-04	8.64E-03	4.68E-02	1.73E-02	9	HLA-DRA,FGR,CSK,ITGB1,STAT5A,PTPN6,RGS1,LYN,HCK
138022	Class I PI3K signaling events	5.79E-04	2.43E-02	1.32E-01	7.30E-02	6	FGR,ARHGEF6,SGK1,INPPL1,LYN,HCK
138017	Signaling events mediated by PTP1B	1.69E-03	5.28E-02	2.86E-01	2.13E-01	6	FGR,CSF1R,CSK,STAT5A,LYN,HCK
137939	Direct p53 effectors	2.14E-03	5.28E-02	2.86E-01	2.70E-01	10	CDKN1A,NDRG1,DDIT4,RGCC,PYCARD,SPP1,BCL6,TAP1,GPX1,TP53BP2
138071	PDGFR-beta signaling pathway	2.52E-03	5.28E-02	2.86E-01	3.17E-01	6	SLC9A3R1,FGR,CSK,STAT5A,LYN,HCK
138073	C-MYB transcription factor network	3.85E-03	6.45E-02	3.49E-01	4.85E-01	7	CDKN1A,CEBPA,CEBPB,CEBPD,HIPK2,CSF1R,CCND1
138060	Thromboxane A2 receptor	5.72E-03	8.01E-02	4.34E-01	7.21E-01	5	SLC9A3R1,FGR,SYK,LYN,HCK

	signaling						
138050	Fc-epsilon receptor I signaling in mast cells	1.76E-02	1.69E-01	9.14E-01	1.00E+00	5	FCER1G,LAT2,SYK,LYN,HCLS1
137998	TCR signaling in naive CD4+ T cells	1.88E-02	1.69E-01	9.14E-01	1.00E+00		HLA-DRA,WAS,CSK,PTPN6,CD86
<b>REACTOME</b>							
1457780	Neutrophil degranulation	1.19E-09	8.57E-07	6.20E-06	9.26E-07	38	SERPINA3,ATP8B4,CLEC5A,CD300A,CTSC,TMC6, TYROBP,SERPINB6,FCER1G,FGR, HSPA1A,ALOX5, NPC2,PRDX6,SLC2A5,RHOG,SLC11A1,PRCP,PYCARD,RNASET2, VAMP8,CTSH,CYBA,ITGAX,ADA2,ITGB2,TMBIM1,PTPN6,BST2, DOCK2,LILRB3, RAB31,LAMP2,OLR1,CD14,CD44, CD68,STOM
1269310	Cytokine Signaling in Immune system	2.19E-09	8.57E-07	6.20E-06	1.71E-06	49	CDKN1A,CEBPD,MAOA,HLA-DPA1,HLA-DQA1,HLA-DRA,HMOX1,FCGR1A,IFITM3,FGFR3,ALOX5,IL17RB,APBB1IP,IRF8,IFITM2,IFNGR1,MT2A,CSF1R,CSF2RA,CSF3R,CSK,XAF1,IL13RA1, TNFSF14,INPPL1,SPTBN1,GBP2,

							CCND1,BCL6,ITGAX,ITGB1,ITGB2,STAT5A,PTPN6,BST2,SYK,ADAM17,OAS2,GRIN2C,LGALS9,HAVCR2,EBI3,TIMP1,CD86,CD44,TNFRSF1A,LYN,HCK,HERC5
1269340	Hemostasis	1.92E-08	5.00E-06	3.62E-05	1.50E-05	42	SERPINA3,PDE9A,HMG20B,SERPINB6,FCER1G,RAPGEF3,FGR,MEK,RTK,PLEK,SDC4,APBB1IP,VEGFB,PDPN,RHOG,CSF2RA,CSK,PRCP,ATP1B2,ITGAX,ITGB1,ITGB2,PTPN6,SYK,KCNMA1,GNA12,RAC2,FERMT3,DOC2,RARRES2,LAMP2,SLC7A7,OLR1,TGFB3,SLC16A3,TIMP1,SYTL4,GYPC,CD44,LHFPL2,CD74,LYN,HDAC1
1269203	Innate Immune System	5.54E-08	1.08E-05	7.84E-05	4.33E-05	66	CDKN1A,SERPINA3,ATP8B4,CLEC5A,CD300A,CSTC,TMC6,LY96,S100A1,TYROBP,SERPINB6,FCER1G,FCGR1A,FOXO4,FGFR3,FGR,HSPA1A,LY86,ALOX5,APBB1IP,WAS,LAT2,NPC2,PRDX6,SLC2A5,RHOG,SLC11A1,C



							SF2RA,CSK,PRC P,PYCARD,RNA SET2,VAMP8,CT SH,CYBA,MYO1 0,SPTBN1,ITGA X,ADA2,ITGB2,T MBIM1,PTPN6,B ST2,MAPKAPK3, SYK,C1QA,C1QB ,C1QC,UNC93B1, DOCK2,LILRB3, RAB31,ATP6V0E 1,LAMP2,GRIN2 C,OLR1,CD14,C D86,WASF2,TLR 5,CD44,CD68,LY N,HCK,HERC5,S TOM
1270244	Extracellular matrix organization	2.66E- 06	3.84E- 04	2.78E- 03	2.08E- 03	23	FBLN1,PLOD1,S DC4,COL20A1,B CAN,NCAN,HTR A1,SPP1,ITGAX,I TGB1,ITGB2,ITG B4,ITGB5,BGN,A DAM17,DDR1,PL OD3,COLGALT1, TGFB3,TIMP1,C D44,LRP4,CD151
1269350	Platelet activation, signaling and aggregation	3.70E- 06	3.84E- 04	2.78E- 03	2.90E- 03	22	SERPINA3,FCER 1G,RAPGEF3,PL EK,APBB1IP,VE GFB,PDPN,RHO G,CSF2RA,CSK,P TPN6,SYK,GNA1 2,RAC2,FERMT3, RARRES2,LAMP 2,TGFB3,TIMP1, SYTL4,LHFPL2,L YN
1269373	Cell surface interactions at	3.99E- 06	3.84E- 04	2.78E- 03	3.12E- 03	15	FCER1G,MERTK ,SDC4,ATP1B2,I TGAX,ITGB1,IT

	the vascular wall						
							GB2,PTPN6,SLC7 A7,OLR1,SLC16 A3,GYPC,CD44, CD74,LYN
1269318	Signaling by Interleukins	6.56E- 06	5.13E- 04	3.71E- 03	5.13E- 03	32	CDKN1A,CEBPD ,MAOA,HMOX1, FGFR3,ALOX5,I L17RB,APBB1IP, CSF1R,CSF2RA, CSF3R,CSK,IL13 RA1,INPPL1,SPT BN1,CCND1,BCL 6,ITGAX,ITGB1,I TGB2,STAT5A,P TPN6,SYK,GRIN 2C,LGALS9,HAV CR2,EBI3,TIMP1, CD86,TNFRSF1A ,LYN,HCK
1269311	Interferon Signaling	6.63E- 05	3.71E- 03	2.68E- 02	5.19E- 02	16	HLA-DPA1,HLA- DQA1,HLA- DRA,FCGR1A,IFI TM3,IRF8,IFITM 2,IFNGR1,MT2A, XAF1,GBP2,PTP N6,BST2,OAS2,C D44,HERC5
1269171	Adaptive Immune System	3.347E- 4	9.474 E-2	9.474E -2	1.309E- 2	38	CDKN1A,HLA- DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,CD300A,H LA- DRA,CTSC,LY96 ,VAMP3,TYROB P,FCGR1A,RAPG EF3,FOXO4,FGF R3,SEC61A1,WA S,SIPA1,CSK,VA MP8,CTSH,CYB A,ITGB1,ITGB2,

LILRB1,ITGB5,H  
CST,PTPN6,SIGL  
EC10,SYK,TAP1,  
LILRB3,CD14,CD  
86,CD74,LYN,HE  
RC5

Gen MAPP							
MAP00562	Inositol phosphate metabolism	1.20E-02	3.24E-01	1.00E+00	3.24E-01	3	PLCD1,INPPL1,ITPKB
MSigDB C2 BIOCARTA (v6.0)							
M4956	Monocyte and its Surface Molecules	2.38E-03	1.65E-01	9.25E-01	3.64E-01	3	ITGB1,ITGB2,CD44
M12399	Cystic Fibrosis Transmembrane Conductance Regulator And Beta 2 Adrenergic Receptor Pathway	3.11E-03	1.65E-01	9.25E-01	4.77E-01	3	SLC9A3R1,ADRB2,EZR
M11106	Inactivation of Gsk3 by AKT causes accumulation of b-catenin in Alveolar Macrophages	4.71E-03	1.65E-01	9.25E-01	7.21E-01	4	LY96,CCND1,GJA1,CD14
M7146	Classical Complement Pathway	4.96E-03	1.65E-01	9.25E-01	7.59E-01	3	C1QA,C1QB,C1QC
M648	Cell Cycle: G1/S Check Point	5.39E-03	1.65E-01	9.25E-01	8.24E-01	4	CDKN1A,CCND1,TGFB3,HDAC1
M917	Complement Pathway	1.20E-02	2.30E-01	1.00E+00	1.00E+00	3	C1QA,C1QB,C1QC

M6705	Th1/Th2 Differentiation	1.20E- 02	2.30E- 01	1.00E+ 00	1.00E+0 0	3	HLA- DRA,IFNGR1,CD 86
M9546	Chaperones modulate interferon Signaling Pathway	1.20E- 02	2.30E- 01	1.00E+ 00	1.00E+0 0	3	HSPA1A,IFNGR1 ,TNFRSF1A
M5880	Genes encoding proteins affiliated structurally or functionally to extracellular matrix proteins	3.26E- 02	3.12E- 01	1.00E+ 00	1.00E+0 0	9	CLEC5A,GPC5,S DC4,PLXNB1,C1 QA,C1QB,C1QC, LGALS9,PLXDC 2
M5885	Ensemble of genes encoding ECM-associated proteins including ECM- affiliated proteins, ECM regulators and secreted factors	4.99E- 02	3.54E- 01	1.00E+ 00	1.00E+0 0	27	SERPINA3,CLEC 5A,CTSC,S100A1 ,SERPINB6,GPC5 ,PLOD1,SDC4,PL XNB1,VEGFB,S1 00A16,PAMR1,C TSH,MEGF10,HT RA1,TNFSF14,C1 QA,C1QB,C1QC, ADAM17,PLOD3, LGALS9,TGFB3, PLXDC2,EBI3,TI MP1,ANGPTL4

---

**Panther DB**

---

P00053	T cell activation	7.21E- 04	3.40E- 02	1.64E- 01	4.97E- 02	8	HLA-DOA,HLA- DPA1,HLA- DQA1,HLA- DRA,WAS,CSK, CD86,CD74
P04372	5- Hydroxytryptam ine degradation	9.85E- 04	3.40E- 02	1.64E- 01	6.80E- 02	4	MAOA,ALDH4A 1,ALDH7A1,ALD H1L1
P02776	Serine glycine biosynthesis	6.26E- 03	1.44E- 01	6.93E- 01	4.32E- 01	2	PSAT1,PHGDH

P00008	Axon guidance mediated by Slit/Robo	1.03E-02	1.78E-01	8.57E-01	7.11E-01	3	SRGAP1,RHOC,RAC2
P04378	Beta2 adrenergic receptor signaling pathway	2.41E-02	2.96E-01	1.00E+00	1.00E+00	4	RYR3,VAMP3,ADR2,VAMP8
P00034	Integrin signalling pathway	2.86E-02	2.96E-01	1.00E+00	1.00E+00	9	COL20A1,RHOC,CSK,ITGAX,ITGB1,ITGB2,ITGB4,ITGB5,RAC2
P00037	Ionotropic glutamate receptor pathway	3.00E-02	2.96E-01	1.00E+00	1.00E+00	4	VAMP3,SLC1A3,VAMP8,GRIN2C
<b>Pathway Ontology</b>							
PW:0000286	integrin signaling	4.41E-05	2.87E-03	1.37E-02	2.87E-03	7	APBB1IP,PARVG,ITGAX,ITGB1,ITGB2,ITGB4,ITGB5
PW:0000484	altered lipoprotein metabolic	5.45E-04	1.77E-02	8.43E-02	3.54E-02	3	APOC1,APOC2,APOE
PW:0000464	leukotriene metabolic	3.82E-03	6.46E-02	3.07E-01	2.48E-01	2	ALOX5,ALOX5A
PW:0000482	lipoprotein metabolic	3.97E-03	6.46E-02	3.07E-01	2.58E-01	3	APOC1,APOC2,APOE
PW:0000462	lipoxygenase mediated of arachidonic acid metabolism	1.66E-02	1.43E-01	6.81E-01	1.00E+00	2	ALOX5,ALOX5A
PW:0000228	G protein signaling via Galphai family	2.10E-02	1.43E-01	6.81E-01	1.00E+00	2	ADRB2,LPAR1
PW:0000498	reverse cholesterol	2.59E-02	1.43E-01	6.81E-01	1.00E+00	2	ABCA1,PLTP

	transport	02	01	01	0		
PW:0000234	innate immune response	3.11E-02	1.50E-01	7.14E-01	1.00E+00	2	CD14,TLR5
PW:0000233	tumor necrosis factor mediated signaling	3.67E-02	1.50E-01	7.14E-01	1.00E+00	2	ADAM17,TNFRSF1A
PW:0000043	pyruvate metabolic	4.09E-02	1.50E-01	7.14E-01	1.00E+00	3	ACACB,PDK4,PC
<b>SMPDB</b>							
SMP00313	Lactic Acidemia	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	PC
SMP00319	Lysosomal Acid Lipase Deficiency (Wolman Disease)	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	LIPA
SMP00360	Hyperprolinemia Type II	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	ALDH4A1
SMP00208	Prolinemia Type II	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	ALDH4A1
SMP00202	MNGIE (Mitochondrial Neurogastrointestinal Encephalopathy)	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	TYMP
SMP00350	Pyruvate Carboxylase Deficiency	2.64E-02	4.84E-01	1.00E+00	1.00E+00	1	PC

**Table 4** The enriched GO terms of the up regulated differentially expressed genes

GO ID	CATEGORY	GO Name	P Value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
GO:0007	BP	chemical synaptic	8.37E-	1.17E-	1.04E-	3.51E-	69	RTN3,PFN2,CHRMI,ADCYAP1,SL



268		transmission	28	24	23	24		C12A5,CACNG3, NRXN1,LRFN5,SCN1B,SCN2B,FGF12,SYT13,VGF,AMPH,ICA1,ADGR L1,GABBR2,PNKD,YWHAH,SLC32A1,NPTN,SLC8A2,PPP3CB,NAPB,PRKCE,PRKCG,SNAP25,SNCB,SNCA,CADPS2,ATP2A2,ATP2B2,GABRA1,GABRB3,GABRD,GABRG2,GAD1,GAD2,CLSTN3,CPLX2,CPLX1,LRRTM1,SST,LIN7B,STX1A,STXBP1,PTPRN2,SV2B,GLRB,GLS,VAMP2,SYN1,SYN2,SYP,SYT1,TAC1,DNM1,NPY,CACNB2,NPTX1,NRGN,KALRN,CAMK2B,CCKBR,RIT2,EGR1,SYNGR1,PAK1,CDK5
GO:0031175	BP	neuron projection development	3.51E-23	2.94E-20	2.62E-19	1.47E-19	75	PCP4,MAP1B,MAP2,MAP4,BCL11A,NREP,CHN1,ADCY1,SLITRK1,ADCYAP1,SLC12A5,SLIT2,TUBB3,NRXN1,LRFN5,UCHL1,HPRT1,SCN1B,NGEF,OLFM1,FLRT3,SLC9A6,PACSN1,ATCAY,CNTNAP1,ENC1,GAS7,XK,APP,YWHAH,NPTN,PPP3CB,CAPRIN2,CNTNAP2,

									SNAP25,TBR1,M APK9,MAP2K1,R AP1GAP2,EPB41L 3,NEFM,NEFH,NE FL,PRDM8,STXB P1,PLPPR4,PTPR M,BHLHE22,SYT 1,KIF3C,GNAO1, HERC1,NME1,NP Y,GPM6A,NPTX1, CAMK1D,B4GAT 1,KALRN,FZD3,C AMK2B,RTN4,SLI TRK4,STMN2,ST MN1,OPA1,CCK,L INGO1,NPTXR,PA K1,ELAVL4,DCL K1,RBFOX2,EPH A4,CDK5
GO:0007 267	BP	cell-cell signaling	1.84E- 22	1.28E- 19	1.14E- 18	7.70E- 19	85	PCSK1,RTN3,PFN 2,CHRM1,ADCYA P1,SLC12A5,CAC NG3,NRXN1,LRF N5,SCN1B,SCN2B ,SCN4B,FGF9,FGF 12,SYT13,VGF,A MPH,VSNL1,SCG 5,ICA1,MYRIP,AD GRL1,SYBU,GAB BR2,PNKD,YWH AH,YWHAZ,SLC3 2A1,NPTN,SLC8A 2,PPP3CB,NAPB, VPS35,PRKCE,PR KCG,SNAP25,SN CB,SNCA,CADPS 2,ATP2A2,ATP2B 2,SCN3B,GABRA 1,GABRB3,GABR D,GABRG2,GAD1 ,GAD2,CLSTN3,C PLX2,CPLX1,LRR TM1,SST,ITPR1,LI	

									N7B,NELL2,STX1 A,STXBP1,PTPRN ,PTPRN2,SV2B,G LRB,GLS,VAMP2, SYN1,SYN2,SYP, SYT1,TAC1,NNA T,DNM1,NPY,CA CNB2,NPTX1,NR GN,KALRN,CAM K2B,CAMK2G,CC KBR,RIT2,EGR1,S YNGR1,PAK1,EN SA,CDK5
GO:0030 030	BP	cell projectio n organizat ion	2.06E- 17	9.40E- 15	8.38E- 14	8.63E- 14	83	TPM1,PCP4,MAP1 B,MAP2,MAP4,BC L11A,PFN2,NREP, CHN1,ADCY1,SLI TRK1,ADCYAP1, SLC12A5,SLIT2,T UBB3,NRXN1,LR FN5,UCHL1,HPRT 1,SCN1B,NME5,N GEF,OLFM1,FLR T3,SLC9A6,PACSI N1,ATCAY,CNTN AP1,ENC1,GAS7, XK,APP,YWHAH, NPTN,PPP3CB,SS X2IP,CAPRIN2,C NTNAP2,CEP41,S NAP25,TBR1,MA PK9,MAP2K1,ATP 2B2,NCKAP1,RAP 1GAP2,EPB41L3, NEFM,NEFH,NEF L,PRDM8,STXBP1 ,PLPPR4,PTPRM, BHLHE22,SYT1,K IF3C,GNAO1,HER C1,NME1,WASF1, NPY,GPM6A,NPT X1,CAMK1D,B4G AT1,KALRN,FZD	

									3,CAMK2B,RTN4, SLITRK4,STMN2, STMN1,OPA1,CC K,LINGO1,NPTX R,PAK1,ELAVL4, DCLK1,RBFOX2, EPHA4,CDK5
GO:0030 182	BP	neuron differenti ation	2.42E- 17	9.40E- 15	8.38E- 14	1.01E- 13	82	PCP4,MAP1B,MA P2,MAP4,BCL11A ,NREP,CHN1,ADC Y1,RTN1,SLITRK 1,ADCYAP1,SLC1 2A5,SLIT2,TUBB3 ,NRXN1,LRFN5,U CHL1,HPRT1,SCN 1B,NGEF,OLFM1, FLRT3,SLC9A6,P ACSIN1,ATCAY, CNTNAP1,ENC1, GAS7,XK,APP,Y WHAH,NPTN,PPP 3CB,CAPRIN2,CN TNAP2,SNAP25,T BR1,MAPK9,MAP 2K1,ATP2B2,GAB RB3,RAP1GAP2,E PB41L3,NEFM,NE FH,NEFL,PRDM8, STXBP1,PLPPR4, PTPRM,PTPRR,B HLHE22,SYT1,DL X1,KIF3C,GNAO1 ,NNAT,HERC1,N ME1,NPY,GPM6A ,NPTX1,CAMK1D, B4GAT1,KALRN, FZD3,CAMK2B,R TN4,SLITRK4,ST MN2,STMN1,OPA 1,OPCML,CCK,LI NGO1,NPTXR,PA K1,ELAVL4,DCL K1,RBFOX2,EPH	

									A4,CDK5
GO:0006811	BP	ion transport	1.02E-12	1.34E-10	1.20E-09	4.29E-09	80	PCP4,NCALD,CHRM1,SLC22A17,ADCYAP1,SLC12A5,CACNG3,NRXN1,SCN1B,SCN2B,SCN4B,FGF12,FKBP1A,SLC9A6,AKAP6,DPP10,XK,YWHAH,YWHAZ,SLC32A1,SLC8A2,ATP6V1H,SLC25A12,GNB5,PRKCB,KCNIP4,PRKCE,SNAP25,ATP1A1,SNCA,ATP1B1,MAPK9,ATP2A2,ATP2B1,ATP2B2,ATP2B3,PRNP,SCN3B,GABRA1,GABRB3,GABRD,GABRG2,ATP6V1A,ATP6V1B2,ATP6V0C,ATP6V1E1,ATP6V1G2,GLS2,SLC6A17,CPLX1,STEAP2,SLC30A3,ITPR1,SLC38A1,STX1A,STXBP1,KCNJ4,GLRB,KCNJ12,GLS,VAMP2,SYT1,GNAO1,NPY,SLC17A6,DENND5B,GPM6A,DPP6,CACNB2,CALM3,NSF,CAMK2B,CAMK2G,RTN4,TUSC3,SLC6A15,CCK,CCKBR,PAK1,CDK5	
GO:0051049	BP	regulation of transport	7.88E-11	8.46E-09	7.55E-08	3.30E-07	86	PCP4,MAP1B,CHGA,PFN2,CHRM1,ADCYAP1,CACNG3,HPCA,NRXN1,	

									SCAMP5,SCN1B,S CN2B,SCN4B,FGF 12,FKBP1A,ELMO D1,SYT13,AKAP6, CABP1,VSNL1,DP P10,PACSIN1,SCG 5,ICA1,SH3GL2,M YRIP,SYBU,PNK D,YWHAH,YWH AZ,PPP3CB,PPP3 R1,NAPB,GNB5,V PS35,CALY,PRKC B,KCNIP4,PRKCE ,PRKCG,SNAP25, ATP1A1,SNCA,A TP1B1,CADPS2,M APK9,MAP2K1,A TP2A2,ATP2B2,P RNP,SCN3B,GLS2 ,REEP1,CPLX2,CP LX1,LRRTM1,SL C30A3,ITPR1,NEF H,NELL2,STX1A, STXBP1,KCNJ4,G 3BP2,KCNJ12,VA MP2,SYN1,SYT1, TAC1,GNAO1,NN AT,DNM1,CDK5R 2,DPP6,CACNB2, CAMK1D,CALM3 ,NSF,CAMK2B,C AMK2G,RTN4,CC K,CCKBR,SYNGR 3,ENSA,CDK5
GO:0000 902	BP	cell morphog enesis	3.30E- 10	3.22E- 08	2.87E- 07	1.38E- 06	65	TPM1,MAP1B,MA P2,MAP4,BCL11A ,CHN1,ADCY1,SL ITRK1,SLIT2,TUB B3,NRXN1,BASP1 ,LRFN5,UCHL1,H PRT1,SCN1B,NM E5,NGEF,OLFM1, FLRT3,ALDOA,S	



								LC9A6,CAP2,PAC SIN1,CNTNAP1,G AS7,XK,APP,YW HAH,PPP3CB,PPP 3R1,SSX2IP,CAPR IN2,CEP41,TBR1, MAPK9,MAP2K1, ATP2B2,EPB41L3, NEFH,NEFL,PRD M8,STXBP1,PLPP R4,PTPRM,BHLH E22,SYT1,WASF1, GPM6A,NPTX1,B 4GAT1,KALRN,F ZD3,CAMK2B,RT N4,SLITRK4,STM N1,CCK,LINGO1, PAK1,ELAVL4,D CLK1,RBFOX2,EP HA4,CDK5
GO:0016 192	BP	vesicle- mediated transport	1.01E- 07	5.00E- 06	4.45E- 05	4.25E- 04	64	NCALD,RTN3,CH GA,PFN2,AP1S1,N RXN1,SCAMP5,F AM3C,ALDOA,SY T13,AMPH,VSNL 1,PACSIN1,SH3G L2,ADGRL1,APP, RAB6B,YWHAZ, CYFIP2,ARF3,NE CAP1,ATP6V1H,P PP3CB,NSG2,NAP B,NSG1,VPS35,C ALY,PRKCE,PRK CG,SNAP25,SNC A,CADPS2,MAP2 K1,ATP2A2,NCK AP1,CPLX2,CPLX 1,LRRTM1,STEAP 2,ELMO1,LIN7B,S TX1A,STXBP1,AR HGAP44,VAMP1, VAMP2,SYN1,SY P,SYT1,KIF3C,NM

									E1,DNM1,CDK5R 2,DYNC1I1,KLC1, CAMK1D,KALRN ,CALM3,NSF,MA L2,AP3B2,PAK1,C DK5
GO:0042 592	BP	homeosta tic process	6.55E- 05	1.46E- 03	1.30E- 02	2.75E- 01	62	ADCY1,SLC22A1 7,SLITRK1,ADCY AP1,SLC12A5,NR XN1,SCN1B,SCN2 B,FGF12,ALDOA, FKBP1A,SLC9A6, AKAP6,VGF,VSN L1,CYP26B1,XK,S YBU,APP,NPTN,S LC8A2,ATP6V1H, PPP3CB,PRKAR1 B,PRKCB,PRKCE, ATP1A1,SNCA,A TP1B1,ATP2A2,A TP2B1,ATP2B2,A TP2B3,PRNP,SCN 3B,ATP6V1A,ATP 6V1B2,ATP6V0C, ATP6V1E1,ATP6V 1G2,STEAP2,SLC 30A3,ITPR1,NELL 2,PTPRN,PTPRN2, TMEM178A,PVAL B,TAC1,MLLT11, NME1,GNG3,GOT 1,CALM3,TUSC3, CCK,CCKBR,LDB 2,TMX4,MRAP2,R BFOX2,LARGE1	
GO:0097 458	CC	neuron part	4.21E- 55	2.24E- 52	1.53E- 51	2.24E- 52	143	PCP4,PDE1A,MAP 1B,MAP2,MAP4,C YGB,ACOT7,PFN 2,CHRM1,ADCYA P1,SLC12A5,HPC A,TUBB3,AP1S1, GABARAPL1,NR XN1,SCAMP5,BA	

SP1,UCHL1,SCN1  
B,NGEF,OLFM1,F  
LRT3,FKBP1A,SV  
OP,SLC9A6,SYT1  
3,CAP2,VGF,MAP  
2K4,AMPH,PACSI  
N1,ATCAY,ICA1,  
CNTNAP1,ENC1,  
MYRIP,ADGRL1,  
MAGEE1,APP,GA  
BBR2,CYFIP2,PPP  
1R2,SLC32A1,NP  
TN,SLC8A2,GNB5  
,VPS35,CNTNAP2,  
ERC2,KCNIP4,PR  
KCG,SNAP25,ATP  
1A1,SNCB,TBR1,  
NRSN1,SNCA,CA  
DPS2,MAPK9,MA  
P2K1,ATP2B1,AT  
P2B2,GABRB3,G  
ABRG2,GAD1,GA  
D2,ARHGAP32,N  
MNAT2,CLSTN3,  
ATP6V1G2,FRMP  
D4,SLC6A17,KCT  
D8,CPLX2,CPLX1,  
RAP1GAP2,LAMP  
5,LRRTM1,SST,EP  
B41L3,SLC30A3,I  
TPR1,SLC38A1,LI  
N7B,NEFM,NEFH,  
NEFL,NELL2,STX  
1A,STXBP1,PTPR  
N,PTPRN2,SV2B,  
KCNJ4,GLRB,KC  
NJ12,PVALB,ARH  
GAP44,VAMP1,V  
AMP2,SYN1,SYN  
2,SYP,SYT1,TAC1  
,KIF3C,GNAO1,D  
NM1,GNG3,NPY,  
GOT1,KLC1,SLC1  
7A6,GPM6A,DPP6

								,DMXL2,NPTX1,N RGN,KALRN,WD R7,FZD3,CALM3, NSF,CAMK2B,CA MK2G,RTN4,STM N2,CAMK1G,STM N1,RGS7,OPA1,C CK,SYNGR3,AP3 B2,SYNGR1,PAK1 ,ELAVL4,ENO2,D CLK1,EPB41L1,E PHA4,CDK5
GO:0045 202	CC	synapse	8.62E- 53	2.29E- 50	1.57E- 49	4.58E- 50	108	MAP1B,MAP2,M AP4,PFN2,CHRM1 ,ADCYAP1,HPCA, AP1S1,NRXN1,SC AMP5,FRRS1L,OL FM1,FLRT3,SVOP ,SLC9A6,SYT13,C AP2,CABP1,AMP H,PACSIN1,ATCA Y,ICA1,MYRIP,A DGRL1,MAGEE1, APP,GABBR2,YW HAZ,CYFIP2,PPP1 R2,SLC32A1,NPT N,SLC8A2,CBLN4 ,NSG1,VPS35,ERC 2,PRKCG,SNAP25 ,ATP1A1,SNCB,S NCA,CADPS2,AT P2A2,ATP2B1,AT P2B2,GABRA1,G ABRB3,GABRD,G ABRG2,GAD1,GA D2,ARHGAP32,N MNAT2,CLSTN3, ATP6V1G2,FRMP D4,SLC6A17,KCT D8,CPLX2,CPLX1, LRRTM1,EPB41L 3,SLC30A3,ITPR1, LIN7B,NEFH,STX

								1A,STXBP1,PTPRN,PTPRN2,SV2B,KCNJ4,GLRB,PVALB,ARHGAP44,VAMP1,VAMP2,SYN1,SYN2,SYP,SYT1,KIF3C,DNM1,GNG3,WASF1,NPY,SLC17A6,GPM6A,DMXL2,NRGN,KALRN,WDR7,FZD3,NSF,CAMK2B,CAMK2G,RTN4,PSD3,CCK,SYNGR3,SYNGR1,PAK1,ENO2,DCLK1,EPB41L1,EPHA4,CDK5
GO:0044456	CC	synapse part	5.68E-52	1.01E-49	6.89E-49	3.02E-49	98	MAP1B,MAP2,MAP4,PFN2,CHRM1,ADCYAP1,HPCA,AP1S1,NRXN1,SCAMP5,OLFM1,FLRT3,SVOP,SYT13,CAP2,CABP1,AMPH,PACSIN1,ICA1,ADGRL1,MAGEE1,APP,GABBR2,YWHAZ,PPP1R2,SLC32A1,NPTN,SLC8A2,NSG1,VPS35,ERC2,PRKCG,SNAP25,ATP1A1,SNCB,SNCA,CADPS2,ATP2B1,GABRA1,GABRB3,GABRD,GABRG2,GAD1,GAD2,ARHGAP32,CLSTN3,ATP6V1G2,FRMPD4,SLC6A17,KCTD8,CPLX2,CPLX1,LRRTM1,EPB41L3,SLC

								30A3,ITPR1,LIN7 B,NEFH,STX1A,S TXBP1,PTPRN,PT PRN2,SV2B,KCNJ 4,GLRB,PVALB,A RHGAP44,VAMP1 ,VAMP2,SYN1,SY N2,SYP,SYT1,KIF 3C,DNM1,GNG3, NPY,SLC17A6,GP M6A,DMXL2,NR GN,KALRN,WDR 7,FZD3,NSF,CAM K2B,CAMK2G,RT N4,PSD3,CCK,SY NGR3,SYNGR1,P AK1,ENO2,DCLK 1,EPB41L1,EPHA4 ,CDK5
GO:0043 005	CC	neuron projectio n	2.11E- 47	2.80E- 45	1.92E- 44	1.12E- 44	118	PCP4,MAP1B,MA P2,MAP4,CYGB,A COT7,PFN2,CHR M1,ADCYAP1,SL C12A5,HPCA,TUB B3,AP1S1,GABAR APL1,NRXN1,BA SP1,UCHL1,SCN1 B,NGEF,OLFM1,F LRT3,FKBP1A,SL C9A6,VGF,MAP2 K4,AMPH,PACSI N1,ATCAY,ICA1, CNTNAP1,ADGR L1,MAGEE1,APP, GABBR2,CYFIP2, PPP1R2,SLC32A1, NPTN,SLC8A2,CN TNAP2,ERC2,KC NIP4,PRKCG,SNA P25,SNCB,NRSN1, SNCA,MAPK9,M AP2K1,ATP2B1,A TP2B2,GABRB3,G



ABRG2,GAD1,GA  
D2,ARHGAP32,FR  
MPD4,CPLX2,CPL  
X1,RAP1GAP2,LA  
MP5,LRRTM1,EP  
B41L3,SLC30A3,I  
TPR1,SLC38A1,LI  
N7B,NEFM,NEFH,  
NEFL,NELL2,STX  
1A,STXBP1,PTPR  
N,PTPRN2,SV2B,  
KCNJ4,GLRB,KC  
NJ12,PVALB,ARH  
GAP44,VAMP1,V  
AMP2,SYN1,SYN  
2,SYP,SYT1,TAC1  
,KIF3C,GNAO1,D  
NM1,GNG3,NPY,  
GOT1,KLC1,SLC1  
7A6,GPM6A,NPT  
X1,NRGN,KALRN  
,FZD3,CALM3,NS  
F,CAMK2B,RTN4,  
STMN2,CAMK1G,  
STMN1,RGS7,OP  
A1,CCK,AP3B2,S  
YNGR1,PAK1,EL  
AVL4,ENO2,EPH  
A4,CDK5

GO:0044 463	CC	cell projectio n part	1.07E- 36	1.13E- 34	7.76E- 34	5.67E- 34	102	TPM1,MAP1B,MA P2,MAP4,PFN2,C HRM1,ADCYAP1, SLC12A5,HPCA,A P1S1,GABARAPL 1,NRXN1,BASP1, UCHL1,SCN1B,N GEF,OLFM1,FLR T3,ALDOA,FKBP 1A,SLC9A6,CAP2, MAP2K4,AMPH,P ACSIN1,CNTNAP 1,ADGRL1,APP,P PP1R2,SLC32A1,S
----------------	----	-----------------------------	--------------	--------------	--------------	--------------	-----	--

LC8A2,VPS35,SS  
X2IP,CNTNAP2,C  
EP41,PRKAR1B,P  
RKCB,ERC2,PRK  
CG,SNAP25,ATP1  
A1,SNCB,NRSN1,  
SNCA,MAP2K1,A  
TP2B1,GABRB3,G  
ABRG2,GAD1,AR  
HGAP32,CLSTN3,  
FRMPD4,NCKAP1  
,CPLX2,CPLX1,L  
AMP5,LRRTM1,E  
PB41L3,NEFH,NE  
FL,STXBP1,PTPR  
N,PTPRN2,SV2B,P  
VALB,ARHGAP44  
,VAMP1,VAMP2,P  
DXP,SYN1,SYN2,  
SYP,SYT1,KIF3C,  
NME1,DNM1,GN  
G3,NPY,GOT1,KL  
C1,SLC17A6,GPM  
6A,NRGN,KALRN  
,FZD3,CALM3,NS  
F,CAMK2B,CAM  
K2G,RTN4,STMN  
2,RGS7,OPA1,CC  
K,AP3B2,SYNGR1  
,PAK1,ELAVL4,D  
CLK1,EPB41L1,E  
PHA4,CDK5

GO:0030 424	CC	axon	1.84E- 33	1.63E- 31	1.12E- 30	9.77E- 31	70	PCP4,MAP1B,PFN 2,CHRM1,ADCYA P1,HPCA,TUBB3, AP1S1,NRXN1,UC HL1,SCN1B,OLF M1,FLRT3,FKBP1 A,SLC9A6,MAP2 K4,AMPH,PACSI N1,ATCAY,CNTN AP1,ADGRL1,APP ,SLC32A1,CNTNA
----------------	----	------	--------------	--------------	--------------	--------------	----	---

P2,ERC2,SNAP25,  
 SNCB,SNCA,MAP  
 2K1,GABRB3,GA  
 BRG2,GAD1,GAD  
 2,CPLX2,CPLX1,L  
 RRTM1,EPB41L3,  
 SLC38A1,NEFM,N  
 EFH,NEFL,STXBP  
 1,PTPRN,PTPRN2,  
 SV2B,PVALB,VA  
 MP1,VAMP2,SYN  
 1,SYN2,SYP,SYT1  
 ,TAC1,KIF3C,DN  
 M1,NPY,GOT1,KL  
 C1,SLC17A6,GPM  
 6A,NRGN,FZD3,S  
 TMN2,OPA1,CCK,  
 AP3B2,SYNGR1,P  
 AK1,EPHA4,CDK  
 5

GO:0036 477	CC	somatode ndritic compart ment	5.47E- 25	2.90E- 23	1.99E- 22	2.90E- 22	74	PDE1A,MAP1B,M AP2,CYGB,CHRM 1,SLC12A5,HPCA, TUBB3,GABARA PL1,NRXN1,UCH L1,OLFM1,SLC9A 6,VGF,MAP2K4,A TCAY,ICA1,ENC1 ,MAGEE1,APP,PP P1R2,SLC32A1,NP TN,SLC8A2,CNT NAP2,ERC2,KCNI P4,PRKCG,SNAP2 5,SNCB,NRSN1,M APK9,MAP2K1,A TP2B1,ATP2B2,A RHGAP32,FRMPD 4,CPLX2,CPLX1,L AMP5,SST,ITPR1, NEFH,NELL2,PTP RN,KCNJ4,GLRB, KCNJ12,PVALB,A RHGAP44,SYN1,T
----------------	----	--	--------------	--------------	--------------	--------------	----	--

									AC1,KIF3C,GNAO1,GNG3,NPY,KLC1,GPM6A,DPP6,NRGN,KALRN,FZD3,NSF,CAMK2B,RTN4,STMN2,RGS7,OPA1,CCK,PAK1,ELAVL4,ENO2,EPHA4,CDK5
GO:0030054	CC	cell junction	2.23E-21	8.44E-20	5.78E-19	1.18E-18	82	PNMA1,MAP1B,CHR1,HRM1,NRXN1,SCAMP5,BASP1,PI4KA,FRRS1L,SCN1B,SCN4B,OLFM1,FLRT3,FHL2,SVO P,BAIAP2L2,CD200,AKAP6,CABP1,AMPH,PACSIN1,ATCAY,ICA1,ADGRL1,APP,GABBR2,YWHAH,YWHAZ,CYFIP2,CBLN4,SSX2IP,CEP41,ERC2,PRKCG,SNAP25,ATP1A1,SNCA,ATP1B1,CADPS2,MAP2K1,ATP2A2,ATP2B1,ATP2B2,GABRA1,GABRB3,GABRD,GABRG2,GAD2,ATP6V0C,ARHGAP32,DCAF6,NCKAP1,SLC6A17,KCTD8,LRRTM1,EPB41L3,SLC30A3,LIN7B,STX1A,PTPRM,PTPRN,PTPRN2,PTPRR,SV2B,KCNJ4,GLRB,ARHGAP44,VAMP1,VAMP2,PDXP,SYN1,SYN2,SYP,SYT1,WASF1	

									,SLC17A6,DMXL2 ,PSD3,SYNGR3,S YNGR1,PAK1,EP HA4,CDK5
GO:0031 410	CC	cytoplas mic vesicle	1.66E- 15	2.75E- 14	1.88E- 13	8.79E- 13	77	PCSK1,NCALD,C HGA,CHGB,CAC NG3,AP1S1,GAB ARAPL1,NRXN1, SCAMP5,PI4KA,F AM3C,ALDOA,SV OP,SLC9A6,BAIA P2L2,SYT13,VGF, AMPH,PACSIN1,S CG5,ICA1,SH3GL 2,MYRIP,SYBU,A PP,RAB6B,YWHA H,YWHAZ,NECA P1,SLC32A1,ARH GDIG,NSG2,CAL Y,SNAP25,ATP1A 1,NRSN1,SNCA,C ADPS2,GAD1,GA D2,ATP6V1B2,AT P6V0C,ATP6V1G2 ,AFTPH,SLC6A17, LAMP5,STEAP2,S LC30A3,ITPR1,ST X1A,STXBP1,PTP RN,PTPRN2,SV2B ,KCNJ4,SCG2,VA MP1,VAMP2,SYN 1,SYN2,SYP,SYT1 ,PCSK1N,KIF3C,D NM1,KLC1,SLC17 A6,RAN,DMXL2, NPTX1,NRGN,W DR7,CAMK2B,CA MK2G,SYNGR3,A P3B2,SYNGR1	
GO:0098 589	CC	membran e region	9.69E- 11	1.35E- 09	9.28E- 09	5.15E- 08	64	TPM1,CHRM1,AD CY1,SLC12A5,HP CA,AP1S1,GABA RAPL1,NRXN1,O	

								LFM1,FLRT3,AK AP6,CABP1,PACS IN1,MYRIP,ADGR L1,MAGEE1,APP, GABBR2,NECAP1 ,NPTN,SLC8A2,N SG1,CNTNAP2,PR KCB,ERC2,PRKC G,SNAP25,ATP1A 1,ATP1B1,CADPS 2,ATP2B1,ATP2B 2,ATP2B3,PRNP,G ABRA1,GABRB3, GABRD,GABRG2, ATP6V1A,GAD2, ARHGAP32,ATP6 V1E1,CLSTN3,NC KAP1,KCTD8,LA MP5,LRRTM1,EP B41L3,ITPR1,LIN 7B,KCNJ4,GLRB, PDXP,SYP,SYT1, NME1,FZD3,PSD3 ,MAL2,PAK1,ENO 2,EPB41L1,EPHA4 ,CDK5
GO:0008 092	MF	cytoskele tal protein binding	4.64E- 10	2.58E- 07	1.96E- 06	5.15E- 07	50	TPM1,NCALD,M AP1B,MAP2,MAP 4,PFN2,HPCA,GA BARAPL1,ALDO A,BAIAP2L2,CAP 2,PACSIN1,ATCA Y,ENC1,MYRIP,G AS7,SYBU,RAB6 B,YWHAH,MICA L2,PRKCE,SNAP2 5,ATP1A1,SNCB,S NCA,ABLIM2,PR NP,REEP1,EPB41 L3,NEFM,NEFH,S TX1A,PTPRN,VA MP2,SYN1,KIF3C, NME1,WASF1,CD

									K5R2,DYNC1I1,K LC1,CACNB2,CA LM3,CAMK2B,ST MN2,STMN1,PTP RT,CORO6,EPB41 L1,CDK5
GO:0098 772	MF	molecula r function regulator	3.91E- 08	6.21E- 06	4.72E- 05	4.35E- 05	63	PFN2,CHN1,CAC NG3,SLIT2,NRXN 1,SCN1B,SCN2B,S CN4B,NGEF,FGF9 ,FGF12,FLRT3,FK BP1A,ELMOD1,C ABP1,AMPH,DPP 10,SCG5,APP,YW HAH,PPP1R2,BEX 3,ARHGDIG,ATP6 V1H,GNB5,PRKA R1B,PRKCB,KCNI P4,PRKCE,SNCB, SNCA,ATP1B1,M APK9,MAP2K1,S CN3B,ARHGAP32 ,RAP1GAP2,LRRT M1,ELMO1,ITPR1 ,NEFL,STX1A,RU NDC3A,ARHGAP 44,PCSK1N,HERC 1,CDK5R2,NPY,D OCK3,DENND5B, DPP6,CACNB2,K ALRN,CALM3,CA MK2B,CAMK2G,P SD3,RGS4,RGS7,C CKBR,ENSA,RCA N2,CDK5	
GO:0005 215	MF	transport er activity	1.93E- 07	1.78E- 05	1.35E- 04	2.14E- 04	57	NCALD,CYGB,SL C22A17,SLC12A5, CACNG3,AP1S1,S CN1B,SCN2B,SC N4B,SVOP,SLC9A 6,XK,SLC32A1,SL C8A2,ATP6V1H,S LC25A12,VPS35,K	



									CNIP4,SNAP25,A TP1A1,ATP1B1,A TP2A2,ATP2B1,A TP2B2,ATP2B3,S CN3B,GABRA1,G ABRB3,GABRD,G ABRG2,ATP6V1A ,ATP6V1B2,ATP6 V0C,ATP6V1E1,A TP6V1G2,SLC6A1 7,CPLX1,TOMM2 0,STEAP2,SLC30 A3,ITPR1,SLC38A 1,SV2B,KCNJ4,GL RB,KCNJ12,SYN1, SYP,SLC17A6,DE NND5B,GPM6A,R AN,CACNB2,CAL M3,TUSC3,SLC6A 15,AP3B2
GO:0005 102	MF	signaling receptor binding	3.70E- 04	9.56E- 03	7.25E- 02	4.11E- 01	55	ETS2,CHGB,CHN 1,ADCYAP1,SLIT 2,GABARAPL1,N RXN1,UCHL1,NG EF,FGF9,FAM3C, FGF12,C1QTNF4, FLRT3,FHL2,FKB P1A,CD200,VGF, APP,YWHAH,BE X3,NPTN,NSG1,C APRIN2,PRKCB,R ASL11B,PRKCE,A TP2A2,ATP2B2,T RIM37,REEP1,AD AM23,SST,RUND C3A,SCG2,SYT1,T AC1,PCSK1N,GN AO1,DNM1,GNG3 ,NPY,RAN,CALM 3,NSF,CCK,CCKB R,LINGO1,NCOA 7,RNF41,MRAP2, ENSA,EPB41L1,E	

GO ID	Category	Sub-category	8.69E-04	1.89E-02	1.44E-01	9.65E-01	Count	Gene List
GO:0019899	MF						62	PHA4,CDK5 TSPYL1,PGAM1,SLC12A5,TUBA1B,HPCA,GABARAPL1,UBE2N,UCHL1,FBXL2,FKBP1A,AKAP6,MAP2K4,IGARS,MYRIP,APP,YWHAH,YWHAZ,PPP3CB,PPP3R1,CNTNAP2,PRKAR1B,PRKCB,PRKCE,ATP1A1,SNCA,ATP1B1,MAPK9,MAP2K1,ATP2A2,TRIM37,ATP6V0C,ATP6V1E1,NCKAP1,MOAP1,SMYD2,ITPR1,NEFH,NELL1,NEFL,NELL2,STX1A,STXBP1,PTPRN,PTPRR,SYN1,SNU13,NME1,DNM1,WASF1,CANCN2,DMXL2,KALRN,CALM3,NSF,CAMK2B,LDB2,EGR1,NPTXR,PAK1,RNF41,ENSA,CDK5
GO:0017076	MF	enzyme binding purine nucleotide binding	3.22E-03	4.57E-02	3.47E-01	1.00E+00	58	PDE1A,PFN2,CDK14,ADCY1,TUBB2A,CKMT1B,TUBA1B,TUBB3,UBE2N,PI4KA,MAP3K9,MAP2K4,SCG5,IGARS,RAB6B,ARF3,ASNS,AGK,PRKAR1B,PRKCB,RASL11B,PRKCE,PRKCG,ATP1A1,ATP1B1,MAPK9,MAP2K1,ATP2A2,ATP2

									B1,ATP2B2,ATP2 B3,DIRAS2,ATP6 V1A,ATP6V1B2,N MNAT2,AK5,SYN 1,SYN2,KIF3C,GN AO1,NME1,DNM1 ,DDX24,CKMT1A, RAN,CAMK1D,K ALRN,NSF,CAMK 2B,CAMK2G,PAK 5,CAMK1G,OPA1, RIT2,PAK1,DCLK 1,EPHA4,CDK5
GO:0032 553	MF	ribonucle otide binding	3.26E- 03	4.57E- 02	3.47E- 01	1.00E+0 0	58	PDE1A,CDK14,A DCY1,TUBB2A,C KMT1B,TUBA1B, TUBB3,UBE2N,PI 4KA,MAP3K9,MA P2K4,SCG5,IARS, RAB6B,ARF3,AS NS,AGK,PRKAR1 B,PRKCB,RASL11 B,PRKCE,PRKCG, ATP1A1,ATP1B1, MAPK9,MAP2K1, ATP2A2,ATP2B1, ATP2B2,ATP2B3, DIRAS2,ATP6V1A ,ATP6V1B2,NMN AT2,AK5,SYN1,S YN2,CREG2,KIF3 C,GNAO1,NME1, DNM1,DDX24,CK MT1A,RAN,CAM K1D,KALRN,NSF, CAMK2B,CAMK2 G,PAK5,CAMK1G ,OPA1,RIT2,PAK1 ,DCLK1,EPHA4,C DK5	
GO:0032 555	MF	purine ribonucle otide	4.27E- 03	5.54E- 02	4.21E- 01	1.00E+0 0	57	PDE1A,CDK14,A DCY1,TUBB2A,C KMT1B,TUBA1B,	

GO ID	MF	6.00E-03	7.25E-02	5.50E-01	1.00E+00	55	Gene Symbols
GO:0035639	binding						TUBB3,UBE2N,PI4KA,MAP3K9,MAP2K4,SCG5,IARS,RAB6B,ARF3,ASNS,AGK,PRKAR1B,PRKCB,RASL11B,PRKCE,PRKCG,ATP1A1,ATP1B1,MAPK9,MAP2K1,ATP2A2,ATP2B1,ATP2B2,ATP2B3,DIRAS2,ATP6V1A,ATP6V1B2,NMNAT2,AK5,SYN1,SYN2,KIF3C,GNAO1,NME1,DNM1,DDX24,CKMT1A,RAN,CAMK1D,KALRN,NSF,CAMK2B,CAMK2G,PAK5,CAMK1G,OPA1,RIT2,PAK1,DCLK1,EPHA4,CDK5
GO:0035639	purine ribonucleoside triphosphate binding						CDK14,ADCY1,TUBB2A,CKMT1B,TUBA1B,TUBB3,UBE2N,PI4KA,MAP3K9,MAP2K4,SCG5,IARS,RAB6B,ARF3,ASNS,AGK,PRKCB,RASL11B,PRKCE,PRKCG,ATP1A1,ATP1B1,MAPK9,MAP2K1,ATP2A2,ATP2B1,ATP2B2,ATP2B3,DIRAS2,ATP6V1A,ATP6V1B2,NMNAT2,AK5,SYN1,SYN2,KIF3C,GNAO1,NME1,DNM1,DDX24,CKMT1A,RAN,CAMK1D,KALRN,CAMK1G,KAL

								RN,NSF,CAMK2B ,CAMK2G,PAK5, CAMK1G,OPA1,R IT2,PAK1,DCLK1, EPHA4,CDK5
GO:0030 554	MF		3.01E- 02	1.88E- 01	1.00E +00	1.00E+0 0	44	PFN2,CDK14,ADC Y1,CKMT1B,UBE 2N,PI4KA,MAP3K 9,MAP2K4,IARS, ASNS,AGK,PRKA R1B,PRKCB,PRK CE,PRKCG,ATP1 A1,ATP1B1,MAP K9,MAP2K1,ATP2 A2,ATP2B1,ATP2 B2,ATP2B3,ATP6 V1A,ATP6V1B2,N MNAT2,AK5,SYN 1,SYN2,KIF3C,N ME1,DDX24,CKM T1A,CAMK1D,KA LRN,NSF,CAMK2 B,CAMK2G,PAK5 ,CAMK1G,PAK1, DCLK1,EPHA4,C DK5
		adenyl nucleotid e binding						
GO:0042 802	MF	identical protein binding	4.09E- 02	2.14E- 01	1.00E +00	1.00E+0 0	39	ACOT7,BCL11A, ADARB1,SLIT2,H PRT1,MAP3K9,FL RT3,FHL2,ALDO A,FKBP1A,CD200, SH3GL2,APP,ZNF 365,YWHAZ,CRY M,ASNS,SNCA,T RIM37,PRNP,NEL L1,NEFL,NELL2,S TXBP1,PTPRM,B HLHE22,PVALB, VAMP2,SYP,SYT 1,NME1,DNM1,G OT1,CAMK2B,CA MK2G,OAT,MRA

P2,ENO2,EPHA4

**Table 5** The enriched GO terms of the down regulated differentially expressed genes

GO ID	CATEGORY	GO Name	P Value	FDR B&H	FDR B&Y	Bonferroni	Gene Count	Gene
GO:0002682	BP	regulation of immune system process	1.44E-20	7.89E-17	7.25E-16	7.89E-17	94	CDKN1A,CMTM3,CEBPB,HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,PDK4,CD300A,HLA-DRA,VSIG4,RFTN2,HMOX1,LY96,VAMP3,TYROBP,FCER1G,FCGR1A,SASH3,FCGR1T,AIF1,FGFR3,FCGR,MERTK,HSPA1A,CHST3,VEGFB,EZR,WAS,LAT2,RGCC,SLC1A3,MSN,IFNGR1,SLC7A2,SLC11A1,CSF1R,CSF3R,CSK,PYCARD,VAMP8,SCIN,CTSH,GPRC5B,CYBA,HTRA1,MYOM1,TNFSF14,RASSF2,MYO10,AXL,BCL6,ITGB1,ITGB2,IL1RL1,VSIR,HCS1T,STAT5A,ITPKB,PTPN6,BST2,MAPKAPK3,SYK,C1QA,C1QB,C1QC,ADAM17,UNC93

									B1,TAP1,RAC2,DOCK2,PLA2G7,LI LRB3,RARRES2, GPER1,GPX1,LG ALS9,TGFB3,HA VCR2,CD14,EBI3 ,CD86,WASF2,C D37,TLR5,CD44, CD74,LYN,TRIB 1,HCK,HCLS1,H ERC5,STOM
GO:0001775	BP	cell activation	1.31E-19	3.58E-16	3.29E-15	7.17E-16	73	CDKN1A,CEBPB ,HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,CD300A,HLA-DRA,VSIG4,HMOX1,VAMP3,FZD9,TYROBP,ADRB2,NDRG1,FCER1G,SASH3,CLIC1,AIF1,FGR,ME RTK,PLEK,HSPB 1,APBB1IP,WAS, LAT2,RGCC,APO E,MYL12A,PDPN ,RHOG,SLC7A2, SLC11A1,CSK,P YCARD,CSR1,V AMP8,MEGF10,T NFSF14,AXL,BC L6,ITGAX,ITGB1 ,ITGB2,LILRB1, VSIR,STAT5A,IT PKB,PTPN6,BST 2,SYK,GNA12,A DAM17,RAC2,FE RMT3,DOCK2,LI LRB3,GPER1,LC P1,LGALS9,HAV CR2,EBI3,TIMP1,	



									DCLRE1C,CD86, CD37,CD44,CD74 ,CD151,LYL1,LY N,CMTM7
GO:0006 952	BP	defense response	2.10E- 19	3.82E- 16	3.51E- 15	1.15E- 15	97	SERPINA3,CEBP B,HLA- DPA1,HLA- DQA1,PDK4,CLE C5A,CD300A,HL A- DRA,VSIG4,HM OX1,LY96,CD163 ,VAMP3,TYROB P,ADRB2,FCER1 G,FCGR1A,IFIT M3,AIF1,FGR,SE C61A1,HSPA1A, LY86,ALOX5,AL OX5AP,IL17RB,C HST3,DDIT4,WA S,IRF8,IFITM2,A POE,SP110,AQP4 ,SLC1A3,IFNGR1 ,SLC7A2,MT2A,S LC11A1,CSF1R,C SF3R,CSK,PRCP, PYCARD,XAF1, VAMP8,GPRC5B, CYBA,HTRA1,M YOM1,SPP1,AXL ,GBP2,DBI,BCL6, ITGAX,ITGB1,IT GB2,LILRB1,STA T5A,STAB1,GJA 1,PTPN6,BST2,M APKAPK3,SYK,C 1QA,C1QB,C1QC ,ADAM17,UNC93 B1,TAP1,DOCK2, PLA2G7,LILRB3, RARRES2,GPER 1,NTRK2,GPX1, OAS2,CXCL16,N	

									UPR1,OLR1,LGA LS9,HAVCR2,LIP A,CD14,CD86,CD 37,TLR5,CD44,C D74,TNFRSF1A, LYN,HCK,HERC 5,STOM
GO:0022 610	BP	biological adhesion	8.37E- 19	9.86E- 16	9.06E- 15	4.57E- 15	92		CEBPB,HLA- DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,CD300A,H LA- DRA,VSIG4,ADG RG1,ADGRV1,V AMP3,FBLN1,AD RB2,FCER1G,SA SH3,CLIC1,ATX N3,AIF1,ANTXR 1,GPNMB,MERT K,PLEK,SDC4,H SPB1,PLXNB1,A PBB1IP,EZR,WA S,RGCC,BCAN,S IPA1,MSN,MYL1 2A,PDPN,ARHG DIB,SLC11A1,CS F3R,CSK,PYCAR D,NCAN,CSRP1, ATP1B2,MEGF10 ,MYBPC1,TNFSF 14,SPP1,MYO10, AXL,INPPL1,PIE ZO1,DAB2,FXYD 5,FGFRL1,GBP2, BCL6,PARVG,IT GAX,ITGB1,ITG B2,ITGB4,LILRB 1,ITGB5,VSIR,ST AT5A,ITPKB,ST AB1,PTPN6,KAN K1,TMEM47,SIG

									LEC10,SYK,NINJ 1,ADAM17,FER MT2,RAC2,FER MT3,DOCK2,DD R1,DNAJB6,LCP 1,OLR1,LGALS9, HAVCR2,EBI3,C D86,LPP,CD44,C D74,CD151,LYN, HCK
GO:0006 955	BP	immune response	9.02E- 19	9.86E- 16	9.06E- 15	4.93E- 15	93	CMTM3,CEBPB, HLA-DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,CLEC5A,C D300A,HLA- DRA,CTSC,VSIG 4,RFTN2,HMOX1 ,LY96,VAMP3,T YROBP,FCER1G, FCGR1A,SASH3, FCGRT,IFITM3,A IF1,FGR,SEC61A 1,HSPA1A,LY86, APBB1IP,EZR,W AS,LAT2,RGCC,I RF8,IFITM2,SP11 0,AQP4,IFNGR1, MT2A,SLC11A1, CSF1R,CSK,PYC ARD,XAF1,VAM P8,CTSH,GPRC5 B,CYBA,TNFSF1 4,MYO10,AXL,G BP2,BCL6,ITGB1 ,ITGB2,LILRB1, VSIR,HCST,STA T5A,PTPN6,BST2 ,MAPKAPK3,SY K,C1QA,C1QB,C 1QC,ADAM17,U NC93B1,TAP1,R	

									AC2,DOCK2,LIL RB3,GPER1,GPX 1,OAS2,CXCL16, LCP1,RGS1,LGA LS9,TGFB3,HAV CR2,CD14,EBI3, DCLRE1C,CD86, WASF2,CD37,TL R5,CD44,CD74,T NFRSF1A,LYN,H CK,HERC5
GO:0007 155	BP	cell adhesion	1.67E- 18	1.52E- 15	1.40E- 14	9.11E- 15	91	CEBPB,HLA- DMA,HLA- DMB,HLA- DOA,HLA- DPA1,HLA- DQA1,CD300A,H LA- DRA,VSIG4,ADG RG1,ADGRV1,V AMP3,FBLN1,AD RB2,FCER1G,SA SH3,CLIC1,ATX N3,AIF1,ANTXR 1,GPNMB,MERT K,PLEK,SDC4,H SPB1,PLXNB1,A PBB1IP,EZR,WA S,RGCC,BCAN,S IPA1,MSN,MYL1 2A,PDPN,ARHG DIB,SLC11A1,CS F3R,CSK,PYCAR D,NCAN,CSR1, ATP1B2,MEGF10 ,MYBPC1,TNFSF 14,SPP1,MYO10, AXL,INPPL1,PIE ZO1,DAB2,FXYD 5,FGFRL1,BCL6, PARVG,ITGAX,I TGB1,ITGB2,ITG B4,LILRB1,ITGB	

									5,VSIR,STAT5A,I TPKB,STAB1,PT PN6,KANK1,TM EM47,SIGLEC10, SYK,NINJ1,ADA M17,FERMT2,RA C2,FERMT3,DOC K2,DDR1,DNAJB 6,LCP1,OLR1,LG ALS9,HAVCR2,E BI3,CD86,LPP,C D44,CD74,CD151 ,LYN,HCK
GO:0040 011	BP	locomotio n	1.94E- 17	1.51E- 14	1.39E- 13	1.06E- 13	96	CMTM3,SYNJ2B P,LEMD3,CLEC5 A,CD300A,ADGR G1,HMOX1,SOX 8,FBLN1,SLC9A3 R1,FCER1G,IFIT M3,RAPGEF3,SR GAP1,AIF1,FOX O4,FGR,MERTK, HSPA1A,PLTP,S DC4,HSPB1,PLX NB1,TNS3,VEGF B,EZR,DDIT4,W AS,SGK1,RGCC, ASAP3,IFITM2,A POE,MSN,RHOC, PDPN,RHOG,AR HGDIB,CSF1R,C SF3R,CSK,PRCP, PYCARD,VAMP 8,ATP1B2,CTSH, PALLD,TNFSF14 ,SPP1,MYO10,A XL,SPTBN1,DAB 2,ITGAX,ITGB1,I TGB2,ITGB4,ITG B5,STAT5A,GJA 1,PTPN6,KANK1, BST2,TSPO,SYK, GNA12,ADAM17	

									,RAC2,FERMT3, DOCK2,PLA2G7, DDR1,RARRES2, GPER1,NTRK2,G PX1,CXCL16,GRI N2C,LCP1,SLC7 A7,TYMP,OLR1, LPAR1,LGALS9, SLC16A3,TIMP1, CD86,WASF2,CD 44,CD74,CD151,E MX2,LYN,CMT M7,TRIB1,HCK
GO:0016 477	BP	cell migration	1.49E- 16	1.02E- 13	9.35E- 13	8.15E- 13	79	SYNJ2BP,LEMD 3,CD300A,ADGR G1,HMOX1,SOX 8,FBLN1,SLC9A3 R1,FCER1G,RAP GEF3,SRGAP1,AI F1,FOXO4,FGR, MERTK,SDC4,H SPB1,PLXNB1,T NS3,VEGFB,DDI T4,SGK1,RGCC, ASAP3,APOE,MS N,RHOC,PDPN,R HOG,ARHGDIB, CSF1R,CSF3R,CS K,PRCP,PYCAR D,ATP1B2,CTSH, PALLD,TNFSF14 ,SPP1,AXL,DAB2 ,ITGAX,ITGB1,IT GB2,ITGB4,STA T5A,GJA1,PTPN6 ,KANK1,BST2,TS PO,SYK,GNA12, ADAM17,RAC2,F ERMT3,PLA2G7, DDR1,RARRES2, GPER1,NTRK2,G PX1,CXCL16,LC P1,SLC7A7,OLR1	

									,LPAR1,LGALS9, SLC16A3,TIMP1, WASF2,CD44,CD 74,CD151,EMX2, LYN,TRIB1,HCK
GO:0051 674	BP	localization of cell	9.28E-16	4.23E-13	3.88E-12	5.07E-12	82		SYNJ2BP,LEMD 3,CD300A,ADGR G1,HMOX1,SOX 8,FBLN1,SLC9A3 R1,FCER1G,RAP GEF3,SRGAP1,AI F1,FOXO4,FGR, MERTK,PLTP,SD C4,HSPB1,PLXN B1,TNS3,VEGFB, DDIT4,WAS,SGK 1,RGCC,ASAP3, APOE,MSN,RHO C,PDPN,RHOG,A RHGDIB,CSF1R, CSF3R,CSK,PRC P,PYCARD,ATP1 B2,CTSH,PALLD ,TNFSF14,SPP1, MYO10,AXL,DA B2,ITGAX,ITGB1 ,ITGB2,ITGB4,ST AT5A,GJA1,PTP N6,KANK1,BST2 ,TSPO,SYK,GNA 12,ADAM17,RAC 2,FERMT3,PLA2 G7,DDR1,RARRE S2,GPER1,NTRK 2,GPX1,CXCL16, LCP1,SLC7A7,O LR1,LPAR1,LGA LS9,SLC16A3,TI MP1,WASF2,CD4 4,CD74,CD151,E MX2,LYN,TRIB1 ,HCK



GO:0042 127	BP	regulation of cell proliferati on	2.73E- 14	9.95E- 12	9.14E- 11	1.49E- 10	87	CDKN1A,CEBPA ,CEBPB,HLA- DMB,SYNJ2BP,H LA-DPA1,HLA- DQA1,CD300A,V SIG4,GPR37L1,A DGRG1,HMOX1, SOX8,NDRG2,FB LN1,SLC9A3R1, ADRB2,NDRG1,S ASH3,IFITM3,AI F1,FOXO4,PLCD 1,FGFR3,GPNMB ,FGR,PLXNB1,T NS3,SERTAD1,V EGFB,SGK1,RGC C,HIPK2,APOE, MSX1,RHOG,CS F1R,CSK,PYCAR D,AKR1C3,SCIN, CTSH,CYBA,HT RA1,INPPL1,DA B2,FGFRL1,CCN D1,BCL6,ITGB1, LILRB1,GFAP,PT HIR,VSIR,STAT5 A,STK3,GJA1,PT PN6,TSPO,SYK, ADAM17,RAC2, DDR1,RARRES3, GPER1,NTRK2,G PX1,TMEM119,S ELENON,NUPR1, LGALS9,TGFB3, HAVCR2,EBI3,TI MP1,NACC2,CD8 6,CD37,CD44,CD 74,TNFRSF1A,E MP3,LYN,TRIB1, HCK,HCLS1,HD AC1
GO:0098 589	CC	membrane region	2.39E- 15	1.25E- 12	8.57E- 12	1.25E- 12	75	ABCA1,CYBRD1 ,PDE9A,DHRS3,S

									LCO2B1,RFTN2, HMOX1,ADGRV 1,VAMP3,FZD9,S LC9A3R1,ADRB 2,FCER1G,FCGR 1A,RAPGEF3,AH NAK,AIF1,ANTX R1,PLCD1,FGR,P LEK,HSPA1A,CN GB1,SDC4,HSPB 1,EZR,LAT2,ITS N1,AQP4,SLC1A 3,SLC2A5,MSN,C RYAB,PDPN,NE CAP2,CSK,VAM P8,ATP1B2,MEG F10,GPRC5B,CY BA,MYO10,PIEZ O1,SPTBN1,DAB 2,MFRP,ITGB1,I TGB2,ITGB4,PT H1R,HEPH,GJA1, KANK1,BST2,KC NMA1,GNA12,A DAM17,FERMT2, DDR1,GPER1,NT RK2,LAMP2,GRI N2C,LCP1,SLC7 A7,OLR1,RHOQ, CD14,SYTL4,CD 44,LRP4,TNFRSF 1A,LYN,HCK,ST OM
GO:0009 986	CC	cell surface	5.42E- 13	1.42E- 10	9.72E- 10	2.84E- 10	56	ABCA1,HLA- DMA,SYNJ2BP,H LA-DPA1,HLA- DQA1,CLEC5A,H LA- DRA,ADGRV1,V AMP3,FZD9,TYR OBP,FCER1G,FC GR1A,IFITM3,A NTXR1,FGFR3,S	

									DC4,IL17RB,VASN,APOE,AQP4,SLC1A3,MSN,CRYAB,RHOC,PDPN,SLC11A1,CSF1R,VAMP8,GPRC5B,VAMP5,AXL,NDP,ITGAX,ITGB1,ITGB2,ITGB4,ILRB1,ITGB5,VSIR,HCST,BGN,BS T2,KCNMA1,ADAM17,FERMT2,NTRK2,LPAR1,TGFB3,HAVCR2,CD14,CD86,CD44,LRP4,CD74,TNFRSF1A
GO:0005764	CC	lysosome	4.78E-12	6.27E-10	4.29E-09	2.51E-09	41	HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-DQA1,HLA-DRA,CTSC,SLC15A3,ADRB2,IFITM3,TPP1,AHNK,FGFR3,GPC5,SDC4,LAT2,VASN,NPC2,BCAN,APOE,PRDX6,SLC11A1,PRCP,NCAN,RNASET2,VAMP8,CTSH,DAB2,GFAP,TMBIM1,BGN,LAPTM5,GJA1,UNC93B1,HAP1,LAMP2,LIPA,CD68,CD74,LYN,HCK	
GO:0005773	CC	vacuole	7.77E-11	8.15E-09	5.57E-08	4.07E-08	64	HLA-DMA,HLA-DMB,HLA-DOA,HLA-DPA1,HLA-	

								DQA1,HLA-DRA,CTSC,LY96,SLC15A3,EHD4,VAMP3,ADRB2,NDRG1,FCGR1A,IFITM3,TPP1,AHNAK,ANTXR1,FGFR3,GPC5,SDC4,EZR,LAT2,VASN,NPC2,BCAN,APOC2,APOE,PRDX6,SLC11A1,PRCP,NCAN,RNASET2,VAMP8,CTSH,CYBA,SLC9A9,VAMP5,DAB2,ITGB1,GFAP,TMBIM1,BGN,LAPTM5,GJA1,BST2,UNC93B1,RAB31,ATP6V0E1,GPER1,HAP1,NTRK2,LAMP2,LPAR1,HAVCR2,LIPA,CD14,SYTL4,WASF2,CD68,CD74,LYN,HCK,PLIN3
GO:0098590	CC	plasma membrane region	1.41E-09	8.23E-08	5.63E-07	7.41E-07	55	CYBRD1,PDE9A,DHRS3,SLCO2B1,HMOX1,ADGRV1,VAMP3,FZD9,SLC9A3R1,ADRB2,RAPGEF3,AIF1,ANTXR1,FGR,PLEK,HSPA1A,CNGB1,HSPB1,EZR,AQP4,SLC1A3,SLC2A5,MSN,CRYAB,PDPN,VAMP8,ATP1B2,MEGF10,CYBA,MYO10,PIEZO1,SPTBN1,DAB2,MFRP,IT

									GB1,ITGB4,PTH1R,HEPH,GJA1,KANK1,BST2,KCNMA1,GNA12,ADAM17,FERMT2,DR1,GPER1,NTRK2,GRIN2C,LCP1,SLC7A7,SYTL4,CD44,LRP4,HCK
GO:0031226	CC	intrinsic component of plasma membrane	2.79E-07	6.63E-06	4.54E-05	1.46E-04	70	ABCA1,HLA-DPA1,SLCO2B1,HLA-DQA1,CLEC5A,HLA-DRA,ADGRG1,LY96,CD163,TYROBP,ADRB2,FCER1G,APLNR,FGFR3,GPC5,GPNMB,MERTK,CNGB1,SDC4,IL17RB,PLXNB1,AQP4,SLC2A5,SLC5A3,IFNGR1,PDPN,SLCA2,SLC11A1,CSF1R,CSF2RA,CSF3R,ATP1B2,CYBA,IL13RA1,VAMP5,AXL,DAB2,FXR,YD5,FGFRL1,ITGAX,ITGB1,ITGB2,ITGB4,ITGB5,PTH1R,LAPTM5,STAB1,GJA1,BST2,KCNMA1,ADAM17,DDR1,LILRB3,GPER1,NTRK2,GRIN2C,SLC7A7,OLR1,LPAR1,CD14,SLC16A3,GYPC,CD37,TLR5,CD44,CD74,CD151,TNFRSF1A,LY	

GO ID	CC	Term	3.12E-07	7.11E-06	4.87E-05	1.64E-04	Count	Gene List
GO:0005887	CC	integral component of plasma membrane	3.12E-07	7.11E-06	4.87E-05	1.64E-04	68	N,STOM ABCA1,HLA-DPA1,SLCO2B1,HLA-DQA1,CLEC5A,HLA-DRA,ADGRG1,CD163,TYROBP,ADR2B2,FCER1G,APLN,FGFR3,GP5C5,GPNMB,MERTK,CNGB1,SDC4,IL17RB,PLXNB1,AQP4,SLC2A5,SLC5A3,IFNGR1,PDN,SLC7A2,SLC11A1,CSF1R,CSF2RA,CSF3R,ATP1B2,CYBA,IL13RA1,VAMP5,AXL,DAB2,FXR5,FGFR1,ITGAX,ITGB1,ITGB2,ITGB4,ITGB5,PTH1R,LAPT5,STAB1,GJA1,BST2,KCNMA1,ADAM17,DDR1,LILRB3,GPER1,NTRK2,GRIN2C,SLC7A7,OLR1,LPAR1,SLC16A3,GYPC,CD37,TLR5,CD44,CD74,CD151,TNFRSF1A,LYN,STOM
GO:0030054	CC	cell junction	4.23E-07	9.24E-06	6.32E-05	2.22E-04	54	ADD3,VAMP3,NDRG1,AHNAK,FGFR3,HSPA1A,SDC4,CNN3,HSPB1,ARHGAP6,APBB1IP,TNS3,EZR,WAS,ITSN1,ASAP3,AQP4,MSN,R

									HOG,CSK,CSRP1 ,PALLD,CYBA,V AMP5,DAB2,FGF RL1,CCND1,PAR VG,ITGB1,ITGB4 ,ITGB5,VSIR,GJ A1,PTPN6,TMEM 47,GNA12,ADA M17,FERMT2,RA C2,FERMT3,GPE R1,HAP1,DTNA, GRIN2C,LCP1,H AVCR2,FARP1, WASF2,LPP,CD4 4,CD151,CGNL1, LYN,HCK
GO:0031 410	CC	cytoplasm ic vesicle	7.77E- 07	1.62E- 05	1.11E- 04	4.07E- 04	58	SERPINA3,ABC A1,HLA- DPA1,HLA- DQA1,HLA- DRA,CTSC,CD16 3,VAMP3,FCGR1 A,IFITM3,TPP1,F GFR3,GPNMB,C NGB1,VEGFB,IT SN1,APOE,SIPA1 ,PRDX6,MSN,AR HGDIB,NECAP2, SLC11A1,VAMP 8,ARRDC2,CTSH ,GPRC5B,CYBA, VAMP5,DAB2,F GFRL1,GBP2,DB I,ITGB1,ITGB2,I TGB5,BGN,STAB 1,GJA1,ACSBG1, SYK,UNC93B1,R AC2,RAB31,RAR RES2,ATP6V0E1, GPER1,HAP1,LA MP2,LPAR1,TGF B3,RHOQ,TIMP1, SYTL4,CD74,HC	



								K,PLIN3,STOM
GO:0005 615	CC	extracellul ar space	6.31E- 06	1.00E- 04	6.85E- 04	3.31E- 03	58	SERPINA3,CMT M3,ABCA1,CTSC ,HMOX1,LY96,C HI3L2,TST,FBLN 1,SERPINB6,AEB P1,CLIC1,GPC5, MERTK,HSPA1A ,LY86,ALOX5,PL TP,HSPB1,VEGF B,EZR,COL20A1, VASN,BCAN,AP OC1,APOC2,APO E,PRDX6,MSN,A SIP,RNASET2,CT SH,GPRC5B,HTR A1,TNFSF14,SPP 1,AXL,NDP,DBI, ADA2,C1QA,C1Q B,C1QC,PLA2G7, DDR1,SELENBP 1,CXCL16,LAMP 2,LCP1,LGALS9, TGFB3,CD14,EBI 3,TIMP1,ANGPT L4,TNFRSF1A,C MTM7,STOM
GO:0019 899	MF	enzyme binding	1.38E- 06	1.67E- 03	1.28E- 02	1.67E- 03	74	CDKN1A,EPHX1, ABCA1,CEBPA,C EBPB,CARHSP1, CD300A,CTSC,H MOX1,ADD3,S10 0A1,SERPINB6,S LC9A3R1,ADRB 2,NDRG1,SRGAP 1,ATXN3,FOXO4 ,FGR,PLEK,HSP A1A,ALOX5AP,S DC4,HSPB1,EZR, WAS,WFS1,SGK 1,RHOBTB3,RGC C,NPC2,APOC2,P RDX6,MSN,PPP1

									R3C,ARHGDIB,C SF1R,RANBP3L, CSK,PYCARD,ZF HX3,MAPK4,AT P1B2,GPRC5B,N EK6,SPTBN1,CC ND1,ITGB1,ITGB 2,LILRB1,GFAP, STAT5A,PTPN6, SYK,DIO2,RAB3I L1,NTRK2,LAMP 2,LCP1,LGALS9, GSTM3,TIMP1,N ACC2,SYTL4,FA RP1,CD44,LRP4, CD74,TNFRSF1A ,LYN,TRIB1,HCL S1,STOM,HDAC1
GO:0060 089	MF	molecular transducer activity	4.51E- 06	2.71E- 03	2.08E- 02	5.42E- 03	66	ABCA1,HLA- DOA,HLA- DPA1,HLA- DQA1,CLEC5A,C D300A,HLA- DRA,GPR37L1,A DGRG1,ADGRV1 ,LY96,RRBP1,CD 163,RYR3,FZD9, ADRB2,FCER1G, FCGR1A,FCGRT, APLNR,ANTXR1 ,FGFR3,MERTK, HSPA1A,CNGB1, SDC4,IL17RB,PL XNB1,PAQR8,IF NGR1,CSF1R,CS F2RA,CSF3R,CT SH,GPRC5B,IL13 RA1,AXL,DAB2, FGFRL1,LHPP,IT GAX,ITGB1,ITG B2,ITGB4,LILRB 1,ITGB5,PTH1R, STAB1,PTPN6,TS	

									PO,DDR1,LILRB 3,LPAR5,GPER1, NTRK2,CXCL16, GRIN2C,OLR1,L PAR1,CD14,EBI3 ,CD86,TLR5,CD4 4,CD74,TNFRSF1 A
GO:0005 102	MF	signaling receptor binding	1.68E- 05	3.63E- 03	2.78E- 02	2.03E- 02	61	CMTM3,ABCA1, CEBPB,SYNJ2BP ,TYROBP,FBLN1 ,SLC9A3R1,ADR B2,FCGR1A,PRM T2,GPNMB,FGR, HSPA1A,PLXNB 1,VEGFB,APOE, MSN,CSK,ASIP,P YCARD,GPRC5B ,TNFSF14,SPP1,D AB2,NDP,DBI,IT GB1,ADA2,ITGB 4,LILRB1,ITGB5, GFAP,TMBIM1,H CST,GJA1,PTPN6 ,SYK,GNA12,AD AM17,UNC93B1, TAP1,FERMT3,D OCK2,RARRES2, HAP1,NTRK2,CX CL16,TYMP,TGF B3,EBI3,TIMP1,S YTL4,CD86,TLR 5,CD44,LRP4,CD 74,CD151,LYN,C MTM7,HCK	
GO:0042 802	MF	identical protein binding	1.74E- 05	3.63E- 03	2.78E- 02	2.09E- 02	54	CEBPA,CEBPB,C EBPD,CTSC,HM OX1,PLEKHB1,S 100A1,FZD9,TYR OBP,FBLN1,ADR B2,ATXN3,PRMT 2,FOXO4,PLEK,P LOD1,ALOX5AP,	

									HSPB1, VEGFB, WAS, S100A16, A POC2, BCAS1, AP OE, CRYAB, SLC1 1A1, CSF1R, CSK, PYCARD, ALDH4 A1, MAPK4, MYO M1, LHPP, NDP, A DA2, LILRB1, BST 2, NQO1, KCNMA 1, C1QB, TAP1, HS PB8, HAP1, NTRK 2, RENBP, LCP1, T GFB3, GSTM3, NA CC2, ANGPTL4, L RP4, CD74, TP53B P2, STOM
GO:0098 772	MF	molecular function regulator	3.57E- 05	5.41E- 03	4.15E- 02	4.29E- 02	55	CDKN1A, SERPI NA3, CTSC, FBLN 1, SERPINB6, SLC 9A3R1, ADRB2, R APGEF3, SRGAP1 , RIN2, FGFR3, AL OX5AP, HSPB1, A RHGEF6, PLXNB 1, PSD2, WAS, SG K1, ITSN1, RGCC, BAG3, ASAP3, AP OC1, APOC2, APO E, SIPA1, PPP1R3 C, ARHGDIB, CSF 2RA, PYCARD, V AMP8, ATP1B2, C TSH, GPRC5B, CY TH4, ADAP2, TNF SF14, SPTBN1, FX YD5, CCND1, BG N, STK3, BST2, RA B3IL1, RAC2, DO CK2, DNAJB6, RE NBP, GRIN2C, RG S1, RGS10, TIMP1, FARP1, ANGPTL	

								4,TRIB1
GO:0038 023	MF	signaling receptor activity	7.68E- 05	7.56E- 03	5.80E- 02	9.25E- 02	54	ABCA1,HLA- DOA,HLA- DPA1,HLA- DQA1,CD300A,H LA- DRA,GPR37L1,A DGRG1,ADGRV1 ,LY96,RYR3,FZD 9,ADRB2,FCER1 G,FCGR1A,FCGR T,APLNR,ANTX R1,FGFR3,MERT K,SDC4,IL17RB, PLXNB1,PAQR8, IFNGR1,CSF1R,C SF2RA,CSF3R,C TSH,GPRC5B,IL1 3RA1,AXL,FGFR L1,LHPP,ITGB1,I TGB2,LILRB1,PT H1R,PTPN6,TSP O,DDR1,LILRB3, LPAR5,GPER1,N TRK2,GRIN2C,L PAR1,CD14,EBI3 ,CD86,TLR5,CD4 4,CD74,TNFRSF1 A
GO:0046 983	MF	protein dimerizati on activity	1.15E- 04	9.22E- 03	7.07E- 02	1.38E- 01	50	CEBPA,CEBPB,C EBPD,HLA- DQA1,HMOX1,S OX8,PLEKHB1,H MG20B,S100A1,F ZD9,HIST2H2AA 3,ADRB2,PRMT2 ,PLEK,PLOD1,A LOX5AP,VEGFB, S100A16,APOC2, BCAS1,APOE,CR YAB,SLC11A1,C SF1R,PYCARD, MAPK4,CYBA,M

									YOM1,AXL,LHP P,NDP,DBI,ITGB 1,ADA2,ITGB2,L ILRB1,STK3,BST 2,KCNMA1,KCN N3,C1QB,TAP1,N TRK2,RENBP,TG FB3,GSTM3,NAC C2,LRP4,LYL1,S TOM
GO:0044 877	MF	protein- containing complex binding	1.71E- 04	1.21E- 02	9.27E- 02	2.05E- 01	58	CDKN1A,CEBPA ,CEBPB,HLA- DMA,HLA- DMB,HLA- DOA,HLA- DRA,ADGRG1,F BLN1,SLC9A3R1 ,ADRB2,NDRG1, FCER1G,FCGR1 A,FCGRT,AIF1,A NTXR1,FOXO4,G PNMB,FGR,SEC6 1A1,CNN3,EZR,B AG3,APOE,CRY AB,SCIN,CTSH, MYO10,SPTBN1, DAB2,CCND1,A LDH1L1,BCL6,IT GB1,ITGB2,ITGB 5,GFAP,STAB1,S YK,KCNMA1,GN A12,ADAM17,TB L1X,FERMT3,DO CK2,DDR1,GPER 1,LCP1,NUPR1, WASF2,CD44,CD 74,CD151,TNFRS F1A,LYN,HCLS1, HDAC1	
GO:0008 289	MF	lipid binding	1.96E- 04	1.31E- 02	1.00E- 01	2.36E- 01	31	ABCA1,CD300A, PLCD1,PLEK,PL TP,ALOX5AP,PM P2,PSD2,PAQR8,	

								NPC2,APOC1,AP OC2,APOE,ACB D7,SCIN,CYTH4, ADAP2,MYO10, AXL,INPPL1,SPT BN1,DAB2,DBI,T SPO,FERMT2,PL A2G7,GPER1,LP AR1,CD14,SYTL 4,LYN
GO:0004 888	MF	transmem branesigna ling receptor activity	8.58E- 04	3.82E- 02	2.93E- 01	1.00E+0 0	47	ABCA1,HLA- DOA,HLA- DPA1,HLA- DQA1,HLA- DRA,GPR37L1,A DGRG1,ADGRV1 ,RYR3,FZD9,AD RB2,FCER1G,FC GR1A,FCGRT,AP LNR,ANTXR1,F GFR3,MERTK,IL 17RB,PLXNB1,IF NGR1,CSF1R,CS F2RA,CSF3R,CT SH,GPRC5B,IL13 RA1,AXL,FGFRL 1,LHPP,ITGB2,LI LRB1,PTH1R,PT PN6,DDR1,LILR B3,LPAR5,GPER 1,NTRK2,GRIN2 C,LPAR1,CD14,E BI3,TLR5,CD44, CD74,TNFRSF1A

**Table 6** Topology table for up and down regulated genes

Regulation	Node	Degree	Betweenness	Stress	Closeness	Clustering Coefficient
Up	YWHAZ	520	0.303479	34572544	0.418391	0.003112
Up	GABARAPL1	519	0.223347	21852052	0.377829	9.97E-04
Up	SSX2IP	207	0.093692	9473730	0.347627	0.001595

Up	YWHAH	185	0.049951	7280666	0.345909	0.007638
Up	UBE2N	176	0.078233	11122364	0.323757	0.001623
Up	CALM3	148	0.06597	7100308	0.347196	0.002758
Up	PNMA1	130	0.057117	5261682	0.340441	0.002504
Up	MAGED1	127	0.053559	6137200	0.321214	0.003375
Up	TUBB3	126	0.047797	8153956	0.354741	0.01054
Up	USP11	90	0.03642	4902718	0.311991	4.99E-04
Up	STX1A	88	0.039459	2972380	0.287452	0.003135
Up	LDOC1	83	0.025842	5269048	0.306836	5.88E-04
Up	FHL2	83	0.035779	5436576	0.302552	0
Up	APP	83	0.042781	4166770	0.341048	0.007346
Up	EPB41L3	82	0.033089	2837640	0.340346	0.012045
Up	ATP6V1A	72	0.025583	3674416	0.299835	0.005869
Up	DCLK1	69	0.019955	6604820	0.28752	0
Up	SNCA	67	0.022716	2822196	0.316329	0.003166
Up	RAN	59	0.016754	2753448	0.30389	0
Up	MAPK9	59	0.022167	4416440	0.303485	0.001753
Up	BEX2	58	0.023183	1906394	0.302225	0.00363
Up	TRIM37	56	0.01734	2325384	0.295575	0.01039
Up	PRNP	54	0.022786	1450206	0.298924	6.99E-04
Up	CDK5	53	0.016119	5560370	0.288523	0
Up	MAP2K1	51	0.018383	1488872	0.316604	0.009412
Up	PAK1	50	0.017919	1287682	0.323699	0.007347
Up	PRKAR1B	49	0.014937	2523534	0.30519	0
Up	SLC38A1	48	0.018191	2825680	0.277905	8.87E-04
Up	SH3GL2	48	0.017084	3543090	0.283976	0.003546
Up	NSF	47	0.017194	1375530	0.30125	9.25E-04
Up	DDX24	44	0.014803	1817222	0.308213	0.002114
Up	RBFOX2	42	0.009651	1205330	0.298826	0.026713
Up	CCNA1	42	0.012785	1332634	0.281603	0.001161
Up	ATP1A1	41	0.011681	1956120	0.308632	0.004878
Up	TUBB2A	39	0.014824	1564672	0.333394	0.014845
Up	RTN4	36	0.009227	2635674	0.276428	0.011111
Up	PFN2	36	0.017354	1554706	0.31151	0.006349
Up	GPRASP2	35	0.009795	1454950	0.28549	0
Up	PNMA2	35	0.009209	1124876	0.325261	0.028571
Up	RNF41	35	0.013898	2481286	0.253747	0
Up	ATP2A2	34	0.007725	1606958	0.303814	0
Up	TSPYL2	33	0.011521	1837306	0.260074	0
Up	TPM1	33	0.007946	820602	0.316742	0.015152
Up	CHGB	32	0.008919	1181836	0.285939	0.004032
Up	MAP1B	31	0.00804	1759306	0.28944	0
Up	DYNC1H1	31	0.008074	1435618	0.286614	0



Up	ALDOA	31	0.008241	1028948	0.325174	0.023656
Up	STAMBPL1	30	0.010007	826570	0.295839	0
Up	HPRT1	29	0.010272	1194692	0.318823	0.03202
Up	ENO2	29	0.010363	749602	0.302426	0.019704
Up	CIRBP	29	0.013379	945212	0.31846	0.007389
Up	SMYD2	28	0.008525	891396	0.288248	0.002646
Up	TUBA1B	28	0.006355	679812	0.323613	0.044974
Up	G3BP2	28	0.010082	854254	0.292416	0.005291
Up	UCHL1	28	0.005862	928260	0.305088	0.002646
Up	KLC1	27	0.005385	375808	0.311991	0.054131
Up	IARS	27	0.004513	420104	0.318488	0.019943
Up	DNM1	27	0.010115	1015404	0.29917	0.022792
Up	VPS35	26	0.006859	1341624	0.290456	0
Up	PGRMC1	26	0.006398	1609490	0.27219	0
Up	NME1	26	0.009137	742508	0.305574	0.003077
Up	MAL2	25	0.007673	873010	0.261588	0
Up	RBFOX1	25	0.00641	480594	0.285939	0.04
Up	GNB5	24	0.007755	1759018	0.258394	0
Up	NEFL	24	0.006714	514106	0.300033	0.007246
Up	BEX1	23	0.003327	509968	0.252989	0
Up	TOMM20	22	0.005795	846012	0.288089	0
Up	GAS7	22	0.004679	548152	0.274655	0.030303
Up	CAMK2B	22	0.006891	530376	0.276302	0.012987
Up	PACSL1	21	0.007754	550504	0.273581	0.004762
Up	NCKAP1	21	0.005268	462816	0.308658	0.104762
Up	SLC25A12	21	0.006082	850432	0.288591	0
Up	SNRPN	21	0.006083	1067330	0.267962	0
Up	OAT	21	0.005568	866682	0.286795	0.004762
Up	EGR1	21	0.006159	816024	0.259555	0
Up	WASF1	20	0.003276	302586	0.283865	0.042105
Up	ATP6V1B2	20	0.002662	462898	0.283954	0.057895
Up	RUNDC3A	19	0.004563	1118982	0.242748	0
Up	BASP1	19	0.001808	349670	0.279634	0
Up	RTN3	19	0.005329	640152	0.266024	0.040936
Up	CYFIP2	18	0.004289	338978	0.314933	0.117647
Up	NEFM	18	0.003956	565288	0.290155	0.006536
Up	MAP4	17	0.002527	559320	0.289786	0.022059
Up	NAPB	16	0.003369	301488	0.26026	0.066667
Up	PLEKHB2	16	0.003117	385238	0.248787	0
Up	NELL1	16	0.004613	609270	0.272823	0
Up	STRBP	15	0.002031	377222	0.2567	0
Up	ARHGAP32	15	0.003077	453612	0.27727	0
Up	TSPYL4	14	0.003989	305642	0.268913	0

Up	STXBP1	14	0.004421	323342	0.284197	0
Up	MAP2K4	14	0.003232	317308	0.273664	0.032967
Up	PI4KA	14	0.002273	454832	0.27354	0
Up	FKBP1A	14	0.003669	523150	0.249264	0
Up	ACOT7	13	0.002579	311680	0.275967	0.012821
Up	STMN2	13	0.003402	382796	0.26939	0
Up	PRKCB	13	0.003077	583720	0.270471	0
Up	CDK14	13	0.001632	182338	0.282018	0.038462
Up	ETS2	13	0.005562	880622	0.219185	0
Up	ATP1B1	13	0.003131	202320	0.269131	0.051282
Up	NGEF	12	0.003038	516072	0.244772	0
Up	PPP3CB	12	0.004548	671290	0.264132	0
Up	PPP1R2	12	0.002333	310394	0.270592	0
Up	PGAM1	12	0.002562	240280	0.316687	0.090909
Up	STMN1	12	0.001708	359304	0.266862	0
Up	ATP6V1E1	12	0.001868	216802	0.283423	0.060606
Up	ATP6V0C	12	0.00329	332358	0.257663	0
Up	ACP1	12	0.001327	278778	0.251503	0
Up	NAP1L5	11	0.001162	254090	0.261682	0
Up	PJA1	11	0.002953	176012	0.272986	0
Up	EPDR1	11	0.003347	197776	0.288317	0.018182
Up	SYT1	11	0.002389	382104	0.261532	0
Up	SYN1	11	0.002727	257626	0.281908	0.036364
Up	VAMP2	11	0.004158	413696	0.253253	0.036364
Up	PRKCE	11	0.002925	206314	0.306759	0.072727
Up	KIF3C	11	0.002403	368746	0.26394	0
Up	CKMT1A	10	0.001142	172006	0.313712	0.022222
Up	CADPS2	10	0.002927	328096	0.24794	0.044444
Up	AKAP6	10	9.40E-04	284338	0.251712	0
Up	KALRN	10	0.001181	171202	0.265132	0
Up	PTPRN	10	0.002201	282330	0.254368	0
Up	PPP3R1	10	0.00278	245790	0.26989	0.022222
Up	MAP2	10	7.24E-04	164684	0.264036	0
Up	ICA1	10	0.003465	416502	0.244246	0
Up	GAD1	10	0.00268	295646	0.276638	0
Up	CKMT1B	10	0.001142	172006	0.313712	0.022222
Up	ASNS	10	0.002036	342344	0.277926	0
Up	AMPH	10	0.002749	268180	0.250516	0.022222
Up	MOAP1	9	0.001934	233876	0.233618	0
Up	AGK	9	0.001298	179476	0.269251	0
Up	BCL11A	9	0.003862	355102	0.221371	0
Up	SLIT2	9	0.002987	411796	0.249606	0
Up	OPA1	9	0.001878	204586	0.269291	0

Up	MDH1	9	0.004987	785188	0.28752	0
Up	ENSA	9	0.002265	245204	0.253165	0.055556
Up	AP1S1	9	0.002823	295576	0.243511	0
Up	CCKBR	9	0.003224	588778	0.253765	0
Up	SCAMP5	8	2.25E-04	33196	0.202887	0
Up	MRAP2	8	0.003843	293958	0.192257	0
Up	CAMK1D	8	0.001706	334732	0.25081	0
Up	DCAF6	8	6.09E-04	118754	0.265345	0
Up	ATP6V1H	8	0.002212	204098	0.252235	0
Up	AK5	8	0.003542	207288	0.295551	0
Up	CAP2	8	0.001797	406950	0.248821	0
Up	LDB2	8	0.003865	399054	0.239285	0
Up	SCG2	8	9.38E-04	152816	0.257991	0
Up	SNAP25	8	0.003163	188104	0.267293	0.071429
Up	DOCK3	8	6.55E-04	167712	0.250499	0
Up	CAMK2G	8	0.001384	261198	0.266608	0
Up	MAP7D2	7	2.40E-04	57370	0.269052	0
Up	NCOA7	7	0.001189	101368	0.280388	0.095238
Up	NECAB1	7	0.001294	131820	0.256718	0
Up	LIN7B	7	0.003294	389118	0.182804	0
Up	DIRAS2	7	6.20E-04	135562	0.290017	0.047619
Up	FBXL2	7	0.001674	247096	0.249708	0
Up	NRXN1	7	0.002222	173864	0.209015	0
Up	INA	7	3.53E-04	53202	0.278245	0
Up	TARBP1	7	0.001206	217698	0.240629	0
Up	TAC1	7	0.002023	242786	0.247148	0
Up	FGF12	7	0.001831	218342	0.230686	0
Up	EPB41L1	7	5.22E-04	71492	0.277863	0.047619
Up	ATP2B1	7	0.001202	106770	0.259611	0.047619
Up	LINGO1	6	0.001131	130154	0.215704	0
Up	ACTR10	6	5.83E-04	57200	0.228399	0
Up	TMEM14A	6	6.03E-04	57288	0.243429	0
Up	PNKD	6	0.001189	151034	0.220834	0
Up	MYRIP	6	0.001137	192738	0.245614	0
Up	TBR1	6	0.00117	152722	0.266667	0
Up	ELMO1	6	0.001682	278946	0.221425	0
Up	PRSS3	6	0.001172	135896	0.266921	0
Up	PRKCG	6	8.09E-04	123106	0.251416	0
Up	NPY	6	0.001415	255346	0.2221	0
Up	ITPR1	6	0.001152	122148	0.24492	0
Up	CHN1	6	0.001678	267066	0.21527	0
Up	ZCCHC12	5	9.05E-04	78548	0.258065	0
Up	FBXO34	5	9.49E-04	134314	0.256555	0

Up	OCIAD1	5	0.001651	186292	0.208787	0
Up	RAB6B	5	0.001151	138186	0.243788	0
Up	PNMA3	5	7.09E-04	78626	0.252866	0
Up	SULT4A1	5	5.98E-04	89296	0.239616	0
Up	CELF2	5	5.80E-04	105312	0.260614	0
Up	PREPL	5	0.001183	199254	0.220366	0
Up	NREP	5	7.49E-04	74980	0.243088	0
Up	CNTNAP1	5	5.93E-05	15268	0.247081	0
Up	VSNL1	5	0.001258	130854	0.239285	0
Up	TSPYL1	5	8.01E-04	97912	0.252673	0
Up	STAT4	5	0.002197	229156	0.207561	0
Up	SCG5	5	6.39E-04	86632	0.225066	0
Up	RGS7	5	3.10E-04	46406	0.259518	0
Up	PTPRN2	5	9.33E-04	129298	0.253782	0
Up	PCP4	5	6.13E-04	121714	0.242424	0
Up	OPCML	5	8.01E-04	88028	0.256971	0
Up	NELL2	5	1.19E-04	18698	0.241299	0
Up	GNAO1	5	0.001142	95648	0.271439	0
Up	GLS	5	1.54E-04	23754	0.242796	0
Up	GAD2	5	6.64E-04	47922	0.236456	0
Up	GABRD	5	0.001134	155676	0.223203	0
Up	CHRM1	5	8.90E-04	92394	0.253942	0
Up	ADARB1	5	0.001109	134272	0.252322	0
Up	FBXL16	4	5.65E-04	50880	0.239175	0
Up	MFS6	4	2.17E-06	322	0.257499	0.5
Up	NT5DC3	4	8.11E-04	83504	0.214711	0
Up	CNTNAP2	4	0.001108	322366	0.228042	0
Up	NECAP1	4	8.51E-04	62830	0.243348	0
Up	FAM3C	4	5.09E-04	18328	0.226481	0
Up	GABBR2	4	3.10E-04	13894	0.23431	0.166667
Up	HERC1	4	3.93E-05	13426	0.263596	0
Up	SNCB	4	5.75E-04	51258	0.223587	0
Up	PTPRR	4	6.02E-04	39492	0.206513	0
Up	GOT1	4	7.09E-04	79346	0.251069	0
Up	ATP2B2	4	0.001112	113994	0.246897	0
Up	ARF3	4	2.47E-04	49364	0.24464	0
Up	PGM2L1	3	5.61E-04	29146	0.199813	0
Up	CYGB	3	0.001099	180094	0.176511	0
Up	NCALD	3	5.84E-04	74964	0.194496	0
Up	MAGEE1	3	5.74E-04	46822	0.237567	0
Up	TMX4	3	5.59E-04	69560	0.226961	0
Up	SYBU	3	6.59E-04	71018	0.237335	0
Up	CALY	3	0.001099	72922	0.202639	0

Up	ZNF365	3	5.52E-04	46736	0.237056	0
Up	FRMPD4	3	6.18E-04	163864	0.235614	0
Up	CABP1	3	8.47E-05	9834	0.217729	0
Up	VAMP1	3	7.17E-06	1314	0.194819	0
Up	GPM6A	3	1.25E-04	18296	0.235462	0
Up	CRYM	3	1.43E-04	21454	0.244394	0
Up	CHGA	3	0.001099	143366	0.219687	0
Up	ATP6V1G2	3	6.17E-05	14284	0.264766	0
Up	ARHGDIG	3	7.44E-05	14782	0.230643	0
Up	ADCYAP1	3	4.51E-05	7718	0.190466	0
Up	NME5	3	1	6	1	0
Up	CAPRIN2	3	1	6	1	0
Up	VSTM2L	2	5.49E-04	42326	0.237103	0
Up	C1QTNF4	2	1.21E-05	1990	0.213628	0
Up	SLITRK1	2	8.84E-05	13778	0.246496	0
Up	ATCAY	2	6.37E-05	5202	0.215972	0
Up	ABLIM2	2	1.46E-05	4402	0.235904	0
Up	CAMK1G	2	5.49E-04	56262	0.246546	0
Up	CMAS	2	1.93E-05	15894	0.265946	0
Up	SLC6A15	2	3.56E-06	974	0.218592	0
Up	AFTPH	2	5.49E-04	32466	0.227899	0
Up	GLS2	2	5.49E-04	73606	0.196597	0
Up	NPTN	2	3.36E-05	2290	0.230176	0
Up	ERC2	2	5.49E-04	121796	0.227899	0
Up	CNRIP1	2	1.59E-05	1712	0.231951	0
Up	DMXL2	2	1.40E-05	1174	0.210697	0
Up	RAP1GAP2	2	6.50E-07	40	0.241347	0
Up	PPM1E	2	2.31E-05	4704	0.232158	0
Up	PTPRT	2	8.81E-05	4390	0.245963	0
Up	CPLX1	2	5.49E-04	121796	0.227899	0
Up	CPLX2	2	2.34E-05	3798	0.224179	0
Up	ARPP21	2	7.52E-06	2384	0.231023	0
Up	OLFM1	2	2.16E-05	6880	0.250844	0
Up	KIAA0513	2	5.49E-04	112282	0.183394	0
Up	SYNGR1	2	9.23E-06	840	0.184266	0
Up	ENC1	2	5.49E-04	56262	0.246546	0
Up	VGF	2	5.03E-05	11172	0.240439	0
Up	RTN1	2	1.09E-05	2616	0.198192	0
Up	RIT2	2	3.58E-05	5086	0.250637	0
Up	NPTX1	2	5.49E-04	52796	0.218461	0
Up	NEFH	2	1.90E-05	3038	0.247535	0
Up	NAP1L3	2	5.49E-04	38980	0.211961	0
Up	CD200	2	5.49E-04	30104	0.230599	0

Up	GNG3	2	2.08E-05	1398	0.214181	0
Up	EPHA4	2	9.67E-06	2466	0.25596	0
Up	ELAVL4	2	5.49E-04	43134	0.220259	0
Up	ATP2B3	2	5.49E-04	56550	0.241347	0
Up	BEX5	2	1	2	1	0
Up	SV2B	2	1	2	1	0
Up	KCNIP4	2	1	2	1	0
Up	CACNB2	2	1	2	1	0
Up	ARHGAP44	2	1	2	1	0
Up	KCTD8	1	0	0	0.246512	0
Up	NRSN1	1	0	0	0.180807	0
Up	CBLN4	1	0	0	0.218055	0
Up	SLC32A1	1	0	0	0.25889	0
Up	KRT222	1	0	0	0.205105	0
Up	HENMT1	1	0	0	0.21555	0
Up	CEP41	1	0	0	0.205371	0
Up	C16orf45	1	0	0	0.232217	0
Up	PNMA6A	1	0	0	0.253995	0
Up	CORO6	1	0	0	0.182557	0
Up	SPHKAP	1	0	0	0.188533	0
Up	RASL11B	1	0	0	0.220232	0
Up	REEP1	1	0	0	0.257026	0
Up	DPP10	1	0	0	0.217808	0
Up	PITHD1	1	0	0	0.208155	0
Up	PDXP	1	0	0	0.237629	0
Up	GNG2	1	0	0	0.207561	0
Up	PCSK1N	1	0	0	0.172864	0
Up	PARM1	1	0	0	0.198961	0
Up	FLRT3	1	0	0	0.188533	0
Up	CAMTA1	1	0	0	0.215691	0
Up	RCAN2	1	0	0	0.174497	0
Up	CLSTN3	1	0	0	0.202797	0
Up	ADAM23	1	0	0	0.295	0
Up	AP3B2	1	0	0	0.228945	0
Up	TUSC3	1	0	0	0.196874	0
Up	FZD3	1	0	0	0.220901	0
Up	SYP	1	0	0	0.230147	0
Up	SYN2	1	0	0	0.22787	0
Up	RGS4	1	0	0	0.248821	0
Up	PDE1A	1	0	0	0.295	0
Up	CNTN3	1	0	0	0.193792	0
Up	MAP3K9	1	0	0	0.246512	0
Up	KCNJ4	1	0	0	0.154558	0

Up	HPCA	1	0	0	0.189662	0
Up	EXTL2	1	0	0	0.197848	0
Up	DPP6	1	0	0	0.217015	0
Up	DLX1	1	0	0	0.161864	0
Up	COL5A2	1	0	0	0.20391	0
Up	CCK	1	0	0	0.198961	0
Down	HSPB1	297	0.252553	21161044	0.352134	7.28E-04
Down	HDAC1	234	0.147861	14084732	0.317228	3.67E-04
Down	CDKN1A	159	0.117762	9153794	0.318419	0.001274
Down	TNFRSF1A	116	0.068603	4417914	0.302187	9.00E-04
Down	FKBP5	94	0.059602	5497602	0.298757	4.58E-04
Down	BCL6	85	0.04794	5770508	0.271764	0
Down	STOM	77	0.042309	4531172	0.273566	0
Down	TP53BP2	74	0.038647	5370676	0.277017	0
Down	STK3	71	0.039036	4265582	0.278838	0.002817
Down	BAG3	68	0.049404	2666838	0.307112	0.007463
Down	TEAD2	66	0.03415	3396934	0.253761	0
Down	SPTBN1	63	0.039882	4787616	0.315947	0.004608
Down	NEK6	61	0.031053	3457996	0.273077	5.46E-04
Down	NDRG1	61	0.027742	3297714	0.274107	0
Down	GFAP	60	0.032796	5105400	0.282581	0
Down	HAP1	58	0.032839	2490564	0.246408	0
Down	HCK	53	0.027225	2847310	0.279246	0.001451
Down	LYN	51	0.028956	2899660	0.294947	0.007843
Down	SGK1	49	0.024995	1409808	0.277394	0
Down	STAT5A	48	0.023474	2127412	0.272419	0
Down	MYL12A	47	0.03358	2898132	0.316471	0.00555
Down	WAS	47	0.020867	1130420	0.268207	0.002775
Down	DNAJB6	46	0.026431	1500174	0.289411	0.01256
Down	TSC22D4	44	0.020359	2077920	0.244808	0
Down	PYCARD	44	0.020627	1299182	0.263235	0
Down	EZR	43	0.026535	2455568	0.293219	0.016611
Down	CCND1	42	0.018913	907250	0.275293	0.00813
Down	PTPN6	41	0.020258	1324754	0.279451	0.010976
Down	SYK	40	0.018577	1676464	0.275517	0.021795
Down	DAB2	40	0.017683	3025304	0.271305	0
Down	ITSN1	38	0.014931	1398302	0.26233	0.001422
Down	ITGB5	37	0.017897	1383852	0.265732	0.001502
Down	CSK	37	0.014855	1938548	0.261566	0.001502
Down	SERTAD1	36	0.024153	963806	0.279349	0.001587
Down	PTBP1	36	0.014763	2873566	0.274575	0
Down	ITGB1	36	0.022917	1918002	0.282345	0.004762
Down	RPS27	35	0.017116	1486142	0.281954	0.001681

Down	DOCK2	35	0.014995	2204944	0.258007	0
Down	ATXN3	34	0.024882	1110164	0.27614	0.003565
Down	CLIC1	32	0.013199	1852884	0.275666	0
Down	PHGDH	31	0.014535	2331562	0.278406	0.002151
Down	SLC9A3R1	27	0.009181	445502	0.257246	0.019943
Down	TAP1	27	0.012997	1909902	0.231709	0
Down	RAB3IL1	27	0.011749	1816470	0.236667	0
Down	RASSF2	26	0.009885	838798	0.260806	0.018462
Down	FERMT3	25	0.012868	1434660	0.262895	0
Down	SEC61A1	25	0.012969	1088072	0.284264	0.006667
Down	VAMP3	25	0.008816	1572520	0.242263	0
Down	FGFR3	25	0.011955	1002686	0.253719	0
Down	MEGF10	24	0.013349	1078384	0.215592	0
Down	MAPKAPK3	24	0.010404	453004	0.289466	0.003623
Down	FBLN1	24	0.012476	1085908	0.257333	0
Down	APOE	24	0.014171	988930	0.255012	0.007246
Down	UGGT1	23	0.011922	1500648	0.232574	0
Down	FAM107A	23	0.008353	1041506	0.25448	0
Down	PRMT2	23	0.01039	1156514	0.24165	0
Down	CRYAB	23	0.009386	383150	0.277218	0.023715
Down	ARHGEF6	22	0.007755	852056	0.254502	0
Down	PLOD3	22	0.011436	1746324	0.270824	0
Down	MSN	22	0.01101	799588	0.282528	0.038961
Down	MKNK2	22	0.009468	812402	0.23781	0
Down	AHNAK	21	0.005477	1281178	0.279758	0
Down	DFFA	21	0.00776	522714	0.286317	0.02381
Down	PDE9A	20	0.00834	698368	0.242417	0
Down	INPPL1	20	0.005406	894622	0.254502	0
Down	GBP2	20	0.008984	436408	0.252377	0.005263
Down	CEBPB	20	0.012045	996912	0.261342	0.052632
Down	CD44	20	0.008011	410804	0.267643	0.026316
Down	PALLD	19	0.004224	675612	0.241726	0
Down	ABCA1	19	0.00924	819436	0.248474	0
Down	VASN	18	0.005701	668270	0.234108	0
Down	PARVG	18	0.008157	848264	0.244867	0
Down	HIPK2	18	0.007062	683068	0.252439	0
Down	RAI14	18	0.002903	765796	0.252669	0
Down	HMG20B	18	0.006404	409650	0.266987	0.019608
Down	PRDX6	18	0.005221	1081120	0.258422	0
Down	LAPTM5	18	0.008887	710260	0.225964	0
Down	HSPA1A	18	0.006718	665644	0.249306	0.013072
Down	CARHSP1	17	0.006023	525748	0.251566	0
Down	ITGB2	17	0.007497	499952	0.265225	0.014706



Down	CD14	17	0.007843	534520	0.229808	0
Down	SYTL4	16	0.006597	627446	0.23038	0
Down	VAMP8	16	0.006795	782382	0.250863	0
Down	CEBPA	16	0.00441	191576	0.239207	0.075
Down	PDCD4	15	0.005464	350722	0.246986	0
Down	MYO10	15	0.004772	295330	0.256017	0.009524
Down	MYBPC1	15	0.004639	259024	0.233553	0.038095
Down	ITGB4	15	0.005303	705034	0.241841	0
Down	ALOX5	15	0.005415	298364	0.243209	0
Down	TNS3	14	0.00206	322150	0.240451	0
Down	ANGPTL4	14	0.00522	234096	0.258051	0
Down	TRIB1	14	0.006864	291486	0.222311	0
Down	PLOD1	14	0.002897	716168	0.239978	0
Down	RHOC	14	0.003801	635342	0.232645	0
Down	ADRB2	14	0.005025	304860	0.253172	0
Down	MOB3C	13	0.00534	250762	0.234072	0
Down	CYBRD1	13	0.002396	628468	0.225347	0
Down	HERC5	13	0.005161	435588	0.239601	0
Down	WASF2	13	0.003836	257378	0.252941	0.012821
Down	TBL1X	13	0.003935	391598	0.241268	0
Down	ITPKB	13	0.00559	459996	0.230033	0
Down	C1QA	13	0.004112	399198	0.223287	0.038462
Down	ADD3	13	0.00828	504508	0.294919	0
Down	HAVCR2	12	0.001633	96970	0.230921	0.075758
Down	LEMD3	12	0.006001	323982	0.247447	0
Down	SIPA1	12	0.003772	346372	0.265432	0
Down	RRBP1	12	0.003079	322094	0.243151	0
Down	MT2A	12	0.005586	258386	0.203222	0
Down	FGR	12	0.003722	318494	0.266638	0.090909
Down	DDIT4L	11	0.004247	492198	0.22345	0
Down	HSPB8	11	0.004255	238968	0.267268	0.127273
Down	MYOT	11	0.003913	254532	0.216971	0
Down	SELENBP1	11	0.003304	321380	0.234431	0
Down	MAPK4	11	0.004295	454710	0.236648	0
Down	GSTM3	11	0.00351	432762	0.234323	0
Down	DDR1	11	0.003995	307240	0.227972	0
Down	LSM11	10	0.003484	236152	0.221827	0
Down	NECAP2	10	0.002181	292664	0.253867	0
Down	EHD4	10	0.003286	462476	0.241077	0
Down	FERMT2	10	0.003104	240800	0.251503	0
Down	FAM189A2	10	0.003552	215364	0.246927	0
Down	SPP1	10	0.004672	230708	0.243189	0
Down	S100A1	10	0.003843	339426	0.244514	0

Down	RAC2	10	0.004626	231210	0.252147	0
Down	LAMP2	10	0.002846	149214	0.245004	0
Down	HLA-DQA1	10	0.003467	284172	0.241325	0
Down	SERPINA3	10	0.005255	351298	0.218759	0
Down	DDIT4	9	0.002143	249074	0.241363	0
Down	VAMP5	9	0.002253	536658	0.186968	0
Down	PLIN3	9	0.005229	256176	0.235953	0
Down	FARP1	9	0.003218	462100	0.21829	0
Down	SLC16A3	9	0.002082	191722	0.226484	0
Down	PLEK	9	0.002846	155246	0.23994	0
Down	PC	9	0.003632	350054	0.233463	0
Down	FOXO4	9	0.00285	254500	0.243035	0
Down	SP110	9	0.003327	124378	0.256706	0
Down	HCLS1	9	0.002394	123870	0.258291	0.055556
Down	GPX1	9	0.001298	152998	0.219214	0
Down	DBI	9	0.003463	405680	0.222214	0
Down	CD74	9	0.00277	152896	0.219798	0
Down	RHPN2	8	0.002341	238122	0.212161	0
Down	ANTXR1	8	0.002541	393834	0.220784	0
Down	CSRNP1	8	0.003321	289950	0.21045	0
Down	KANK1	8	0.001946	154546	0.241497	0.035714
Down	RHOBTB3	8	0.003572	135278	0.210291	0
Down	ADAM17	8	0.002632	105124	0.241611	0.035714
Down	TROVE2	8	8.35E-04	186946	0.249143	0
Down	PLXNB1	8	0.003449	511002	0.213586	0
Down	OLR1	8	0.001344	264214	0.210843	0
Down	LPP	8	0.005157	362612	0.215851	0
Down	IRF8	8	0.003931	211768	0.216065	0
Down	DTNA	8	0.002923	246614	0.220084	0
Down	CTSC	8	0.002792	321900	0.205202	0
Down	SDC4	7	0.002524	136286	0.212797	0
Down	NTRK2	7	0.002703	423896	0.235535	0
Down	CYBA	7	0.002895	196730	0.235589	0
Down	CEBPD	7	1.36E-05	508	0.210682	0.47619
Down	AXL	7	0.001037	248436	0.242475	0
Down	EML3	6	0.001231	80812	0.243714	0.066667
Down	BRI3BP	6	0.001275	166978	0.232238	0
Down	SRGAP1	6	0.001078	109132	0.236483	0
Down	PSAT1	6	0.002172	224000	0.229964	0
Down	RAB31	6	0.001583	254760	0.208681	0
Down	PAPOLA	6	0.002134	242390	0.220322	0
Down	MYOM1	6	0.001242	67972	0.229273	0.133333
Down	TIMP1	6	0.00266	138732	0.181715	0

Down	TGFB3	6	0.001972	111928	0.188259	0
Down	CD37	6	0.002032	192264	0.238311	0.066667
Down	BST2	6	0.00216	203622	0.209713	0
Down	SFMBT2	6	1	30	1	0
Down	CMTM3	5	0.001583	84622	0.208112	0
Down	UNC93B1	5	0.002144	228958	0.198569	0
Down	FEM1C	5	0.001371	136164	0.207081	0
Down	ASAP3	5	0.001235	126860	0.207828	0
Down	TMEM51	5	0.001492	130816	0.213467	0
Down	RHOQ	5	0.001021	46560	0.22386	0
Down	PIEZO1	5	8.90E-04	102684	0.192376	0
Down	TNFSF14	5	0.002099	184096	0.190479	0
Down	AKR1C3	5	0.002619	152436	0.207899	0
Down	HIST2H2AA3	5	0.001021	123888	0.242533	0
Down	WFS1	5	9.55E-04	112242	0.226048	0
Down	TYROBP	5	0.001965	153540	0.216126	0.1
Down	RGS1	5	0.001423	133108	0.228006	0
Down	PTH1R	5	2.22E-04	56212	0.237921	0
Down	HTRA1	5	0.001778	145232	0.240318	0
Down	PPP1R3C	5	0.001456	114348	0.214909	0
Down	IL13RA1	5	0.001975	116798	0.200948	0
Down	HMOX1	5	0.001107	112536	0.212827	0
Down	FCGR1A	5	7.02E-04	41656	0.223516	0.1
Down	CSF2RA	5	0.001279	206560	0.215562	0
Down	CNN3	5	4.03E-04	59632	0.233714	0
Down	TPP1	5	0.001439	104628	0.240716	0
Down	ALDH7A1	5	0.00266	181084	0.224717	0
Down	ARHGDIB	5	8.49E-04	29570	0.216802	0
Down	OTOS	4	0.005385	231968	0.205133	0
Down	CGNL1	4	6.69E-04	57352	0.217714	0
Down	XAF1	4	0.001344	75474	0.224783	0
Down	SOX8	4	0.001965	120444	0.192001	0
Down	BAZ2B	4	0.001341	114986	0.189029	0
Down	SLC1A3	4	5.21E-04	65480	0.224222	0
Down	NDP	4	0.001352	114228	0.19042	0
Down	MT1X	4	7.42E-04	59832	0.210305	0
Down	MT1M	4	0.001337	65806	0.204091	0
Down	MT1A	4	0.001623	109652	0.234973	0
Down	MSX1	4	8.37E-04	102558	0.214743	0
Down	LRP4	4	0.001965	100110	0.200552	0
Down	HOXB6	4	1.79E-04	22804	0.223925	0
Down	GJA1	4	0.001084	44798	0.221891	0.166667
Down	EMP1	4	0.001398	132346	0.16694	0

Down	NQO1	4	0.00136	97788	0.237237	0
Down	CSRP1	4	2.79E-04	67996	0.252481	0
Down	CSF1R	4	1.98E-04	35642	0.23261	0
Down	CD86	4	0.00134	79656	0.179863	0
Down	C1QB	4	9.27E-04	62438	0.212649	0.166667
Down	BGN	4	7.30E-04	28828	0.187842	0
Down	RHOG	4	0.001341	192572	0.184739	0
Down	ACACB	4	0.001192	78772	0.229394	0
Down	NUPR1	4	1	12	1	0
Down	SLC16A9	3	1.55E-05	354	0.209253	0
Down	GLIS3	3	0.00131	87034	0.190265	0
Down	S100A16	3	7.06E-04	96488	0.232734	0
Down	CMTM7	3	8.88E-04	101080	0.17962	0
Down	SCIN	3	1.30E-05	2728	0.225897	0
Down	GPT2	3	6.90E-04	70280	0.1717	0
Down	SLC25A18	3	6.79E-04	30078	0.207208	0
Down	EFHD1	3	0.00131	91334	0.168991	0
Down	DCLRE1C	3	0.00131	62046	0.188492	0
Down	ZNF462	3	0.00131	101282	0.20356	0
Down	ADAP2	3	3.64E-04	40040	0.217357	0
Down	RIN2	3	7.47E-05	15764	0.237181	0
Down	SLC15A3	3	7.35E-05	7620	0.189193	0
Down	LY96	3	6.89E-04	23444	0.189099	0
Down	STAB1	3	7.03E-04	65946	0.230572	0
Down	RGS10	3	7.09E-04	40278	0.218759	0
Down	PRCP	3	0.00131	81590	0.208995	0
Down	PLCD1	3	9.07E-05	13232	0.21259	0
Down	MOBP	3	7.94E-05	11894	0.19274	0
Down	LCP1	3	6.79E-04	74352	0.231235	0
Down	IFNGR1	3	6.79E-04	54930	0.214622	0
Down	HLA-DMB	3	0.00131	109642	0.208268	0
Down	GNA12	3	0.00131	88106	0.150855	0
Down	FCER1G	3	8.11E-05	3528	0.22104	0
Down	EYA2	3	7.67E-04	53910	0.182345	0
Down	EMP3	3	0.001318	98464	0.198028	0
Down	PTTG1IP	3	0.00131	95918	0.163131	0
Down	C1QC	3	3.33E-05	4288	0.201186	0.666667
Down	ZFHX3	3	8.00E-04	63208	0.232009	0
Down	APOC2	3	2.67E-05	4132	0.214246	0.666667
Down	APOC1	3	1.27E-04	11920	0.203168	0
Down	AIF1	3	0.00131	137650	0.176944	0
Down	TRIM47	3	1	6	1	0
Down	RAPGEF3	3	1	6	1	0

Down	RANBP3L	2	2.96E-05	4290	0.20283	0
Down	NACC2	2	6.55E-04	38996	0.176047	0
Down	EMID1	2	6.55E-04	60420	0.225497	0
Down	ACSS1	2	0.003271	137820	0.145624	0
Down	TMBIM1	2	6.55E-04	21546	0.184739	0
Down	PLEKHB1	2	6.55E-04	18776	0.191267	0
Down	SYNJ2BP	2	4.84E-05	7940	0.207631	0
Down	APBB1IP	2	2.17E-04	18666	0.228535	0
Down	ACSBG1	2	5.44E-05	3048	0.195354	0
Down	LILRB1	2	6.55E-04	92454	0.207377	0
Down	CERS1	2	6.48E-05	8282	0.202911	0
Down	EBI3	2	1.48E-04	21114	0.211207	0
Down	FCGBP	2	2.07E-04	13900	0.200921	0
Down	ALDH4A1	2	6.55E-04	27572	0.112828	0
Down	BCAS1	2	7.29E-06	1156	0.191159	0
Down	VEGFB	2	6.55E-04	77838	0.176148	0
Down	TST	2	6.55E-04	27572	0.112828	0
Down	SLC2A5	2	6.55E-04	33090	0.206731	0
Down	NINJ1	2	6.37E-05	3454	0.205313	0
Down	MAOA	2	1.98E-04	2692	0.226517	0
Down	KCNMA1	2	6.55E-04	60118	0.19263	0
Down	HLA-DRA	2	6.55E-04	35690	0.180224	0
Down	GYPC	2	1.99E-05	2214	0.189533	0
Down	CSF3R	2	9.84E-06	1098	0.215973	0
Down	ABCB7	2	6.55E-04	37292	0.227615	0
Down	MS4A7	2	1	2	1	0
Down	CD151	2	1	2	1	0
Down	HCST	2	1	2	1	0
Down	IFITM2	2	1	2	1	0
Down	HLA-DMA	2	1	2	1	0
Down	EMX2	2	1	2	1	0
Down	CYP2J2	2	1	2	1	0
Down	SLC9A9	1	0	0	0.187473	0
Down	NWD1	1	0	0	0.18706	0
Down	RFTN2	1	0	0	0.166494	0
Down	SIGLEC10	1	0	0	0.21843	0
Down	NPL	1	0	0	0.180587	0
Down	LHPP	1	0	0	0.159835	0
Down	COL20A1	1	0	0	0.197746	0
Down	NDRG2	1	0	0	0.221168	0
Down	IL17RB	1	0	0	0.172097	0
Down	SH3TC1	1	0	0	0.188399	0
Down	ARRDC2	1	0	0	0.14806	0

Down	TMC6	1	0	0	0.187473	0
Down	CD300A	1	0	0	0.174089	0
Down	ALDH1L1	1	0	0	0.165081	0
Down	MERTK	1	0	0	0.222928	0
Down	GPNMB	1	0	0	0.200249	0
Down	CHST3	1	0	0	0.188027	0
Down	LY86	1	0	0	0.158367	0
Down	GPR37L1	1	0	0	0.172877	0
Down	BBOX1	1	0	0	0.174208	0
Down	PLA2G7	1	0	0	0.221168	0
Down	LAT2	1	0	0	0.163647	0
Down	UCP2	1	0	0	0.167453	0
Down	SLC7A2	1	0	0	0.212279	0
Down	RYS3	1	0	0	0.178423	0
Down	RARRES3	1	0	0	0.192218	0
Down	PMP2	1	0	0	0.212842	0
Down	OAS2	1	0	0	0.188306	0
Down	MYT1	1	0	0	0.197108	0
Down	ITGAX	1	0	0	0.209641	0
Down	HLA-DPA1	1	0	0	0.180203	0
Down	HLA-DOA	1	0	0	0.194918	0
Down	FCGRT	1	0	0	0.158367	0
Down	LPAR1	1	0	0	0.173594	0
Down	CTSH	1	0	0	0.227547	0
Down	TSPO	1	0	0	0.142152	0
Down	ALOX5AP	1	0	0	0.216111	0
Down	PLIN2	1	0	0	0.18812	0

**Table 7** miRNA - target gene interaction table

Regulation	Target Genes	Degree	MicroRNA A	Regulation	Target Genes	Degree	MicroRNA A
Up	TUBB2A	183	hsa-mir-5681a	Down	CCND1	197	hsa-mir-3973
Up	YWHAZ	156	hsa-mir-3189-5p	Down	MKNK2	153	hsa-mir-6515-5p
Up	MAP3K9	121	hsa-mir-6791-3p	Down	CDKN1A	131	hsa-mir-6886-3p
Up	PGM2L1	117	hsa-mir-6764-3p	Down	SYNJ2BP	120	hsa-mir-4659a-3p

Up	ALDOA	112	hsa-mir-4476	Down	BRI3BP	119	hsa-mir-3689b-3p
Up	SVOP	107	hsa-mir-548ay-5p	Down	FEM1C	112	hsa-mir-5590-3p
Up	TSPYL1	94	hsa-mir-7844-5p	Down	ATXN3	110	hsa-mir-4753-3p
Up	DENND5B	89	hsa-mir-5190	Down	NACC2	110	hsa-mir-2467-3p
Up	NCKAP1	86	hsa-mir-548aa	Down	UGGT1	106	hsa-mir-6893-5p
Up	APP	81	hsa-mir-298	Down	PTBP1	94	hsa-mir-6734-3p
Up	RAN	78	hsa-mir-944	Down	LPP	91	hsa-mir-4426
Up	G3BP2	77	hsa-mir-2053	Down	ZFHX3	89	hsa-mir-4728-5p
Up	TOMM20	76	hsa-mir-3665	Down	DDIT4	82	hsa-mir-548ak
Up	EPHA4	74	hsa-mir-4755-5p	Down	DFFA	81	hsa-mir-6883-5p
Up	FKBP1A	74	hsa-mir-4282	Down	CHST6	81	hsa-mir-4459
Up	FAM3C	73	hsa-mir-548bb-5p	Down	OLR1	80	hsa-mir-3180-3p
Up	SLC38A1	73	hsa-mir-548m	Down	PSAT1	78	hsa-mir-5692a
Up	TRIM37	71	hsa-mir-548ab	Down	ZNF621	77	hsa-mir-3155a
Up	FHL2	69	hsa-mir-3135b	Down	NWD1	75	hsa-mir-5197-5p
Up	NPTX1	69	hsa-mir-4470	Down	FKBP5	72	hsa-mir-6499-3p

Up	MAP1B	68	hsa-mir-4499	Down	TRIB1	72	hsa-mir-6779-5p
Up	SYNGR1	64	hsa-mir-5189-5p	Down	COX19	72	hsa-mir-6802-3p
Up	KIAA0513	63	hsa-mir-548x-5p	Down	SLC16A9	70	hsa-mir-2114-5p
Up	RNF41	63	hsa-mir-1200	Down	FZD9	69	hsa-mir-5700
Up	NT5DC3	63	hsa-mir-548az-3p	Down	SLC5A3	68	hsa-mir-4465
Up	CAPRIN2	61	hsa-mir-3666	Down	KCNN3	66	hsa-mir-5100
Up	CALM3	60	hsa-mir-6760-3p	Down	MYBPC1	65	hsa-mir-4424
Up	RBFOX2	59	hsa-mir-3133	Down	LHFPL2	65	hsa-mir-1260a
Up	STMN1	58	hsa-mir-4433a-3p	Down	PDCD4	65	hsa-mir-5697
Up	MAP2K4	58	hsa-mir-548as-5p	Down	ADAM17	64	hsa-mir-4505
Up	PRNP	57	hsa-mir-520g-3p	Down	RHOBTB3	64	hsa-mir-892c-3p
Up	PLEKHB2	57	hsa-mir-4478	Down	MYO10	58	hsa-mir-6792-3p
Up	PSD3	56	hsa-mir-548ap-3p	Down	TROVE2	58	hsa-mir-2682-5p
Up	ATP2A2	55	hsa-mir-548ar-3p	Down	SGK1	55	hsa-mir-5571-5p
Up	YWHAH	55	hsa-mir-5087	Down	PLXDC2	54	hsa-mir-3924
Up	FBXL2	55	hsa-mir-6843-3p	Down	MSN	53	hsa-mir-3689d



Up	OCIAD1	55	hsa-mir-5095	Down	LIPA	52	hsa-mir-548ay-5p
Up	GOLGA8B	54	hsa-mir-4319	Down	NDRG1	52	hsa-mir-548az-3p
Up	PACSIN1	53	hsa-mir-3190-3p	Down	ACSBG1	51	hsa-mir-6511a-5p
Up	MAP2K1	52	hsa-mir-548ak	Down	CARHSP1	51	hsa-mir-3909
Up	SLC25A12	52	hsa-mir-1267	Down	ITGB1	50	hsa-mir-3622b-5p
Up	PNMA2	52	hsa-mir-3681-5p	Down	SRGAP1	50	hsa-mir-4293
Up	HPRT1	50	hsa-mir-548y	Down	RHOC	49	hsa-mir-3124-3p
Up	GNB5	50	hsa-mir-520e	Down	CD44	49	hsa-mir-4776-3p
Up	ATP6V1A	48	hsa-mir-1273h-5p	Down	DNAJB6	48	hsa-mir-3152-3p
Up	PPP3R1	48	hsa-mir-548ac	Down	ZCCHC24	48	hsa-mir-5096
Up	UBE2N	48	hsa-mir-6729-3p	Down	HMOX1	47	hsa-mir-5008-5p
Up	NPTXR	48	hsa-mir-7156-3p	Down	HIST2H2AA 3	47	hsa-mir-2277-5p
Up	PRKCB	47	hsa-mir-6074	Down	TNFSF14	46	hsa-mir-4775
Up	SCN2B	46	hsa-mir-4770	Down	PAPOLA	46	hsa-mir-4327
Up	MFSD6	45	hsa-mir-4722-3p	Down	SFMBT2	46	hsa-mir-4524a-3p
Up	ENSA	44	hsa-mir-4757-5p	Down	RFTN2	46	hsa-mir-30c-2-3p

Up	SV2B	44	hsa-mir-4441	Down	ACBD7	46	hsa-mir-5688
Up	ATCAY	42	hsa-mir-3934-5p	Down	SLC7A2	45	hsa-mir-6853-3p
Up	ATP2B1	41	<b>hsa-mir-2276-5p</b>	Down	PLIN3	45	hsa-mir-6759-5p
Up	AP1S1	41	hsa-mir-6499-3p	Down	CERS1	42	hsa-mir-3918
Up	EPB41L1	40	hsa-mir-4510	Down	CYBRD1	42	hsa-mir-138-1-3p
Up	TUBA1B	40	hsa-mir-4643	Down	EMP1	41	hsa-mir-4721
Up	TSPYL4	40	hsa-mir-4779	Down	MT1A	41	hsa-mir-1299
Up	GABARAPL1	40	hsa-mir-9500	Down	PYCARD	40	hsa-mir-6749-3p
Up	NPTN	40	hsa-mir-3617-3p	Down	EHD4	40	hsa-mir-1273g-3p
Up	STRBP	40	hsa-mir-7977	Down	LYN	39	hsa-mir-548v
Up	ATP6V1B2	38	hsa-mir-3133	Down	BAZ2B	39	hsa-mir-7977
Up	SLC12A5	38	hsa-mir-2277-3p	Down	FXYD5	39	hsa-mir-4322
Up	VPS35	37	hsa-mir-6893-5p	Down	ITPKB	38	hsa-mir-548as-3p
Up	ARF3	36	hsa-mir-6760-5p	Down	SLC2A5	38	hsa-mir-3650
Up	PNKD	36	hsa-mir-380-5p	Down	SP110	37	hsa-mir-6716-5p
Up	CDK14	35	hsa-mir-5196-5p	Down	GIMAP4	37	hsa-mir-548ad-5p

Up	BASP1	35	hsa-mir-1255b-5p	Down	TMEM119	37	hsa-mir-4698
Up	CACNB2	34	hsa-mir-450a-2-3p	Down	GPC5	36	hsa-mir-548z
Up	CYGB	34	hsa-mir-2392	Down	MFRP	36	hsa-mir-6825-5p
Up	SLITRK4	34	hsa-mir-5580-3p	Down	SCIN	35	hsa-mir-4734
Up	FBXL16	34	hsa-mir-1185-1-3p	Down	CSRP1	34	hsa-mir-7159-3p
Up	PTPRT	32	hsa-mir-5006-3p	Down	LRIG1	34	hsa-mir-3140-3p
Up	PABPC1L2B	32	hsa-mir-4306	Down	EMX2	33	hsa-mir-6809-3p
Up	ETS2	31	hsa-mir-199a-3p	Down	NINJ1	33	hsa-mir-5095
Up	GABRB3	31	hsa-mir-548j-3p	Down	SDC4	33	hsa-mir-548bb-3p
Up	RCAN2	31	hsa-mir-513b-3p	Down	SYK	33	hsa-mir-203a-3p
Up	NMNAT2	31	hsa-mir-1304-5p	Down	WASF2	33	hsa-mir-3667-3p
Up	RTN4	31	hsa-mir-376c-3p	Down	SYTL4	33	hsa-mir-4659b-3p
Up	NDRG3	31	hsa-mir-2467-3p	Down	STAT5A	32	hsa-mir-7114-3p
Up	MOAP1	31	hsa-mir-4280	Down	VAMP3	32	hsa-mir-1273g-5p
Up	PGRMC1	30	hsa-mir-6866-5p	Down	RASSF2	32	hsa-mir-4480
Up	FGF9	29	hsa-mir-6817-3p	Down	ABCB7	30	hsa-mir-548ai

Up	RAP1GAP2	28	hsa-mir-7111-5p	Down	TPP1	30	hsa-mir-219a-2-3p
Up	CELF2	27	hsa-mir-548d-3p	Down	RAB31	30	hsa-mir-1255b-2-3p
Up	CREG2	27	hsa-mir-4423-5p	Down	HAVCR2	30	hsa-mir-520f-3p
Up	ITPR1	26	hsa-mir-449a	Down	SIGLEC10	30	hsa-mir-6792-3p
Up	VAMP1	26	hsa-mir-3677-3p	Down	HLA-DOA	29	hsa-mir-4329
Up	AKAP6	26	hsa-mir-4701-5p	Down	PDPN	29	hsa-mir-4649-3p
Up	MICAL2	26	hsa-mir-4436a	Down	CNN3	28	hsa-mir-4255
Up	RTN3	26	hsa-mir-4694-3p	Down	DAB2	28	hsa-mir-7515
Up	ADCYAP1	25	hsa-mir-1284	Down	MYL12A	28	hsa-mir-6803-5p
Up	IGSF3	25	hsa-mir-107	Down	RHOG	27	hsa-mir-6728-3p
Up	VSNL1	25	hsa-mir-548av-5p	Down	LAMP2	27	hsa-mir-4537
Up	AGK	25	hsa-mir-6130	Down	CEBPD	26	hsa-mir-4999-3p
Up	TMX4	25	hsa-mir-4778-3p	Down	SIPA1	26	hsa-mir-7704
Up	ATP1A1	24	hsa-mir-340-5p	Down	VAMP8	26	hsa-mir-6832-5p
Up	CAMK2G	24	hsa-mir-4753-3p	Down	FAM107A	26	hsa-mir-6826-3p
Up	KCNJ12	24	hsa-mir-6754-3p	Down	LSM11	26	hsa-mir-550a-3-5p

Up	NRGN	24	hsa-mir-5698	Down	CEBPB	25	hsa-mir-548t-5p
Up	SNAP25	24	hsa-mir-3925-3p	Down	RHOQ	25	hsa-mir-4310
Up	FRMPD4	24	hsa-mir-4279	Down	CXCL16	25	hsa-mir-5694
Up	STAMBPL1	24	hsa-mir-6868-3p	Down	RPS27	24	hsa-mir-1260b
Up	SSX2IP	24	hsa-mir-5189-3p	Down	ATP6V0E1	24	hsa-mir-5739
Up	GABRG2	23	hsa-mir-1470	Down	PALLD	24	hsa-mir-1250-3p
Up	CD200	23	hsa-mir-1260b	Down	HOXB6	23	hsa-mir-4688
Up	PCSK1	23	hsa-mir-1185-2-3p	Down	EZR	23	hsa-mir-3660
Up	AP3B2	23	hsa-mir-4781-3p	Down	FERMT2	23	hsa-mir-4299
Up	ACP1	22	hsa-mir-5680	Down	VASN	23	hsa-mir-4690-5p
Up	ELAVL4	22	hsa-mir-4635	Down	SERPINA3	22	hsa-mir-4776-3p
Up	PPP1R2	22	hsa-mir-190a-3p	Down	LAT2	22	hsa-mir-4667-5p
Up	TPM1	22	hsa-mir-6071	Down	HAP1	22	hsa-mir-6797-5p
Up	NRXN1	22	hsa-mir-1537-5p	Down	DIO2	21	hsa-mir-4453
Up	DIRAS2	22	hsa-mir-5010-5p	Down	ARHGEF6	21	hsa-mir-5197-3p
Up	OXR1	22	hsa-mir-586	Down	LHPP	21	hsa-mir-4763-3p

Up	NECAP1	21	hsa-mir-6132	Down	ANTXR1	21	hsa-mir-4469
Up	RAB6B	21	hsa-mir-8085	Down	EMID1	21	hsa-mir-6777-5p
Up	CYP26B1	21	hsa-mir-5697	Down	CD86	20	hsa-mir-8055
Up	NECAB1	21	hsa-mir-3074-3p	Down	GSTM3	20	hsa-mir-6778-3p
Up	NELL2	20	hsa-mir-6810-3p	Down	UCP2	20	hsa-mir-1321
Up	PTPRN2	20	hsa-mir-371b-5p	Down	KANK1	20	hsa-mir-3622b-5p
Up	SLC30A3	20	hsa-mir-7846-3p	Down	HSPB8	20	hsa-mir-4491
Up	EPB41L3	20	hsa-mir-7161-5p	Down	SEC61A1	20	hsa-mir-1253
Up	PPP3CB	19	hsa-mir-181a-2-3p	Down	OAS2	19	hsa-mir-4635
Up	MAPK9	19	hsa-mir-1178-3p	Down	SLC11A1	19	hsa-mir-4419a
Up	LDOC1	19	hsa-mir-8073	Down	FGFRL1	19	hsa-mir-3130-3p
Up	EPDR1	19	hsa-mir-5692b	Down	GPT2	19	hsa-mir-5093
Up	ZNF25	19	hsa-mir-3660	Down	GLIS3	19	hsa-mir-138-2-3p
Up	PFN2	18	hsa-mir-3200-5p	Down	ADD3	18	hsa-mir-5692c
Up	GAS7	18	hsa-mir-548aw	Down	AXL	18	hsa-mir-5699-3p
Up	CLSTN3	17	hsa-mir-4789-3p	Down	CD68	18	hsa-mir-4469

Up	NCOA7	17	hsa-let-7f-2-3p	Down	VEGFB	18	hsa-mir-6808-5p
Up	SLC6A17	17	hsa-mir-3180-5p	Down	PLA2G7	18	hsa-mir-4789-3p
Up	SNCB	16	hsa-mir-548bb-3p	Down	TIPARP	18	hsa-mir-5692a
Up	PREPL	16	hsa-mir-3155a	Down	NCAN	17	hsa-mir-147a
Up	ARHGAP32	16	hsa-mir-4799-5p	Down	IFNGR1	17	hsa-mir-3919
Up	BCL11A	16	hsa-mir-92a-1-5p	Down	EBI3	17	hsa-mir-6511a-5p
Up	SCAMP5	16	hsa-mir-1229-3p	Down	PHGDH	17	hsa-mir-6792-5p
Up	GABRA1	15	hsa-mir-6888-3p	Down	IL17RB	17	hsa-mir-3714
Up	PAK1	15	hsa-mir-377-3p	Down	GJA1	16	hsa-mir-6888-5p
Up	PTPRM	15	hsa-mir-6770-5p	Down	GPX1	16	hsa-mir-8060
Up	CPLX1	15	hsa-mir-2277-5p	Down	CHST3	16	hsa-mir-4437
Up	RBFOX1	15	hsa-mir-4768-5p	Down	PIEZO1	16	hsa-mir-5010-5p
Up	ATP2B3	14	hsa-mir-6792-3p	Down	TNS3	16	hsa-mir-6071
Up	GOT1	14	hsa-mir-5003-5p	Down	TMEM47	16	hsa-mir-3919
Up	SYP	14	hsa-mir-5011-5p	Down	ABCA1	15	hsa-mir-519d-3p
Up	NREP	14	hsa-mir-219a-1-3p	Down	ACACB	15	hsa-mir-4793-3p

Up	CAMTA1	14	hsa-mir-20a-5p	Down	CNGB1	15	hsa-mir-4680-5p
Up	CNTNAP2	14	hsa-mir-4444	Down	SPTBN1	15	hsa-mir-1301-3p
Up	FAM216A	14	hsa-mir-4735-5p	Down	GPR37L1	15	hsa-mir-642a-5p
Up	SMYD2	14	hsa-mir-5588-3p	Down	EXOG	15	hsa-mir-642b-3p
Up	GNG3	13	hsa-mir-7106-5p	Down	ARRDC2	15	hsa-mir-411-3p
Up	IARS	13	hsa-mir-100-5p	Down	SMOX	15	hsa-mir-3689d
Up	MAP4	13	hsa-mir-551b-3p	Down	BCAN	15	hsa-mir-6780b-3p
Up	NSF	13	hsa-mir-103a-3p	Down	FAM107B	15	hsa-mir-759
Up	PGAM1	13	hsa-mir-589-5p	Down	GNA12	14	hsa-mir-4309
Up	MLLT11	13	hsa-mir-3202	Down	HLA-DRA	14	hsa-mir-3928-3p
Up	CERS6	13	hsa-mir-5088-3p	Down	PLEK	14	hsa-mir-579-3p
Up	VGFB	12	hsa-mir-1908-5p	Down	LILRB1	14	hsa-mir-4789-3p
Up	KALRN	12	hsa-mir-5000-5p	Down	GPRC5B	14	hsa-mir-548s
Up	SLC9A6	12	hsa-mir-19a-3p	Down	ALDH7A1	13	hsa-mir-5571-5p
Up	PNMA3	12	hsa-mir-22-5p	Down	PRCP	13	hsa-mir-4669
Up	SCN3B	12	hsa-mir-1910-3p	Down	TBL1X	13	hsa-mir-4330



Up	BEX4	12	hsa-mir-3941	Down	TLR5	13	hsa-mir-6780b-5p
Up	PITHD1	12	hsa-mir-4511	Down	HSPA1A	12	hsa-mir-4424
Up	PDE1A	11	hsa-mir-5587-5p	Down	SLC7A7	12	hsa-mir-3689f
Up	SCN1B	11	hsa-mir-4755-3p	Down	ADAP2	12	hsa-mir-3199
Up	PARM1	11	hsa-mir-4422	Down	PARVG	12	hsa-mir-4802-5p
Up	ADARB1	10	hsa-mir-218-5p	Down	SFXN5	12	hsa-mir-4801
Up	ENC1	10	hsa-mir-505-5p	Down	BGN	11	hsa-mir-8485
Up	ELMO1	10	hsa-mir-1323	Down	STOM	11	hsa-mir-7162-5p
Up	MAL2	10	hsa-mir-6715a-3p	Down	MT1E	11	hsa-mir-4668-3p
Up	TMEM130	10	hsa-mir-3650	Down	MT2A	11	hsa-let-7g-3p
Up	OPCML	9	hsa-mir-3149	Down	HIPK2	11	hsa-mir-760
Up	GNG2	9	hsa-mir-16-1-3p	Down	MOB3C	11	hsa-mir-4707-5p
Up	PDXP	9	hsa-mir-4662a-5p	Down	ALOX5AP	10	hsa-mir-4775
Up	KCNJ4	8	hsa-mir-3667-3p	Down	HDAC1	10	hsa-mir-520h
Up	PRKCE	8	hsa-mir-205-5p	Down	MOBP	10	hsa-mir-3941
Up	BHLHE22	8	hsa-mir-4733-5p	Down	ATP8B4	10	hsa-mir-208b-5p

Up	REEP1	8	hsa-mir-3680-3p	Down	PAQR8	10	hsa-mir-557
Up	KRT222	8	hsa-mir-654-3p	Down	BCL6	9	hsa-mir-339-5p
Up	FAM19A1	8	hsa-mir-607	Down	FGFR3	9	hsa-mir-100-5p
Up	ASNS	7	hsa-mir-17-5p	Down	LAPTM5	9	hsa-mir-1273e
Up	COL5A2	7	hsa-mir-29b-3p	Down	BCAS1	9	hsa-mir-933
Up	DPP6	7	hsa-mir-6733-5p	Down	DHRS3	9	hsa-mir-130b-5p
Up	EGR1	7	hsa-mir-377-3p	Down	TSC22D4	9	hsa-mir-5699-5p
Up	WASF1	7	hsa-mir-411-5p	Down	OAF	9	hsa-mir-1248
Up	TUBB3	7	hsa-mir-200c-3p	Down	LCP1	8	hsa-mir-520a-3p
Up	TBR1	7	hsa-mir-7151-5p	Down	DCLRE1C	8	hsa-mir-548n
Up	CAMK1D	7	hsa-mir-5697	Down	CEBPA	7	hsa-mir-744-5p
Up	RASL11B	7	hsa-mir-4743-3p	Down	CLIC1	7	hsa-mir-106b-3p
Up	NCALD	7	hsa-mir-32-3p	Down	INPPL1	7	hsa-mir-671-5p
Up	ATP6V1E1	6	hsa-mir-221-3p	Down	PLOD1	7	hsa-mir-23b-3p
Up	GPM6A	6	hsa-mir-548e-5p	Down	RRBP1	7	hsa-mir-331-3p
Up	XK	6	hsa-mir-31-3p	Down	LEMD3	7	hsa-mir-10b-5p

Up	GABBR2	6	hsa-mir-450b-5p	Down	TMEM51	7	hsa-mir-4672
Up	CBLN2	6	hsa-mir-4753-3p	Down	ASAP3	7	hsa-mir-499a-5p
Up	CKMT1A	6	hsa-mir-451b	Down	CGNL1	7	hsa-mir-125a-5p
Up	OPA1	5	hsa-mir-320a	Down	CD151	6	hsa-mir-22-3p
Up	RGS4	5	hsa-mir-6867-5p	Down	CTSC	6	hsa-mir-199a-5p
Up	UCHL1	5	hsa-mir-181a-5p	Down	GBP2	6	hsa-mir-4709-5p
Up	HERC1	5	hsa-mir-455-3p	Down	ITGB4	6	hsa-mir-16-5p
Up	INA	5	hsa-mir-101-3p	Down	HTRA1	6	hsa-mir-635
Up	PNMA1	5	hsa-mir-30a-5p	Down	STK3	6	hsa-mir-133b
Up	CPLX2	5	hsa-mir-6765-3p	Down	RAPGEF3	6	hsa-mir-4286
Up	TMEM14A	5	hsa-mir-148a-3p	Down	RAI14	6	hsa-mir-122-5p
Up	AFTPH	5	hsa-mir-374b-5p	Down	FOXO4	5	hsa-mir-1274a
Up	ACTR10	5	hsa-mir-4668-5p	Down	NTRK2	5	hsa-mir-200c-3p
Up	CMAS	5	hsa-mir-320b	Down	HEPH	5	hsa-mir-4786-3p
Up	DDX24	5	hsa-mir-769-5p	Down	FARP1	5	hsa-let-7f-5p
Up	SYT13	5	hsa-mir-4688	Down	NEK6	5	hsa-mir-1307-3p

Up	ADCY1	4	hsa-mir-331-3p	Down	SASH3	5	hsa-mir-374c-3p
Up	DOCK3	4	hsa-mir-186-5p	Down	RIN2	5	hsa-mir-200b-3p
Up	FGF12	4	hsa-mir-590-5p	Down	PLEKHB1	5	hsa-mir-7-5p
Up	OAT	4	hsa-mir-99b-5p	Down	ZNF462	5	hsa-mir-320a
Up	STXBP1	4	hsa-mir-544a	Down	AHNAK	5	hsa-mir-421
Up	SYT1	4	hsa-mir-8064	Down	FAM181B	5	hsa-mir-4753-3p
Up	TAC1	4	hsa-mir-206	Down	DDR1	4	hsa-mir-199a-5p
Up	TUSC3	4	hsa-mir-25-3p	Down	HLA-DQA1	4	hsa-mir-6798-3p
Up	CCNA1	4	hsa-mir-372-3p	Down	PDK4	4	hsa-mir-103a-3p
Up	LDB2	4	hsa-mir-3169	Down	S100A1	4	hsa-mir-138-5p
Up	MAGED1	4	hsa-mir-760	Down	TIMP1	4	hsa-mir-519a-3p
Up	ACOT7	4	hsa-mir-1229-3p	Down	TP53BP2	4	hsa-mir-222-3p
Up	DMXL2	4	hsa-mir-19b-3p	Down	BBOX1	4	hsa-mir-4477a
Up	SYBU	4	hsa-mir-93-5p	Down	SELENBP1	4	hsa-mir-20a-5p
Up	LINGO1	4	hsa-mir-6077	Down	SLC9A3R1	4	hsa-mir-877-3p
Up	CADPS2	4	hsa-mir-30c-5p	Down	IFITM3	4	hsa-mir-3674

Up	CCKBR	3	hsa-mir-148b-3p	Down	ANGPTL4	4	hsa-mir-1-1
Up	ENO2	3	hsa-mir-382-3p	Down	RHBDF2	4	hsa-mir-98-5p
Up	MDH1	3	hsa-mir-15b-5p	Down	UNC93B1	4	hsa-mir-1-3p
Up	NEFH	3	hsa-mir-106b-5p	Down	ACSS1	4	hsa-mir-191-5p
Up	PI4KA	3	hsa-mir-484	Down	CMTM3	4	hsa-mir-132-3p
Up	STX1A	3	hsa-mir-34a-5p	Down	APOE	3	hsa-mir-1908-5p
Up	VAMP2	3	hsa-mir-206	Down	CSF1R	3	hsa-mir-34a-5p
Up	ZNF365	3	hsa-mir-7-5p	Down	CSK	3	hsa-mir-1180-3p
Up	CYFIP2	3	hsa-mir-9-5p	Down	EMP3	3	hsa-mir-1-1
Up	FBXO34	3	hsa-mir-181a-5p	Down	ITGB2	3	hsa-mir-146a-5p
Up	SLC6A15	3	hsa-mir-23a-3p	Down	ITGB5	3	hsa-mir-155-5p
Up	BEX1	3	hsa-mir-124-3p	Down	LRP4	3	hsa-mir-197-3p
Up	TSPYL2	3	hsa-mir-15a-5p	Down	SPP1	3	hsa-mir-299-5p
Up	CPNE4	3	hsa-mir-148b-3p	Down	TGFB3	3	hsa-mir-29a-3p
Up	STEAP2	3	hsa-mir-940	Down	TST	3	hsa-let-7d-5p
Up	ART3	2	hsa-mir-122-5p	Down	TEAD2	3	hsa-mir-346

Up	ATP1B1	2	hsa-mir-218-5p	Down	PLOD3	3	hsa-mir-21-5p
Up	CHN1	2	hsa-mir-1301-3p	Down	MERTK	3	hsa-mir-126-3p
Up	CIRBP	2	hsa-mir-30a-5p	Down	SLCO2B1	3	hsa-mir-640
Up	CKMT1B	2	hsa-mir-92a-3p	Down	CLEC5A	3	hsa-mir-125a-5p
Up	DLX1	2	hsa-mir-193b-3p	Down	NUPR1	3	hsa-mir-615-3p
Up	EXTL2	2	hsa-mir-215-5p	Down	HERC5	3	hsa-mir-3529-3p
Up	GLS	2	hsa-mir-7-5p	Down	S100A16	3	hsa-mir-193b-3p
Up	KLC1	2	hsa-mir-197-3p	Down	APLNR	2	hsa-mir-10b-5p
Up	MAP2	2	hsa-mir-382-3p	Down	PTTG1IP	2	hsa-mir-124-3p
Up	NEFM	2	hsa-let-7a-5p	Down	CYBA	2	hsa-mir-15b-5p
Up	NNAT	2	hsa-mir-708-5p	Down	LPAR1	2	hsa-mir-200c-3p
Up	SH3GL2	2	hsa-mir-330-3p	Down	EPHX1	2	hsa-mir-193b-3p
Up	SNCA	2	hsa-mir-153-3p	Down	HLA-DMB	2	hsa-mir-9-5p
Up	FZD3	2	hsa-mir-31-5p	Down	IRF8	2	hsa-mir-646
Up	NME5	2	hsa-mir-148b-3p	Down	IL13RA1	2	hsa-mir-143-3p
Up	CABP1	2	hsa-mir-124-3p	Down	KCNMA1	2	hsa-mir-211-5p

Up	ARHGAP44	2	hsa-mir-30c-5p	Down	LYL1	2	hsa-mir-10b-5p
Up	WDR7	2	hsa-mir-18a-3p	Down	MT1X	2	hsa-mir-1225-3p
Up	SLC22A17	2	hsa-mir-3529-3p	Down	PC	2	hsa-mir-125a-5p
Up	ATP6V1H	2	hsa-mir-155-5p	Down	SERPINB6	2	hsa-mir-124-3p
Up	DCAF6	2	hsa-let-7e-5p	Down	MAPK4	2	hsa-mir-127-3p
Up	NAPB	2	hsa-mir-19b-3p	Down	RYR3	2	hsa-mir-124-3p
Up	DHRS11	2	hsa-mir-296-3p	Down	ITSN1	2	hsa-mir-296-3p
Up	BEX2	2	hsa-mir-204-5p	Down	TBXAS1	2	hsa-mir-34b-3p
Up	CEP41	2	hsa-mir-193b-3p	Down	WFS1	2	hsa-mir-21-5p
Up	SLITRK1	2	hsa-mir-24-1-5p	Down	AKR1C3	2	hsa-mir-155-5p
Up	ZNF385B	2	hsa-mir-215-5p	Down	SLC16A3	2	hsa-mir-16-5p
Up	AMPH	1	hsa-let-7b-5p	Down	FAM189A2	2	hsa-mir-192-5p
Up	ATP6V0C	1	hsa-mir-421	Down	BAG3	2	hsa-mir-221-3p
Up	ATP6V1G2	1	hsa-mir-181a-5p	Down	PRDX6	2	hsa-mir-632
Up	CAMK2B	1	hsa-mir-186-5p	Down	IFITM2	2	hsa-let-7c-3p
Up	CDH18	1	hsa-let-7e-5p	Down	VAMP5	2	hsa-mir-9-5p

Up	CDK5	1	hsa-mir-155-5p	Down	CD300A	2	hsa-mir-128-3p
Up	CHGB	1	hsa-mir-375	Down	TMC6	2	hsa-mir-195-5p
Up	CHRM1	1	hsa-mir-107	Down	RGCC	2	hsa-mir-26b-5p
Up	DNM1	1	hsa-mir-615-3p	Down	NECAP2	2	hsa-mir-335-5p
Up	DYNC1I1	1	hsa-mir-335-5p	Down	NDRG2	2	hsa-mir-650
Up	KIF3C	1	hsa-mir-186-3p	Down	TMBIM1	2	hsa-mir-124-3p
Up	NEFL	1	hsa-mir-32-5p	Down	SLC25A18	2	hsa-mir-148b-3p
Up	NPY	1	hsa-mir-335-5p	Down	RHPN2	2	hsa-mir-32-5p
Up	PRKAR1B	1	hsa-mir-218-5p	Down	EML3	2	hsa-mir-1-3p
Up	PRKCG	1	hsa-mir-335-5p	Down	APOC1	1	hsa-mir-335-5p
Up	PTPRN	1	hsa-mir-18a-3p	Down	AQP4	1	hsa-mir-320a
Up	PTPRR	1	hsa-mir-150-5p	Down	ARHGDIB	1	hsa-mir-34a-5p
Up	PVALB	1	hsa-mir-26b-5p	Down	ATP1B2	1	hsa-mir-335-5p
Up	SCN4B	1	hsa-mir-122-5p	Down	C1QA	1	hsa-mir-335-5p
Up	SNRPN	1	hsa-mir-26b-5p	Down	C1QB	1	hsa-mir-26b-5p
Up	STAT4	1	hsa-mir-141-3p	Down	CD14	1	hsa-mir-335-5p



Up	SYN1	1	hsa-mir-335-5p	Down	CD37	1	hsa-mir-335-5p
Up	SYN2	1	hsa-mir-335-5p	Down	CHI3L2	1	hsa-mir-335-5p
Up	TARBP1	1	hsa-mir-124-3p	Down	CTSH	1	hsa-mir-124-3p
Up	SCG2	1	hsa-mir-98-5p	Down	CYP2J2	1	hsa-let-7b-5p
Up	USP11	1	hsa-mir-10a-5p	Down	DTNA	1	hsa-mir-8485
Up	CNTNAP1	1	hsa-mir-132-3p	Down	TYMP	1	hsa-mir-92a-3p
Up	CDK5R2	1	hsa-mir-106b-5p	Down	EYA2	1	hsa-mir-30a-5p
Up	SYNGR3	1	hsa-mir-335-5p	Down	FBLN1	1	hsa-mir-30a-3p
Up	SLIT2	1	hsa-mir-330-3p	Down	FCER1G	1	hsa-mir-1225-3p
Up	CACNG3	1	hsa-mir-26b-5p	Down	FCGRT	1	hsa-mir-335-5p
Up	CAP2	1	hsa-mir-605-5p	Down	GFAP	1	hsa-mir-335-5p
Up	ARPP21	1	hsa-mir-124-3p	Down	HCLS1	1	hsa-mir-484
Up	PPM1E	1	hsa-mir-335-5p	Down	HLA-DMA	1	hsa-mir-335-5p
Up	OPN3	1	hsa-mir-183-5p	Down	HLA-DPA1	1	hsa-mir-155-5p
Up	CNRIP1	1	hsa-mir-221-3p	Down	PRMT2	1	hsa-mir-17-3p
Up	GLS2	1	hsa-mir-335-5p	Down	ITGAX	1	hsa-mir-26b-5p

Up	PCSK1N	1	hsa-mir-31-5p	Down	LGALS9	1	hsa-mir-335-5p
Up	TAGLN3	1	hsa-mir-26b-5p	Down	MAOA	1	hsa-mir-22-3p
Up	CA10	1	hsa-mir-148b-3p	Down	MT1M	1	hsa-mir-26b-5p
Up	PRDM8	1	hsa-mir-7-5p	Down	MYT1	1	hsa-mir-27a-3p
Up	SLC17A6	1	hsa-mir-26b-5p	Down	NDP	1	hsa-mir-335-5p
Up	LIN7B	1	hsa-mir-106b-5p	Down	PLCD1	1	hsa-mir-335-5p
Up	WDR54	1	hsa-mir-23b-3p	Down	PLTP	1	hsa-mir-335-5p
Up	CORO6	1	hsa-mir-7-5p	Down	PLXNB1	1	hsa-mir-214-3p
Up	TOX2	1	hsa-mir-335-5p	Down	PMP2	1	hsa-mir-7-5p
Up	MRAP2	1	hsa-mir-21-5p	Down	PPP1R3C	1	hsa-mir-335-5p
Up	GPRASP2	1	hsa-mir-744-5p	Down	PTPN6	1	hsa-mir-1225-3p
Up	VSTM2L	1	hsa-mir-335-5p	Down	RAB3IL1	1	hsa-mir-124-3p
Up	TMEM155	1	hsa-mir-335-5p	Down	RAC2	1	hsa-mir-193b-3p
Up	SLC32A1	1	hsa-mir-148b-3p	Down	RARRES2	1	hsa-mir-335-5p
Up	CBLN4	1	hsa-mir-335-5p	Down	RARRES3	1	hsa-mir-30e-3p
Up	ZCCHC12	1	hsa-mir-615-3p	Down	RGS1	1	hsa-mir-374a-5p

Up	MAP7D2	1	hsa-mir-505-5p	Down	SLC1A3	1	hsa-mir-124-3p
Up	NAP1L5	1	hsa-mir-381-3p	Down	TAP1	1	hsa-mir-346
Up	MIR7-3HG	1	hsa-mir-335-5p	Down	TNFRSF1A	1	hsa-let-7e-5p
Up	FAM19A2	1	hsa-mir-124-3p	Down	MAPKAPK3	1	hsa-mir-124-3p
Up	BEX5	1	hsa-mir-335-5p	Down	RNASET2	1	hsa-mir-26b-5p
Up	LRRTM1	1	hsa-mir-9-5p	Down	ALDH4A1	1	hsa-mir-128-3p
Up	ATP6V1G2-DDX39B	1	hsa-mir-93-5p	Down	MYOM1	1	hsa-mir-148b-3p
				Down	MYOT	1	hsa-mir-335-5p
				Down	GPNMB	1	hsa-mir-26b-5p
				Down	NPC2	1	hsa-mir-26b-5p
				Down	HCST	1	hsa-mir-26b-5p
				Down	PAMR1	1	hsa-mir-93-3p
				Down	CYTH4	1	hsa-mir-331-3p
				Down	SOX8	1	hsa-mir-615-3p
				Down	XAF1	1	hsa-mir-335-5p
				Down	EFHD1	1	hsa-mir-193b-3p

Down	TRIM47	1	hsa-mir-7-5p
Down	CMTM7	1	hsa-mir-124-3p
Down	NAPSB	1	hsa-mir-335-5p
Down	SLC9A9	1	hsa-mir-124-3p
Down	BTBD17	1	hsa-mir-335-5p

Degree – No of miRNA interact with target gene. We taken any one miRNA in table.

**Table 8** TF - target gene interaction table

Regulation	TF	Degree	Target Gene	Regulation	TF	Degree	Target Gene
Up	SOX2	235	CDK14	Down	SOX2	224	HSPA1A
Up	MYC	193	YWHAH	Down	SPI1	212	CD300A
Up	REST	182	SYN2	Down	EGR1	197	HLA-DOA
Up	SUZ12	179	SYT1	Down	HNF4A	184	TST
Up	AR	169	MICAL2	Down	MYC	179	HSPB1
Up	STAT3	169	OAT	Down	RUNX1	174	COX19
Up	NANOG	166	SYNGR1	Down	TP63	171	HMG20B
Up	TP53	161	VGFB	Down	FLI1	168	GPC5
Up	RUNX1	156	TPM1	Down	NANOG	165	LY96
Up	SMAD4	155	ATP2A2	Down	STAT3	163	ABCA1
Up	POU5F1	154	STX1A	Down	MITF	155	BCL6
Up	TP63	140	ICA1	Down	AR	154	TSPO
Up	HNF4A	136	SV2B	Down	TP53	153	CRYAB
Up	SPI1	135	SVOP	Down	POU5F1	149	METTL7B

Up	CREM	132	PPP3CB	Down	GATA2	146	NPC2
Up	FLI1	129	ATP6V1G2	Down	GATA1	133	SMOX
Up	TCF4	127	NGEF	Down	PPARG	126	TBL1X
Up	MITF	127	STXBP1	Down	E2F1	119	MAPKAPK3
Up	MTF2	124	GABRA1	Down	KLF4	115	INPPL1
Up	E2F1	117	SNAP25	Down	SUZ12	115	CYBA
Up	SMARCA4	110	MFSD6	Down	TFAP2C	112	TNFRSF1A
Up	SIN3B	104	ATP6V1H	Down	FOXA2	106	TBXAS1
Up	CREB1	103	ATP6V1E1	Down	SMAD4	102	LAPTM5
Up	RCOR3	103	HPCA	Down	SOX9	102	RAB31
Up	TRIM28	101	SYN1	Down	TCF3	100	HLA-DRA
Up	RUNX2	99	RUNDC3A	Down	SMARCA4	99	MYO10
Up	TCF3	98	NT5DC3	Down	TAL1	97	VAMP8
Up	PPARG	98	PFN2	Down	TRIM28	94	CD44
Up	PPARD	96	CNTNAP2	Down	TCF4	93	CCND1
Up	KLF4	93	GNAO1	Down	REST	90	EXOGL
Up	GATA1	93	TUBA1B	Down	PPARD	90	MYOM1
Up	GATA2	91	VSTM2L	Down	SETDB1	88	HOXB6
Up	SALL4	88	EPDR1	Down	SALL4	86	DDIT4L
Up	TET1	85	RAP1GAP2	Down	SRY	85	NEK6
Up	SETDB1	82	DLX1	Down	ESR1	85	SERPINA3
Up	TFAP2C	82	AFTPH	Down	MECOM	85	CSK
Up	KDM5B	80	YWHAZ	Down	TET1	83	TLR5
Up	SMAD3	80	TOX2	Down	EP300	83	ATP6V0E1
Up	EP300	78	TUBB3	Down	RUNX2	80	GYPC
Up	FOXP1	77	GOLGA8B	Down	MTF2	78	RASL12

Up	SOX9	76	RELL2	Down	SMAD3	77	RARRES2
Up	SRY	76	SULT4A1	Down	SIN3B	76	EZR
Up	OLIG2	76	DYNC1I1	Down	FOXP1	76	SIGLEC10
Up	TAL1	75	LDOC1	Down	CREM	74	ADD3
Up	YAP1	75	SYP	Down	ASH2L	73	APOE
Up	TEAD4	74	AK5	Down	WT1	73	ZCCHC24
Up	EZH2	72	DPP10	Down	CREB1	71	HIST2H2AA 3
Up	BMI1	71	FGF12	Down	CUX1	70	UNC93B1
Up	FOXA2	69	CAMK1D	Down	EOMES	69	AQP4
Up	EOMES	68	ENSA	Down	KLF1	68	APOC2
Up	RNF2	67	NELL2	Down	ERG	67	VEGFB
Up	ESR1	65	RGS7	Down	RCOR3	66	SP110
Up	ZNF281	63	MLLT11	Down	SCLY	66	ALOX5AP
Up	NR3C1	63	NPTXR	Down	ZNF281	64	RHOBTB3
Up	TFAP2A	63	MEG3	Down	TFCP2L1	64	PPP1R3C
Up	JARID2	62	LRRTM1	Down	ATF3	64	AXL
Up	CUX1	61	PRDM8	Down	YAP1	62	RHOC
Up	E2F4	59	DDX24	Down	NR3C1	58	MAOA
Up	WT1	58	ETS2	Down	ZNF217	55	ZFH3
Up	ZNF217	57	RTN4	Down	TFAP2A	55	MT1X
Up	ASH2L	57	PAK1	Down	RELA	55	EBI3
Up	ESRRB	57	FBXO34	Down	NFE2L2	54	CTSC
Up	DMRT1	55	CEP41	Down	SMAD2	54	EMP1
Up	POU3F2	54	TAC1	Down	ZFX	53	TSC22D4
Up	MYCN	53	CPLX2	Down	DMRT1	53	WFS1

Up	KLF1	53	IARS	Down	NR0B1	53	C1QA
Up	ERG	52	OPCML	Down	E2F4	52	APBB1IP
Up	TBX5	50	PVALB	Down	PRDM14	52	GPR37L1
Up	JUN	49	GOT1	Down	GATA4	52	NQO1
Up	SCLY	48	CCNA1	Down	BACH1	52	DOCK2
Up	YY1	48	ATP6V0C	Down	LMO2	51	MAPK4
Up	ZFX	47	CMAS	Down	RBPJ	51	TEAD2
Up			GABARAPL	Down			
	SMAD2	46	1		STAT4	50	CEBPD
Up	RAD21	45	BCL11A	Down	KDM5B	49	ATXN3
Up	CTNNB1	45	RBFOX2	Down	GFI1B	49	LYL1
Up	SOX17	44	APP	Down	TEAD4	48	HTRA1
Up	PRDM14	44	TOMM20	Down	TCF7	48	LAT2
Up	FOXP2	44	STAMBPL1	Down	FOXP2	47	MYT1
Up	NR0B1	44	TAGLN3	Down	RAD21	47	CEBPB
Up	ATF3	43	UCHL1	Down	MEIS1	46	EYA2
Up	SIN3A	43	CAMTA1	Down	NR1H3	46	LY86
Up	NFE2L2	42	ADAM23	Down	EZH2	45	ITGB4
Up	FOXO3	42	VAMP1	Down	VDR	44	IL17RB
Up	LMO2	42	FKBP1A	Down	MYCN	44	DCLRE1C
Up	BACH1	42	AP3B2	Down	MYB	44	IFNGR1
Up	VDR	41	CD200	Down	JUN	43	RANBP3L
Up	HOXC9	40	ATCAY	Down	PBX1	42	PC
Up	TFCP2L1	39	GAD2	Down	MYBL2	41	AIF1
Up	MECOM	39	EXTL2	Down	RNF2	41	OAF
Up	EED	39	DPP10	Down	OLIG2	40	RPS27

Up	CEBPB	39	STAT4	Down	FOXO3	39	CDKN1A
Up	PAX3	38	CELF2	Down	YY1	38	FOXO4
Up	ELK1	38	SST	Down	TBX3	37	NPL
Up	RCOR1	38	EPB41L3	Down	SOX17	35	RAI14
Up	GFI1B	37	NECAP1	Down	BMI1	35	GJA1
Up	PBX1	37	TMX4	Down	HOXB4	34	BAZ2B
Up	CCND1	36	WASF1	Down	TBX5	34	IRF8
Up	GATA4	36	MAP2K4	Down	CTNNB1	34	MKNK2
Up	EWSR1	36	BASP1	Down	CTCF	33	DAB2
Up	PHC1	35	INA	Down	ESRRB	33	DFFA
Up	RBPJ	33	WDR54	Down	NUCKS1	30	NDRG2
Up	SOX11	32	RNF41	Down	HSF1	30	FAM189A2
Up	XRN2	31	AGK	Down	ESR2	30	NDRG1
Up	MYBL2	31	LIN7B	Down	ELF1	29	MYL12A
Up	MEF2A	30	KIAA0513	Down	ELK1	27	MOB3C
Up	TTF2	29	ACOT7	Down	SOX11	27	CD86
Up	TCF7	29	DNM1	Down	CDX2	27	KCNMA1
Up	CTCF	29	FAM3C	Down	CNOT3	26	WAS
Up	CDX2	29	MFSD6	Down	JARID2	26	CSF2RA
Up	DNAJC2	29	ATP2B3	Down	NR1I2	26	PKD4
Up	DACH1	28	ACP1	Down	CLOCK	26	DNAJB6
Up	CNOT3	28	CYFIP2	Down	DACH1	25	NKAIN4
Up	ZFP42	28	USP11	Down	RCOR1	25	DIO2
Up	TBX3	27	RBFOX1	Down	ARNT	24	LHFPL2
Up	MEIS1	27	TUSC3	Down	SRF	24	TROVE2
Up	ARNT	25	SPHKAP	Down	EWSR1	24	RRBP1




Up	ELF5	24	MIR7-3HG	Down	TTF2	23	BCAN
Up	PDX1	24	OPN3	Down	XRN2	23	TPP1
Up	HOXB4	22	NME5	Down	MEF2A	23	DBI
Up	SREBF2	22	SYBU	Down	FOXP3	22	CMTM3
Up	PRDM5	22	CDK5	Down	PHF8	22	C1ORF198
Up	NR1I2	22	CALY	Down	ZFP42	22	HAP1
Up	LYL1	21	FBXL2	Down	SIN3A	22	STAT5A
Up	SRF	20	MAPK9	Down	TBP	22	S100A1
Up	FOXP3	19	PRKCE	Down	DNAJC2	22	OAF
Up	NACC1	19	NSF	Down	HOXC9	21	SLC7A2
Up	PHF8	18	SLC38A1	Down	TCF7L2	21	SLC11A1
Up	MYB	18	PFN2	Down	SREBF1	21	LPP
Up	NUCKS1	18	EGR1	Down	STAT1	20	ALDH7A1
Up	RELA	18	ETS2	Down	IRF1	20	SASH3
Up	ELF1	18	KRT222	Down	AHR	19	SRGAP1
Up	IRF8	18	ARPP21	Down	PAX3	19	MEGF10
Up	THAP11	18	NDRG3	Down	PHC1	19	MSX1
Up	DROSHA	18	PRKAR1B	Down	SMAD1	19	PAQR8
Up	GBX2	18	NELL2	Down	TAF7L	18	NUPR1
Up	ETS1	17	NME1	Down	GATA3	18	PDCD4
Up	STAT5A	17	XK	Down	CRX	18	ATP1B2
Up	SMAD1	17	DENND5B	Down	STAT6	18	RGCC
Up	PADI4	17	ARHGAP32	Down	RCOR2	18	NCAN
Up	GATA3	16	NNAT	Down	RARG	18	AEBP1
Up	CRX	16	GPM6A	Down	CHD1	17	PLIN3
Up	KDM5A	15	FAM216A	Down	POU3F2	17	SPP1

Up	TCF7L2	15	NSF	Down	NACC1	17	DHRS3
Up	HTT	15	BEX2	Down	SREBF2	17	BRI3BP
Up	CEBPD	14	CDH18	Down	DROSHA	17	NWD1
Up	HSF1	14	CCK	Down	ZIC3	16	NINJ1
Up	NR4A2	14	ITPR1	Down	ASXL1	16	SIPA1
Up	AHR	13	IGSF3	Down	ELF5	14	TMBIM1
Up	STAT1	13	MOAP1	Down	PRDM5	14	CLIC1
Up	PAX6	13	ADAM23	Down	PDX1	14	MYT1
Up	SREBF1	13	MDH1	Down	NFIB	14	APLNR
Up	BCL3	12	CORO6	Down	HIF1A	14	ANGPTL4
Up	ASXL1	12	UBE2N	Down	KDM5A	13	NPC2
Up	NFIB	12	AK5	Down	EED	13	CD14
Up	CLOCK	12	BEX1	Down	PADI4	13	LCP1
Up	RCOR2	12	PRSS3	Down	PAX6	13	SLC9A3R1
Up	TAF7L	11	ALDOA	Down	BCL3	12	SDC4
Up	TFEB	11	FBXL2	Down	TFEB	12	GPX1
Up	DCP1A	11	PNKD	Down	ETS1	10	PAPOLA
Up	STAT6	10	CYFIP2	Down	THAP11	10	GPT2
Up	ESR2	10	ZNF365	Down	DCP1A	9	MT1E
Up	HIF1A	10	C3ORF14	Down	FOXO1	8	ASAP3
Up	CHD1	9	ACP1	Down	ZNF263	8	EBI3
Up	ZNF274	9	STEAP2	Down	NOTCH1	7	FGR
Up	AP1S2	8	OCIAD1	Down	HTT	6	DTNA
Up	TBP	8	SLIT2	Down	IKZF1	6	ZCCHC24
Up	ZIC3	8	ARPP21	Down	HOXD13	5	LEMD3
Up	NR1H3	8	HENMT1	Down	NR4A2	5	LILRB3


Up	KDM6A	7	NT5DC3	Down	ZNF274	5	SYNJ2BP
Up	IRF1	7	DCAF6	Down	GBX2	4	RYR3
Up	HOXD13	7	NPTN	Down	FOXM1	4	DCLRE1C
Up	IKZF1	7	SNCA	Down	CIITA	4	PARVG
Up	CEBPA	6	MAGED1	Down	KLF2	3	KANK1
Up	CDKN2AI P	6	CALY	Down	KLF5	3	SERPINA3
Up	PRDM16	6	SLC25A12	Down	AP1S2	3	LCP1
Up	FOXO1	5	KALRN	Down	KDM6A	3	FCGRT
Up	SALL1	5	RTN4	Down	ZNF652	3	TNFRSF1A
Up	FOXM1	4	TSPYL2	Down	TCF21	3	STK3
Up	GLI1	4	ERC2	Down	ETS2	2	EMX2
Up	NOTCH1	3	TUBB2A	Down	MYBL1	2	TEAD2
Up	RARG	3	GABARAPL 1	Down	THRA	2	HTRA1
Up	THRA	3	CRYM	Down	CDKN2AI P	2	ATP6V0E1
Up	CHD7	3	PRKCG	Down	CHD7	2	ITSN1
Up	HCFC1	2	ARF3	Down	PRDM16	2	LHPP
Up	ZNF652	2	LAMP5	Down	GLI1	2	PLEKHB1
Up	TCF21	2	ALDOA	Down	HCFC1	1	DFFA
Up	MYBL1	1	MOAP1	Down	ZNF322	1	BBOX1
Up	ZNF322	1	PTPRM	Down	BCL11B	1	SP110
Up	ZNF263	1	WDR54	Down	BP1	1	LAPTM5
Up	BCL11B	1	TMX4				

Degree – No of TF interact with target gene. We taken any one TF in table.


## Figures




**Fig. 1.** Box plots of the gene expression data before normalization (A) and after normalization (B). Horizontal axis represents the sample symbol and the vertical axis represents the gene expression values. The black line in the box plot represents the median value of gene expression. (A1, A2, A3, A4, A5, A6, A7, A8, A9, A10 = normal controls samples; B1, B2, B3, B4, B5, B6, B7, B8, B9, B10 = sCJD samples)




**Fig. 2.** Volcano plot of differentially expressed genes. Genes with a significant change of more than two-fold were selected.




**Fig. 3.** Heat map of up regulated differentially expressed genes. Legend on the top left indicate log fold change of genes. (A1, A2, A3, A4, A5, A6, A7, A8, A9, A10 = normal controls samples; B1,B2, B3, B4,B5, B6, B7,B8, B9, B10 = sCJD samples)



**Fig. 4.** Heat map of down regulated differentially expressed genes. Legend on the top left indicate log fold change of genes. (A1, A2, A3, A4, A5, A6, A7, A8, A9, A10 = normal controls samples; B1,B2, B3, B4,B5, B6, B7,B8, B9, B10 = sCJD samples)




**Fig. 5.** Protein–protein interaction network of differentially expressed genes (DEGs). Green nodes denotes up regulated genes.




**Fig. 6.** Scatter plot for up regulated genes. (A- Node degree; B- Betweenness centrality; C- Stress centrality ; D- Closeness centrality; E- Clustering coefficient)







**Fig. 7.** Protein-protein interaction network of differentially expressed genes (DEGs). Red nodes denotes down regulated genes.



**Fig. 8.** Scatter plot for down regulated genes. (A - Node degree; B - Betweenness centrality; C- Stress centrality ;D- Closeness centrality; E - Clustering coefficient)




**Fig. 9.** Modules in PPI network. The green nodes denote the up regulated genes




**Fig. 10.** Modules in PPI network. The red nodes denote the down regulated genes.









**Fig. 12.** The network of down regulated DEGs and their related miRNAs. The red circles nodes are the down-regulated DEGs, and lavender diamond nodes are the miRNAs



**Fig. 13.** TF-gene network of predicted target up regulated genes. (Orange triangle - TFs and green circles- target up regulated genes)



**Fig. 14.** TF-gene network of predicted target down regulated genes. (Blue triangle - TFs and pink circles- target up regulated genes)



**Fig. 15.** ROC curve validated the sensitivity, specificity of hub genes as a predictive biomarker for sCJD prognosis. A) YWHAZ, B) GABARAPL1, C) SSX2IP, D) YWHAH, E) UBE2N, F) HSPB1, G) HDAC1, H) CDKN1A, I) TNFRSF1A and J) FKBP5