Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

1

# **Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level**

# Kurt Izak M. Cabanilla, Erika Antonette T. Enriquez, Renier Mendoza<sup>\*</sup>, and Victoria May P. Mendoza

Institute of Mathematics, University of the Philippines Diliman,

Quezon City, Philippines

Keywords: COVID-19, vaccination site, optimal location, facility location problem, numerical optimization

#### ABSTRACT

In this work, we present an approach to determine the optimal location of coronavirus disease (COVID-19) vaccination sites at the municipal level. We assume that each municipality or town is subdivided into smaller administrative units, which we refer to as villages or barangays. The proposed method solves a minimization problem arising from a facility location problem, which is formulated based on the proximity of the vaccination sites to the villages, number of COVID-19 cases, and population densities of the villages. We present a numerical scheme to solve the optimization problem and give a detailed description of the algorithm, which is coded in Python. To make the results reproducible, the codes used in this study are uploaded to a public repository, which also contains complete instructions on how to use them. As an illustration, we apply our method in determining the optimal location of vaccination sites in San Juan, a town in the province of Batangas, in the Philippines. We hope that this study may guide the local government units in coming up with strategic plans for the COVID-19 vaccine rollout.

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

#### 1. INTRODUCTION

The coronavirus disease (COVID-19), which was first reported in Wuhan, China, has spread across the globe and was declared a pandemic by the WHO on March 11, 2020 [1,2]. It has been shown that the COVID-19 vaccines are effective against severe disease and initial findings suggest that they can protect the population against infection [3-5]. An effective vaccination campaign can reduce the probability of disease resurgence and alleviate the economic burden of the pandemic [6]. It is estimated that 60-70% of the population must be fully vaccinated to achieve herd immunity, a threshold that provides indirect protection to uninfected individuals from getting COVID-19 from infected hosts [7-9]. To achieve the target immunity, the community's hesitancy over the COVID-19 vaccines must be addressed by the policymakers [10]. In a survey conducted in January 2021 by the Pulse Asia, almost half of the Filipino respondents said that they are not willing to get vaccinated against COVID-19 because of safety concerns. Hence, a collaborative effort among several stakeholders and sectors is needed to address this issue [11]. Unfortunately, COVID-19 vaccination in the Philippines is progressing at a very slow rate due to the inadequacy of the policymakers' long-term strategic plan [12]. We hope that this study may guide the Philippine local government units in coming up with strategic plans for vaccine rollout. We propose a way to select optimal vaccination sites from already existing facilities to make the vaccines more accessible to the public and achieve herd immunity at the soonest possible time.

Our proposed approach solves a facility location program, which is a problem that minimizes the cost of satisfying a set of demands with respect to some set of constraints [13]. Facility location problem has a variety of applications in determining optimal locations of solar power plant sites [14], hydrogen production sites [15], tsunami sensors [16,17], infrastructure maintenance depot [18], tower sites for early-warning wildfire detection systems [19], and high-speed train stations [20], among others. Facility location has also been used in several COVID-19-related studies. In [21], an optimal allocation of COVID-19 testing kits among accredited testing centers has been proposed. The optimal location of pharmacies for COVID-19 testing to ensure access has been studied in [22]. Identification of locations of COVID-19 emergency logistic centers has been proposed in [23]. In [24], optimal COVID-19 testing facility sites in Nigeria have been studied.

Based on our review of related literature, very few studies have been conducted on the applications of facility location problems in COVID-19 vaccination distribution strategies. In [25], an approach to optimize vaccine

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

3

distribution strategies has been proposed by selecting locations that will minimize the death toll. The method relies on an epidemiological model to capture the effects of vaccinations and mortality caused by COVID-19. In [26], a mathematical framework in finding the optimal locations of distribution centers for test kits and vaccines has been developed. In [27], a linear programming model was used for COVID-19 vaccine allocation in the Philippines at the national level. Because of the scale of these studies, constraints must be considered (e.g., shipping cost, production capacity, operating cost, etc.). In this study, we consider a local-scale vaccination strategy. By doing so, we can remove the logistic constraints associated with the delivery of the vaccines. Thus, we can focus on finding the optimal location of vaccination sites that will make the vaccines more accessible to the population of the town or city. Our work can be used in conjunction with vaccine allocation methods at the national level [25-27]. Once the vaccines are allocated to a town, our method can be applied to identify the sites where the vaccines will be distributed.

In the next section, we formulate the mathematical optimization model to address the vaccination site location problem. Then, we present the numerical method that solves the minimization problem and the open-source software that we developed. The open-source software is designed to be user-friendly and easy to implement. We illustrate how our proposed method works by applying the program in identifying optimal vaccination sites in San Juan, Batangas, Philippines. Finally, we present our conclusions and recommendations for future research.

# 2. OPTIMIZATION PROBLEM

Our goal is to determine the optimal location of *L* vaccination sites in a town from a list of *M* possible vaccination sites. We consider existing facilities such as public schools and hospitals as possible vaccination sites. Furthermore, suppose that the town is divided into *N* administrative units, which we refer to as villages. These are usually the country's basic units of government. In the Philippines, all towns are composed of several administrative units called barangays. Let  $\{V_i : i = 1, 2, ..., M\}$  be the set containing the locations of the possible *M* vaccination sites. Each  $V_i$  is represented by a two-dimensional vector whose components are the latitude and longitude of the *i*th vaccination site. Define  $\{B_j : j = 1, 2, ..., N\}$  as the set containing the location of the *N* administrative units. We can set  $B_j$  as the location of the village/barangay hall or the community center, which is usually situated at the center of the village. Similarly, each  $B_j$  is a two-dimensional vector whose components are the latitude and longitude of the *j*th village or barangay.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

4

Define  $d(V_i, B_j)$  as the distance of the vaccination site  $V_i$  from the barangay hall  $B_j$ . In facility allocation problems, different distance measures are used. For example, the Euclidean distance was used in [28]. It was argued in [29] that the  $l_1$  distance (also known as Manhattan distance) more accurately models the driving distance in a city road network. However, in rural towns, the roads may not follow a rectangular grid pattern. Since  $V_i$  and  $B_j$  are accessible via the road network of a town, we utilize a Python package to calculate the actual driving distance from  $V_i$  to  $B_j$ . This approach makes the computation of distance more realistic.

Now, suppose L = 1, that is, only one vaccination site is assigned to the whole town. Then, one distribution strategy is to choose the vaccination site that lies the closest to all the  $B_i$ 's. That is, we solve

$$\min_{1 \le i \le \mathsf{M}} \sum_{j=1}^{\mathsf{N}} d\left(V_i, B_j\right).$$
 Eq. 1

However, the minimization problem in Eq. (1) does not take into consideration the population of the villages. To resolve this, we add more weight on the vaccination sites that are closer to the more populous areas of the town. Define  $P_j$  as the population of the *j*th village and  $T_p$  as the total population of the town. Then  $\sum_{j=1}^{N} P_j = T_p$ . Hence, we solve

$$\min_{1 \le i \le \mathsf{M}} \sum_{j=1}^{\mathsf{N}} \frac{P_j}{T_p} d\left(V_i, B_j\right).$$
 Eq. 2

Moreover, we want to place the vaccination sites near villages with high numbers of confirmed COVID-19 cases. Define  $C_j$  as the number of confirmed COVID-19 cases in the *j*th village and  $T_c$  as the total number of confirmed COVID-19 cases in the town. Then  $\sum_{j=1}^{N} C_j = T_c$ . Similar to how population is incorporated in Eq. (2), we add weights on the villages with high number of confirmed COVID-19 cases. Thus, we solve

$$\min_{1 \le i \le M} \sum_{j=1}^{N} \left[ \frac{P_j}{T_p} + \frac{C_j}{T_c} \right] d\left( V_i, B_j \right).$$
 Eq. 3

Next, we consider the case when the number of vaccination sites is more than 1, that is,  $L \ge 2$ . If there are L vaccination sites, we want the resident of the *j*th village to go to the nearest vaccination site. We can generalize the minimization problem in Eq. (3) as follows:

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

5

$$\min_{1 \le i_1, i_2, \dots, i_L \le M} \sum_{j=1}^{N} \left[ \frac{P_j}{T_p} + \frac{C_j}{T_c} \right] \min\{d(V_{i_1}, B_j), d(V_{i_2}, B_j), \dots, d(V_{i_L}, B_j)\}.$$
 Eq. 4

In the next section, we discuss how the minimization problem above is solved numerically.

### 3. NUMERICAL METHOD

For the overall numerical computation and some of the data extraction, we utilized the ease of use and availability of advanced open-source packages of the Python programming language. To compute the driving or road distance between two points, we leverage Open Street Maps (OSM) and its corresponding Python package OSMNX. OSM is a dynamic repository of detailed map data such as road level data, buildings, and even natural geographic objects such as rivers and mountains. OSM is built and continues to be actively updated by contributors from diverse backgrounds such as hobbyist mappers, disaster risk experts, and GIS professionals. OSM is open source, which means anyone can access and use the full breadth of its data. OSMX uses OSM data in conjunction with network graphs for a wide range of applications, such as all kinds of urban traffic and planning, all in a network graph analysis framework.

To solve the optimization problem for a given town, the user must input two files: the *village centers table* and the *vaccination centers table*. The village centers table contains the number of COVID-19 cases, population, and location of all the villages in the town. It is a file with the schema given in Table 1. The vaccination centers table contains the location of the all the possible vaccination sites. This is a CSV file with the schema shown in Table 2.

**Table 1**. The village centers table contains the number of COVID-19 cases, population, latitude, longitude, and names of all the villages or barangays in a town.

Infected	Population	Latitude	Longitude	Barangay_name
(data type: integer)	(data type: integer)	(data type: float)	ata type: float) (data type: float)	
Number of COVID-	Population of the	Latitude of the	Longitude the	Name of the
19 cases in the	village/barangay	village hall/	village hall/	village/barangay
village/barangay		community	community	

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

6

	center/ barangay	center/ barangay	
	hall	hall	

**Table 2**. The vaccination centers table contains the latitude, longitude, and names of all possible vaccination sites in a town.

Latitude	Longitude	Name
(data type: float)	(data type: float)	(data type: string)
Latitude of the vaccination	Longitude of the vaccination	"Name of the vaccination center"
center	center	

We found that it is possible to automate the extraction of the latitude and longitude data for the vaccination centers table using OSM to a considerable extent. However, the OSM automation could not differentiate between public and private schools, thus necessitating some manual review. OSM automation can be used to generate an initial version of the vaccination centers table on which the end-users can then build on by adding or removing vaccination centers to be considered. Even though the automation is only partial, it will still significantly reduce the manual processing needed to obtain a sufficiently good vaccination centers table. On the other hand, OSM could not identify the village halls, so manual extraction of this data using Google Maps is needed. Careful extraction must be done, e.g., via Google Street View, as there are some discrepancies in Google Maps on the location of the village halls.

The cost function is computed directly as shown in Eq. (4), where the road distance  $d(V_i, B_j)$  between the *i*th vaccination site and the *j*th village hall, is computed via OSMX in Python. For both the single center and the *n*-site optimization, we iterate through every possible combination of all the vaccination sites and villages so that the resulting optimum is the global optimum.

The Python program we developed takes in the two tables previously mentioned and outputs a ranked list of the vaccination centers and their respective costs. Since it is already ordered by cost, the optimum would be the first row.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

7

The code and a tutorial for the implementation of the numerical optimization method are found in the following GitHub repository: <u>https://github.com/kurtizak/Covid-Site-Optimization.</u> Sample xlsx files of the inputs can also be downloaded from this repository. The users can simply modify the Microsoft Excel files for easier implementation.

#### 4. RESULTS AND DISCUSSION

To illustrate how our proposed method works, we find the optimal placement of vaccination centers in San Juan, a town in the province of Batangas, Philippines. San Juan is comprised of 42 barangays. A map detailing the location of the barangays in San Juan is shown in the supplementary file. Hence,  $\{B_j, j = 1, 2, ..., 42\}$  contains the locations of the 42 barangay halls in San Juan. The latitudes and longitudes of the barangay town halls were manually obtained from local government directories and Google maps. Hospitals in San Juan are listed as possible vaccination sites. Since face-to-face classes are still suspended in the Philippines, public schools (elementary, high school, and college) are also listed as possible vaccination sites [30]. In January 2021, the Catholic Bishops' Conference of the Philippines offered to transform churches in the country as COVID-19 vaccination sites [31]. The data on the latitudes and longitudes of the hospitals, schools, and churches are obtained from the Philippine Department of Health and Department of Education directories, and Google maps. A total of 65 sites were identified in San Juan, consisting of 5 hospitals, 42 elementary schools, 13 junior high schools, 2 universities, and 1 church. Hence,  $\{V_i, i = 1, 2, ..., 65\}$  contains the location of all the 65 possible vaccination sites.

San Juan, Batangas has a projected population of 125,252 in 2021 [32]. Meanwhile, as of 31 May 2021, San Juan recorded a total number of 579 confirmed COVID-19 cases. The complete information on the locations of possible vaccination sites and barangay halls in San Juan, the number of COVID-19 confirmed cases per barangay, and the population of San Juan per barangay can be found in the Supplementary file.

For a sample implementation, we consider selecting 1 to 4 vaccination sites among  $\{V_i, i = 1, 2, ..., 65\}$ , that is, L = 1, 2, 3, or 4. Figures 1 and 2 show samples of the village centers table and the vaccination centers table, respectively, which are the required inputs from the user.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

8

	А	В	С	D	E
1	infected	population	latitude	longitude	Barangay_name
2	14	2,444	13.768463203054	121.415632811023	Abung
3	7	2,929	13.803247794145	121.416455943085	Balagbag
4	2	1,933	13.687447630675	121.438897585669	Barualte
5	3	2,204	13.696362470499	121.433293436838	Bataan
6	26	5,909	13.790501808418	121.408104133990	Buhay Na Sapa
7	3	2,492	13.702673597264	121.400317813986	Bulsa

**Figure 1**. A sample Microsoft Excel file containing the data on the number of COVID-19 cases, population, location, and names of six villages or barangays in San Juan, Batangas, Philippines. This is the first of two inputs required by the system.

	A	В	С
1	latitude	longitude	Name
2	13.791347824366	121.407574616691	San Juan Rural Health Unit II
3	13.826496436284	121.409995951954	San Juan Doctors Hospital, Inc.
4	13.824778812933	121.396247317632	San Juan Rural Health Unit I
5	13.829028087330	121.367353718562	Divine Care Hospital Multi Services Corp.
6	13.809592641712	121.400683428525	San Juan District Hospital
7	13.768801409896	121.415505314184	Abung Elementary School

**Figure 2**. A sample Microsoft Excel file containing the data on the location and names of some of the possible vaccination sites (hospitals and public schools) in San Juan, Batangas, Philippines. This is the second of two inputs required by the system.

The code has two outputs. First, the geographic map of the area with the locations of the vaccination sites and barangay halls. Second, a data frame showing the vaccination site assignments of each barangay, as well as the distance between them. These results can be easily exported as a csv, excel, or any other format the user prefers.

Figures 3 and 4 show the geographic distribution of the optimal vaccination sites in San Juan, Batangas along with their corresponding assigned barangays for L = 1 and 2 sites, and L = 3 and 4 sites, respectively. The stars represent the optimal vaccination sites while the circular nodes are the barangay halls. All barangays assigned to a particular vaccination site have the same color. We observed that for L = 1, the optimal site location is close to the most populous area, which is in the northern part of the town. For L = 2, one optimal site is in the north (yellow star) and the other optimal site is in the south (purple star). The barangays assigned to the vaccination site in the south are represented by yellow dots, while the barangays assigned to the vaccination site in the south are represented by purple dots. As expected, the vaccination sites become more spaced out as the number of sites increases. In all cases, the optimal locations obtained are all situated in the national highway. This is also expected

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

9

because the problem is formulated to minimize the driving distance from the barangay halls to the centers. Notice that for L = 4 sites, the two vaccination sites from the three sites did not change. The site in the northern part of the town was replaced by two sites. This is expected because the northern part of the town is the most populated and has the greatest number of confirmed COVID-19 cases (see the supplementary file). Figure 5 illustrates a sample data frame output of the vaccination centers for ten barangays in San Juan assuming that there are only 2 vaccination sites. For instance, barangay 'Abung' is assigned to the vaccination site named 'San Juan Rural Health Unit 1'. The distance between the barangay and the assigned vaccination center is 6692.14 meters. Similarly, barangay 'Barualte' is assigned to the vaccination site 'Paaralang Elementarya ng Bataan' and the distance between them is 2693.79 meters. Observe that the distance between barangay 'Bataan' and its assigned vaccination site is 0 meters. This is because the barangay hall of Barualte and the elementary school of Bataan are in the same compound.



**Figure 3**. The roadmap of San Juan, Batangas showing the optimal locations of one (left) or two (right) vaccination sites. The dots represent the village/barangay halls while the stars are the computed optimal vaccination sites. The colors depict the vaccination site assignment of each village/barangay in the town.

#### Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level



**Figure 4.** The roadmap of San Juan, Batangas showing the optimal locations of three (left) or four (right) vaccination sites. The dots represent the village/barangay halls while the stars are the computed optimal vaccination sites. The colors depict the vaccination site assignment of each village/barangay in the town.

Figure 6 shows the average distance (in kilometers) of the barangays in San Juan, Batangas to the assigned optimal vaccination site, for L = 1, 2, 3, or 4 sites. On average, the difference between the road distance for one and two sites is approximately 3 kilometers while the difference between three and four sites is 600 meters. The trend shows that as more vaccination sites are opened, accessibility to the vaccines, in terms of distance, is improved. However, opening more sites has associated operational costs. Results in Figure 6 can provide information for the policymaker on finding a balance between accessibility and cost-effectiveness related to the number of vaccination sites to open.

10

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

	vaccination_center	distance
Barangay_name		
Abung	San Juan Rural Health Unit I	6692.14
Balagbag	San Juan Rural Health Unit I	4064.3
Barualte	Paaralang Elementarya ng Bataan	2693.79
Bataan	Paaralang Elementarya ng Bataan	0
Buhay Na Sapa	San Juan Rural Health Unit I	4115.14
Bulsa	Paaralang Elementarya ng Bataan	4552.73
Calicanto	San Juan Rural Health Unit I	1857.74
Calitcalit	San Juan Rural Health Unit I	1684.93
Calubcub I	Paaralang Elementarya ng Bataan	7485.98
Calubcub II	Paaralang Elementarya ng Bataan	6221.28

**Figure 5.** Sample output of the algorithm showing ten barangays in San Juan, Batangas and the assigned vaccination site based on proximity. The road distance (in meters) between the barangay and the assigned optimal vaccination site is also shown.

Assuming a constant vaccination rate, we can determine the number weeks it takes for a town to reach a target number of people to be vaccinated. Suppose a site in San Juan can inoculate 200 individuals per day. This rate is based on the vaccination rate of the University of the Philippines Diliman gym in Quezon City [33]. Figure 7 shows the number of weeks it takes to vaccinate 70% of the population of San Juan for L = 1, 2, 3, or 4 sites. If there is only 1 vaccination site, it takes around 62 weeks to inoculate 70% of the population in San Juan, while increasing the number of sites to 2 shortens the number of weeks to 44. Observe that the difference in time between three and four sites is only 7 weeks. If the local government has the capacity to hold vaccinations at three sites only and wishes to achieve the target of vaccinating 70% of the population in 21 weeks (same length of time as in four sites), then they can ramp up the vaccination rate at the three sites by 34.5% or by vaccinating additional 69 people per day in the three sites.

11

# Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level



**Figure 6.** Average road distance (in kilometers) of the barangays in San Juan, Batangas to the obtained optimal vaccination site for L = 1, 2, 3, or 4 sites.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level



**Figure 7.** The time needed to inoculate the first dose of COVID-19 vaccines to 70% of the population of San Juan, Batangas for L = 1, 2, 3, or 4 sites.

#### 5. CONCLUSION AND FUTURE WORK

Building vaccination sites uses up resources and delays the goal of achieving herd immunity. Hence, it is reasonable to set up vaccination sites from already existing facilities. In this study, we proposed an approach to strategically select COVID-19 vaccination sites at the municipal level to bring the vaccines closer to the people who need them. In finding the optimal location of the COVID-19 vaccination sites, the method considers the location of the sites, the population density of the town, and the number of COVID-19 cases per village or barangay. An open-access software has been created to make the results reproducible. The code only requires two files, one for the data on the list of possible vaccination sites and the other for the data on the villages or barangay. Our numerical simulations show strategic placements of vaccination sites to make the vaccines more accessible

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

14

to the people and urge them to get vaccinated as soon as possible. The method can be beneficial to underdeveloped rural towns in developing countries, where public transportation is not reliable (or in some cases, not available).

In the illustration, we considered at most 4 vaccination sites, but the software can be easily extended to more accommodate more sites. However, this would require more computational time. Since our method is enumerative, parallel computing can be used to address the computational cost in case one wants to use our method to determine optimal locations of vaccination sites in big cities or at the provincial level. If a computing facility is not available, one can use other optimization algorithms (like meta-heuristic algorithms). Exploring other algorithms that can solve the optimization problem is a research direction that can be pursued. One can also extend the results of this study to find optimal locations of new vaccination sites. This can be tricky because the optimization problem will become continuous and hence, other numerical techniques must be employed.

Although the method is intended for COVID-19 vaccinations, the method is general enough that it can be applied to formulating vaccination strategies of other diseases. For example, if the vaccination is only for school-age children, (this is applicable for diseases like soil-transmitted helminths and schistosomiasis), then the locations can be restricted to just the elementary schools.

We hope that this study can help stakeholders in planning strategies to end the COVID-19 pandemic, which has crippled the world economy and has affected the lives of millions of people worldwide.

#### 6. DECLARATIONS

Funding. The authors do not have funding to declare.

Conflicts of interest/Competing interests. The authors declare no competing interests.

Availability of data and material. The data used in the numerical method section can be found in the Supplementary File.

*Code availability.* The code and the tutorial for the optimization implementation can be found in the following GitHub repository: <u>https://github.com/kurtizak/Covid-Site-Optimization</u>

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

#### Authors' contributions.

- K.I.M. Cabanilla and E.A.T. Enriquez conceived and designed the experiments, performed the experiments, analyzed the data, performed the computation work, prepared figures and/or tables, authored or reviewed drafts of the paper, and approved the final draft.
- R. Mendoza and V.M.P. Mendoza conceived and designed the experiments, analyzed the data, authored or reviewed drafts of the paper, and approved the final draft.

#### 7. REFERENCES

- Xu, Z., Shi, L., Wang, Y., Zhang, J., Huang, L., Zhang, C., Liu, S., Zhao, P., Liu, H., Zhu, L., Tai, Y., Bai, C., Gao, T., Song, J., Xia, P., Dong, J., Zhao, J., & Wang, F.-S. (2020). *Pathological findings of COVID-19 associated with acute respiratory distress syndrome*. The Lancet Respiratory Medicine, 8(4), 420–422. https://doi.org/10.1016/s2213-2600(20)30076-x
- Cao, X. (2020). COVID-19: immunopathology and its implications for therapy. Nature Reviews Immunology, 20(5), 269–270. <u>https://doi.org/10.1038/s41577-020-0308-3</u>
- Amit, S., Regev-Yochay, G., Afek, A., Kreiss, Y., & Leshem, E. (2021). Early rate reductions of SARS-CoV-2 infection and COVID-19 in BNT162b2 vaccine recipients. The Lancet, 397(10277), 875– 877. <u>https://doi.org/10.1016/s0140-6736(21)00448-7</u>
- Levine-Tiefenbrun, M., Yelin, I., Katz, R., Herzel, E., Golan, Z., Schreiber, L., Wolf, T., Nadler, V., Ben-Tov, A., Kuint, J., Gazit, S., Patalon, T., Chodick, G., & Kishony, R. (2021). *Initial report of decreased SARS-CoV-2 viral load after inoculation with the BNT162b2 vaccine*. Nature Medicine, 27(5), 790–792. https://doi.org/10.1038/s41591-021-01316-7
- Thompson, M. G., Burgess, J. L., Naleway, A. L., Tyner, H. L., Yoon, S. K., Meece, J., Olsho, L. E. W., Caban-Martinez, A. J., Fowlkes, A., Lutrick, K., Kuntz, J. L., Dunnigan, K., Odean, M. J., Hegmann, K. T., Stefanski, E., Edwards, L. J., Schaefer-Solle, N., Grant, L., Ellingson, K., ... Gaglani, M. (2021). Interim Estimates of Vaccine Effectiveness of BNT162b2 and mRNA-1273 COVID-19 Vaccines in Preventing SARS-CoV-2 Infection Among Health Care Personnel, First Responders, and Other Essential and Frontline Workers — Eight U.S. Locations, December 2020–March 2021.

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

16

MMWR. Morbidity and Mortality Weekly Report, 70(13), 495–500.

https://doi.org/10.15585/mmwr.mm7013e3

- Ella, K. M., & Mohan, V. K. (2020). Coronavirus Vaccine: Light at the End of the Tunnel. Indian Pediatrics, 57(5), 407–410. <u>https://doi.org/10.1007/s13312-020-1812-z</u>
- Anderson, R. M., Vegvari, C., Truscott, J., & Collyer, B. S. (2020). *Challenges in creating herd immunity to SARS-CoV-2 infection by mass vaccination*. The Lancet, 396(10263), 1614–1616. https://doi.org/10.1016/s0140-6736(20)32318-7
- Forman, R., Shah, S., Jeurissen, P., Jit, M., & Mossialos, E. (2021). COVID-19 vaccine challenges: What have we learned so far and what remains to be done? Health Policy, 125(5), 553–567. https://doi.org/10.1016/j.healthpol.2021.03.013
- Randolph, H. E., & Barreiro, L. B. (2020). *Herd Immunity: Understanding COVID-*19. Immunity, 52(5), 737–741. <u>https://doi.org/10.1016/j.immuni.2020.04.012</u>
- Armin, S., Wakil, A., Tarbox, J., & Iwuji, K. (2021). COVID-19 vaccination: an attempt to control the pandemic. The Southwest Respiratory and Critical Care Chronicles, 9(37), 32–39. https://doi.org/10.12746/swrccc.v9i37.801
- Corpuz, J. C. G. (2021). Multisectoral Approach on COVID-19 vaccination: a proposed solution on vaccine hesitancy. Journal of Public Health. <u>https://doi.org/10.1093/pubmed/fdab085</u>
- Cardenas, N. C. (2021). Strategic recovery plan during COVID-19 toward herd immunity in the Philippines. Journal of Public Health. <u>https://doi.org/10.1093/pubmed/fdab178</u>
- Facility Location. (2009). In R. Zanjirani Farahani & M. Hekmatfar (Eds.), *Contributions to* Management Science. Physica-Verlag HD. <u>https://doi.org/10.1007/978-3-7908-2151-2</u>
- Wang, C.-N., Viet, V. T. H., Ho, T. P., Nguyen, V. T., & Husain, S. T. (2020). Optimal Site Selection for a Solar Power Plant in the Mekong Delta Region of Vietnam. Energies, 13(16), 4066. <u>https://doi.org/10.3390/en13164066</u>
- Yee, M.A.X, Shin H.W., Haryani, H.M., & Haslenda H. (2020). Spatial Planning of Photovoltaic-Based Hydrogen Supply Chain: Optimal Site Location and Supply Chain Operation. Chemical Engineering Transactions, 81, 613–618. <u>https://doi.org/10.3303/CET2081103</u>

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

- Ferrolino, A., Lope, J. E., & Mendoza, R. (2020). *Optimal Location of Sensors for Early Detection of Tsunami Waves*. In Lecture Notes in Computer Science (pp. 562–575). Springer International Publishing. <u>https://doi.org/10.1007/978-3-030-50417-5\_42</u>
- Ferrolino, A., Mendoza, R., Magdalena, I., & Lope, J. E. (2020). Application of particle swarm optimization in optimal placement of tsunami sensors. PeerJ Computer Science, 6, e333. <u>https://doi.org/10.7717/peerj-cs.333</u>
- Kim, E. W., & Kim, S. (2021). Optimum Location Analysis for an Infrastructure Maintenance Depot in Urban Railway Networks. KSCE Journal of Civil Engineering, 25(6), 1919–1930. https://doi.org/10.1007/s12205-021-1496-5
- Heyns, A. M., du Plessis, W., Curtin, K. M., Kosch, M., & Hough, G. (2020). Decision support for the selection of optimal tower site locations for early-warning wildfire detection systems in South Africa. International Transactions in Operational Research, 28(5), 2299–2333. <u>https://doi.org/10.1111/itor.12928</u>
- Chanta, S., & Sangsawang, O. (2020). Optimal railway station locations for high-speed trains based on partial coverage and passenger cost savings. International Journal of Rail Transportation, 9(1), 39–60. <u>https://doi.org/10.1080/23248378.2020.1719372</u>
- Buhat, C. A. H., Duero, J. C. C., Felix, E. F. O., Rabajante, J. F., & Mamplata, J. B. (2020). *Optimal Allocation of COVID-19 Test Kits Among Accredited Testing Centers in the Philippines*. Journal of Healthcare Informatics Research, 5(1), 54–69. <u>https://doi.org/10.1007/s41666-020-00081-5</u>
- 22. Risanger, S., Singh, B., Morton, D., & Meyers, L. A. (2021). Selecting pharmacies for COVID-19 testing to ensure access. Health Care Management Science. <u>https://doi.org/10.1007/s10729-020-09538-</u>
   <u>W</u>
- Wang, H., & Ma, X. (2021). Research on Multiobjective Location of Urban Emergency Logistics under Major Emergencies. Mathematical Problems in Engineering, 2021, 1–12. <u>https://doi.org/10.1155/2021/5577797</u>
- 24. Taiwo, O. J. (2020). Maximal Covering Location Problem (MCLP) for the identification of potential optimal COVID-19 testing facility sites in Nigeria. African Geographical Review, 1–17. <u>https://doi.org/10.1080/19376812.2020.1838306</u>

Cabanilla et al.: Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level

- Bertsimas, D., Digalakis, Jr. V., Jacquillat A., Li M.L., Previero A. (2021). Where to locate COVID-19 mass vaccination facilities?. arXiv. <u>https://arxiv.org/abs/2102.07309</u>
- 26. Basciftci, B., Yu, X., & Shen, S. (2021). Resource Distribution Under Spatiotemporal Uncertainty of Disease Spread: Stochastic versus Robust Approaches. SSRN Electronic Journal. <u>https://doi.org/10.2139/ssrn.3799367</u>
- Buhat, C. A. H., Lutero, D. SM., Olave, Y. H., Quindala, K. M., III, Recreo, M. G. P., Talabis, D. A. SJ., Torres, M. C., Tubay, J. M., & Rabajante, J. F. (2021). *Optimal Allocation of COVID-19 Vaccines in the Philippines*. Cold Spring Harbor Laboratory. <u>https://doi.org/10.1101/2021.02.12.21251640</u>
- Wong, R. C.-W., Özsu, M. T., Yu, P. S., Fu, A. W.-C., & Liu, L. (2009). Efficient method for maximizing bichromatic reverse nearest neighbor. Proceedings of the VLDB Endowment, 2(1), 1126– 1137. <u>https://doi.org/10.14778/1687627.1687754</u>
- Du, Y., Zhang, D., & Xia, T. (2005). *The Optimal-Location Query*. In Advances in Spatial and Temporal Databases (pp. 163–180). Springer Berlin Heidelberg. <u>https://doi.org/10.1007/11535331\_10</u>
- Ranada, P. (2021). Quezon City Submits COVID-19 Vaccination Plan to National Task Force. Rappler. Retrieved from <u>https://www.rappler.com/nation/quezon-city-submits-covid-19-vaccination-plan</u>
- Department of Health (DOH) Press Release. (2021). CBCP to Transform Churches to Vaccination Sites. Retrieved from <u>https://doh.gov.ph/press-release/CBCP-TO-TRANSFORM-CHURCHES-TO-VACCINATION-SITES</u>
- 32. Department of Health Publications (Serials, Philippine Population Projection). (2020). Population Projections by Region, Province, Cities and Municipalities, 2020-2025. Retrieved from https://doh.gov.ph/sites/default/files/publications/Population%20Projection%2C%202021%2C%20Phil ippines.pdf?fbclid=IwAR1et2UMR1Hzx9ietRc7XW0xEiyQbn9dsk9BQAC26YmogIoBhWqF\_YBMhs
- 33. Ayalin, A. (2021). Gym sa UP Diliman Campus Ginawang Vaccination Site. ABS-CBN News. Retrieved from <u>https://news.abs-cbn.com/news/05/04/21/gym-up-diliman-campus-ginawang-vaccination-site?fbclid=IwAR35oNX0ash64gxLIW52Ru83s3beIuGa8ehiw0TcI3uHA1-w3JdpOG9wgpk</u>

# Supplementary File for the paper "Optimal Selection of COVID-19 Vaccination Sites at the Municipal Level"

# Kurt Izak M. Cabanilla, Erika Antonette T. Enriquez, Renier G. Mendoza, and Victoria May P. Mendoza

Institute of Mathematics, University of the Philippines Diliman,

Quezon City, Philippines

Keywords: COVID-19, vaccination site, optimal location, facility location problem, numerical optimization

San Juan is a municipality in the province of Batangas, located in the Luzon island of the Philippines. It consists of 42 barangays. A map of San Juan, Batangas is shown in Figure 1.



Figure 1. Map showing the barangays of San Juan, Batangas, the Philippines. The image was made by Marvin Sinag in 2019 and was obtained from <u>https://commons.wikimedia.org/wiki/File:Ph\_map\_of\_san\_juan\_batangas.png</u>

\*Corresponding Author: rmendoza@math.upd.edu.ph ORCID ID 0000-0003-3507-0327

The population data were collected from the website of the Philippine Department of Health (https://doh.gov.ph/publications). The number of COVID-19 confirmed cases per barangay in San Juan, Batangas was obtained from the Facebook page of the San Juan local government unit (https://www.facebook.com/lgusanjuanbatangas).

The list of hospitals and schools was manually generated from the directories of the Philippine Department of Health

(https://nhfr.doh.gov.ph/rfacilities2list.php?pageno=1&t=rfacilities2&recperpage=ALL), Philippine Commission on Higher Education (https://ched.gov.ph/list-higher-education-institutions/), and the Philippine Department of Education

(https://www.deped.gov.ph/k-to-12/senior-high-school/list-of-senior-high-schools/). The coordinates of the barangay halls and vaccination sites were collected with the help of the OSM package in Python and Google maps

Table I: All the barangays in San Juan, Batangas with their projected population in 2021, number of confirmed COVID-19 cases, and coordinates						
NAME	POPULATION	NO. OF CASES	LATITUDE	LONGITUDE		
Abung	2,444	14	13.7685	121.4156		
Balagbag	2,929	7	13.8032	121.4165		
Barualte	1,933	2	13.6874	121.4389		
Bataan	2,204	3	13.6964	121.4333		
Buhay Na Sapa	5,909	26	13.7905	121.4081		
Bulsa	2,492	3	13.7027	121.4003		
Calicanto	2,257	13	13.8258	121.3821		
Calitcalit	5,255	59	13.8268	121.4111		
Calubcub I	2,545	13	13.7534	121.4211		
Calubcub II	4,071	9	13.7421	121.4262		
Catmon	1,636	0	13.8066	121.4503		
Coloconto	874	8	13.7228	121.4192		
Escribano	3,755	8	13.8122	121.3644		
Hugom	1,820	7	13.6631	121.3731		
Imelda (Tubog)	1,106	3	13.6900	121.4510		
Janaojanao	1,743	1	13.8539	121.3677		

Т

TOTAL	125,252	579		
Tipaz	3,432	5	13.8317	121.4283
Ticalan	2,111	6	13.7924	121.4268
Talahiban II	1,501	3	13.8095	121.4039
Talahiban I	2,588	3	13.8089	121.3931
Subukin	1,886	2	13.7298	121.4380
Sico II	1,269	8	13.8295	121.3632
Sico I	2,280	19	13.8282	121.3732
Sapangan	3,391	15	13.7840	121.3582
Sampiro	3,635	7	13.7866	121.3924
Quipot	3,839	6	13.7709	121.3860
Putingbuhangin	2,873	22	13.7819	121.4231
Pulangbato	3,192	1	13.7472	121.3967
Poctol	2,939	16	13.8205	121.4408
Poblacion	3,785	76	13.8276	121.3947
Pinagbayanan	1,739	3	13.8008	121.4367
Palingowak	1,883	7	13.8217	121.4136
Palahanan II	3,730	13	13.8303	121.3523
Palahanan I	970	2	13.8297	121.3608
Nagsaulay	3,004	21	13.7117	121.4404
Muzon	1,775	11	13.8281	121.3409
Maraykit	4,123	42	13.8258	121.3872
Mabalanoy	4,423	38	13.8183	121.3975
Lipahan	5,052	42	13.8339	121.4056
Libato	4,737	10	13.8156	121.3511
Laiya-Ibabao	a-Ibabao 5,195 11		13.6807	121.4161
Laiya-Aplaya	6,927	14	13.6762	121.3876

Table II: Names of the vaccination sites in San Juan, Batangas with their corresponding site type, barangay location, and coordinates					
TYPE	NAME	BARANGAY	LATITUD E	LONGITUD E	
	San Juan Rural Health Unit II	Buhay Na Sapa	13.7913	121.4076	
	San Juan Doctors Hospital, Inc.	Calicalit	13.8265	121.4100	
Hospital	San Juan Rural Health Unit I	Poblacion	13.8248	121.3962	
	Divine Care Hospital Multi Services Corp.	Sico II	13.8290	121.3674	
	San Juan District Hospital	Talahiban II	13.8096	121.4007	
	Abung Elementary School	Abung	13.7688	121.4155	
-	Balagbag Elementary School	Balagbag	13.8033	121.4186	
	Paaralang Elementarya Ng Barualte	Barualte	13.6870	121.4343	
	Paaralang Elementarya ng Bataan	Bataan	13.6961	121.4329	
	Paaralang Elementarya Ng Buhaynasapa	Buhay Na Sapa	13.7909	121.4121	
	Paaralang Elementarya ng Bulsa	Bulsa	13.7039	121.4016	
	Calitcalit Elementary School	Calicalit	13.8281	121.4108	
	Paaralang Elementarya ng Marcal	Calicanto	13.8255	121.3822	
Elementar v	Calubcub I Elementary School	Calubcub I	13.7536	121.4188	
School	Calubcub II Elementary School	Calubcub II	13.7400	121.4256	
	Catmon Elementary School	Catmon	13.8072	121.4511	
	Coloconto Elementary School	Coloconto	13.7223	121.4193	
	Paaralang Elementarya Ng Escribano	Escribano	13.8129	121.3645	
	Hugom Elementary School	Hugom	13.6631	121.3730	
	Imelda Elementary School	Imelda	13.6907	121.4521	
	Paaralang Elementarya ng Janaojanao	Janaojanao	13.8533	121.3622	
	Aplaya Elementary School	Laiya-Aplaya	13.6757	121.3978	

Wenceslao I. Llana Memorial School	Laiya-Aplaya	13.6889	121.3943
Laiya Elementary School	Laiya-Ibabao	13.6818	121.4157
Paaralang Elementarya ng Libato	Libato	13.8047	121.3468
San Juan East Central School	Lipahan	13.8305	121.3970
Mabalanoy Elementary School	Mabalanoy	13.8189	121.3855
Paaralang Elementarya Ng Muzon	Muzon	13.8341	121.3422
Nagsaulay Elementary School	Nagsaulay	13.7117	121.4405
Palahanan Elementary School	Palahanan II	13.8294	121.3522
Palingowak Elementary School	Palingowak	13.8237	121.4179
Pinagbayanan Elementary School	Pinagbayana n	13.8014	121.4368
San Juan West Central School	Poblacion	13.8273	121.3945
Paaralang Elementarya ng Poctol	Poctol	13.8224	121.4409
Paaralang Elementarya ng Pulangbato	Pulangbato	13.7470	121.3974
Paaralang Elementarya ng Putingbuhangin	Putingbuhang in	13.7827	121.4228
Paaralang Elementaryang Calabasahan	Quipot	13.7471	121.3569
Paaralng Elementry ng Quipot	Quipot	13.7778	121.3985
Paaralang Elementarya ng Sampiro	Sampiro	13.7842	121.3853
Libjo Sapangan Elementary School	Sapangan	13.7695	121.3651
Paaralang Elementarya ng Sapangan	Sapangan	13.7845	121.3587
Paaralang Elementarya ng Pal-Sico	Sico II	13.8292	121.3663
Subukin Elementary School	Subukin	13.7310	121.4372
Paaralang Elementarya Ng Talahiban 1.0	Talahiban I	13.8088	121.3909
Talahiban 2.0 Elementary School	Talahiban II	13.8086	121.4060
Paaralang Elementarya ng Ticalan	Ticalan	13.7924	121.4270
Paaralang Elementarya ng Tipas	Tipaz	13.8313	121.4304

	Buhaynasapa National High School	Buhay Na Sapa	13.7915	121.4119
	Angeles Luistro NHS	Bulsa	13.7107	121.4009
	Calubcub 1.0 National High School	Calubcub I	13.7535	121.4231
	Aplaya National High School	Laiya-Aplaya	13.6766	121.3875
	Laiya National High School	Laiya-Ibabao	13.6818	121.4157
Junior	Lipahan National High School	Lipahan	13.8343	121.3965
High School	Don Leon Mercado Sr. MNHS	Mabalanoy	13.8149	121.3987
Ochool	Nagsaulay NHS	Nagsaulay	13.7153	121.4400
	Palahanan National High School	Palahanan II	13.8298	121.3523
	Sampiro National High School	Sampiro	13.7668	121.3699
	Pacita Ramos Mendoza MNHS	Sapangan	13.7848	121.3587
	Sico 1.0 National High School	Sico I	13.8277	121.3732
	Tipas National High School	Tipaz	13.8321	121.4286
Senior	San Juan Senior High School	Lipahan	13.8313	121.3969
School	Joseph Marello Institute	Poblacion	13.8277	121.3944
	Batangas Eastern Colleges	Poblacion	13.8291	121.3955
University	Batangas State University - San Juan Campus	Talahiban II	13.8023	121.4033
Church	San Juan Nepomuceno Church	Poblacion	13.8281	121.3947