Title -

Correlation between the environmental parameters with outbreak pattern of COVID-19: A district level investigation based on yearlong period in India

Authors -

Amitesh Gupta<sup>1</sup>\*, Laboni Saha<sup>3</sup>

<sup>1</sup> RBased Services Private Limited, New Delhi, India.

<sup>2</sup> RBased Services Private Limited, New Delhi, India.

<sup>3</sup> Savitribai Phule Pune University, Pune, India.

\*Corresponding Author - Amitesh Gupta

Abstract -

The present study has investigated the role of regional meteorology and air quality parameters in the outbreak pattern of COVID-19 pandemic in India. Using the remote sensing based dataset of 12 environmental variables we correlated infective case counts at a district level in India. Our investigation carried out on the circumstantial data from more than 300 major affected districts in India and found that air quality parameters are playing very crucial role in this outbreak. Among the air pollutants, O<sub>3</sub> was better correlating with infection counts followed by AOD, CO, NO<sub>2</sub>, BC and SO<sub>2</sub>. We also observed that among the weather parameters air temperature, incoming shortwave radiation, wind speed are positively and significantly associate with outbreak pattern and precipitation and humidity are negatively correlated with confirmed cases; only cloud cover has no significant relation. We noted that coastal districts in the both coast of India and districts located in the plain and low-lying areas have experienced bitter situation during this pandemic. Our study suggests that improving air quality with proper strict regulations and complete lockdown during the peak of pandemic could reduce the misfortune in all over India.

Keywords -

COVID-19; air quality; meteorology; India

## 1 Introduction

2 In the 21st century, the world has been battle-scarred by the pernicious ordeal of coronavirus 3 disease (COVID-19) since early 2020. By the end of March, 2021, a total of 152,006,071 4 confirmed cases with a death toll of 3,193,315 have been registered all over the world 5 (https://www.worldometers.info/coronavirus/). This pneumonia infection caused by Severe 6 Acute Respiratory Syndrome CoronaVirus-2 (SARS-CoV-2) had initially broken out in 7 Wuhan, Hubei province, China during late 2019 (Guan et al., 2020; Liu et al., 2020a; Wu and 8 McGoogan, 2020; Zhu et al., 2020a; Zu et al., 2020) and gradually spread all over the world 9 (Bertuzzo et al., 2020; Gorbalenya et al., 2020). Contemplating the hasty unfurl of this virus 10 and its human-to-human transmissibility from contagion (Wang et al., 2020a; Wang et al., 11 2020b; Wang et al., 2020c), the World Health Organization (WHO) declared this disease to 12 be a global pandemic on March 11, 2020. India, the domicile of 17.7% of the total world 13 population had noted its very first COVID-19 confirmed case on January 27, 2020, and 14 afterwards a total of 12,220,717 cases have been confirmed by the end of March, 2021 with a 15 death count of 162,960 (https://www.covid19india.org/).

16 Worldwide sundry clinical inspections of COVID-19 have diagnosed respiratory droplets and 17 fomites from contaminated persons as the spawn agent of this lethal disease (Alag, 2020; Ge 18 et al., 2013; Huang et al., 2020a; Jana et al., 2020; Jung et al., 2021; Kunz et al., 2020; 19 Sathian et al., 2020; Tuttle, 2020). Umpteen researchers also reported about analogous 20 symptoms of this disease to MERS and SARS (Holshue et al., 2020; Perlman, 2020; Tan et 21 al., 2005; Wang et al., 2020c). Since the SARS-CoV-2 virus initially causes respiratory 22 damage and this disease has very close similarities to the influenza in terms of various 23 symptoms like Fever, Cytokine storm syndrome, diffuse alveolar damage, Lymphopenia, 24 Coagulation, and immunocompromised conditions (Harapan et al., 2020; Khorramdelazad et 25 al., 2021; Larsen et al., 2020; Li et al., 2021), a few researchers have already exhorted about 26 significant association of environmental parameters to COVID-19 transmission (Azuma et 27 al., 2020; Bherwani et al., 2020; Eslami and Jalili, 2020; Gupta and Pradhan, 2020a; Kifer et 28 al., 2021; Rume and Islam, 2020; Saadat et al., 2020; Shakil et al., 2020). Mention Worthy, 29 earlier shedload of studies have conjectured about conspicuous impact of weather conditions 30 on dissemination of respiratory viruses and its seasonality (D'Amato et al., 2018; Pica and 31 Bouvier, 2012; Price et al., 2019). There are also a few global as well as regional studies that 32 had been carried out in the context of China, USA, England, Germany, Spain, Italy, 33 Indonesia, Iran, Pakistan, Bangladesh, India, and found significant correlation between 34 weather parameters and the COVID-19 cases (Ahmadi et al., 2020; Chen et al., 2021; Fadli et 35 al., 2020; Ficetola and Rubolini, 2021; Gupta et al., 2020a; Gupta and Pradhan, 2020b; Islam 36 et al., 2020; Liu et al., 2020b; Ma et al., 2020; Mehmood et al., 2021; Nottmeyer and Sera, 37 2021; Oliveiros et al., 2020; Qi et al., 2020; Tosepu et al., 2020). On a contrary, a few studies 38 have also reported that meteorological observations are not significantly associated with the 39 outbreak pattern (Iqbal et al., 2020; Jahangiri et al., 2020; Jamil et al., 2020; Mollalo et al., 40 2020; Shi et al., 2020; Xie and Zhu, 2020). Studies carried out by Bochenek et al., 2021; 41 Borah et al., 2020; Briz-Redón and Serrano-Aroca, 2020; Emediegwu, 2021; Guo et al., 42 2021; Gupta et al., 2020b; Mecenas et al., 2020; Runkle et al., 2020; Şahin, 2020; Sil and 43 Kumar, 2020 suggested that warm and humid condition seem to foreshorten the proliferation

of COVID-19. On the other hand, (Al-Rousan and Al-Najjar, 2020; Awasthi et al., 2020;
Bashir et al., 2020a; Fawad et al., 2021; Gupta and Pradhan, 2020a; Kumar and Kumar, 2020;
Pani et al., 2020; Sangkham et al., 2021; Selcuk et al., 2021; Sharma et al., 2021) reported
that hotter days might be more susceptible for COVID-19 dissemination while the role of
humidity was still incongruous (Aidoo et al., 2021; Auler et al., 2020; Gupta et al., 2020c;
Kumar, 2020; Yuan et al., 2021). Menebo, 2020 found negative association between
precipitation and COVID-19 cases, contrary to Byass, 2020; while Gunthe et al., 2020 found

51 no significance of precipitation and cloudiness for this outbreak.

52 Studies have enunciated that frequent short-term exposure to air pollutants could aggrandize 53 the likelihood of symptomatic acute respiratory infections among adults (Kim et al., 2018; 54 Kirwa et al., 2021; Xing et al., 2016). Chauhan and Johnston, 2003; Zhang et al., 2019a had 55 reported that moderate and long-term exposure to imprudent volume of the oxidant air 56 pollutants like Ozone  $(O_3)$ , Nitrogen di-Oxide  $(NO_2)$  have the potential to exacerbate the 57 inflammatory effects of the viral and bacterial respiratory infections. Insufflating such air 58 with prohibitive concentration of Particulate Matters (PM) and Carbon Monoxide (CO) have 59 been also inculpated for escalating the risk of cardiovascular and respiratory diseases, and 60 contributing to the mortality rate inclusively (Huang et al., 2018; Khaniabadi et al., 2017; Liu 61 et al., 2018; Yang et al., 2020a). Recent studies have stated that both short-term and longterm exposure to different air pollutants including PM (PM<sub>2.5</sub>, PM<sub>10</sub>), Sulphur di-Oxide 62 63  $(SO_2)$ , CO, O<sub>3</sub> and NO<sub>2</sub> could contribute significantly to the higher rates of COVID-19 64 infections in different parts of the world (Ali and Islam, 2020; Bourdrel et al., 2021; Coker et 65 al., 2020; Gujral and Sinha, 2021; Jain et al., 2021; Li et al., 2020; Lin et al., 2020; Ma et al., 66 2021; Matthew et al., 2021; Mele et al., 2021; Sharma et al., 2021; Suhaimi et al., 2020; Wu 67 et al., 2020), therefore positively associated with the conveyance of COVID-19.  $O_3$  is also a 68 salient precursor of hydroxyl radical (OH), thus it also entices the concentration of  $SO_2$  and 69 CO (Logan et al., 1981; Thompson, 1992). On the other hand, the carbonaceous pollutants 70 i.e. CO and BC and OC, which also includes the primary and secondary organic carbon, are 71 mainly produced during different anthropogenic activities of biomass burning and fossil fuel 72 combustion, with relatively little contribution from various natural sources (Li et al., 2016; 73 Prabhu et al., 2020; Schmidt, 2011; Wang et al., 2019; Winiger et al., 2016; Zhang and 74 Wang, 2011). Though the source mechanism of these carbonaceous agents are presumably 75 analogous, its spatial concentration differs due to the complex physio-chemical 76 transformation in wayward meteorology (Saliba et al., 2010; Vautard et al., 2007). AOD, an 77 illustrious indicant of Particulate Matter pollution (Chudnovsky et al., 2014; Engel-Cox et al., 78 2004; Gupta et al., 2021; Karimian et al., 2016), accounts columnar concentration of gaseous 79 and liquid airborne particles has not been often related to such malady study. Since the 80 significant relation between prevailing weather conditions and regional pollution level is well 81 demonstrated by various studies, it becomes very crucial to behold the role of meteorology 82 and air quality togetherly to conceive the seasonality of such savage seizure of coronavirus.

Scanty studies have been carried out on the importance of freshen air for the melioration of
human health and to elude any convalescence (Cragg et al., 2016; Kampa and Castanas,
2008; Manisalidis et al., 2020; White et al., 2019). Likewise, scarcely any study has been
fanatical about the significance of weather parameters on COVID-19 recovery, even though

87 93.88% of the sufferers have been healed in India, slightly lesser than the global recovery rate 88 (97.42%) till March 31, 2021. Since a handful of studies had reckoned that the inferior air 89 quality had efficaciously swayed to aggravate the COVID-19 emanation, hence it becomes 90 also requisite to investigate whether the convivial air quality has been benevolent to 91 convalesce the COVID-19 patients in India. Till date, seldom study might have inspected the 92 yearlong period of pandemic situation while minimal have rendered any estimation on this. 93 Therefore, the present study has been firmed to analyse the association of COVID-19 94 incidences (i.e. transmission) and recovery cases with weather and air quality parameters 95 across the country, as well as proffered a comparative assessment for estimating confirm and 96 recovery cases availing the non-linear complex relationship.

97 Data and Methodology

98 Counts of Confirmed and Recovered cases for all the available districts in India have been 99 acquired from https://www.covid19india.org/. The 2nd wave of COVID-19 in India has 100 prominently surged April, 2021 onwards, hence we have obtained our study for the period 101 throughout the 1st wave of COVID-19 only. During March, 2020 these counts were too 102 craggy, therefore we acquired data only for the period of April, 2020 to March, 2021. Spatial 103 data for total six different meteorological parameters - 2-m Air Temperature (AT), Bias-104 corrected Total Precipitation (PRC), Specific Humidity (Hm), Cloud Cover (CLD), Incoming 105 Short-wave Radiation (ISWR), Wind Speed (WS), and six different air quality parameters -106 Aerosol Optical Depth (AOD), Tropospheric Column Nitrogen di-Oxide (NO2), Total 107 Column Ozone  $(O_3)$ , Surface concentration of Carbon Monoxide (CO), Sulphur di-Oxide 108 (SO<sub>2</sub>) and Black Carbon (BC) have been incorporated in the present study. Remote Sensing 109 based datasets are highly useful for various environmental studies (Bhatt et al., 2021; Das et 110 al., 2017; Das and Gupta, 2021; Gupta et al., 2020b; Gupta et al., 2019; Moniruzzam et al., 111 2018; Nanda et al., 2018; Rousta et al., 2020), hence we have used such dataset from 112 different sources. Monthly mean of these twelve environmental variables were further 113 processed in ArcGIS software, adjoined and related with the monthly cumulative counts of 114 confirmed and recovery cases for each months for each of those selected districts.

115 Infections and recoveries during 1st COVID-19 waves in India

116 The district wise spatial distribution of COVID-19 confirmed cases and recoveries during the 117 1st COVID-19 wave (up to March, 2021) are shown in Figure 1. It shows that 35.03% 118 districts had noted cases within the range of 10,000 to 1,00,000; while only 3.05% districts in 119 India registered more than 1 lakh cases during this study period. Noteworthy, most of the 120 districts have registered counts of infective cases within the range of 2500-5000 following the 121 range of 10000-25000. Comprehensively, 21 states registered more than 1 lakh infected 122 cases; among them only Maharashtra and Kerala had registered more than 10 lakh cases. The 123 spatial distribution of cases also depict that the coastal districts were more anguished by 124 misfortune than the districts located in the interior part of the country whereas the districts 125 from the Himalayan Mountains and its foothills had lesser strife during this pandemic. The 126 temporal pattern of daily cases of infections, recoveries, deceased, and test positivity (%) 127 from all over the country were shown in Figure 2a. It depicts that the peak of pandemic was 128 during the early September, 2020 when the daily death counts and confirmed cases were

- 129 highest, however daily test positivity was highest during July. These trends were at their
- 130 trough during the winter followed by the post-monsoon seasons but again started to incline
- 131 since March, 2021.







Figure 1 Distribution of confirmed cases



- 135 Figure 2 temporal trends
- 136 Pearson's correlation test

Pearson's correlation technique was applied to explore the degree of association of environmental parameters with infected and recovered cases at 95% confidence interval using equation 1. A correlogram is also being prepared to better represent the interrelation of the variables of the input dataset.

141 
$$r = \frac{\sum_{i=1}^{n} (En_i - \overline{En})(C_i - \overline{C})}{\sqrt{\sum_{i=1}^{n} (En_i - \overline{En})^2 \sum_{i=1}^{n} (C_i - \overline{C})^2}} \dots \text{ Equation 1}$$

142 Here, r is the correlation coefficient, En represents the environmental variables, C denotes 143 the count of confirm and recovery cases individually.

## 144 Results and Discussion


145 Pearson's correlation test (Figure 3) found that confirmed cases have significantly (p<0.05)

146 positive correlation with the AT (0.483), ISWR (0.268) and WS (0.391), negative association

147 with Hm (-0.304) and PRC (-0.288); however positive but non-significant (p>0.05) relation

- 148 with CLD (0.109). It depicts that areas with areas with comparatively higher AT with greater
- 149 ISWR and drier atmospheric conditions (lower humidity and lesser precipitation) seem to
- 150 register more infected cases in India, quite similar to what was observed by Aslam et al.,

151 2020 and Islam et al., 2020 over Pakistan and Bangladesh respectively. Since the Indian landmass is located in the tropical latitudes of the Northern Hemisphere where the regional 152 153 ISWR is higher than the global average ISWR during April to September (Hatzianastassiou et 154 al., 2005), thus avails to put up the air temperature during these summer months. Thus, it may 155 indirectly help viruses to spread out at higher temperature conditions. On the other hand, 156 Dowell, 2001; Lowen et al., 2007 had shown that the transmission of respiratory virus via 157 aerosol could be suppressed by higher humid conditions, but enhanced under dry conditions. Barreca, 2012; Dalziel et al., 2018 also suggested that low-humidity levels could be 158 159 considered as an imperative risk factor for respiratory infection diseases (Tellier, 2006). 160 Thus, the summer conditions become more susceptible for this viral transmission in India. A 161 few studies such as Coccia, 2021; Rendana, 2020; Rosario et al., 2020 have opined that 162 higher wind could lower the emanation of the virus, however we found persuasive correlation 163 between wind and COVID-19 cases in India, thus agreeing to Babu et al., 2020; Gautam et 164 al., 2021. Another crucial reason behind this might be that the districts located near and along 165 the western coast in Kerala, Maharashtra as well as the districts of Tamilnadu, Andhra 166 Pradesh and Odisha located in the eastern coast of India catalogued maximum cases during 167 May to July, 2020 which is the onset duration of monsoon over Indian subcontinent, thus 168 experience higher wind from the sea-side towards the land. Liu et al., 2020c had suggested 169 that the rapid weather variability might result in an increase in respiratory infections in 170 warming climatic conditions; moreover, study by Moriyama and Ichinohe, 2019 had found 171 that higher ambient temperature could restrain the adaptive immune response to a virus 172 infection which also could be accorded through the present study.



173 174

## Figure 3 correlogram

175 In agreement of numerous scientific research conducted in the last two decades, the link 176 between environmental pollution and chronic illnesses mainly the cardiovascular and 177 respiratory diseases are quite comprehensible (Andersson et al., 2020; Chauhan and Johnston, 178 2003; Ghude et al., 2016; Mehta et al., 2013; Orru et al., 2017; Zhang et al., 2019b; 179 Ciencewicki and Jaspers, 2007). In the current study we found all the seven air quality 180 parameters to be significantly and positively correlated with confirmed cases. Figure 4 181 depicts that monthly confirmed cases was better correlated with monthly average 182 concentration of O<sub>3</sub> (0.595) followed by AOD (0.497), CO (0.414), NO<sub>2</sub> (0.383), BC (0.374) 183 and  $SO_2$  (0.325). It confers that concentration of oxidant pollutants had a significant impact 184 on COVID-19 transmission in Indian scenario. Earlier studies had conjectured the O<sub>3</sub> as a 185 mighty oxidant (Nuvolone et al., 2018; Turner et al., 2015; Zhang et al., 2019c). Likewise, 186 exposure to  $NO_2$  has been found to be associated with the increasing risk of acute respiratory 187 tract infections (Munawer, 2018; Suryadhi et al., 2020; Valko et al., 2007). On the other 188 hand, CO is thoroughly soluble in the bloodstream (Power, 1968). It becomes toxic when 189 blood reacts with haemoglobin (Badman and Jaffé, 1996; Schraufnagel et al., 2019). There 190 were several hotspots observed in the northern IGP and eastern India contributing detestable 191 amounts of CO and  $NO_2$  that could be held accountable for the appalling air quality in those 192 regions as it might have significantly swayed the exposed individuals to get intensely infected 193 by the coronavirus. Therefore, higher concentration of  $O_3$  along with its precursors (CO and 194  $NO_2$ ) could be held noxious for such awful viral emanation especially over northern and 195 eastern part of India. Thus we agreed with Bashir et al., 2020; Li et al., 2020; Pansini and

196 Fornacca, 2020; Zhu et al., 2020b; Zoran et al., 2020 about the significance of O<sub>3</sub>, with CO 197 and  $NO_2$  pollution regarding the COVID-19 emanation. Furthermore, in developing countries 198 like India, the organic fuel based power generation and daily household combustion activities 199 are commonly observed which often results in excessive emission of  $SO_2$  and carbonaceous 200 pollutants such as CO and BC. A beguiling study by Hahon et al., 1985 with a rigorous 201 snooping on mice had found that the severity of influenza virus infection was better 202 recognizable with a prominent exposure to diesel engine emissions and coal dusts. In the 203 present study, we have found a rich correlation between pollutants emitted due to fossil fuel 204 combustion and COVID-19 outbreak patterns. Till date, a minimal study has obtained  $SO_2$ 205 and BC to investigate the surging of COVID-19. The pathophysiological corroboration 206 cogently conveyed pathways of various diseases arose from SO<sub>2</sub> and NO<sub>2</sub> pollution 207 (Brunekreef and Holgate, 2002; Chen et al., 2015; Kampa and Castanas, 2008). The elevated 208 concentration of SO<sub>2</sub> can shorten the lung function, causing suffocation, wheezing, coughing, 209 and also arouse the exasperation in the tissues inside the nose and the throat (Feuvit et al., 210 2019) (Chen et al., 2007; Kelsall et al., 1997). It was quite distinctive that higher  $SO_2$  and 211 coronavirus outbreak were experienced over IGP, Odisha, coastal areas of Gujarat and 212 Maharashtra. The spatial distribution of BC also depicts an approximate pattern of higher 213 concentration over IGP and eastern coast of Odisha. In various parts of the world, these 214 pollutants have been adjudged as an indicator of adverse health effects (Janssen et al., 2011; 215 Segersson et al., 2017; Tobias et al., 2014). It becomes virulent (Bourdrel et al., 2017; Kampa 216 and Castanas, 2008), thus damaging the lung functions (Jacobson et al., 2014; Paulin and 217 Hansel, 2016; Paunescu et al., 2019; Valavanidis et al., 2008; Xu et al., 2018a). Therefore, it 218 can be quite distinctive that the ensued elevated pollution due to outrageous fossil fuel 219 consumption could cause the neighbourhood to be less immune and predisposed to severe 220 respiratory infection like COVID-19 (Kyung and Jeong, 2020; Suhaimi and Jalaludin, 2015; 221 Thurston et al., 2017), hence prominently associated with pulmonary diseases (Anenberg 222 Susan C. et al., 2010; Peters et al., 2001; Rosenthal et al., 2013). Since PM concentration 223 can't be directly assessed through Satellite based observations (Gupta et al., 2021, 2006; 224 Gupta and Christopher, 2009; Li et al., 2015), we correlated satellite derived AOD with 225 infective cases over several districts during the study period, and found that the IGP was 226 limned with exorbitant AOD where the coronavirus outbreak was also quite austere. Earlier, 227 Spekreijse et al., 2013; Zhao et al., 2019 recommended the strong possibilities of airborne 228 transmission of respiratory virus via fine dust particles. Recently, Comunian et al., 2020; 229 Tang et al., 2020 also discussed the evidence of SARS-CoV-2 virus transmission via dust 230 particles. Therefore, considering the elevated AOD over semi-arid north-west India along 231 with scorching summer conditions, and the infective cases from Rajasthan, Punjab, Haryana 232 and Uttar Pradesh during April-June. Interaction between the meteorological parameters and 233 air pollutants' concentrations are quite complex and varying seasonally, and often influenced 234 by the local physiography including the topographic variations such as location of mountains, 235 valleys, or the presence of substantial water bodies such as large rivers, and lakes (Benjamin, 236 1975; Eum et al., 2015; Hewson and Olsson, 1967; Mahapatra et al., 2019; Prabhu et al., 237 2020; Saikawa et al., 2019; Zhang et al., 2018). During summer, the rising AT and 238 comparatively lesser SH ominously abet the pollutants' concentration by physio-chemical 239 transformation (Analitis et al., 2018; Jayamurugan et al., 2013; Sario et al., 2013), henceforth

240make warmer days commendatory for such virus infections. While comparing with the long 241 term average conditions, many studies had acknowledged the imposition of four tier 242 countrywide lockdown for relatively cleaner air in India during April to mid of June, 2020 243 (Gupta et al., 2020d; Naqvi et al., 2021; Nigam et al., 2021; Singh and Chauhan, 2020; 244 Venter et al., 2020). Even though we found that the IGP followed by the coastal districts of 245 West Bengal, Odisha, Andhra Pradesh, Maharashtra, Kerala, Tamilnadu had inhaled quite 246 bad air where each states had registered more than 30,000 cases during that period. 247 Intriguingly, the temporal trends of pollutants showed comparatively higher concentration 248 during winter and post-monsoon seasons, while the infections were relatively lesser in both 249 those seasons. Therefore, it suggests that the shoddy air quality could not be discretely 250 blameworthy for coronavirus dissemination in India, rather bad air with successively 251 increasing AT in summer environment could be held responsible.

252 Conclusion

253 Our conscientious study suggests that the summer tropical environment in India may spare a 254 more affirmative condition for SARS-CoV-2 transmission, agreeing with Sajadi et al., 2020; 255 Xie and Zhu, 2020. Instead of squashing the COVID-19 curve, higher air temperature may 256 significantly assist an augment in pandemic predicament in India. Comparatively higher wind 257 in drier areas could indulge the virus to unfurl more, as also observed by Aidoo et al., 2021; 258 Babu et al., 2020. Besides, the negative correlation between precipitation and infections, also 259 discerned by Mansouri Daneshvar et al., 2021, illustrates the relevance of prevailing 260 atmospheric conditions in dissemination of this pandemic. Scientific communities' 261 acquiescence on the adverse impact of air quality on crude mortality is inevitable in any well-262 being circumstances across the world (Bentayeb et al., 2015; Davidson et al., 2005). 263 Foreseeably, the poor air quality was perceived to be significantly correlated with the 264 COVID-19 dissemination during the study period. The positive correlation between coal 265 blazed pollution and COVID-19 outbreak, as well as the negative association between the 266 recovery count from this disease and prevailing regional pollution levels stoutly suggest that 267 the exorbitant air pollution due to bounteous non-renewable energy generation and its 268 perpetual consumption might perturb the inbred immunity of residents in circumjacent area, 269 and hinder them also in agile recovery from this disease. The concurrent heath tribulation and 270 the interconnection of diseases affecting multiple organs are also decisively discerned during 271 COVID-19 infections. During or in a later stage of treatment, several patients are also 272 condemned to various post-syndrome infections mostly related to cardiovascular and 273 respiratory disorders which might be the ramifications of virulent vulnerability to the gaseous 274 pollution. Hence it altogether asserts that the environment needs to be ameliorated immensely 275 by its standards to alleviate such deadly pandemic. The injurious impact of traffic pollution 276 has also been discussed through various global and regional studies (Gauderman et al., 2007; 277 Laumbach and Kipen, 2012; Urman et al., 2014). The pre-eminence of weather parameters on 278 air quality is indubitable and evinced globally (Bhaskar and Mehta, 2010; Fisher, 2002; 279 Yansui Liu et al., 2020e; Panofsky and Prasad, 1967; Qin et al., 2020; Seo et al., 2018; Zhang 280 et al., 2015), hence its significant association with COVID-19 dissemination during a year-281 long period over India has been certainly revealed through the present study.

282

283 References -

- Agius, A.M., Smallman, L.A., Pahor, A.L., 1998. Age, smoking and nasal ciliary beat
  frequency. Clin Otolaryngol Allied Sci 23, 227–230. https://doi.org/10.1046/j.13652273.1998.00141.x
- Ahmadi, M., Sharifi, A., Dorosti, S., Jafarzadeh Ghoushchi, S., Ghanbari, N., 2020.
  Investigation of effective climatology parameters on COVID-19 outbreak in Iran.
  Science of The Total Environment 729, 138705.
  https://doi.org/10.1016/j.scitotenv.2020.138705
- Aidoo, E.N., Adebanji, A.O., Awashie, G.E., Appiah, S.K., 2021. The effects of weather on
  the spread of COVID-19: evidence from Ghana. Bull Natl Res Cent 45, 20.
  https://doi.org/10.1186/s42269-021-00484-3
- Akimoto, H., Mori, Y., Sasaki, K., Nakanishi, H., Ohizumi, T., Itano, Y., 2015. Analysis of
  monitoring data of ground-level ozone in Japan for long-term trend during 1990–
  2010: Causes of temporal and spatial variation. Atmospheric Environment 102, 302–
  310. https://doi.org/10.1016/j.atmosenv.2014.12.001
- Al Ashry, H.S., Modrykamien, A.M., 2014. Humidification during Mechanical Ventilation in
  the Adult Patient. BioMed Research International 2014, e715434.
  https://doi.org/10.1155/2014/715434
- Alag, S., 2020. Analysis of COVID-19 clinical trials: A data-driven, ontology-based, and
   natural language processing approach. PLOS ONE 15, e0239694.
   https://doi.org/10.1371/journal.pone.0239694
- Ali, N., Islam, F., 2020. The Effects of Air Pollution on COVID-19 Infection and Mortality—
   A Review on Recent Evidence. Front Public Health 8.
   https://doi.org/10.3389/fpubh.2020.580057
- Al-Rousan, N., Al-Najjar, H., 2020. The correlation between the spread of COVID-19
   infections and weather variables in 30 Chinese provinces and the impact of Chinese
   government mitigation plans. Eur Rev Med Pharmacol Sci 24, 4565–4571.
   https://doi.org/10.26355/eurrev\_202004\_21042
- Analitis, A., de' Donato, F., Scortichini, M., Lanki, T., Basagana, X., Ballester, F., Astrom,
  C., Paldy, A., Pascal, M., Gasparrini, A., Michelozzi, P., Katsouyanni, K., 2018.
  Synergistic Effects of Ambient Temperature and Air Pollution on Health in Europe:
  Results from the PHASE Project. Int J Environ Res Public Health 15.
  https://doi.org/10.3390/ijerph15091856
- Andersson, E.M., Ögren, M., Molnár, P., Segersson, D., Rosengren, A., Stockfelt, L., 2020.
  Road traffic noise, air pollution and cardiovascular events in a Swedish cohort.
  Environmental Research 185, 109446. https://doi.org/10.1016/j.envres.2020.109446
- Andronache, C., 2016. Dependence of Daily Aerosol Wet Deposition on Precipitation at
   Appalachian Mountains Site in the United States. Aerosol Air Qual. Res. 16, 665–
   673. https://doi.org/10.4209/aaqr.2015.05.0322
- Anenberg Susan C., Horowitz Larry W., Tong Daniel Q., West J. Jason, 2010. An Estimate
   of the Global Burden of Anthropogenic Ozone and Fine Particulate Matter on
   Premature Human Mortality Using Atmospheric Modeling. Environmental Health
   Perspectives 118, 1189–1195. https://doi.org/10.1289/ehp.0901220
- Aslam, B., Khalil, U., Azam, U., Maqsoom, A., 2020. A correlation study between weather
  and atmosphere with COVID-19 pandemic in Islamabad, Pakistan. Spat. Inf. Res.
  https://doi.org/10.1007/s41324-020-00366-2
- Asraf, H.M., Nooritawati, M.T., Rizam, M.S.B.S., 2012. A Comparative Study in Kernel Based Support Vector Machine of Oil Palm Leaves Nutrient Disease. Procedia

331		Engineering, International Symposium on Robotics and Intelligent Sensors 2012
332		(IRIS 2012) 41, 1353–1359. https://doi.org/10.1016/j.proeng.2012.07.321
333	Auler,	A.C., Cássaro, F.A.M., da Silva, V.O., Pires, L.F., 2020. Evidence that high
334		temperatures and intermediate relative humidity might favor the spread of COVID-19
335		in tropical climate: A case study for the most affected Brazilian cities. Science of The
336		Total Environment 729, 139090. https://doi.org/10.1016/j.scitotenv.2020.139090
337	Awastl	hi, A., Sharma, A., Kaur, P., Gugamsetty, B., Kumar, A., 2020. Statistical
338	11000000	interpretation of environmental influencing parameters on COVID-19 during the
339		lockdown in Delhi, India. Environ Dev Sustain. https://doi.org/10.1007/s10668-020-
340		01000-9
341	Azumo	a, K., Yanagi, U., Kagi, N., Kim, H., Ogata, M., Hayashi, M., 2020. Environmental
342	AZuma	factors involved in SARS-CoV-2 transmission: effect and role of indoor
343		
		environmental quality in the strategy for COVID-19 infection control. Environmental
344	D 1	Health and Preventive Medicine 25, 66. https://doi.org/10.1186/s12199-020-00904-2
345	Babu,	S.R., Rao, N.N., Kumar, S.V., Paul, S., Pani, S.K., 2020. Plausible Role of
346		Environmental Factors on COVID-19 Transmission in the Megacity Delhi, India.
347		Aerosol Air Qual. Res. 20, 2075–2084. https://doi.org/10.4209/aaqr.2020.06.0314
348	Badma	n, D.G., Jaffé, E.R., 1996. Blood and air pollution: State of knowledge and research
349		needs. Otolaryngology - Head and Neck Surgery 114, 205-208.
350		https://doi.org/10.1016/S0194-5998(96)70166-3
351	Balakr	ishnan, K., Dey, S., Gupta, T., Dhaliwal, R.S., Brauer, M., Cohen, A.J., Stanaway,
352		J.D., Beig, G., Joshi, T.K., Aggarwal, A.N., Sabde, Y., Sadhu, H., Frostad, J., Causey,
353		K., Godwin, W., Shukla, D.K., Kumar, G.A., Varghese, C.M., Muraleedharan, P.,
354		Agrawal, A., Anjana, R.M., Bhansali, A., Bhardwaj, D., Burkart, K., Cercy, K.,
355		Chakma, J.K., Chowdhury, S., Christopher, D.J., Dutta, E., Furtado, M., Ghosh, S.,
356		Ghoshal, A.G., Glenn, S.D., Guleria, R., Gupta, R., Jeemon, P., Kant, R., Kant, S.,
357		Kaur, T., Koul, P.A., Krish, V., Krishna, B., Larson, S.L., Madhipatla, K., Mahesh,
358		P.A., Mohan, V., Mukhopadhyay, S., Mutreja, P., Naik, N., Nair, S., Nguyen, G.,
359		Odell, C.M., Pandian, J.D., Prabhakaran, D., Prabhakaran, P., Roy, A., Salvi, S.,
360		Sambandam, S., Saraf, D., Sharma, M., Shrivastava, A., Singh, V., Tandon, N.,
361		Thomas, N.J., Torre, A., Xavier, D., Yadav, G., Singh, S., Shekhar, C., Vos, T.,
362		Dandona, R., Reddy, K.S., Lim, S.S., Murray, C.J.L., Venkatesh, S., Dandona, L.,
363		2019. The impact of air pollution on deaths, disease burden, and life expectancy
364		across the states of India: the Global Burden of Disease Study 2017. The Lancet
		Planetary Health 3, e26–e39. https://doi.org/10.1016/S2542-5196(18)30261-4
365 366	Domoo	
	Darrec	a, A.I., 2012. Climate change, humidity, and mortality in the United States. Journal of
367		Environmental Economics and Management 63, 19–34.
368	D 1.	https://doi.org/10.1016/j.jeem.2011.07.004
369	Bashir	, M.F., Ma, B., Bilal, Komal, B., Bashir, M.A., Tan, D., Bashir, M., 2020a. Correlation
370		between climate indicators and COVID-19 pandemic in New York, USA. Science of
371		The Total Environment 728, 138835. https://doi.org/10.1016/j.scitotenv.2020.138835
372	Bashir	, M.F., Ma, B.J., Bilal, null, Komal, B., Bashir, M.A., Farooq, T.H., Iqbal, N., Bashir,
373		M., 2020b. Correlation between environmental pollution indicators and COVID-19
374		pandemic: A brief study in Californian context. Environ Res 187, 109652.
375		https://doi.org/10.1016/j.envres.2020.109652
376	Ben-H	ur, A., Ong, C.S., Sonnenburg, S., Schölkopf, B., Rätsch, G., 2008. Support Vector
377		Machines and Kernels for Computational Biology. PLOS Computational Biology 4.
378		https://doi.org/10.1371/journal.pcbi.1000173
379	Benjan	nin, S.F., 1975. Study of Topographical Effects on Dispersion of Pollution, in:
380	5	Frenkiel, F.N., Munn, R.E. (Eds.), Advances in Geophysics, International Union of

381	Theoretical and Applied Mechanics and International Union of Geodesy and
382	Geophysics. Elsevier, p. 380. https://doi.org/10.1016/S0065-2687(08)60602-0
383	Bentayeb, M., Wagner, V., Stempfelet, M., Zins, M., Goldberg, M., Pascal, M., Larrieu, S.,
384	Beaudeau, P., Cassadou, S., Eilstein, D., Filleul, L., Le Tertre, A., Medina, S., Pascal,
385	L., Prouvost, H., Quénel, P., Zeghnoun, A., Lefranc, A., 2015. Association between
386	long-term exposure to air pollution and mortality in France: A 25-year follow-up
387	study. Environment International 85, 5–14.
388	https://doi.org/10.1016/j.envint.2015.08.006
389	Bertuzzo, E., Mari, L., Pasetto, D., Miccoli, S., Casagrandi, R., Gatto, M., Rinaldo, A., 2020.
390	The geography of COVID-19 spread in Italy and implications for the relaxation of
391	confinement measures. Nat Commun 11, 4264. https://doi.org/10.1038/s41467-020-
392	18050-2
393	Bhaskar, B.V., Mehta, V.M., 2010. Atmospheric Particulate Pollutants and their Relationship
394	with Meteorology in Ahmedabad. Aerosol Air Qual. Res. 10, 301–315.
395	https://doi.org/10.4209/aaqr.2009.10.0069
396	Bhatt, C.M., Gupta, A., Roy, A., Dalal, P., Chauhan, P., 2021. Geospatial analysis of
397	September, 2019 floods in the lower gangetic plains of Bihar using multi-temporal
398	satellites and river gauge data. Geomatics, Natural Hazards and Risk 12, 84–102.
399	https://doi.org/10.1080/19475705.2020.1861113
400	Bherwani, H., Gupta, A., Anjum, S., Anshul, A., Kumar, R., 2020. Exploring dependence of
401	COVID-19 on environmental factors and spread prediction in India. npj Climate and
402	Atmospheric Science 3, 1–13. https://doi.org/10.1038/s41612-020-00142-x
403	Bochenek, B., Jankowski, M., Gruszczynska, M., Nykiel, G., Gruszczynski, M., Jaczewski,
404	A., Ziemianski, M., Pyrc, R., Figurski, M., Pinkas, J., 2021. Impact of Meteorological
405	Conditions on the Dynamics of the COVID-19 Pandemic in Poland. Int J Environ Res
406	Public Health 18. https://doi.org/10.3390/ijerph18083951
407	Borah, M.J., Hazarika, B., Panda, S.K., Nieto, J.J., 2020. Examining the correlation between
408	the weather conditions and COVID-19 pandemic in India: A mathematical evidence.
409	Results in Physics 19, 103587. https://doi.org/10.1016/j.rinp.2020.103587
410	Bourdrel, T., Annesi-Maesano, I., Alahmad, B., Maesano, C.N., Bind, MA., 2021. The
411	impact of outdoor air pollution on COVID-19: a review of evidence from in vitro,
412	animal, and human studies. European Respiratory Review 30.
413	https://doi.org/10.1183/16000617.0242-2020
414	Bourdrel, T., Bind, MA., Béjot, Y., Morel, O., Argacha, JF., 2017. Cardiovascular effects
415	of air pollution. Arch Cardiovasc Dis 110, 634–642.
416	https://doi.org/10.1016/j.acvd.2017.05.003
417	Briz-Redón, Á., Serrano-Aroca, Á., 2020. A spatio-temporal analysis for exploring the effect
418	of temperature on COVID-19 early evolution in Spain. Science of The Total
419	Environment 728, 138811. https://doi.org/10.1016/j.scitotenv.2020.138811
420	Brunekreef, B., Holgate, S.T., 2002. Air pollution and health. The Lancet 360, 1233–1242.
421	https://doi.org/10.1016/S0140-6736(02)11274-8
422	Byass, P., 2020. Eco-epidemiological assessment of the COVID-19 epidemic in China,
423	January–February 2020. Global Health Action 13, 1760490.
424	https://doi.org/10.1080/16549716.2020.1760490
425	Chauhan, A.J., Johnston, S.L., 2003. Air pollution and infection in respiratory illness. British
426	Medical Bulletin 68, 95–112. https://doi.org/10.1093/bmb/ldg022
427	Chen, JC., Wang, X., Wellenius, G.A., Serre, M.L., Driscoll, I., Casanova, R., McArdle,
428	J.J., Manson, J.E., Chui, H.C., Espeland, M.A., 2015. Ambient air pollution and
429	neurotoxicity on brain structure: Evidence from women's health initiative memory
430	study. Annals of Neurology 78, 466–476. https://doi.org/10.1002/ana.24460
	γ,

- Chen, S., Prettner, K., Kuhn, M., Geldsetzer, P., Wang, C., Bärnighausen, T., Bloom, D.E.,
  2021. Climate and the spread of COVID-19. Sci Rep 11, 9042.
  https://doi.org/10.1038/s41598-021-87692-z
- Chen, T.-M., Gokhale, J., Shofer, S., Kuschner, W.G., 2007. Outdoor air pollution: nitrogen dioxide, sulfur dioxide, and carbon monoxide health effects. Am J Med Sci 333, 249–256. https://doi.org/10.1097/MAJ.0b013e31803b900f
- Chudnovsky, A.A., Koutrakis, P., Kloog, I., Melly, S., Nordio, F., Lyapustin, A., Wang, Y.,
  Schwartz, J., 2014. Fine particulate matter predictions using high resolution Aerosol
  Optical Depth (AOD) retrievals. Atmospheric Environment 89, 189–198.
  https://doi.org/10.1016/j.atmosenv.2014.02.019
- Ciencewicki, J., Jaspers, I., 2007. Air Pollution and Respiratory Viral Infection. Inhalation
   Toxicology 19, 1135–1146. https://doi.org/10.1080/08958370701665434
- 443 Coccia, M., 2021. How do low wind speeds and high levels of air pollution support the
  444 spread of COVID-19? Atmospheric Pollution Research 12, 437–445.
  445 https://doi.org/10.1016/j.apr.2020.10.002
- Coker, E.S., Cavalli, L., Fabrizi, E., Guastella, G., Lippo, E., Parisi, M.L., Pontarollo, N.,
  Rizzati, M., Varacca, A., Vergalli, S., 2020. The Effects of Air Pollution on COVIDRelated Mortality in Northern Italy. Environ Resource Econ 76, 611–634.
  https://doi.org/10.1007/s10640-020-00486-1
- Comunian, S., Dongo, D., Milani, C., Palestini, P., 2020. Air Pollution and COVID-19: The
  Role of Particulate Matter in the Spread and Increase of COVID-19's Morbidity and
  Mortality. Int J Environ Res Public Health 17. https://doi.org/10.3390/ijerph17124487
- 453 Cragg, L., Williams, S., Chavannes, N.H., 2016. FRESH AIR: an implementation research
  454 project funded through Horizon 2020 exploring the prevention, diagnosis and
  455 treatment of chronic respiratory diseases in low-resource settings. npj Primary Care
  456 Respiratory Medicine 26, 1–5. https://doi.org/10.1038/npjpcrm.2016.35
- 457 Dalziel, B.D., Kissler, S., Gog, J.R., Viboud, C., Bjørnstad, O.N., Metcalf, C.J.E., Grenfell,
  458 B.T., 2018. Urbanization and humidity shape the intensity of influenza epidemics in
  459 U.S. cities. Science 362, 75–79. https://doi.org/10.1126/science.aat6030
- 460 D'Amato, M., Molino, A., Calabrese, G., Cecchi, L., Annesi-Maesano, I., D'Amato, G.,
  461 2018. The impact of cold on the respiratory tract and its consequences to respiratory
  462 health. Clinical and Translational Allergy 8, 20. https://doi.org/10.1186/s13601-018463 0208-9
- 464 Das, S., Gupta, A., 2021. Multi-criteria decision based geospatial mapping of flood
  465 susceptibility and temporal hydro-geomorphic changes in the Subarnarekha basin,
  466 India. Geoscience Frontiers 12, 101206. https://doi.org/10.1016/j.gsf.2021.101206
- 467 Das, S., Gupta, A., Ghosh, S., 2017. Exploring groundwater potential zones using MIF
  468 technique in semi-arid region: a case study of Hingoli district, Maharashtra. Spat. Inf.
  469 Res. 25, 749–756. https://doi.org/10.1007/s41324-017-0144-0
- 470 Davidson, C.I., Phalen, R.F., Solomon, P.A., 2005. Airborne Particulate Matter and Human
  471 Health: A Review. Aerosol Science and Technology 39, 737–749.
  472 https://doi.org/10.1080/02786820500191348
- 473 Deng, X., Rui, W., Zhang, F., Ding, W., 2013. PM2.5 induces Nrf2-mediated defense
  474 mechanisms against oxidative stress by activating PIK3/AKT signaling pathway in
  475 human lung alveolar epithelial A549 cells. Cell Biol Toxicol 29, 143–157.
  476 https://doi.org/10.1007/s10565-013-9242-5
- 477 Desideri, D., Roselli, C., Meli, M.A., Feduzi, L., 2007. Comparison between the diurnal 478 trends of ozone and radon gas concentrations measured at ground in the semi-rural 479 of Central Italy. J Radioanal Nucl Chem 273, 345-351. site 480 https://doi.org/10.1007/s10967-007-6871-2

- 481 Dowell, S.F., 2001. Seasonal variation in host susceptibility and cycles of certain infectious
   482 diseases. Emerg Infect Dis 7, 369–374. https://doi.org/10.3201/eid0703.010301
- Emediegwu, L.E., 2021. Health impacts of daily weather fluctuations: Empirical evidence
  from COVID-19 in U.S. counties. Journal of Environmental Management 291,
  112662. https://doi.org/10.1016/j.jenvman.2021.112662
- 486 Engel-Cox, J.A., Hoff, R.M., Haymet, A.D.J., 2004. Recommendations on the Use of
  487 Satellite Remote-Sensing Data for Urban Air Quality. Journal of the Air & Waste
  488 Management Association 54, 1360–1371.
  489 https://doi.org/10.1080/10473289.2004.10471005
- 490 Eslami, H., Jalili, M., 2020. The role of environmental factors to transmission of SARS-CoV491 2 (COVID-19). AMB Express 10. https://doi.org/10.1186/s13568-020-01028-0
- 492 Eum, Y., Song, I., Kim, H.-C., Leem, J.-H., Kim, S.-Y., 2015. Computation of geographic
  493 variables for air pollution prediction models in South Korea. Environ Health Toxicol
  494 30. https://doi.org/10.5620/eht.e2015010
- Fadli, A., Nugraha, A.W.W., Aliim, M.S., Taryana, A., Kurniawan, Y.I., Purnomo, W.H.,
  2020. Simple Correlation Between Weather and COVID-19 Pandemic Using Data
  Mining Algorithms. IOP Conf. Ser.: Mater. Sci. Eng. 982, 012015.
  https://doi.org/10.1088/1757-899X/982/1/012015
- Fares, A., 2013. Factors Influencing the Seasonal Patterns of Infectious Diseases. Int J Prev
   Med 4, 128–132.
- Fawad, M., Mubarik, S., Malik, S.S., Ren, J., 2021. Statistical analysis of COVID-19
  infection caused by environmental factors: Evidence from Pakistan. Life Sci 269, 119093. https://doi.org/10.1016/j.lfs.2021.119093
- Feuyit, G., Nzali, S., Lambi, J.N., Laminsi, S., 2019. Air Quality and Human Health Risk
  Assessment in the Residential Areas at the Proximity of the Nkolfoulou Landfill in
  Yaoundé Metropolis, Cameroon. Journal of Chemistry 2019, e3021894.
  https://doi.org/10.1155/2019/3021894
- Ficetola, G.F., Rubolini, D., 2021. Containment measures limit environmental effects on
   COVID-19 early outbreak dynamics. Science of The Total Environment 761, 144432.
   https://doi.org/10.1016/j.scitotenv.2020.144432
- Fisher, B., 2002. Meteorological factors influencing the occurrence of air pollution episodes
  involving chimney plumes. Meteorological Applications 9, 199–210.
  https://doi.org/10.1017/S1350482702002050
- 514 Gallerani, M., Reverberi, R., Salmi, R., Smolensky, M.H., Manfredini, R., 2013. Seasonal
  515 variation of platelets in a cohort of Italian blood donors: a preliminary report.
  516 European Journal of Medical Research 18, 31. https://doi.org/10.1186/2047-783X-18517 31
- Gauderman, W.J., Vora, H., McConnell, R., Berhane, K., Gilliland, F., Thomas, D.,
  Lurmann, F., Avol, E., Kunzli, N., Jerrett, M., Peters, J., 2007. Effect of exposure to
  traffic on lung development from 10 to 18 years of age: a cohort study. The Lancet
  369, 571–577. https://doi.org/10.1016/S0140-6736(07)60037-3
- Gautam, S., Samuel, C., Gautam, A.S., Kumar, S., 2021. Strong link between coronavirus
  count and bad air: a case study of India. Environ Dev Sustain.
  https://doi.org/10.1007/s10668-021-01366-4
- Ge, X.-Y., Li, J.-L., Yang, X.-L., Chmura, A.A., Zhu, G., Epstein, J.H., Mazet, J.K., Hu, B.,
  Zhang, W., Peng, C., Zhang, Y.-J., Luo, C.-M., Tan, B., Wang, N., Zhu, Y., Crameri,
  G., Zhang, S.-Y., Wang, L.-F., Daszak, P., Shi, Z.-L., 2013. Isolation and
  characterization of a bat SARS-like coronavirus that uses the ACE2 receptor. Nature
  503, 535–538. https://doi.org/10.1038/nature12711

- Gettelman, A., Sherwood, S.C., 2016. Processes Responsible for Cloud Feedback. Curr Clim
   Change Rep 2, 179–189. https://doi.org/10.1007/s40641-016-0052-8
- Ghude, S.D., Chate, D.M., Jena, C., Beig, G., Kumar, R., Barth, M.C., Pfister, G.G.,
  Fadnavis, S., Pithani, P., 2016. Premature mortality in India due to PM <sub>2.5</sub> and ozone
  exposure: Premature Mortality in India. Geophys. Res. Lett. 43, 4650–4658.
  https://doi.org/10.1002/2016GL068949
- Gorbalenya, A.E., Baker, S.C., Baric, R.S., Groot, R.J. de, Drosten, C., Gulyaeva, A.A.,
  Haagmans, B.L., Lauber, C., Leontovich, A.M., Neuman, B.W., Penzar, D., Perlman,
  S., Poon, L.L.M., Samborskiy, D., Sidorov, I.A., Sola, I., Ziebuhr, J., 2020. Severe
  acute respiratory syndrome-related coronavirus: The species and its viruses a
  statement of the Coronavirus Study Group. bioRxiv 2020.02.07.937862.
  https://doi.org/10.1101/2020.02.07.937862
- Guan, W., Ni, Z., Hu, Yu, Liang, W., Ou, C., He, J., Liu, L., Shan, H., Lei, C., Hui, D.S.C.,
  Du, B., Li, L., Zeng, G., Yuen, K.-Y., Chen, R., Tang, C., Wang, T., Chen, P., Xiang,
  J., Li, S., Wang, Jin-lin, Liang, Z., Peng, Y., Wei, L., Liu, Y., Hu, Ya-hua, Peng, P.,
  Wang, Jian-ming, Liu, J., Chen, Z., Li, G., Zheng, Z., Qiu, S., Luo, J., Ye, C., Zhu, S.,
  Zhong, N., 2020. Clinical Characteristics of Coronavirus Disease 2019 in China. N
  Engl J Med 382, 1708–1720. https://doi.org/10.1056/NEJMoa2002032
- 548Gujral, H., Sinha, A., 2021. Association between exposure to airborne pollutants and549COVID-19 in Los Angeles, United States with ensemble-based dynamic emission550model. Environmental Research 194, 110704.551https://doi.org/10.1016/j.envres.2020.110704
- Gunthe, S.S., Swain, B., Patra, S.S., Amte, A., 2020. On the global trends and spread of the
   COVID-19 outbreak: preliminary assessment of the potential relation between
   location-specific temperature and UV index. J Public Health (Berl.).
   https://doi.org/10.1007/s10389-020-01279-y
- Guo, C., Bo, Y., Lin, C., Li, H.B., Zeng, Y., Zhang, Y., Hossain, M.S., Chan, J.W.M., Yeung,
  D.W., Kwok, K.-O., Wong, S.Y.S., Lau, A.K.H., Lao, X.Q., 2021. Meteorological
  factors and COVID-19 incidence in 190 countries: An observational study. Sci Total
  Environ 757, 143783. https://doi.org/10.1016/j.scitotenv.2020.143783
- Guo, C., Zhang, Z., Lau, A.K.H., Lin, C.Q., Chuang, Y.C., Chan, J., Jiang, W.K., Tam, T.,
  Yeoh, E.-K., Chan, T.-C., Chang, L.-Y., Lao, X.Q., 2018. Effect of long-term
  exposure to fine particulate matter on lung function decline and risk of chronic
  obstructive pulmonary disease in Taiwan: a longitudinal, cohort study. The Lancet
  Planetary Health 2, e114–e125. https://doi.org/10.1016/S2542-5196(18)30028-7
- Gupta, A., Asopa, U., Bhattacharjee, R., 2019. Land Subsidence Monitoring in Jagadhri City
   Using Sentinel 1 Data and DInSAR Processing. Proceedings 24, 25.
   https://doi.org/10.3390/IECG2019-06230
- Gupta, A., Banerjee, S., Das, S., 2020a. Significance of geographical factors to the COVID19 outbreak in India. Model. Earth Syst. Environ. 6, 2645–2653.
  https://doi.org/10.1007/s40808-020-00838-2
- Gupta, A., Bhatt, C.M., Roy, A., Chauhan, P., 2020d. COVID-19 lockdown a window of
  opportunity to understand the role of human activity on forest fire incidences in the
  Western Himalaya, India. CURRENT SCIENCE 119, 9.
- Gupta, A., Kant, Y., Mitra, D., Chauhan, P., 2021. Spatio-temporal distribution of INSAT-3D
   AOD derived particulate matter concentration over India. Atmospheric Pollution
   Research 12, 159–172. https://doi.org/10.1016/j.apr.2020.08.031
- 577 Gupta, A., Moniruzzaman, M., Hande, A., Rousta, I., Olafsson, H., Mondal, K.K., 2020e.
  578 Estimation of particulate matter (PM2.5, PM10) concentration and its variation over

579 urban sites in Bangladesh. SN Appl. Sci. 2, 1993. https://doi.org/10.1007/s42452-020-580 03829-1 581 Gupta, A., Pradhan, B., 2020a. Impact of Daily Weather on COVID-19 outbreak in India. 582 https://doi.org/10.1101/2020.06.15.20131490 583 Gupta, A., Pradhan, B., 2020b. Assessment of temporal trend of COVID-19 outbreak in 584 India. https://doi.org/10.31219/osf.io/qyre6 585 Gupta, A., Pradhan, B., Maulud, K.N.A., 2020c. Estimating the Impact of Daily Weather on 586 the Temporal Pattern of COVID-19 Outbreak in India. Earth Syst Environ 4, 523-587 534. https://doi.org/10.1007/s41748-020-00179-1 588 Gupta, P., Christopher, S.A., 2009. Particulate matter air quality assessment using integrated 589 surface, satellite, and meteorological products: 2. A neural network approach. J. 590 Geophys. Res. 114, D20205. https://doi.org/10.1029/2008JD011497 591 Gupta, P., Christopher, S.A., Wang, J., Gehrig, R., Lee, Y., Kumar, N., 2006. Satellite remote 592 sensing of particulate matter and air quality assessment over global cities. 593 Atmospheric Environment 40. 5880-5892. 594 https://doi.org/10.1016/j.atmosenv.2006.03.016 595 Gupta, S., Raghuwanshi, G.S., Chanda, A., 2020b. Effect of weather on COVID-19 spread in 596 the US: A prediction model for India in 2020. Science of The Total Environment 728, 597 138860. https://doi.org/10.1016/j.scitotenv.2020.138860 598 Hahon, N., Booth, J.A., Green, F., Lewis, T.R., 1985. Influenza virus infection in mice after 599 exposure to coal dust and diesel engine emissions. Environmental Research 37, 44– 600 60. https://doi.org/10.1016/0013-9351(85)90048-9 601 Harapan, H., Itoh, N., Yufika, A., Winardi, W., Keam, S., Te, H., Megawati, D., Hayati, Z., 602 Wagner, A.L., Mudatsir, M., 2020. Coronavirus disease 2019 (COVID-19): A 603 literature review. Journal of Infection and Public Health 13, 667–673. 604 https://doi.org/10.1016/j.jiph.2020.03.019 Hatzianastassiou, N., Matsoukas, C., Fotiadi, A., Pavlakis, K.G., Drakakis, E., 605 606 Hatzidimitriou, D., Vardavas, I., 2005. Global distribution of Earth's surface 607 shortwave radiation budget. Atmos. Chem. Phys. 21. 608 Hewson, E.W., Olsson, L.E., 1967. Lake Effects on Air Pollution Dispersion. Journal of the 609 Pollution Association Air Control 17. 757-761. 610 https://doi.org/10.1080/00022470.1967.10469069 611 Holshue, M.L., DeBolt, C., Lindquist, S., Lofy, K.H., Wiesman, J., Bruce, H., Spitters, C., 612 Ericson, K., Wilkerson, S., Tural, A., Diaz, G., Cohn, A., Fox, L., Patel, A., Gerber, 613 S.I., Kim, L., Tong, S., Lu, X., Lindstrom, S., Pallansch, M.A., Weldon, W.C., Biggs, 614 H.M., Uyeki, T.M., Pillai, S.K., 2020. First Case of 2019 Novel Coronavirus in the 615 New Journal of Medicine United States. England 382. 929-936. 616 https://doi.org/10.1056/NEJMoa2001191 617 Hong, H., Pradhan, B., Bui, D.T., Xu, C., Youssef, A.M., Chen, W., 2017. Comparison of 618 four kernel functions used in support vector machines for landslide susceptibility mapping: a case study at Suichuan area (China). Geomatics, Natural Hazards and Risk 619 620 8, 544–569. https://doi.org/10.1080/19475705.2016.1250112 621 Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., 622 Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, 623 Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J., Cao, B., 624 2020a. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, 625 China. The Lancet 395, 497-506. https://doi.org/10.1016/S0140-6736(20)30183-5 626 Huang, H., Liang, X., Huang, J., Yuan, Z., Ouyang, H., Wei, Y., Bai, X., 2020b. Correlations 627 between Meteorological Indicators, Air Quality and the COVID-19 Pandemic in 12

628 Cities across China. J Environ Health Sci Engineer 18. 1491–1498. 629 https://doi.org/10.1007/s40201-020-00564-y Huang, Jing, Li, G., Xu, G., Qian, X., Zhao, Y., Pan, X., Huang, Jian, Cen, Z., Liu, Q., He, 630 631 T., Guo, X., 2018. The burden of ozone pollution on years of life lost from chronic obstructive pulmonary disease in a city of Yangtze River Delta, China. Environmental 632 633 Pollution 242, 1266–1273. https://doi.org/10.1016/j.envpol.2018.08.021 634 Huang, N.-H., Wang, Q., Xu, D.-Q., 2008. Immunological effect of PM2.5 on cytokine 635 Biomed production in female Wistar rats. Environ Sci 21, 63-68. 636 https://doi.org/10.1016/S0895-3988(08)60008-2 637 Hulin, M., Simoni, M., Viegi, G., Annesi-Maesano, I., 2012. Respiratory health and indoor 638 air pollutants based on quantitative exposure assessments. European Respiratory 639 Journal 40, 1033–1045. https://doi.org/10.1183/09031936.00159011 640 Iqbal, N., Fareed, Z., Shahzad, F., He, X., Shahzad, U., Lina, M., 2020. The nexus between 641 COVID-19, temperature and exchange rate in Wuhan city: New findings from partial 642 and multiple wavelet coherence. Science of The Total Environment 729, 138916. 643 https://doi.org/10.1016/j.scitotenv.2020.138916 644 Islam, A.R.Md.T., Hasanuzzaman, Md., Azad, Md.A.K., Salam, R., Toshi, F.Z., Khan, 645 Md.S.I., Alam, G.M.M., Ibrahim, S.M., 2020. Effect of meteorological factors on 646 COVID-19 Bangladesh. Environ cases in Dev Sustain. 647 https://doi.org/10.1007/s10668-020-01016-1 648 Jacko, R., Breche, T.L., 2009. Air Pollution and Noise Control, in: Environmental 649 Engineering. John Wiley Sons, Ltd, 309-393. & pp. 650 https://doi.org/10.1002/9780470432822.ch4 651 Jacob, D.J., 2000. Heterogeneous chemistry and tropospheric ozone. Atmospheric 652 Environment 34, 2131–2159. https://doi.org/10.1016/S1352-2310(99)00462-8 653 Jacobson, L. da S.V., Hacon, S. de S., Castro, H.A. de, Ignotti, E., Artaxo, P., Saldiva, 654 P.H.N., Leon, A.C.M.P. de, 2014. Acute Effects of Particulate Matter and Black 655 Carbon from Seasonal Fires on Peak Expiratory Flow of Schoolchildren in the 656 Brazilian Amazon. PLOS ONE 9. e104177. 657 https://doi.org/10.1371/journal.pone.0104177 Jahangiri, Mehdi, Jahangiri, Milad, Najafgholipour, M., 2020. The sensitivity and specificity 658 659 analyses of ambient temperature and population size on the transmission rate of the 660 novel coronavirus (COVID-19) in different provinces of Iran. Sci Total Environ 728, 661 138872. https://doi.org/10.1016/j.scitotenv.2020.138872 662 Jain, M., Sharma, G.D., Goyal, M., Kaushal, R., Sethi, M., 2021. Econometric analysis of 663 COVID-19 cases, deaths, and meteorological factors in South Asia. Environ Sci 664 Pollut Res 28, 28518-28534. https://doi.org/10.1007/s11356-021-12613-6 665 Jamil, T., Alam, I.S., Gojobori, T., Duarte, C., 2020. No Evidence for Temperature-666 Dependence of the COVID-19 Epidemic. medRxiv 2020.03.29.20046706. 667 https://doi.org/10.1101/2020.03.29.20046706 668 Jana, S., Gupta, A., Nath, A., 2020. Assessment of Global Performance on COVID-19 669 Research during 1990-2019: An Exploratory Scientometric Analysis 19. 670 Janssen, N.A.H., Hoek, G., Simic-Lawson, M., Fischer, P., van Bree, L., ten Brink, H., 671 Keuken, M., Atkinson, R.W., Anderson, H.R., Brunekreef, B., Cassee, F.R., 2011. 672 Black Carbon as an Additional Indicator of the Adverse Health Effects of Airborne 673 Particles Compared with PM10 and PM2.5. Environ Health Perspect 119, 1691–1699. 674 https://doi.org/10.1289/ehp.1003369 675 Jayamurugan, R., Kumaravel, B., Palanivelraja, S., Chockalingam, M.P., 2013. Influence of 676 Temperature, Relative Humidity and Seasonal Variability on Ambient Air Quality in a Coastal Urban Area. International Journal of Atmospheric Sciences 2013, e264046.
https://doi.org/10.1155/2013/264046

- Jebur, M.N., Pradhan, B., Tehrany, M.S., 2014. Manifestation of LiDAR-Derived Parameters
  in the Spatial Prediction of Landslides Using Novel Ensemble Evidential Belief
  Functions and Support Vector Machine Models in GIS. IEEE J. Sel. Top. Appl. Earth
  Observations Remote Sensing 8, 674–690.
  https://doi.org/10.1109/JSTARS.2014.2341276
- Joshi, M., Pedersen, T., Maclin, R., 2005. A Comparative Study of Support Vector Machines
  Applied to the Supervised Word Sense Disambiguation Problem in the Medical
  Domain. Presented at the 2nd Indian International Conference on Artifitial
  Intelligence (IICAI-05), pp. 3449–3468.
- Jung, R.G., Di Santo, P., Clifford, C., Prosperi-Porta, G., Skanes, S., Hung, A., Parlow, S.,
  Visintini, S., Ramirez, F.D., Simard, T., Hibbert, B., 2021. Methodological quality of
  COVID-19 clinical research. Nature Communications 12, 943.
  https://doi.org/10.1038/s41467-021-21220-5
- Kampa, M., Castanas, E., 2008. Human health effects of air pollution. Environmental
  Pollution, Proceedings of the 4th International Workshop on Biomonitoring of
  Atmospheric Pollution (With Emphasis on Trace Elements) 151, 362–367.
  https://doi.org/10.1016/j.envpol.2007.06.012
- Karimian, H., Li, Q., Li, C., Jin, L., Fan, J., Li, Y., 2016. An Improved Method for
  Monitoring Fine Particulate Matter Mass Concentrations via Satellite Remote
  Sensing. Aerosol Air Qual. Res. 16, 1081–1092.
  https://doi.org/10.4209/aaqr.2015.06.0424
- Kelly, M., Gillies, D., Todd, D.A., Lockwood, C., 2010. Heated humidification versus heat
  and moisture exchangers for ventilated adults and children. Cochrane Database of
  Systematic Reviews. https://doi.org/10.1002/14651858.CD004711.pub2
- Kelsall, J.E., Samet, J.M., Zeger, S.L., Xu, J., 1997. Air Pollution and Mortality in
  Philadelphia, 1974–1988. American Journal of Epidemiology 146, 750–762. https://doi.org/10.1093/oxfordjournals.aje.a009351
- Khaniabadi, Y.O., Hopke, P.K., Goudarzi, G., Daryanoosh, S.M., Jourvand, M., Basiri, H.,
  2017. Cardiopulmonary mortality and COPD attributed to ambient ozone.
  Environmental Research 152, 336–341. https://doi.org/10.1016/j.envres.2016.10.008
- Khorramdelazad, H., Kazemi, M.H., Najafi, A., Keykhaee, M., Zolfaghari Emameh, R.,
  Falak, R., 2021. Immunopathological similarities between COVID-19 and influenza:
  Investigating the consequences of Co-infection. Microb Pathog 152, 104554.
  https://doi.org/10.1016/j.micpath.2020.104554
- 713 Kifer, D., Bugada, D., Villar-Garcia, J., Gudelj, I., Menni, C., Sudre, C., Vučković, F., 714 Ugrina, I., Lorini, L.F., Posso, M., Bettinelli, S., Ughi, N., Maloberti, A., Epis, O., 715 Giannattasio, C., Rossetti, C., Kalogjera, L., Peršec, J., Ollivere, L., Ollivere, B.J., 716 Yan, H., Cai, T., Aithal, G.P., Steves, C.J., Kantele, A., Kajova, M., Vapalahti, O., 717 Sajantila, A., Wojtowicz, R., Wierzba, W., Krol, Z., Zaczynski, A., Zycinska, K., 718 Postula, M., Lukšić, I., Čivljak, R., Markotić, A., Brachmann, J., Markl, A., 719 Mahnkopf, C., Murray, B., Ourselin, S., Valdes, A.M., Horcajada, J.P., Castells, X., 720 Pascual, J., Allegri, M., Primorac, D., Spector, T.D., Barrios, C., Lauc, G., 2021. 721 Effects of Environmental Factors on Severity and Mortality of COVID-19. Front. 722 Med. 7. https://doi.org/10.3389/fmed.2020.607786
- Kim, D., Chen, Z., Zhou, L.-F., Huang, S.-X., 2018. Air pollutants and early origins of
  respiratory diseases. Chronic Dis Transl Med 4, 75–94.
  https://doi.org/10.1016/j.cdtm.2018.03.003

- Kim, J.W., Park, S., Lim, C.W., Lee, K., Kim, B., 2014. The Role of Air Pollutants in
  Initiating Liver Disease. Toxicological Research 30, 65–70.
  https://doi.org/10.5487/TR.2014.30.2.065
- Kirwa, K., Eckert, C.M., Vedal, S., Hajat, A., Kaufman, J.D., 2021. Ambient air pollution
  and risk of respiratory infection among adults: evidence from the multiethnic study of
  atherosclerosis (MESA). BMJ Open Respiratory Research 8, e000866.
  https://doi.org/10.1136/bmjresp-2020-000866
- Kudo, E., Song, E., Yockey, L.J., Rakib, T., Wong, P.W., Homer, R.J., Iwasaki, A., 2019.
  Low ambient humidity impairs barrier function and innate resistance against influenza infection. PNAS 116, 10905–10910. https://doi.org/10.1073/pnas.1902840116
- Kumar, G., Kumar, R.R., 2020. A correlation study between meteorological parameters and
  COVID-19 pandemic in Mumbai, India. Diabetes & Metabolic Syndrome: Clinical
  Research & Reviews 14, 1735–1742. https://doi.org/10.1016/j.dsx.2020.09.002
- Kumar, S., 2020. Effect of meteorological parameters on spread of COVID-19 in India and
  air quality during lockdown. Sci Total Environ 745, 141021.
  https://doi.org/10.1016/j.scitotenv.2020.141021
- Kunz, C.U., Jörgens, S., Bretz, F., Stallard, N., Lancker, K.V., Xi, D., Zohar, S., Gerlinger,
  C., Friede, T., 2020. Clinical Trials Impacted by the COVID-19 Pandemic: Adaptive
  Designs to the Rescue? Statistics in Biopharmaceutical Research 12, 461–477.
  https://doi.org/10.1080/19466315.2020.1799857
- Kurt, O.K., Zhang, J., Pinkerton, K.E., 2016. Pulmonary Health Effects of Air Pollution. Curr
   Opin Pulm Med 22, 138–143. https://doi.org/10.1097/MCP.0000000000248

Kyung, S.Y., Jeong, S.H., 2020. Particulate-Matter Related Respiratory Diseases. Tuberc
 Respir Dis (Seoul) 83, 116–121. https://doi.org/10.4046/trd.2019.0025

- Larsen, J.R., Martin, M.R., Martin, J.D., Kuhn, P., Hicks, J.B., 2020. Modeling the Onset of
  Symptoms of COVID-19. Front. Public Health 8.
  https://doi.org/10.3389/fpubh.2020.00473
- Laumbach, R.J., Kipen, H.M., 2012. Respiratory Health Effects of Air Pollution: Update on
   Biomass Smoke and Traffic Pollution. J Allergy Clin Immunol 129, 3–13.
   https://doi.org/10.1016/j.jaci.2011.11.021
- LaVoy, E.C.P., McFarlin, B.K., Simpson, R.J., 2011. Immune Responses to Exercising in a
  Cold Environment. Wilderness & Environmental Medicine 22, 343–351.
  https://doi.org/10.1016/j.wem.2011.08.005
- Lee, A., Kinney, P., Chillrud, S., Jack, D., 2015. A Systematic Review of Innate Immunomodulatory Effects of Household Air Pollution Secondary to the Burning of Biomass Fuels. Annals of Global Health 81, 368.
  https://doi.org/10.1016/j.aogh.2015.08.006
- Li, C., Bosch, C., Kang, S., Andersson, A., Chen, P., Zhang, Q., Cong, Z., Chen, B., Qin, D.,
  Gustafsson, Ö., 2016. Sources of black carbon to the Himalayan–Tibetan Plateau
  glaciers. Nature Communications 7, 12574. https://doi.org/10.1038/ncomms12574
- Li, H., Xu, X.-L., Dai, D.-W., Huang, Z.-Y., Ma, Z., Guan, Y.-J., 2020. Air pollution and temperature are associated with increased COVID-19 incidence: A time series study.
  International Journal of Infectious Diseases 97, 278–282. https://doi.org/10.1016/j.ijid.2020.05.076
- Li, P., Wang, Y., Peppelenbosch, M.P., Ma, Z., Pan, Q., 2021. Systematically comparing COVID-19 with the 2009 influenza pandemic for hospitalized patients. Int J Infect Dis 102, 375–380. https://doi.org/10.1016/j.ijid.2020.11.127
- Li, R., Gong, J., Chen, L., Wang, Z., 2015. Estimating Ground-Level PM2.5 Using FineResolution Satellite Data in the Megacity of Beijing, China. Aerosol Air Qual. Res.
  15, 1347–1356. https://doi.org/10.4209/aaqr.2015.01.0009

- Lin, S., Wei, D., Sun, Y., Chen, K., Yang, L., Liu, B., Huang, Q., Paoliello, M.M.B., Li, H.,
  Wu, S., 2020. Region-specific air pollutants and meteorological parameters influence
  COVID-19: A study from mainland China. Ecotoxicology and Environmental Safety
  204, 111035. https://doi.org/10.1016/j.ecoenv.2020.111035
- Liu, B., Taioli, E., 2015. Seasonal Variations of Complete Blood Count and Inflammatory
  Biomarkers in the US Population Analysis of NHANES Data. PLoS One 10.
  https://doi.org/10.1371/journal.pone.0142382
- Liu, H., Fan, X., Wang, N., Zhang, Y., Yu, J., 2017. Exacerbating effects of PM2.5 in OVAsensitized and challenged mice and the expression of TRPA1 and TRPV1 proteins in
  lungs. Journal of Asthma 54, 807–817.
  https://doi.org/10.1080/02770903.2016.1266495
- Liu, H., Liu, S., Xue, B., Lv, Z., Meng, Z., Yang, X., Xue, T., Yu, Q., He, K., 2018. Groundlevel ozone pollution and its health impacts in China. Atmospheric Environment 173,
  223–230. https://doi.org/10.1016/j.atmosenv.2017.11.014
- 790 Liu, J., Zhou, J., Yao, J., Zhang, X., Li, L., Xu, X., He, X., Wang, B., Fu, S., Niu, T., Yan, J., 791 Shi, Y., Ren, X., Niu, J., Zhu, W., Li, S., Luo, B., Zhang, K., 2020b. Impact of 792 meteorological factors on the COVID-19 transmission: A multi-city study in China. 793 Science of The Total Environment 726, 138513. 794 https://doi.org/10.1016/j.scitotenv.2020.138513
- Liu, Q., Tan, Z.-M., Sun, J., Hou, Y., Fu, C., Wu, Z., 2020c. Changing rapid weather
  variability increases influenza epidemic risk in a warming climate. Environ. Res. Lett.
  15, 044004. https://doi.org/10.1088/1748-9326/ab70bc
- Liu, T., Hu, J., Xiao, J., He, G., Kang, M., Rong, Z., Lin, L., Zhong, H., Huang, Q., Deng, A.,
  Zeng, W., Tan, X., Zeng, S., Zhu, Z., Li, J., Gong, D., Wan, D., Chen, S., Guo, L., Li,
  Y., Sun, L., Liang, W., Song, T., He, J., Ma, W., 2020a. Time-varying transmission
  dynamics of Novel Coronavirus Pneumonia in China. bioRxiv 2020.01.25.919787.
  https://doi.org/10.1101/2020.01.25.919787
- Liu, Yanli, Sun, W., Guo, Y., Chen, L., Zhang, L., Zhao, S., Long, D., Yu, L., 2020d.
  Association between platelet parameters and mortality in coronavirus disease 2019:
  Retrospective cohort study. Platelets 1–7.
  https://doi.org/10.1080/09537104.2020.1754383
- Liu, Yansui, Zhou, Y., Lu, J., 2020e. Exploring the relationship between air pollution and
  meteorological conditions in China under environmental governance. Sci Rep 10,
  14518. https://doi.org/10.1038/s41598-020-71338-7
- Logan, J.A., Prather, M.J., Wofsy, S.C., McElroy, M.B., 1981. Tropospheric chemistry: A
  global perspective. Journal of Geophysical Research: Oceans 86, 7210–7254.
  https://doi.org/10.1029/JC086iC08p07210
- Lowen, A.C., Mubareka, S., Steel, J., Palese, P., 2007. Influenza Virus Transmission Is
  Dependent on Relative Humidity and Temperature. PLOS Pathogens 3, e151.
  https://doi.org/10.1371/journal.ppat.0030151
- 816 Lytle, C.D., Sagripanti, J.-L., 2005. Predicted Inactivation of Viruses of Relevance to
  817 Biodefense by Solar Radiation. Journal of Virology 79, 14244–14252.
  818 https://doi.org/10.1128/JVI.79.22.14244-14252.2005
- Ma, Y., Cheng, B., Shen, J., Wang, H., Feng, F., Zhang, Y., Jiao, H., 2021. Association
  between environmental factors and COVID-19 in Shanghai, China. Environ Sci Pollut
  Res Int 1–9. https://doi.org/10.1007/s11356-021-13834-5
- Ma, Y., Zhao, Y., Liu, J., He, X., Wang, B., Fu, S., Yan, J., Niu, J., Zhou, J., Luo, B., 2020.
  Effects of temperature variation and humidity on the death of COVID-19 in Wuhan,
  China. Science of The Total Environment 724, 138226.
  https://doi.org/10.1016/j.scitotenv.2020.138226

- 826 Maaoui, C., Pruski, A., 2008. A comparative study of SVM kernel applied to emotion 827 recognition from physiological signals, in: 2008 5th International Multi-Conference 828 on Systems, Signals and Devices. Presented at the 2008 5th International Multi-Signals 829 Conference on Systems, and Devices. 1-6.pp. 830 https://doi.org/10.1109/SSD.2008.4632891
- Mahapatra, P.S., Puppala, S.P., Adhikary, B., Shrestha, K.L., Dawadi, D.P., Paudel, S.P.,
  Panday, A.K., 2019. Air quality trends of the Kathmandu Valley: A satellite,
  observation and modeling perspective. Atmospheric Environment 201, 334–347.
  https://doi.org/10.1016/j.atmosenv.2018.12.043
- Manisalidis, I., Stavropoulou, E., Stavropoulos, A., Bezirtzoglou, E., 2020. Environmental
  and Health Impacts of Air Pollution: A Review. Front Public Health 8.
  https://doi.org/10.3389/fpubh.2020.00014
- Mansouri Daneshvar, M.R., Ebrahimi, M., Sadeghi, A., Mahmoudzadeh, A., 2021. Climate
  effects on the COVID-19 outbreak: a comparative analysis between the UAE and
  Switzerland. Model. Earth Syst. Environ. https://doi.org/10.1007/s40808-021-01110-x
- Matthew, O.J., Eludoyin, A.O., Oluwadiya, K.S., 2021. Spatio-temporal variations in COVID-19 in relation to the global climate distribution and fluctuations. Spatial and Spatio-temporal Epidemiology 37, 100417. https://doi.org/10.1016/j.sste.2021.100417
- Mecenas, P., Bastos, R.T. da R.M., Vallinoto, A.C.R., Normando, D., 2020. Effects of
  temperature and humidity on the spread of COVID-19: A systematic review. PLOS
  ONE 15, e0238339. https://doi.org/10.1371/journal.pone.0238339
- Mehmood, K., Bao, Y., Abrar, M.M., Petropoulos, G.P., Saifullah, Soban, A., Saud, S.,
  Khan, Z.A., Khan, S.M., Fahad, S., 2021. Spatiotemporal variability of COVID-19
  pandemic in relation to air pollution, climate and socioeconomic factors in Pakistan.
  Chemosphere 271, 129584. https://doi.org/10.1016/j.chemosphere.2021.129584
- Mehta, S., Shin, H., Burnett, R., North, T., Cohen, A.J., 2013. Ambient particulate air pollution and acute lower respiratory infections: a systematic review and implications for estimating the global burden of disease. Air Qual Atmos Health 6, 69–83. https://doi.org/10.1007/s11869-011-0146-3
- Mele, M., Magazzino, C., Schneider, N., Strezov, V., 2021. NO2 levels as a contributing
  factor to COVID-19 deaths: The first empirical estimate of threshold values.
  Environmental Research 194, 110663. https://doi.org/10.1016/j.envres.2020.110663
- Menebo, M.M., 2020. Temperature and precipitation associate with Covid-19 new daily
  cases: A correlation study between weather and Covid-19 pandemic in Oslo, Norway.
  Science of The Total Environment 737, 139659.
  https://doi.org/10.1016/j.scitotenv.2020.139659
- Mollalo, A., Vahedi, B., Rivera, K.M., 2020. GIS-based spatial modeling of COVID-19
  incidence rate in the continental United States. Science of The Total Environment
  728, 138884. https://doi.org/10.1016/j.scitotenv.2020.138884
- Moniruzzam, M., Roy, A., Bhatt, C.M., Gupta, A., An, N.T.T., Hassan, M.R., 2018. Impact
  Analysis of Urbanization on Land Use Land Cover Change for Khulna City,
  Bangladesh using Temporal Landsat Imagery. Int. Arch. Photogramm. Remote Sens.
  Spatial Inf. Sci. XLII–5, 757–760. https://doi.org/10.5194/isprs-archives-XLII-5-7572018
- Moore, M., Little, P., 2007. Humidified air inhalation for treating croup: a systematic review
  and meta-analysis. Family Practice 24, 295–301.
  https://doi.org/10.1093/fampra/cmm022
- Moriyama, M., Ichinohe, T., 2019. High ambient temperature dampens adaptive immune
  responses to influenza A virus infection. PNAS 116, 3118–3125.
  https://doi.org/10.1073/pnas.1815029116

876 Munawer, M.E., 2018. Human health and environmental impacts of coal combustion 877 and post-combustion wastes. Journal of Sustainable Mining 17, 87-96. 878 https://doi.org/10.1016/j.jsm.2017.12.007 879 Nanda, C., Kant, Y., Gupta, A., Mitra, D., 2018. Spatio-Temporal Distribution of Pollutant 880 Trace Gases During Diwali Over India. ISPRS Ann. Photogramm. Remote Sens. Spatial Inf. Sci. IV-5, 339-350. https://doi.org/10.5194/isprs-annals-IV-5-339-2018 881 882 Naqvi, H.R., Datta, M., Mutreja, G., Siddiqui, M.A., Naqvi, D.F., Naqvi, A.R., 2021. 883 Improved air quality and associated mortalities in India under COVID-19 lockdown. 884 Environ Pollut 268, 115691. https://doi.org/10.1016/j.envpol.2020.115691 885 2016. The immune system. Essays Biochem 60, Nicholson, L.B., 275-301. 886 https://doi.org/10.1042/EBC20160017 887 Nigam, R., Pandya, K., Luis, A.J., Sengupta, R., Kotha, M., 2021. Positive effects of 888 COVID-19 lockdown on air quality of industrial cities (Ankleshwar and Vapi) of 889 Western India. Sci Rep 11, 4285. https://doi.org/10.1038/s41598-021-83393-9 890 Nottmeyer, L.N., Sera, F., 2021. Influence of temperature, and of relative and absolute 891 humidity on COVID-19 incidence in England - A multi-city time-series study. 892 Environ Res 196, 110977. https://doi.org/10.1016/j.envres.2021.110977 893 Nuvolone, D., Petri, D., Voller, F., 2018. The effects of ozone on human health. Environ Sci 894 Pollut Res 25, 8074-8088. https://doi.org/10.1007/s11356-017-9239-3 895 Oliveiros, B., Caramelo, L., Ferreira, N.C., Caramelo, F., 2020. Role of temperature and 896 humidity in the modulation of the doubling time of COVID-19 cases. medRxiv 897 2020.03.05.20031872. https://doi.org/10.1101/2020.03.05.20031872 898 Orru, H., Ebi, K.L., Forsberg, B., 2017. The Interplay of Climate Change and Air Pollution 899 on Health. Curr Envir Health Rpt 4, 504-513. https://doi.org/10.1007/s40572-017-900 0168-6 901 Pan, Y.-P., Zhu, X.-Y., Tian, S.-L., Wang, L.-L., Zhang, G.-Z., Zhou, Y.-B., Xu, P., Hu, B., 902 Wang, Y.-S., 2017. Wet deposition and scavenging ratio of air pollutants during an 903 extreme rainstorm in the North China Plain. Atmospheric and Oceanic Science Letters 904 10, 348–353. https://doi.org/10.1080/16742834.2017.1343084 905 Pandey, S.K., Vinoj, V., Landu, K., Babu, S.S., 2017. Declining pre-monsoon dust loading 906 over South Asia: Signature of a changing regional climate. Sci Rep 7, 16062. 907 https://doi.org/10.1038/s41598-017-16338-w 908 Pani, S.K., Lin, N.-H., RavindraBabu, S., 2020. Association of COVID-19 pandemic with 909 meteorological parameters over Singapore. Science of The Total Environment 740, 910 140112. https://doi.org/10.1016/j.scitotenv.2020.140112 911 Panofsky, H.A., Prasad, B., 1967. The Effect of Meteorological Factors on Air Pollution in a 912 Narrow Valley. Journal of Applied Meteorology and Climatology 6, 493-499. 913 https://doi.org/10.1175/1520-0450(1967)006<0493:TEOMFO>2.0.CO;2 914 Pansini, R., Fornacca, D., 2020. COVID-19 higher induced mortality in Chinese regions with 915 lower air quality. medRxiv 2020.04.04.20053595. 916 https://doi.org/10.1101/2020.04.04.20053595 917 Paulin, L., Hansel, N., 2016. Particulate air pollution and impaired lung function. F1000Res 918 5, 201. https://doi.org/10.12688/f1000research.7108.1 919 Paunescu, A.-C., Casas, M., Ferrero, A., Pañella, P., Bougas, N., Beydon, N., Just, J., Lezmi, 920 G., Sunyer, J., Ballester, F., Momas, I., 2019. Associations of black carbon with lung 921 function and airway inflammation in schoolchildren. Environment International 131, 922 104984. https://doi.org/10.1016/j.envint.2019.104984 923 Perlman, S., 2020. Another Decade, Another Coronavirus. New England Journal of Medicine 924 382, 760-762. https://doi.org/10.1056/NEJMe2001126

- Peters, A., Dockery, D.W., Muller, J.E., Mittleman, M.A., 2001. Increased Particulate Air
  Pollution and the Triggering of Myocardial Infarction. Circulation 103, 2810–2815.
  https://doi.org/10.1161/01.CIR.103.23.2810
- Pica, N., Bouvier, N.M., 2012. Environmental factors affecting the transmission of
  respiratory viruses. Curr Opin Virol 2, 90–95.
  https://doi.org/10.1016/j.coviro.2011.12.003
- Power, G.G., 1968. Solubility of O2 and CO in blood and pulmonary and placental tissue.
  Journal of Applied Physiology 24, 468–474.
  https://doi.org/10.1152/jappl.1968.24.4.468
- Prabhu, V., Soni, A., Madhwal, S., Gupta, A., Sundriyal, S., Shridhar, V., Sreekanth, V.,
  Mahapatra, P.S., 2020. Black carbon and biomass burning associated high pollution
  episodes observed at Doon valley in the foothills of the Himalayas. Atmospheric
  Research 243, 105001. https://doi.org/10.1016/j.atmosres.2020.105001
- Price, R.H.M., Graham, C., Ramalingam, S., 2019. Association between viral seasonality and
   meteorological factors. Scientific Reports 9, 929. https://doi.org/10.1038/s41598-018 37481-y
- Qi, H., Xiao, S., Shi, R., Ward, M.P., Chen, Y., Tu, W., Su, Q., Wang, W., Wang, X., Zhang,
  Z., 2020. COVID-19 transmission in Mainland China is associated with temperature
  and humidity: A time-series analysis. Science of The Total Environment 728, 138778.
  https://doi.org/10.1016/j.scitotenv.2020.138778
- Qin, Y.-G., Yi, C., Dong, G.-L., Min, J.-Z., 2020. Investigating the influence of meteorological factors on particulate matters: A case study based on path analysis. Energy & Environment 31, 479–491. https://doi.org/10.1177/0958305X19876696
- Rendana, M., 2020. Impact of the wind conditions on COVID-19 pandemic: A new insight
  for direction of the spread of the virus. Urban Clim 34, 100680.
  https://doi.org/10.1016/j.uclim.2020.100680
- Roldán-Henao, N., Hoyos, C.D., Herrera-Mejía, L., Isaza, A., 2020. An Investigation of the
  Precipitation Net Effect on the Particulate Matter Concentration in a Narrow Valley:
  Role of Lower-Troposphere Stability. Journal of Applied Meteorology and
  Climatology 59, 401–426. https://doi.org/10.1175/JAMC-D-18-0313.1
- Rosario, D.K.A., Mutz, Y.S., Bernardes, P.C., Conte-Junior, C.A., 2020. Relationship
  between COVID-19 and weather: Case study in a tropical country. International
  Journal of Hygiene and Environmental Health 229, 113587.
  https://doi.org/10.1016/j.ijheh.2020.113587
- Rosenthal, F.S., Kuisma, M., Lanki, T., Hussein, T., Boyd, J., Halonen, J.I., Pekkanen, J.,
  2013. Association of ozone and particulate air pollution with out-of-hospital cardiac
  arrest in Helsinki, Finland: Evidence for two different etiologies. Journal of Exposure
  Science & Environmental Epidemiology 23, 281–288.
  https://doi.org/10.1038/jes.2012.121
- Rousta, I., Olafsson, H., Moniruzzaman, M., Zhang, H., Liou, Y.-A., Mushore, T.D., Gupta,
  A., 2020. Impacts of Drought on Vegetation Assessed by Vegetation Indices and
  Meteorological Factors in Afghanistan. Remote Sensing 12, 2433.
  https://doi.org/10.3390/rs12152433
- Rume, T., Islam, S.M.D.-U., 2020. Environmental effects of COVID-19 pandemic and
  potential strategies of sustainability. Heliyon 6.
  https://doi.org/10.1016/j.heliyon.2020.e04965
- Runkle, J.D., Sugg, M.M., Leeper, R.D., Rao, Y., Matthews, J.L., Rennie, J.J., 2020. Shortterm effects of specific humidity and temperature on COVID-19 morbidity in select
  US cities. Sci Total Environ 740, 140093.
  https://doi.org/10.1016/j.scitotenv.2020.140093

- Saadat, S., Rawtani, D., Hussain, C.M., 2020. Environmental perspective of COVID-19.
  Science of The Total Environment 728, 138870.
  https://doi.org/10.1016/j.scitotenv.2020.138870
- 978 Şahin, M., 2020. Impact of weather on COVID-19 pandemic in Turkey. Science of The Total
   979 Environment 728, 138810. https://doi.org/10.1016/j.scitotenv.2020.138810
- Saikawa, E., Panday, A., Kang, S., Gautam, R., Zusman, E., Cong, Z., Somanathan, E.,
  Adhikary, B., 2019. Air Pollution in the Hindu Kush Himalaya, in: Wester, P.,
  Mishra, A., Mukherji, A., Shrestha, A.B. (Eds.), The Hindu Kush Himalaya
  Assessment: Mountains, Climate Change, Sustainability and People. Springer
  International Publishing, Cham, pp. 339–387. https://doi.org/10.1007/978-3-31992288-1\_10
- Sajadi, M.M., Habibzadeh, P., Vintzileos, A., Shokouhi, S., Miralles-Wilhelm, F., Amoroso,
  A., 2020. Temperature, Humidity, and Latitude Analysis to Estimate Potential Spread
  and Seasonality of Coronavirus Disease 2019 (COVID-19). JAMA Netw Open 3,
  e2011834. https://doi.org/10.1001/jamanetworkopen.2020.11834
- Saliba, N.A., El Jam, F., El Tayar, G., Obeid, W., Roumie, M., 2010. Origin and variability
  of particulate matter (PM10 and PM2.5) mass concentrations over an Eastern
  Mediterranean city. Atmospheric Research 97, 106–114.
  https://doi.org/10.1016/j.atmosres.2010.03.011
- Sangkham, S., Thongtip, S., Vongruang, P., 2021. Influence of air pollution and meteorological factors on the spread of COVID-19 in the Bangkok Metropolitan Region and air quality during the outbreak. Environ Res 197, 111104. https://doi.org/10.1016/j.envres.2021.111104
- Sario, M.D., Katsouyanni, K., Michelozzi, P., 2013. Climate change, extreme weather events, air pollution and respiratory health in Europe. European Respiratory Journal 42, 826– 843. https://doi.org/10.1183/09031936.00074712
- Sarkodie, S.A., Owusu, P.A., 2020. Impact of meteorological factors on COVID-19
   pandemic: Evidence from top 20 countries with confirmed cases. Environmental
   Research 191, 110101. https://doi.org/10.1016/j.envres.2020.110101
- Sathian, B., Asim, M., Banerjee, I., Pizarro, A.B., Roy, B., van Teijlingen, E.R., do
  Nascimento, I.J.B., Alhamad, H.K., 2020. Impact of COVID-19 on clinical trials and
  clinical research: A systematic review. Nepal J Epidemiol 10, 878–887.
  https://doi.org/10.3126/nje.v10i3.31622
- Schmidt, C.W., 2011. Black Carbon: The Dark Horse of Climate Change Drivers. Environ
   Health Perspect 119, A172–A175.
- Schraufnagel, D.E., Balmes, J.R., Cowl, C.T., Matteis, S.D., Jung, S.-H., Mortimer, K.,
  Perez-Padilla, R., Rice, M.B., Riojas-Rodriguez, H., Sood, A., Thurston, G.D., To, T.,
  Vanker, A., Wuebbles, D.J., 2019. Air Pollution and Noncommunicable Diseases: A
  Review by the Forum of International Respiratory Societies' Environmental
  Committee, Part 1: The Damaging Effects of Air Pollution. CHEST 155, 409–416.
  https://doi.org/10.1016/j.chest.2018.10.042
- Segersson, D., Eneroth, K., Gidhagen, L., Johansson, C., Omstedt, G., Engström Nylén, A.,
  Forsberg, B., 2017. Health Impact of PM10, PM2.5 and Black Carbon Exposure Due
  to Different Source Sectors in Stockholm, Gothenburg and Umea, Sweden. Int J
  Environ Res Public Health 14. https://doi.org/10.3390/ijerph14070742
- Selcuk, M., Gormus, S., Guven, M., 2021. Impact of Weather Parameters and Population
   Density on the COVID-19 Transmission: Evidence from 81 Provinces of Turkey.
   Earth Syst Environ 5, 87–100. https://doi.org/10.1007/s41748-020-00197-z
- 1023 Seo, J., Park, D.-S.R., Kim, J.Y., Youn, D., Lim, Y.B., Kim, Y., 2018. Effects of 1024 meteorology and emissions on urban air quality: a quantitative statistical approach to

1025	long-term records (1999-2016) in Seoul, South Korea. Atmos. Chem. Phys. 18,
1026	16121-16137. https://doi.org/10.5194/acp-18-16121-2018
1027	Shahri, M.K., Niazkar, H.R., Rad, F., 2021. COVID-19 and hematology findings based on
1028	the current evidences: A puzzle with many missing pieces. International Journal of
1029	Laboratory Hematology 43, 160–168. https://doi.org/10.1111/ijlh.13412
1030	Shakil, M.H., Munim, Z.H., Tasnia, M., Sarowar, S., 2020. COVID-19 and the environment:
1031	A critical review and research agenda. Science of The Total Environment 745,
1032	141022. https://doi.org/10.1016/j.scitotenv.2020.141022
1033	Sharma, G.D., Bansal, S., Yadav, A., Jain, M., Garg, I., 2021. Meteorological factors,
1034	COVID-19 cases, and deaths in top 10 most affected countries: an econometric
1035	investigation. Environ Sci Pollut Res. https://doi.org/10.1007/s11356-021-12668-5
1036	Shi, P., Dong, Y., Yan, H., Zhao, C., Li, X., Liu, W., He, M., Tang, S., Xi, S., 2020. Impact
1037	of temperature on the dynamics of the COVID-19 outbreak in China. Science of The
1038	Total Environment 728, 138890. https://doi.org/10.1016/j.scitotenv.2020.138890
1039	Shukla, J.B., Misra, A.K., Sundar, S., Naresh, R., 2008. Effect of rain on removal of a
1040	gaseous pollutant and two different particulate matters from the atmosphere of a city.
1041	Mathematical and Computer Modelling 48, 832–844.
1042	https://doi.org/10.1016/j.mcm.2007.10.016
1043	Sil, A., Kumar, V.N., 2020. Does weather affect the growth rate of COVID-19, a study to
1044	comprehend transmission dynamics on human health. Journal of Safety Science and
1045	Resilience 1, 3–11. https://doi.org/10.1016/j.jnlssr.2020.06.004
1046	Singh, R.P., Chauhan, A., 2020. Impact of lockdown on air quality in India during COVID-
1047	19 pandemic. Air Qual Atmos Health 1–8. https://doi.org/10.1007/s11869-020-00863-
1048	1
1049	Smola, A.J., Schölkopf, B., 2004. A tutorial on support vector regression. Statistics and
1050	Computing 14, 199–222. https://doi.org/10.1023/B:STCO.0000035301.49549.88
1051	Song, S., Zhan, Z., Long, Z., Zhang, J., Yao, L., 2011. Comparative study of SVM methods
1052	combined with voxel selection for object category classification on fMRI data. PLoS
1053	One 6, e17191. https://doi.org/10.1371/journal.pone.0017191
1054	Spekreijse, D., Bouma, A., Koch, G., Stegeman, A., 2013. Quantification of dust borne
1055	transmission of highly pathogenic avian influenza virus between chickens. Influenza
1056	Other Respir Viruses 7, 132–138. https://doi.org/10.1111/j.1750-2659.2012.00362.x
1057	Steffens, I., 2020. A hundred days into the coronavirus disease (COVID-19) pandemic.
1058	Eurosurveillance 25, 2000550. https://doi.org/10.2807/1560-
1059	7917.ES.2020.25.14.2000550
1060	Suhaimi, N.F., Jalaludin, J., 2015. Biomarker as a research tool in linking exposure to air
1061	particles and respiratory health. Biomed Res Int 2015, 962853.
1062	https://doi.org/10.1155/2015/962853
1063	Suhaimi, N.F., Jalaludin, J., Latif, M.T., 2020. Demystifying a Possible Relationship between
1065	COVID-19, Air Quality and Meteorological Factors: Evidence from Kuala Lumpur,
1065	Malaysia. Aerosol Air Qual. Res. 20, 1520–1529.
1065	https://doi.org/10.4209/aaqr.2020.05.0218
1067	Sun, Z., Thilakavathy, K., Kumar, S.S., He, G., Liu, S.V., 2020. Potential Factors Influencing
1067	Repeated SARS Outbreaks in China. International Journal of Environmental Research
1069	and Public Health 17, 1633. https://doi.org/10.3390/ijerph17051633
1009	Suryadhi, M.A.H., Abudureyimu, K., Kashima, S., Yorifuji, T., 2020. Nitrogen dioxide and
1070	acute respiratory tract infections in children in Indonesia. Arch Environ Occup Health
1071	75, 274–280. https://doi.org/10.1080/19338244.2019.1631245
1072	Tan, J., Mu, L., Huang, J., Yu, S., Chen, B., Yin, J., 2005. An initial investigation of the
1073	association between the SARS outbreak and weather: with the view of the

- 1075environmental temperature and its variation. J Epidemiol Community Health 59, 186–1076192. https://doi.org/10.1136/jech.2004.020180
- Tang, S., Mao, Y., Jones, R.M., Tan, Q., Ji, J.S., Li, N., Shen, J., Lv, Y., Pan, L., Ding, P.,
  Wang, X., Wang, Y., MacIntyre, C.R., Shi, X., 2020. Aerosol transmission of SARSCoV-2? Evidence, prevention and control. Environment International 144, 106039.
  https://doi.org/10.1016/j.envint.2020.106039
- Tellier, R., 2006. Review of aerosol transmission of influenza A virus. Emerg Infect Dis 12, 1657–1662. https://doi.org/10.3201/eid1211.060426
- 1083Thompson, A.M., 1992. The Oxidizing Capacity of the Earth's Atmosphere: Probable Past1084andFutureChanges.Science256,1157–1165.1085https://doi.org/10.1126/science.256.5060.1157
- 1086 Thurston, G.D., Kipen, H., Annesi-Maesano, I., Balmes, J., Brook, R.D., Cromar, K., De 1087 Matteis, S., Forastiere, F., Forsberg, B., Frampton, M.W., Grigg, J., Heederik, D., 1088 Kelly, F.J., Kuenzli, N., Laumbach, R., Peters, A., Rajagopalan, S.T., Rich, D., Ritz, 1089 B., Samet, J.M., Sandstrom, T., Sigsgaard, T., Sunyer, J., Brunekreef, B., 2017. A joint ERS/ATS policy statement: what constitutes an adverse health effect of air 1090 1091 pollution? analytical Eur Respir An framework. J 49. 1092 https://doi.org/10.1183/13993003.00419-2016
- Tien Bui, D., Pradhan, B., Lofman, O., Revhaug, I., 2012. Landslide Susceptibility
  Assessment in Vietnam Using Support Vector Machines, Decision Tree, and Naïve
  Bayes Models [WWW Document]. Mathematical Problems in Engineering.
  https://doi.org/10.1155/2012/974638
- Tobias, A., Karanasiou, A., Reche, C., Amato, F., Alastuey, A., Querol, X., 2014. Effects of
   black carbon on respiratory health in the city of Barcelona. European Respiratory
   Journal 44.
- 1100Tosepu, R., Gunawan, J., Effendy, D.S., Ahmad, L.O.A.I., Lestari, H., Bahar, H., Asfian, P.,11012020. Correlation between weather and Covid-19 pandemic in Jakarta, Indonesia.1102Science of The Total Environment 725, 138436.1103https://doi.org/10.1016/j.scitotenv.2020.138436
- Turner, M.C., Jerrett, M., Pope, C.A., Krewski, D., Gapstur, S.M., Diver, W.R., Beckerman,
  B.S., Marshall, J.D., Su, J., Crouse, D.L., Burnett, R.T., 2015. Long-Term Ozone
  Exposure and Mortality in a Large Prospective Study. Am J Respir Crit Care Med
  1107 193, 1134–1142. https://doi.org/10.1164/rccm.201508-1633OC
- 1108Tuttle, K.R., 2020. Impact of the COVID-19 pandemic on clinical research. Nature Reviews1109Nephrology 16, 562–564. https://doi.org/10.1038/s41581-020-00336-9
- Urman, R., McConnell, R., Islam, T., Avol, E.L., Lurmann, F.W., Vora, H., Linn, W.S.,
  Rappaport, E.B., Gilliland, F.D., Gauderman, W.J., 2014. Associations of children's lung function with ambient air pollution: joint effects of regional and near-roadway pollutants. Thorax 69, 540–547. https://doi.org/10.1136/thoraxjnl-2012-203159
- 1114 VALAVANIDIS, A., FIOTAKIS, K., VLACHOGIANNI, T., 2008. Airborne Particulate
  1115 Matter and Human Health: Toxicological Assessment and Importance of Size and
  1116 Composition of Particles for Oxidative Damage and Carcinogenic Mechanisms.
  1117 Journal of Environmental Science and Health, Part C 26, 339–362.
  1118 https://doi.org/10.1080/10590500802494538
- 1119 Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., Mazur, M., Telser, J., 2007. Free 1120 radicals and antioxidants in normal physiological functions and human disease. The 1121 International Journal of Biochemistry & Cell Biology 39, 44-84. 1122 https://doi.org/10.1016/j.biocel.2006.07.001
- Vapnik, V., Golowich, S.E., Smola, A.J., 1997. Support Vector Method for Function
   Approximation, Regression Estimation and Signal Processing 7.

- Vapnik, V.N., 1995. The Nature of Statistical Learning Theory. Springer New York, New
  York, NY. https://doi.org/10.1007/978-1-4757-2440-0
- Vautard, R., Builtjes, P.H.J., Thunis, P., Cuvelier, C., Bedogni, M., Bessagnet, B., Honoré,
  C., Moussiopoulos, N., Pirovano, G., Schaap, M., 2007. Evaluation and
  intercomparison of Ozone and PM10 simulations by several chemistry transport
  models over four European cities within the CityDelta project. Atmospheric
  Environment 41, 173–188. https://doi.org/10.1016/j.atmosenv.2006.07.039
- 1132 Venter, Z.S., Aunan, K., Chowdhury, S., Lelieveld, J., 2020. COVID-19 lockdowns cause
  1133 global air pollution declines. PNAS 117, 18984–18990.
  1134 https://doi.org/10.1073/pnas.2006853117
- Wang, C., Horby, P.W., Hayden, F.G., Gao, G.F., 2020a. A novel coronavirus outbreak of
  global health concern. The Lancet 395, 470–473. https://doi.org/10.1016/S01406736(20)30185-9
- Wang, J., Ogawa, S., 2015. Effects of Meteorological Conditions on PM2.5 Concentrations in
  Nagasaki, Japan. Int J Environ Res Public Health 12, 9089–9101.
  https://doi.org/10.3390/ijerph120809089
- 1141Wang, J., Yu, A., Yang, L., Fang, C., 2019. Research on Organic Carbon and Elemental1142Carbon Distribution Characteristics and Their Influence on Fine Particulate Matter1143(PM2.5) in Changchun City. Environments 6, 21.1144https://doi.org/10.3390/environments6020021
- Wang, M., Jiang, A., Gong, L., Luo, L., Guo, W., Li, Chuyi, Zheng, J., Li, Chaoyong, Yang,
  B., Zeng, J., Chen, Y., Zheng, K., Li, H., 2020b. Temperature significant change
  COVID-19 Transmission in 429 cities. medRxiv 2020.02.22.20025791.
  https://doi.org/10.1101/2020.02.22.20025791
- Wang, Q., Su, M., 2020. A preliminary assessment of the impact of COVID-19 on environment – A case study of China. Science of The Total Environment 728, 138915. https://doi.org/10.1016/j.scitotenv.2020.138915
- Wang, Y., Wang, Yuyi, Chen, Y., Qin, Q., 2020c. Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID-19) implicate special control measures. Journal of Medical Virology 92, 568–576. https://doi.org/10.1002/jmv.25748
- White, M.P., Alcock, I., Grellier, J., Wheeler, B.W., Hartig, T., Warber, S.L., Bone, A.,
  Depledge, M.H., Fleming, L.E., 2019. Spending at least 120 minutes a week in nature is associated with good health and wellbeing. Scientific Reports 9, 7730. https://doi.org/10.1038/s41598-019-44097-3
- Winiger, P., Andersson, A., Eckhardt, S., Stohl, A., Gustafsson, Ö., 2016. The sources of
  atmospheric black carbon at a European gateway to the Arctic. Nature
  Communications 7, 12776. https://doi.org/10.1038/ncomms12776
- Wu, J.-Z., Ge, D.-D., Zhou, L.-F., Hou, L.-Y., Zhou, Y., Li, Q.-Y., 2018a. Effects of particulate matter on allergic respiratory diseases. Chronic Diseases and Translational Medicine, Special Issue: Air Pollution and Chronic Respiratory Diseases 4, 95–102. https://doi.org/10.1016/j.cdtm.2018.04.001
- 1167Wu, X., Nethery, R.C., Sabath, M.B., Braun, D., Dominici, F., 2020. Air pollution and1168COVID-19 mortality in the United States: Strengths and limitations of an ecological1169regressionanalysis.ScienceAdvances6,eabd4049.1170https://doi.org/10.1126/sciadv.abd4049
- Wu, Y., Liu, J., Zhai, J., Cong, L., Wang, Y., Ma, W., Zhang, Z., Li, C., 2018b. Comparison of dry and wet deposition of particulate matter in near-surface waters during summer.
  PLOS ONE 13, e0199241. https://doi.org/10.1371/journal.pone.0199241

- Wu, Z., McGoogan, J.M., 2020. Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention. JAMA 323, 1239. https://doi.org/10.1001/jama.2020.2648
- 1178 Xie, J., Zhu, Y., 2020. Association between ambient temperature and COVID-19 infection in
  1179 122 cities from China. Science of The Total Environment 724, 138201.
  1180 https://doi.org/10.1016/j.scitotenv.2020.138201
- Xing, Y.-F., Xu, Y.-H., Shi, M.-H., Lian, Y.-X., 2016. The impact of PM2.5 on the human respiratory system. J Thorac Dis 8, E69–E74. https://doi.org/10.3978/j.issn.2072-1439.2016.01.19
- Xu, H., Guinot, B., Ho, S.S.H., Li, Y., Cao, J., Shen, Z., Niu, X., Zhao, Z., Liu, S., Lei, Y.,
  Zhang, Q., Sun, J., 2018a. Evaluation on exposures to particulate matter at a junior
  secondary school: a comprehensive study on health risks and effective inflammatory
  responses in Northwestern China. Environ Geochem Health 40, 849–863.
  https://doi.org/10.1007/s10653-017-0030-7
- Xu, X., Liu, X., Ma, S., Xu, Ya, Xu, Ying, Guo, X., Li, D., 2018b. Association of Melatonin
   Production with Seasonal Changes, Low Temperature, and Immuno-Responses in
   Hamsters. Molecules 23. https://doi.org/10.3390/molecules23030703
- Yang, G., Liu, Y., Li, X., 2020a. Spatiotemporal distribution of ground-level ozone in China at a city level. Scientific Reports 10, 7229. https://doi.org/10.1038/s41598-020-64111-3
- Yang, X., Yang, Q., Wang, Y., Wu, Y., Xu, J., Yu, Y., Shang, Y., 2020b. Thrombocytopenia
  and its association with mortality in patients with COVID-19. Journal of Thrombosis
  and Haemostasis 18, 1469–1472. https://doi.org/10.1111/jth.14848
- Yekkehkhany, B., Safari, A., Homayouni, S., Hasanlou, M., 2014. A Comparison Study of
  Different Kernel Functions for Svm-Based Classification of Multi-Temporal
  Polarimetry Sar Data. Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci. XL2/W3, 281–285. https://doi.org/10.5194/isprsarchives-XL-2-W3-281-2014
- Yuan, J., Wu, Y., Jing, W., Liu, J., Du, M., Wang, Y., Liu, M., 2021. Non-linear correlation
  between daily new cases of COVID-19 and meteorological factors in 127 countries.
  Environ Res 193, 110521. https://doi.org/10.1016/j.envres.2020.110521
- Zhang, D., Li, Y., Chen, Q., Jiang, Y., Chu, C., Ding, Y., Yu, Y., Fan, Y., Shi, J., Luo, Y.,
  Zhou, W., 2019b. The relationship between air quality and respiratory pathogens among children in Suzhou City. Italian Journal of Pediatrics 45, 123. https://doi.org/10.1186/s13052-019-0702-2
- Zhang, H., Wang, Y., Hu, J., Ying, Q., Hu, X.-M., 2015. Relationships between
  meteorological parameters and criteria air pollutants in three megacities in China.
  Environmental Research 140, 242–254. https://doi.org/10.1016/j.envres.2015.04.004
- 1212Zhang, H., Wang, Z., 2011. Advances in the Study of Black Carbon Effects on Climate.1213Advances in Climate Change Research 2, 23–30.1214https://doi.org/10.3724/SP.J.1248.2011.00023
- 1215 Zhang, J., Chen, Q., Wang, Q., Ding, Z., Sun, H., Xu, Y., 2019c. The acute health effects of
  1216 ozone and PM2.5 on daily cardiovascular disease mortality: A multi-center time series
  1217 study in China. Ecotoxicology and Environmental Safety 174, 218–223.
  1218 https://doi.org/10.1016/j.ecoenv.2019.02.085
- 1219 Zhang, J. (Jim), Wei, Y., Fang, Z., 2019a. Ozone Pollution: A Major Health Hazard
  1220 Worldwide. Front. Immunol. 10. https://doi.org/10.3389/fimmu.2019.02518
- I221 Zhang, L., Michelangeli, D.V., Taylor, P.A., 2004. Numerical studies of aerosol scavenging
   by low-level, warm stratiform clouds and precipitation. Atmospheric Environment 38,
   4653–4665. https://doi.org/10.1016/j.atmosenv.2004.05.042

- I224 Zhang, Z., Xu, X., Qiao, L., Gong, D., Kim, S.-J., Wang, Y., Mao, R., 2018. Numerical
  simulations of the effects of regional topography on haze pollution in Beijing. Sci Rep
  8, 5504. https://doi.org/10.1038/s41598-018-23880-8
- 1227 Zhao, Y., Richardson, B., Takle, E., Chai, L., Schmitt, D., Xin, H., 2019. Airborne
  1228 transmission may have played a role in the spread of 2015 highly pathogenic avian
  1229 influenza outbreaks in the United States. Scientific Reports 9, 11755.
  1230 https://doi.org/10.1038/s41598-019-47788-z
- 1231 Zheng, Z., Xu, G., Li, Q., Chen, C., Li, J., 2019. Effect of precipitation on reducing
  1232 atmospheric pollutant over Beijing. Atmospheric Pollution Research 10, 1443–1453.
  1233 https://doi.org/10.1016/j.apr.2019.04.001
- I234 Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu,
  I235 R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G.F., Tan, W., 2020a.
  I236 A Novel Coronavirus from Patients with Pneumonia in China, 2019. N Engl J Med
  I237 382, 727–733. https://doi.org/10.1056/NEJMoa2001017
- Zhu, Y., Xie, J., Huang, F., Cao, L., 2020b. Association between short-term exposure to air
  pollution and COVID-19 infection: Evidence from China. Sci Total Environ 727,
  138704. https://doi.org/10.1016/j.scitotenv.2020.138704
- Zoran, M.A., Savastru, R.S., Savastru, D.M., Tautan, M.N., 2020. Assessing the relationship
  between ground levels of ozone (O3) and nitrogen dioxide (NO2) with coronavirus
  (COVID-19) in Milan, Italy. Science of The Total Environment 740, 140005.
  https://doi.org/10.1016/j.scitotenv.2020.140005
- Zu, Z.Y., Jiang, M.D., Xu, P.P., Chen, W., Ni, Q.Q., Lu, G.M., Zhang, L.J., 2020.
  Coronavirus Disease 2019 (COVID-19): A Perspective from China. Radiology 200490. https://doi.org/10.1148/radiol.2020200490

1248