### Title -

Correlation between the environmental parameters with outbreak pattern of COVID-19: A district level investigation based on yearlong period in India

### Authors –

Amitesh Gupta<sup>1</sup>\*, Laboni Saha<sup>3</sup>

- <sup>1</sup> RBased Services Private Limited, New Delhi, India.
- <sup>2</sup> RBased Services Private Limited, New Delhi, India.
- <sup>3</sup> Savitribai Phule Pune University, Pune, India.
- \*Corresponding Author Amitesh Gupta

### Abstract -

The present study has investigated the role of regional meteorology and air quality parameters in the outbreak pattern of COVID-19 pandemic in India. Using the remote sensing based dataset of 12 environmental variables we correlated infective case counts at a district level in India. Our investigation carried out on the circumstantial data from more than 300 major affected districts in India and found that air quality parameters are playing very crucial role in this outbreak. Among the air pollutants, O<sub>3</sub> was better correlating with infection counts followed by AOD, CO, NO<sub>2</sub>, BC and SO<sub>2</sub>. We also observed that among the weather parameters air temperature, incoming shortwave radiation, wind speed are positively and significantly associate with outbreak pattern and precipitation and humidity are negatively correlated with confirmed cases; only cloud cover has no significant relation. We noted that coastal districts in the both coast of India and districts located in the plain and low-lying areas have experienced bitter situation during this pandemic. Our study suggests that improving air quality with proper strict regulations and complete lockdown during the peak of pandemic could reduce the misfortune in all over India.

Keywords -

COVID-19; air quality; meteorology; India

## Introduction

1

15

2 In the 21st century, the world has been battle-scarred by the pernicious ordeal of coronavirus 3 disease (COVID-19) since early 2020. By the end of March, 2021, a total of 152,006,071 4 confirmed cases with a death toll of 3,193,315 have been registered all over the world 5 (https://www.worldometers.info/coronavirus/). This pneumonia infection caused by Severe 6 Acute Respiratory Syndrome CoronaVirus-2 (SARS-CoV-2) had initially broken out in 7 Wuhan, Hubei province, China during late 2019 (Guan et al., 2020; Liu et al., 2020a; Wu and 8 McGoogan, 2020; Zhu et al., 2020a; Zu et al., 2020) and gradually spread all over the world 9 (Bertuzzo et al., 2020; Gorbalenya et al., 2020). Contemplating the hasty unfurl of this virus 10 and its human-to-human transmissibility from contagion (Wang et al., 2020a; Wang et al., 11 2020b; Wang et al., 2020c), the World Health Organization (WHO) declared this disease to 12 be a global pandemic on March 11, 2020. India, the domicile of 17.7% of the total world 13 population had noted its very first COVID-19 confirmed case on January 27, 2020, and 14 afterwards a total of 12,220,717 cases have been confirmed by the end of March, 2021 with a

death count of 162,960 (https://www.covid19india.org/).

16 Worldwide sundry clinical inspections of COVID-19 have diagnosed respiratory droplets and 17 fomites from contaminated persons as the spawn agent of this lethal disease (Alag, 2020; Ge 18 et al., 2013; Huang et al., 2020a; Jana et al., 2020; Jung et al., 2021; Kunz et al., 2020; 19 Sathian et al., 2020; Tuttle, 2020). Umpteen researchers also reported about analogous 20 symptoms of this disease to MERS and SARS (Holshue et al., 2020; Perlman, 2020; Tan et 21 al., 2005; Wang et al., 2020c). Since the SARS-CoV-2 virus initially causes respiratory 22 damage and this disease has very close similarities to the influenza in terms of various 23 symptoms like Fever, Cytokine storm syndrome, diffuse alveolar damage, Lymphopenia, 24 Coagulation, and immunocompromised conditions (Harapan et al., 2020; Khorramdelazad et 25 al., 2021; Larsen et al., 2020; Li et al., 2021), a few researchers have already exhorted about 26 significant association of environmental parameters to COVID-19 transmission (Azuma et 27 al., 2020; Bherwani et al., 2020; Eslami and Jalili, 2020; Gupta and Pradhan, 2020a; Kifer et 28 al., 2021; Rume and Islam, 2020; Saadat et al., 2020; Shakil et al., 2020). Mention Worthy, 29 earlier shedload of studies have conjectured about conspicuous impact of weather conditions 30 on dissemination of respiratory viruses and its seasonality (D'Amato et al., 2018; Pica and 31 Bouvier, 2012; Price et al., 2019). There are also a few global as well as regional studies that 32 had been carried out in the context of China, USA, England, Germany, Spain, Italy, 33 Indonesia, Iran, Pakistan, Bangladesh, India, and found significant correlation between 34 weather parameters and the COVID-19 cases (Ahmadi et al., 2020; Chen et al., 2021; Fadli et 35 al., 2020; Ficetola and Rubolini, 2021; Gupta et al., 2020a; Gupta and Pradhan, 2020b; Islam 36 et al., 2020; Liu et al., 2020b; Ma et al., 2020; Mehmood et al., 2021; Nottmeyer and Sera, 37 2021; Oliveiros et al., 2020; Qi et al., 2020; Tosepu et al., 2020). On a contrary, a few studies 38 have also reported that meteorological observations are not significantly associated with the 39 outbreak pattern (Iqbal et al., 2020; Jahangiri et al., 2020; Jamil et al., 2020; Mollalo et al., 40 2020; Shi et al., 2020; Xie and Zhu, 2020). Studies carried out by Bochenek et al., 2021; 41 Borah et al., 2020; Briz-Redón and Serrano-Aroca, 2020; Emediegwu, 2021; Guo et al., 42 2021; Gupta et al., 2020b; Mecenas et al., 2020; Runkle et al., 2020; Şahin, 2020; Sil and 43 Kumar, 2020 suggested that warm and humid condition seem to foreshorten the proliferation

- of COVID-19. On the other hand, (Al-Rousan and Al-Najjar, 2020; Awasthi et al., 2020;
- 45 Bashir et al., 2020a; Fawad et al., 2021; Gupta and Pradhan, 2020a; Kumar and Kumar, 2020;
- 46 Pani et al., 2020; Sangkham et al., 2021; Selcuk et al., 2021; Sharma et al., 2021) reported
- 47 that hotter days might be more susceptible for COVID-19 dissemination while the role of
- 48 humidity was still incongruous (Aidoo et al., 2021; Auler et al., 2020; Gupta et al., 2020c;
- 49 Kumar, 2020; Yuan et al., 2021). Menebo, 2020 found negative association between
- 50 precipitation and COVID-19 cases, contrary to Byass, 2020; while Gunthe et al., 2020 found
- 51 no significance of precipitation and cloudiness for this outbreak.
- 52 Studies have enunciated that frequent short-term exposure to air pollutants could aggrandize
- 53 the likelihood of symptomatic acute respiratory infections among adults (Kim et al., 2018;
- 54 Kirwa et al., 2021; Xing et al., 2016). Chauhan and Johnston, 2003; Zhang et al., 2019a had
- 55 reported that moderate and long-term exposure to imprudent volume of the oxidant air
- 56 pollutants like Ozone (O<sub>3</sub>), Nitrogen di-Oxide (NO<sub>2</sub>) have the potential to exacerbate the
- 57 inflammatory effects of the viral and bacterial respiratory infections. Insufflating such air
- with prohibitive concentration of Particulate Matters (PM) and Carbon Monoxide (CO) have
- 59 been also inculpated for escalating the risk of cardiovascular and respiratory diseases, and
- 60 contributing to the mortality rate inclusively (Huang et al., 2018; Khaniabadi et al., 2017; Liu
- et al., 2018; Yang et al., 2020a). Recent studies have stated that both short-term and long-
- 62 term exposure to different air pollutants including PM (PM<sub>2.5</sub>, PM<sub>10</sub>), Sulphur di-Oxide
- 63 (SO<sub>2</sub>), CO, O<sub>3</sub> and NO<sub>2</sub> could contribute significantly to the higher rates of COVID-19
- infections in different parts of the world (Ali and Islam, 2020; Bourdrel et al., 2021; Coker et
- 65 al., 2020; Gujral and Sinha, 2021; Jain et al., 2021; Li et al., 2020; Lin et al., 2020; Ma et al.,
- 66 2021; Matthew et al., 2021; Mele et al., 2021; Sharma et al., 2021; Suhaimi et al., 2020; Wu
- et al., 2020), therefore positively associated with the conveyance of COVID-19. O<sub>3</sub> is also a
- 68 salient precursor of hydroxyl radical (OH), thus it also entices the concentration of SO<sub>2</sub> and
- 69 CO (Logan et al., 1981; Thompson, 1992). On the other hand, the carbonaceous pollutants
- i.e. CO and BC and OC, which also includes the primary and secondary organic carbon, are
- 71 mainly produced during different anthropogenic activities of biomass burning and fossil fuel
- 72 combustion, with relatively little contribution from various natural sources (Li et al., 2016;
- 73 Prabhu et al., 2020; Schmidt, 2011; Wang et al., 2019; Winiger et al., 2016; Zhang and
- Wang, 2011). Though the source mechanism of these carbonaceous agents are presumably
- 75 analogous, its spatial concentration differs due to the complex physio-chemical
- transformation in wayward meteorology (Saliba et al., 2010; Vautard et al., 2007). AOD, an
- 77 illustrious indicant of Particulate Matter pollution (Chudnovsky et al., 2014; Engel-Cox et al.,
- 78 2004; Gupta et al., 2021; Karimian et al., 2016), accounts columnar concentration of gaseous
- and liquid airborne particles has not been often related to such malady study. Since the significant relation between prevailing weather conditions and regional pollution level is well
- significant relation between prevailing weather conditions and regional pollution level is well demonstrated by various studies, it becomes very crucial to behold the role of meteorology
- and air quality togetherly to conceive the seasonality of such savage seizure of coronavirus.
- 83 Scanty studies have been carried out on the importance of freshen air for the melioration of
- 84 human health and to elude any convalescence (Cragg et al., 2016; Kampa and Castanas,
- 85 2008; Manisalidis et al., 2020; White et al., 2019). Likewise, scarcely any study has been
- 86 fanatical about the significance of weather parameters on COVID-19 recovery, even though

87 93.88% of the sufferers have been healed in India, slightly lesser than the global recovery rate 88 (97.42%) till March 31, 2021. Since a handful of studies had reckoned that the inferior air 89 quality had efficaciously swayed to aggravate the COVID-19 emanation, hence it becomes 90 also requisite to investigate whether the convivial air quality has been benevolent to 91 convalesce the COVID-19 patients in India. Till date, seldom study might have inspected the 92 yearlong period of pandemic situation while minimal have rendered any estimation on this. 93 Therefore, the present study has been firmed to analyse the association of COVID-19 94 incidences (i.e. transmission) and recovery cases with weather and air quality parameters 95 across the country, as well as proffered a comparative assessment for estimating confirm and 96 recovery cases availing the non-linear complex relationship.

## Data and Methodology

97

98 Counts of Confirmed and Recovered cases for all the available districts in India have been 99 acquired from <a href="https://www.covid19india.org/">https://www.covid19india.org/</a>. The 2nd wave of COVID-19 in India has 100 prominently surged April, 2021 onwards, hence we have obtained our study for the period 101 throughout the 1st wave of COVID-19 only. During March, 2020 these counts were too 102 craggy, therefore we acquired data only for the period of April, 2020 to March, 2021. Spatial 103 data for total six different meteorological parameters - 2-m Air Temperature (AT), Bias-104 corrected Total Precipitation (PRC), Specific Humidity (Hm), Cloud Cover (CLD), Incoming 105 Short-wave Radiation (ISWR), Wind Speed (WS), and six different air quality parameters -106 Aerosol Optical Depth (AOD), Tropospheric Column Nitrogen di-Oxide (NO2), Total 107 Column Ozone (O<sub>3</sub>), Surface concentration of Carbon Monoxide (CO), Sulphur di-Oxide 108 (SO<sub>2</sub>) and Black Carbon (BC) have been incorporated in the present study. Remote Sensing 109 based datasets are highly useful for various environmental studies (Bhatt et al., 2021; Das et 110 al., 2017; Das and Gupta, 2021; Gupta et al., 2020b; Gupta et al., 2019; Moniruzzam et al., 111 2018; Nanda et al., 2018; Rousta et al., 2020), hence we have used such dataset from 112 different sources. Monthly mean of these twelve environmental variables were further 113 processed in ArcGIS software, adjoined and related with the monthly cumulative counts of 114 confirmed and recovery cases for each months for each of those selected districts.

# 115 Infections and recoveries during 1st COVID-19 waves in India

116 The district wise spatial distribution of COVID-19 confirmed cases and recoveries during the 117 1st COVID-19 wave (up to March, 2021) are shown in Figure 1. It shows that 35.03% 118 districts had noted cases within the range of 10,000 to 1,00,000; while only 3.05% districts in 119 India registered more than 1 lakh cases during this study period. Noteworthy, most of the 120 districts have registered counts of infective cases within the range of 2500-5000 following the 121 range of 10000-25000. Comprehensively, 21 states registered more than 1 lakh infected 122 cases; among them only Maharashtra and Kerala had registered more than 10 lakh cases. The 123 spatial distribution of cases also depict that the coastal districts were more anguished by 124 misfortune than the districts located in the interior part of the country whereas the districts 125 from the Himalayan Mountains and its foothills had lesser strife during this pandemic. The 126 temporal pattern of daily cases of infections, recoveries, deceased, and test positivity (%) 127 from all over the country were shown in Figure 2a. It depicts that the peak of pandemic was 128 during the early September, 2020 when the daily death counts and confirmed cases were

highest, however daily test positivity was highest during July. These trends were at their trough during the winter followed by the post-monsoon seasons but again started to incline since March, 2021.

129

130

131




Figure 1 Distribution of confirmed cases




Figure 2 temporal trends

## Pearson's correlation test

Pearson's correlation technique was applied to explore the degree of association of environmental parameters with infected and recovered cases at 95% confidence interval using equation 1. A correlogram is also being prepared to better represent the interrelation of the variables of the input dataset.

141 
$$r = \frac{\sum_{i=1}^{n} (En_i - \overline{En})(c_i - \overline{c})}{\sqrt{\sum_{i=1}^{n} (En_i - \overline{En})^2 \sum_{i=1}^{n} (c_i - \overline{c})^2}} \dots$$
 Equation 1

Here, r is the correlation coefficient, En represents the environmental variables, C denotes the count of confirm and recovery cases individually.

## Results and Discussion

Pearson's correlation test (Figure 3) found that confirmed cases have significantly (p<0.05) positive correlation with the AT (0.483), ISWR (0.268) and WS (0.391), negative association with Hm (-0.304) and PRC (-0.288); however positive but non-significant (p>0.05) relation with CLD (0.109). It depicts that areas with areas with comparatively higher AT with greater ISWR and drier atmospheric conditions (lower humidity and lesser precipitation) seem to register more infected cases in India, quite similar to what was observed by Aslam et al.,

152153

154

155

156

157

158159

160

161

162

163

164

165

166

167

168

169

170

171

172

2020 and Islam et al., 2020 over Pakistan and Bangladesh respectively. Since the Indian landmass is located in the tropical latitudes of the Northern Hemisphere where the regional ISWR is higher than the global average ISWR during April to September (Hatzianastassiou et al., 2005), thus avails to put up the air temperature during these summer months. Thus, it may indirectly help viruses to spread out at higher temperature conditions. On the other hand, Dowell, 2001; Lowen et al., 2007 had shown that the transmission of respiratory virus via aerosol could be suppressed by higher humid conditions, but enhanced under dry conditions. Barreca, 2012; Dalziel et al., 2018 also suggested that low-humidity levels could be considered as an imperative risk factor for respiratory infection diseases (Tellier, 2006). Thus, the summer conditions become more susceptible for this viral transmission in India. A few studies such as Coccia, 2021; Rendana, 2020; Rosario et al., 2020 have opined that higher wind could lower the emanation of the virus, however we found persuasive correlation between wind and COVID-19 cases in India, thus agreeing to Babu et al., 2020; Gautam et al., 2021. Another crucial reason behind this might be that the districts located near and along the western coast in Kerala, Maharashtra as well as the districts of Tamilnadu, Andhra Pradesh and Odisha located in the eastern coast of India catalogued maximum cases during May to July, 2020 which is the onset duration of monsoon over Indian subcontinent, thus experience higher wind from the sea-side towards the land. Liu et al., 2020c had suggested that the rapid weather variability might result in an increase in respiratory infections in warming climatic conditions; moreover, study by Moriyama and Ichinohe, 2019 had found that higher ambient temperature could restrain the adaptive immune response to a virus infection which also could be accorded through the present study.




Figure 3 correlogram

173174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

In agreement of numerous scientific research conducted in the last two decades, the link between environmental pollution and chronic illnesses mainly the cardiovascular and respiratory diseases are quite comprehensible (Andersson et al., 2020; Chauhan and Johnston, 2003; Ghude et al., 2016; Mehta et al., 2013; Orru et al., 2017; Zhang et al., 2019b; Ciencewicki and Jaspers, 2007). In the current study we found all the seven air quality parameters to be significantly and positively correlated with confirmed cases. Figure 4 depicts that monthly confirmed cases was better correlated with monthly average concentration of O<sub>3</sub> (0.595) followed by AOD (0.497), CO (0.414), NO<sub>2</sub> (0.383), BC (0.374) and SO<sub>2</sub> (0.325). It confers that concentration of oxidant pollutants had a significant impact on COVID-19 transmission in Indian scenario. Earlier studies had conjectured the O<sub>3</sub> as a mighty oxidant (Nuvolone et al., 2018; Turner et al., 2015; Zhang et al., 2019c). Likewise, exposure to NO<sub>2</sub> has been found to be associated with the increasing risk of acute respiratory tract infections (Munawer, 2018; Suryadhi et al., 2020; Valko et al., 2007). On the other hand, CO is thoroughly soluble in the bloodstream (Power, 1968). It becomes toxic when blood reacts with haemoglobin (Badman and Jaffé, 1996; Schraufnagel et al., 2019). There were several hotspots observed in the northern IGP and eastern India contributing detestable amounts of CO and NO<sub>2</sub> that could be held accountable for the appalling air quality in those regions as it might have significantly swayed the exposed individuals to get intensely infected by the coronavirus. Therefore, higher concentration of O<sub>3</sub> along with its precursors (CO and NO<sub>2</sub>) could be held noxious for such awful viral emanation especially over northern and eastern part of India. Thus we agreed with Bashir et al., 2020; Li et al., 2020; Pansini and

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

Fornacca, 2020; Zhu et al., 2020b; Zoran et al., 2020 about the significance of O<sub>3</sub>, with CO and NO<sub>2</sub> pollution regarding the COVID-19 emanation. Furthermore, in developing countries like India, the organic fuel based power generation and daily household combustion activities are commonly observed which often results in excessive emission of SO<sub>2</sub> and carbonaceous pollutants such as CO and BC. A beguiling study by Hahon et al., 1985 with a rigorous snooping on mice had found that the severity of influenza virus infection was better recognizable with a prominent exposure to diesel engine emissions and coal dusts. In the present study, we have found a rich correlation between pollutants emitted due to fossil fuel combustion and COVID-19 outbreak patterns. Till date, a minimal study has obtained SO<sub>2</sub> and BC to investigate the surging of COVID-19. The pathophysiological corroboration cogently conveyed pathways of various diseases arose from SO<sub>2</sub> and NO<sub>2</sub> pollution (Brunekreef and Holgate, 2002; Chen et al., 2015; Kampa and Castanas, 2008). The elevated concentration of SO<sub>2</sub> can shorten the lung function, causing suffocation, wheezing, coughing, and also arouse the exasperation in the tissues inside the nose and the throat (Feuyit et al., 2019) (Chen et al., 2007; Kelsall et al., 1997). It was quite distinctive that higher SO<sub>2</sub> and coronavirus outbreak were experienced over IGP, Odisha, coastal areas of Gujarat and Maharashtra. The spatial distribution of BC also depicts an approximate pattern of higher concentration over IGP and eastern coast of Odisha. In various parts of the world, these pollutants have been adjudged as an indicator of adverse health effects (Janssen et al., 2011; Segersson et al., 2017; Tobias et al., 2014). It becomes virulent (Bourdrel et al., 2017; Kampa and Castanas, 2008), thus damaging the lung functions (Jacobson et al., 2014; Paulin and Hansel, 2016; Paunescu et al., 2019; Valavanidis et al., 2008; Xu et al., 2018a). Therefore, it can be quite distinctive that the ensued elevated pollution due to outrageous fossil fuel consumption could cause the neighbourhood to be less immune and predisposed to severe respiratory infection like COVID-19 (Kyung and Jeong, 2020; Suhaimi and Jalaludin, 2015; Thurston et al., 2017), hence prominently associated with pulmonary diseases (Anenberg Susan C. et al., 2010; Peters et al., 2001; Rosenthal et al., 2013). Since PM concentration can't be directly assessed through Satellite based observations (Gupta et al., 2021, 2006; Gupta and Christopher, 2009; Li et al., 2015), we correlated satellite derived AOD with infective cases over several districts during the study period, and found that the IGP was limned with exorbitant AOD where the coronavirus outbreak was also quite austere. Earlier, Spekreijse et al., 2013; Zhao et al., 2019 recommended the strong possibilities of airborne transmission of respiratory virus via fine dust particles. Recently, Comunian et al., 2020; Tang et al., 2020 also discussed the evidence of SARS-CoV-2 virus transmission via dust particles. Therefore, considering the elevated AOD over semi-arid north-west India along with scorching summer conditions, and the infective cases from Rajasthan, Punjab, Haryana and Uttar Pradesh during April-June. Interaction between the meteorological parameters and air pollutants' concentrations are quite complex and varying seasonally, and often influenced by the local physiography including the topographic variations such as location of mountains, valleys, or the presence of substantial water bodies such as large rivers, and lakes (Benjamin, 1975; Eum et al., 2015; Hewson and Olsson, 1967; Mahapatra et al., 2019; Prabhu et al., 2020; Saikawa et al., 2019; Zhang et al., 2018). During summer, the rising AT and comparatively lesser SH ominously abet the pollutants' concentration by physio-chemical transformation (Analitis et al., 2018; Jayamurugan et al., 2013; Sario et al., 2013), henceforth 240 make warmer days commendatory for such virus infections. While comparing with the long 241 term average conditions, many studies had acknowledged the imposition of four tier 242 countrywide lockdown for relatively cleaner air in India during April to mid of June, 2020 243 (Gupta et al., 2020d; Naqvi et al., 2021; Nigam et al., 2021; Singh and Chauhan, 2020; 244 Venter et al., 2020). Even though we found that the IGP followed by the coastal districts of 245 West Bengal, Odisha, Andhra Pradesh, Maharashtra, Kerala, Tamilnadu had inhaled quite 246 bad air where each states had registered more than 30,000 cases during that period. 247 Intriguingly, the temporal trends of pollutants showed comparatively higher concentration 248 during winter and post-monsoon seasons, while the infections were relatively lesser in both 249 those seasons. Therefore, it suggests that the shoddy air quality could not be discretely 250 blameworthy for coronavirus dissemination in India, rather bad air with successively 251 increasing AT in summer environment could be held responsible.

### Conclusion

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

Our conscientious study suggests that the summer tropical environment in India may spare a more affirmative condition for SARS-CoV-2 transmission, agreeing with Sajadi et al., 2020; Xie and Zhu, 2020. Instead of squashing the COVID-19 curve, higher air temperature may significantly assist an augment in pandemic predicament in India. Comparatively higher wind in drier areas could indulge the virus to unfurl more, as also observed by Aidoo et al., 2021; Babu et al., 2020. Besides, the negative correlation between precipitation and infections, also discerned by Mansouri Daneshvar et al., 2021, illustrates the relevance of prevailing atmospheric conditions in dissemination of this pandemic. Scientific communities' acquiescence on the adverse impact of air quality on crude mortality is inevitable in any wellbeing circumstances across the world (Bentayeb et al., 2015; Davidson et al., 2005). Foreseeably, the poor air quality was perceived to be significantly correlated with the COVID-19 dissemination during the study period. The positive correlation between coal blazed pollution and COVID-19 outbreak, as well as the negative association between the recovery count from this disease and prevailing regional pollution levels stoutly suggest that the exorbitant air pollution due to bounteous non-renewable energy generation and its perpetual consumption might perturb the inbred immunity of residents in circumjacent area, and hinder them also in agile recovery from this disease. The concurrent heath tribulation and the interconnection of diseases affecting multiple organs are also decisively discerned during COVID-19 infections. During or in a later stage of treatment, several patients are also condemned to various post-syndrome infections mostly related to cardiovascular and respiratory disorders which might be the ramifications of virulent vulnerability to the gaseous pollution. Hence it altogether asserts that the environment needs to be ameliorated immensely by its standards to alleviate such deadly pandemic. The injurious impact of traffic pollution has also been discussed through various global and regional studies (Gauderman et al., 2007; Laumbach and Kipen, 2012; Urman et al., 2014). The pre-eminence of weather parameters on air quality is indubitable and evinced globally (Bhaskar and Mehta, 2010; Fisher, 2002; Yansui Liu et al., 2020e; Panofsky and Prasad, 1967; Qin et al., 2020; Seo et al., 2018; Zhang et al., 2015), hence its significant association with COVID-19 dissemination during a yearlong period over India has been certainly revealed through the present study.

283 References –

282

294

295

296

297

298

299

300

307

308

309

- Agius, A.M., Smallman, L.A., Pahor, A.L., 1998. Age, smoking and nasal ciliary beat frequency. Clin Otolaryngol Allied Sci 23, 227–230. https://doi.org/10.1046/j.1365-2273.1998.00141.x
- Ahmadi, M., Sharifi, A., Dorosti, S., Jafarzadeh Ghoushchi, S., Ghanbari, N., 2020.

  Investigation of effective climatology parameters on COVID-19 outbreak in Iran.

  Science of The Total Environment 729, 138705.

  https://doi.org/10.1016/j.scitotenv.2020.138705
- Aidoo, E.N., Adebanji, A.O., Awashie, G.E., Appiah, S.K., 2021. The effects of weather on the spread of COVID-19: evidence from Ghana. Bull Natl Res Cent 45, 20. https://doi.org/10.1186/s42269-021-00484-3
  - Akimoto, H., Mori, Y., Sasaki, K., Nakanishi, H., Ohizumi, T., Itano, Y., 2015. Analysis of monitoring data of ground-level ozone in Japan for long-term trend during 1990–2010: Causes of temporal and spatial variation. Atmospheric Environment 102, 302–310. https://doi.org/10.1016/j.atmosenv.2014.12.001
  - Al Ashry, H.S., Modrykamien, A.M., 2014. Humidification during Mechanical Ventilation in the Adult Patient. BioMed Research International 2014, e715434. https://doi.org/10.1155/2014/715434
- Alag, S., 2020. Analysis of COVID-19 clinical trials: A data-driven, ontology-based, and natural language processing approach. PLOS ONE 15, e0239694. https://doi.org/10.1371/journal.pone.0239694
- 304 Ali, N., Islam, F., 2020. The Effects of Air Pollution on COVID-19 Infection and Mortality—305 A Review on Recent Evidence. Front Public Health 8. https://doi.org/10.3389/fpubh.2020.580057
  - Al-Rousan, N., Al-Najjar, H., 2020. The correlation between the spread of COVID-19 infections and weather variables in 30 Chinese provinces and the impact of Chinese government mitigation plans. Eur Rev Med Pharmacol Sci 24, 4565–4571. https://doi.org/10.26355/eurrev\_202004\_21042
- Analitis, A., de' Donato, F., Scortichini, M., Lanki, T., Basagana, X., Ballester, F., Astrom, C., Paldy, A., Pascal, M., Gasparrini, A., Michelozzi, P., Katsouyanni, K., 2018.

  Synergistic Effects of Ambient Temperature and Air Pollution on Health in Europe: Results from the PHASE Project. Int J Environ Res Public Health 15. https://doi.org/10.3390/ijerph15091856
- Andersson, E.M., Ögren, M., Molnár, P., Segersson, D., Rosengren, A., Stockfelt, L., 2020.
  Road traffic noise, air pollution and cardiovascular events in a Swedish cohort.
  Environmental Research 185, 109446. https://doi.org/10.1016/j.envres.2020.109446
- Andronache, C., 2016. Dependence of Daily Aerosol Wet Deposition on Precipitation at Appalachian Mountains Site in the United States. Aerosol Air Qual. Res. 16, 665– 673. https://doi.org/10.4209/aaqr.2015.05.0322
- Anenberg Susan C., Horowitz Larry W., Tong Daniel Q., West J. Jason, 2010. An Estimate of the Global Burden of Anthropogenic Ozone and Fine Particulate Matter on Premature Human Mortality Using Atmospheric Modeling. Environmental Health Perspectives 118, 1189–1195. https://doi.org/10.1289/ehp.0901220
- Aslam, B., Khalil, U., Azam, U., Maqsoom, A., 2020. A correlation study between weather and atmosphere with COVID-19 pandemic in Islamabad, Pakistan. Spat. Inf. Res. https://doi.org/10.1007/s41324-020-00366-2
- Asraf, H.M., Nooritawati, M.T., Rizam, M.S.B.S., 2012. A Comparative Study in Kernel-Based Support Vector Machine of Oil Palm Leaves Nutrient Disease. Procedia

- Engineering, International Symposium on Robotics and Intelligent Sensors 2012 (IRIS 2012) 41, 1353–1359. https://doi.org/10.1016/j.proeng.2012.07.321
- Auler, A.C., Cássaro, F.A.M., da Silva, V.O., Pires, L.F., 2020. Evidence that high temperatures and intermediate relative humidity might favor the spread of COVID-19 in tropical climate: A case study for the most affected Brazilian cities. Science of The Total Environment 729, 139090. https://doi.org/10.1016/j.scitotenv.2020.139090
- Awasthi, A., Sharma, A., Kaur, P., Gugamsetty, B., Kumar, A., 2020. Statistical interpretation of environmental influencing parameters on COVID-19 during the lockdown in Delhi, India. Environ Dev Sustain. https://doi.org/10.1007/s10668-020-01000-9

342

343

344

345

346

347

348

349

350

366

367

368

369

370

- Azuma, K., Yanagi, U., Kagi, N., Kim, H., Ogata, M., Hayashi, M., 2020. Environmental factors involved in SARS-CoV-2 transmission: effect and role of indoor environmental quality in the strategy for COVID-19 infection control. Environmental Health and Preventive Medicine 25, 66. https://doi.org/10.1186/s12199-020-00904-2
- Babu, S.R., Rao, N.N., Kumar, S.V., Paul, S., Pani, S.K., 2020. Plausible Role of Environmental Factors on COVID-19 Transmission in the Megacity Delhi, India. Aerosol Air Qual. Res. 20, 2075–2084. https://doi.org/10.4209/aaqr.2020.06.0314
- Badman, D.G., Jaffé, E.R., 1996. Blood and air pollution: State of knowledge and research needs. Otolaryngology Head and Neck Surgery 114, 205–208. https://doi.org/10.1016/S0194-5998(96)70166-3
- 351 Balakrishnan, K., Dey, S., Gupta, T., Dhaliwal, R.S., Brauer, M., Cohen, A.J., Stanaway, 352 J.D., Beig, G., Joshi, T.K., Aggarwal, A.N., Sabde, Y., Sadhu, H., Frostad, J., Causey, 353 K., Godwin, W., Shukla, D.K., Kumar, G.A., Varghese, C.M., Muraleedharan, P., 354 Agrawal, A., Anjana, R.M., Bhansali, A., Bhardwaj, D., Burkart, K., Cercy, K., 355 Chakma, J.K., Chowdhury, S., Christopher, D.J., Dutta, E., Furtado, M., Ghosh, S., 356 Ghoshal, A.G., Glenn, S.D., Guleria, R., Gupta, R., Jeemon, P., Kant, R., Kant, S., 357 Kaur, T., Koul, P.A., Krish, V., Krishna, B., Larson, S.L., Madhipatla, K., Mahesh, 358 P.A., Mohan, V., Mukhopadhyay, S., Mutreja, P., Naik, N., Nair, S., Nguyen, G., 359 Odell, C.M., Pandian, J.D., Prabhakaran, D., Prabhakaran, P., Roy, A., Salvi, S., 360 Sambandam, S., Saraf, D., Sharma, M., Shrivastava, A., Singh, V., Tandon, N., 361 Thomas, N.J., Torre, A., Xavier, D., Yadav, G., Singh, S., Shekhar, C., Vos, T., 362 Dandona, R., Reddy, K.S., Lim, S.S., Murray, C.J.L., Venkatesh, S., Dandona, L., 2019. The impact of air pollution on deaths, disease burden, and life expectancy 363 364 across the states of India: the Global Burden of Disease Study 2017. The Lancet 365 Planetary Health 3, e26–e39. https://doi.org/10.1016/S2542-5196(18)30261-4
  - Barreca, A.I., 2012. Climate change, humidity, and mortality in the United States. Journal of Environmental Economics and Management 63, 19–34. https://doi.org/10.1016/j.jeem.2011.07.004
  - Bashir, M.F., Ma, B., Bilal, Komal, B., Bashir, M.A., Tan, D., Bashir, M., 2020a. Correlation between climate indicators and COVID-19 pandemic in New York, USA. Science of The Total Environment 728, 138835. https://doi.org/10.1016/j.scitotenv.2020.138835
- Bashir, M.F., Ma, B.J., Bilal, null, Komal, B., Bashir, M.A., Farooq, T.H., Iqbal, N., Bashir, M., 2020b. Correlation between environmental pollution indicators and COVID-19 pandemic: A brief study in Californian context. Environ Res 187, 109652. https://doi.org/10.1016/j.envres.2020.109652
- Ben-Hur, A., Ong, C.S., Sonnenburg, S., Schölkopf, B., Rätsch, G., 2008. Support Vector Machines and Kernels for Computational Biology. PLOS Computational Biology 4. https://doi.org/10.1371/journal.pcbi.1000173
- Benjamin, S.F., 1975. Study of Topographical Effects on Dispersion of Pollution, in: Frenkiel, F.N., Munn, R.E. (Eds.), Advances in Geophysics, International Union of

- Theoretical and Applied Mechanics and International Union of Geodesy and Geophysics. Elsevier, p. 380. https://doi.org/10.1016/S0065-2687(08)60602-0
- Bentayeb, M., Wagner, V., Stempfelet, M., Zins, M., Goldberg, M., Pascal, M., Larrieu, S.,
  Beaudeau, P., Cassadou, S., Eilstein, D., Filleul, L., Le Tertre, A., Medina, S., Pascal,
  L., Prouvost, H., Quénel, P., Zeghnoun, A., Lefranc, A., 2015. Association between
  long-term exposure to air pollution and mortality in France: A 25-year follow-up
  study. Environment International 85, 5–14.
  https://doi.org/10.1016/j.envint.2015.08.006
- Bertuzzo, E., Mari, L., Pasetto, D., Miccoli, S., Casagrandi, R., Gatto, M., Rinaldo, A., 2020.
  The geography of COVID-19 spread in Italy and implications for the relaxation of confinement measures. Nat Commun 11, 4264. https://doi.org/10.1038/s41467-020-18050-2
- 393 Bhaskar, B.V., Mehta, V.M., 2010. Atmospheric Particulate Pollutants and their Relationship 394 with Meteorology in Ahmedabad. Aerosol Air Qual. Res. 10, 301–315. 395 https://doi.org/10.4209/aaqr.2009.10.0069

397

398

399

400

401

- Bhatt, C.M., Gupta, A., Roy, A., Dalal, P., Chauhan, P., 2021. Geospatial analysis of September, 2019 floods in the lower gangetic plains of Bihar using multi-temporal satellites and river gauge data. Geomatics, Natural Hazards and Risk 12, 84–102. https://doi.org/10.1080/19475705.2020.1861113
- Bherwani, H., Gupta, A., Anjum, S., Anshul, A., Kumar, R., 2020. Exploring dependence of COVID-19 on environmental factors and spread prediction in India. npj Climate and Atmospheric Science 3, 1–13. https://doi.org/10.1038/s41612-020-00142-x
- Bochenek, B., Jankowski, M., Gruszczynska, M., Nykiel, G., Gruszczynski, M., Jaczewski,
   A., Ziemianski, M., Pyrc, R., Figurski, M., Pinkas, J., 2021. Impact of Meteorological
   Conditions on the Dynamics of the COVID-19 Pandemic in Poland. Int J Environ Res
   Public Health 18. https://doi.org/10.3390/ijerph18083951
- Borah, M.J., Hazarika, B., Panda, S.K., Nieto, J.J., 2020. Examining the correlation between the weather conditions and COVID-19 pandemic in India: A mathematical evidence. Results in Physics 19, 103587. https://doi.org/10.1016/j.rinp.2020.103587
- Bourdrel, T., Annesi-Maesano, I., Alahmad, B., Maesano, C.N., Bind, M.-A., 2021. The impact of outdoor air pollution on COVID-19: a review of evidence from in vitro, animal, and human studies. European Respiratory Review 30. https://doi.org/10.1183/16000617.0242-2020
- Bourdrel, T., Bind, M.-A., Béjot, Y., Morel, O., Argacha, J.-F., 2017. Cardiovascular effects of air pollution. Arch Cardiovasc Dis 110, 634–642. https://doi.org/10.1016/j.acvd.2017.05.003
- 417 Briz-Redón, Á., Serrano-Aroca, Á., 2020. A spatio-temporal analysis for exploring the effect 418 of temperature on COVID-19 early evolution in Spain. Science of The Total 419 Environment 728, 138811. https://doi.org/10.1016/j.scitotenv.2020.138811
- 420 Brunekreef, B., Holgate, S.T., 2002. Air pollution and health. The Lancet 360, 1233–1242. 421 https://doi.org/10.1016/S0140-6736(02)11274-8
- 422 Byass, P., 2020. Eco-epidemiological assessment of the COVID-19 epidemic in China, 423 January–February 2020. Global Health Action 13, 1760490. 424 https://doi.org/10.1080/16549716.2020.1760490
- Chauhan, A.J., Johnston, S.L., 2003. Air pollution and infection in respiratory illness. British Medical Bulletin 68, 95–112. https://doi.org/10.1093/bmb/ldg022
- 427 Chen, J.-C., Wang, X., Wellenius, G.A., Serre, M.L., Driscoll, I., Casanova, R., McArdle, 428 J.J., Manson, J.E., Chui, H.C., Espeland, M.A., 2015. Ambient air pollution and 429 neurotoxicity on brain structure: Evidence from women's health initiative memory 430 study. Annals of Neurology 78, 466–476. https://doi.org/10.1002/ana.24460

- 431 Chen, S., Prettner, K., Kuhn, M., Geldsetzer, P., Wang, C., Bärnighausen, T., Bloom, D.E., 432 2021. Climate and the spread of COVID-19. Sci Rep 11, 9042. https://doi.org/10.1038/s41598-021-87692-z
- 434 Chen, T.-M., Gokhale, J., Shofer, S., Kuschner, W.G., 2007. Outdoor air pollution: nitrogen dioxide, sulfur dioxide, and carbon monoxide health effects. Am J Med Sci 333, 249–256. https://doi.org/10.1097/MAJ.0b013e31803b900f
- Chudnovsky, A.A., Koutrakis, P., Kloog, I., Melly, S., Nordio, F., Lyapustin, A., Wang, Y.,
   Schwartz, J., 2014. Fine particulate matter predictions using high resolution Aerosol
   Optical Depth (AOD) retrievals. Atmospheric Environment 89, 189–198.
   https://doi.org/10.1016/j.atmosenv.2014.02.019
- Ciencewicki, J., Jaspers, I., 2007. Air Pollution and Respiratory Viral Infection. Inhalation Toxicology 19, 1135–1146. https://doi.org/10.1080/08958370701665434
- Coccia, M., 2021. How do low wind speeds and high levels of air pollution support the spread of COVID-19? Atmospheric Pollution Research 12, 437–445. https://doi.org/10.1016/j.apr.2020.10.002
- Coker, E.S., Cavalli, L., Fabrizi, E., Guastella, G., Lippo, E., Parisi, M.L., Pontarollo, N.,
   Rizzati, M., Varacca, A., Vergalli, S., 2020. The Effects of Air Pollution on COVID 19 Related Mortality in Northern Italy. Environ Resource Econ 76, 611–634.
   https://doi.org/10.1007/s10640-020-00486-1
- Comunian, S., Dongo, D., Milani, C., Palestini, P., 2020. Air Pollution and COVID-19: The Role of Particulate Matter in the Spread and Increase of COVID-19's Morbidity and Mortality. Int J Environ Res Public Health 17. https://doi.org/10.3390/ijerph17124487
- 453 Cragg, L., Williams, S., Chavannes, N.H., 2016. FRESH AIR: an implementation research 454 project funded through Horizon 2020 exploring the prevention, diagnosis and 455 treatment of chronic respiratory diseases in low-resource settings. npj Primary Care 456 Respiratory Medicine 26, 1–5. https://doi.org/10.1038/npjpcrm.2016.35
- Dalziel, B.D., Kissler, S., Gog, J.R., Viboud, C., Bjørnstad, O.N., Metcalf, C.J.E., Grenfell, B.T., 2018. Urbanization and humidity shape the intensity of influenza epidemics in U.S. cities. Science 362, 75–79. https://doi.org/10.1126/science.aat6030
- D'Amato, M., Molino, A., Calabrese, G., Cecchi, L., Annesi-Maesano, I., D'Amato, G., 2018. The impact of cold on the respiratory tract and its consequences to respiratory health. Clinical and Translational Allergy 8, 20. https://doi.org/10.1186/s13601-018-0208-9
- Das, S., Gupta, A., 2021. Multi-criteria decision based geospatial mapping of flood susceptibility and temporal hydro-geomorphic changes in the Subarnarekha basin, India. Geoscience Frontiers 12, 101206. https://doi.org/10.1016/j.gsf.2021.101206
- Das, S., Gupta, A., Ghosh, S., 2017. Exploring groundwater potential zones using MIF technique in semi-arid region: a case study of Hingoli district, Maharashtra. Spat. Inf. Res. 25, 749–756. https://doi.org/10.1007/s41324-017-0144-0
- Davidson, C.I., Phalen, R.F., Solomon, P.A., 2005. Airborne Particulate Matter and Human Health: A Review. Aerosol Science and Technology 39, 737–749. https://doi.org/10.1080/02786820500191348
- Deng, X., Rui, W., Zhang, F., Ding, W., 2013. PM2.5 induces Nrf2-mediated defense mechanisms against oxidative stress by activating PIK3/AKT signaling pathway in human lung alveolar epithelial A549 cells. Cell Biol Toxicol 29, 143–157. https://doi.org/10.1007/s10565-013-9242-5
- 477 Desideri, D., Roselli, C., Meli, M.A., Feduzi, L., 2007. Comparison between the diurnal 478 trends of ozone and radon gas concentrations measured at ground in the semi-rural 479 of Central Italy. J Radioanal Nucl Chem 273, 345-351. site 480 https://doi.org/10.1007/s10967-007-6871-2

- Dowell, S.F., 2001. Seasonal variation in host susceptibility and cycles of certain infectious diseases. Emerg Infect Dis 7, 369–374. https://doi.org/10.3201/eid0703.010301
- Emediegwu, L.E., 2021. Health impacts of daily weather fluctuations: Empirical evidence from COVID-19 in U.S. counties. Journal of Environmental Management 291, 112662. https://doi.org/10.1016/j.jenvman.2021.112662
- Engel-Cox, J.A., Hoff, R.M., Haymet, A.D.J., 2004. Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality. Journal of the Air & Waste Management Association 54, 1360–1371. https://doi.org/10.1080/10473289.2004.10471005
- Eslami, H., Jalili, M., 2020. The role of environmental factors to transmission of SARS-CoV-2 (COVID-19). AMB Express 10. https://doi.org/10.1186/s13568-020-01028-0
- 492 Eum, Y., Song, I., Kim, H.-C., Leem, J.-H., Kim, S.-Y., 2015. Computation of geographic variables for air pollution prediction models in South Korea. Environ Health Toxicol 30. https://doi.org/10.5620/eht.e2015010
- Fadli, A., Nugraha, A.W.W., Aliim, M.S., Taryana, A., Kurniawan, Y.I., Purnomo, W.H.,
   2020. Simple Correlation Between Weather and COVID-19 Pandemic Using Data
   Mining Algorithms. IOP Conf. Ser.: Mater. Sci. Eng. 982, 012015.
   https://doi.org/10.1088/1757-899X/982/1/012015
- Fares, A., 2013. Factors Influencing the Seasonal Patterns of Infectious Diseases. Int J Prev Med 4, 128–132.
- Fawad, M., Mubarik, S., Malik, S.S., Ren, J., 2021. Statistical analysis of COVID-19 infection caused by environmental factors: Evidence from Pakistan. Life Sci 269, 119093. https://doi.org/10.1016/j.lfs.2021.119093

505

506

507

508

509

- Feuyit, G., Nzali, S., Lambi, J.N., Laminsi, S., 2019. Air Quality and Human Health Risk Assessment in the Residential Areas at the Proximity of the Nkolfoulou Landfill in Yaoundé Metropolis, Cameroon. Journal of Chemistry 2019, e3021894. https://doi.org/10.1155/2019/3021894
- Ficetola, G.F., Rubolini, D., 2021. Containment measures limit environmental effects on COVID-19 early outbreak dynamics. Science of The Total Environment 761, 144432. https://doi.org/10.1016/j.scitotenv.2020.144432
- Fisher, B., 2002. Meteorological factors influencing the occurrence of air pollution episodes involving chimney plumes. Meteorological Applications 9, 199–210. https://doi.org/10.1017/S1350482702002050
- Gallerani, M., Reverberi, R., Salmi, R., Smolensky, M.H., Manfredini, R., 2013. Seasonal variation of platelets in a cohort of Italian blood donors: a preliminary report. European Journal of Medical Research 18, 31. https://doi.org/10.1186/2047-783X-18-31
- Gauderman, W.J., Vora, H., McConnell, R., Berhane, K., Gilliland, F., Thomas, D., Lurmann, F., Avol, E., Kunzli, N., Jerrett, M., Peters, J., 2007. Effect of exposure to traffic on lung development from 10 to 18 years of age: a cohort study. The Lancet 369, 571–577. https://doi.org/10.1016/S0140-6736(07)60037-3
- Gautam, S., Samuel, C., Gautam, A.S., Kumar, S., 2021. Strong link between coronavirus count and bad air: a case study of India. Environ Dev Sustain. https://doi.org/10.1007/s10668-021-01366-4
- 525 Ge, X.-Y., Li, J.-L., Yang, X.-L., Chmura, A.A., Zhu, G., Epstein, J.H., Mazet, J.K., Hu, B., 526 Zhang, W., Peng, C., Zhang, Y.-J., Luo, C.-M., Tan, B., Wang, N., Zhu, Y., Crameri,
- 527 G., Zhang, S.-Y., Wang, L.-F., Daszak, P., Shi, Z.-L., 2013. Isolation and
- 528 characterization of a bat SARS-like coronavirus that uses the ACE2 receptor. Nature 529 503, 535–538. https://doi.org/10.1038/nature12711

- Gettelman, A., Sherwood, S.C., 2016. Processes Responsible for Cloud Feedback. Curr Clim Change Rep 2, 179–189. https://doi.org/10.1007/s40641-016-0052-8
- 532 Ghude, S.D., Chate, D.M., Jena, C., Beig, G., Kumar, R., Barth, M.C., Pfister, G.G., 533 Fadnavis, S., Pithani, P., 2016. Premature mortality in India due to PM <sub>2.5</sub> and ozone exposure: Premature Mortality in India. Geophys. Res. Lett. 43, 4650–4658. https://doi.org/10.1002/2016GL068949
- Gorbalenya, A.E., Baker, S.C., Baric, R.S., Groot, R.J. de, Drosten, C., Gulyaeva, A.A., Haagmans, B.L., Lauber, C., Leontovich, A.M., Neuman, B.W., Penzar, D., Perlman, S., Poon, L.L.M., Samborskiy, D., Sidorov, I.A., Sola, I., Ziebuhr, J., 2020. Severe acute respiratory syndrome-related coronavirus: The species and its viruses a statement of the Coronavirus Study Group. bioRxiv 2020.02.07.937862. https://doi.org/10.1101/2020.02.07.937862
- Guan, W., Ni, Z., Hu, Yu, Liang, W., Ou, C., He, J., Liu, L., Shan, H., Lei, C., Hui, D.S.C.,
   Du, B., Li, L., Zeng, G., Yuen, K.-Y., Chen, R., Tang, C., Wang, T., Chen, P., Xiang,
   J., Li, S., Wang, Jin-lin, Liang, Z., Peng, Y., Wei, L., Liu, Y., Hu, Ya-hua, Peng, P.,
   Wang, Jian-ming, Liu, J., Chen, Z., Li, G., Zheng, Z., Qiu, S., Luo, J., Ye, C., Zhu, S.,
   Zhong, N., 2020. Clinical Characteristics of Coronavirus Disease 2019 in China. N
   Engl J Med 382, 1708–1720. https://doi.org/10.1056/NEJMoa2002032
- Gujral, H., Sinha, A., 2021. Association between exposure to airborne pollutants and COVID-19 in Los Angeles, United States with ensemble-based dynamic emission model. Environmental Research 194, 110704. https://doi.org/10.1016/j.envres.2020.110704
- Gunthe, S.S., Swain, B., Patra, S.S., Amte, A., 2020. On the global trends and spread of the COVID-19 outbreak: preliminary assessment of the potential relation between location-specific temperature and UV index. J Public Health (Berl.). https://doi.org/10.1007/s10389-020-01279-y
- Guo, C., Bo, Y., Lin, C., Li, H.B., Zeng, Y., Zhang, Y., Hossain, M.S., Chan, J.W.M., Yeung,
  D.W., Kwok, K.-O., Wong, S.Y.S., Lau, A.K.H., Lao, X.Q., 2021. Meteorological
  factors and COVID-19 incidence in 190 countries: An observational study. Sci Total
  Environ 757, 143783. https://doi.org/10.1016/j.scitotenv.2020.143783
- Guo, C., Zhang, Z., Lau, A.K.H., Lin, C.Q., Chuang, Y.C., Chan, J., Jiang, W.K., Tam, T., Yeoh, E.-K., Chan, T.-C., Chang, L.-Y., Lao, X.Q., 2018. Effect of long-term exposure to fine particulate matter on lung function decline and risk of chronic obstructive pulmonary disease in Taiwan: a longitudinal, cohort study. The Lancet Planetary Health 2, e114–e125. https://doi.org/10.1016/S2542-5196(18)30028-7
- Gupta, A., Asopa, U., Bhattacharjee, R., 2019. Land Subsidence Monitoring in Jagadhri City
   Using Sentinel 1 Data and DInSAR Processing. Proceedings 24, 25.
   https://doi.org/10.3390/IECG2019-06230
- Gupta, A., Banerjee, S., Das, S., 2020a. Significance of geographical factors to the COVID-19 outbreak in India. Model. Earth Syst. Environ. 6, 2645–2653. https://doi.org/10.1007/s40808-020-00838-2
- Gupta, A., Bhatt, C.M., Roy, A., Chauhan, P., 2020d. COVID-19 lockdown a window of opportunity to understand the role of human activity on forest fire incidences in the Western Himalaya, India. CURRENT SCIENCE 119, 9.
- Gupta, A., Kant, Y., Mitra, D., Chauhan, P., 2021. Spatio-temporal distribution of INSAT-3D
   AOD derived particulate matter concentration over India. Atmospheric Pollution
   Research 12, 159–172. https://doi.org/10.1016/j.apr.2020.08.031
- 577 Gupta, A., Moniruzzaman, M., Hande, A., Rousta, I., Olafsson, H., Mondal, K.K., 2020e. 578 Estimation of particulate matter (PM2.5, PM10) concentration and its variation over

- 579 urban sites in Bangladesh. SN Appl. Sci. 2, 1993. https://doi.org/10.1007/s42452-020-580 03829-1
- 581 Gupta, A., Pradhan, B., 2020a. Impact of Daily Weather on COVID-19 outbreak in India. 582 https://doi.org/10.1101/2020.06.15.20131490
- Gupta, A., Pradhan, B., 2020b. Assessment of temporal trend of COVID-19 outbreak in India. https://doi.org/10.31219/osf.io/qyre6
- Gupta, A., Pradhan, B., Maulud, K.N.A., 2020c. Estimating the Impact of Daily Weather on the Temporal Pattern of COVID-19 Outbreak in India. Earth Syst Environ 4, 523– 534. https://doi.org/10.1007/s41748-020-00179-1
- Gupta, P., Christopher, S.A., 2009. Particulate matter air quality assessment using integrated surface, satellite, and meteorological products: 2. A neural network approach. J. Geophys. Res. 114, D20205. https://doi.org/10.1029/2008JD011497
- Gupta, P., Christopher, S.A., Wang, J., Gehrig, R., Lee, Y., Kumar, N., 2006. Satellite remote sensing of particulate matter and air quality assessment over global cities.
   Atmospheric Environment 40, 5880–5892.
   https://doi.org/10.1016/j.atmosenv.2006.03.016
- Gupta, S., Raghuwanshi, G.S., Chanda, A., 2020b. Effect of weather on COVID-19 spread in
   the US: A prediction model for India in 2020. Science of The Total Environment 728,
   138860. https://doi.org/10.1016/j.scitotenv.2020.138860
- Hahon, N., Booth, J.A., Green, F., Lewis, T.R., 1985. Influenza virus infection in mice after exposure to coal dust and diesel engine emissions. Environmental Research 37, 44–600 https://doi.org/10.1016/0013-9351(85)90048-9
- Harapan, H., Itoh, N., Yufika, A., Winardi, W., Keam, S., Te, H., Megawati, D., Hayati, Z., Wagner, A.L., Mudatsir, M., 2020. Coronavirus disease 2019 (COVID-19): A literature review. Journal of Infection and Public Health 13, 667–673. https://doi.org/10.1016/j.jiph.2020.03.019
- Hatzianastassiou, N., Matsoukas, C., Fotiadi, A., Pavlakis, K.G., Drakakis, E.,
   Hatzidimitriou, D., Vardavas, I., 2005. Global distribution of Earth's surface
   shortwave radiation budget. Atmos. Chem. Phys. 21.
- Hewson, E.W., Olsson, L.E., 1967. Lake Effects on Air Pollution Dispersion. Journal of the
   Air Pollution Control Association 17, 757–761.
   https://doi.org/10.1080/00022470.1967.10469069
- 611 Holshue, M.L., DeBolt, C., Lindquist, S., Lofy, K.H., Wiesman, J., Bruce, H., Spitters, C., 612 Ericson, K., Wilkerson, S., Tural, A., Diaz, G., Cohn, A., Fox, L., Patel, A., Gerber, 613 S.I., Kim, L., Tong, S., Lu, X., Lindstrom, S., Pallansch, M.A., Weldon, W.C., Biggs, 614 H.M., Uyeki, T.M., Pillai, S.K., 2020. First Case of 2019 Novel Coronavirus in the 615 New Journal of Medicine States. England 382. 929–936. 616 https://doi.org/10.1056/NEJMoa2001191
- Hong, H., Pradhan, B., Bui, D.T., Xu, C., Youssef, A.M., Chen, W., 2017. Comparison of four kernel functions used in support vector machines for landslide susceptibility mapping: a case study at Suichuan area (China). Geomatics, Natural Hazards and Risk 8, 544–569. https://doi.org/10.1080/19475705.2016.1250112
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X.,
   Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao,
   Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J., Cao, B.,
   2020a. Clinical features of patients infected with 2019 novel coronavirus in Wuhan,
   China. The Lancet 395, 497–506. https://doi.org/10.1016/S0140-6736(20)30183-5
- Huang, H., Liang, X., Huang, J., Yuan, Z., Ouyang, H., Wei, Y., Bai, X., 2020b. Correlations between Meteorological Indicators, Air Quality and the COVID-19 Pandemic in 12

- 628 Cities across China. J Environ Health Sci Engineer 18, 1491–1498. 629 https://doi.org/10.1007/s40201-020-00564-y
- Huang, Jing, Li, G., Xu, G., Qian, X., Zhao, Y., Pan, X., Huang, Jian, Cen, Z., Liu, Q., He, T., Guo, X., 2018. The burden of ozone pollution on years of life lost from chronic obstructive pulmonary disease in a city of Yangtze River Delta, China. Environmental Pollution 242, 1266–1273. https://doi.org/10.1016/j.envpol.2018.08.021
- Huang, N.-H., Wang, Q., Xu, D.-Q., 2008. Immunological effect of PM2.5 on cytokine production in female Wistar rats. Biomed Environ Sci 21, 63–68. https://doi.org/10.1016/S0895-3988(08)60008-2
- Hulin, M., Simoni, M., Viegi, G., Annesi-Maesano, I., 2012. Respiratory health and indoor air pollutants based on quantitative exposure assessments. European Respiratory Journal 40, 1033–1045. https://doi.org/10.1183/09031936.00159011

641

642

643

653

654

655

656

657

658 659

660

- Iqbal, N., Fareed, Z., Shahzad, F., He, X., Shahzad, U., Lina, M., 2020. The nexus between COVID-19, temperature and exchange rate in Wuhan city: New findings from partial and multiple wavelet coherence. Science of The Total Environment 729, 138916. https://doi.org/10.1016/j.scitotenv.2020.138916
- Islam, A.R.Md.T., Hasanuzzaman, Md., Azad, Md.A.K., Salam, R., Toshi, F.Z., Khan,
   Md.S.I., Alam, G.M.M., Ibrahim, S.M., 2020. Effect of meteorological factors on
   COVID-19 cases in Bangladesh. Environ Dev Sustain.
   https://doi.org/10.1007/s10668-020-01016-1
- Jacko, R., Breche, T.L., 2009. Air Pollution and Noise Control, in: Environmental Engineering. John Wiley & Sons, Ltd, pp. 309–393. https://doi.org/10.1002/9780470432822.ch4
- Jacob, D.J., 2000. Heterogeneous chemistry and tropospheric ozone. Atmospheric Environment 34, 2131–2159. https://doi.org/10.1016/S1352-2310(99)00462-8
  - Jacobson, L. da S.V., Hacon, S. de S., Castro, H.A. de, Ignotti, E., Artaxo, P., Saldiva, P.H.N., Leon, A.C.M.P. de, 2014. Acute Effects of Particulate Matter and Black Carbon from Seasonal Fires on Peak Expiratory Flow of Schoolchildren in the Brazilian Amazon. PLOS ONE 9, e104177. https://doi.org/10.1371/journal.pone.0104177
  - Jahangiri, Mehdi, Jahangiri, Milad, Najafgholipour, M., 2020. The sensitivity and specificity analyses of ambient temperature and population size on the transmission rate of the novel coronavirus (COVID-19) in different provinces of Iran. Sci Total Environ 728, 138872. https://doi.org/10.1016/j.scitotenv.2020.138872
- Jain, M., Sharma, G.D., Goyal, M., Kaushal, R., Sethi, M., 2021. Econometric analysis of COVID-19 cases, deaths, and meteorological factors in South Asia. Environ Sci Pollut Res 28, 28518–28534. https://doi.org/10.1007/s11356-021-12613-6
- Jamil, T., Alam, I.S., Gojobori, T., Duarte, C., 2020. No Evidence for Temperature Dependence of the COVID-19 Epidemic. medRxiv 2020.03.29.20046706.
   https://doi.org/10.1101/2020.03.29.20046706
- Jana, S., Gupta, A., Nath, A., 2020. Assessment of Global Performance on COVID-19 Research during 1990-2019: An Exploratory Scientometric Analysis 19.
- Janssen, N.A.H., Hoek, G., Simic-Lawson, M., Fischer, P., van Bree, L., ten Brink, H., Keuken, M., Atkinson, R.W., Anderson, H.R., Brunekreef, B., Cassee, F.R., 2011.
  Black Carbon as an Additional Indicator of the Adverse Health Effects of Airborne Particles Compared with PM10 and PM2.5. Environ Health Perspect 119, 1691–1699. https://doi.org/10.1289/ehp.1003369
- Jayamurugan, R., Kumaravel, B., Palanivelraja, S., Chockalingam, M.P., 2013. Influence of Temperature, Relative Humidity and Seasonal Variability on Ambient Air Quality in

- a Coastal Urban Area. International Journal of Atmospheric Sciences 2013, e264046. https://doi.org/10.1155/2013/264046
- Jebur, M.N., Pradhan, B., Tehrany, M.S., 2014. Manifestation of LiDAR-Derived Parameters in the Spatial Prediction of Landslides Using Novel Ensemble Evidential Belief Functions and Support Vector Machine Models in GIS. IEEE J. Sel. Top. Appl. Earth Observations Remote Sensing 8, 674–690. https://doi.org/10.1109/JSTARS.2014.2341276
- Joshi, M., Pedersen, T., Maclin, R., 2005. A Comparative Study of Support Vector Machines Applied to the Supervised Word Sense Disambiguation Problem in the Medical Domain. Presented at the 2nd Indian International Conference on Artifitial Intelligence (IICAI-05), pp. 3449–3468.
- Jung, R.G., Di Santo, P., Clifford, C., Prosperi-Porta, G., Skanes, S., Hung, A., Parlow, S., Visintini, S., Ramirez, F.D., Simard, T., Hibbert, B., 2021. Methodological quality of COVID-19 clinical research. Nature Communications 12, 943. https://doi.org/10.1038/s41467-021-21220-5
- Kampa, M., Castanas, E., 2008. Human health effects of air pollution. Environmental Pollution, Proceedings of the 4th International Workshop on Biomonitoring of Atmospheric Pollution (With Emphasis on Trace Elements) 151, 362–367. https://doi.org/10.1016/j.envpol.2007.06.012
- Karimian, H., Li, Q., Li, C., Jin, L., Fan, J., Li, Y., 2016. An Improved Method for Monitoring Fine Particulate Matter Mass Concentrations via Satellite Remote Sensing. Aerosol Air Qual. Res. 16, 1081–1092. https://doi.org/10.4209/aaqr.2015.06.0424
- Kelly, M., Gillies, D., Todd, D.A., Lockwood, C., 2010. Heated humidification versus heat and moisture exchangers for ventilated adults and children. Cochrane Database of Systematic Reviews. https://doi.org/10.1002/14651858.CD004711.pub2
- Kelsall, J.E., Samet, J.M., Zeger, S.L., Xu, J., 1997. Air Pollution and Mortality in Philadelphia, 1974–1988. American Journal of Epidemiology 146, 750–762. https://doi.org/10.1093/oxfordjournals.aje.a009351
- Khaniabadi, Y.O., Hopke, P.K., Goudarzi, G., Daryanoosh, S.M., Jourvand, M., Basiri, H.,
   2017. Cardiopulmonary mortality and COPD attributed to ambient ozone.
   Environmental Research 152, 336–341. https://doi.org/10.1016/j.envres.2016.10.008
- Khorramdelazad, H., Kazemi, M.H., Najafi, A., Keykhaee, M., Zolfaghari Emameh, R.,
   Falak, R., 2021. Immunopathological similarities between COVID-19 and influenza:
   Investigating the consequences of Co-infection. Microb Pathog 152, 104554.
   https://doi.org/10.1016/j.micpath.2020.104554
- 713 Kifer, D., Bugada, D., Villar-Garcia, J., Gudelj, I., Menni, C., Sudre, C., Vučković, F., 714 Ugrina, I., Lorini, L.F., Posso, M., Bettinelli, S., Ughi, N., Maloberti, A., Epis, O., 715 Giannattasio, C., Rossetti, C., Kalogjera, L., Peršec, J., Ollivere, L., Ollivere, B.J., 716 Yan, H., Cai, T., Aithal, G.P., Steves, C.J., Kantele, A., Kajova, M., Vapalahti, O., 717 Sajantila, A., Wojtowicz, R., Wierzba, W., Krol, Z., Zaczynski, A., Zycinska, K., 718 Postula, M., Lukšić, I., Čivljak, R., Markotić, A., Brachmann, J., Markl, A., 719 Mahnkopf, C., Murray, B., Ourselin, S., Valdes, A.M., Horcajada, J.P., Castells, X., 720 Pascual, J., Allegri, M., Primorac, D., Spector, T.D., Barrios, C., Lauc, G., 2021. 721 Effects of Environmental Factors on Severity and Mortality of COVID-19. Front. 722 Med. 7. https://doi.org/10.3389/fmed.2020.607786
- Kim, D., Chen, Z., Zhou, L.-F., Huang, S.-X., 2018. Air pollutants and early origins of respiratory diseases. Chronic Dis Transl Med 4, 75–94. https://doi.org/10.1016/j.cdtm.2018.03.003

- Kim, J.W., Park, S., Lim, C.W., Lee, K., Kim, B., 2014. The Role of Air Pollutants in Initiating Liver Disease. Toxicological Research 30, 65–70. https://doi.org/10.5487/TR.2014.30.2.065
- Kirwa, K., Eckert, C.M., Vedal, S., Hajat, A., Kaufman, J.D., 2021. Ambient air pollution and risk of respiratory infection among adults: evidence from the multiethnic study of atherosclerosis (MESA). BMJ Open Respiratory Research 8, e000866. https://doi.org/10.1136/bmjresp-2020-000866
- Kudo, E., Song, E., Yockey, L.J., Rakib, T., Wong, P.W., Homer, R.J., Iwasaki, A., 2019. Low ambient humidity impairs barrier function and innate resistance against influenza infection. PNAS 116, 10905–10910. https://doi.org/10.1073/pnas.1902840116
- Kumar, G., Kumar, R.R., 2020. A correlation study between meteorological parameters and COVID-19 pandemic in Mumbai, India. Diabetes & Metabolic Syndrome: Clinical Research & Reviews 14, 1735–1742. https://doi.org/10.1016/j.dsx.2020.09.002
- Kumar, S., 2020. Effect of meteorological parameters on spread of COVID-19 in India and air quality during lockdown. Sci Total Environ 745, 141021. https://doi.org/10.1016/j.scitotenv.2020.141021
- Kunz, C.U., Jörgens, S., Bretz, F., Stallard, N., Lancker, K.V., Xi, D., Zohar, S., Gerlinger,
   C., Friede, T., 2020. Clinical Trials Impacted by the COVID-19 Pandemic: Adaptive
   Designs to the Rescue? Statistics in Biopharmaceutical Research 12, 461–477.
   https://doi.org/10.1080/19466315.2020.1799857
- Kurt, O.K., Zhang, J., Pinkerton, K.E., 2016. Pulmonary Health Effects of Air Pollution. Curr Opin Pulm Med 22, 138–143. https://doi.org/10.1097/MCP.000000000000248
- Kyung, S.Y., Jeong, S.H., 2020. Particulate-Matter Related Respiratory Diseases. Tuberc Respir Dis (Seoul) 83, 116–121. https://doi.org/10.4046/trd.2019.0025
- Larsen, J.R., Martin, M.R., Martin, J.D., Kuhn, P., Hicks, J.B., 2020. Modeling the Onset of
   Symptoms of COVID-19. Front. Public Health 8.
   https://doi.org/10.3389/fpubh.2020.00473
- Laumbach, R.J., Kipen, H.M., 2012. Respiratory Health Effects of Air Pollution: Update on Biomass Smoke and Traffic Pollution. J Allergy Clin Immunol 129, 3–13. https://doi.org/10.1016/j.jaci.2011.11.021
- LaVoy, E.C.P., McFarlin, B.K., Simpson, R.J., 2011. Immune Responses to Exercising in a
   Cold Environment. Wilderness & Environmental Medicine 22, 343–351.
   https://doi.org/10.1016/j.wem.2011.08.005
- Lee, A., Kinney, P., Chillrud, S., Jack, D., 2015. A Systematic Review of Innate Immunomodulatory Effects of Household Air Pollution Secondary to the Burning of Biomass Fuels. Annals of Global Health 81, 368.
   https://doi.org/10.1016/j.aogh.2015.08.006
- Li, C., Bosch, C., Kang, S., Andersson, A., Chen, P., Zhang, Q., Cong, Z., Chen, B., Qin, D.,
   Gustafsson, Ö., 2016. Sources of black carbon to the Himalayan–Tibetan Plateau
   glaciers. Nature Communications 7, 12574. https://doi.org/10.1038/ncomms12574
- Li, H., Xu, X.-L., Dai, D.-W., Huang, Z.-Y., Ma, Z., Guan, Y.-J., 2020. Air pollution and temperature are associated with increased COVID-19 incidence: A time series study.
   International Journal of Infectious Diseases 97, 278–282. https://doi.org/10.1016/j.ijid.2020.05.076
- Li, P., Wang, Y., Peppelenbosch, M.P., Ma, Z., Pan, Q., 2021. Systematically comparing
   COVID-19 with the 2009 influenza pandemic for hospitalized patients. Int J Infect
   Dis 102, 375–380. https://doi.org/10.1016/j.ijid.2020.11.127
- Li, R., Gong, J., Chen, L., Wang, Z., 2015. Estimating Ground-Level PM2.5 Using Fine-Resolution Satellite Data in the Megacity of Beijing, China. Aerosol Air Qual. Res. 15, 1347–1356. https://doi.org/10.4209/aaqr.2015.01.0009

- Lin, S., Wei, D., Sun, Y., Chen, K., Yang, L., Liu, B., Huang, Q., Paoliello, M.M.B., Li, H.,
   Wu, S., 2020. Region-specific air pollutants and meteorological parameters influence
   COVID-19: A study from mainland China. Ecotoxicology and Environmental Safety
   204, 111035. https://doi.org/10.1016/j.ecoenv.2020.111035
- Liu, B., Taioli, E., 2015. Seasonal Variations of Complete Blood Count and Inflammatory
   Biomarkers in the US Population Analysis of NHANES Data. PLoS One 10.
   https://doi.org/10.1371/journal.pone.0142382
- Liu, H., Fan, X., Wang, N., Zhang, Y., Yu, J., 2017. Exacerbating effects of PM2.5 in OVA-sensitized and challenged mice and the expression of TRPA1 and TRPV1 proteins in lungs. Journal of Asthma 54, 807–817. https://doi.org/10.1080/02770903.2016.1266495
- Liu, H., Liu, S., Xue, B., Lv, Z., Meng, Z., Yang, X., Xue, T., Yu, Q., He, K., 2018. Ground-level ozone pollution and its health impacts in China. Atmospheric Environment 173, 223–230. https://doi.org/10.1016/j.atmosenv.2017.11.014
- 790 Liu, J., Zhou, J., Yao, J., Zhang, X., Li, L., Xu, X., He, X., Wang, B., Fu, S., Niu, T., Yan, J., 791 Shi, Y., Ren, X., Niu, J., Zhu, W., Li, S., Luo, B., Zhang, K., 2020b. Impact of 792 meteorological factors on the COVID-19 transmission: A multi-city study in China. 793 Science of The Total Environment 726, 138513. 794 https://doi.org/10.1016/j.scitotenv.2020.138513
- Liu, Q., Tan, Z.-M., Sun, J., Hou, Y., Fu, C., Wu, Z., 2020c. Changing rapid weather variability increases influenza epidemic risk in a warming climate. Environ. Res. Lett. 15, 044004. https://doi.org/10.1088/1748-9326/ab70bc
- Liu, T., Hu, J., Xiao, J., He, G., Kang, M., Rong, Z., Lin, L., Zhong, H., Huang, Q., Deng, A.,
   Zeng, W., Tan, X., Zeng, S., Zhu, Z., Li, J., Gong, D., Wan, D., Chen, S., Guo, L., Li,
   Y., Sun, L., Liang, W., Song, T., He, J., Ma, W., 2020a. Time-varying transmission
   dynamics of Novel Coronavirus Pneumonia in China. bioRxiv 2020.01.25.919787.
   https://doi.org/10.1101/2020.01.25.919787
- Liu, Yanli, Sun, W., Guo, Y., Chen, L., Zhang, L., Zhao, S., Long, D., Yu, L., 2020d.

  Association between platelet parameters and mortality in coronavirus disease 2019:

  Retrospective cohort study. Platelets 1–7.

  https://doi.org/10.1080/09537104.2020.1754383
- Liu, Yansui, Zhou, Y., Lu, J., 2020e. Exploring the relationship between air pollution and meteorological conditions in China under environmental governance. Sci Rep 10, 14518. https://doi.org/10.1038/s41598-020-71338-7
- Logan, J.A., Prather, M.J., Wofsy, S.C., McElroy, M.B., 1981. Tropospheric chemistry: A
   global perspective. Journal of Geophysical Research: Oceans 86, 7210–7254.
   https://doi.org/10.1029/JC086iC08p07210
- Lowen, A.C., Mubareka, S., Steel, J., Palese, P., 2007. Influenza Virus Transmission Is
  Dependent on Relative Humidity and Temperature. PLOS Pathogens 3, e151.
  https://doi.org/10.1371/journal.ppat.0030151
- Lytle, C.D., Sagripanti, J.-L., 2005. Predicted Inactivation of Viruses of Relevance to Biodefense by Solar Radiation. Journal of Virology 79, 14244–14252. https://doi.org/10.1128/JVI.79.22.14244-14252.2005
- Ma, Y., Cheng, B., Shen, J., Wang, H., Feng, F., Zhang, Y., Jiao, H., 2021. Association between environmental factors and COVID-19 in Shanghai, China. Environ Sci Pollut Res Int 1–9. https://doi.org/10.1007/s11356-021-13834-5
- 822 Ma, Y., Zhao, Y., Liu, J., He, X., Wang, B., Fu, S., Yan, J., Niu, J., Zhou, J., Luo, B., 2020.
- Effects of temperature variation and humidity on the death of COVID-19 in Wuhan,
- 824 China. Science of The Total Environment 724, 138226. 825 https://doi.org/10.1016/j.scitotenv.2020.138226

- 826 Maaoui, C., Pruski, A., 2008. A comparative study of SVM kernel applied to emotion 827 recognition from physiological signals, in: 2008 5th International Multi-Conference 828 on Systems, Signals and Devices. Presented at the 2008 5th International Multi-Signals 829 Conference on Systems, and Devices, 1–6. pp. 830 https://doi.org/10.1109/SSD.2008.4632891
- Mahapatra, P.S., Puppala, S.P., Adhikary, B., Shrestha, K.L., Dawadi, D.P., Paudel, S.P., Panday, A.K., 2019. Air quality trends of the Kathmandu Valley: A satellite, observation and modeling perspective. Atmospheric Environment 201, 334–347. https://doi.org/10.1016/j.atmosenv.2018.12.043
- Manisalidis, I., Stavropoulou, E., Stavropoulos, A., Bezirtzoglou, E., 2020. Environmental and Health Impacts of Air Pollution: A Review. Front Public Health 8. https://doi.org/10.3389/fpubh.2020.00014
- Mansouri Daneshvar, M.R., Ebrahimi, M., Sadeghi, A., Mahmoudzadeh, A., 2021. Climate effects on the COVID-19 outbreak: a comparative analysis between the UAE and Switzerland. Model. Earth Syst. Environ. https://doi.org/10.1007/s40808-021-01110-x

842

843844

845

- Matthew, O.J., Eludoyin, A.O., Oluwadiya, K.S., 2021. Spatio-temporal variations in COVID-19 in relation to the global climate distribution and fluctuations. Spatial and Spatio-temporal Epidemiology 37, 100417. https://doi.org/10.1016/j.sste.2021.100417
- Mecenas, P., Bastos, R.T. da R.M., Vallinoto, A.C.R., Normando, D., 2020. Effects of temperature and humidity on the spread of COVID-19: A systematic review. PLOS ONE 15, e0238339. https://doi.org/10.1371/journal.pone.0238339
- Mehmood, K., Bao, Y., Abrar, M.M., Petropoulos, G.P., Saifullah, Soban, A., Saud, S., Khan, Z.A., Khan, S.M., Fahad, S., 2021. Spatiotemporal variability of COVID-19 pandemic in relation to air pollution, climate and socioeconomic factors in Pakistan. Chemosphere 271, 129584. https://doi.org/10.1016/j.chemosphere.2021.129584
- Mehta, S., Shin, H., Burnett, R., North, T., Cohen, A.J., 2013. Ambient particulate air pollution and acute lower respiratory infections: a systematic review and implications for estimating the global burden of disease. Air Qual Atmos Health 6, 69–83. https://doi.org/10.1007/s11869-011-0146-3
- Mele, M., Magazzino, C., Schneider, N., Strezov, V., 2021. NO2 levels as a contributing factor to COVID-19 deaths: The first empirical estimate of threshold values. Environmental Research 194, 110663. https://doi.org/10.1016/j.envres.2020.110663
- Menebo, M.M., 2020. Temperature and precipitation associate with Covid-19 new daily cases: A correlation study between weather and Covid-19 pandemic in Oslo, Norway. Science of The Total Environment 737, 139659. https://doi.org/10.1016/j.scitotenv.2020.139659
- Mollalo, A., Vahedi, B., Rivera, K.M., 2020. GIS-based spatial modeling of COVID-19 incidence rate in the continental United States. Science of The Total Environment 728, 138884. https://doi.org/10.1016/j.scitotenv.2020.138884
- Moniruzzam, M., Roy, A., Bhatt, C.M., Gupta, A., An, N.T.T., Hassan, M.R., 2018. Impact
   Analysis of Urbanization on Land Use Land Cover Change for Khulna City,
   Bangladesh using Temporal Landsat Imagery. Int. Arch. Photogramm. Remote Sens.
   Spatial Inf. Sci. XLII–5, 757–760. https://doi.org/10.5194/isprs-archives-XLII-5-757 2018
- Moore, M., Little, P., 2007. Humidified air inhalation for treating croup: a systematic review and meta-analysis. Family Practice 24, 295–301. https://doi.org/10.1093/fampra/cmm022
- Moriyama, M., Ichinohe, T., 2019. High ambient temperature dampens adaptive immune responses to influenza A virus infection. PNAS 116, 3118–3125. https://doi.org/10.1073/pnas.1815029116

- Munawer, M.E., 2018. Human health and environmental impacts of coal combustion and post-combustion wastes. Journal of Sustainable Mining 17, 87–96. https://doi.org/10.1016/j.jsm.2017.12.007
- Nanda, C., Kant, Y., Gupta, A., Mitra, D., 2018. Spatio-Temporal Distribution of Pollutant Trace Gases During Diwali Over India. ISPRS Ann. Photogramm. Remote Sens. Spatial Inf. Sci. IV–5, 339–350. https://doi.org/10.5194/isprs-annals-IV-5-339-2018
- Naqvi, H.R., Datta, M., Mutreja, G., Siddiqui, M.A., Naqvi, D.F., Naqvi, A.R., 2021.
  Improved air quality and associated mortalities in India under COVID-19 lockdown.
  Environ Pollut 268, 115691. https://doi.org/10.1016/j.envpol.2020.115691
- 885 Nicholson, L.B., 2016. The immune system. Essays Biochem 60, 275–301. 886 https://doi.org/10.1042/EBC20160017
- Nigam, R., Pandya, K., Luis, A.J., Sengupta, R., Kotha, M., 2021. Positive effects of COVID-19 lockdown on air quality of industrial cities (Ankleshwar and Vapi) of Western India. Sci Rep 11, 4285. https://doi.org/10.1038/s41598-021-83393-9
- Nottmeyer, L.N., Sera, F., 2021. Influence of temperature, and of relative and absolute humidity on COVID-19 incidence in England - A multi-city time-series study. Environ Res 196, 110977. https://doi.org/10.1016/j.envres.2021.110977
- Nuvolone, D., Petri, D., Voller, F., 2018. The effects of ozone on human health. Environ Sci Pollut Res 25, 8074–8088. https://doi.org/10.1007/s11356-017-9239-3
- Oliveiros, B., Caramelo, L., Ferreira, N.C., Caramelo, F., 2020. Role of temperature and humidity in the modulation of the doubling time of COVID-19 cases. medRxiv 2020.03.05.20031872. https://doi.org/10.1101/2020.03.05.20031872
- Orru, H., Ebi, K.L., Forsberg, B., 2017. The Interplay of Climate Change and Air Pollution on Health. Curr Envir Health Rpt 4, 504–513. https://doi.org/10.1007/s40572-017-0168-6

902

903

- Pan, Y.-P., Zhu, X.-Y., Tian, S.-L., Wang, L.-L., Zhang, G.-Z., Zhou, Y.-B., Xu, P., Hu, B., Wang, Y.-S., 2017. Wet deposition and scavenging ratio of air pollutants during an extreme rainstorm in the North China Plain. Atmospheric and Oceanic Science Letters 10, 348–353. https://doi.org/10.1080/16742834.2017.1343084
- Pandey, S.K., Vinoj, V., Landu, K., Babu, S.S., 2017. Declining pre-monsoon dust loading over South Asia: Signature of a changing regional climate. Sci Rep 7, 16062. https://doi.org/10.1038/s41598-017-16338-w
- Pani, S.K., Lin, N.-H., RavindraBabu, S., 2020. Association of COVID-19 pandemic with
   meteorological parameters over Singapore. Science of The Total Environment 740,
   140112. https://doi.org/10.1016/j.scitotenv.2020.140112
- Panofsky, H.A., Prasad, B., 1967. The Effect of Meteorological Factors on Air Pollution in a Narrow Valley. Journal of Applied Meteorology and Climatology 6, 493–499. https://doi.org/10.1175/1520-0450(1967)006<0493:TEOMFO>2.0.CO;2
- 914 Pansini, R., Fornacca, D., 2020. COVID-19 higher induced mortality in Chinese regions with 915 lower air quality. medRxiv 2020.04.04.20053595. 916 https://doi.org/10.1101/2020.04.04.20053595
- Paulin, L., Hansel, N., 2016. Particulate air pollution and impaired lung function. F1000Res 5, 201. https://doi.org/10.12688/f1000research.7108.1
- Paunescu, A.-C., Casas, M., Ferrero, A., Pañella, P., Bougas, N., Beydon, N., Just, J., Lezmi, G., Sunyer, J., Ballester, F., Momas, I., 2019. Associations of black carbon with lung function and airway inflammation in schoolchildren. Environment International 131, 104984. https://doi.org/10.1016/j.envint.2019.104984
- Perlman, S., 2020. Another Decade, Another Coronavirus. New England Journal of Medicine 382, 760–762. https://doi.org/10.1056/NEJMe2001126

- Peters, A., Dockery, D.W., Muller, J.E., Mittleman, M.A., 2001. Increased Particulate Air
   Pollution and the Triggering of Myocardial Infarction. Circulation 103, 2810–2815.
   https://doi.org/10.1161/01.CIR.103.23.2810
- 928 Pica, N., Bouvier, N.M., 2012. Environmental factors affecting the transmission of 929 respiratory viruses. Curr Opin Virol 2, 90–95. https://doi.org/10.1016/j.coviro.2011.12.003
- Power, G.G., 1968. Solubility of O2 and CO in blood and pulmonary and placental tissue. Journal of Applied Physiology 24, 468–474. https://doi.org/10.1152/jappl.1968.24.4.468
- 934 Prabhu, V., Soni, A., Madhwal, S., Gupta, A., Sundriyal, S., Shridhar, V., Sreekanth, V., 935 Mahapatra, P.S., 2020. Black carbon and biomass burning associated high pollution episodes observed at Doon valley in the foothills of the Himalayas. Atmospheric Research 243, 105001. https://doi.org/10.1016/j.atmosres.2020.105001
- Price, R.H.M., Graham, C., Ramalingam, S., 2019. Association between viral seasonality and meteorological factors. Scientific Reports 9, 929. https://doi.org/10.1038/s41598-018-37481-y
- Qi, H., Xiao, S., Shi, R., Ward, M.P., Chen, Y., Tu, W., Su, Q., Wang, W., Wang, X., Zhang,
   Z., 2020. COVID-19 transmission in Mainland China is associated with temperature
   and humidity: A time-series analysis. Science of The Total Environment 728, 138778.
   https://doi.org/10.1016/j.scitotenv.2020.138778
- 945 Qin, Y.-G., Yi, C., Dong, G.-L., Min, J.-Z., 2020. Investigating the influence of 946 meteorological factors on particulate matters: A case study based on path analysis. 947 Energy & Environment 31, 479–491. https://doi.org/10.1177/0958305X19876696
  - Rendana, M., 2020. Impact of the wind conditions on COVID-19 pandemic: A new insight for direction of the spread of the virus. Urban Clim 34, 100680. https://doi.org/10.1016/j.uclim.2020.100680
- Roldán-Henao, N., Hoyos, C.D., Herrera-Mejía, L., Isaza, A., 2020. An Investigation of the
   Precipitation Net Effect on the Particulate Matter Concentration in a Narrow Valley:
   Role of Lower-Troposphere Stability. Journal of Applied Meteorology and
   Climatology 59, 401–426. https://doi.org/10.1175/JAMC-D-18-0313.1
- Rosario, D.K.A., Mutz, Y.S., Bernardes, P.C., Conte-Junior, C.A., 2020. Relationship between COVID-19 and weather: Case study in a tropical country. International Journal of Hygiene and Environmental Health 229, 113587. https://doi.org/10.1016/j.ijheh.2020.113587
- Rosenthal, F.S., Kuisma, M., Lanki, T., Hussein, T., Boyd, J., Halonen, J.I., Pekkanen, J., 2013. Association of ozone and particulate air pollution with out-of-hospital cardiac arrest in Helsinki, Finland: Evidence for two different etiologies. Journal of Exposure Science & Environmental Epidemiology 23, 281–288. https://doi.org/10.1038/jes.2012.121
- Rousta, I., Olafsson, H., Moniruzzaman, M., Zhang, H., Liou, Y.-A., Mushore, T.D., Gupta, A., 2020. Impacts of Drought on Vegetation Assessed by Vegetation Indices and Meteorological Factors in Afghanistan. Remote Sensing 12, 2433. https://doi.org/10.3390/rs12152433
- Rume, T., Islam, S.M.D.-U., 2020. Environmental effects of COVID-19 pandemic and potential strategies of sustainability. Heliyon 6. https://doi.org/10.1016/j.heliyon.2020.e04965
- Runkle, J.D., Sugg, M.M., Leeper, R.D., Rao, Y., Matthews, J.L., Rennie, J.J., 2020. Short-term effects of specific humidity and temperature on COVID-19 morbidity in select US cities. Sci Total Environ 740, 140093.

974 https://doi.org/10.1016/j.scitotenv.2020.140093

948

949

- 975 Saadat, S., Rawtani, D., Hussain, C.M., 2020. Environmental perspective of COVID-19. 976 Science of The Total Environment 728, 138870. 977 https://doi.org/10.1016/j.scitotenv.2020.138870
- 978 Şahin, M., 2020. Impact of weather on COVID-19 pandemic in Turkey. Science of The Total 979 Environment 728, 138810. https://doi.org/10.1016/j.scitotenv.2020.138810
- Saikawa, E., Panday, A., Kang, S., Gautam, R., Zusman, E., Cong, Z., Somanathan, E., Adhikary, B., 2019. Air Pollution in the Hindu Kush Himalaya, in: Wester, P., Mishra, A., Mukherji, A., Shrestha, A.B. (Eds.), The Hindu Kush Himalaya Assessment: Mountains, Climate Change, Sustainability and People. Springer International Publishing, Cham, pp. 339–387. https://doi.org/10.1007/978-3-319-92288-1 10
- 986 Sajadi, M.M., Habibzadeh, P., Vintzileos, A., Shokouhi, S., Miralles-Wilhelm, F., Amoroso, 987 A., 2020. Temperature, Humidity, and Latitude Analysis to Estimate Potential Spread 988 and Seasonality of Coronavirus Disease 2019 (COVID-19). JAMA Netw Open 3, 989 e2011834. https://doi.org/10.1001/jamanetworkopen.2020.11834
- 990 Saliba, N.A., El Jam, F., El Tayar, G., Obeid, W., Roumie, M., 2010. Origin and variability 991 of particulate matter (PM10 and PM2.5) mass concentrations over an Eastern 992 Mediterranean city. Atmospheric Research 97, 106–114. 993 https://doi.org/10.1016/j.atmosres.2010.03.011
- 994 Sangkham, S., Thongtip, S., Vongruang, P., 2021. Influence of air pollution and 995 meteorological factors on the spread of COVID-19 in the Bangkok Metropolitan 996 Region and air quality during the outbreak. Environ Res 197, 111104. 997 https://doi.org/10.1016/j.envres.2021.111104
  - Sario, M.D., Katsouyanni, K., Michelozzi, P., 2013. Climate change, extreme weather events, air pollution and respiratory health in Europe. European Respiratory Journal 42, 826–843. https://doi.org/10.1183/09031936.00074712
- Sarkodie, S.A., Owusu, P.A., 2020. Impact of meteorological factors on COVID-19 pandemic: Evidence from top 20 countries with confirmed cases. Environmental Research 191, 110101. https://doi.org/10.1016/j.envres.2020.110101

999

- Sathian, B., Asim, M., Banerjee, I., Pizarro, A.B., Roy, B., van Teijlingen, E.R., do Nascimento, I.J.B., Alhamad, H.K., 2020. Impact of COVID-19 on clinical trials and clinical research: A systematic review. Nepal J Epidemiol 10, 878–887. https://doi.org/10.3126/nje.v10i3.31622
- Schmidt, C.W., 2011. Black Carbon: The Dark Horse of Climate Change Drivers. Environ Health Perspect 119, A172–A175.
- Schraufnagel, D.E., Balmes, J.R., Cowl, C.T., Matteis, S.D., Jung, S.-H., Mortimer, K.,
  Perez-Padilla, R., Rice, M.B., Riojas-Rodriguez, H., Sood, A., Thurston, G.D., To, T.,
  Vanker, A., Wuebbles, D.J., 2019. Air Pollution and Noncommunicable Diseases: A
  Review by the Forum of International Respiratory Societies' Environmental
  Committee, Part 1: The Damaging Effects of Air Pollution. CHEST 155, 409–416.
  https://doi.org/10.1016/j.chest.2018.10.042
- Segersson, D., Eneroth, K., Gidhagen, L., Johansson, C., Omstedt, G., Engström Nylén, A., Forsberg, B., 2017. Health Impact of PM10, PM2.5 and Black Carbon Exposure Due to Different Source Sectors in Stockholm, Gothenburg and Umea, Sweden. Int J Environ Res Public Health 14. https://doi.org/10.3390/ijerph14070742
- Selcuk, M., Gormus, S., Guven, M., 2021. Impact of Weather Parameters and Population
  Density on the COVID-19 Transmission: Evidence from 81 Provinces of Turkey.
  Earth Syst Environ 5, 87–100. https://doi.org/10.1007/s41748-020-00197-z
- Seo, J., Park, D.-S.R., Kim, J.Y., Youn, D., Lim, Y.B., Kim, Y., 2018. Effects of meteorology and emissions on urban air quality: a quantitative statistical approach to

- long-term records (1999–2016) in Seoul, South Korea. Atmos. Chem. Phys. 18, 16121–16137. https://doi.org/10.5194/acp-18-16121-2018
- Shahri, M.K., Niazkar, H.R., Rad, F., 2021. COVID-19 and hematology findings based on the current evidences: A puzzle with many missing pieces. International Journal of Laboratory Hematology 43, 160–168. https://doi.org/10.1111/ijlh.13412
- Shakil, M.H., Munim, Z.H., Tasnia, M., Sarowar, S., 2020. COVID-19 and the environment:

  A critical review and research agenda. Science of The Total Environment 745,

  141022. https://doi.org/10.1016/j.scitotenv.2020.141022
- Sharma, G.D., Bansal, S., Yadav, A., Jain, M., Garg, I., 2021. Meteorological factors, COVID-19 cases, and deaths in top 10 most affected countries: an econometric investigation. Environ Sci Pollut Res. https://doi.org/10.1007/s11356-021-12668-5
- Shi, P., Dong, Y., Yan, H., Zhao, C., Li, X., Liu, W., He, M., Tang, S., Xi, S., 2020. Impact of temperature on the dynamics of the COVID-19 outbreak in China. Science of The Total Environment 728, 138890. https://doi.org/10.1016/j.scitotenv.2020.138890

1040

1041

1042

1051

1052

1053

1054

1055

1056

1057

1058

- Shukla, J.B., Misra, A.K., Sundar, S., Naresh, R., 2008. Effect of rain on removal of a gaseous pollutant and two different particulate matters from the atmosphere of a city. Mathematical and Computer Modelling 48, 832–844. https://doi.org/10.1016/j.mcm.2007.10.016
- Sil, A., Kumar, V.N., 2020. Does weather affect the growth rate of COVID-19, a study to comprehend transmission dynamics on human health. Journal of Safety Science and Resilience 1, 3–11. https://doi.org/10.1016/j.jnlssr.2020.06.004
- Singh, R.P., Chauhan, A., 2020. Impact of lockdown on air quality in India during COVID-1047

  19 pandemic. Air Qual Atmos Health 1–8. https://doi.org/10.1007/s11869-020-00863-1048
- Smola, A.J., Schölkopf, B., 2004. A tutorial on support vector regression. Statistics and Computing 14, 199–222. https://doi.org/10.1023/B:STCO.0000035301.49549.88
  - Song, S., Zhan, Z., Long, Z., Zhang, J., Yao, L., 2011. Comparative study of SVM methods combined with voxel selection for object category classification on fMRI data. PLoS One 6, e17191. https://doi.org/10.1371/journal.pone.0017191
  - Spekreijse, D., Bouma, A., Koch, G., Stegeman, A., 2013. Quantification of dust □ borne transmission of highly pathogenic avian influenza virus between chickens. Influenza Other Respir Viruses 7, 132–138. https://doi.org/10.1111/j.1750-2659.2012.00362.x
  - Steffens, I., 2020. A hundred days into the coronavirus disease (COVID-19) pandemic. Eurosurveillance 25, 2000550. https://doi.org/10.2807/1560-7917.ES.2020.25.14.2000550
- Suhaimi, N.F., Jalaludin, J., 2015. Biomarker as a research tool in linking exposure to air particles and respiratory health. Biomed Res Int 2015, 962853. https://doi.org/10.1155/2015/962853
- Suhaimi, N.F., Jalaludin, J., Latif, M.T., 2020. Demystifying a Possible Relationship between COVID-19, Air Quality and Meteorological Factors: Evidence from Kuala Lumpur, Malaysia. Aerosol Air Qual. Res. 20, 1520–1529. https://doi.org/10.4209/aaqr.2020.05.0218
- Sun, Z., Thilakavathy, K., Kumar, S.S., He, G., Liu, S.V., 2020. Potential Factors Influencing Repeated SARS Outbreaks in China. International Journal of Environmental Research and Public Health 17, 1633. https://doi.org/10.3390/ijerph17051633
- Suryadhi, M.A.H., Abudureyimu, K., Kashima, S., Yorifuji, T., 2020. Nitrogen dioxide and acute respiratory tract infections in children in Indonesia. Arch Environ Occup Health 75, 274–280. https://doi.org/10.1080/19338244.2019.1631245
- Tan, J., Mu, L., Huang, J., Yu, S., Chen, B., Yin, J., 2005. An initial investigation of the association between the SARS outbreak and weather: with the view of the

- environmental temperature and its variation. J Epidemiol Community Health 59, 186–1076 192. https://doi.org/10.1136/jech.2004.020180
- Tang, S., Mao, Y., Jones, R.M., Tan, Q., Ji, J.S., Li, N., Shen, J., Lv, Y., Pan, L., Ding, P., Wang, X., Wang, Y., MacIntyre, C.R., Shi, X., 2020. Aerosol transmission of SARS-CoV-2? Evidence, prevention and control. Environment International 144, 106039. https://doi.org/10.1016/j.envint.2020.106039
- Tellier, R., 2006. Review of aerosol transmission of influenza A virus. Emerg Infect Dis 12, 1657–1662. https://doi.org/10.3201/eid1211.060426
- Thompson, A.M., 1992. The Oxidizing Capacity of the Earth's Atmosphere: Probable Past and Future Changes. Science 256, 1157–1165. https://doi.org/10.1126/science.256.5060.1157
- 1086 Thurston, G.D., Kipen, H., Annesi-Maesano, I., Balmes, J., Brook, R.D., Cromar, K., De 1087 Matteis, S., Forastiere, F., Forsberg, B., Frampton, M.W., Grigg, J., Heederik, D., 1088 Kelly, F.J., Kuenzli, N., Laumbach, R., Peters, A., Rajagopalan, S.T., Rich, D., Ritz, 1089 B., Samet, J.M., Sandstrom, T., Sigsgaard, T., Sunyer, J., Brunekreef, B., 2017. A joint ERS/ATS policy statement: what constitutes an adverse health effect of air 1090 1091 pollution? analytical Eur Respir An framework. J 49. 1092 https://doi.org/10.1183/13993003.00419-2016
- Tien Bui, D., Pradhan, B., Lofman, O., Revhaug, I., 2012. Landslide Susceptibility
  Assessment in Vietnam Using Support Vector Machines, Decision Tree, and Naïve
  Bayes Models [WWW Document]. Mathematical Problems in Engineering.
  https://doi.org/10.1155/2012/974638
- Tobias, A., Karanasiou, A., Reche, C., Amato, F., Alastuey, A., Querol, X., 2014. Effects of black carbon on respiratory health in the city of Barcelona. European Respiratory Journal 44.
- Tosepu, R., Gunawan, J., Effendy, D.S., Ahmad, L.O.A.I., Lestari, H., Bahar, H., Asfian, P., 2020. Correlation between weather and Covid-19 pandemic in Jakarta, Indonesia. Science of The Total Environment 725, 138436. https://doi.org/10.1016/j.scitotenv.2020.138436
- Turner, M.C., Jerrett, M., Pope, C.A., Krewski, D., Gapstur, S.M., Diver, W.R., Beckerman, B.S., Marshall, J.D., Su, J., Crouse, D.L., Burnett, R.T., 2015. Long-Term Ozone Exposure and Mortality in a Large Prospective Study. Am J Respir Crit Care Med 193, 1134–1142. https://doi.org/10.1164/rccm.201508-1633OC
- Tuttle, K.R., 2020. Impact of the COVID-19 pandemic on clinical research. Nature Reviews Nephrology 16, 562–564. https://doi.org/10.1038/s41581-020-00336-9
- Urman, R., McConnell, R., Islam, T., Avol, E.L., Lurmann, F.W., Vora, H., Linn, W.S.,
   Rappaport, E.B., Gilliland, F.D., Gauderman, W.J., 2014. Associations of children's
   lung function with ambient air pollution: joint effects of regional and near-roadway
   pollutants. Thorax 69, 540–547. https://doi.org/10.1136/thoraxjnl-2012-203159
- VALAVANIDIS, A., FIOTAKIS, K., VLACHOGIANNI, T., 2008. Airborne Particulate
  Matter and Human Health: Toxicological Assessment and Importance of Size and
  Composition of Particles for Oxidative Damage and Carcinogenic Mechanisms.

  Journal of Environmental Science and Health, Part C 26, 339–362.
  https://doi.org/10.1080/10590500802494538
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M.T.D., Mazur, M., Telser, J., 2007. Free radicals and antioxidants in normal physiological functions and human disease. The International Journal of Biochemistry & Cell Biology 39, 44–84. https://doi.org/10.1016/j.biocel.2006.07.001
- Vapnik, V., Golowich, S.E., Smola, A.J., 1997. Support Vector Method for Function Approximation, Regression Estimation and Signal Processing 7.

- Vapnik, V.N., 1995. The Nature of Statistical Learning Theory. Springer New York, New York, NY. https://doi.org/10.1007/978-1-4757-2440-0
- Vautard, R., Builtjes, P.H.J., Thunis, P., Cuvelier, C., Bedogni, M., Bessagnet, B., Honoré, C., Moussiopoulos, N., Pirovano, G., Schaap, M., 2007. Evaluation and intercomparison of Ozone and PM10 simulations by several chemistry transport models over four European cities within the CityDelta project. Atmospheric Environment 41, 173–188. https://doi.org/10.1016/j.atmosenv.2006.07.039
- 1132 Venter, Z.S., Aunan, K., Chowdhury, S., Lelieveld, J., 2020. COVID-19 lockdowns cause 1133 global air pollution declines. PNAS 117, 18984–18990. 1134 https://doi.org/10.1073/pnas.2006853117
- 1135 Wang, C., Horby, P.W., Hayden, F.G., Gao, G.F., 2020a. A novel coronavirus outbreak of global health concern. The Lancet 395, 470–473. https://doi.org/10.1016/S0140-1137 6736(20)30185-9
- Wang, J., Ogawa, S., 2015. Effects of Meteorological Conditions on PM2.5 Concentrations in Nagasaki, Japan. Int J Environ Res Public Health 12, 9089–9101. https://doi.org/10.3390/ijerph120809089
- Wang, J., Yu, A., Yang, L., Fang, C., 2019. Research on Organic Carbon and Elemental Carbon Distribution Characteristics and Their Influence on Fine Particulate Matter (PM2.5) in Changchun City. Environments 6, 21. https://doi.org/10.3390/environments6020021
- Wang, M., Jiang, A., Gong, L., Luo, L., Guo, W., Li, Chuyi, Zheng, J., Li, Chaoyong, Yang,
   B., Zeng, J., Chen, Y., Zheng, K., Li, H., 2020b. Temperature significant change
   COVID-19 Transmission in 429 cities. medRxiv 2020.02.22.20025791.
   https://doi.org/10.1101/2020.02.22.20025791
- Wang, Q., Su, M., 2020. A preliminary assessment of the impact of COVID-19 on environment – A case study of China. Science of The Total Environment 728, 138915. https://doi.org/10.1016/j.scitotenv.2020.138915
- Wang, Y., Wang, Yuyi, Chen, Y., Qin, Q., 2020c. Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID-19) implicate special control measures. Journal of Medical Virology 92, 568–576. https://doi.org/10.1002/jmv.25748
- White, M.P., Alcock, I., Grellier, J., Wheeler, B.W., Hartig, T., Warber, S.L., Bone, A.,
  Depledge, M.H., Fleming, L.E., 2019. Spending at least 120 minutes a week in nature
  is associated with good health and wellbeing. Scientific Reports 9, 7730.
  https://doi.org/10.1038/s41598-019-44097-3
- Winiger, P., Andersson, A., Eckhardt, S., Stohl, A., Gustafsson, Ö., 2016. The sources of atmospheric black carbon at a European gateway to the Arctic. Nature Communications 7, 12776. https://doi.org/10.1038/ncomms12776
- Wu, J.-Z., Ge, D.-D., Zhou, L.-F., Hou, L.-Y., Zhou, Y., Li, Q.-Y., 2018a. Effects of particulate matter on allergic respiratory diseases. Chronic Diseases and Translational Medicine, Special Issue: Air Pollution and Chronic Respiratory Diseases 4, 95–102. https://doi.org/10.1016/j.cdtm.2018.04.001
- Wu, X., Nethery, R.C., Sabath, M.B., Braun, D., Dominici, F., 2020. Air pollution and COVID-19 mortality in the United States: Strengths and limitations of an ecological regression analysis. Science Advances 6, eabd4049. https://doi.org/10.1126/sciadv.abd4049
- Wu, Y., Liu, J., Zhai, J., Cong, L., Wang, Y., Ma, W., Zhang, Z., Li, C., 2018b. Comparison of dry and wet deposition of particulate matter in near-surface waters during summer. PLOS ONE 13, e0199241. https://doi.org/10.1371/journal.pone.0199241

- Wu, Z., McGoogan, J.M., 2020. Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention. JAMA 323, 1239. https://doi.org/10.1001/jama.2020.2648
- 1178 Xie, J., Zhu, Y., 2020. Association between ambient temperature and COVID-19 infection in 122 cities from China. Science of The Total Environment 724, 138201. https://doi.org/10.1016/j.scitotenv.2020.138201
- 1181 Xing, Y.-F., Xu, Y.-H., Shi, M.-H., Lian, Y.-X., 2016. The impact of PM2.5 on the human respiratory system. J Thorac Dis 8, E69–E74. https://doi.org/10.3978/j.issn.2072-1183 1439.2016.01.19
- Xu, H., Guinot, B., Ho, S.S.H., Li, Y., Cao, J., Shen, Z., Niu, X., Zhao, Z., Liu, S., Lei, Y., Zhang, Q., Sun, J., 2018a. Evaluation on exposures to particulate matter at a junior secondary school: a comprehensive study on health risks and effective inflammatory responses in Northwestern China. Environ Geochem Health 40, 849–863. https://doi.org/10.1007/s10653-017-0030-7
- 1189 Xu, X., Liu, X., Ma, S., Xu, Ya, Xu, Ying, Guo, X., Li, D., 2018b. Association of Melatonin 1190 Production with Seasonal Changes, Low Temperature, and Immuno-Responses in 1191 Hamsters. Molecules 23. https://doi.org/10.3390/molecules23030703
- Yang, G., Liu, Y., Li, X., 2020a. Spatiotemporal distribution of ground-level ozone in China at a city level. Scientific Reports 10, 7229. https://doi.org/10.1038/s41598-020-64111-3
- Yang, X., Yang, Q., Wang, Y., Wu, Y., Xu, J., Yu, Y., Shang, Y., 2020b. Thrombocytopenia and its association with mortality in patients with COVID-19. Journal of Thrombosis and Haemostasis 18, 1469–1472. https://doi.org/10.1111/jth.14848
- Yekkehkhany, B., Safari, A., Homayouni, S., Hasanlou, M., 2014. A Comparison Study of Different Kernel Functions for Svm-Based Classification of Multi-Temporal Polarimetry Sar Data. Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci. XL-2/W3, 281–285. https://doi.org/10.5194/isprsarchives-XL-2-W3-281-2014
- Yuan, J., Wu, Y., Jing, W., Liu, J., Du, M., Wang, Y., Liu, M., 2021. Non-linear correlation between daily new cases of COVID-19 and meteorological factors in 127 countries. Environ Res 193, 110521. https://doi.org/10.1016/j.envres.2020.110521
- Zhang, D., Li, Y., Chen, Q., Jiang, Y., Chu, C., Ding, Y., Yu, Y., Fan, Y., Shi, J., Luo, Y., Zhou, W., 2019b. The relationship between air quality and respiratory pathogens among children in Suzhou City. Italian Journal of Pediatrics 45, 123. https://doi.org/10.1186/s13052-019-0702-2
- Zhang, H., Wang, Y., Hu, J., Ying, Q., Hu, X.-M., 2015. Relationships between meteorological parameters and criteria air pollutants in three megacities in China. Environmental Research 140, 242–254. https://doi.org/10.1016/j.envres.2015.04.004
- Zhang, H., Wang, Z., 2011. Advances in the Study of Black Carbon Effects on Climate.
   Advances in Climate Change Research 2, 23–30.
   https://doi.org/10.3724/SP.J.1248.2011.00023
- Zhang, J., Chen, Q., Wang, Q., Ding, Z., Sun, H., Xu, Y., 2019c. The acute health effects of ozone and PM2.5 on daily cardiovascular disease mortality: A multi-center time series study in China. Ecotoxicology and Environmental Safety 174, 218–223. https://doi.org/10.1016/j.ecoenv.2019.02.085
- Zhang, J. (Jim), Wei, Y., Fang, Z., 2019a. Ozone Pollution: A Major Health Hazard Worldwide. Front. Immunol. 10. https://doi.org/10.3389/fimmu.2019.02518
- Zhang, L., Michelangeli, D.V., Taylor, P.A., 2004. Numerical studies of aerosol scavenging
   by low-level, warm stratiform clouds and precipitation. Atmospheric Environment 38,
   4653–4665. https://doi.org/10.1016/j.atmosenv.2004.05.042

- Zhang, Z., Xu, X., Qiao, L., Gong, D., Kim, S.-J., Wang, Y., Mao, R., 2018. Numerical simulations of the effects of regional topography on haze pollution in Beijing. Sci Rep 8, 5504. https://doi.org/10.1038/s41598-018-23880-8
- Zhao, Y., Richardson, B., Takle, E., Chai, L., Schmitt, D., Xin, H., 2019. Airborne transmission may have played a role in the spread of 2015 highly pathogenic avian influenza outbreaks in the United States. Scientific Reports 9, 11755. https://doi.org/10.1038/s41598-019-47788-z
- Zheng, Z., Xu, G., Li, Q., Chen, C., Li, J., 2019. Effect of precipitation on reducing atmospheric pollutant over Beijing. Atmospheric Pollution Research 10, 1443–1453. https://doi.org/10.1016/j.apr.2019.04.001
- Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu,
   R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G.F., Tan, W., 2020a.
   A Novel Coronavirus from Patients with Pneumonia in China, 2019. N Engl J Med
   382, 727–733. https://doi.org/10.1056/NEJMoa2001017
- Zhu, Y., Xie, J., Huang, F., Cao, L., 2020b. Association between short-term exposure to air pollution and COVID-19 infection: Evidence from China. Sci Total Environ 727, 138704. https://doi.org/10.1016/j.scitotenv.2020.138704
- Zoran, M.A., Savastru, R.S., Savastru, D.M., Tautan, M.N., 2020. Assessing the relationship
   between ground levels of ozone (O3) and nitrogen dioxide (NO2) with coronavirus
   (COVID-19) in Milan, Italy. Science of The Total Environment 740, 140005.
   https://doi.org/10.1016/j.scitotenv.2020.140005
- 1245 Zu, Z.Y., Jiang, M.D., Xu, P.P., Chen, W., Ni, Q.Q., Lu, G.M., Zhang, L.J., 2020. 1246 Coronavirus Disease 2019 (COVID-19): A Perspective from China. Radiology 1247 200490. https://doi.org/10.1148/radiol.2020200490