# COVID-19 vaccine hesitancy and refusal and associated factors in an adult population in Saskatchewan, Canada: Evidence from predictive modelling 3

4 5	Short title: COVID-19 vaccine hesitancy and refusal in Saskatchewan
6 7 8	Nazeem Muhajarine (ORCID: 0000-0001-6781-5421) <sup>1,2</sup> , Daniel A. Adeyinka (ORCID: 0000-0003-1855-6878) <sup>1,2</sup> , Jessica McCutcheon <sup>3</sup> , Kathryn Green <sup>4</sup> , Miles Fahlman <sup>5</sup> , Natalie Kallio <sup>1,2</sup>
9	<sup>1</sup> Department of Community Health and Epidemiology, College of Medicine, University of Saskatchewan,
10	Saskatoon, Canada
11 12 13	<ul> <li><sup>2</sup>Saskatchewan Population Health and Evaluation Research Unit, Saskatchewan, Canada</li> <li><sup>3</sup>Canadian Hub for Applied and Social Research, University of Saskatchewan, Saskatoon, Canada</li> <li><sup>4</sup>Department of Community Health and Epidemiology (retired), University of Saskatchewan, Saskatoon,</li> </ul>
14	Canada
15 16	<sup>3</sup> HACAN Consulting Ltd., Saskatoon, Saskatchewan, Canada
17 18	Corresponding author: Nazeem Muhajarine nazeem.muhajarine@usask.ca
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
3/	
38	
39	
40 //1	
+⊥ //2	
+∠ ⁄/२	
ΔΔ	
45	

# 46 Abstract

- 47 Background: A high population level of vaccination is required to control the COVID-19
- 48 pandemic, but not all Canadians are convinced of the value and safety of vaccination.
- 49 Understanding more about these individuals can aid in developing strategies to increase their
- 50 acceptance of a COVID-19 vaccine. The objectives of this study were to describe COVID-19
- 51 vaccine acceptance, hesitancy and refusal rates and associated factors in Saskatchewan, Canada.
- 52 **Methods:** This study consisted of a weighted sample of 9,252 survey responses from 7,265
- 53 Saskatchewan adults (≥18 years) between May 4, 2020 and April 3, 2021. The outcome variable
- 54 was vaccine intention: vaccine acceptance, hesitancy, and refusal. The independent variables
- 55 were layered into socio-demographic factors, risk of exposure to coronavirus, mitigating
- 56 behaviours, and perceptions of COVID-19. Data were analyzed using multinomial logistic
- 57 regression and a classification and regression tree.
- **Results:** Seventy-six percent of the respondents indicated that they had been or were willing to
- be vaccinated, 13% had not yet decided, and the remaining 11% said they would not be
- vaccinated. Factors that increased the likelihood of vaccine refusal and hesitancy were lower
- 61 education level, financial instability, Indigenous status, and not being concerned about spreading
- 62 the coronavirus. Perceiving COVID-19 to be more of a threat to one's community and believing
- that one had a higher risk of illness or death from COVID-19 decreased the likelihood of both
- vaccine refusal and hesitancy. Women and newcomers to Canada were more likely to be unsure
- about getting vaccinated. Respondents who did not plan to be vaccinated were less likely to wear
- 66 face masks and practice physical distancing.
- 67 **Conclusion:** While many Canadians have voluntarily and eagerly become vaccinated already,
- reaching sufficient coverage of the population is likely to require targeted efforts to convince
- 69 those who are resistant or unsure. Identifying and overcoming any barriers to vaccination that
- 70 exist within the socio-demographic groups we found were least likely to be vaccinated is a
- 71 crucial component.
- *Keywords: Coronavirus; COVID-19; Vaccine; Vaccine hesitancy; Vaccine refusal; Machine learning; Saskatchewan*
- 74 75 76 77 78

# 79 Introduction

Globally, the coronavirus disease 2019 (COVID-19) caused by the novel severe acute respiratory

syndrome coronavirus 2 (SARS-CoV-2) has caused illness and death in more people than any

other pandemic in the last hundred years. As of June 4 2021, nearly 172 million people had been

83 infected, while 3.7 million had died worldwide.<sup>1</sup> As Canada continues its efforts to bring the

pandemic under control, 1.4 million people have been infected (3,625 per 100,000 population),

with 25,679 (67.5 per 100,000 population) COVID-19 related deaths.<sup>2</sup> Residents of the province

of Saskatchewan are among those disproportionately affected by COVID-19 in Canada.<sup>2</sup> In the

first week of June 2021, Saskatchewan had 110 active cases per 100,000 populations, ranking

third on the Canadian league table.<sup>2</sup> Furthermore, 46 out of 100,000 Saskatchewan residents have

 $died from COVID-19.^2$ 

90 Biomedical prevention methods such as vaccinations (when combined with socio-behavioral

91 measures) have been highly effective in controlling communicable diseases, including the

92 eradication of smallpox and polio. Successful COVID-19 vaccination campaigns will save

millions of lives and gradually enable communities to reopen and return to some form of their

94 pre-COVID states. While the exact percentage of the population that must be vaccinated to reach

herd immunity is being debated, <sup>3</sup> estimates have benchmarked 60-80%.<sup>4-6</sup> However, with the

96 emergence of new strains of SARS-CoV-2, that number may rise to as high as 85-90% of the

97 population, with some questioning whether it is even possible to achieve herd immunity now.<sup>7,8</sup>

As of May 29, 2021, 56.78% of Canadians had received at least one vaccine dose, while only

99 5.7% were fully vaccinated.

100 Evidence supporting COVID-19 vaccine safety and cost-effectiveness is mounting,<sup>9,10</sup> yet

vaccine hesitancy and refusal continue to pose significant roadblocks to attaining herd-immunity

102 level coverage. The Strategic Advisory Group of Experts on Immunization (SAGE) defines

103 vaccine hesitancy as "delay in acceptance or refusal of vaccines despite availability of

services".<sup>11</sup> In this paper, we use the term "vaccine hesitancy" to describe individuals who were

105 unsure whether they would be vaccinated and "vaccine refusal" to denote complete rejection of

vaccination. Different intervention approaches will be necessary for these two groups. For

107 example, social influencers and clear messaging about safety may help clear the doubts and

108 concerns about vaccination among hesitant groups, whereas stronger incentives or mandates may

be required for who refuse to be vaccinated. For these reasons, there is sustained interest in

110 understanding the psycho-socio-behavioral factors which impact vaccine hesitancy and refusal.

111 Literature on COVID vaccine intentions remains limited in Canada with other studies focusing

112 on healthcare workers,<sup>12</sup> or limited to descriptive results<sup>13,14</sup> or qualitative assessment.<sup>15</sup> In a

113 Canada-wide survey conducted during the vaccine testing and approval stages, 75% of

114 Canadians expressed willingness to receive a COVID-19 vaccine.<sup>13</sup> The main reasons for

vaccine hesitancy identified by this survey were lack of confidence in vaccine safety (54.2%)

and fear of side-effects (51.7%).<sup>13</sup> Much lower acceptance rates were found in polls conducted

pre-vaccine rollout by the Angus Reid Institute (66%)<sup>16</sup> and BEworks (63%).<sup>17</sup> Patterns of

vaccine hesitancy and refusal have changed after vaccine rollout began in Canada. According to

119 Angus Reid Institute, there have been declining trends in vaccine hesitancy and refusal—53% of

- adults reported receipt of first dose of vaccine, while another 29% would like to be vaccinated.<sup>18</sup>
- 121 In a qualitative study which examined 3915 tweets from Canadian Twitter users, the major
- reasons for vaccine hesitancy were described as safety concerns, conspiracy theories,
- misinformation, and doubts about the credibility of pharmaceutical companies.<sup>15</sup>
- 124 Our study contributes to a fast-moving knowledge base that has been dominated by polling data.
- 125 We sought to identify a broad range of factors associated with COVID-19 vaccine
- readiness/receipt, hesitancy, or refusal in Saskatchewan, using a mix of probability-based and
- 127 convenience sampling. The findings from this study are expected to guide and inform policy
- makers, governments, health experts, and media in driving successful COVID-19 immunization
- 129 campaigns.
- 130

# 131 Materials and methods

## 132 Study setting

- 133 Saskatchewan is a landlocked province in Western Canada that is bordered on the south by the
- 134 United States, west by Alberta, north by Northwest Territories, east by Manitoba, and northeast
- by Nunavut. In the first quarter of 2021, Saskatchewan's population was estimated at 1.2 million,
- translating to 3.1% of Canadian inhabitants.<sup>19</sup> More than half of Saskatchewan residents live in
- the southern prairie, especially the largest city (Saskatoon) and capital city (Regina). The
- 138 northern part of the province is sparsely populated. Currently, Saskatchewan accounts for 13.3%
- 139 of the Indigenous population in Canada.<sup>20</sup>
- 140

# 141 Study sample and design

This prospective panel study included 9,252 responses collected from 7,265 Saskatchewan adults (18 years and older) between May 4, 2020 and April 3, 2021 in the Social Contours and COVID-19 Project. The purpose of the parent study is, briefly: 1) Collect behavioural, perceptual, social, and place-based data (i.e., how we act, think, interact, and move); 2) Assign a COVID-19 risk

- 146 level to people and places, over time; 3) Identify lower- and higher-risk regions in the province
- of Saskatchewan; and 4) Communicate this information to public health officials and the general
- 148 public. The hybrid sample included participants from an online panel of Saskatchewan adults
- 149 (the Community Panel), originally enrolled through a probability sampling of landlines and
- 150 mobile lines accessed through random digit dialing (RDD) and volunteer participants recruited
- 151 monthly via an online survey platform, managed by the Canadian Hub of Applied and Social
- 152 Research at the University of Saskatchewan in Saskatoon. The sample was estimated to achieve
- 153  $a \pm 3.1\%$  margin of error. To ensure data representativeness, samples were weighted by age,
- 154 gender, and location of residence within Saskatchewan using 2016 Canadian Census data.
- 155

## 156 Ethics

- 157 The study protocol was reviewed and approved by the University of Saskatchewan Ethics Board
- (Beh-1971). The Social Contours study was conducted in accordance with the 2018 Tri-Council
- 159 Policy Statement for the Ethical Conduct for the Research involving Humans (article 2.5).
- 160

## 161 Variables

- 162 The outcome of interest was COVID-19 vaccine intention. Respondents who had already been
- vaccinated or intended to be vaccinated were termed "vaccine ready" and constitute the reference
- 164 category. Those who said they "didn't know yet" whether they would get vaccinated were
- 165 categorized as "vaccine hesitant" and those who indicated they would not get vaccinated were
- 166 referred to as "refused vaccine."
- 167 Based on a priori importance to the outcome variable and evidence from the literature and
- theoretical focus of this study, we included a large number of independent variables, of the
- 169 following types: socio-demographic factors, risk of exposure to SARS-CoV-2, mitigating
- behaviours, and perceptions of COVID-19. Table 1 lists all the variables entered into the model.
- 171

Category	Variables
Socio-demographic	Age (year born; then grouped $\leq 49, 50-64, \geq 65$ yrs)
	Gender (men, women)
	Employment status (grouped: employed, unemployed/retired)
	Educational level (advanced/professional degree, completed
	diploma/certificate or bachelor's degree, some college or university, no
	formal/some/completed secondary)
	Perceived financial security (grouped: secure, not secure)
	<b>Place of residence</b> (6-digit postal code; then grouped: rural, mid-sized town/city, large cities)
	<b>Immigration status</b> (born in Canada, born outside Canada, here >=20 years, born outside Canada, here <20 years)
	<b>Indigenous status</b> (North American Indigenous, non-indigenous)
	<b>Household composition</b> (live alone, live with only adults, live with only
	children, live with both adults and children)
Exposure risk level	<b>Risk level of places visited during preceding week</b> (grouped into low, moderate, high based on high circulation, closed places, e.g., bars,
	restaurants, fitness centres)
	Number of close contacts (with people not in household, unmasked, not
	distancing) x duration of contact
	Perceived risk of exposure at work (grouped into low, moderate, high)
	<b>Extent of contact with others while working/volunteering</b> (grouped: low, moderate, high)
	<b>Frequency of in-person grocery shopping</b> (grouped: low, moderate, high)
	Household density (ratio of residents to bedroom)
	Travel outside province since start of pandemic (yes, no)
Mitigating factors	Frequency of face mask use when inside building other than home
	(grouped Adhering: all/most/some of the time, Non-adhering: little or never) <b>Physical distancing when inside building other than home</b> (grouped
	Adhering: all/most/some of the time, Non-adhering: little or never)
	<b>Current health status</b> (self efficacy grouped into poor/fair, moderate, good, very good/excellent)

172 Table 1. Independent variables included in statistical analyses.

	Being tested for COVID-19 (yes, no)
Perceptions	Adequacy of provincial government's response to pandemic (strongly/somewhat agree, neither agree nor disagree, strongly/somewhat disagree)
	Degree to which others are following public health recommendations (strongly/somewhat agree, neither agree nor disagree, strongly/somewhat disagree) Size of threat posed by COVID-19 to one's community (very small, fairly
	small; very big, fairly big) <b>Likelihood of becoming infected in the next week</b> (not at all, somewhat/fairly/very likely)
	<b>Perceived severity of consequences should one become infected</b> (would not get very sick at all, develop mild to moderate disease, get very sick, likely to die)
	<b>Concern about spreading virus to others if infected</b> (very concerned, somewhat concerned, slightly/hardly concerned at all)

173

## 174 Statistical analyses

175 We modelled the relationship between vaccine intentions, sociodemographic characteristics, risk

176 exposure behaviours, mitigating factors against COVID-19 and perceptions of the pandemic

using both a conventional statistical approach (i.e., multinomial logistic regression) and

178 predictive machine learning algorithm (i.e., classification and regression tree (CART), otherwise

179 known as decision tree). We used the predictive machine learning approach to visually depict the

180 hierarchical relationships between our outcome of interest and the predictors, and among the

181 predictors in a multidimensional space. This approach also validates the findings of the

182 multinomial regression because CART is more robust when dealing with skewed data,

183 multicollinearity, multilevel interaction, outliers, non-linear distribution, and missing values.<sup>21</sup>

184 Data quality checks were ensured before modelling.

185 **Multinomial logistic regression:** To assess multicollinearity among the candidate variables, the

186 mean variance inflation factor (VIF) was computed. With a mean VIF of 1.24, multicollinearity

187 was not a threat to internal validity. Using a stepwise and backward selection approach, we

initially fitted a full (saturated) multivariate multinomial logistic regression model which

adjusted for the confounding effects of covariables and determined the main effects of the

190 predictor variables on vaccine intentions. To avoid over- or under-fitting, a p-value of  $\leq 0.2$  was

191 used to select candidate variables for retention in the parsimonious model. Model performances

192 were assessed with adjusted R-squared, Akaike information criterion (AIC), Bayesian

193 information criterion (BIC) and log likelihood. Self-reported level of exposure at work was not

included as a variable, because it was limited to only those working outside their homes; that is,

it excluded those who were working from home or were unemployed. The most parsimonious

196 model with the lowest predictive errors excluded current work/volunteering situation, level of 197 exposure at recent places visited, and being tested for SARS-CoV-2. Adjusted relative risk ratios

(aRRR) and 95% confidence intervals (CI) were used to estimate the strength of association. The

statistical significance level of association was set at p<0.05, two-tailed. The multinomial

regression model was implemented in Stata<sup>TM</sup> version 16.1.<sup>22</sup>

201 **Classification and Regression Tree:** Given the predictive capacity of machine learning and its

- limited application in population health research,  $^{23}$  a decision tree analysis was conducted in
- SAS JMP<sup>TM</sup> version 16.0 (SAS Cary, NC, USA) to complement and validate the multinomial
- regression models.<sup>24</sup> The plurality of methods gives more confidence to the study findings. Using
- all the candidate independent variables (see above, Variables), the growing method for CART
- was a recursive partitioning based on LogWorth statistic (i.e., negative log of adjusted p-value
   for Chi-squared statistic) and G-squared statistic (i.e., likelihood ratio Chi-squared). The
- LogWorth statistic and G-squared statistic were used in splitting the tree at the optimal split
- points. A parsimonious model was fitted with five depths tree, 11 nodes, of which six nodes were
- leaves (i.e., terminal nodes). Out the 9252 responses, 7402 (80%) were randomly assigned to a
- training set and 1850 (20%) to a validation set for the purpose of externally validating the
- decision tree model. The model-fit was assessed with area under the receiver operating
- characteristics (AUROC) curve, lift curve, root average squared error (RASE), and generalized
- 214 R-squared.
- 215

# 216 **Results**

217 The general characteristics of respondents are shown in Table 2. The average age was 55 years

(interquartile range (IQR): 42-65 years); 75.74% were women, 92.66% were born in Canada, and

72.54% had at least a technical diploma or certificate. Overall, 76.13% of the respondents

reported being vaccinated or willing to get a COVID-19 vaccine, while 13.3% were unsure and

10.56% refused to be vaccinated.

222

		Vaccine	Vaccine	Refused
Variables	Overall	Ready	hesitant	vaccine
	n (%)	n (%)	n (%)	n (%)
Overall	9252 (100)	7044 (76.13)	1231 (13.3)	977 (10.56)
Socio-demographic				
Age (years)				
<=49	3680 (39.78)	2691 (73.11)	517 (14.05)	473 (12.84)
50-64	3058 (33.05)	2340 (76.53)	402 (13.15)	316 (10.32)
>=65	2514 (27.17)	2013 (80.07)	312 (12.4)	189 (7.53)
Gender				
Men	2213 (24.26)	1721 (77.77)	189 (8.56)	303 (13.67)
Women	6908 (75.74)	5256 (76.08)	1004 (14.53)	649 (9.39)
Education				
Advanced/professional degree	2538 (27.44)	2208 (87)	219 (8.64)	111 (4.36)
Completed diploma/certificate or				
bachelor's degree	4455 (48.15)	3333 (74.8)	616 (13.83)	506 (11.36)
Some college or university	1164 (12.58)	803 (68.98)	211 (18.09)	151 (12.93)
No formal/some/completed secondary	1095 (11.83)	700 (63.95)	185 (16.89)	210 (19.16)
Place of residence				
Mid-sized town/city	1099 (12.15)	790 (71.89)	187 (16.99)	122 (11.12)
Regina	1828 (20.21)	1469 (80.38)	215 (11.77)	144 (7.85)
Rural	2733 (30.21)	1879 (68.73)	428 (15.66)	427 (15.61)
Saskatoon	3387 (37.44)	2779 (82.04)	365 (10.79)	243 (7.17)

Table 2. Characteristics of respondents and vaccine intention rates in Saskatchewan, Canada.

Immigration status				
Born in Canada	7763 (92.66)	5806 (74.8)	1156 (14 89)	801 (10 31)
Born outside Canada: here $>20$ years	435 (5 19)	351 (80 64)	38 (8 77)	46 (10 59)
Born outside Canada; here $\leq 20$ years	180(2.15)	117 (65 18)	40(22.08)	(10.5)
Indiaenous status*	100 (2.15)	117 (05.10)	40 (22.00)	25 (12.74)
No	8063 (06 24)	6087 (75 40)	1171 (14 52)	805 (0.08)
NO Vos	3003(90.24) 315(3.76)	188(50.55)	11/1(14.32) 63 (10.03)	603(9.98)
Tes Frankouwant status	515 (5.70)	100 (39.33)	03 (19.93)	03 (20.32)
Employment status	5762 (56 99)	2054 (75.14)	726 (12.9)	582 (11.06)
Employed Unamployed/ratired	3203(30.66) 3000(43.12)	3934(73.14) 2000(77.44)	720 (13.6) 505 (12.64)	362(11.00) 306(0.01)
	3990 (43.12)	5090 (77.44)	303 (12.04)	390 (9.91)
Financial security	7524 (91.22)	5006 (70 69)	974(11.62)	(54(97))
Secure (A little/somewnal/absolute)	1728 (19.67)	5990 (79.08) 1048 (60.66)	8/4 (11.02)	034(8.7)
Not secure (A fittle/somewhat/absolute)	1/28 (18.07)	1048 (00.00)	557 (20.04)	525 (18.7)
Household composition	1500 (17 20)	1002 (75.04)	207 (12.06)	190 (11 0)
Live alone	1599 (17.29)	1203 (75.24)	207 (12.96)	189 (11.8)
Live with only adults	4806 (51.94)	3795 (78.95)	611 (12.72)	400 (8.33)
Live with only children	264 (2.85)	179 (67.94)	45 (17.19)	39 (14.88)
Live with both adults and children	2583 (27.92)	1867 (72.27)	367 (14.21)	349 (13.52)
Risk of exposure to COVID-19				
Risk level of places visited				
Low risk	540 (5.84)	459 (85.04)	39 (7.18)	42 (7.79)
Moderate risk	3606 (38.97)	2902 (80.49)	428 (11.86)	276 (7.65)
High risk	5106 (55.19)	3682 (72.11)	765 (14.97)	659 (12.91)
Number of close contacts				
Low risk	2884 (35.83)	2272 (78.78)	221 (7.68)	391 (13.54)
Moderate risk	2541 (31.57)	1963 (77.23)	201 (7.90)	378 (14.87)
High risk	2634 (32.6)	1747 (66.57)	485 (18.49)	392 (14.94)
Shopping for groceries				
Low risk	572 (6.3)	514 (89.76)	36 (6.31)	22 (3.92)
Moderate risk	6402 (70.57)	4972 (77.67)	856 (13.38)	573 (8.95)
High risk	2098 (23.13)	1413 (67.33)	316 (15.03)	370 (17.63)
Extent of contact with others while				
working/volunteering				
Low risk	5055 (60.33)	3890 (76.95)	692 (13.69)	473 (9.36)
Moderate risk	1504 (17 95)	1095 (72.81)	252 (16 74)	157 (10 44)
High risk	1819 (21.71)	1290 (70.89)	290 (15.94)	240 (13.16)
Travel outside province since start of	1017 (2111)		270 (1017 1)	2.0 (10110)
pandemic				
Yes	3326 (42.03)	2503 (75.25)	453 (13.62)	370 (11.12)
No	4586 (57.97)	3374 (73 57)	742 (16 18)	470 (10.25)
Household density	1000 (01191)	5571(75157)	7.12 (10.10)	170 (10.25)
More than one bedroom per person	1570 (16.96)	1042 (66 41)	221 (14.06)	307 (19 53)
One bedroom per person	2589 (27.98)	2050 (79.2)	340(13.13)	198 (7.66)
Less than one bedroom per person	5094 (55.06)	2050 (77.2)	670 (13.15)	178 (7.00)
Mitigating factors	5094 (55.00)	5951 (77.57)	070 (13.10)	473 (9.27)
Face mask use				
Compliant (all/most/some)	6680 (82.22)	5227 (70.0)	057(14.22)	296 (5 77)
Not compliant (little/none)	1246(16.77)	5557(79.9)	937(14.33) 224(17.41)	360(3.77)
Social distancing	1340(10.77)	0+7 (40.17)	234 (17.41)	+03 (34.4)
Compliant (all/mast/aama)	7402 (02 15)	5718 (77.22)	1111 (15)	575 (776)
Not compliant (little/game)	1403 (92.13)	3/18(77.23)	1111(15)	3/3(1.10)
Not compliant (little/none)	031 (7.85)	203 (42.02)	94 (14.97)	2/1 (43)
Current health status	2124 (22.07)	1(00 (75 20)	200 (12 1)	246(11.52)
Poor/fair	2134 (23.07)	1609 (75.38)	280 (13.1)	246 (11.52)
Good	3106 (33.57)	2392 (77)	485 (15.62)	229 (7.38)
Very good/ excellent	4012 (43.36)	3043 (75.86)	466 (11.62)	502 (15.52)

Being tested for COVID-19				
Yes	1966 (21.31)	1604 (81.55)	243 (12.37)	119 (6.07)
No	7261 (78.69)	5417 (74.6)	987 (13.59)	857 (11.81)
Perceptions				
Prov. gov't is taking steps needed to stop				
viral spread				
Strongly/somewhat agree	4587 (52.21)	3456 (75.35)	703 (15.32)	428 (9.32)
Neither agree nor disagree	794 (9.03)	431 (54.27)	110 (13.89)	253 (31.85)
Strongly/somewhat disagree	3405 (38.76)	2759 (81.02)	379 (11.13	268 (7.86)
People around me follow public health				
recommendations				
Strongly/somewhat agree	5937 (64.17)	4657 (78.44)	750 (12.63)	530 (8.92)
Neither agree nor disagree	485 (5.24)	257 (53.08)	59.13 (12.20)	168 (34.72)
Strongly/somewhat disagree	2831 (30.59)	2129 (75.23)	422 (14.9)	280 (9.87)
Threat of COVID-19 to community				
Very/fairly small	2817 (33.62)	1496 (53.11)	560 (19.89)	761 (27.01)
Very/fairly big	5561 (66.38)	4779 (85.93)	674 (12.12)	109 (1.96)
Likelihood of becoming infected in next				
week				
Not at all	6009 (71.73)	4432 (73.76)	836 (13.91)	741 (12.34)
Somewhat/fairly/very likely	2369 (28.27)	1842 (77.77)	398 (16.81)	128 (5.41}
Anticipated consequences of infection				
Would not get very sick at all	1405 (15.18)	751 (53.45)	201(14.31)	453 (32.24)
Would develop mild to moderate disease	4900 (52.96)	3825 (78.06)	666 (13.6)	409 (8.34)
Would get very sick	2483 (26.85)	2097 (84.42)	292 (11.75)	95 (3.83)
Likely to die	464 (5.01)	371 (80.06)	72 (15.47)	21 (4.47)
Concern about spreading infection if				
infected				
Very concerned	6658 (79.47)	5418 (81.37)	945 (14.19)	295 (4.44)
Somewhat concerned	1066 (12.73)	651 (61.06)	173 (16.25)	242 (22.69)
Slightly/hardly concerned at all	654 (7.80)	206 (31.45)	116 (17.71)	332 (50.83)

\*Indigenous persons originating from North America included First Nations, Inuit, Métis, and others.

## 225 **Predictors of vaccine acceptance**

226 Multinomial logistic regression modeling found several sociodemographic variables to be associated with

refusing vaccination, being unsure, or both (see Fig 1 for adjusted relative risk ratios (aRRR) and 95%

228 confidence intervals (CI)). Financially insecure respondents were more likely to refuse to be vaccinated or

to be unsure. Education level was strongly associated with vaccine intentions: respondents who had less

than an advanced or professional degree were much more likely to refuse vaccination or be unsure.

Respondents who self-identified as Indigenous were 2.4 times as likely to refuse vaccination and 1.7

- times as likely to be unsure.
- 233 Gender was related to vaccine hesitancy but not refusal, with women more likely to be hesitant than men.

Similarly, being born outside Canada and living in the country for <20 years was associated with a greater

235 likelihood of vaccine hesitancy, but not refusal. Compared with respondents residing in mid-sized towns

or cities, Saskatoon residents were less likely to refuse vaccination. Respondents living only with other

adults were less likely to be vaccine refusers than respondents living alone.

- 238 Only one exposure risk was predictive of vaccine intentions: Respondents with moderate or high risk
- 239 levels for coronavirus exposure related to grocery shopping were more likely to be unsure about getting
- 240 vaccinated.

In terms of mitigating behaviours, vaccine refusers were less likely to wear face masks and to sociallydistance.

- 243 Several perceptions were associated with vaccine intentions. Respondents who neither agreed nor
- 244 disagreed that the government was taking the right steps to stop the spread of the virus and that people
- around them were following public health recommendations were more likely to refuse to be vaccinated,
- compared to those who agreed with these statements.

247 Respondents' degree of concern that they could spread the virus to others were they to become infected

248 was positively associated with vaccine acceptance. Compared to respondents who were very concerned

about spreading the infection, those who were "somewhat concerned" were 2.7 times more likely to

250 refuse vaccinations and those who reported "slight concern" were 7.4 times more likely. Respondents

who reported "slight concern" about spreading the coronavirus to others were 2.5 times more likely to be

- unsure about vaccination, compared to respondents who reported being "very concerned."
- 253 Respondents' beliefs about the threat posed by COVID-19 to their community and to themselves
- 254 personally were also associated with the likelihood of getting vaccinated. Respondents who perceived
- 255 COVID-19 as a fairly or very big threat were 86% less likely to refuse vaccination), and 57% less likely
- to be unsure compared to those who believed the threat was fairly or vary small. Compared with
- respondents who believed they would not get very sick at all if they contracted the virus, the likelihood of
- vaccine refusal was 50% lower among those who felt they would develop mild to moderate symptoms,

259 65% lower among those who believed they would get very sick, and 70% lower among those who

- believed they would likely die. Those who believed they were likely to be very sick were less likely to be
- unsure about getting vaccinated, compared to those who believed they would not get sick.
- 262 263

#### [Insert Fig 1 here]

- Fig 1. Adjusted relative risk ratios for the determinants of COVID-19 vaccine readiness in Saskatchewan,
  Canada. Color code: black (reference), green (protective effect on vaccination), red (harmful effect on
  vaccination), and purple (not statistically significant)
- 267 268

#### [Insert Fig 2 here]

- Fig 2. Decision tree model for COVID-19 vaccine intentions in Saskatchewan, Canada.
- 271

269

## 272 Classification and regression tree

In the root node of the decision tree, 76.88% of respondents had already been or intended to be vaccinated

274 ("vaccine ready"), 10.95% refused, and 12.18% were unsure (Fig 2). The first determining factor (first-

- level node) of COVID-19 vaccine intent in Saskatchewan was the level of perceived threat of the
- pandemic in the community (column contribution=0.4428, G<sup>2</sup>-statistic=913.57) (Table 3). Table 3 shows
- 277 each successive determining factor, in descending order of contribution or importance.
- Among those who perceived COVID-19 as a small threat to their community, 55.49% were vaccine
- ready, 24.7% refused, and 19.81% were unsure (LogWorth=100.59, G<sup>2</sup>-statistic=4649.64). In contrast,
- among those who perceived the pandemic to be a serious threat, 86.94% were vaccine ready, while only
- 4.47% refused and 8.58% were unsure (LogWorth=82.62, G<sup>2</sup>-statistic=4691.23).
- 282 The best discriminator for the perceived small threat to the community was personal concern about
- spreading the virus to others if infected. Out of the respondents who perceived COVID-19 to be a small
- threat, 63.35% of those who were concerned about transmitting the virus if infected were vaccine ready,

15.74% refused and 20.91% unsure. In contrast, more than half of those who were not concerned about

transmitting the virus were vaccine refusers (63.11%), while less than 21.81% were vaccine ready and

287 15.08% were unsure.

288 Compliance with face mask wearing was the major discriminator of placement in the group of

respondents who perceived COVID-19 as a big threat. Among those who perceived COVID-19 as a big

- threat and complied with mask wearing, 83.61% were vaccine ready, 14.76% refused, while 1.61% were
- unsure. Surprisingly, 87.79% of those people who were less compliant with mask wearing were also
- vaccine ready, with vaccine refusers and those who were unsure making up 1.84% and 10.37%,
- respectively. The determining factor for vaccine intentions in the group that complied with mask wearing
- was compliance with social distancing measures. Financial stability determined the splitting of people in
- 295 the non-compliant mask wearing group. Over 80% of the vaccine ready group who reported compliance 296 with social distancing measures were also wearing masks consistently, but 9.96% refused and 1.17% were
- hesitant. On the other hand, 0.87% of the vaccine ready group that reported non-compliance with social
- 298 distancing measures were consistently wearing masks, and 99.13% refused a vaccine. In the group that
- did not comply with mask wearing but were financially stable, 91.07% were vaccine ready, 1.02%
- refused and 7.9% were hesitant. Among those who were non-compliant to mask wearing and not
- financially stable, 70.08% were vaccine ready, 6.23% refused and 23.68% were hesitant.
- 302 Overall, respondents who perceived a greater threat of COVID-19 to the community were more likely to
- be vaccinated but individual concerns about viral transmission to others was also critical. For those who
- 304 perceived a lesser COVID-19 threat, financial stability played a prominent role, with financially stable
- 305 people having more inclination towards vaccines.

306

307	Table 3. Column	contributions	of independent	variables in	CART model
-----	-----------------	---------------	----------------	--------------	------------

Variable	Number of Splits	G^2	Contributions	Portion
Perceived threat of pandemic	1	913.566238		0.4428
Concerns about spreading COVID	1	401.256045		0.1945
Facemask wearing	1	330.763148		0.1603
Social distancing	1	236.898681		0.1148
Financial stability	1	180.772692		0.0876

308

# 309 Model validation

Based on the AIC and BIC values from the multinomial regression, the parsimonious model fitted better than the full (saturated) model. The AIC values were 5732.91 and 5736.37 for the parsimonious and full

models, respectively. Also, BIC was much lower (6272.87) for the parsimonious model, compared to

- 313 6316.72 for the full model. The adjusted R-squared showed that 24.96% of the variations in the outcome
- variable was explained by the independent variables in the final parsimonious model. However, the
- AUROC curve for vaccine acceptance was 0.78, translating to sensitivity and specificity rates of 79.54%
- and 28.92%, respectively.
- For CART, the AUROC curves for vaccine acceptance in the training set was 0.77 (translating to
- sensitivity rate of 98.36% and specificity rate of 18.51%), and validation set was 0.71 (translating to
- sensitivity rate of 98.78% and specificity rate of 18.49%). The similar patterns of AUROC curves and lift
- 320 curves for training and validation sets suggest that the tree model did not overfit the data. Also, the
- training RASE (0.423) was relatively lower than validation RASE (0.4433), further confirming that

training dataset fits better than the validation set. Similar to multinomial regression model, the proportion of variance explained by the tree model was 23.24%.

# 324 **Discussion**

Using two different modelling techniques (i.e., conventional statistical and machine learning approaches)

326 give more confidence to the study findings. This study uncovered factors associated with COVID-19

327 vaccine intentions in Saskatchewan, Canada. Both multinomial regression and CART models showed

328 good sensitivity (i.e., ability to correctly identify people who reported willingness to be vaccinated) but

poor specificity (i.e., ability to correctly identify people who were hesitant or refused vaccines). We

330 observed that sensitivity was higher for the CART model, however, the multinomial regression model had

higher specificity. The findings from these analytical methods converged.

Overall, our sample had a vaccine acceptance rate of 76%, while one in ten did not intend to be

vaccinated, and another 13% had not yet decided. The percentage accepting vaccination is very similar to

that of Canada overall  $(76.9\%)^{13}$ , the United Kingdom  $(71.1\%)^{25}$  and France  $(77.6\%)^{26}$ . Countries with

higher vaccination acceptance rates include Ecuador  $(97\%)^{27}$  and China  $(91.3\%)^{28}$ , while others, notably

the United States  $(67\%)^{29}$  and Australia  $(59\%)^{30}$ , are lower.

Respondents who said they would not get vaccinated and those who were unsure shared several

important characteristics. They tend to have lower education levels and are more likely to be financially

insecure and Indigenous than those who have been or plan to be vaccinated. They also share some key

beliefs: that the pandemic is not a big threat to their community, that they are unlikely to become ill

341 should they get infected, and that the possibility of spreading the virus to others is not concerning.

342 These findings suggest some direction for efforts to increase vaccine acceptance. First, extra effort must

be made to reach the demographic groups that are least likely to seek vaccination on their own, by

working with organizations and agencies that have already established good relationships with these

population sectors to provide information, role modelling, and where feasible, access to vaccines. The

vaccination rollout amongst Indigenous residents of Saskatchewan to date is an example of the difference

347 such an approach can make. Indigenous people tend to be at greater risk of severe COVID-19 infection

348 and they also tend to be less trusting of the healthcare system and government initiatives. Delivery of 349 vaccines to Indigenous communities as well as Indigenous people living away from their communities

has been prioritized and planned and led by First Nations and Métis partners, supported by the federal

351 government through Indigenous Services Canada (ISC). Several Indigenous organizations have set up

their own vaccine clinics in partnership with the provincial health authority and ISC, focusing on

353 providing a safe cultural space and removing barriers such as lack of transportation.<sup>31,32</sup>

First Nations and the Metis Nation have also used a variety of communication channels including social

media and radio to encourage their members to get vaccinated in order to protect their community. Elders

have played a central role as early adopters of vaccines, providers of cultural support, and translators.<sup>33</sup>

While vaccine administration is still underway, as of the time of writing, uptake among Indigenous people in Saskatchewan appears to be much better than expected.<sup>34,35</sup>

Another socio-demographic characteristic we found to be associated with a higher likelihood of refusing

360 vaccination or being hesitant is financial insecurity (self-assessed). The pandemic has shone a spotlight on

361 health inequities in Canada, with higher rates of infection in many low-income areas.<sup>36</sup> In addition, the

362 restrictions of economic activity imposed during the pandemic have increased financial instability for

363 many people, with those who were already on lower incomes more likely to be affected.<sup>37</sup> Now, reports

suggest that people living in low-income neighbourhoods are less likely to be vaccinated.<sup>38</sup> While this 364 may in part reflect the less positive views of vaccination we found among people experiencing financial 365 366 instability, it is also important to consider and remove barriers to accessing vaccination. For example, 367 many vaccinations have been provided in Saskatoon and Regina at drive-through clinics that require 368 individuals to have a vehicle and time to wait in a long line. Even finding out how and where to get 369 vaccinated can be more challenging for those with fewer financial means, especially as the options have 370 become more complicated. Individuals who are determined to get vaccinated whatever it takes have 371 shown great tenacity in achieving their goal but for others, vaccination must be made much easier to access. Those who are unsure about the safety and value of vaccination could be easily dissuaded if their 372 373 initial attempts to find an appointment are unsuccessful. Moreover, even some who said they would get 374 vaccinated may give up if the challenges are too great, especially if their lives are filled with other 375 challenges. Innovative strategies such as mobile or pop-up clinics that take the vaccines to where people 376 who need them are, combined with the opportunity to have questions answered in plain language, are 377

likely what will be required.

Understanding the differences between these two groups-those who refuse to get vaccinated and those 378

who are hesitant—rather than lumping them together as "anti-vaxxers" is also important. <sup>35</sup> We found that 379

380 those who refuse vaccines (but not those who are unsure) are less likely to report wearing a face mask and

381 physically distancing. This is troubling. If sufficient numbers of Saskatchewan residents refuse to be 382

vaccinated, and these individuals are also unwilling to follow public health measures that reduce viral spread, the risk remains that SARS-CoV-2 will continue to circulate, especially as the province "re-

383

384 opens" and more transmissible variants become dominant.

To maximize the likelihood of achieving herd immunity, in the absence of government-mandated 385

386 vaccination, the 'vaccine refusal' group needs to be kept as small as possible. Individuals who are unsure

387 about vaccination are likely more open to education and influence regarding the safety and value of being

388 vaccinated than "anti-vaxxers" and efforts to convince them to get vaccinated are therefore likely to yield

389 greater results. Our finding regarding gender differences illustrates the fluidity in vaccine intentions:

390 Women in our survey were more likely to be unsure about vaccination, but not more likely to refuse to be

391 vaccinated. As Saskatchewan's vaccination program has continued to be implemented, however, more

392 women have been vaccinated than men in every age group, indicating that whatever hesitancy we found

among women was overcome by the time they were eligible for vaccination.<sup>39</sup> 393

394 The other demographic group in which we found a tendency to be unsure about vaccination is newcomers

395 to Canada (less than 20 years in the country). Data on vaccine acceptance by immigration status is not

396 available, but this finding suggests it would be prudent to work with settlement agencies and other

397 organizations serving newcomers to make sure they have good access to the information they need to

398 address any concerns about vaccination and that vaccination is available somewhere they can easily get to

399 and feel comfortable in. Ideally this would include materials in the language they are most comfortable

400 with, opportunities to have questions answered by someone they trust who is knowledgeable, and

encouragement and reassurance from those within their community who have already been vaccinated. 401

402 One example of this is a vaccine clinic held in May 2021 in a welcome centre for immigrants and

403 refugees in Saskatoon, with interpreters providing translation in several languages.<sup>40</sup>

The federal government has recognized the value of supporting community-based promotion and delivery 404

of vaccination by providing funding for organizations through its Vaccine Community Innovation 405

Challenge: however, none of the recipients are located in Saskatchewan.<sup>41</sup> Similarly, Manitoba announced 406

407 in June 2021 that organizations, businesses, churches and others working in and with "low-uptake

408 communities" could apply for a ProtectMB Community Outreach and Incentive Grant to address vaccine
 409 hesitancy.<sup>42</sup>

410 The differences in beliefs between those who are 'vaccine ready' and those who are not can help us tailor 411 communications to increase the perceived importance of vaccinations. It makes sense that individuals 412 who believe that COVID-19 poses a significant threat to their community and to themselves and are 413 concerned about the possibility of spreading the virus to others would be more likely to want to get 414 vaccinated, to protect themselves and those around them. This is consistent with research that has found perceived threat to be a strong predictor of self-protective behaviour in the context of COVID-19<sup>43,44</sup> and 415 416 underscores the important role emotional factors play. Those who do not share these beliefs may have been exposed to different sources of information, in their social circles and online, including 417 418 disinformation about the severity of the pandemic and their personal risk, and have less trust in public health and medical authorities.<sup>35</sup> They may also have been influenced by what they have observed around 419 them; if they have not known anyone personally who experienced more severe COVID or did not hear of 420 421 many cases in their local community, this could create a false sense of security. It is important to 422 recognize, as well, that people may not want to get vaccinated for other reasons, and convince themselves 423 that the pandemic is not a threat, that they have a strong enough immune system, and that they wouldn't 424 spread it to others in order to justify their aversion to vaccination; in other words, the beliefs they 425 expressed that we found to be associated with lower likelihood of getting vaccinated may not actually be

- 426 the causes of not being vaccinated.
- 427 The paradox here is that as vaccination rates rise, case numbers, hospitalizations and deaths are all
- 428 decreasing, which makes it more difficult to convince those who did not already believe that COVID was
- 429 a threat to their community. However, evidence is also accumulating that the unvaccinated now make up
- the majority of those who are falling ill and requiring hospitalization. Messages that emphasize the risk
- 431 faced by individuals who are not vaccinated may help to persuade some of those who are unsure, even in
- the context of declining overall case numbers.
- 433 Some of the factors that we found to not be associated with vaccine intentions are also interesting to
- 434 consider. Logically, those who are older, in poorer health, and who believed they were likely to become
- 435 infected would all have good reason to want to be vaccinated, especially given the strong messaging in
- the media regarding the impact of age and pre-existing health conditions on COVID-19 outcomes. Yet
- 437 none of these variables were found to predict vaccine intentions. This is good news, of course, because
- the widespread vaccination needed to protect the whole population cannot rely solely on perceptions of
- individual risk. It is encouraging that while 72% of respondents assessed their own risk of becoming
- infected as extremely low, the majority also perceived COVID-19 to be a big threat to their community
- (66%) and were very concerned about spreading the virus to others should they become infected (80%)
  and that these two variables were the strongest predictors of intention to get vaccinated. This suggests that
- 442 and that these two variables were the strongest predictors of intention to get vaccinated. This suggests that 443 most people who are getting vaccinated are considering not only what is best for them but also what is
- 444 best for those around them.
- In some of the later cycles of this survey, we asked those who said they would not get vaccinated and
- those who didn't know to indicate their reasons. insufficient clinical trials conducted to evaluate safety
- 447 (13.7%), lack of trust in the vaccine approval process (1.8%), misconceptions/conspiracy
- theories/misgivings about vaccine safety (1.2%), medical reasons (hypersensitivity to vaccines) (0.88%),
- and religious grounds (0.11%). These responses are consistent with what has been observed and
- 450 extensively commented on in the media and are not surprising, given the huge amount of information
- 451 about vaccines circulating: from disinformation to misinformation to information that is developing over
- time and difficult to understand. It is possible that many or most vaccine refusers will hold tight to their

- beliefs about why vaccination is unnecessary or harmful. But if vaccination is made easier and more
- accessible to everyone and those with questions get satisfactory answers, simply observing more and
- more people getting safely vaccinated and experiencing the benefits may be enough to convince those
- 456 who were initially unsure.
- 457 This study had one main limitation, non-participation bias due to the data collection method used (i.e.,
- web-based, and random digit dialling). To minimize its effect, the samples were weighted using the 2016
- 459 Census to ensure representativeness of the Saskatchewan population. As well, this study has some
- strengths. The strength of evidence from this study is robust because of the plurality of analytical methods
- 461 used. The findings from CART further corroborate the results from the multinomial regression, hence the
- 462 associations reported were less likely due to chance. As far as we know, no previous published research 463 has investigated the factors associated with COVID-19 vaccine intention in Saskatchewan. This study
- has investigated the factors associated with COVID-19 vaccine intention in Saskatchewan. This study
   provides more insights to guide stakeholders in the implementation of current COVID-19 vaccination
- 464 provides more insights to guide stakeholders in the implementation of current COVID-19 vaccination 465 strategies. Since issues of COVID-19 vaccine hesitancy and rejection in Saskatchewan can change over
- 466 time, continuous data collection systems should be introduced.
- 467

# 468 **Conclusion**

- 469 This study has shown that many Saskatchewan residents are vaccine 'ready' (received already or intent to
- 470 receive one), one in four are either hesitant or will not receive vaccine. Reaching sufficient coverage of
- the population is likely to require targeted efforts to convince those who are hesitant or unsure. Targeted
- and accurate messaging to specific socio-demographic groups who are less likely to be vaccinated, and
- encouragement and modeling by people who they trust, are crucial steps. Further, ensuring a successful
- vaccination campaign will also entail rebuilding public trust through transparent action, clear
- 475 communication and demonstrated accountability of the key stakeholders in our society, including
- 476 governments and health care systems.
- 477

## 478 Data availability

- The dataset for this study is available from N.M on reasonable request.
- 480

## 481 <u>Authors' contributions</u>

- 482 Conceptualization: N.M. and M.F.; methodology: N.M., D.A., J.Mc.; formal analysis: D.A.; interpretation
- 483 and writing, review, and editing: D.A., N.M., K.G., J.Mc, M.F., N.K.; supervision and resources: N.M.;
- 484 All authors have read and agreed to the submission of the manuscript.
- 485

## 486 <u>Acknowledgements</u>

- 487 This work arises at a time of significant social disruption due to COVID-19. The authors thank the many 488 thousands of Saskatchewan residents who participated in this study.
- thousands of Saskatchewan residents who participated in this study.
- 489 490 **Funding**
- 491 Social Contours and COVID-19 received funding from 2020 Rapid Response COVID-19 Research
- 492 Award, College of Medicine, University of Saskatchewan.
- 493

#### 494 <u>Competing interests</u>

- 495 The authors declare no conflict of interest or stand to benefit from this work in any material manner.
- 496 497

498	Refer	ences
499	1.	World Health Organization. Coronavirus disease (COVID-19). World Health Organization,
500		https://www.who.int/emergencies/diseases/novel-coronavirus-2019 (2021, accessed 4 June 2021).
501	2.	Government of Canada. Coronavirus disease (COVID-19): Outbreak update,
502		https://www.canada.ca/en/public-health/services/diseases/2019-novel-coronavirus-
503		infection.html#a1 (2021, accessed 4 June 2021).
504	3.	World Health Organization, Coronavirus disease (COVID-19): Herd immunity, lockdowns and
505		COVID-19. https://www.who.int/news-room/q-a-detail/herd-immunity-lockdowns-and-covid-19
506		(2020. accessed 11 May 2021).
507	4.	Bartsch SM, O'Shea KJ, Ferguson MC, et al. Vaccine efficacy needed for a COVID-19
508		coronavirus vaccine to prevent or stop an epidemic as the sole Intervention. Am J Prev Med 2020:
509		59: 493–503.
510	5.	Fontanet A. Cauchemez S. COVID-19 herd immunity: where are we? <i>Nature Reviews</i>
511		Immunology 2020: 20: 583–584.
512	6.	COVID-19: Science in 5: Episode #1 - Herd immunity.
513		https://www.who.int/emergencies/diseases/novel-coronavirus-2019/media-resources/science-in-
514		5/episode-1 (2020, accessed 11 May 2021).
515	7.	Anderson RM, Vegvari C, Truscott J, et al. Challenges in creating herd immunity to SARS-CoV-2
516		infection by mass vaccination. 2020; 396: 1614–1616.
517	8.	Aschwanden C. Five reasons why COVID herd immunity is probably impossible. <i>Nature</i> 2021;
518		591: 520–522.
519	9.	Polack FP, Thomas SJ, Kitchin N, et al. Safety and efficacy of the BNT162b2 mRNA covid-19
520		vaccine. N Engl J Med 2020; 383: 2603–2615.
521	10.	Voysey M, Clemens SAC, Madhi SA, et al. Safety and efficacy of the ChAdOx1 nCoV-19 vaccine
522		(AZD1222) against SARS-CoV-2: an interim analysis of four randomised controlled trials in
523		Brazil, South Africa, and the UK. Lancet 2021; 397: 99–111.
524	11.	WHO. Report of the SAGE Working Group on Vaccine hesitancy. 2014.
525	12.	Dzieciolowska S, Hamel D, Gadio S, et al. Covid-19 vaccine acceptance, hesitancy and refusal
526		among Canadian healthcare workers: a multicenter Survey. Am J Infect Control. Epub ahead of
527		print 2021. DOI: 10.1016/j.ajic.2021.04.079.
528	13.	Statistics Canada. COVID-19 vaccine willingness among Canadian population groups,
529		https://www150.statcan.gc.ca/n1/pub/45-28-0001/2021001/article/00011-eng.htm (2021, accessed
530		9 May 2021).
531	14.	Frank K, Arim R. Canadians' willingness to get a COVID 19 vaccine: Group differences and
532		reasons for vaccine hesitancy, www.statcan.gc.ca (25 August 2020, accessed 11 May 2021).
533	15.	Griffith J, Marani H, Monkman H. COVID-19 Vaccine hesitancy in Canada: content analysis of
534	10	tweets using the theoretical domains framework. J Med Internet Res 2021; 23: e268/4.
535	16.	Angus Reid Institute. COVID-19: Canadians' willingness to be inoculated right away increases
536		again as new vaccine approved, https://angusreid.org/covid-vaccine-march/ (2021, accessed 11
537	17	May 2021). Deventes COVID 10 vessions hasitanasu a habasiasutal lang on a aritigal problem
220	17.	beworks. COVID-19 vaccine nesitancy: a behavioural lens on a critical problem,
559		nups://www.nipsnack.com/beworks/vaccine-neshancy-a-benavioral-tens-on-a-critical-
540 571	19	Angus Paid Institute Despite months of mixed messages, most Canadians who received an
541	10.	AstraZanaca vaccina hava na ragrata https://angusraid.org/canada.astrazanaca hard.immunity/
542		(2021, accessed 11 June 2021)
545	10	(2021, accessed 11 June 2021). Statistics Canada Population estimates quarterly
545	17.	https://www150 statcan.gc.ca/t1/tbl1/en/ty.action?pid=1710000901 (2021) accessed 24 May
546		2021)
547	20	Stonechild B. Indigenous Peoples of Saskatchewan Indigenous Saskatchewan Encyclopedia -
548		University of Saskatchewan,

549		https://teaching.usask.ca/indigenoussk/import/indigenous_peoplesof_saskatchewan.php (accessed
550 551	21.	<sup>9</sup> June 2021). Lavery R, Mawr B. An Animated Guide: Regression Trees in JMP <sup>®</sup> & SAS <sup>®</sup> Enterprise Miner <sup>TM</sup> .
552		2012.
553	22.	Stata version 16.1, https://www.stata.com/order/ (2019, accessed 30 May 2019).
554	23.	Kino S, Hsu Y-T, Shiba K, et al. A scoping review on the use of machine learning in research on
555		social determinants of health: Trends and research prospects. SSM - Popul Heal 2021; 15: 100836.
556	24.	SAS. JMP: Statistics, predictive modeling and data mining,
557		https://www.jmp.com/en_ca/events/ondemand/webcasts/by-application-area/statistics-predictive-
558		modeling-and-data-mining.html (accessed 11 May 2021).
559	25.	Freeman D, Loe BS, Chadwick A, et al. COVID-19 vaccine hesitancy in the UK: The Oxford
560		coronavirus explanations, attitudes, and narratives survey (Oceans) II. Psychol Med 2021; 1-15.
561	26.	Detoc M, Bruel S, Frappe P, et al. Intention to participate in a COVID-19 vaccine clinical trial and
562		to get vaccinated against COVID-19 in France during the pandemic. Vaccine 2020; 38: 7002-
563		7006.
564	27.	Sarasty O, Carpio CE, Hudson D, et al. The demand for a COVID-19 vaccine in Ecuador. Vaccine
565		2020; 38: 8090–8098.
566	28.	Wang J, Jing R, Lai X, et al. Acceptance of covid-19 vaccination during the covid-19 pandemic in
567		China. Vaccines 2020; 8: 1–14.
568	29.	Malik AA, McFadden SAM, Elharake J, et al. Determinants of COVID-19 vaccine acceptance in
569		the US. <i>EClinicalMedicine</i> ; 26. Epub ahead of print 2020. DOI: 10.1016/j.eclinm.2020.100495.
570	30.	Edwards B, Biddle N, Gray M, et al. COVID-19 vaccine hesitancy and resistance: Correlates in a
571		nationally representative longitudinal survey of the Australian population. PLoS One 2021; 16:
572		e0248892.
573	31.	Métis Nation Saskatchewan. Vaccinated Métis Strong, https://metisnationsk.com/vaccine/ (2021,
574		accessed 11 June 2021).
575	32.	CBC News. Saskatoon Tribal Council-run vaccine clinic for Indigenous and non-Indigenous
576		people opens next week, https://www.cbc.ca/news/canada/saskatoon/saskatoon-tribal-council-
577		vaccine-clinic-sasktel-centre-1.5971697 (2021, accessed 11 June 2021).
578	33.	Saskatoon StarPhoenix. Indigenous leaders take to radio, social media to encourage vaccination,
579		https://thestarphoenix.com/news/saskatchewan/indigenous-leaders-take-to-radio-social-media-to-
580		encourage-vaccination (2021, accessed 11 June 2021).
581	34.	CTV News. Officials explain high vaccination rate on Sask. First Nations,
582		https://regina.ctvnews.ca/officials-explain-high-vaccination-rate-on-sask-first-nations-1.5315333
583		(2021, accessed 11 June 2021).
584	35.	Vescera Z. Vaccine uptake high in many Sask. First Nations. Saskatoon StarPhoenix,
585		https://thestarphoenix.com/news/saskatchewan/vaccine-uptake-high-in-many-sask-first-nations
586		(2021, accessed 11 June 2021).
587	36.	CBC News. Canadians in poor neighbourhoods had most COVID-related ER visits, data shows,
588		https://www.cbc.ca/news/health/covid-19-neighbourhoods-income-cihi-1.5836427 (2020,
589		accessed 11 June 2021).
590	37.	Witteveen D, Velthorst E. Economic hardship and mental health complaints during COVID-19.
591		Proc Natl Acad Sci U S A 2020; 117: 27277–27284.
592	38.	Vescera Z. Poorest Sask. neighbourhoods have lowest COVID-19 vaccination rates. Saskatoon
593		StarPhoenix, https://thestarphoenix.com/news/local-news/poorest-sask-neighbourhoods-have-
594		lowest-covid-19-vaccination-rates (2021, accessed 11 June 2021).
595	39.	Government of Canada. COVID-19 vaccination coverage in Canada, https://health-
596		infobase.canada.ca/covid-19/vaccination-coverage/ (2021, accessed 13 May 2021).
597	40.	Vescera Z. The cure for vaccine hesitancy? Outreach and education, Sask. doctor says. Saskatoon
598		StarPhoenix, https://thestarphoenix.com/news/saskatchewan/the-cure-for-vaccine-hesitancy-
599		outreach-and-education-sask-doctor-says (2021, accessed 11 June 2021).

600	41.	Government of Canada. Vaccine Community Innovation Challenge: Funding recipients,
601		https://www.canada.ca/en/public-health/services/funding-opportunities/grant-contribution-
602		funding-opportunities/vaccine-community-innovation-challenge/finalists.html (2021, accessed 11
603		June 2021).
604	42.	Government of Manitoba. News Releases: Manitoba launches community outreach vaccination
605		effort to protect Manitobans from COVID-19,
606		https://news.gov.mb.ca/news/index.html?item=51376&posted=2021-06-03 (2021, accessed 11
607		June 2021).
608	43.	Smith TC. Vaccine rejection and hesitancy: A review and call to action. Open Forum Infect Dis; 4.
609		Epub ahead of print 2017. DOI: 10.1093/ofid/ofx146.
610	44.	Vacondio M, Priolo G, Dickert S, et al. Worry, Perceived Threat and Media Communication as
611		Predictors of Self-Protective Behaviors During the COVID-19 Outbreak in Europe. Front Psychol
612		2021; 12: 231.
613	45.	Lazarus J V., Ratzan SC, Palayew A, et al. A global survey of potential acceptance of a COVID-
614		19 vaccine. Nat Med 2021; 27: 225–228.
615	46.	Siegrist M, Zingg A. The role of public trust during pandemics: Implications for crisis
616		communication. <i>Eur Psychol</i> 2014; 19: 23–32.
617		

			Reference: Vaccime acceptance use unewed without		
RRR (95%CI)	Vaccine hesitancy			Vaccine refusal	RRR (95%CI)
			Socio-demographic		
			Age (years)		
1			≤49 (reference)		1
1.15 (0.86-1.54)	-	-	50-64	-	0.84 (0.53-1.33)
1.41 (0.92-2.16)			>65	<u> </u>	1.02 (0.57-1.83)
			Gender		
4			Man (reference)		1
1	_		Men (reference)	•  _	1
2.16 (1.57-2.99)			Women		1.43 (0.93-2.22)
			Highest education		
1	•		Advanced/professional degree (reference)		1
2.45 (1.65-3.62)			No formal/some/completed high school		3.73 (1.81-6.69)
2.40 (1.00 0.02)			Some college/university		2 52 (1 72 6 62)
2.40 (1.07-3.09)			Some conege/university		3.53 (1.72-0.03)
1.88 (1.41-2.5)			l echnical/dipioma/certificate		3.21 (1.41-4.18)
			Place of residence		
1	•		Mid-size city (reference)		1
0.72 (0.51-1.02)		-	Saskatoon		0.47 (0.29-0.77)
0 74 (0 51-1 08)			Regina	_	0 75 (0 44-1 29)
0.72 (0.51 1)			Burgl		0.0 (0.59 1 4)
0.72 (0.51-1)		-			0.9 (0.56-1.4)
			Immigration status		
1	•		Born in Canada (reference)		1
0.99 (0.59-1.66)	_	-	Born outside of Canada, and resided in Canada for ≥20 years		2.07 (0.88-4.85)
3 14 (1 56-6 34)			Born outside Canada and resided in Canada for <20 vrs		2 27 (0 78-6 63)
				_	(00 0.000)
		L			
1			No (reference)		1
1.65 (1.01-2.7)			Yes		2.4 (1.21-4.64)
			Co-residence		
1		•	I live alone (reference)		1
0 98 (0 7-1 39)	-	-	Living with (only) adults		0 61 (0 38-0 09)
1 27 (0 67 2 60)		L	Living with (only) addres		0.0 (0.00-0.30)
1.37 (0.67-2.82)			Living with (only) children		0.8 (0.28-2.3)
1.16 (0.76-1.78)		<b></b>	Living with (both) children and adults		0.54 (0.29-1)
			Employment status		
1	•		Employed (reference)		1
0 78 (0 59-1 04)			Unemployed/retired	-	1 03 (0 68-1 55)
0.10 (0.00 1.04)		_	Diak		1.00 (0.00 1.00)
			<u>KISK</u>		
			Financial stability		
1			Secured (reference)		1
2.2 (1.67-2.91)			Not secured		2.67 (1.78-4)
. ,			Shopping for grocercies		. ,
1			Low risk (reference)		1
1 2 4 4 (4 00 5 00)	_		Low lisk (lefelence)	-	1
3.11 (1.82-5.32)			Moderate risk -		1.85 (0.62-5.41)
3.48 (1.98-6.14) —			High risk –		2.06 (0.69-6.14)
			Household pop. Density		
1			Less than 1 bedroom per person (reference)		1
0.84 (0.64-1.1)			1 bedroom per person		0.60 (0.45-1.06)
0.04 (0.04-1.1)				-	0.09 (0.45-1.00)
0.96 (0.69-1.34)		-	More than 1 bedroom per person -		1.24 (0.68-2.29)
			Number and duration of contacts		
1	•		Low risk (reference)		1
0 88 (0 68-1 14)	-	-	Moderate risk	-	0 78 (0 5-1 22)
0.00 (0.00 1.14)			High rick	<b></b>	1 06 (0 60 1 62)
0.09 (0.07-1.17)					1.00 (0.09-1.03)
			Recent travels outside Saskatchewan		
1			Yes (reference)		1
1.2 (0.97-1.5)	-#		No	<b>-</b>	1.33 (0.96-1.86)
			Mitigation		
			Mask wearing		
1			Compliant (reference)		1
1.22 (0.89-1.67)		1	Not compliant		2.59 (1.81-3.72)
			Social distancing		
1	•		Compliant (reference)		1
1 41 (0 86-2 31)		_	Not compliant		3 18 (2 11-4 78)
	-		Current health status	_	
			Current nearth status		
1		•	Poor/fair (reference)	ł	1
1.32 (0.99-1.76)			Good		0.64 (0.41-1.01)
1.19 (0.89-1.58)		-	Very good/excellent		0.67 (0.43-1.04)
			Community perceptions		
			Government is taking right steps		
4					4
1		L			
1.11 (0.76-1.62)	-		iveitner agree nor disagree		2.09 (1.37-3.19)
0.72 (0.56-0.93)		=	Disagree	<b>-</b>	1.15 (0.74-1.77)
			People follow public health recommendations		
1			Agree (reference)		1
1 (0 65-1 55)	_	-	Neither agree nor disagree		1 8 (1 09-2 98)
1 (0.03-1.33)		E	Diagree		1.0 (1.03-2.30)
1.12 (0.87-1.45)			Disagree		1.2 (0.8-1.79)
			Threat of COVID to community		
1	•		Small (reference)		1
0.43 (0.33-0.56)			Big		0.14 (0.09-0.23)
			Likelihood of becoming infected		(0.00 0.20)
1			Not at all (reference)		1
1 07 (0 00 1 0 0		Ī	Not at all (reference)		1
1.27 (0.98-1.65)			Likely	Г	0.82 (0.50-1.34)
			Risk of illness/death after getting COVID		
1		•	Would not be sick (reference)		1
0 81 (0 50-1 12)		-	Mild/moderate disease		0.5 (0.34-0.75)
0.66 (0.45 0.66)		-			0.0 (0.04-0.70)
U.00 (U.45-U.96)		-			0.35 (0.2-0.61)
0.71 (0.41-1.26)	-	-	Likely to die		0.3 (0.12-0.75)
			concerns about spreading intections after being		
1			Very concerned (reference)		1
4 22 (0.07 4.00)			Computed appeared		0 74 /4 75 4 00
1.33 (0.97-1.82)			Somewhat concerned		2.14 (1.15-4.29)
2.46 (1.6-3.78)			Slightly/hardly concerned		7.36 (4.93-10.99
1					_
9 7	5 <u>, 3</u> 1	11	-3 -5 -5 <u>-3 -1</u>	1 <u>3 5</u> 7 9 11	
L	ess likely to vaccinate	More likely to vaco	cinate More likely to vaccinate	ess likely to vaccinate	

