

COVID-19-related school disruptions and well-being of children and adolescents in Geneva

A cross-sectional study

Viviane Richard^a M.Sc., Roxane Dumont^a M.Sc., Elsa Lorthe^a RM, Ph.D., H el ene Baysson^{a,b} Ph.D, Mar ia-Eugenia Zaballa^a PhD, R emy P. Barbe^c M.D., Klara M. Posfay-Barbe^d, M.D., Idris Guessous^{*b,e} M.D., Ph.D., Silvia Stringhini^{*a,f} Ph.D.

Affiliations

^a Unit of Population Epidemiology, Division of Primary Care Medicine, Geneva University Hospitals, Geneva, Switzerland

^b Department of Health and Community Medicine, Faculty of Medicine, University of Geneva, Geneva, Switzerland

^c Division of Child and Adolescent Psychiatry, Department of Woman, Child, and Adolescent Medicine, Geneva University Hospitals, Switzerland

^d Division of General Pediatrics, Department of Woman, Child, and Adolescent Medicine, Geneva University Hospitals, Switzerland

^e Division and Department of Primary Care Medicine, Geneva University Hospitals, Geneva, Switzerland

^f University Center for General Medicine and Public Health, University of Lausanne, Switzerland

* *Contributed equally as co-senior authors*

Corresponding author

Silvia Stringhini

Unit e d' pid miologie populationnelle

Rue Jean-Violette 29, 1205 Gen ve, Switzerland

silvia.stringhini@hcuge.ch

+41 22 305 58 61

Short title

COVID-19 school disruptions and children's well-being

Conflict of interest disclosures

The authors have no conflicts of interest relevant to this article to disclose.

Funding

The Specchio-COVID19 study was funded by the Swiss Federal Office of Public Health, the General Directorate of Health of the Department of Safety, Employment and Health of the canton of Geneva, the Private Foundation of the Geneva University Hospitals, the Swiss School of Public Health (Corona Immunitas Research Program) and the Fondation des Grangettes.

Acknowledgments

We are grateful to the Specchio-COVID19 group whose members are listed below, as well as to all the participants whose contributions were invaluable to the study.

Specchio-COVID19 group

Isabelle Arm-Vernez, Andrew S. Azman, Fatim Ba, Oumar Ba, Jean-Fran ois Balavoine, Michael Balavoine, R emy P. Barbe, H el ene Baysson, Lison Beigbeder, Julie Berthelot,

Patrick Bleich, Gaëlle Bryand, François Chappuis, Prune Collombet, Delphine Courvoisier, Alain Cudet, Carlos de Mestral Vargas, Paola D'ippolito, Richard Dubos, Roxane Dumont, Isabella Eckerle, Nacira El Merjani, Antoine Flahault, Natalie Francioli, Marion Frangville, Idris Guessous, Séverine Harnal, Samia Hurst, Laurent Kaiser, Omar Kherad, Julien Lamour, Pierre Lescuyer, François L'Huissier, Fanny-Blanche Lombard, Andrea Jutta Loizeau, Elsa Lorthe, Chantal Martinez, Lucie Ménard, Lakshmi Menon, Ludovic Metral-Boffod, Benjamin Meyer, Alexandre Moulin, Mayssam Nehme, Natacha Noël, Francesco Pennacchio, Javier Perez-Saez, Didier Pittet, Jane Portier, Klara M. Posfay-Barbe, Géraldine Poulain, Caroline Pugin, Nick Pullen, Zo Francia Randrianandrasana, Aude Richard, Viviane Richard, Frederic Rinaldi, Jessica Rizzo, Khadija Samir, Claire Semaani, Silvia Stringhini, Stéphanie Testini, Guillemette Violot, Nicolas Vuilleumier, Ania Wisniak, Sabine Yerly, María-Eugenia Zaballa

Abstract

Background

Various studies showed the negative impact of COVID-19-related lockdowns and school closures on the well-being of children and adolescents. However, the prevalence and consequences of occasional short-term school disruptions due to COVID-19-related quarantine or isolation remain unknown. This study evaluated their impact on the well-being and stress level of children and adolescents.

Methods

In June/July 2021, we conducted a survey selecting a representative sample of children and adolescents of a Swiss canton population. Parents of school-aged children reported information about them missing school because of COVID-19, from August 2020 to June 2021, as well as about their health-related quality of life (HRQoL) measured with the KINDL® scale and their stress level.

Results

Among the 538 participants, 216/538 (40.1%) pupils missed school at least once for COVID-19-related causes, with a total of 272 absences. We observed no relationship between the frequency of COVID-19-related absences and the HRQoL or stress level, even when stratifying by the type of absence or socio-demographic factors.

Discussion

Overall, these findings are reassuring in that quarantines and related school disruptions, which we know are a common and effective way of controlling SARS-CoV-2 transmission, did not seem to meaningfully impact children and adolescent's wellbeing and stress. Finding the right balance between SARS-CoV-2 control and young populations' well-being is challenging, and the current results provide additional information for decision makers.

Background

Various studies showed the negative impact of COVID-19-related lockdowns and school closures on the well-being of children and adolescents [1–4]. In Switzerland, schools were closed between March and May/June 2020 [5] and remained open thereafter. Since the reopening, pupils were required to isolate if infected by SARS-CoV-2 and to quarantine in case of close contact with an infected person. Over the study period, the local COVID-19 incidence was high and quarantines of entire class were also possible in case of a significant cluster.

The prevalence and consequences of these occasional short-term school disruptions due to COVID-19 remain unknown. This study evaluated their impact on the well-being and stress level of children and adolescents.

Methods

In June/July 2021, we conducted a survey selecting a representative sample of children and adolescents of a Swiss canton population (Ethics Committee ID: 2020-0088) [6]. Parents of school-aged children reported information about them missing school because of COVID-19, from August 2020 to June 2021. Parents also completed questionnaires about their child(ren)'s sex, school level, health-related quality of life (HRQoL) measured with the KINDL® scale and stress level, as well as household financial situation.

Results

The sample comprised 538 participants (258 [48.0%] are female) from 4 to 18 years old (Mean: 10.6; SD: 3.6).

From August 2020 to June 2021, 216/538 (40.1%) pupils missed school at least once for COVID-19-related causes: 174/538 (32.3%) missed school once, 37/538 (6.8%) two or three times and 5/538 (0.9%) four or five times, with a total of 272 absences. 179/538 (33.3%) pupils missed school because of isolation or quarantine while the class remained open, 23/538 (4.3%) because the class or institution closed due to COVID-19 and 14/538 (2.6%) for both reasons. Most of the absences 179/272 (65.8%) lasted more than a week.

We observed no relationship between the frequency of COVID-19-related absences and the HRQoL (Table 1) or stress level (Supplementary 1), even when stratifying by the type of absence or socio-demographic factors.

As school- and friends-related well-being could be more specifically affected by school disruptions, sensitivity analyses were performed with the corresponding subscales of the KINDL®; results were similar to those reported for the whole scale (available from the authors).

Discussion

About 40% of children and adolescents missed school at least once because of COVID-19 over the school year 2020-2021. Findings suggest that their well-being and stress level were not affected by these occasional disruptions, even when stratifying by type of absence and socio-demographic factors. To the best of our knowledge, this study is the first to examine school disruptions due to COVID-19 outside a general lockdown.

The differences in duration and context may explain the discrepancy with findings from lockdowns of early stages of the pandemic [1–4]. In spring 2020, school closures lasted on

average 11 weeks in Europe [7] and were characterised by an uncertain and worrying environment. Subsequent COVID-19-related isolations or quarantines implying school disruption were shorter, lasting 7 to 10 days. Moreover, most children were only affected once over the school year. Therefore, short-term school disruptions due to COVID-19 may be assimilated to school absenteeism due to “usual infections”, which is commonly reported to range between 4.5 [8] to 7.6 [9] school days per year.

Additionally, pandemic-related sanitary measures may have decreased the transmission of other common infections, so that overall pupils might have missed the same number of, or even fewer school days in the current pandemic situation than in a normal school year. More studies are needed to better understand how COVID-19 shaped school absenteeism.

The major limitation of this study is the fact that we only examined HRQoL and stress level; we could not measure potential educational losses, nor the impact of online teaching. Furthermore, data is self-reported with a limited sample size.

Overall, these findings are reassuring in that quarantines and related school disruptions, which we know are a common and effective way of controlling SARS-CoV-2 transmission, did not seem to meaningfully impact children and adolescent’s wellbeing and stress. However, school absences should not be trivialized as they are linked to poorer educational achievements [10]. Finding the right balance between SARS-CoV-2 control and young populations’ well-being is challenging, and the current results provide additional information for decision makers.

References

1. Orgilés M, Morales A, Delvecchio E, Mazzeschi C, Espada JP. Immediate Psychological Effects of the COVID-19 Quarantine in Youth From Italy and Spain. *Front Psychol*. 2020;11:579038. doi:10.3389/fpsyg.2020.579038
2. Ravens-Sieberer U, Kaman A, Erhart M, Devine J, Schlack R, Otto C. Impact of the COVID-19 pandemic on quality of life and mental health in children and adolescents in Germany. *Eur Child Adolesc Psychiatry*. Published online January 25, 2021. doi:10.1007/s00787-021-01726-5
3. Zhou SJ, Zhang LG, Wang LL, et al. Prevalence and socio-demographic correlates of psychological health problems in Chinese adolescents during the outbreak of COVID-19. *Eur Child Adolesc Psychiatry*. 2020;29(6):749-758. doi:10.1007/s00787-020-01541-4
4. Saurabh K, Ranjan S. Compliance and Psychological Impact of Quarantine in Children and Adolescents due to Covid-19 Pandemic. *Indian J Pediatr*. Published online May 29, 2020:1-5. doi:10.1007/s12098-020-03347-3
5. Gasibat Q, Aymen A, Gasibat M. Should Schools Reopen during the COVID-19 Pandemic? *J Med*. 2021;22(1):57-59. doi:10.3329/jom.v22i1.51393
6. Stringhini S, Zaballa ME, Pullen N, et al. Seroprevalence of anti-SARS-CoV-2 antibodies 6 months into the vaccination campaign in Geneva, Switzerland, 1 June to 7 July 2021. *Eurosurveillance*. 2021;26(43):2100830. doi:10.2807/1560-7917.ES.2021.26.43.2100830
7. UNESCO. Education: From disruption to recovery. UNESCO. Published March 4, 2020. Accessed December 3, 2021. <https://en.unesco.org/covid19/educationresponse#durationschoolclosures>
8. Centers for Disease Control and Prevention. Current estimates from the National Health Interview Survey, 1995.
9. Azor-Martínez E, Gonzalez-Jimenez Y, Seijas-Vazquez ML, et al. The impact of common infections on school absenteeism during an academic year. *Am J Infect Control*. 2014;42(6):632-637. doi:10.1016/j.ajic.2014.02.017
10. Gottfried MA. The Detrimental Effects of Missing School: Evidence from Urban Siblings. *Am J Educ*. 2011;117(2):147-182. doi:10.1086/657886

Table 1. Health-Related Quality of Life (HRQoL) of children and adolescents according to the number of school disruptions, stratified by the type of absence and socio-demographic characteristics

	Absence from school				p-value ^b
	None	Once	Twice or more		
	N	Mean (SD) ^a	Mean (SD) ^a	Mean (SD) ^a	
Total	538	82.1 (8.4)	81.1 (9.3)	82.7 (9.3)	0.36
School/class closure	538	82.0 (8.6)	79.5 (10.7)	-	0.19
Individual absence	538	81.8 (8.7)	81.8 (8.7)	83.0 (10.0)	0.46
Sex					
Female	258	81.1 (8.8)	81.5 (10.4)	81.6 (12.2)	0.26
Male	273	83.0 (7.8)	80.7 (8.3)	84.0 (6.4)	0.75
Diverse	7	87.5 (8.3)	82.5 (7.1)	79.2 (9.4)	0.26
School level					
Primary (4-12 years old)	347	83.9 (7.9)	82.4 (8.8)	83.6 (9.4)	0.26
Lower secondary (12-15 years old)	121	79.0 (8.4)	79.0 (8.8)	81.3 (7.7)	0.75
Upper secondary (15-18 years old)	64	78.4 (7.2)	79.7 (12.1)	80.0 (11.5)	0.26
Household financial situation^c					
Very good	182	83.4 (7.5)	83.9 (7.9)	81.8 (10.1)	0.63
Good	189	82.0 (8.3)	77.5 (8.8)	83.7 (5.3)	0.003
Medium to poor	107	79.3 (10.2)	80.6 (9.7)	82.6 (12.7)	0.32
No answer	55	83.5 (6.2)	84.0 (10.3)	84.7 (5.5)	0.81

^a HRQoL reported by parents with the KINDL[®] scale

^b Kruskal-Wallis test; as most p-values were higher than 0.1, we considered that an adjustment for multiple comparisons was not needed.

^c Very good: affluent, can save money; Good: earning sufficient to cover expenses and to face minor unexpected expenses; Medium to poor: cannot face unexpected expenses and/or need external financial support