

1 **Title:**

2 Domain specific need assessment for Hospital Disaster Preparedness: a systematic review and
3 critical interpretative synthesis

4 **Short title:** Need assessment for Hospital Disaster Preparedness

5 **Authors:**

6 Neeraj Pawar^{1¶*}, Raghvendra Gumashta^{1¶}, Girjesh Gupta^{1&}, Rajendra Mahore^{1&}, Jyotsna
7 Gumashta^{2&}

8
9 ¹ Department of Community Medicine, Peoples College of Medical Sciences Bhopal, M.P.
10 India

11 ² Department of Physiology, AIIMS Nagpur, Maharashtra

12

13

14

15 ***Corresponding author**

16 **Email:** neerajpawar160@gmail.com

17 ¶ These authors contributed equally to this work

18 & These authors also contributed equally to this work.

19

20 **Abstract:**

21 Background: During disasters, the most pressing demands are those related to health, and
22 hospital preparedness is an area that requires special attention. Hospitals are viewed as resources
23 that must be proactively utilized in the event of a disaster. If national and local systems,
24 particularly health systems, are unprepared to deal with disasters, the vulnerability of both
25 individuals and communities is amplified. The unexpected surge in demand for important
26 health services caused by disasters frequently overwhelms health systems and institutions,
27 leaving them unable to perform the life-saving measures that are required. This study aims to

28 understand various domains of hospital disaster preparedness by critically synthesizing
29 qualitative evidence from selected research on the topic.

30 Methods: Electronic data base from PubMed, Google Scholar, key hospital disaster related
31 journals was explored with search syntax focusing on hospital related disaster preparedness.
32 Peer reviewed English articles published from January 2011 were systematically selected and
33 critical interpretative qualitative synthesis was done to have comprehensive understanding of
34 the said phenomenon.

35 Results: A total of 29 articles were included in the systematic review. Major resultant domains
36 describing disaster preparedness were Human Resource, Logistics And Finance, Response,
37 Communication, Coordination, Patient Care, Evacuation and Personal Protection. Some
38 domains were more emphasised than others, this information can help prioritizing the action
39 based on need especially in the times of disaster.

40 Conclusion: Disaster preparedness needs a comprehensive approach including context specific
41 optimization with the effective use of available resources.

42 *Key words: Disaster, Hospital Preparedness, Systematic Review, Critical Interpretative*
43 *Synthesis*

44 **1. Introduction:**

45 Disaster is defined as an incident or condition that exceeds the local community's ability to
46 manage the impact. It is a major deterioration of society's function at any degree posed by
47 hazardous occurrences combined with situations of exposure, vulnerability, and capacity,
48 resulting in one or more of the following losses and impacts: human, material, financial, and
49 environmental. Natural disasters have wreaked havoc throughout history. The disaster's impact
50 can be rapid and confined, but it's usually extensive and can persist for a long time. The effect

51 may put a community's or society's ability to cope with its resources to the test, necessitating
52 aid from other sources, such as national or international levels. (1)

53 As one of the most significant healthcare institutions, hospitals play a critical role in providing
54 services in both routine and disaster-struck situations. (2–4) Hospitals are considered safe and
55 sophisticated places for patient care and must ideally be sufficiently equipped to respond to a
56 variety of foreseeable and unpredictable incidents. (5–7) Despite their reputation, hospitals are
57 vulnerable to both internal and external calamities. (8) Intrinsic disasters like biological
58 emergencies, fire, earthquakes damage the hospital structure and function, compromising the
59 delivery of essential care services and potentially posing threat to the health of hospital
60 residents, including the staff, leading to the facility's entire evacuation. (4)

61 According to the World Health Organization (WHO), disaster preparedness includes
62 identifying potential threats, building an inventory of existing assets, and establishing a
63 capacity to respond to a health crisis. When it comes to hospital-specific emergency actions,
64 the WHO defines disaster preparedness as an intersectoral collaborative effort to respond to,
65 control, and recover from an imminent hazardous event. (9) The Sendai Framework provides
66 more detailed definitions of disaster preparedness, including disaster drills and the
67 establishment of support networks. (10)

68 Hospital-related disaster preparedness warrants a holistic approach with the inclusion of
69 structural building plans that has provisions for fire safety, earthquake resilience, inbuilt
70 management system, trained human resource, logistics, communication, and transport
71 mechanisms. There is a spectrum of research published on hospital-related disasters, some are
72 learning experiences from incident-specific hospital-related disasters, others include the impact
73 of training, qualitative inquiry, meta-analysis, all discussing the key aspects of hospital-related
74 disaster-specific preventions and interventions. (11–35) This brings a fragmented yet

75 comprehensive knowledge base on the various aspects of disaster preparedness. This study,
76 therefore, aims to generate a qualitative pool of ideas from the existing body of literature, by
77 observing and reporting the emphasized areas /domains in individual studies and
78 contextualizing the evidence presented to have an overall understanding of the needs of hospital
79 disaster preparedness and resilience.

80 **2. Methods:**

81 ***2.1 Adopting a novel approach :***

82 The current research conducted a systematic review with critical interpretive synthesis. This
83 design is based on qualitative research processes incorporated in traditional systematic review
84 methods, and it can be used to combine qualitative and quantitative evidence. It is mainly
85 geared toward hypothesis generation with the provision of a recursive and adaptive approach
86 to searching for literature and selecting materials for inclusion in reviews. It treats the literature
87 as deserving of critical examination in and of itself by analysing its underlying assumptions;
88 and achieves synthesis through a logical balance between evidence and theory. The emphasis
89 is not only on the narrative context but also on the 'authorial voice' for evidence generation.
90 (36)

91 ***2.2 Identifying relevant studies:***

92 The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)
93 standards were followed for conducting this review. (37) , see S1File, S2 File.

94 Figure 1 is a flow chart depicting the selection process. A search strategy was created based on
95 the PRISMA protocol, and screening, study selection, quality evaluation, and data extraction
96 were all completed.

97 Data sources used in this study included MEDLINE (PubMed), Google Scholar, key journals
98 such as Disaster Medicine and Public Health Preparedness, BMC health services and research,

99 PLOS ONE, Journal of Education and Health Promotion, and reference lists of selected articles
100 and systematic reviews. Keywords were selected, based on relevance to the study context,
101 consultation with scientific experts, and terms used in the relevant literature as a guide.
102 "Emergency Evacuation", "Urgent Evacuation", "Evacuation Time", "Patient Evacuation",
103 "Medical Facility", "Health Center", "Healthcare Center", "Tertiary Referral Center", "Tertiary
104 Care Center", "Hospital", "Disaster", "Event", "Incident", "Emergency", "Hazard", "Fire" were
105 among the keywords used in this study. The initial search syntax was first developed for
106 PubMed, employing operators, keywords, and search fields. Studies completed between
107 January 2011 and December 2021, were included in the literature search. Table 1 shows the
108 search method that was used.

109

110 **Table 1: Search strategy terms**

Plan OR Process OR Preparedness

AND

"Medical Facilit*" OR "Healthcare facilit*" OR "Health cente*" OR "Healthcare Cente*" OR "Tertiary Referral Cente*" OR "Tertiary Care Cente*" OR Hospital[tiab] OR "Health Facilit*"

AND

Disaster*[tiab] OR Event* OR Incident* OR Emerge* OR Hazard* OR Fire*

Syntax :

(Plan OR Process OR Preparedness) AND ("Medical Facilit*" OR "Healthcare facilit*" OR "Health cente*" OR "Healthcare Cente*" OR "Tertiary Referral Cente*" OR "Tertiary Care

Cente*" OR Hospital[tiab] OR "Health Facilit*") AND (Disaster*[tiab] OR Event* OR Incident* OR Emerge* OR Hazard* OR Fire*)

- Total results: 23031 results
 - 2011 onwards: 114999 results
 - English : 14798
 - Free full text: 7858 results (Title and abstract screened for eligibility)
 - 33 selected articles through screening title & abstract
 - 29 final selection via thorough screening of complete articles
-

111

112 ***2.3 Study selection :***

113 After applying this search syntax, a total of 23241 records were obtained out of 7858 articles
114 were selected for screening after applying relevant filters, like removal of duplicates, records
115 in other languages, and records before 2011. Then in the next step, the titles and abstracts were
116 screened for eligibility. (Figure 1) For evaluating the quality of papers, to be included, rather
117 than focusing on specific study categories or publications that satisfied specific methodological
118 standards, we attempted to prioritize studies that looked to be relevant. Two researchers worked
119 independently on study screening and selection, as well as data extraction. We considered it
120 was critical to use a low barrier for an interpretive review to maximize the inclusion and
121 contribution of a wide range of papers at the concept level. As a result, we took a two-pronged
122 approach to quality control. First, we opted to eliminate publications that were shown to be
123 grossly inconsistent. Second, as we'll see later, once in the review, the synthesis itself required
124 critical judgments and interpretations of acceptability and contribution. Therefore, appraisal
125 prompts for informing judgments about the quality of papers were also used which included
126 the following questions:

- 127 1. Are the research's goals and objectives described clearly?
- 128 2. Is the research methodology defined and relevant for the study's goals and objectives?
- 129 3. Do the researchers provide a detailed overview of how their findings were replicated?
- 130 4. Is there enough evidence to back up the researchers' interpretations and conclusions?
- 131 5. Is the analytical procedure appropriate and well-explained?

132 In the end, the review included a total of 29 papers.

133 **Figure 1: PRISMA flow diagram for new systematic reviews which included searches of**
134 **databases**

135 ***2.4 Summarizing the selected studies***

136 Based on the aforementioned criteria, two researchers (RG and NP) extracted the final study
137 data separately. A summary of the selected studies, including the names of the initial authors,
138 year, location, design, and the key findings are reflected in Table -2. Among the 29 selected
139 studies, two were systematic reviews with meta-analyses, one was a qualitative study, rest were
140 descriptive studies. (Table-2)

Table 2 : Overview of studies included in the review after systematic selection and the extracted key words from the articles on the factors affecting disaster preparedness of in hospital setting

Codes	First Author ,Year	Place	Type	Method	Number of Reference	The findings from the articles
-------	-----------------------	-------	------	--------	------------------------	-----------------------------------

A	Sellers (39), 2021	Australia	Review Article	Concept Analysis	30*	Effective Utilization Of Space, Increased Demand Of Logistics, Human Resource, Training And Call Back Mechanism
B	Sahebi (42), 2021	Iran	Original Article	Qualitative	56*	Response To The Incident, Hospital Preparedness, Moral And Ethical Values, And Human And Environmental Factors Affect The Process Of Emergency Evacuation.
C	Shin (41), 2021	Korea	Retrospective Study	Descriptive	34*	Mitigation, Preparedness , Response ,Recovery
D	Wood (40), 2021	Iraq	Review Article	Review	46	Fire Safety And Hospital Management, Fire Safety Response, Emergency Risk Management

E	Woyessa (11), 2020	Ethio pia	Original Article	Cross- Sectional	32*	Planning, Committee, Human Resource, Logistics Finances, Communication
F	Bazyar (12), 2020	Iran	Review Article	Systemat ic Review With Meta- Analysis	50*	Conducting Exercise, Training Program, Proper Management, Effective Use Of Resources,
G	Goniewicz (13), 2020	Polan d	Review Article	Retrospe ctive Analysis	42	Emergency Evacuation Plan, Evacuation Drills, Specific Responsibility, Frequent Checks
H	Jang (14), 2020	South Korea	Retrospecti ve study	Retrospe ctive Data Analysis	7	Triage, Full Utilization Of Resources, Medical Staff Safety
I	Farcas (15), 2020	USA	Model Developme nt	Model Develop ment	17*	Communication, Resource Use, Staff And Patient Safety, And Maintenance Of Roles

J	Bhattacharya (16), 2019	India	Original Article	Intervent ion Study	17	Emergency Plan, Disaster Committee And Personnel
K	Beyramijam (17), 2019	Iran	Original Article	Intervent ion Study	27*	Planning, Triage, Education, Space Usage, Human Resource
L	Kazemzadeh (18), 2019	Iran	Review Article	Systemat ic Review With Meta- Analysis	22	Plan , Policy, Inadequate Resources, Guidelines
M	Wax (19), 2019	Canad a	Review Article	Review	24	All Hazard Versus Hazard Specific Plan, Specific Roles, Interprofessional Efforts
N	Lee (20), 2018	China	Original Article	RCT	37	Training, Evacuation Procedure, Fire Drills, Self-Rescue, Patient Evacuation

O	Koka (21), 2018	Tanza nia	Original Article	Cross- Sectional	34	Disaster Plan ,Training, Triage, Communication System , Human Resource , Space
P	Shalhoub (22) , 2017	Saudi Arabi a	Original Article	Cross- Sectional	16	Disaster Plan, Committee, Exercises ,Staff, Transport, Surge Capacity
Q	Tekin (23), 2017	Turke y	Review Article	Review	29	Communication, Role Of Media, Humanitarian Services, Triage, Disaster Plan
R	Lakbala (24), 2016	Iran	Original Article	Cross- Sectional	18	Limited Beds, Limited Human Resource, Drills, Training, Space
S	Paganini (25), 2016	Italy	Original Article	Cross- Sectional	29	Preparedness , Training, Triage ,Activate And Deactivate Plan
T	Ingrassia (26), 2016	Italy	Original Article	Cross- Sectional	40	Command System, Surge Capacity, Simulations & Drills , Recovery Plan

U	Lofqvist (27), 2016	Swed en	Original Article	Cross- Sectional	18	Written Plan, Education & Training, Specific Plans, Practice Over Planning
V	Zhong (28), 2014	China	Original Article	Cross- Sectional	58	Essential Services, Cooperative System, Incident Command System, Specific Plan
W	Djalali (29), 2014	Europ e	Original Article	Cross- Sectional	19	Education And Training, All Hazard Approach, Multisectoral Financing, Collective Strategic Plan
X	Talati (30), 2014	India	Manual	Manual Drafting	11	Disaster Committee, Mock Drills, Command Centre, Training, Communication, Family And Media Handling
Y	Djalali (31), 2013	Swed en	Original Article	Cross- Sectional	38	Contingency Plan, Committee , Logistics, Finances
Z	Femino (32), 2013	USA	Review Article	Retrospe ctive Review	7	Communication, Onsite Triage, Drill, External Partners

AA	Sobhani (33), 2012	Iran	Original Article	Cross- Sectional	25	Communication, Logistics, Administration , Infrastructure
AB	Venkatasesha n (34), 2011	India	Review Article	Narrative Review	8	Emergency Evacuation, Fire Drill , Staff Education, Space, Sign Post
AC	Murphy (35), 2011	United Kingd om	Original Article	Cross- Sectional	15	Unit Design, Equipment, Planning, Training Triage

***references includes systematic review &/RCTs**

141

142 The collected data were analysed using critical interpretive analysis. At the outset, a review
143 question was formulated with the scope of modification. Initially, one author (NP) read the
144 entire text of each of the 29 articles that met the criteria. All of the codes and basic concepts
145 linked to disaster preparedness aspects were retrieved for coding. Then they were examined
146 line by line, numerous times, to get the beginning codes. Following that, the first two authors
147 (RG, NP) compared and contrasted all the identified codes, and then grouped related codes into
148 one category to generate a sub-theme.

149 ***2.5 Synthesis of argument***

150 The goal of the analysis was to provide a critically informed integration of information from
151 all of the articles in the review. The synthesized argument was then linked to a pre-existing

152 structure, the WHO Hospital Safety Index Evaluation Form -Module 4 (38), to help formulate
153 the major themes. Finally, all the researchers reviewed the summarised texts to generate new
154 ideas, and the findings including the synthesized themes and subthemes were appropriately
155 elucidated and mapped. Analysis was done in MS office 365, and graphical representation
156 including geo-mapping was done using Tableau version 2021.4. Necessary modifications were
157 made until everybody concurred on the final version.

158 3. Results:

159 To understand the geo-spatial prominence of selected studies in terms of disaster preparedness
160 and its aspects, included studies were numbered and geo-mapped, and average scores for each
161 country on the domain-wise emphasis were assessed on the Likert scale (no, moderate,
162 prominent emphasis). Computed scores were added at a country level, a reverse red color
163 gradient of which is reflected in the map with 10 (Dark red) being the lowest scores for
164 Australia and 78 (Light red) being the heights average score for Ethiopia. (Figure 2)

165 **Figure 2: World map showing number of included studies from different countries and** 166 **country-wise gradient of average scores on disaster preparedness**

167 In this, each study was also evaluated based on core domains of disaster preparedness derived
168 from the WHO Hospital Safety Index Evaluation Form. The evaluation was done by
169 qualitatively analysing each article with a special focus on the authorial voice including
170 typographical emphasis (Italics usage for keywords, stage cues, backstories, and capitalization)
171 and contextual perspectives. The emphasis of each disaster preparedness domain in the
172 individual study is mapped using a heat map with the color orange reflecting no emphasis
173 (coded as 0), yellow with moderate emphasis(coded as 1), and green reflecting prominent
174 emphasis (coded as 2) . Included studies presented on x axis with their code reference (A-AC)
175 are mentioned in Table 2 and disaster preparedness domains are reflected on the right side in

176 tabular form. (Figure 3) . A study conducted in Ethiopia ticked most boxes (reflected in green)
177 for prominent emphasis as it covered all key aspects of disaster preparedness prominently
178 featuring in the background statement, study tools, discussion, and conclusion. (Figure 3)

179 **Figure 3: Heat map showing individual study focused emphasis on attributes of disaster**
180 **preparedness in the included studies**

181 The magnitude of reasoned representation of key focused areas in included studies is illustrated
182 through a word cloud. In this, the commonly repeated keywords and concepts from each study
183 were compiled to understand the ictus and weightage of various disaster preparedness
184 components. As it is reflected some of the key insistent words were

185 “ disaster plan”, “human resource”, “equipment and logistics”, “triage”, “drills and triage”, “
186 command system”. (Figure 4)

187 **Figure 4: Word cloud depicting reasoned and proportionate representation of key focus**
188 **areas of the shortlisted studies irrespective of their geographical representation**

189 Based on the results obtained from the word cloud, and heat map the clarity of purpose and
190 strategic priorities in various important domains and subdomains of disaster preparedness was
191 jotted and themed and domain-wise emphasis scores were graded and computed, then the
192 proportions were mapped as individual slices of nested pie diagram. As reflected, Human
193 Resource, Coordination, Logistics And Finance, Response, Patient Care and Support,
194 Communication, Evacuation, and Personal Protection emerged as major themes and among
195 subthemes: staff availability, specified roles, evacuation plan, disaster response plan,
196 exercise/drills, internal and external communication, local supplies were the prominent ones.
197 (Figure 5)

198 **Figure 5: Nested pie showing domain specific emphasis of disaster preparedness in the**
199 **included studies**

200 4. **Discussion:**

201 Hospital preparedness for disasters differs significantly from other area of disaster
202 preparedness. Although papers detailing hospital disaster preparedness are common, most
203 studies are incident-specific and they are unable to give a thoroughgoing insight into all the
204 elements of the all-hazard disaster preparedness approach. Also, systematic reviews done on
205 the topic quantified the evidence from individual studies leading to a telescopic perspective
206 and have the potential to miss some key ideas and dynamics related to disaster preparedness.
207 This study uses a novel qualitative interpretative synthesis to not only understand the hospital
208 preparedness dynamic in the context of disaster but also help generate new insight making the
209 scope of vision broader and thus helping understand the concept better. We here discuss key
210 elements emphasized in the included studies.

211 ***Prioritizing intervention based on risk perception:***

212 A concept analysis conducted at the Griffith University of Australia emphasizes using a
213 comprehensive solution-based strategy for the best possible service provisions in addition to
214 addressing the needs for training, retraining, capacity building, and mock drills. The effect of
215 changing modalities and processes of existing healthcare facilities requires scrutiny at all levels
216 of needs and demands for making the facility friendly to a high influx of people struck by
217 disaster. When one attribute is extended beyond normal operational capacities, the
218 effectiveness and capacity of the other attributes will likely be limited. (39)

219 The safe functioning of electrical equipment prevents fire hazards through strategic
220 preparedness for any accident, emergency, and unforeseen circumstances at various health
221 care service facilities. The overall perspective hence should be focused upon consolidation and
222 matching of risk perception, related factors, and assessment-based prioritized reforms cum
223 rapid corrective actions. (40) The inverse proportion of single attribute preponderance with

224 other related attributes has been emphasized in a study guide to set up a balanced environment
225 of facilities and manpower to address the overwhelming load for treatment care and support in
226 situations of disaster occurrence with or without warning. (39)

227 In an exclusive study conducted in Gumi City, the Republic of Korea, the issues identified
228 therein include conceptual clarity for preparedness, mitigation, response and rehabilitation, and
229 reconstruction cyclically through detailed analysis of requirements in a hospital setting for
230 minimizing the risk through assessment of manpower, skill, knowledge, experience, expertise,
231 vulnerability, capacity, and inbuilt systems towards disaster response. There has been stress on
232 the felt need of having an overall control network for cohesive actions by the administration,
233 management, and facility (41)

234 ***Comprehensive planned response:***

235 The protocol development, amendment, and timely up-gradation for disaster management
236 plans as per demographic needs requires sustained and sustainable inputs, efforts, and actions
237 (25) A study conducted in Iran has categorically highlighted, evidence for considering the
238 importance of an all-inclusive response consisting of preplanning, execution of a plan, and
239 information dissemination through a systematic approach. The areas identified by the
240 researchers include mobility, flexibility, resonance, interaction, speed, accuracy, awareness,
241 respectability, positivism, and spirit of faith among service providers and beneficiaries. (42)

242 European countries have stretched upon evidence-based fulfilment of technical requirements
243 to ensure safe, secure convenient, methodological appropriate, and cost-effective evacuation
244 measures supported by a well-devised plan of action with pre-decided and pre-identified roles
245 and responsibilities of various stakeholders using the resources available including but not
246 limited to the aspects of feasibility, speed, and accuracy of evacuation exercises while using

247 interactive mechanisms of security among government organizations, Non-government
248 agencies and service providers. (13)

249 Planning has been identified as the key driver of change as it reflects the policies and defines
250 the directionality of guidelines and procedures to be adopted for adequate resource utilization
251 and contingency plan based implementation of preventive processes under the umbrella cover
252 of accreditation standards universally accepted for response to disasters in various departments
253 of the hospitals. (18) Facility-based preparedness may not be in tune with the resource
254 mobilization cum appropriate measures undertaken at the national level and it, therefore,
255 necessitate the need for developing regional, local, and facility-specific plans under the
256 umbrella cover of national health policies, priorities, and planned public health preferences.
257 (26)

258 An actionable strategic plan helps in clarifying the readiness related to the operational plan,
259 contingency plan, and resource plan in emergencies while considering the magnitude and
260 strength of the expected hazards. The hospital disaster plan hence is dependent on the dual edge
261 of the economy and dedicated planned inputs. (31) Planning is not only essential for getting
262 the personnel educated and trained but also for ensuring methodical approaches towards the
263 inclusion of micro-plans related to evacuation, triage, and communication. (32)

264 ***Prioritized and categorized qualitative:***

265 Development of the domain-specific surveillance system and establishment of resource
266 strengthening measures aid in designing the comprehensive action plan for hospital disaster
267 resilience. It should define and describe the role of emergency medicine response, staff
268 capability, capacity building, communication systems, interventional plans, recovery and
269 rehabilitation, logistics management, and standardized practices cum networking. The

270 categorization of disaster management-related supplies has also a pivotal role in addressing the
271 basic needs of food transport medical supplies and preventive measures along with the
272 availability of common medications. (28)

273 There is hence, a transformational requirement for the inclusion of thus identified capacity
274 enhancement measures into policy and programmatic documents to enable the ready
275 availability, uniformity, and methodical approach of these measures at the implementation
276 levels in various health care facilities. (42)

277 The administrative, managerial, and technical collaboration between the gas industry and
278 hospitals is essential for appropriately, justifiably, and efficiently merging the objectives of
279 patient safety at levels of awareness of hazards, capacity building, communication, monitoring
280 the equipment and their maintenance. (40)

281 Having established a web-based disaster response, and mitigation system with well-defined
282 processes using available resources along with structural reforms for an easy, smooth and clear
283 flow of information, communication, and operations will do wonders for logistically managed
284 and research-supported mechanisms of operation for disaster preparedness. Given this, there
285 has to be a resonating balance between the existing health system network and model-based
286 command and control systems. (15)

287 It is also understood through various studies that setting up of an intrinsic web of interactive,
288 mutually sportive, and vibrant communicative link will enable the sharing of preventive
289 measures among the facilities, especially in isolated hospital disasters. However without the
290 political will and visionary support of all stakeholders the visibility, preference, and outcome
291 of the interventional public health design may be compromised or even paralyzed during the
292 actual occurrence of disasters. Area demarcation, command and control, and recovery

293 mechanisms are to be defined assessed, monitored and evaluated on a regular predefined
294 timeframe and set norms for such practices. (26)

295 Categorization of any hospital preparedness for various levels of disaster risk is found
296 dependent majorly upon human resources. It has been found that there may be a mismatch of
297 risk perceptions by the administration and the actual scenario at facilities, and hence there is
298 underlined the categorical need for a comprehensive interventional setup supported by regular
299 assessment, monitoring, and evaluation. (11) The emphasized areas generally include
300 evacuation preferences, communication, logistics, human resources, commanding, and
301 management. It is a common phenomenon observed during the disaster to have a surge in the
302 affected population, making facilities insufficient to cater for the requirements to be addressed
303 as per globally set standards for indicators of health facility preparedness. (12)

304 Multisectoral, multidimensional, multifunctional, and multiple team-based designs of disaster
305 prevention and vulnerability reduction exercises enable the hospitals to address the hazard,
306 area, and mechanism-specific stakeholder participation through disaster exercises distributed
307 among various subunits of the hospital systems inclusive of diagnosis, treatment, care, and
308 support. (19)

309 ***Health system strengthening:***

310 Preparedness of the hospitals averts the deaths and prevents complications among the survivors
311 as the risks are minimized through effective interventions of vital health care services. There
312 is, however, a thin line of demarcation between structural and non-structural safety as both of
313 these overlap each other's objectives. (12)

314 A participatory approach for devising, defining, and developing the comprehensive list of
315 responsibility distribution, disaster manual development, and greater in-depth understanding at

316 all levels of health care functionalities ensures adequacy in resources capabilities and
317 preparedness for minimizing the risks, threats, and vulnerabilities related to hospital disasters.
318 (30) Incident command systems equipped with modern gadgets like CCTV and cameras help
319 ensure effective administrative managerial and communication systems. These also guide for
320 assessing the training needs of individuals and groups as per their area wise interventional
321 requirements. (33)

322 ***Decision tree approach based tools***

323 Detailed analysis of situations, existing policies, structure, equipment, command system,
324 planning, and monitoring based systems are the need of the hour for adequate, appropriate and
325 effective alignment of priorities in line with the available resources motivational status of
326 implementors, and defined networks of response. (35)

327 Strengthening of health systems depends primarily on the capacity of facilities service
328 providers and mechanisms for strengthening the training status in an ongoing updated manner
329 to ensure optimal gains in assurance for disaster preparedness. (29) The analysis of strengths,
330 weaknesses, opportunities and the threat of disaster risk based on improvement requirements
331 for hospital readiness are extensively analysed for improvement in the action plans and
332 programs of disaster management. The internal weakness identified in studies has been a lack
333 of exit signs, and a weak telecommunication system whereas the strengthening factors have
334 been trained manpower, travel support mechanisms, and improvement in the infrastructure of
335 the hospital. The opportunities for improvement are immense including facilities for shifting,
336 emergency support for health care, and spaces for the affected population, whereas population
337 density and disaster-prone houses are threats during the disaster. (24)

338 The training of health care workers especially those involved in those areas having
339 vulnerability to fire hazards have been recommended using awareness sessions generated
340 enhanced knowledge and action-based for expected readiness of quick response to have
341 effective actions towards fire prevention, rescue and evacuation exercises. (20)

342 Hospital disaster preparedness depends not only upon the sharing of the information, awareness
343 generation, and technical capabilities but also depends on the training, re-training, disaster
344 drills, research, and adherence to the emergency disaster plans. (22)

345 It has been underlined that the capacity building for disaster preparedness, management, and
346 administrative infrastructural support shall go a long way in establishing a self-sustainable
347 model for the action-oriented, automated, and competent response to hospital disasters of
348 varied nature as evidenced during the mass casualties and distribution of workloads of
349 frontline divisions of critical care facilities. (25)

350 The deficiencies identified in addressing disasters include non-translation of written protocols
351 into practice, in coordination among the various agencies, capacity building lapses, and non-
352 observance of repeated practical sessions and surprise alarm system based check exercises for
353 emergency evacuation, saving lives, shifting patients, and hassle-free transit systems. (27)

354 Detailed decision trees have been charted for the evacuation and its triage with a support system
355 through field hospitals providing emergency medical, humanitarian, and logistics facilities.(23)

356 Triage providers without any formal training may be influenced by mass casualties and
357 therefore biased support to select individuals or groups belonging to influential classes
358 although not falling in the priority list of triage categorization. It, therefore, necessitates the
359 emphasis on in-depth understanding, training, and assistance of reliable communication
360 networks with tools, systems, and warning mechanisms in place. (21)

361

362 Triage has been identified as a key instrument during disasters of various nature affecting
363 countries. The classification of triage into categories of severe mild and dead with their
364 respective color coding and related prioritization cum transportation with an inherent limitation
365 for follow-up of casualties on a long-term basis, it becomes difficult to assess the outcome of
366 mass casualty and to understate the effect of preventive interventions in place for medical
367 assistance. (14)

368 Development and implementation of established, modern, and new tools for prevention and
369 control of hospital disasters include careful observance of well-displayed evacuation routes,
370 evacuation areas, and related medical care facilities with equal emphasis on training of all
371 identified personnel.(34) Operational research is required for the assessment of interventional
372 requirements so as to develop specific need-based interventions with assisted audio-visual
373 support through mock drills, seminars, and educational interventional packages. (16)

374 The use of the ‘Hospital Emergency Response Checklist’ is found to be very useful for policy
375 development, decision-making regarding response plans, training at various levels, and
376 reaching conclusions based on the results obtained through risk and hazard assessment. There
377 is a need to conduct studies related to a multidimensional assessment of the effect of the
378 intervention, especially in the hospitals identified previously as having a low level of disaster
379 preparedness. (17)

380 **Strength and Limitations :**

381 This research comprehensively reviewed, analysed, and discussed all possible facets of disaster
382 preparedness using a fairly unprecedented qualitative approach that adds strength to the
383 research. The review search includes articles published in the English language, and those

384 indexed in PubMed, Google Scholar, and some key selected journals on disaster management,
385 so articles from other databases (including grey literature), and studies from different languages
386 on disaster preparedness could have been potentially missed. To overcome this issue, we used
387 a robust and exhaustive search syntax, with the provision of all possible synonyms of
388 keywords, in PubMed, allowing initial screening of the vast majority of articles.

389

390 **Conclusion :**

391 The present study concludes that multisectoral initiatives are key to the formulation of
392 successful hospital disaster preparedness. Monitoring of this preparedness plan includes all
393 important ingredients related to governance, logistics, program management specific need-
394 based arrangements, use of new tools, efficient communication systems, modernization of
395 health care facilities, and well-defined triage systems in place.

396 **Future scope:**

397 This study can act as a guiding paper for the policy makers and program managers not only to
398 recognize the key focused areas in disaster resilience but also to understand the dynamics of
399 disaster management, helping them adapt to the emerging needs of hospital disaster
400 preparedness. The ideas generated in the present study, mark a stepping stone in the
401 directionality of developing a comprehensive, all-inclusive disaster resilience framework and
402 formulation of universal tool of intervention in future for different geo-social settings.

403 **Ethical considerations :** Ethical issues (Including plagiarism, misconduct, data fabrication
404 and/or falsification, double publication and/or submission, redundancy, etc.) have been
405 completely observed by the primary author.

406

407 **References:**

- 408 1. United Nations. Disaster | UNDRR [Internet]. [cited 2022 Mar 22]. Available from:
409 <https://www.undrr.org/terminology/disaster>
410
- 411 2. Isfahani M, Davari F, Azizkhani R, Rezvani M. Decreased Emergency Department
412 Overcrowding by Discharge Lounge: A Computer Simulation Study. *Int J Prev Med.*
413 2020;11(1):13. PMID: 32175053
414
- 415 3. Kazemzadeh M, Shafiei E, Jahangiri K, Yousefi K, Sahebi A. The Preparedness of
416 Hospital Emergency Departments for Responding to Disasters in Iran; a Systematic
417 Review and Meta-Analysis. *Arch Acad Emerg Med.* 2019;7(1):e58.PMID:
418 31875212
419
- 420 4. Sandra K, Meital N, Ofer M, Limor AD, Sara G. Facilitating emergency hospital
421 evacuation through uniform discharge criteria. *Am J Emerg Med.* 2017;35(5):681–
422 4. PMID: 28153680
423
- 424 5. Rezaei F, Mohebbi-Dehnavi Z. Evaluation of the readiness of hospitals affiliated to
425 Isfahan University of Medical Sciences in unexpected events in 2017. *J Edu Health*
426 *Promot.* 2019;8(1):14. PMID: 30815485
427
- 428 6. Jahangiri K, Rostami N, Sahebi A. Challenges of Utilizing the Primary Health Safety
429 Index Tool for Assessing the Vulnerability of Healthcare Centers to Disasters. *Adv*
430 *J Emerg Med.* 2020;4(1):e1. PMID: 31938770
431

- 432 7. Afkar A, Mehrabian F, Shams M, Najafi L. Assessment of the Preparedness Level
433 of Administrators and State Hospitals of Guilan against Earthquake.2013;10(2s):60-
434 6
435
- 436 8. Iserson K v. Vertical hospital evacuations: a new method. South Med J. 2013
437 ;106(1):37–42. PMID :23263312
438
- 439 9. World Health Organization. Strategic Framework for Emergency
440 Preparedness.Apps.Who.int.2022. Available from:
441 [https://apps.who.int/iris/bitstream/handle/10665/254883/9789241511827eng.pdf;js](https://apps.who.int/iris/bitstream/handle/10665/254883/9789241511827eng.pdf;jsessionid=5AEC8935E8BA9EBB25C485AB42A7F319?sequence=1)
442 [essionid=5AEC8935E8BA9EBB25C485AB42A7F319?sequence=1](https://apps.who.int/iris/bitstream/handle/10665/254883/9789241511827eng.pdf;jsessionid=5AEC8935E8BA9EBB25C485AB42A7F319?sequence=1)
443
- 444 10. Sendai Framework | NDMA, GoI [Internet]. [cited 2022 Mar 23]. Available from:
445 <https://ndma.gov.in/Global/sendai-framework>
446
- 447 11. Woyessa AH, Teshome M, Mulatu B, Abadiga M, Hiko N, Kebede B. Disaster
448 Preparedness in Selected Hospitals of Western Ethiopia and Risk Perceptions of
449 Their Authorities. Open Access Emerg Med.2020 ;12:219–25. PMID: 33116957
450
- 451 12. Bazayar J, Pourvakhshoori N, Safarpour H, Far-Rokhi M, Khankeh HR, Daliri S, et
452 al. Hospital Disaster Preparedness in Iran: A Systematic Review and Meta-Analysis.
453 Iran J Public Health. 2020 May;49(5):837. PMID: 32953672
454

- 455 13. Goniewicz K, Misztal-okońska P, Pawłowski W, Burkle FM, Czerski R, Hertelendy
456 AJ, et al. Evacuation from Healthcare Facilities in Poland: Legal Preparedness and
457 Preparation. *Int J of Environ Res Public Health*. 2020;17(5):1779. PMID: 32182947
458
- 459 14. Jang JH, Cho JS, Lim YS, Hyun SY, Woo JH, Choi WS, et al. Disaster Response to
460 a Mass Casualty Incident in a Hospital Fire by Regional Disaster Medical Assistance
461 Team: Characteristics of Hospital Fire. *Disaster Med Public Health Prep* 2020;1-4.
462 PMID: 32843109
463
- 464 15. Farcas A, Ko J, Chan J, Malik S, Nono L, Chiampas G. Use of Incident Command
465 System for Disaster Preparedness: A Model for an Emergency Department COVID-
466 19 Response. *Disaster Med Public Health Prep*.2021;15(3):e31–6. PMID: 32576330
467
- 468 16. Bhattacharya S, Singh A, Semwal J, Marzo R, Sharma N, Goyal M, et al. Impact of
469 a training program on disaster preparedness among paramedic students of a tertiary
470 care hospital of North India: A single-group, before–after intervention study. *J Educ
471 Health Promot*.2020;9(1):5. PMID: 32154300
472
- 473 17. Beyramijam M, Rasouli-Ghahfarokhi S, Fathollahzadeh A, Rahimzadeh A,
474 Shahabirabori M, Aminizadeh M. The effect of education and implementation of
475 “National Hospital Disaster Preparedness Plan” on an Iranian hospital preparedness:
476 An interventional study. *J Educ Health Promot*. 2019;8(1). PMID: 31867379
477

- 478 18. Kazemzadeh M, Shafiei E, Jahangiri K, Yousefi K, Sahebi A. The Preparedness of
479 Hospital Emergency Departments for Responding to Disasters in Iran; a Systematic
480 Review and Meta-Analysis. Arch Acad Emerg Med.2019;7(1):58. PMID:31875212
481
- 482 19. Wax RS. Preparing the Intensive Care Unit for Disaster. Crit care clin.
483 2019;35(4):551–62. PMID: 31445604
484
- 485 20. Lee PH, Fu B, Cai W, Chen J, Yuan Z, Zhang L, et al. The effectiveness of an on-
486 line training program for improving knowledge of fire prevention and evacuation of
487 healthcare workers: A randomized controlled trial. PLoS One. 2018;13(7). PMID:
488 29975723
489
- 490 21. Koka PM, Sawe HR, Mbaya KR, Kilindimo SS, Mfinanga JA, Mwafongo VG, et al.
491 Disaster preparedness and response capacity of regional hospitals in Tanzania: A
492 descriptive cross-sectional study. BMC Health Serv Res. 2018;18(1):1–7. PMID:
493 30400927
494
- 495 22. Bin Shalhoub AA, Khan AA, Alaska YA. Evaluation of disaster preparedness for
496 mass casualty incidents in private hospitals in Central Saudi Arabia. Saudi Med J.
497 2017;38(3):302-6. PMID: 28251227
498
- 499 23. Tekin E, Bayramoglu A, Uzkeser M, Cakir Z. Evacuation of Hospitals during
500 Disaster, Establishment of a Field Hospital, and Communication. Eurasian J Med.
501 2017;49(2):137-41. PMID: 28638258
502

- 503 24. Lakbala P. Hospital Workers Disaster Management and Hospital Nonstructural: A
504 Study in Bandar Abbas, Iran. *Glob J Health Sci.* 2015;8(4):221-6. PMID: 26573039
505
- 506 25. Paganini M, Borrelli F, Cattani J, Ragazzoni L, Djalali A, Carenzo L, et al.
507 Assessment of disaster preparedness among emergency departments in Italian
508 hospitals: A cautious warning for disaster risk reduction and management capacity.
509 *Scand J Trauma Resusc Emerg Med.* 2016;24(1):1–8. PMID : 27526719
510
- 511 26. Ingrassia PL, Mangini M, Azzaretto M, Ciaramitaro I, Costa L, Burkle FM Jr, Della
512 Corte F, Djalali A. Hospital Disaster Preparedness in Italy: a preliminary study
513 utilizing the World Health Organization Hospital Emergency Response Evaluation
514 Toolkit. *Minerva Anesthesiol.* 2016 Dec;82(12):1259-66. PMID: 27270072
515
- 516 27. Löfqvist E, Oskarsson A, Brändström H, Vuorio A, Haney M. Evacuation
517 Preparedness in the Event of Fire in Intensive Care Units in Sweden: More is
518 Needed. *Prehosp Disaster Med.* 2017;32(3):317–20. PMID: 28279230
519
- 520 28. Zhong S, Clark M, Hou XY, Zang Y, Fitzgerald G. Validation of a framework for
521 measuring hospital disaster resilience using factor analysis. *International journal of
522 environmental research and public health.* 2014[cited 2022 Feb 25];11(6):6335–53.
523 PMID: 24945190
524
- 525 29. Djalali A, Corte F della, Foletti M, Ragazzoni L, Gallardo AR, Lupescu O, et al. Art
526 of Disaster Preparedness in European Union: a Survey on the Health Systems. *PLoS
527 Curr.* 2014;6. PMID: 25685628

528

529 30. Talati S, Bhatia P, Kumar A, Gupta AK, Ojha ColD. Strategic planning and
530 designing of a hospital disaster manual in a tertiary care, teaching, research and
531 referral institute in India. World J Emerg Med. 2014;5(1):35. PMID : 25215145

532

533 31. Djalali A, Castren M, Khankeh H, Gryth D, Radestad M, Ohlen G, et al. Hospital
534 disaster preparedness as measured by functional capacity: a comparison between
535 Iran and Sweden. Prehosp Disaster Med. 2013;28(5):1–8. PMID: 23962358

536

537 32. Femino M, Young S, Smith VC. Hospital-based emergency preparedness:
538 Evacuation of the neonatal intensive care unit - The smallest and most vulnerable
539 population. Pediatric Emergency Care. 2013 Jan;29(1):107–13. PMID: 23283279

540

541 33. Sobhani G, Khammarnia M, Hayati R, Ravangard R, Heydari AR, Heydarvand S.
542 Introduction Investigation of the preparedness level of the hospitals against disasters
543 in Bandar Abbas, Iran, in 2012. J Pak Med Assoc. 2014;64(5):506-9. PMID:
544 25272533

545

546 34. Venkataseshan J, Pandit S, Saini A. Fire accidents in neonatal nursery: prevention
547 and management. Indian J Pediatr. 2011;78(11):1404–6. PMID: 21768077

548

549 35. Murphy GRF, Foot C. ICU fire evacuation preparedness in London: A cross-
550 sectional study. Br Journal Anaesth. 2011;106(5):695–8. PMID: 21414979

551

- 552 36. Woods MD. Critical interpretive synthesis: what it is and why it is needed |
553 Colloquium Abstracts [Internet]. Available from:
554 [https://abstracts.cochrane.org/2006-dublin/critical-interpretive-synthesis-what-it-](https://abstracts.cochrane.org/2006-dublin/critical-interpretive-synthesis-what-it-and-why-it-needed)
555 [and-why-it-needed](https://abstracts.cochrane.org/2006-dublin/critical-interpretive-synthesis-what-it-and-why-it-needed)
556
- 557 37. Page MJ, Mckenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al.
558 The PRISMA 2020 statement: an updated guideline for reporting systematic
559 reviews. [cited 2022 Feb 6]; Available from: <http://dx.doi.org/10.1136/bmj.n71>
560
- 561 38. World Health Organization. Hospital Safety Index Hospital Safety Index
562 Evaluation Forms WHO Library Cataloguing-in-Publication Data Hospital safety
563 index: guide for evaluators-2nd ed. 2 v. Content: Guide for evaluators-Booklet of
564 evaluation forms.Who.int.2022. Available from:
565 Who.int/hac/techguidance/preparedness/hospital_safety_index_forms.pdf?ua=1
566
- 567 39. Sellers D, Crilly J, Ranse J. Disaster preparedness: A concept analysis and its
568 application to the intensive care unit. *Aus Crit Care* .2022;35(2):204-9. PMID :
569 34024715
570
- 571 40. Wood MH, Hailwood M, Koutelos K. Reducing the risk of oxygen-related fires and
572 explosions in hospitals treating Covid-19 patients. *Process Saf Environ*
573 *Prot.*2021;153:278–88. PMID : 34188364
574

- 575 41. Shin H, Oh SK, Lee HY, Chung H, Yoon SY, Choi SY, et al. Lessons learned from
576 reviewing a hospital's disaster response to the hydrofluoric acid leak in Gumi city in
577 2012. BMC Emergency Medicine. 2021;21(1):1–12. PMID : 33752618
578
- 579 42. Sahebi A, Jahangiri K, Alibabaei A, Khorasani-Zavareh D. Factors affecting
580 emergency evacuation of Iranian hospitals in fire: A qualitative study. J Educ Health
581 Promot. 2021;10:154. PMID : 34222529

Identification of studies via databases (PUBMED)





Figure 1



Map based on Longitude (generated) and Latitude (generated). Color shows sum of Avg Score. The marks are labeled by sum of Studies and Place. Details are shown for Place.

Figure 2




Figure 3




Figure 5