

# Work-Related Injuries in the Australian Education Sector: A Retrospective Cohort Study

Fatimah M Al Afreed <sup>a</sup>, Tyler J Lane <sup>a,b</sup>, Shannon E Gray <sup>a</sup>

<sup>a</sup>, School of Public Health and Preventive Medicine, Monash University, Melbourne, Australia

<sup>b</sup> Cancer Council Victoria, Melbourne, Australia

## **Corresponding author**

Shannon E Gray

553 St Kilda Rd, Melbourne 3004, Australia

shannon.gray@monash.edu

**Keywords** Injury; Education; Workers' Compensation; Mental health; Special Education;

Assault

## **Declarations of interest**

The Authors declare that there is no conflict of interest.

## Abstract

**Introduction:** Educators are exposed to several work-related hazards. Evidence suggests musculoskeletal pain, psychological distress, and student-inflicted violence-related injuries are common. However, there is little evidence on the burden of workplace injury among Australian educators.

**Aim:** To compare incidence of injury claims and duration of compensated time off work between educators and non-educators, and associated factors.

**Methods:** Retrospective cohort study of 1,559,676 Australian workers' compensation claims, including 84,915 educator claims, lodged between July 2009 to June 2015, from the National Dataset for Compensation-based Statistics. Cases were included if aged 18+ years and working in the education sector less than 100 hours per week. Negative binomial regression models estimated the relative risk of making a compensation claim and survival analyses calculated disability duration within educators by sex, age, injury type and mechanism, socioeconomic area, remoteness, and jurisdiction.

**Results:** Compared to non-educators, educators had lower rates of injury claims and shorter disability durations. However, educators had a higher rate of claims for mental health conditions and assault, with the highest risk being among those in special education and education aides. Among educators, injury claim rates were highest among special educators, education aides, and secondary educators.

**Discussion and Conclusion:** Though surveys indicate Australians in the education sector have higher incidences of work-related injuries, this study found lower incidence of injury claims and shorter disability durations than others. Educators' injury-reporting and absenteeism behaviors may be constrained by ethical, social, and administrative attitudes. Educators had higher rates of claims for mental health and assault-related injury, particularly special educators, and education aides, which suggests a need for targeted prevention efforts.

## Introduction

Education sector workers are exposed to various hazards that put them at risk for physical and psychological injury [1], including long periods of standing and sitting, lifting heavy loads, high workload, and violence in the workplace [2,3]. Evidence suggests that injuries are common among educators, particularly musculoskeletal disorders [4]. Globally, between 39% and 95% of teachers reported musculoskeletal disorders [5–7] and two-thirds of secondary school teachers experienced disabling pain [8]. Low-back, neck, and upper-limb pain are the most commonly reported musculoskeletal disorders, which have been attributed to workplace demands like prolonged overhead writing [7], sitting, and standing [3]. Psychosocial factors, depression, weight, older age, being female, poor posture, high body mass index and longer teaching duration were significantly associated with reported musculoskeletal injury [2–4,6–12].

Educators face numerous psychosocial stressors including rapid curricular restructuring, increasing workload due to growing obligations and standardized testing, hostile workplace environment and bullying, and increased disorderly classroom behavior [13–16]. Continuous system changes, uncertainties due to low job security, high expectations, and environment also contribute to educators' stress [17,18]. Stress is linked to dissatisfaction at work, depression, anxiety disorders, and psychosomatic manifestations, all of which have detrimental impacts on health and quality of work [17].

A survey among secondary schoolteachers in Hong Kong found a third experienced stress, a third had symptoms of depression, and over half showed symptoms of severe anxiety [19]. Several studies suggest that a substantial number of teachers continue working with chronic burnout due to lack of a suitable alternative employment [18,20,21]. An Australian study found a link between an ever-growing teachers' individual workload and development of exhaustion and

disengagement, the key dimensions of burnout [15]. While educators may have an elevated risk of developing mental health conditions [17–21], a review of the existing literature did not find evidence that educators report higher rates of mental illness compared to other occupation groups [22]. However, there is limited evidence within the Australian context [23].

Workplace violence can have severe physical and psychological implications on the wellbeing of educators and students alike. In Minnesota, student-inflicted injury accounted for 26% of educators' injury claims and 8.6% of compensated disability duration [24]. Non-physical violence like verbal abuse, bullying, and sexual harassment had an annual prevalence of 38 in 100 educators, more than four times that of physical assaults (8.3 per 100) [25]. The risk has been found substantially higher among special education teachers [24–26] and teaching assistants [24]. In Australia, between 68% and 85% of surveyed Australian primary and secondary educators reported experiencing violence (bullying and harassment) inflicted-by students and parents [27,28].

While the current literature suggests a link between working in education and increased rates of physical and psychological injury, most originate from countries that are systematically different from Australia. The apparent increase of work-related injuries among educators and lack of comparable evidence indicate that an appraisal of the Australian educators' experience is necessary. This paper aims to answer the following questions within the Australian context:

1. Do educators have higher risk of occupational injury than non-educators?
2. Do injured educators take more time off work than other sectors?
3. What factors are associated with occupational injuries and time off work among educators?

## Methods

### Setting

Around 94% of the Australian workforce is covered by compulsory workers' compensation [29], a government-mandated and regulated insurance system that provides benefits to workers after work-related injury or illness. There are 11 major workers' compensation schemes across Australia: one in each of the six states and two territories, and three Commonwealth systems: Comcare for federal government employees that also issues self-insurance licenses to large, national self-insured businesses, Seacare for seafarers, and a Department of Veterans' Affairs system for military veterans; of these, only Comcare is included in this study.

### Data

This study utilizes the National Dataset for Compensation-based Statistics (NDS), a dataset compiled by Safe Work Australia from jurisdictional-level administrative workers' compensation claims data [30]. The dataset includes information about the worker (e.g., age, sex), injury (e.g., nature, location), employer (e.g., industry size) and claim (e.g., duration). The latest available dataset was updated to June 2017. Safe Work Australia also supplied denominator data of estimates of covered workers and number of hours worked by financial year, age group, sex, industry, and occupation [31].

The study includes data from claims lodged between July 2009 to June 2015 to allow at least two years of follow-up for time loss calculations. Educators were identified based on the Australian and New Zealand Standard Classification of Occupation (ANZSCO) [32], non-educators included all other occupations; which enabled a realistic measure of the impact of working in the education sector on work-related injury reports compared to all other occupations. Cases were

excluded if a worker was aged <18 years or had abnormal and unrealistic working hours ( $\geq 100$  hours).

### Dependent variables

The primary outcomes are injury rate per 1,000 covered workers and disability duration measured as the cumulative number of weeks compensated (hours compensated divided by pre-injury weekly hours worked). While this underestimates actual time off work, it is the most accurate indicator when using administrative data [33,34]. Disability duration was right-censored at 104 weeks to standardize follow-up.

### Independent variables

Independent variables included factors previously associated with duration of time loss including age, sex, occupation, nature of injury, bodily location, socioeconomic status (SES), remoteness, jurisdiction, and whether the employer paid for system coverage (scheme insured) or managed their own claims (self-insured) [34,35].

Occupations were grouped into educators and non-educators. Educators included: childcare and early learning, primary, secondary, tertiary, vocational education, special education, education aides, and principals based on a modification of the *Australia and New Zealand Standard Classification of Occupations* (ANZSCO) [32] detailed in Appendix 1. Non-educators were comprised of all other occupations.

Age at the time of injury was categorized (18-24, 25-34, 35-44, 45-54, 55+ years). Injury groups were based on a modified version of the Type of Occurrence Classification System (TOOCS) version 3.1 [36]. Musculoskeletal conditions were categorized by bodily location (upper, lower, other).

Index of Relative Socio-economic Advantage and Disadvantage (IRSAD) was used to categorize residential postcodes into top quintile (“Most Advantaged”), bottom quintile (“Most Disadvantaged”), and the middle three quintiles (“Middle 3 Quintiles”) as an indicator of SES [37]. Remoteness was determined by Accessibility/Remoteness Index of Australia (ARIA) [38] which ranks residential postcodes by remoteness (five-point scale from “major cities” to “very remote”). Jurisdiction was categorized based on the scheme under which the injured worker was compensated.

## Analysis

Preliminary analysis revealed postcode-linked indicators (SES and remoteness) values were missing for 7.3% of all cases and 14% of educators. Missing values were strongly predicted by jurisdiction. Multiple imputations were applied based on the total proportion of cases with missing values (rounded up to 8 imputations). More than 80% of cases from the Australian Capital Territory’s private scheme were missing postcodes, which was therefore excluded.

Analyses focused on two main outcomes: injury claim rate and disability duration, relative to all other occupations. Descriptive statistics including number and proportion of claims, age group, sex, nature of injury, SES, remoteness, and jurisdiction, along with mean disability duration (and standard deviation) for educators and non-educators, and for educator subgroups. Rate of claims were compared using a negative binomial regression with a logged denominator offset. Rather than adjusting for condition type, each condition type was evaluated in sub-analyses, e.g., analysis focused on the rate of claims for musculoskeletal conditions, mental health, assault injuries. SES and remoteness variables were excluded from this analysis as denominators could not be calculated. Outputs are reported as incident rate ratios (IRR) with corresponding 95% confidence intervals.

Disability durations were compared using Cox proportional hazards survival analyses. Outputs are reported as hazard ratios (HR) with corresponding 95% confidence intervals. Lower HRs indicate reduced probability of exiting the compensation system at any point, a proxy for longer disability duration [34]. Both negative binomial and Cox regressions were repeated on only educators to determine which educator subgroups and independent variables had the highest claim rates and longest disability durations.

Analyses were conducted in R using R Studio.

### Ethical Approval

This study received ethics approval from the Monash University Human Research Ethics Committee (MUHREC) (CF14/2995 – 2014001663).

## Results

### Educators' characteristics

Between July 2009 to June 2015, 84,915 claims were made by educators, comprising 5.4% of total claims (Table 1). Almost four-fifths of educator claims were from females, compared to a third of non-educator claims. Twenty-nine percent of educator claims were from secondary education, 22.3% primary education and 17.0% education aides.

Claims for upper body musculoskeletal injuries were most common among educators (31.6%), though this was a lower proportion than in non-educators (39.7%). Lower body musculoskeletal injuries were also common (19.3% of educators' claims and 13.0% of non-educators' claims). Assault-related claims accounted for 4.5% of educator claims, but less than 2% of non-educators.

New South Wales had the highest proportion of claims for both educators (45.6%) and non-educators (39.3%). About 70% of both educators' and non-educators' claims were reported in



major cities, and more than half of all injured workers were within the middle 3 quintiles of socioeconomic advantage.

Educators had shorter disability durations than non-educators, with mean time loss 6.8 weeks (standard deviation 23.0 weeks) for educators, and 10.7 weeks (standard deviation 33.6 weeks) for non-educators.

Table 1: Frequency and proportion of claims among educators and non-educators by age group, sex, injury, jurisdiction, remoteness, SES, self-insurance status, and educator subgroups.

	Educators		Non-Educators	
	Number of Claims	Col %	Number of Claims	Col %
	84 915	5.4 %	1 474 761	94.6 %
<b>Sex</b>				
Male	17 782	20.9%	992 763	67.3%
Female	67 133	79.1%	481 998	32.7%
<b>Age Group</b>				
18-24 years	5 437	6.4%	206 012	14.0%
25-29 years	6 962	8.2%	161 368	10.9%
30-34 years	6 647	7.8%	151 100	10.2%
35-39 years	7 686	9.1%	155 626	10.6%
40-44 years	10 397	12.2%	175 551	11.9%
45-49 years	12 176	14.3%	181 600	12.3%
50-54 years	14 674	17.3%	182 292	12.4%
55+ years	20 936	24.7%	261 212	17.7%
<b>Injury</b>				
Fractures	5 801	6.8%	93 084	6.3%
Upper Body Musculoskeletal	26 832	31.6%	586 059	39.7%
Lower Body Musculoskeletal	16 366	19.3%	192 212	13.0%
Other Musculoskeletal	4 901	5.8%	51 542	3.5%
Mental Health Conditions	6 827	8.0%	50 131	3.4%
Neurological	2 178	2.6%	54 474	3.7%
Other Diseases	2 178	2.6%	37 901	2.6%
Other Traumatic	19 457	22.9%	401 562	27.2%
Other/Unidentified	375	0.4%	7 796	0.5%
<b>Mechanism of Injury</b>				
Assault	3 811	4.5%	26 217	1.8%
Not Assault	81 104	95.5%	1 448 544	98.2%
<b>Jurisdiction</b>				
Comcare	788	0.9%	42 420	2.9%
New South Wales	38 715	45.6%	57 9283	39.3%
Northern Territories	783	0.9%	16 848	1.1%
Queensland	13 770	16.2%	250 709	17.0%
South Australia	6 338	7.5%	127 353	8.6%
Tasmania	2 938	3.5%	44 194	3.0%
Victoria	11 154	13.1%	217 677	14.8%
Western Australia	10 429	12.3%	196 277	13.3%
<b>Remoteness</b>				
Major cities of Australia	49 826	69.7%	918 494	67.9%
Inner Regional Australia	14 832	20.8%	278 160	20.6%
Outer Regional Australia	5 592	7.8%	129 471	9.6%
Remote Australia	823	1.2%	19 760	1.5%
Very Remote Australia	379	0.5%	7 515	0.6%

<i>Number Missing</i>	<i>13 463</i>		<i>121 361</i>	
<b>Socioeconomic Status</b>				
Most Disadvantaged	9 279	13.0%	256 130	18.9%
Middle 3 Quintiles	41 069	57.5%	830 488	61.4%
Most Advantaged	21 090	29.5%	266 230	19.7%
<i>Number Missing</i>	<i>13 477</i>		<i>121 913</i>	
<b>Self-Insurance Status</b>				
Self-Insured	10 390	12.2%	234 614	15.9%
Scheme-Insured	74 525	87.8%	1 240 145	84.1%
<i>Number Missing</i>	<i>0</i>		<i>2</i>	
<b>Educator Subgroups</b>				
Childcare and Early Learning	16 382	19.3%		
Primary Education	18 919	22.3%		
Secondary Education	24 764	29.2%		
Principals	2 005	2.4%		
Tertiary Education	1 458	1.7%		
Vocational Education	2 925	3.4%		
Special Education	4 036	4.8%		
Education Aides	14 426	17.0%		

*Note: SES - Socioeconomic Status; Col % - Column Percentage.*

## Injury claim rates

The injury claim rate was 41% lower among educators than non-educators (Incidence Rate Ratio [IRR]: 0.59; 95% Confidence Interval [CI]: 0.54-0.66) (Table 2). However, educators had a 33% higher rate of mental health claims (IRR: 1.33; 95%CI: 1.18-1.49), and 74% higher rate of injury claims due to assault (IRR: 1.74; 95% CI: 1.55-1.94). Educators had a significantly lower claim rate for all other conditions except lower body musculoskeletal, which had no detectable difference ( $p = 0.372$ ).

Table 2: Negative binomial regression results comparing injury claim rate between educators and non-educators.

	<b>IRR</b>	<b>95% CI</b>	<b>p-value</b>
<b>Overall educators</b> (reference: non-Educators)	0.59	0.54 - 0.66	<0.001
<b>Injury subgroups</b> (separate analyses)			
Fractures	0.72	0.64 - 0.82	<0.001
Upper Body Musculoskeletal	0.44	0.39 - 0.50	<0.001
Lower Body Musculoskeletal	0.95	0.83 - 1.08	0.372
Other Musculoskeletal	0.69	0.62 - 0.77	<0.001
Mental Health Conditions	1.33	1.18 - 1.49	<0.001
Neurological	0.58	0.50 - 0.67	<0.001
Other Diseases	0.74	0.63 - 0.86	<0.001
Other Traumatic	0.50	0.43 - 0.57	<0.001
Other/Unidentified	0.77	0.66 - 0.90	0.001
Assault-Injury	1.74	1.55 - 1.94	<0.001

*Note: IRR - Incidence Rate Ratio; CI - Confidence Interval.*

Among educator subgroups, the highest rates of occupational injury claims were in special education (IRR: 2.46; 95% CI: 2.19-2.77) and education aides (IRR: 1.58; 95% CI: 1.41-1.76) and lowest in tertiary education (IRR: 0.19; 95% CI: 0.16-0.21). While all jurisdictions had lower rates than Comcare, Victoria had the lowest rate (IRR: 0.35; 95% CI: 0.30 – 0.40) These results are summarized in Table 3.

Table 3: Negative binomial regression results for factors predicting overall claim rates among educators.

	<b>IRR</b>	<b>95% CI</b>	<b>p-value</b>
<b>Educator Subgroup</b> (reference: Secondary Education)			
Childcare and Early Learning	1.13	1.01 - 1.26	0.037
Primary Education	0.64	0.57 - 0.71	<0.001
Principals	0.55	0.48 - 0.62	<0.001
Tertiary Education	0.19	0.16 - 0.21	<0.001
Vocational Education	0.49	0.44 - 0.56	<0.001
Special Education	2.46	2.19 - 2.77	<0.001
Education Aides	1.58	1.41 - 1.76	<0.001
<b>Sex</b> (reference: Female)			
Male	1.00	0.94 - 1.07	0.887
<b>Age group</b> (reference: 18-24 years)			
25-29 years	1.31	1.14 - 1.51	<0.001
30-34 years	1.50	1.31 - 1.72	<0.001
35-39 years	1.58	1.38 - 1.81	<0.001
40-44 years	1.92	1.68 - 2.20	<0.001
45-49 years	2.30	2.01 - 2.63	<0.001
50- 54 years	2.42	2.12 - 2.76	<0.001
55+ years	2.42	2.12 - 2.76	<0.001
<b>Jurisdiction</b> (reference: Comcare)			
New South Wales	0.90	0.78 - 1.03	0.113
Northern Territories	0.44	0.37 - 0.51	<0.001
Queensland	0.45	0.39 - 0.52	<0.001
South Australia	0.65	0.56 - 0.76	<0.001
Tasmania	0.90	0.78 - 1.05	0.174
Victoria	0.35	0.30 - 0.40	<0.001
Western Australia	0.67	0.58 - 0.78	<0.001

*Note: IRR - Incidence Rate Ratio; CI - Confidence Interval.*

#### Rate of claims for assault and mental health conditions by occupation group

Further analysis was conducted to identify factors associated with increased rate of mental health conditions and assault injury claims as shown in Table 4. Male educators had a 14% lower rate of injury claims for assault (IRR: 0.86; 95% CI: 0.75-0.99). The mental health claim rate was

highest in the 50-54 years age group (IRR: 5.30; 95% CI: 4.18-6.74), and highest assault risk was in 45-49 years group (IRR: 1.67; 95% CI: 1.29-2.18). Special educators had the highest rate of injury claims for assault (IRR: 8.46; 95% CI: 6.93-10.31) and mental health (IRR: 1.17; 95% CI: 0.98-1.40), though the latter was non-significant compared to the reference category, secondary education. Education aides also had higher rates of injury claims for assault (IRR: 3.68; 95% CI: 3.05-4.43). Other educator subgroups generally had significantly less risk than secondary educators, indicating that the secondary education group has an increased risk compared to other educator subgroups. Tertiary educators had the lowest rate of injury claims for mental health conditions (IRR: 0.14; 95% CI: 0.11-0.17) and assault (IRR: 0.07; 95% CI: 0.03-0.13). All jurisdictions had lower claim rates than Comcare, Queensland had the lowest rate of mental health claims (IRR: 0.26; 95% CI: 0.20- 0.33), and New South Wales had the lowest assault claims rate (IRR: 0.21; 95% CI: 0.15 – 0.29).

Table 4: Factors associated with risk of mental health conditions and assault-injury among educators.

Injury	Mental Health Conditions			Assault-injury		
	IRR	95% CI	p-value	IRR	95% CI	p-value
<b>Educator subgroups</b> (reference: Secondary Education)						
Childcare and Early Learning	0.39	0.33 - 0.46	<0.001	0.77	0.62 - 0.96	0.020
Primary Education	0.63	0.55 - 0.71	<0.001	0.70	0.58 - 0.85	<0.001
Principals	0.67	0.56 - 0.80	<0.001	1.19	0.91 - 1.55	0.189
Tertiary Education	0.14	0.11 - 0.17	<0.001	0.07	0.03 - 0.13	<0.001
Vocational Education	0.50	0.42 - 0.60	<0.001	0.20	0.12 - 0.30	<0.001
Special Education	1.17	0.98 - 1.40	0.082	8.46	6.93 - 10.31	<0.001
Education Aides	0.71	0.61 - 0.83	<0.001	3.68	3.05 - 4.43	<0.001
<b>Sex</b> (reference: Female)						
Male	0.91	0.83 - 1.01	0.071	0.86	0.75 - 0.99	0.028
<b>Age group</b> (reference: 18-24 years)						
25-29 years	2.03	1.57 - 2.64	<0.001	1.15	0.88 - 1.52	0.306
30-34 years	2.42	1.88 - 3.13	<0.001	1.20	0.92 - 1.58	0.181
35-39 years	3.02	2.36 - 3.88	<0.001	1.13	0.86 - 1.48	0.378
40-44 years	3.77	2.96 - 4.82	<0.001	1.32	1.01 - 1.72	0.038
45-49 years	4.93	3.88 - 6.29	<0.001	1.67	1.29 - 2.18	<0.001
50-54 years	5.30	4.18 - 6.74	<0.001	1.51	1.17 - 1.97	0.002
55+ years	4.60	3.64 - 5.84	<0.001	1.31	1.02 - 1.70	0.035
<b>Jurisdiction</b> (reference: Comcare)						

New South Wales	0.56	0.44 - 0.72	<0.001	0.21	0.15 - 0.29	<0.001
Northern Territories	0.40	0.28 - 0.55	<0.001	0.40	0.26 - 0.62	<0.001
Queensland	0.26	0.20 - 0.33	<0.001	0.28	0.20 - 0.39	<0.001
South Australia	0.74	0.57 - 0.95	0.017	0.61	0.44 - 0.85	0.003
Tasmania	0.68	0.52 - 0.90	0.005	0.87	0.61 - 1.25	0.429
Victoria	0.38	0.30 - 0.49	<0.001	0.24	0.17 - 0.34	<0.001
Western Australia	0.27	0.21 - 0.35	<0.001	0.89	0.65 - 1.25	0.494

*Note: IRR- Incidence Rate Ratio; CI- Confidence Interval.*

## Duration of time loss

Educators had shorter durations of time loss overall compared to non-educators (Hazard Ratio [HR]: 1.17; 95% CI: 1.10-1.24). Overall, duration of time loss within educators did not differ significantly from their reference categories for age group, injury type, mechanism of injury, remoteness, and socioeconomic advantage. Within educator subgroups, education aides had the longest disability duration (HR: 0.70; 95% CI: 0.56-0.87). Otherwise, no other educator group differed significantly from the reference category (secondary education). Shortest duration of time loss was in Queensland (HR: 4.35; 95% CI: 2.51-7.54). There were no detectable differences based on remoteness and socioeconomic status. (Table 5).

Table 5: Factors associated with educators' duration of time loss in weeks, results of Cox regression analyses with multiple imputation for SES and remoteness.

<i>Educators compared to non-educators</i>	<b>HR*</b>	<b>95% CI</b>	<b>p-value</b>
<b>Occupation</b> (reference: Non-Educators)			
Educators	1.17	1.10 - 1.24	<0.001
<b>Within Educators Analysis</b>			
<b>Educator Subgroups</b> (reference: Secondary Education)			
Childcare and Early Learning	0.87	0.72 - 1.06	0.178
Primary Education	0.94	0.77 - 1.14	0.510
Principals	0.95	0.64 - 1.40	0.781
Tertiary Education	0.79	0.53 - 1.19	0.264
Vocational Education	0.90	0.68 - 1.19	0.456
Special Education	0.90	0.67 - 1.21	0.483
Education Aides	0.70	0.56 - 0.87	0.002
<b>Sex</b> (reference: Female)			
Male	0.99	0.84 - 1.16	0.908
<b>Age Group</b> (reference: 18-24 years)			
25-29 years	1.07	0.63 - 1.80	0.813
30-34 years	1.27	0.77 - 2.09	0.345
35-39 years	0.96	0.58 - 1.57	0.867
40-44 years	1.02	0.64 - 1.61	0.946
45-49 years	1.01	0.63 - 1.59	0.980

50-54 years	1.00	0.63 - 1.57	0.990
55+ years	1.35	0.86 - 2.13	0.198
<b>Injury</b> (reference: Fractures)			
Upper Body Musculoskeletal	0.94	0.69 - 1.28	0.700
Lower Body Musculoskeletal	1.10	0.78 - 1.57	0.580
Other Musculoskeletal	0.97	0.65 - 1.46	0.900
Mental Health Conditions	0.86	0.64 - 1.17	0.350
Neurological	1.07	0.65 - 1.77	0.790
Other Diseases	0.65	0.42 - 1.00	0.050
Other Traumatic	0.84	0.59 - 1.22	0.360
Other/Unidentified	5.12	0.68 - 38.83	0.110
<b>Mechanism of injury</b> (reference: Not Assault)			
Assault	1.28	0.93 - 1.76	0.132
<b>Jurisdiction</b> (reference: Comcare)			
New South Wales	1.57	0.99 - 2.50	0.054
Northern Territories	2.62	0.96 - 7.13	0.060
Queensland	4.35	2.51 - 7.54	<0.001
South Australia	2.23	1.36 - 3.67	0.001
Tasmania	1.36	0.79 - 2.36	0.269
Victoria	1.87	1.18 - 2.95	0.007
Western Australia	3.85	2.34 - 6.34	<0.001
<b>Remoteness</b> (reference: Major Cities of Australia)			
Inner Regional Australia	1.06	0.90 - 1.25	0.486
Outer Regional Australia	0.90	0.69 - 1.19	0.474
Remote Australia	0.87	0.48 - 1.58	0.644
Very Remote Australia	0.84	0.35 - 1.98	0.685
<b>Socioeconomic Status</b> (reference: Disadvantaged)			
Middle 3 Quintiles	1.01	0.84 - 1.21	0.933
Most Advantaged	0.99	0.80 - 1.23	0.927

Note: HR - Hazard Ratio; CI- Confidence Interval; SES - Socioeconomic Status.

\*HR<1 indicates longer disability duration, HR> 1 indicates shorter duration of time loss.

## Discussion

### Rate of injury claims

Th findings suggest that educators are at lower risk of injury resulting in a workers' compensation claim than non-educators. This is in contrast to survey data that captures all self-reported work-related conditions, regardless of whether they were compensated. In 2017/18, an estimated 53 per 1000 workers in the education and training industry experienced work-related injury or illness, the third highest rate among Australian industries [39]. However, claims data may systematically underestimate occupational injuries and illnesses in educators relative to other occupations due to the absence-discouraging culture of their work environment, leadership attitude, inclination to work when advised against it, and utilizing fixed school holidays to de-

stress and recuperate [40,41]. Taking time off work also entails lesson planning for substitutes, which could also discourage educators from lodging a workers' compensation claim.

Despite the likely underreporting, educators had higher rates of compensable mental health conditions and injuries arising from assault, in concordance with the existing evidence [8,14–23]. Also consistent with previous studies, musculoskeletal injuries accounted for the majority of claims [2–12], though educators had a lower rate of these claims compared to non-educators. It is notable that while education is a female dominated sector, this study found no significant difference between male and female claim rates.

Consistent with the current evidence, educators in secondary education had the highest injury claim rates [7,8,11,19]. Special educators had the highest rate of mental health injury claims; while not significantly higher than the reference group, secondary educators, all other educator subgroups were significantly lower, which suggests educators in special education have an especially high risk of mental health conditions. This may be due to the unique challenges of their work including special needs of their students, limited resources, rigid curriculum, and insufficient support [42,43]. Additionally, a review of the Australian special educators' training pathways found inconsistencies that may have led to gaps in some educators' management of challenging classroom behavior [42]. These challenges likely contribute to educators' stress, discouragement, frustration, poor coping behaviors, and increased risk of burnout [43–45].

The finding that educators, particularly those in special education and education aides, were at elevated risk of compensable injuries resulting from assault is consistent with previous research [21,24–26,46–49]. Special educators and education aides often work with students who have physical and behavioral needs, adding more responsibility to their role than typical educators, like managing the classroom and student safety, providing individualized support, and closely

working with the students throughout the school day [21]. Violence is evidenced to have an immense impact on educators' quality of life and overall wellbeing, including increased risk of cardiovascular disease and sleep disorders, decreased sense of safety, and poor mental and emotional wellbeing [16,26,50,51].

Educators may refrain from reporting incidents in some situations because they may assume students are acting out due to distress and their actions are unintended [26]. The possibility that educators underreport occupational injuries and illnesses makes their elevated rate of claims for mental health and assault all the more striking and suggests they are severe underestimates.

#### Disability duration

The shortened disability duration among educators could reflect less severe injuries and faster recovery within this group. Alternatively, educators may have truncated periods on compensation and return to work earlier in the recovery process. Some educators asserted that they would prefer taking short breaks to rest in order to avoid extended leave periods [41]. Such recovery times would not be captured by compensation databases.

Educators may also face institutional and systematic challenges to taking compensated time off work after injury. Those who are frequently absent may be stigmatized, ostracized, and distrusted by their colleagues and administration [41]. Conversely, evidence suggests decreased absenteeism is not an appropriate measure of good health, as educators were three to four times more likely to be present at work while sick than managers [52]. Thus, disability duration may not be the best measure to assess the impact of educators' work-related injuries and illness.

The shortest disability durations were in Queensland and Western Australia, which may be due to the alleged high prevalence of injuries of an acute nature, like those relating to assault [28,53].



It may also be attributable to differences of compensation systems and eligibility among jurisdictions, as a lower threshold leads to shorter average disability durations [54,55].

SES and location are used to denote resource availability and service accessibility, and have been linked to disability duration in previous research [34]. While most educators' injury claims originated from major cities and middle SES, this study found no association with disability duration.

### Strengths and limitations

Study strengths include the use of population-level claims data derived from 8 of the 11 national compensation schemes' data, covering 90% of the Australian workforce [34], facilitating effective comparison of claims and injury rates among occupation groups.

This study is limited by using the NDS dataset, which is collected for administrative rather than research purposes. This may introduce systematic bias which can distort injury risk between occupations. The limited dataset does not allow exploration of potential psychosocial confounding variables. Compensation data underestimates the prevalence of work-related injuries and diseases and the actual time off work, which may also systematically differ between educators and non-educators.

The COVID-19 pandemic in 2020 has caused considerable disruptions requiring the adaptation of a hybrid education system in which educators are working in-person and online. The increased prevalence of remote education can lead to additional injury risks that were not able to be covered in this paper, due to the timeframe of data, however, it might be worthwhile repeating the study in the future to determine the differences.

## Conclusion

While educators had lower rates of injury claims and compensated disability duration, the inconsistency with work injury surveys suggests underreporting of injuries to the compensation system. Regardless, educators had higher rates of injury claims for mental health conditions and assault. This study provided insight into injury prevalence and type, identified risk categories, and highlighted the vulnerability of educator subgroups, in particular those in special education and education aides. Educators' risk of assault and mental health conditions is concerning, suggesting the need for preventive interventions. Future research could explore factors associated with educators' injuries and how they can be effectively targeted.

## References

- [1] Seibt R, Spitzer S, Blank M, Scheuch K. Predictors of work ability in occupations with psychological stress. *J Public Health* 2009;17:9–18. <https://doi.org/10.1007/s10389-008-0194-9>.
- [2] Ng YM, Voo P, Maakip I. Psychosocial factors, depression, and musculoskeletal disorders among teachers. *BMC Public Health* 2019;19:1–10. <https://doi.org/10.1186/s12889-019-6553-3>.
- [3] Alghwiri A, Marchetti G. Occupational back pain among schoolteachers in Jordan: estimated prevalence and factors associated with self-reported pain and work limitations. *Int J Occup Saf Ergon* 2018;24:341–6. <https://doi.org/10.1080/10803548.2016.1247605>.
- [4] Erick PN, Smith DR. Musculoskeletal disorders in the teaching profession: An emerging workplace hazard with significant repercussions for developing countries. *Ind Health* 2015;53:385–6. <https://doi.org/10.2486/indhealth.2014-0218>.
- [5] Cheng HYK, Wong MT, Yu YC, Ju YY. Work-related musculoskeletal disorders and ergonomic risk factors in special education teachers and teacher’s aides. *BMC Public Health* 2016;16:1–9. <https://doi.org/10.1186/s12889-016-2777-7>.
- [6] Erick PN, Smith DR. A systematic review of musculoskeletal disorders among school teachers. *BMC Musculoskelet Disord* 2011;12:1–11. <https://doi.org/10.1186/1471-2474-12-260>.
- [7] Chiu TTW, Lam PKW. The prevalence of and risk factors for neck pain and upper limb pain among secondary school teachers in Hong Kong. *J Occup Rehabil* 2007;17:19–32. <https://doi.org/10.1007/s10926-006-9046-z>.

- [8] Darwish MA, Al-Zuhair SZ. Musculoskeletal pain disorders among secondary school Saudi female teachers. *Pain Res Treat* 2013;2013. <https://doi.org/10.1155/2013/878570>.
- [9] Alias AN, Karuppiah K, How V, Perumal V. Prevalence of musculoskeletal disorders (MSDS) among primary school female teachers in Terengganu, Malaysia. *Int J Ind Ergon* 2020;77:102957. <https://doi.org/10.1016/j.ergon.2020.102957>.
- [10] Elias HE, Downing R, Mwangi A. Low back pain among primary school teachers in Rural Kenya: Prevalence and contributing factors. *Afr J Prim Health Care Fam Med* 2019;11. <https://doi.org/10.4102/phcfm.v11i1.1819>.
- [11] Yue P, Liu F, Li L. Neck/shoulder pain and low back pain among school teachers in China, prevalence and risk factors. *BMC Public Health* 2012;12. <https://doi.org/10.1186/1471-2458-12-789>.
- [12] Kebede A, Abebe SM, Woldie H, Yenit MK. Low Back Pain and Associated Factors among Primary School Teachers in Mekele City, North Ethiopia: A Cross-Sectional Study. *Occup Ther Int* 2019;2019:3862946. <https://doi.org/10.1155/2019/3862946>.
- [13] Crowley R, Tierney J, Carr K, Denman K, Ferris J, Campbell G, et al. A Class Act: Inquiry into the Status of the Teaching Profession – Parliament of Australia n.d. [https://www.aph.gov.au/Parliamentary\\_Business/Committees/Senate/Education\\_Employment\\_and\\_Workplace\\_Relations/Completed\\_inquiries/Pre1999/teachers/report/index](https://www.aph.gov.au/Parliamentary_Business/Committees/Senate/Education_Employment_and_Workplace_Relations/Completed_inquiries/Pre1999/teachers/report/index) (accessed March 8, 2021).
- [14] Scholastic, The Bill and Melinda Gates Foundation. Primary Sources: 2012 America’s teachers on the teaching profession, A project of Scholastic and the Bill & Melinda Gates foundation . 2012.

- [15] Timms C, Graham D, Cottrell D. "I just want to teach": Queensland independent school teachers and their workload. *J Educ Adm* 2007;45:569–86. <https://doi.org/10.1108/09578230710778204>.
- [16] Riley D, Duncan DJ, Edwards J. Staff bullying in Australian schools. *J Educ Adm* 2011;49:7–30. <https://doi.org/10.1108/09578231111102036>.
- [17] Klassen RM, Chiu MM. Effects on Teachers' Self-Efficacy and Job Satisfaction: Teacher Gender, Years of Experience, and Job Stress. *Journal of Educational Psychology* 2010;102:741–56. <https://doi.org/10.1037/a0019237>.
- [18] Steyn G, Kamper G. Understanding occupational stress among educators: an overview. *Afr Educ Rev* 2006;3:113–33. <https://doi.org/10.1080/18146620608540446>.
- [19] Leung SSK, Wah Mak Y, Yu Chui Y, Chiang VCL, Lee ACK. Occupational stress, mental health status and stress management behaviors among secondary school teachers in Hong Kong. *Health Educ J* 2009;68:328–43. <https://doi.org/10.1177/0017896909349255>.
- [20] Hughes RE. Deciding to leave but staying: Teacher burnout, precursors and turnover. *Int J Hum Resour Manag* 2001;12:288–98. <https://doi.org/10.1080/713769610>.
- [21] Timms C, Graham D, Caltabiano M. Gender implication of perceptions of trustworthiness of school administration and teacher burnout/job stress. *Aust J Soc Issues* 2006;41:343–58. <https://doi.org/10.1002/j.1839-4655.2006.tb00020.x>.
- [22] van Droogenbroeck F, Spruyt B. Do teachers have worse mental health? Review of the existing comparative research and results from the Belgian Health Interview Survey. *Teach Teach Edu* 2015;51:88–100. <https://doi.org/10.1016/j.tate.2015.06.006>.

- [23] Garrick A, Winwood PC, Mak AS, Cathcart S, Bakker AB, Lushington K. Prevalence and Organisational Factors of Psychological Injury among Australian School Teachers. *Australas J Organ Psychol* 2014;7:1–12. <https://doi.org/10.1017/orp.2014.5>.
- [24] Schofield KE, Ryan AD, Stroinski C. Student-inflicted injuries to staff in schools: Comparing risk between educators and non-educators. *Inj Prev* 2019;25:116–22. <https://doi.org/10.1136/injuryprev-2017-042472>.
- [25] Gerberich SG, Nachreiner NM, Ryan AD, Church TR, McGovern PM, Geisser MS, et al. Violence against educators: A population-based study. *J Occup Environ Med* 2011;53:294–302. <https://doi.org/10.1097/JOM.0b013e31820c3fa1>.
- [26] Tiesman H, Konda S, Hendricks S, Mercer D, Amandus H. Workplace violence among Pennsylvania education workers: Differences among occupations. *J Safety Res* 2013;44:65–71. <https://doi.org/10.1016/j.jsr.2012.09.006>.
- [27] Billett P, Turner K, Martin D, Fogelgarn R. Teacher Targeted Bullying and Harassment by Students and Parents: The East Coast Project. Complexities of Researching with Young People View Project Teacher Wellbeing: Its Effects on Teaching Practice and Student Learning View project. Victoria: 2020. <https://doi.org/10.13140/RG.2.2.29584.02565>.
- [28] Lowe E, Picknoll D, Chivers P, Farrington F, Rycroft P. Teacher-directed violence by students in Western Australia: An exploratory study. *Issues Educ Res* 2020;30:187–202.
- [29] Lane T, Collie A, Hassani-Mahmooei B. *Work-related injury and illness in Australia*. vol. 6. Melbourne: Monash University; 2016.

- [30] Safe Work Australia. National dataset for compensation-based statistics 3rd edition (Revision 1) | Safe Work Australia. Canberra, Australia: 2012.
- [31] Safe Work Australia. Comparison of workers' compensation arrangements in Australia and New Zealand | Safe Work Australia. Canberra, Australia: 2020.
- [32] Australian Bureau of Statistics. 1220.0 - ANZSCO - Australian and New Zealand Standard Classification of Occupations, 2013, Version 1.3. Canberra, Australia: n.d.
- [33] Krause N, Dasinger LK, Deegan LJ, Brand RJ, Rudolph L. Alternative approaches for measuring duration of work disability after low back injury based on administrative workers' compensation data. *Am J Ind Med* 1999;35:604–18. [https://doi.org/10.1002/\(SICI\)1097-0274\(199906\)35:6<604::AID-AJIM8>3.0.CO;2-T](https://doi.org/10.1002/(SICI)1097-0274(199906)35:6<604::AID-AJIM8>3.0.CO;2-T).
- [34] Collie A, Lane TJ, Hassani-Mahmoei B, Thompson J, McLeod C. Does time off work after injury vary by jurisdiction? A comparative study of eight Australian workers' compensation systems. *BMJ Open* 2016;6:e010910. <https://doi.org/10.1136/bmjopen-2015-010910>.
- [35] Lane TJ, Sheehan L, Gray S, Collie A. Regional Differences in Time Off Work After Injury: A Comparison of Australian States and Territories Within A Single Workers' Compensation System. *J Occup Rehabil* 2021;1–8. <https://doi.org/10.1007/s10926-020-09947-2>.
- [36] Australian Safety and Compensation Council. Type of Occurrence Classification System 3rd Edition Revision 1. Barton, ACT: Australian Safety and Compensation Council; 2008.
- [37] Australian Bureau of Statistics. 2033.0.55.001 - Census of Population and Housing: Socio-Economic Indexes for Areas (SEIFA), Australia, 2016. Canberra, Australia: 2016.
- [38] Australian Bureau of Statistics. Remoteness Structure. Canberra, Australia: 2016.

- [39] Australian Bureau of Statistics. Work-related injuries, 2017-18 financial year. Canberra, Australia: 2018.
- [40] Darabi M, Macaskill A, Reidy L. A qualitative study of the UK academic role: positive features, negative aspects and associated stressors in a mainly teaching-focused university. *J Furth High Educ* 2017;41:566–80. <https://doi.org/10.1080/0309877X.2016.1159287>.
- [41] Carlsen B. From absence to absenteeism? A qualitative cross case study of teachers' views on sickness absence. *J Socio Econ* 2012;41:129–36. <https://doi.org/10.1016/j.socec.2011.12.007>.
- [42] Dally KA, Ralston MM, Strnadová I, Dempsey I, Chambers D, Foggett J. Current Issues and Future Directions in Australian Special and Inclusive Education. *AJTE* n.d.;44:44. <https://doi.org/10.14221/ajte.2019v44n8.4>.
- [43] Udoba HA. Challenges faced by teachers when teaching learners with developmental disability. 2014.
- [44] Brunsting NC, Sreckovic MA, Lane. KL. Special Education Teacher Burnout: A Synthesis of Research from 1979 to 2013. *Educ Treat Children* 2014;37:681–711.
- [45] Berry AB, Gravelle M. The Benefits and Challenges of Special Education Positions in Rural Settings: Listening to the Teachers. *The Rural Educator* 2018;34. <https://doi.org/10.35608/ruraled.v34i2.400>.
- [46] Ervasti J, Kivimäki M, Pentti J, Salmi V, Suominen S, Vahtera J, et al. Work-Related Violence, Lifestyle, and Health Among Special Education Teachers Working in Finnish Basic Education. *J Sch Health* 2012;82:336–43. <https://doi.org/10.1111/j.1746-1561.2012.00707.x>.



- [47] Sage SK, Gerberich SG, Ryan AD, Nachreiner NM, Church TR, Alexander BH, et al. School resources, resource allocation, and risk of physical assault against Minnesota educators. *Accid Anal Prev* 2010;42:1–9. <https://doi.org/10.1016/j.aap.2009.04.019>.
- [48] Gerberich SG, Nachreiner NM, Ryan AD, Church TR, McGovern PM, Geisser MS, et al. Case-control study of student-perpetrated physical violence against educators. *Ann Epidemiol* 2014;24:325–32. <https://doi.org/10.1016/j.annepidem.2014.02.006>.
- [49] McMahon SD, Reaves S, McConnell EA, Peist E, Ruiz L. The Ecology of Teachers’ Experiences with Violence and Lack of Administrative Support. *Am J Community Psychol* 2017;60:502–15. <https://doi.org/10.1002/ajcp.12202>.
- [50] Kivimäki M, Virtanen M, Vartia M, Elovainio M, Vahtera J, Keltikangas-Järvinen L. Workplace bullying and the risk of cardiovascular disease and depression. *Occup Environ Med* 2003;60:779–83. <https://doi.org/10.1136/oem.60.10.779>.
- [51] Riley P, See S-M. The Australian Principal Occupational Health, Safety and Wellbeing Survey 2019 Data (IPPE Report). Sydney: 2020.
- [52] Ruhle SA, Süß S. Presenteeism and Absenteeism at Work—an Analysis of Archetypes of Sickness Attendance Cultures. *J Bus Psychol* 2020;35:241–55. <https://doi.org/10.1007/s10869-019-09615-0>.
- [53] Queensland Teachers’ Union. Occupational Violence - 27 November 2019 :: QTU 2019. <https://www.qtu.asn.au/workload-wednesday-1/2019/occupational-violence-27-november-2019> (accessed April 28, 2021).

- [54] Gray SE, Collie A. Comparing time off work after work-related mental health conditions across Australian workers' compensation systems: a retrospective cohort study. *Psychiatry, Psychology and Law* 2018;25:675–92. <https://doi.org/10.1080/13218719.2018.1473176>.
- [55] Lane TJ. Collider Bias in Administrative Workers' Compensation Claims Data: A Challenge for Cross-Jurisdictional Research. *Journal of Occupational Rehabilitation* 2021. <https://doi.org/10.1007/s10926-021-09988-1>.

## Appendix 1

ANZSO educators' occupation codes and their regrouping in this study		
<b>Code</b>	<b>Occupation</b>	<b>Group in this study</b>
2411	Early Childhood Teachers	Childcare and Early Learning
4211	Child Careers	
2412	Primary School Teachers	Primary Education
2413	Middle School Teachers	Secondary Education
2414	Secondary School Teachers	
1343	School Principal	Principals
2421	University Lecturers and Tutors	Tertiary Education
2422	Vocational Education Teachers	Vocational Education
2415	Special Education Teachers	Special Education