Nursing students satisfaction level Regarding Clinical learning environment in Peshawar

Ihsanur Rahman BSN, MPH ¹. Umar sahib BSN²

Khyber Medical University³

Rehman Medical Institute⁴

Abstract

Background of this study is to know about the students' satisfaction level regarding clinical

learning environment.

Methodology: A descriptive cross-sectional study design was conducted in Peshawar, KPK.

Participants were selected from different semester by using random sampling technique .The

data was collected through modified questionnaire.

Results A total of 140 nursing students of BSN and post RN participated in which male were 54

(38.6%) and female were 86 (61.4%). The average age of the study participants was 24.41 years

with a SD 5.194. The total male participants were 54, among 3 (5.5%) of them were dissatisfied

from their clinical environment, 46 (85.1%) were satisfied and 5 (9.2%) were highly satisfied

from their clinical environment. On the other hand among total female participant 86, among 2

(2.3%) of them were dissatisfied, 72 (83.7%) were satisfied and 12 (13.9%) participants were

highly satisfied from their clinical environment.

Conclusion The current study conducted in two nursing colleges, focused on satisfaction level

regarding clinical environment. The result showed that the satisfaction level was in ascending

order as the junior students were least satisfied. Most satisfied students were from senior most

classes. The study shows the need for further research work on factors affecting satisfaction level

in order to help the low level of satisfaction amongst junior classes' students.

Keywords: Nursing students, Satisfaction level, Clinical learning environment

Introduction

Nursing is a evidence based profession and the clinical environment is one of the most valuable

and integral component in the BS nursing program (1). Clinical placement is important because

it allows the nursing students to understand clinical practice, and facilitate to attain the

knowledge (2). The clinical learning environment is an essential part in nursing education and

has major influence on the students' learning (3). Several definition have been presented but in

this study clinical environment includes everything that surrounds the students and affect their

professional development, and knowledge skills in the clinical setting (4). Additionally, the

clinical learning environment can have play pivotal role in the development of the attitude,

knowledge and the capability of problem solving in nursing (5). The excellence of clinical

learning environment can be influenced by different factors such as ward atmosphere, leadership

style of the ward manager, supervisory relationship and principles of nursing care and practice of

learning in the ward (6).

It has been experienced by researchers that nursing students were not satisfied during their

clinical exposure (7). Literature revealed that nursing students have clearly identified that clinical

environment is not learnable as compared to class room environment, because the lecturer has

more experienced as compared to clinical instructor, as the study observed that clinical instructor

is fresh graduated and inexperienced, so that can influence the students learning satisfaction (8).

The key aim of the study is to evaluate nursing students' satisfaction level regarding their clinical

learning environment.

Methodology

Study Design and Setting: A quantitative cross-sectional study design was used. The study was

comported in two private nursing colleges in Peshawar. The total population was 188, while the

response rate was 140. A total of 140 BS nursing students participated in this study. Sample size

was calculated by using Rao soft software by taking 95 % of confidence interval and 5 % margin

of error. Students were assessed through adopted questionnaire.

Ethical consideration Permission letter was signed from the Director Admin of the two nursing

colleges for data collection. Informed consent was taken from each participant. Confidentiality

and anonymity of the participants were maintained.

Tools The 3 likert scale (dissatisfied, satisfied and highly satisfied) adopted questionnaire was

used on the following different domains, ward atmosphere, learning environment in the ward and

student teacher relationship.

Results

A total of 140 nursing students of BSN and Post RN participated in study; male were 54

(38.6%) and female were 86 (61.4%). The mean age of the students was 24.41 (SD 5.194) years.

The students from BSN were 109 (77.9%) and post RN was 31 (22.1%). The student's

satisfaction level was categorized into three levels, highly satisfied whose score is greater than

90, satisfied with score of 40 - 90, dissatisfied whose score less than 40 and the total score was

105. According to their clinical rotation, the last units they had attended. Students had the

clinical placement of participants in 29 (20.7%) were from ICU, 51 (36.4%) from general ward,

9 (6.4%) were from pediatric and 49 (35.0%) participants were from others and 2 participants

have not mentioned their clinical placement as shown in table 1.

Table 1 Demographic characteristics

Total participants	140
Gender	
Male	54
Female	86
Year of Study	
Year 1 (combined BSN+PRN)	19
Year 2 (combined BSN+PRN)	40
Year 3 (BSN	35
Year 4 (BSN)	46
Clinical Placement	
ICU	29
general ward	51
pediatric ward	9
Other	49
Satisfaction Level	
Satisfied	118
highly satisfied	17
Dissatisfied	5

Among all, 5 (3.6%) participants were dissatisfied, while satisfied were 118 (84.3%), more over 17 (12.1%) students were found to be highly satisfied from their clinical learning environment. The satisfactions level of the participants from their clinical learning environment as shown in the figure 1.




Figure 1 Satisfaction level of the clinical environment

Chi-square test applied to identify association between student's satisfaction level with the variables such as gender, year of study, clinical placement and program. However, gender and program were not found to be significant.

Association between students satisfaction level and the participants year of the study was significant (P=0.017). Students of year 4 BSN were more satisfied (93.47%), year 3 were less satisfied (88.57%), year 2 were lesser (77.5%) satisfied while students of year 1 post RN (68.42%) were least satisfied as shown in table 2.

Table 2 satisfaction level according to the years

	students satisfaction level				
year of study	dissatisfied 'score <40'	satisfied '40-90'	highly satisfied '>90'	Total	P value
year 1	3	13	3	19	
year 2	1	31	8	40	.017
year 3	0	31	4	35	
year 4	1	43	2	46	
Total	5	118	17	140	

Table 3 satisfaction level according to the clinical placement

Clinical placement	students satisfaction level	Total	

	dissatisfied		highly satisfied		P value
	'score <40'	satisfied '40-90'	'>90'		
ICU	4	20	5	29	
General ward	0	45	6	51	.034
Pediatrics ward	0	9	0	9	
Other	1	42	6	49	r
Total	5	116	17	138	

Association between clinical placement and students satisfaction level was also found to be significant (P=0.034). last clinical placement in general ward participants were more satisfied (88.23%), others were least satisfied (85.71%), ICU participants were less satisfied (68.96%) and pediatrics ward all were satisfied (100%) as shown in table 3.

Discussion

This study has conducted in two private nursing colleges at Peshawar, KP, Pakistan; large numbers of the students were satisfied with their clinical learning environment. The findings are supported by other studies (2,9). The reason for good satisfaction level of students from their clinical learning environment is good facilitation of students in private institutions, because such institutions do not compromise on their standards as they have to compete with other colleges in

the market. Study could have brought different results if we would have included other college's especially public sector colleges.

Another reason for nursing students' satisfaction from clinical learning environment could be good profile of teaching faculty. Generally, private colleges offer handsome salaries for which they hire most competent faculties. Consequently, faculties of private institutions keep better learning environment for their students. The current study shows that majority of the satisfied students were from the senior class, it might be, they are more exposed to clinical environment, more confident, had more command on clinical skills and possessed rich knowledge as compare to junior students. On contrary, a study conducted in Cyprus (10) reported that the junior most students were more satisfied from their clinical learning environment. The difference in findings might be due to availability of mentors to the junior students in Cyprus. Therefore, it is highly recommendable to apply the practice of mentorship in other countries as well. It is also worth mentioning that in the current study, the least satisfied (68.42%) participants were from the Post RN BSN first year. A study has found that Post RN BScN students had comparatively less critical thinking and less level of knowledge; therefore their comprehension about clinical environment could be comparatively weaker than generic students (11). Also, another reason for their least satisfaction from clinical environment could be that all the post RN (BScN) students who participated in this study were doing jobs and classes in same days and they could sphere lesser time to get themselves adjusted in the clinical environment.

Conclusion

The study is about the nursing student's satisfaction level regarding clinical learning environment. As a whole (12.1%) were highly satisfied, (84.3%) were satisfied, and (3.6%) were dissatisfied. In nutshell, majority of the students were satisfied from their clinical learning

environment. The satisfaction level was in ascending order as the junior students were least

satisfied. Most satisfied students were from senior most classes. The study shows the need for

further research work on factors affecting satisfaction level in order to help the low level of

satisfaction amongst junior classes' students.

Strength of this study was first study conducted in Peshawar to explore nursing students'

satisfaction from their clinical learning environment. Probability sampling technique was

applied, which increases the generalizability of findings on private colleges. Weakness of the

study we include private colleges in our study. We could not include the public colleges for

generalizability. As in this study the junior students were found to be least satisfied, therefore it

is recommended that the clinical management must assign mentor to the junior students in order

to help them adjust to the clinical environment.

Acknowledgment None

Source of funding No

References

1. Chan D. Development of the clinical learning environment inventory: using the theoretical

framework of learning environment studies to assess nursing students' perceptions of the

hospital as a learning environment. Vol. 41, Journal of Nursing Education. Slack

Incorporated Thorofare, NJ; 2002. p. 69–75.

2. Papastavrou E, Dimitriadou M, Tsangari H, Andreou C. Nursing students' satisfaction of

the clinical learning environment: a research study. BMC Nurs. 2016;15(1):1–10.

- 3. Dunn S V, PhD PB. The development of a clinical learning environment scale. J Adv Nurs. 1995;22(6):1166–73.
- 4. Hope A, Garside J, Prescott S. Rethinking theory and practice: Pre-registration student nurses experiences of simulation teaching and learning in the acquisition of clinical skills in preparation for practice. Nurse Educ Today. 2011;31(7):711–5.
- 5. Brown T, Williams B, McKenna L, Palermo C, McCall L, Roller L, et al. Practice education learning environments: the mismatch between perceived and preferred expectations of undergraduate health science students. Nurse Educ Today. 2011;31(8):e22--e28.
- 6. Saarikoski M, Leino-Kilpi H. The clinical learning environment and supervision by staff nurses: developing the instrument. Int J Nurs Stud. 2002;39(3):259–67.
- Peirce AG. Preceptorial students' view of their clinical experience. Vol. 30, Journal of Nursing Education. SLACK Incorporated Thorofare, NJ; 1991. p. 244–50.
- 8. Landers MG. The theory--practice gap in nursing: the role of the nurse teacher. J Adv Nurs. 2000;32(6):1550–6.
- 9. Shabnum S, Shabnum S, Hussain M, Majeed I, Afzal M, Gillani SA. Impact Factors * IBI factor: 3 Impact factor (OAJI): 0.101 Vol-4, Issue-2 INTERNATIONAL JOURNAL OF GRADUATE RESEARCH AND REVIEW Nursing Students' Satisfaction with Clinical Learning Environment. Int J Grad Res Rev. 2018;4(2):58–63.
- 10. Brynildsen G, Bjørk IT, Berntsen K, Hestetun M. Improving the quality of nursing students' clinical placements in nursing homes: An evaluation study. Nurse Educ Pract.

2014;14(6):722-8.

11. Beogo I, Liu C-Y, Dlamini CP, Gagnon M-P. Registered Nurse to Bachelor of Science in Nursing: nesting a fast-track to traditional generic program, teachings from nursing education in Burkina Faso. BMC Nurs. 2015;14(1):1–10.