medRxiv preprint doi: https://doi.org/10.1101/2023.01.27.23285086; this version posted January 28, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity

perpetuity. It is made available under a CC-BY 4.0 International license .

# Barriers and opportunities relating to the implementation and evaluation of a complex digital intervention in England: A case study of Greater Manchester Diabetes My Way 3

Author Information:

4

5 6 7

8

12

Joanna Goldthorpe<sup>\*1</sup> (ORCID: 0000-0001-7839-7544), Tommy Allen<sup>2,3</sup> (ORCID: 0000-0002 2972-7911), Martin K Rutter <sup>4,5</sup>, (ORCID ID: 0000-0001-6380-539X), Joanna Brooks<sup>1</sup>
 (ORCID ID: 0000-0003-0220-9847).

<sup>1</sup>University of Manchester, Manchester Centre for Health Psychology, Division of Health
 Sciences, Manchester, UK

<sup>2</sup>Manchester Centre for Health Economics, University of Manchester, Manchester, UK;
 17

18 <sup>3</sup>Danish Centre for Health Economics, University of Southern Denmark, Denmark

<sup>4</sup>NHS Foundation Trust, Manchester, UK; University of Manchester, Division of Diabetes,
 Endocrinology and Gastroenterology,

- <sup>5</sup>School of Medical Sciences, Faculty of Biology, Medicine and Health, University of
   Manchester, Manchester, UK.
  - \*Corresponding author: joanna.goldthorpe@manchester.ac.uk

# 29 Author Contribution

- 30 Conceptualisation, data curation, formal analysis, investigation, project administration and
- 31 original draft preparation were performed by Joanna Goldthorpe; conceptualisation, formal
- 32 analysis, investigation, methodology and original draft preparation were performed by
- 33 Joanna Brooks; conceptualisation, validation, review and editing were performed by Thomas
- 34 Allen; funding acquisition, conceptualisation, validation, review and editing were performed
- 35 by Martin Rutter.
- 36

26

27 28

- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

#### 46 Abstract

- 47 Introduction: Digital diabetes management systems have the potential to deliver cost-
- 48 effective, flexible self-management support to patients with type 2 diabetes. DiabetesMyWay
- 49 (DMW) is a platform for an open access website that aims to support diabetes self-
- 50 management and provide patients with access to their care records. We present a case
- 51 study focusing on a project involving patients across the large urban area of Greater
- 52 Manchester (GM).
- 53

54 Methods: Interviews were undertaken with 8 members of the project team and 3 patients

- 55 using the platform. Data were analysed thematically using the template analysis approach.
- 56

57 Results: Three themes are presented: Complex approvals, permissions and access across 58 multiple organisations and systems; Capacity challenges in primary care settings; Ongoing 59 support for the project. Implementation and evaluation of GMDMW involved navigating data 60 sharing systems and regulations for complex private and public sector organisations and 61 these impacted on the electronic data sharing necessary for the DMW platform to work as 62 intended. Participants felt that the complexities associated with merging different systems, 63 operated by different organisations, with different data controllers and data owners were 64 greater than anticipated.

65

Discussion: The complexity, number of organisations and levels of governance involved in implementing and evaluating GMDMW were barriers to implementation and evaluation. This reflects inherent problems around mobilising innovation in the NHS. Our findings can help the development and evaluation electronic interventions to improve health to navigate this complex research landscape and ensure that patients can access the most innovative and effective ways to support their health. (245/250 words)

72

73 Author summary: Digital health interventions and Public Private Partnerships for innovation 74 in the NHS are on the rise and in order to establish efficacy, these need to be evaluated. 75 Often, this research and evaluation is carried out by Universities. However, challenges 76 around navigating governance across these complex, multiple organisations exist where 77 there is a need to share data and collaborate across systems effectively. Here, we describe 78 the many unexpected challenges and solutions to effective data sharing reported by 79 professionals and patients involved in the delivery and evaluation of a UK-based NHS/ 80 private sector collaboration to provide a digital platform to support self-management of 81 diabetes.

#### 83 Introduction

#### 84

85 DiabetesMyWay (DMW) is a platform for an open access website for people with diabetes 86 that has been available in Scotland since 2008. DMW offers a variety of multimedia 87 resources aimed at improving self-management and from 2010, has offered users access to 88 their clinical data in the form of an electronic personal health record. By 2020 over 60.000 89 people had registered for DMW (including people with both T2D and type 1 diabetes). 90 Evaluations of the system were encouraging, with 90% of respondents to one survey of 91 users reporting that engagement with DMW helped them make better use of their 92 consultation, improved their diabetes management and improved their condition-related 93 knowledge [1].

94

Plans for the delivery and evaluation of an enhanced version of DMW across Greater
Manchester are described in our original study protocol (2). The project was funded by the
National Health Service's Accelerated Access Collaborative Test Bed Programme. The Test
Bed Programme is intended to bring NHS organisations and industry partners together to
test combinations of digital technologies in real world settings. The implementation period
for GMDMW was punctuated by the Covid-19 pandemic, during which patients with diabetes
were considered clinically vulnerable [2,3].

102

103 Originally, a census approach to recruitment across the Greater Manchester area was 104 planned; approximately 140k people in the area registered as having T2D were to be offered 105 access to the GMDMW platform from August 2019. 600 were also to be offered additional 106 adjunct digital health interventions: Oviva; Changing Health (both offering behaviour change 107 support) and MyCognition (offering 'cognitive fitness' training). However, there have been 108 barriers to implementation and uptake was lower than planned. In 12 April 2022, 628 people 109 had registered to use the platform and 130 of these have the GP enabled permissions to 110 enable all the platform's functions. By October 2022, this had risen to 4,863 registrations 111 with 370 having GP enabled permissions. Previously, research teams evaluating digital and 112 electronic health innovations have been unable to collect sufficient data on clinical outcomes 113 and have reported barriers to implementation using qualitative methods [4–6]. For this paper, 114 we report lessons learned based on the experiences of stakeholders involved in the 115 implementation and evaluation of GMDMW .

### 117 Methods

- 118 Ethical approval was received on 02/09/2019, REC Reference 19/WM/0236, IRAS ID
- 119 265621.
- 120

#### 121 Participants

- 122 Practitioners/ professional staff
- 123 We contacted staff involved in the implementation and delivery of the project via email to
- 124 invite them to participate. Those interested in taking part contacted the researcher directly to
- 125 arrange the interview.
- 126
- 127 Eight staff members involved in implementation and evaluation from relevant organisations
- took part: NHS (N=4), My Way Digital Health (N=2) and the evaluation team (N=2).
- 129
- 130 Patients
- 131 Three T2D patients were recruited via adverts posted on the Diabetes My Way websites.
- 132 Potential participants were able to contact a member of the research team via email. When
- 133 contact was made, a participant information sheet was sent to the patient and this was
- 134 followed up by the researcher.
- 135
- 136 Given the small sample size, and in order to protect anonymity, individual characteristics of
- 137 the participants are not reported.
- 138

# 139 Interviews

- 140 All interviews took place over a video conferencing platform or telephone, according to
- 141 participant preference and lasted between 27-57 minutes (mean=48 minutes).

# 142

143 Analysis

144 An amended template analysis approach was used to structure analysis. Template analysis

- 145 [7] is a flexible form of thematic analysis which can be adapted to meet the needs of a
- 146 particular study. It permits the use of a priori themes in advance of coding and analysis to
- 147 facilitate a focus on specific areas of interest and as a means of guiding initial coding [e.g.
- 148 King and Brooks, 2017 [7]. The planned process evaluation objectives and exploration of
- 149 acceptability objectives described in the original study protocol (Goldthorpe et al, in press)
- 150 were used as an a priori focus for analysis. Analysis was led by JG who undertook manual
- 151 line by line coding of the data with process and acceptability objectives in mind. This was
- 152 followed by clustering of initial codes and synthesis of themes in an iterative process until the
- 153 thematic template developed adequately captured the data. JG and JB met regularly to

154	discuss the evolving analysis with input from the wider research team comprising input from
155	academic researchers, clinicians and clinical network leads. The final template comprised
156	three key themes which are reported here. Quotations are presented verbatim to support
157	findings, with the role and identification number of the participant.
158	
159	
160	
161	Results
162	
163	'It gets complicated pretty quickly': Approvals, permissions and access across
164	multiple organisations and systems
165	
166	Difficulties associated with multi-organisation working to deliver the project together with the
167	complexities of merging different systems, operated by different organisations, with different
168	data controllers and data owners were significantly greater than anticipated.
169	
170	If you, sort of, map it all out on a piece of paper the number of interactions between those
171	individuals, it's quite complex And each one of those interactions potentially requires a
172	contract in place and a data sharing agreement, and you can imagine, you know, it gets
173	complicated pretty quickly in that sort of situation (Practitioner/ Professional 1)
174	
175	The (mostly clinical) team who developed the original application did not anticipate the
176	length of time required to apply, review and receive the necessary approvals from NHS
177	research ethics and research governance required for implementation and evaluation of the
178	project, or the extent of the processes involved.:
179	
180	I think from our point of view we're obviously NHS based, so the research element of this
181	project has been a bit of an unknown entity, you know, we don't know some of the processes
182	for ethical approval and, you know, green lights from the university, the HRAs role in it as
183	well. (Practitioner/ Professional 2)
184	
185	Obtaining permissions for information governance, data control and data sharing produced
186	unanticipated barriers and delays to implementation and evaluation. For example, the
187	issuing of Patient Identification Centre (PIC) agreements were problematic. These are
188	contracts between NHS sites and the research sponsor: sites that are to be used for the
189	identification and recruitment of patients confirm that they have capacity, plans and
190	necessary governance in place to support the research activity.

191 192 During the HRA approvals process, it became apparent that PIC agreements could not be 193 arranged with Clinical Commissioning Groups (CCGs) (formal clusters of General Practices) 194 and rather needed to be authorised with individual practices. This had huge implications on 195 planning for time and resources. 196 197 Because GPs own the data, they are basically individual components of this big picture. ... 198 So, we've got, you know, lots of general practitioners that are linked to the NHS, but they're 199 all individual entities and they don't have any obligation to share their data with anybody 200 (Practitioner/ Professional 1) 201 202 At the planning stage for DMW in Manchester there had been an assumption that the 203 Scottish pilot study would serve as a roadmap for implementation. However, in practice, a 204 crucial difference existed between the Scottish and English healthcare systems existed in 205 that the Scottish system had patient data sharing agreements for diabetes in place prior to 206 the implementation of DMW. 207 208 Rather than making the agreements and the connections between the individual providers 209 and Diabetes My Way, they integrated with this data aggregator, which then basically had all 210 the data anyway, so there was no permissions issues, or that sort of stuff. ... (Practitioner/ 211 Professional 3) 212 213 214 In GM the project team dealt with two main groups of NHS organisations with responsibility 215 for the management of data collected and technology used within the NHS: primary care 216 practices and NHS Digital. Adjunct interventions operating from the DMW platform also 217 needed to gain appropriate permissions to interact with patient record systems. General 218 practices control the data for their systems, patients own the data and three separate private 219 companies own the data management platforms. One of the three systems would not 220 engage with the organisations providing the digital platforms for the intervention or the 221 evaluation team (One of them is really, sort of, not very accommodating to linking up with outside tech or outside interventions [Practitioner/ Professional 5]), meaning that patients of 222 223 practices using this system were effectively excluded from GMDMW. In response, the DMW 224 team made a pragmatic decision to initially target practices using one patient record system 225 (EMIS). However, this simplified approach also encountered barriers:

227	So we've gone live with the EMIS clinical system first, and that is the vast majority of our GP				
228	practices, that's why we've gone with them first. But it's a process where our technical				
229	partner has to speak to EMIS, and EMIS have to kind of go backwards and forwards with				
230	NHS Digital. (Practitioner/ Professional 2)				
231					
232	Researchers experienced multiple barriers to accessing NHS-held patient data for a control				
233	group to conduct an analysis of primary and secondary outcomes and cost-effectiveness.				
234	Issues were again around data sharing agreements and information governance.				
235					
236	Earlier on in the project some of the connections we had were suggesting that we could get				
237	the data through various different, sort of, regional paths, through systems that were either				
238	developed or in development to do similar things in Greater Manchester. None of those				
239	panned out in the end and we ended up getting the data through NHS Digital, through a new				
240	dataset that they had compiled (Practitioner/ Professional 5).				
241	(N.B. Accessing data from NHS Digital was delayed due to COVID-19 and the increased demand and pressure this placed on				
242	the data processing and applications infrastructure. Ultimately, patient records were accessed via the Greater Manchester Care				
243	Record: https://gmwearebettertogether.com/)				
244					
- • •					
245	'You don't know how it's going to work until it's in the real world': Implementation				
	'You don't know how it's going to work until it's in the real world': Implementation challenges in primary care settings				
245					
245 246					
245 246 247	challenges in primary care settings				
245 246 247 248	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020				
245 246 247 248 249	<i>challenges in primary care settings</i> The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited				
245 246 247 248 249 250	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data				
245 246 247 248 249 250 251	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data				
245 246 247 248 249 250 251 252	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing.				
245 246 247 248 249 250 251 252 253	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant				
245 246 247 248 249 250 251 252 253 254	<i>challenges in primary care settings</i> The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant that, you know, the whole focus of primary care was on other things. (Practitioner/				
245 246 247 248 249 250 251 252 253 254 255	<i>challenges in primary care settings</i> The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant that, you know, the whole focus of primary care was on other things. (Practitioner/				
245 246 247 248 249 250 251 252 253 254 255 256	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant that, you know, the whole focus of primary care was on other things. (Practitioner/ Professional 8)				
245 246 247 248 249 250 251 252 253 254 255 256 257	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant that, you know, the whole focus of primary care was on other things. (Practitioner/ Professional 8) The number of participants accessing the DMW platform has been much lower than				
245 246 247 248 249 250 251 252 253 254 255 256 257 258	challenges in primary care settings The Covid-19 pandemic and subsequent restrictions in place in the UK since March 2020 meant that engagement with practices was significantly restricted due to extremely limited opportunities to engage with key staff members to overcome identified barriers to data sharing. And then, of course, COVID came along which is another layer of complexity and that meant that, you know, the whole focus of primary care was on other things. (Practitioner/ Professional 8) The number of participants accessing the DMW platform has been much lower than				

able to go to their GP practice to get a blood glucose reading done. Or if they were able to,
they chose not to because they didn't want to go to a GP practice
(Practitioner/ Professional 5)

- 265
- 266

267 However, whilst Covid-19 may have exacerbated difficulties, broader issues relating to 268 capacity and buy-in existed. To link the GMDMW way platform to patient records required 269 additional activity: before GP surgeries can share information they need permission from 270 individual patients, which requires patients to provide the practice with a formal request to 271 access their data. Once this approval has been registered on the system, digital platforms, 272 with appropriate permissions, can then (theoretically) electronically access personalised 273 patient data based on care records. Once permissions were granted, patients had to enter 274 registration codes to activate the link to their patient records. This process was lengthy and 275 required motivation and action from practice staff and patients to seek and approve the 276 relevant permissions.

277

With the best will in the world, you can test as much as you want, but until it's real patients
trying to use it, that haven't got the ideal settings set up behind the scenes, then you won't
see some of the unique problems that will come out of a project like this (Practitioner/
Professional 2)

282

Given the inherent difficulties involved in registering during the early implementation stage,
participants felt that patients who successfully registered and engaged with the intervention
were likely to be among the most capable, motivated and persistent. This is supported by the
quotes from the patient below:

287

288 The person that I rang initially wasn't in, so I had to wait for them to come back in....

Although they'd passed the stuff over to somebody in the GP's surgery, they didn't really

know what they were doing with it so...and I had some questions and nobody could answer

them at the beginning...and then, even when I did speak to the person responsible, she

- 292 *couldn't answer the questions.* (Patient participant 1)
- 293

294 One participant was concerned that medical language and jargon might cause unnecessary 295 anxiety in patients and felt that this could result in additional workload for primary care staff. 296 They felt that some GPs may feel obligated to make appointments with patients to discuss 297 their records, or edit them before release.

299 I think from April this year [2020] the government has decided that patients who want access

- 300 to their records should have access to their records. But, like I said before, what they haven't
- 301 done is provided the funding along with it to try and discuss the records better with the
- 302 patients and tell them exactly what they're seeing, what disease, what values mean and
- 303 *things like that.* (Practitioner/ Professional 7)

304 A patient we interviewed did indeed report feeling confused in relation to some information

305 accessed via GMDMW. She felt that some information did not relate to her own medical

306 history and that some information had been missed. Although she did not report feeling

307 distressed about this, the information was not helpful to her:

308 I don't know how it extracts the information from my GPs, but it seemed to have stuff down

there that I don't think I've ever had... . And you know when you have these sorts of, like 309

310 quite strange thoughts and you think to yourself, because I do, "has somebody been

311 prescribing stuff in my name for somebody else's use?" (Patient participant 2)

- 312
- 313

#### 314 'It would yield benefits': Ongoing support for the GMDMW project

- 315
- 316

317 Despite the challenges encountered, significant support remained for the project.

318 Participants viewed the GMDMW platform positively as a potentially useful way to support

319 diabetes self-management in addition to providing additional clinical benefits such as

320 prediction of individual risk:

321

322 The outcomes for people with diabetes, particularly type 2, across GM are not that good. So, 323 they don't have, you know, such good control, their management of their risk factors, their 324 cardiovascular receptance is less good, you know, compared to some areas of the country. 325 And the data that I've seen as far as My Diabetes My Way is concerned suggested that it 326 would yield benefits in terms of the overall management and the self-management, the self-327 care that people could achieve (Practitioner/ Professional 1) 328 329 Amongst professionals interviewed there was a perceived need for patients to be able to

330 access an alternative to traditional face to face self-management education sessions, and

331 digital solutions such as DMW were seen as a promising option:

333	The main thing was trying to improve outcomes for the person living with diabetes but
334	additionally the way we were planning to do it was innovative by providing digital solutions
335	and we have a very low uptake of our structured education with regards to diabetes
336	(Practitioner/ Professional 7)
337	
338	Participants believed that patients with diabetes were particularly vulnerable to complications
339	associated with Covid-19 and some felt that there were opportunities for DMW to offer
340	support in this context, for example, filling gaps in service provision due to the restrictions
341	around in-person support available at the time of the interview.
342	
343	During COVID and as part of our COVID response that's going out to practices, we're
344	saying, "please let your patients know about this [DMW]. We've got major issues because of
345	COVID. (Practitioner/ Professional 8)
346	
347	Clinicians felt that digital interventions were likely to continue playing a major part in diabetes
348	management beyond the pandemic and that the DMW platform could play a role in this
349	change in delivery.
350	
351	So, our argument is that, you know, in the COVID pandemic people have had less access to
352	primary care and therefore those people that have taken up the intervention, Diabetes My
353	Way potentially benefit more because of that action that they've taken (Practitioner/
354	Professional 1)
355	
356	Patients reported that the DMW platform delivered credible information. They valued the
357	ability to access their diabetes-related medical information and have it presented visually.
358	The graphs and "dartboard" visuals on the Diabetes My Way platform were cited as being
359	particularly useful:
360	So, for example, since I've had this, I've been looking at the HbA1C results, and there
361	seems to be a bit of a trend in terms of, it always seems to get worse over the winter

362 period....So, perhaps being aware of that, and trying to be even more diligent with exercise

363 and diet, to see if that makes any difference (P1)

364

Practitioners similarly felt that they could trust the information on the DMW platform to be
trustworthy and evidence-based. Access to personalised data available through the DMW
platform was perceived as supporting patients to get the most out of their face-to-face

368 consultations, as well as supporting self-management, and knowledge about their own369 condition:

370 Initial feedback from the people who took up the thing, they found that, yes, it was very

371 useful...ideally what we were thinking is to empower the person with diabetes to manage

their own condition better... so they can make informed choices about what they do with

- 373 their diet, exercise et cetera, and also enable better consultations with the clinicians as well
- 374 (Practitioner/ Professional 7)
- 375

# 376 Discussion

377 378 We developed three themes from the data: 'It gets complicated pretty guickly': Approvals, 379 permissions and access across multiple organisations and systems; 'You don't know how it's 380 going to work until it's in the real world': Implementation challenges in primary care settings: 381 'It would yield benefits': Ongoing support for the GMDMW project. Participants reported 382 barriers around implementation of the GMDMW system that meant patients were unable to 383 access the self-management interventions in the numbers expected and we could not carry 384 out the evaluation study as originally planned. However, we have captured some valuable 385 learning from the experience, which can help planning for implementation and evaluation of 386 future electronic health innovations.

387

388 The diversity of organisations and individuals involved in enabling GMDMW was extremely 389 complex. Patients generate (via attendance at GP practices) and engage with (via GMDMW 390 platform) their own data to self-manage their diabetes. For this to happen, GP practices 391 collect data inputted into electronic patient record systems during consultations and enable 392 sharing after patients have given permission. Private sector companies own and manage the 393 systems that hold the data. NHS Digital collate and manage large amounts of data from 394 these systems for health care intelligence. Finally, for the evaluation of this system to take 395 place, the research team, employed by a University, needed to access this data. 396 These complex systems need to be co-ordinated and relevant NHS governance and 397 approvals put into place. For implementation of GMDMW, this included HRA approval for 398 recruitment of patients, sign off on Participant Identification Centre agreements for primary 399 care practices to agree to participation including obtaining patient's permission to share their 400 data with GMDMW. For the evaluation to succeed, approvals from NHS Digital around 401 access to control data were also needed. Insufficient time and resources were available to 402 enable the data linkage and governance needed to complete the implementation and 403 evaluation of GMDMW in the 24 months originally allocated.

#### 404

405 The website of the NHS Health Research Authority (HRA) ("HRA Approval – one year on -406 Health Research Authority,") [8] states that in 2017 the median time from application via the 407 Integrated Research Application System (IRAS) to approval being granted was 60 days. 408 However for complex cases this can take as long as 18 months [9]. Health and care 409 researchers and organisations who wish to implement and evaluate complex interventions 410 within the NHS should consider the potential barriers to accessing and linking datasets. 411 paying particular care to the multiple layers of permissions and governance that need to be 412 obtained and the length of time needed to negotiate relevant systems. 413 414 Although the COVID-19 pandemic affected engagement with Primary Care services and

415 subsequently slowed down activation of the permissions GMDMW required to access patient

416 data, opportunities for research arose based on the mobilisation of data and digital

responses to support pandemic management and intelligence [10]. The research team were

able to access suitable control data from the Greater Manchester Care Record which was

facilitated via use of the Control of patient information (COPI) notice which allowed for the

- 420 sharing of patient data for COVID-19 purposes [11].
- 421

422 A general practitioner who participated in the research was concerned that extra resources 423 would be needed to support patients to understand and interpret healthcare data, citing 424 potential for misunderstandings and the generation of anxiety, particularly around medical 425 jargon and interpretation of test results. This concern was supported by reports from a 426 patient who felt that some entries in her records might be erroneous. However, research 427 carried out in Sweden and the USA suggests that, despite initial concerns, patients are able 428 to access and understand their health records without over-burdening care providers 429 [12,13]. Further research is needed to explore whether this is the case for diabetes patients 430 in a UK context.

431

432

Despite the barriers to implementing and evaluating GMDMW identified by this study, the three patients who were able to access the platform did find it acceptable. They liked the way the platform translated and presented their data with user-friendly graphics, and practitioners feel that DMW could be a valuable support tool for patients with diabetes. This only further highlights the need for solutions to the issues of governance and data linkage reported in this paper to be found, so that researchers can successfully test innovations and patients can ultimately benefit from the latest developments in healthcare.

441 In conclusion, the complexity, number of organisations and levels of governance involved in 442 implementing and evaluating GMDMW caused the barriers to implementation and evaluation 443 we found in this study. This reflects inherent problems around mobilising innovation in 444 Public-Private Innovation Partnerships (PPIPs) reported by Hammond et al., [4] in their case 445 study of implementation of another NHS Test Bed. The authors cite "magical thinking" 446 around the axiomatic virtue of innovation as leading to a failure of rationalisation and 447 planning [4]. 448 449 We do however hope that our findings can help those involved in the development and 450 evaluation electronic interventions to improve health to navigate this complex research 451 landscape and ensure that patients can access the most innovative and effective ways to 452 support their health. 453 454 Acknowledgements 455 456 The authors would like to thank Martina Ratto (MSc) from the Beingwell Group and 457 Debbie Wake, CEO and Chief Medical Officer for My Way Digital Health for fact 458 checking and providing comments regarding some of the technical aspects of 459 implementation. 460 461 462 463 References 464 465 1. Wake DJ, He J, Czesak AM, Mughal F, Cunningham SG. MyDiabetesMyWay: An Evolving National Data Driven Diabetes Self-Management Platform. J Diabetes Sci 466 467 Technol. 2016;10(5):1050-8. 468 2. Goldthorpe J, Allen T, Brooks J, Kontopantelis E, Holland F, Moss C, et al. Digital 469 Interventions Supporting Self-care in People With Type 2 Diabetes Across Greater 470 Manchester (Greater Manchester Diabetes My Way): Protocol for a Mixed Methods 471 Evaluation. JMIR Res Protoc 2022;11(8)e26237 472 https://www.researchprotocols.org/2022/8/e26237 [Internet]. 2022 Aug 17 [cited 2022 473 Sep 2];11(8):e26237. Available from: 474 https://www.researchprotocols.org/2022/8/e26237 475 3. Feldman EL, Savelieff MG, Hayek SS, Pennathur S, Kretzler M, Pop-Busui R. 476 COVID-19 and Diabetes: A Collision and Collusion of Two Diseases. Diabetes 477 [Internet]. 2020 Dec 1 [cited 2022 Apr 25];69(12):2549–65. Available from:

478		https://diabetesjournals.org/diabetes/article/69/12/2549/16291/COVID-19-and-
479		Diabetes-A-Collision-and-Collusion-of
480	4.	Bornstein SR, Rubino F, Khunti K, Mingrone G, Hopkins D, Birkenfeld AL, et al.
481		Practical recommendations for the management of diabetes in patients with COVID-
482		19. Lancet Diabetes Endocrinol. 2020 Jun 1;8(6):546–50.
483	5.	Hammond J, Bailey SIMON, Gore OZ, Checkland KATH, Darley S, Mcdonald R, et al.
484		The Problem of Success and Failure in Public-private Innovation Partnerships. J Soc
485		Policy. 2021;
486	6.	Greenhalgh T, Robert G, Macfarlane F, Bate P, Kyriakidou O. Diffusion of innovations
487		in service organizations: Systematic review and recommendations. Milbank Q
488		[Internet]. 2004;82. Available from: http://dx.doi.org/10.1111/j.0887-
489		378X.2004.00325.x
490	7.	Greenhalgh T, Wherton J, Papoutsi C, Lynch J, Hughes G, A'Court C, et al. Beyond
491		adoption: A new framework for theorizing and evaluating nonadoption, abandonment,
492		and challenges to the scale-up, spread, and sustainability of health and care
493		technologies. J Med Internet Res [Internet]. 2017 Nov 1 [cited 2020 Nov 2];19(11).
494		Available from: https://pubmed.ncbi.nlm.nih.gov/29092808/
495	8.	Brooks J, Mccluskey S, Turley E, King N, Brooks J, Mccluskey S, et al. Qualitative
496		Research in Psychology The Utility of Template Analysis in Qualitative Psychology
497		Research. Qual Res Psychol [Internet]. 2015 [cited 2019 Mar 19];12(2):202–22.
498		Available from:
499		https://www.tandfonline.com/action/journalInformation?journalCode=uqrp20
500	9.	Brooks J, King N. Applied Qualitative Research in Psychology [Internet]. London:
501		Macmillan ; 2018 [cited 2019 Sep 12]. Available from:
502		https://books.google.co.uk/books?hl=en&lr=&id=x64sDwAAQBAJ&oi=fnd&pg=PT7&d
503		q=Brooks,+J.+and+King,+N.+(2017).+Approaches+to+qualitative+psychology.+In+J.B
504		rooks+and+N.King+(Eds),+Applied+qualitative+research+in+psychology.+Palgrave.&
505		ots=Guz5ZJAWFe&sig=pgf1rz
506	10.	Health Research Authority. HRA Approval – one year on [Internet]. 2017 [cited 2022
507		Apr 4]. Available from: https://www.hra.nhs.uk/about-us/news-updates/hra-approval-
508		one-year/
509	11.	Ethics, Tavistock and Portman NHS [Internet]. Tavistock and Portman NHS. [cited
510		2022 Apr 4]. Available from: https://tavistockandportman.nhs.uk/research-and-
511		innovation/student-research/ethics/
512	12.	Coronavirus - NHS Digital [Internet]. [cited 2022 Apr 4]. Available from:
513		https://digital.nhs.uk/coronavirus
514	13.	Control of patient information (COPI) notice - NHS Digital [Internet]. NHS Digital.

515		[cited 2022 Apr 25]. Available from: https://digital.nhs.uk/coronavirus/coronavirus-
516		covid-19-response-information-governance-hub/control-of-patient-information-copi-
517		notice
518	14.	Bell SK, Mejilla R, Anselmo M, Darer JD, Elmore JG, Leveille S, et al. When doctors
519		share visit notes with patients: A study of patient and doctor perceptions of
520		documentation errors, safety opportunities and the patient-doctor relationship. BMJ
521		Qual Saf [Internet]. 2017;26(4):262–70. Available from: http://dx.doi.org/10.1136/
522	15.	Rexhepi H, Åhlfeldt RM, Cajander Å, Huvila I. Cancer patients' attitudes and
523		experiences of online access to their electronic medical records: A qualitative study.
524		Health Informatics J [Internet]. 2018 [cited 2022 Apr 6];24(2):115–24. Available from:
525		https://doi.org/10.1177/1460458216658778
526		