

Gender differences in Pornography Use and Associated Factors among high school students: A Cross-Sectional Study

Ali Jotyar Mahmoud¹, Hajar Hassan Abdulqadir¹, Rojeen Chalabi Khalid¹, Vindad Hashim Dirbas¹, Doaa Farhad Hasan², Saman Sherwan Mahfodh³, Kareen Yarwant Naisan¹, Iman Mohammed Arif¹, Iman Ramadhan Yousif¹, Sana Najeeb Mohammed³, Suzan Muhsin Haji³, Suzan Taha Mohammed³, Alind Ari Hama Ali³, Siavash Babakhani³

¹Medical student at University of Zakho, Kurdistan region, Iraq

²Junior house officer at Duhok directorate general of health, Kurdistan Region, Iraq

³Medical student at University of Duhok, Kurdistan region, Iraq

Abstract

Background and aim: The pornography consuming is increasing through the availability of the internet worldwide and the availability of the pornographic sites without any restriction, pornographic sites have many complications in the consumer and lacking survey in our country which make sense to conduct this study. This study aimed to measure the prevalence of pornography watching among high school students and factors associated with pornography viewing.

Materials and Methods: This cross-sectional study was conducted at Zakho independent administration, Kurdistan Region, Iraq among 5 different high school students and 2 institutions. This survey was conducted using a paper questionnaire administered to the participants between April and July 2022. Chi-square analysis was performed to identify possible risk factors for viewing porn and results were expressed as a p value

Results: Total number of the participants included in this study was 921 with an average age \pm standard deviation (SD) of 16.78 years \pm 1.26. More than half of participants was male (54.83%), viewed pornography alone (49.08%) and about 69.71% disagree on watching porn. There were statistically significant differences ($p < 0.001$) in the attitude and practice of men compared with women throughout all tested variables. About 50.71% of the participants were viewed pornography at least once in a lifetime, among those 65.1% are male and 34.9% of them are female and 92.55% of participants agree to close pornography sites

Conclusion: The prevalence of pornography among high school students is high. Young age, and male gender are predictors for higher pornography viewing and should be considered when designing public health intervention in a related context. Longitudinal studies for investigating pornography consumption among different educational levels are needed to assess the causal relationship between pornography consumption and associated factors.

Keywords: Pornography, Gender, Associated Factors, high school students

Introduction

There is no specific definition for pornography but could be defined any material used to increase the sexual arousal with increasing in the availability of the internet create a situation which is easy accessibility and cheap to the pornography usage among different age and gender because does not require to print it or downloaded [1]. People watch the pornography due to many causes like get information about the sex, increase excitation during sexual relationships, easier sexual stratification and perform relaxation accordingly handling of this issue is complex [2, 3]. Pornography consumption regard as problem because it is associated with many problems like sexual dysfunction especially at early age [4] and also associated with mental health problem through reducing the memory [5].

There is relationship between the sexual violence and pornography usage [6]. One of the surveys have been done among the young people showed that frequent using of pornography associated with more attraction to the different sexual type like sex as group, with friends and the anal sex [7]. Another research study the link between the violent sex and pornography consumption revealed that those consuming repeatedly for the purpose of sexual violence are associated with other risk factors [8]. A qualitative study showed those men have using pornography their life partners have suffered because they need different types of sex and feeling that the sex is regard physically rather than the love and relationship. In cross sectional study conducted in Arabic countries revealed that men consume pornography more than women [9]. Another study conducted in United states reported that two third (66%) of male participants have viewed pornography at least one time in 12 months while more than one third (39%) of female participants viewed pornography at least one time in the year [10]. Another research have been done in Australia 87% of the participants have viewed pornography, 99.61% of the male participants viewed pornography at least one time in their life while the female participants 81.7% ever viewing pornography[11]. A survey have been done at Bangladesh 85.07% among those who have encountered pornography are male while only 14.93% of them are female[12] A large survey conducted in Australia have reported 84% of male participants view pornography while 54% of the female view it [13]. The rate of rape and violence in the world also increase in those consuming pornography about 30% (10). The rate of sexually transmitted diseases and hepatitis virus in the world including Iraq also increases among different age groups and gender [14-19]

Many studies have been conducted in Kurdistan Iraq about sexually transmitted diseases including infection causing problem in Genital tract[20-24] but there is no study about pornography. Despite the increase in pornography consumption during the last decade, pornography viewing differs in accordance with gender and age group [25]. Due to the absence of a large-scale study in Kurdistan region, Iraq, therefore the aim of the present study is to investigate pornography use among high school students and measured gender differences and to determine factors associated with pornography viewing.

Materials and Methods

Study Design and participants:

This cross-sectional study conducted among high school students in Zakho independent administration Kurdistan-Iraq and used a paper questionnaire administered to the participants between April and July 2022. The total number of the participants enrolled in this study was 921 with the mean age \pm standard deviation (SD) of 16.78 years \pm 1.26. The majority of participants were male 505 (54.83%) (Figure 1).




Figure 1: Gender differences use pornography prism

Procedure:

The questioner has been taken from other survey conducted in Arab countries (1). The questionnaires have been printed to be distributed between the students in the different schools because their restriction by the ministry of education that make any smart device forbidden in the schools then we visit each class and filled the questionnaires confidentially.

The first part of the questioner about demographic characteristics of participants including gender, address and the age. The second part contained information regarding their first frequency of using, time consumption on pornography and when was the first-time opened pornography and the last part of questionnaire contained information about their idea to the pornography like make pornography forbidden and their agreement about the watching to the pornography. Information from uncompleted survey and the students were not agreed to participate in this study were excluded in the present study

Ethical consideration

Ethical Approval: The protocol, design and procedure of study were approved by the Scientific and Ethics Committee of the College of Medicine, University of Zakho, Duhok Province, Kurdistan Region, Iraq (Ethic committee reference number:4/154/NW). Written informed consent was obtained from all participants before starting analysis

Statistical analysis:

All data were analysed using GraphPad prism version 8.0. Standard descriptive were calculated for each question or item individually. Chi-square test was used to estimate the gender differences with each question individually. P value < 0.05 was considered statistically significant.

Results:

Regarding the agreement of watching pornography, 642 (69.71%) of the participants strongly disagree on watching pornography and more than half of them (51.09%) was female (Table 1). However, 33.44% of participants thought that more than 80% of men view pornography and the majority of them were male (66.23%).

Regarding their opinion about the percentage of men consumer is 33.44% of participants think that more than 80% of men consume pornography most of them are male, while their opinion about the percentage of female consumer is 40.02% of the participants don't know, 27.58% of the participants have an experience of consuming pornography between the age of 15-20 years, 28.88% of the participants have exposed to the pornography accidentally and in the 10.75% of the participants have exposed to pornography throw intentional searching from those who see it throw intentional searching (84.85% are male and 15.15 are female), 17.81% of the participants in the last 12 months have consumed pornography less than one time per months, in the last month 15.2% of the participants have consumed pornography between 1-5 time, in the last 7 days 8.14% of the participants consumed it also between 1-5 times, regarding with whom they watched pornography 49.08% of them watch it alone among those who watch it alone (62.83% of them are male and 37.17% of them are female).




Figure 1: Demographic characteristics of study participants specified by gender

Table 1. Attitude and practice among gender differences watching pornography

Variable		Total No. (%)	Gender No. (%)		P value
			Male	Female	
Do you agree on watching porn?	Strongly agree	17 (1.85)	12 (70.59)	5 (29.41)	0.001
	Agree	14 (1.52)	12 (85.71)	2 (14.29)	
	Don't know	74 (8.03)	53 (71.62)	21 (28.38)	
	Disagree	174 (18.89)	114 (65.52)	60 (34.48)	
	Strongly disagree	642 (69.71)	314 (48.91)	328 (51.09)	
In your opinion, what's the percentage of men watching porn?	Less than 20%	6 (0.65)	2 (33.33)	4 (66.67)	0.001
	Less than 50%	43 (4.67)	22 (51.16)	21 (48.84)	
	More than 50%	197 (21.39)	113 (57.360)	84 (42.64)	
	More than 80%	308 (33.44)	204 (66.23)	104 (33.77)	
	100%	69 (7.49)	37 (53.62)	32 (46.38)	
	Don't know	298 (32.36)	126 (42.28)	172 (57.72)	
	In your opinion, what's the percentage of women watching porn?	Less than 20%	19 (2.06)	10 (52.63)	
Less than 50%		218 (23.67)	114 (52.29)	104 (47.71)	
More than 50%		183 (19.87)	100 (54.64)	83 (45.36)	
More than 80%		86 (9.34)	67 (77.91)	19 (22.09)	
100%		28 (3.04)	22 (78.57)	6 (21.43)	
Don't know		387 (42.02)	191 (49.35)	196 (50.65)	

Your age at your first time of watching porn	Less than 10	8 (0.87)	7 (87.5)	1 (12.5)	0.001
	10 to 15	204 (22.15)	139 (68.14)	65 (31.86)	
	15 to 20	254 (27.58)	157 (61.81)	97 (38.19)	
	20 to 25	1 (0.11)	1 (100)	0 (0)	
	Never	454 (49.29)	201 (44.27)	253 (55.73)	
How were you exposed to porn for the first time	Intentional searching	99 (10.75)	84 (84.85)	15 (15.15)	0.001
	A friend	45 (4.89)	40 (88.89)	5 (11.11)	
	A family member	6 (0.65)	3 (50)	3 (50)	
	Accidentally	266 (28.88)	136 (51.13)	130 (48.87)	
	Others	505 (54.83)	246 (47.92)	263 (52.08)	
In the last 12 months, how many times did you watch porn?	Daily	24 (2.61)	24 (100)	0 (0)	0.001
	Weekly	75 (8.14)	71 (94.67)	4 (5.33)	
	Monthly	52 (5.65)	43 (82.69)	9 (17.31)	
	<1 time per month	164 (17.81)	113 (68.9)	51 (31.1)	
	Never	606 (65.8)	254 (41.91)	352 (58.09)	
In the last months, how many times did you watch porn?	>10 times	36 (3.91)	35 (97.22)	1 (2.78)	0.001
	6 to 10	29 (3.15)	28 (96.55)	1 (3.45)	
	1 to 5	140 (15.2)	119 (85)	21 (15)	
	None	716 (77.74)	323 (45.11)	393 (54.89)	
In the last 7 days, how many times did you watch porn?	>10 times	9 (0.98)	9 (100)	0 (0)	0.001
	6 to 10	16 (1.74)	15 (93.75)	1 (6.25)	
	1 to 5	75 (8.14)	62 (82.67)	13 (17.33)	
	None	821 (89.14)	419 (51.04)	402 (48.96)	
With whom did you watch porn?	None	448 (48.64)	200 (44.64)	248 (55.36)	0.001
	Alone	452 (49.08)	284 (62.83)	168 (37.17)	
	Friend (s)	9 (0.98)	8 (88.89)	1 (11.11)	
	Life partner	8 (0.87)	8 (100)	0 (0)	
A visit to the psychiatrist in the last 12 months	Other	4 (0.43)	4 (100)	0 (0)	0.84
	Yes	28 (3.04)	16 (57.14)	12 (42.86)	
Do you agree to close these sites?	No	893 (96.96)	489 (54.76)	404 (45.24)	0.21
	Yes	852 (92.51)	462 (54.23)	390 (45.77)	
	No	69 (7.49)	43 (62.32)	26 (37.68)	

p value <0.05 is considered significant

p value is determined by Chi-square (Fisher exact test)

Discussion

According to our knowledge, this the first survey has been conducted in Kurdistan regional Iraq country in order to know how many students in high schools have viewed pornography. Most of the participants were young with a mean age 16.78 of years. Experience of pornography in the last years was 65.8% have never viewed it 17.81% less than one time per month, 5.65% monthly, 8.14% weekly, 2.61% monthly this data is lower than the other survey that have been done like the large multinational in Arabic countries[9] and another one Australia[13], this is because most of our participants belong to the age 15 so may still don't have an idea about the pornography, our cultural regard the pornography watching shameful and most of the participants don't believe about anonymously of their ID by this way many of them have bias, most of the participants were Muslim and in Islam watching to the pornography is forbidden. Among those who have consumed pornography 54.39% of them watch it for the first time between the age of 15-20 years, may be this age is higher because of the neurobiological changes in the adolescence age which are increasing in dopamine levels activate penile erection, promote sexual drive with orgasmic quality and increasing of sexual hormone cause increasing in libido [26-28]. It is known that person in this age also have sexual exploration and they want to have sexual experience until they reach to the midtwenties [29, 30]. in our culture sexual activity is forbidden in the outside of the marriage because all the participants are students, they can't marriage at this age, so they watched pornography that don't have any restriction increase the chance for viewing it [31, 32]. 69.71% of the participants strongly disagree in watching the pornography this explained that still the community have an awareness their side effects and it is culturally unacceptable. Furthermore, most of the participants have opened these site accidentally which is 57% of all the consumer this is also will increase the chance of addiction, because naturally we have rewarding system in our body for sex and eating for promoting these behavior that is necessary for survival, as the pornography part of the sex the body will have rewarding system for it also [33, 34], so it will increase the numbers of addicted people and the consumers, 54,83% of them choose other this because of the limitation of the questioner the one that have never consumed pornography haven't another choice according to that the number of the participants that have choose other are 505 and the number of the participants that that haven't ever viewed these site is 454 by this way the participants that have use another way for watching pornography are only 51. Many of the participants that have consumed pornography are male this also have been reported in other survey[9-13, 35-39], from those who have watched pornography by the intentional searching 84.85% are female and 15.15% are male this is because the female watching the pornography is much more shameful than male watching it. Also, because most of our population are Muslim and some Islamic sects permitting the masturbation for those who don't have life partners and with low socioeconomic level this make an idea in the population that the semen should be ejaculated frequently00. The present study is cross-sectional design, so the causality can't be decided by this type of surveys. This subject has not been shared between the students by this way which make the situation hard to understand it and some of them refuse to answer it because they feel it is shameful to talk about pornography. Also, the questioner hasn't been filled by us because of the confidentiality this also have increase the chance of inaccuracy.

CONCLUSION

The consumption of the pornography is different according to the age and gender but mostly the man was more consumer than women and the most consumer age are adolescence. This also will increase the chance of infertility and erectile dysfunction. We recommended to be forbidden for those less than 18 years and to have family package for those more than 18 and don't want to this site being opened even accidentally.

Acknowledgment

Authors would like to thank the IFMSA-Kurdistan organisation with their local officer of research exchange Dana S. Abdulkareem, university of Zakho with deanery of medicine collage, directorate of education and security of Zakho independent administration, Kurdistan student's union, Haval and Zanin institution.

References

1. Dwulit, A. and P. Rzymiski, *Prevalence, Patterns and Self-Perceived Effects of Pornography Consumption in Polish University Students: A Cross-Sectional Study*. International Journal of Environmental Research and Public Health, 2019. **26**: p. 1861.
2. Mitchell, K.J., et al., *Prevalence and characteristics of youth sexting: a national study*. Pediatrics, 2012. **129**(1): p. 13-20.
3. Ross, M.W., S.A. Månsson, and K. Daneback, *Prevalence, severity, and correlates of problematic sexual Internet use in Swedish men and women*. Arch Sex Behav, 2012. **41**(2): p. 459-66.
4. Mialon, A., et al., *Sexual dysfunctions among young men: prevalence and associated factors*. J Adolesc Health, 2012. **51**(1): p. 25-31.
5. Laier, C., F.P. Schulte, and M. Brand, *Pornographic picture processing interferes with working memory performance*. J Sex Res, 2013. **50**(7): p. 642-52.
6. Bonino, S., et al., *Use of pornography and self-reported engagement in sexual violence among adolescents*. European Journal of Developmental Psychology, 2006. **3**(3): p. 265-288.
7. Häggström-Nordin, E., U. Hanson, and T. Tyden, *Associations between pornography consumption and sexual practices among adolescents in Sweden*. Int J STD AIDS, 2005. **16**(2): p. 102-7.
8. Malamuth, N. and M. Huppin, *Pornography and teenagers: the importance of individual differences*. Adolesc Med Clin, 2005. **16**(2): p. 315-26, viii.
9. Abd, M., et al., *Pornography Use Prevalence and Associated Factors in Arab Countries: A Multinational Cross-Sectional Study of 15,027 Individuals*. Journal of Sexual Medicine, 2021. **18**.
10. Brown, J.D. and K.L. L'Engle, *X-Rated: Sexual Attitudes and Behaviors Associated With U.S. Early Adolescents' Exposure to Sexually Explicit Media*. Communication Research, 2009. **36**(1): p. 129-151.
11. Lim, M.S.C., et al., *Young Australians' use of pornography and associations with sexual risk behaviours*. Australian and New Zealand Journal of Public Health, 2017. **41**(4): p. 438-443.
12. Al Mamun, M.A., et al., *Attitudes and Risk Factors of Pornography Consumption Among Bangladeshi University Students: An Exploratory Study*. International Journal of Mental Health and Addiction, 2019. **17**(2): p. 323-335.
13. Rissel, C., et al., *A Profile of Pornography Users in Australia: Findings From the Second Australian Study of Health and Relationships*. The Journal of Sex Research, 2017. **54**(2): p. 227-240.
14. Hussein, N.R., et al., *A study on the prevalence and the risk factors of hepatitis B virus infection in Kurdistan Region, Iraq: A multicenter study: Prevalence and the risk factors of HBV*. Journal of Contemporary Medical Sciences, 2021. **7**(5).
15. Khalid, F.K., et al., *A study of HBV infection and its risk factors in pregnant women in Zakho city, Iraq*. PLOS ONE, 2022. **17**(8): p. e0273362.
16. Naqid, A.I., S. H. Yousif, and N. R. Hussein, *Seroprevalence of Rubella and Herpes Simplex Virus in Women with Miscarriage and Stillbirth in Zakho City, Kurdistan Region, Iraq: A Cross- Sectional Study*. Women's Health Bulletin, 2020. **7**(1): p. 18-22.
17. Haydar, S.O. and I. Naqid, *A Study of Bacterial Vaginosis and Associated Risk Factors among Married Women in Zakho City, Kurdistan Region, Iraq*. Journal of Life and Bio Sciences Research, 2022. **3**(02): p. 33 -39.
18. Naqid, I.A., S.H. Yousif, and N.R. Hussein, *Serological Study of IgG and IgM Antibodies to Cytomegalovirus and Toxoplasma Infections in Pregnant Women in Zakho City, Kurdistan Region, Iraq*. Women's Health Bulletin, 2019. **6**(4): p. 8-12.
19. Naqid, I.A., et al., *Study on Anticardiolipin Antibodies in Women With Recurrent Abortion in Duhok Province, Kurdistan Region, Iraq*. ACTA MEDICA IRANICA, 2020. **58**(6): p. -.
20. Naqid, I.A., et al., *Bacterial Strains and Antimicrobial Susceptibility Patterns in Male Urinary Tract Infections in Duhok Province, Iraq*. Middle East J Rehabil Health Stud, 2020. **7**(3): p. e103529.
21. Naqid, I.A., et al., *Antibiotic Susceptibility Pattern of Escherichia coli Isolated from Various Clinical Samples in Duhok City, Kurdistan Region of Iraq*. Int J Infect, 2020. **7**(3): p. e103740.

22. Naqid, I.A., et al., *Antibiotic Susceptibility Patterns of Uropathogens Isolated from Female Patients with Urinary Tract Infection in Duhok Province, Iraq*. Jundishapur J Health Sci, 2020. **12**(3): p. e105146.
23. Naqid, I.A., et al., *The Antimicrobial Resistance Pattern of Klebsiella pneumonia Isolated from the Clinical Specimens in Duhok City in Kurdistan Region of Iraq*. J Kermanshah Univ Med Sci, 2020. **24**(2): p. e106135.
24. Abduljabar, S.S. and I.A. Naqid, *Staphylococcus aureus Among Athletes In Zakho City, Kurdistan Region, Iraq: Nasal Carriage Rate, Risk Factors, and Antibiotic Sensitivity Profile*. Science Journal of University of Zakho, 2022. **10**(3): p. 112-118.
25. Lewczuk, K., A. Wójcik, and M. Gola, *Increase in the Prevalence of Online Pornography Use: Objective Data Analysis from the Period Between 2004 and 2016 in Poland*. 2022. **51**(2): p. 1157-1171.
26. Bain, J., *The many faces of testosterone*. Clin Interv Aging, 2007. **2**(4): p. 567-76.
27. Krüger, T.H., U. Hartmann, and M. Schedlowski, *Prolactinergic and dopaminergic mechanisms underlying sexual arousal and orgasm in humans*. World J Urol, 2005. **23**(2): p. 130-8.
28. Wahlstrom, D., et al., *Developmental changes in dopamine neurotransmission in adolescence: behavioral implications and issues in assessment*. Brain Cogn, 2010. **72**(1): p. 146-59.
29. Kaestle, C.E. and C.T. Halpern, *What's love got to do with it? Sexual behaviors of opposite-sex couples through emerging adulthood*. Perspectives on Sexual and Reproductive Health, 2007. **39**: p. 134-140.
30. Bailey, J.A., et al., *Sexual risk behavior 6 months post-high school: associations with college attendance, living with a parent, and prior risk behavior*. J Adolesc Health, 2008. **42**(6): p. 573-9.
31. Daniel, S., et al., *Human papillomavirus (HPV) genotype prevalence and impact of COVID-19 on the HPV prevention program in Duhok city*. Dialogues in Health, 2022. **1**: p. 100055.
32. Hussein, N.R., et al., *Recurrence Rate of Hepatitis C Virus After Achieving a Sustained Virologic Response in Kurdistan Region, Iraq*. Avicenna J Clin Microbiol Infect, 2020. **7**(3): p. 72-74.
33. Colledge, F., et al., *Mental disorders in individuals at risk for exercise addiction - A systematic review*. Addict Behav Rep, 2020. **12**: p. 100314.
34. Love, T., et al., *Neuroscience of Internet Pornography Addiction: A Review and Update*. Behav Sci (Basel), 2015. **5**(3): p. 388-433.
35. Bleakley, A., M. Hennessy, and M. Fishbein, *A Model of Adolescents' Seeking of Sexual Content in Their Media Choices*. The Journal of Sex Research, 2011. **48**(4): p. 309-315.
36. Regnerus, M., D. Gordon, and J. Price, *Documenting Pornography Use in America: A Comparative Analysis of Methodological Approaches*. The Journal of Sex Research, 2016. **53**(7): p. 873-881.
37. Shek, D.T.L. and C.M.S. Ma, *A Six-Year Longitudinal Study of Consumption of Pornographic Materials in Chinese Adolescents in Hong Kong*. Journal of Pediatric and Adolescent Gynecology, 2016. **29**(1, Supplement): p. S12-S21.
38. Peter, J. and P.M. Valkenburg, *Adolescents' Exposure to Sexually Explicit Material on the Internet*. Communication Research, 2006. **33**(2): p. 178-204.
39. Solano, I., N.R. Eaton, and K.D. O'Leary, *Pornography Consumption, Modality and Function in a Large Internet Sample*. The Journal of Sex Research, 2020. **57**(1): p. 92-103.