

1 **Understanding depression in female adolescents: Correlations between**
2 **interpersonal trust, self-esteem, and interpersonal attributional style**

3

4 Lin Li¹, Lan Tang², Yan-hong Lai¹, Jian Liu^{1*}

5

6 ¹ Mental Health Center and Hangzhou Seventh People's Hospital, Zhejiang University School
7 of Medicine, Tianmushan Road No.305, Xihu district, Hangzhou city, Zhejiang province
8 310000, China

9 ² School of Mental Health and Psychological Sciences, Anhui Medical University, Meishan
10 Road No.81, Shushan district, Hefei city, Anhui province 230032, China

11

12 *Corresponding author

13 Email: lj7037@126.com (JL)

14 **Abstract**

15 This study examines sociocognitive factors causing depressed mood in hospitalized
16 female adolescents with depression and the correlations between interpersonal trust, self-
17 esteem, and interpersonal attributional style. From June 2021 to October 2022, a total of 166
18 hospitalized female adolescents with depression who met the inclusion criteria were recruited
19 from Hangzhou Seventh People’s Hospital. They provided demographic information and were
20 evaluated for depressed mood, interpersonal trust, self-esteem, and interpersonal attributional
21 style using the Chinese versions of the Children’s Depression Inventory, Interpersonal Trust
22 Scale, Rosenberg Self-Esteem Scale, and Multidimensional–Multiattributional Causality Scale,
23 respectively. Interpersonal trust and self-esteem were negatively correlated with depressed
24 mood, whereas internal and external attributions of interpersonal attributional style were
25 significantly and positively correlated with depressed mood. Interpersonal trust was
26 significantly and positively correlated with self-esteem, and interpersonal trust and self-esteem
27 were negatively correlated with interpersonal attributional style. An analysis of the theoretical
28 model for interpersonal trust–self-esteem– interpersonal attributional style–depressed mood
29 relationships revealed that the model had a good fit and the overall fit indicators met the
30 statistical requirements. The results of the path coefficient analysis indicated that all path
31 coefficients reached statistically significant levels, except for those from interpersonal trust to
32 depressed mood. Therefore, self-esteem mediates the effects of interpersonal trust and
33 interpersonal attributional style on depression and is a critical sociocognitive factor affecting
34 female adolescents with depression. Accordingly, psychological interventions for female
35 adolescents with depression should focus on improving self-esteem.

36 **Introduction**

37 Depression is a leading cause of adolescent illnesses and disabilities. International
38 epidemiological studies report that the prevalence of adolescent depression is 1.8–7.8%, with
39 a lifetime prevalence close to that of adults and a recurrence rate as high as 40–70% [1-3]. The
40 latest epidemiological data from China indicate that the time-point prevalence of depressive
41 disorder in children and adolescents aged 6–16 years is 3.0%, of which severe depression
42 accounts for 2.0% [4]. Depressed mood is even more common. According to a recent report,
43 the detection rate of various levels of depressive symptoms in adolescents has reached 24.6%;
44 the risks of mild and severe depression are 17.2% and 7.4%, respectively. Notably, the
45 detection rate of depressive symptoms in females is twice that in males [5]. This is why the
46 present study focuses on female adolescents with depression (FADs). The onset of depression
47 negatively affects adolescents' social functioning and academic achievement and increases
48 their risk of smoking, substance abuse, obesity, self-injury, and suicide [6]. In view of the high
49 detection rates and negative impacts of depressive symptoms, the World Health Organization
50 indicated that the primary disease burden in people aged 10–24 is major depressive disorder
51 [7].

52 Interpersonal relationships are an important factor in adolescent depression [8,9].
53 According to evolutionary psychology, depression is an individual's response to interpersonal
54 pressure. When individuals fail to integrate into groups to meet their need for belongingness,
55 they tend to exhibit signs of depression [10]. This view is unanimously supported by Chinese
56 and international studies [11]. A Chinese report also indicated that the level of depression in
57 adolescents increases proportionately with being unpopular among classmates, bullied, and

58 criticized by teachers [5]. Conversely, protective factors against adolescent depression include
59 high-quality peer relationships, positive parental educational methods, and positive teacher–
60 student relationships [12,13]. Female adolescents are more likely to be affected by the quality
61 of interpersonal relationships than male adolescents, because they focus more on the level of
62 intimacy and loyalty in interpersonal relationships and are more likely to experience depressive
63 reactions when such relationships break down [14].

64 Interpersonal relationships are affected by many sociocognitive factors, one of which
65 is interpersonal trust (IT), an important topic in sociopsychological research. IT is a generalized
66 psychological expectation established by individuals while interacting with others to determine
67 whether their words and commitments (written or verbal) are honest and reliable [15]. Mutual
68 trust is developed in the process of interpersonal communication and is based on the other
69 party’s abilities and ethical standards [16]. As a link connecting individuals to other people and
70 social development in general, IT is key to building harmonious relationships and social capital.
71 It facilitates socioeconomic functioning, improves the operational efficiency of social
72 organizations, and promotes economic growth [17].

73 Various studies have examined the relationship between IT and mental health in
74 adolescents. IT has been reported to be critical to mental health development and an important
75 facilitating force in forming and maintaining healthy interpersonal relationships [18,19].
76 Adolescents with high IT levels can better expand their social networks, thereby allowing them
77 to gain higher social status, reduce loneliness, and establish high-quality peer relationships [20].
78 By contrast, the critical communication style that adolescents with depression adopt during
79 their peer interactions generates negative emotions, which further exacerbates their feelings of

80 rejection and isolation [21]. However, other researchers have suggested that IT does not predict
81 the emergence of depression [22]. Some studies with Asian populations also found no
82 correlation between IT and mental health issues [23]. Therefore, the impact of IT on depressed
83 mood merits further investigation.

84 Self-esteem is another sociocognitive factor that affects interpersonal relationships. It
85 is an overall evaluation of oneself and the positive attitude and high regard one has for all
86 aspects of oneself [24]. The relationship between self-esteem and depressed mood has received
87 extensive research attention. The susceptibility model of depression proposes that negative
88 self-perception is a precursor to the development of depression in individuals and can predict
89 its emergence [25]. This explanation is supported by several empirical studies, particularly
90 those on late adolescents and adults. These studies consistently found that adolescents with low
91 self-esteem were at a greater risk of and more likely to experience depression [26].

92 According to Erickson, the main task in adolescence is to develop one's self-identity
93 [14]. Hence, a consistent self-concept is crucial, as it determines whether individuals can
94 transition to adulthood healthily and smoothly [14]. Adolescents acquire consistent information
95 about themselves through diverse interpersonal interactions. The more affirmed they feel, the
96 more positive their self-perception and the higher their self-esteem, which in turn affects the
97 quality of their interpersonal relationships and the stability of their social support systems.
98 When individuals enter adolescence, their focus transitions from their parents to peer groups
99 to gain positive experiences. In this process, their self-esteem gains new dimensions for self-
100 evaluation, namely, close friendships and attraction to those of the opposite gender [14].

101 Interpersonal attributional style (IAS), which similarly affects the establishment and
102 maintenance of interpersonal relationships, is a cognitive process through which people draw
103 conclusions about factors that influence or explain the consequences of their actions [24].
104 Various mental health effects arise from different attributional methods. The hopelessness
105 theory of depression posits that certain features of people's attributional methods are among
106 the factors contributing to their depressed mood [27]. Specifically, individuals who tend to
107 attribute bad events to themselves and view them as having long-lasting and comprehensive
108 effects but attribute good events to others and view them as having temporary and localized
109 effects are more likely to develop depressive symptoms [27]. This theoretical model has been
110 supported by adequate evidence for the past 30 years. Initially intended for studying adult
111 depression, some researchers have applied it to children and adolescents and verified that their
112 negative attributional styles are related to depression [28].

113 The correlations between depression and the three important sociocognitive factors of
114 IT, self-esteem, and IAS have been discussed to a certain extent. However, few studies have
115 comprehensively examined the interactions among these three factors, which, in turn, affect
116 the genesis or persistence of depression. Some studies have examined the impact of IT and
117 self-esteem on mental health, while others have studied the impacts of self-esteem and
118 attributional style instead. These studies concluded that self-esteem plays a mediating or
119 moderating role in the relationship between depression and IT or attributional style [29-31].
120 Considering that IT, self-esteem, and IAS are important sociocognitive factors that contribute
121 to stable interpersonal relationships and help adolescents obtain social support and maintain

122 physical and mental health, we propose that examining the interactions between these factors
123 can help clinicians better understand their role in predicting depressive symptoms.

124 Chinese and international studies have rarely sampled inpatient adolescents with
125 depression to understand the mode by which IT, self-esteem, and IAS affect their depression.
126 FADs are different from normal adolescents in terms of the causes and severity of depressed
127 mood, resulting in more severely impaired social function, which has a greater negative social
128 impact and leads to a higher disease burden. Relevant research findings can help patients,
129 family members, teachers, and clinicians better understand the key sociocognitive factors
130 affecting FADS; this can help identify the key points for intervention, improve the
131 effectiveness of existing interventions, more effectively promote the recovery of social
132 functions, and reduce the possibility of relapse, thereby reducing the societal disease burden.
133 Therefore, hospitalized FADs were recruited to examine the mode by which IT, self-esteem,
134 and IAS affect depression.

135 **Methods**

136 **Participants**

137 All data were acquired from a project titled “Effects of interpersonal psychotherapy on
138 the sociocognitive functions of adolescents with depression.” The research team recruited
139 eligible FADs from hospitalized patients between June 2021 and October 2022. The inclusion
140 criteria were (i) aged 12–18; (ii) diagnosed with depression according to the International
141 Classification of Diseases 10th Revision diagnostic criteria and remained so upon discharge;
142 (iii) relatively intact cognitive functions and capable of participating in a 1.5-hour-long
143 interview and evaluation; (iv) no major physical disease, traumatic brain injury, or other organ

144 damage; (v) no history of drug abuse or substance dependence; and (v) no concomitant
145 diagnosis of other mental disorders.

146 There were 166 Han Chinese FADs, with an average age of 15.08±1.52 years. The
147 general demographic data are presented in Table 1.

148

149 **Table 1 General Demographic Data (N=166).**

	Number	%
<i>Age</i>	15.08±1.52 years	
<i>Grade of study</i>	9.03±1.65	
<i>Place of residence</i>		
City	59	35.5
Town	71	42.8
Village	36	21.7
<i>Only child</i>		
Yes	59	35.5
No	107	64.5
<i>Father's occupation</i>		
Public official	13	7.8
Company employee	26	15.7
Worker	57	34.3
Freelancer	37	22.3
Other	33	19.9
<i>Father's educational level</i>		
Junior high school or below	90	54.2

High/vocational school	40	24.1
College or above	36	21.7
<i>Mother's occupation</i>		
Public official	17	10.2
Company employee	24	14.5
Worker	43	25.9
Freelancer	42	25.3
Other	40	24.1
<i>Mother's educational level</i>		
Junior high school or below	98	59.0
High/vocational school	38	22.9
College or above	3	18.1
<i>Annual household income (RMB)</i>		
<100,000	62	37.3
100,000–300,000	71	42.8
>300,000	33	19.9
<i>Academic performance</i>		
Top 5	6	3.6
Above average	44	26.5
Average	53	31.9
Below average	55	33.1
Bottom 5	8	4.8
<i>Duration of disease</i>	20.62±18.28 months	
<i>Number of hospitalizations</i>	1.86±1.47 times	

151 **Evaluation indicators**

152 **Depressed mood**

153 The Children’s Depression Inventory, compiled by Kovacs et al., is suitable for use
154 with children aged 7–17 [32]. The questionnaire contains 27 items, each with three options
155 describing the severity of depressive symptoms. The options are scored from 0 (least severe)
156 to 2 (most severe) points. The total score is 54 points; the higher the score, the more severe the
157 depression. The Chinese version of the scale has good reliability and validity among
158 elementary and middle school children in China [32]. The Cronbach’s α coefficient in this
159 study was 0.932.

160

161 **IT**

162 IT level was evaluated using Rotter’s Interpersonal Trust scale which comprises 25
163 items that include IT in various situations [33]. It can be used to predict an individual’s
164 estimation of the reliability on other people’s behavioral commitments or statements. Scoring
165 is based on a scale of 1 to 5; the higher the score, the greater the IT. The Chinese version of the
166 scale has good reliability and validity [34], and the Cronbach’s α coefficient in this study was
167 0.826.

168

169 **Self-esteem**

170 The Rosenberg Self-Esteem Scale was used to evaluate adolescents’ overall feelings of
171 self-worth and acceptance [35]. The 10 items are scored from 1 (completely not compliant) to
172 4 (completely compliant); the higher the score, the higher the self-esteem. The Chinese version

173 of the scale has good reliability and validity [33], and its Cronbach's α coefficient was 0.890
174 in the study.

175

176 **IAS**

177 The Multidimensional–Multiattributitional Causality Scale, developed by Lefcourt et al.,
178 is divided into two subscales: academic achievement and IAS [36]. We used the Chinese
179 version of the 24-item IAS subscale. The participants rated each item from 0 (completely
180 disagree) to 4 (completely agree). The scale proposes four possible attributional categories:
181 ability, effort, situation, and luck. According to the source of each attributional factor, ability
182 and effort (situation and luck) are classified as internal (external) attribution. The scores for
183 each dimension are calculated; the higher the score, the more likely the participants are to adopt
184 the attributional method of the corresponding source. The Cronbach's α for this subscale was
185 0.824.

186

187 **Research process**

188 After the participants agreed to take part in the study and signed the informed consent,
189 they would receive an evaluation on depressed mood, IT, self-esteem, and IAS. All of the
190 questionnaires were self-reported. Participants were guided to the study room and to accomplish
191 all of the evaluations assisted by the graduate students trained in psychology, which lasted
192 approximately 1.5 hours. Drug therapy, physical therapy, and other conventional treatments
193 that the patients received during the study period, as well as the length of their hospital stay,
194 were not affected by the study. All of the received data were recoded and the information which

195 specify the identity of the participants were covered by new coding. The authors had no access
196 to information that could identify individual participants after data collection.

197

198 **Statistical methods**

199 Descriptive analysis was used to examine the patients' general demographic data,
200 which involved calculating the frequencies, means, and standard deviations of the variables.
201 Additionally, the independent samples *t*-test, analysis of variance (ANOVA), and Pearson's
202 and Spearman's correlation analyses were used to examine the impact of demographic
203 variables on depressed mood. Next, descriptive analysis, the independent samples *t*-test, and
204 ANOVA were used to analyze patients' depressed mood, IT, self-esteem, and IAS. Pearson's
205 correlation analysis was also used to examine the relationship of depressed mood with IT, self-
206 esteem, and the IAS.

207 The various statistical analyses were two-tailed tests and were performed using SPSS
208 25.0 (IBM Corp., Armonk, NY, USA). SPSS AMOS 24.0 (IBM Corp., Armonk, NY, USA)
209 was used to test the relationship model for the effects of IT, self-esteem, and IAS on depressed
210 mood. The maximum likelihood method was used to check the fit the model, and the fitting
211 indicators included χ^2 , degree of freedom (*df*), normed fit index (NFI), Tucker–Lewis index
212 (TLI), goodness-of-fit index (GFI), comparative fit index (CFI), adjusted goodness-of-fit index
213 (AGFI), root mean square error of approximation (RMSEA), and root mean square residual
214 (RMR). The significance level for all statistical analyses was set to 0.05.

215

216 **Results**

217 **Impact of demographic variables on depressed mood**

218 The participants' scores for depressed mood were subjected to an independent samples
219 *t*-test or ANOVA under various categories of demographic variables (e.g., place of residence,
220 being the only child, parents' occupation and educational level, and annual household income).
221 The results were not significant ($p>0.05$; Table 2).

222

223 **Table 2. ANOVA Results for Depressed Mood Based on Demographic Variables.**

	<i>F</i> or <i>t</i> value	<i>P</i> value
Place of residence	0.70	0.496
Being the only child	1.46	0.146
Father's occupation	0.66	0.654
Father's educational level	0.08	0.989
Mother's occupation	0.75	0.589
Mother's educational level	0.57	0.685
Annual household income	0.39	0.757
Academic performance	1.44	0.225

224

225 The results of the correlation analysis (Table 3) for age, grade of study, duration of
226 disease, number of hospitalizations, and depressed mood revealed a negative correlation
227 between age, grade of study, and depressed mood, which indicated that the older the
228 participants and the higher their grade of study, the less often they experienced depressed mood.
229 The number of hospitalizations and depressed mood were significantly and positively
230 correlated; the greater the number of hospitalizations, the more severe was the depressed mood.

231

232 **Table 3. Results of Correlation Analysis Between the Demographic Variables and**
233 **Depressed Mood.**

	<i>r</i> value	<i>P</i> value
Age	-0.24	0.002
Grade of study	-0.23	0.003
Duration of disease	-0.01	0.953
Number of hospitalizations	0.17	0.031

234

235 **Descriptive outcomes of depressed mood, IT, self-esteem, and IAS**

236 Table 4 presents the descriptive outcomes of the patients' depressed mood, IT, self-
237 esteem and IAS. The scores for depressed mood exceeded the threshold by 19 points, indicating
238 an obvious depressed mood. The scores for IT were lower than the median score of 75 points.
239 Patients' external attribution (EA) tendencies were also more prominent. Significant
240 differences were found in IAS scores across the four attributional categories: ability
241 (2.42±0.71), effort (2.34±0.66), situation (2.79±0.59), and luck (2.27±0.66), $F=20.818$,
242 $p=0.000$. The post hoc test indicated that the scores for the EA category of situation were the
243 highest and significantly higher than those for luck, the other EA category, and the two internal
244 attribution (IA) categories, ability and effort ($p=0.000$). Attribution to luck scored the lowest
245 and was significantly lower than attribution to ability and the situation ($p=0.035$, $p=0.00$,
246 respectively), although the difference in attribution to effort was not significant ($p=0.350$).

247 There were no significant differences between the scores for the two IA categories of ability
248 and effort ($p=0.240$).

249

250 **Table 4. Descriptive Outcomes of Depressed Mood, IT, Self-Esteem, and IAS.**

	<i>Average±SD</i>	<i>t</i>	<i>p</i>
Depressed mood	26.78±11.71		
IT	67.13±13.06		
Self-esteem	23.17±6.54		
IAS			
IA	2.38±0.61	-3.70	0.000
EA	2.53±0.54		

251 Note: SD=standard deviation.

252

253 **Correlations between IT, self-esteem, IAS, and depressed mood**

254 The correlations between IT, self-esteem, IA and EA, and depressed mood are shown
255 in Table 5. Being in a depressed mood was negatively correlated with IT and self-esteem; the
256 greater the IT, the higher the self-esteem and the lower the frequency of depressed mood.
257 However, depressed mood was positively correlated with IA and EA; the higher the IA and EA
258 scores, the more obvious the depressed mood.

259

260 **Table 5. Correlations Between IT, Self-Esteem, IAS, and Depressed Mood.**

	Depressed mood	IT	Self-esteem	IA	EA
Depressed mood	1	-0.30**	-0.71**	0.32**	0.38**
IT		1	0.31**	-0.20**	-0.19*
Self-esteem			1	-0.30**	-0.33**
IA				1	0.59**
EA					1

261 Note: * $p < 0.05$; ** $p < 0.01$.

262

263 There was a significant positive correlation between IT and self-esteem; the greater the
 264 IT, the higher the self-esteem. IT was significantly negatively correlated with IA and EA; the
 265 greater the IT, the lower the IA and EA scores. Self-esteem was significantly negatively
 266 correlated with IA and EA; the higher the self-esteem, the lower the IA and EA scores. A
 267 significant positive correlation was observed between IA and EA.

268

269 **Structural variance model for IT, self-esteem, IAS, and depressed**
 270 **mood**

271 A theoretical model of the relationships between IT, self-esteem, IAS, and depressed
 272 mood was constructed based on existing research. The model was established after fitting
 273 existing data ($\chi^2=0.63$, $df=2$, $p=0.729$). Table 6 presents the overall model fit indicators. The
 274 values of χ^2/df , NFI, TLI, CFI, GFI, and AGFI were above 0.95; RMSEA was less than 0.05,
 275 and RMR was 0.055.

276

277 **Table 6. Overall Model Fit Indicators.**

Fit indicators	χ^2/df	NFI	TLI	CFI	GFI	AGFI	RMSEA	RMR
Standard deviation	<2	≥ 0.95	≥ 0.95	≥ 0.95	≥ 0.95	≥ 0.95	≤ 0.05	≤ 0.05
Numerical value	0.316	0.997	1.03	1.000	0.998	0.989	0.000	0.055

278

279 Hu and Bentler stated that the model fit is good when χ^2/df is 0–2; the values of NFI,
 280 TLI, GFI, AGFI, and CFI are above 0.95; and those of RMSEA and RMR are not higher than
 281 0.05 [37]. The model is acceptable when χ^2/df is 2–5; the values of NFI, TLI, GFI, AGFI, and
 282 CFI are above 0.9; and those of RMSEA and RMR are less than 0.1. All data in this study met
 283 the statistical requirements, indicating good overall model fit.

284 The path coefficient analysis revealed that the path coefficients reached statistically
 285 significant levels ($p < 0.05$), except for those from IT to depressed mood. The details of the
 286 relevant path coefficients and diagram of the model are presented in Table 7 and Fig 1,
 287 respectively.

288

289 **Fig 1.** Model for the impact of IT, self-esteem, and IAS on depressed mood

290 Note: IA: internal attribution; EA: external attribution; IAS: interpersonal attributional style;
 291 IT: interpersonal trust; e1-e6: error.

292

293 **Table 7. Significance Test for the Path Coefficients.**

Path		Standard regression coefficient (β)	SE	CR	P	
IAS	→	Self-esteem	-0.35	0.112	-3.850	0.000
		Depressed mood	0.20	0.160	2.727	0.006
		IA	0.72			
		EA	0.81	0.190	5.227	0.000
IT	→	IAS	-0.25	0.038	-2.670	0.008
		Self-esteem	0.23	0.037	3.052	0.002
		Depressed mood	-0.06	0.051	-1.041	0.298
Self-esteem	→	Depressed mood	-0.61	0.112	-9.688	0.000

294

295 IT affected depressed mood through three paths (Fig 1). The first was through self-
 296 esteem, which had a complete mediating effect in the relationship between IT and depressed
 297 mood. The second was through the complete mediating effect of IAS. The dual mediating
 298 effects of IAS and self-esteem formed the third path.

299 IAS could affect depressed mood on its own or through the partial mediating effect of
 300 SE. As an important mediating variable in this model, self-esteem not only affected the

301 relationship between IT and depressed mood but also moderated the effect of IAS on depressed
302 mood.

303

304 **Discussion**

305 In this study, depressed mood, IT, self-esteem, and IAS of 166 hospitalized FADs were
306 investigated and analyzed. The results showed that the patients had obvious depression when
307 they were enrolled in the study, and their IT and self-esteem scores were average. For IAS,
308 participants were more inclined toward the EA category. IT, self-esteem, and IAS (IA and EA)
309 were significantly correlated with depressed mood. In the relationship model for the four
310 variables, the relationship between IT and depressed mood was affected by two factors: SE and
311 IAS. IT required the mediating effect of self-esteem or IAS to affect depressed mood. Although
312 IAS could directly affect depressed mood, its effect was partially mediated by the introduction
313 of self-esteem. As an important mediating variable, self-esteem not only moderated the effects
314 of IT and IAS on depressed mood but also produced the most important predictive effect on
315 depressed mood for the entire pathway.

316 There is no consistent conclusion regarding the effect of IT on adolescent depression.
317 Adolescents with good IT fared better than those with poor IT in expanding their social
318 networks, gaining high-quality peer relationships and high social status, and reducing
319 loneliness [20]. However, this impact may be unstable [22,23,38]. Further, there may be other
320 factors that exert mediating or moderating effects in the relationship between IT and depressed
321 mood [20,39,40]. McCarthy et al. proposed that the personality traits of self-esteem and
322 agreeableness could predict IT and the revelation of negative emotions [41]. Through diary

323 studies, Li et al. established that self-esteem modulates the correlation between self-exposure
324 and IT when forming offline friendships [42]. From their study of the relationship between
325 social avoidance and depressed mood in 1,021 college students, Yuan et al. concluded that IT
326 mediated the correlation between social avoidance and depressed mood, whereas self-esteem
327 moderated the effect of social avoidance on IT [43].

328 The aforementioned studies focused on college students. By contrast, we surveyed
329 hospitalized FADs, and the results indicated that self-esteem and IAS affected the correlation
330 between IT and depressed mood. When negative events continued to occur in the FADs'
331 relationships and their IT was destroyed, their self-esteem and IAS determined whether they
332 would experience depressed mood. The lower the self-esteem, the more obvious the application
333 of EA, and the more likely the appearance of depressed mood. However, high self-esteem and
334 flexible IAS can moderate the negative emotional effects caused by adverse interpersonal
335 events and damaged IT.

336 There has been extensive research and consensus on the relationship between IAS and
337 depressed mood [44]. Our findings indicated that IAS was significantly positively correlated
338 with depressed mood in hospitalized FADs but significantly negatively correlated with self-
339 esteem and IT. Self-esteem also mediated the effect of IAS on depressed mood. The patients
340 who participated in this study were more inclined to develop EA in their IAS. Attributing
341 interpersonal events to situations is externally controlled and more difficult for individuals to
342 control with their will [24]. Individuals who do so are more likely to feel frustrated and lost
343 during their interpersonal interactions. This conclusion supports the hopelessness/self-esteem
344 model for depression. This model, proposed by Metalsky et al., integrates the susceptibility

345 model of depression and self-esteem theory and proposes that negative attributional methods
346 generate hopelessness and depressed mood through low self-esteem and failures. By contrast,
347 high self-esteem plays a buffering role in the process of attribution failures that cause the
348 development of depression [30].

349 The effect of self-esteem on adolescents' emotional problems has been supported
350 [25,26]. Adolescents with low self-esteem report more emotional and behavioral issues such
351 as suicidal ideation, self-injury, depression, and anxiety [45]. The susceptibility model of
352 depression posits that self-esteem is an important risk factor for the development of depression
353 [25]. This model is supported by our findings: self-esteem was the most significant factor that
354 affected depressed mood and could mediate the effects of IT and IAS on depressed mood. This
355 is also in line with the characteristics of psychological development during adolescence.
356 Adolescents pay more attention to their self-image and wish to portray a consistent image.
357 Positive and stable self-evaluation determines an individual's emotional responses when facing
358 adverse life events. This is beneficial because individuals are protected and can stably weather
359 the turbulent adolescent period. They can also complete the successful establishment of their
360 self-identity and transition into healthy adulthood [14].

361 Additionally, we found that the grade of study, age, and number of hospitalizations
362 affected the severity of depressed mood. The older the patient, the higher the grade, and the
363 fewer the hospitalizations, the less often they experienced depressed mood; the younger the
364 patient, the lower the grade, and the more the hospitalizations, the more frequent the depressed
365 mood. This may be related to the extent of physical, cognitive, and social development in
366 female adolescents. In females, the physiological changes associated with puberty generally

367 begin and end around the age of 10 and 14 years, respectively. During this stage, imbalances
368 in physical and psychological development are more obvious, and emotional fluctuations are
369 more prominent. The incomplete development of cognitive functions is a limitation, and self-
370 identity is yet to be established. Explosive expressions of female emotions occur more
371 frequently during early adolescence. Parents easily perceive such obvious changes and become
372 more concerned about the situation [5,14].

373 This study explored the sociocognitive factors affecting FADs and found that self-
374 esteem is an important variable that regulates or mediates the relationships of IT and IAS with
375 depressed mood. Based on our findings, the following are some novel suggestions for the
376 psychological treatment of FADs. First, early intervention for FADs is critical, and the number
377 of hospitalizations can be effectively reduced with early treatment, thereby alleviating the
378 severity of their depressed mood and helping them navigate through adolescence more
379 smoothly. Second, interpersonal relationships are an important theme in adolescents'
380 development and are related to their mental health status. The key to helping FADs rebuild
381 trust in interpersonal communication and reduce depression during interpersonal
382 psychotherapy is improving their self-esteem and reducing their tendency for EA in
383 interpersonal relationships. This can, in turn, facilitate the establishment of trust in
384 interpersonal communication, which leads to the development of high-quality interpersonal
385 relationships, thereby allowing them to gain additional social support.

386 This study also has some limitations. First, it is a pilot study, and representative samples
387 are still needed for further verification of the results. Second, as IT, self-esteem, and IAS are
388 multidimensional concepts, the questionnaire adopted in this study cannot offer a

389 comprehensive perspective. Moreover, the use of self-report questionnaires lead to a lack of
390 ecological validity. The causal relationship between these real behavioral outcomes and the
391 emergence of depression warrants further research and exploration.

392

393 **References**

- 394 [1] Polanczyk GV, Salum GA, Sugaya LS, Caye A, Rohde LA. Annual research review: a
395 meta-analysis of the worldwide prevalence of mental disorders in children and
396 adolescents. *J Child Psychol Psychiatry*. 2015;56(3): 345-365. doi: 10.1111/jcpp.12381.
- 397 [2] Abel KM, Hope H, Swift E, Parisi R, Ashcroft DM, Kosidou K, et al. Prevalence of
398 maternal mental illness among children and adolescents in the UK between 2005 and
399 2017: a national retrospective cohort analysis. *Lancet Public Health*. 2019;4(6): e291-
400 300. doi: 10.1016/S2468-2667(19)30059-3
- 401 [3] Avenevoli S, Swendsen J, He JP, Burstein M, Merikangas KR. Major depression in the
402 national comorbidity survey–adolescent supplement: prevalence, correlates, and
403 treatment. *J Am Acad Child Adolesc Psychiatry*. 2015;54(1): 37-44.e2. doi:
404 10.1016/j.jaac.2014.10.010
- 405 [4] Li F, Cui Y, Li Y, Guo L, Ke X, Liu J, et al. Prevalence of mental disorders in school
406 children and adolescents in China: diagnostic data from detailed clinical assessments of
407 17,524 individuals. *J Child Psychol Psychiatry*. 2022;63(1): 34-46. doi:
408 10.1111/jcpp.13445
- 409 [5] Fu XL, Zhang K, Chen X, Chen Z. Report on national mental health development in
410 China (2019–2020). Beijing: Social Sciences Academic Press; 2021.

- 411 [6] Thapar A, Collishaw S, Pine DS, Thapar AK. Depression in adolescence. *Lancet*.
412 2012;379(9820): 1056-1067. doi: 10.1016/S0140-6736(11)60871-4
- 413 [7] Mokdad AH, Forouzanfar MH, Daoud F, Mokdad AA, El Bcheraoui C, Moradi-Lakeh
414 M, et al. Global burden of diseases, injuries, and risk factors for young people's health
415 during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013.
416 *Lancet*. 2016;387(10036): 2383-2401. doi: 10.1016/S0140-6736(16)00648-6
- 417 [8] Hammen C. Adolescent depression: stressful interpersonal contexts and risk for
418 recurrence. *Curr Dir Psychol Sci*. 2009;18(4): 200-204. doi: 10.1111/j.1467-
419 8721.2009.01636.x
- 420 [9] Gariépy G, Honkaniemi H, Quesnel-Vallée A. Social support and protection from
421 depression: systematic review of current findings in western countries. *Br J Psychiatry*.
422 2016;209(4): 284-293. doi: 10.1192/bjp.bp.115.169094
- 423 [10] Badcock PB, Davey CG, Whittle S, Allen NB, Friston KJ. The depressed brain: an
424 evolutionary systems theory. *Trends Cogn Sci*. 2017;21(3): 182-194. doi:
425 10.1016/j.tics.2017.01.005
- 426 [11] Filia K, Eastwood O, Herniman S, Badcock P. Facilitating improvements in young
427 people's social relationships to prevent or treat depression: a review of empirically
428 supported interventions. *Transl Psychiatry*. 2021;11(1): 305. doi: 10.1038/s41398-021-
429 01406-7
- 430 [12] van Harmelen AL, Gibson JL, St Clair MC, Owens M, Brodbeck J, Dunn V, et al.
431 Friendships and family support reduce subsequent depressive symptoms in at-risk
432 adolescents. *PLoS One*. 2016;11(5): e0153715. doi: 10.1371/journal.pone.0153715

- 433 [13] Wang MT, Brinkworth MB, Eccles J. Moderating effects of teacher–student relationship
434 in adolescent trajectories of emotional and behavioral adjustment. *Dev Psychol.* 2013;
435 49(4): 690-705. doi: 10.1037/a0027916
- 436 [14] Berk LK. *Development through the lifespan*. 4th ed. Beijing: China Renmin University
437 Press; 2013.
- 438 [15] Rotter JB. A new scale for the measurement of interpersonal trust. *J Pers.* 1967;35(4):
439 651-665. doi: 10.1111/j.1467-6494.1967.tb01454.x
- 440 [16] Rotenberg KJ. *Interpersonal trust during childhood and adolescence*. New York:
441 Cambridge University Press; 2010.
- 442 [17] Knack S, Keefer P. Does social capital have an economic payoff? A cross-country
443 investigation. *Q J Econ.* 1997;112(4): 1251-1288. doi: 10.1162/003355300555475
- 444 [18] Gurtman MB. Trust, distrust, and interpersonal problems: a circumplex analysis. *J Pers*
445 *Soc Psychol.* 1992;62(6): 989-1002. doi: 10.1037/0022-3514.62.6.989
- 446 [19] Simpson JA. Foundations of interpersonal trust. In: Van Lange PAM, editor. *Social*
447 *psychology: handbook of basic principles*. 2nd ed. New York: Guilford Press; 2007. pp.
448 587-607.
- 449 [20] Li C, Liu D, Dong Y. Self-esteem and problematic smartphone use among adolescents:
450 a moderated mediation model of depression and interpersonal trust. *Front Psychol.*
451 2019;10: 2872. doi: 10.3389/fpsyg.2019.02872
- 452 [21] Mellick W, Sharp C, Ernst M. Depressive adolescent girls exhibit atypical social
453 decision-making in an iterative trust game. *J Soc Clin Psychol.* 2019;38(3): 224-244. doi:
454 10.1521/jscp.2019.38.3.224

- 455 [22] Wartberg L, Kriston L, Thomasius R. Depressive symptoms in adolescents. *Dtsch*
456 *Arztebl Int.* 2018;115(33-34): 549-555. doi: 10.3238/arztebl.2018.0549
- 457 [23] Kim SS, Chung Y, Perry MJ, Kawachi I, Subramanian SV. Association between
458 interpersonal trust, reciprocity, and depression in South Korea: a prospective analysis.
459 *PLoS One.* 2012;7(1): e30602. doi: 10.1371/journal.pone.0030602
- 460 [24] Pei W, Wen H. *Social cognition psychology.* Beijing: Beijing Normal University Press;
461 2015.
- 462 [25] Orth U, Robins RW. Understanding the link between low self-esteem and depression.
463 *Curr Dir Psychol Sci.* 2013;22(6): 455-460. doi: 10.1177/0963721413492763
- 464 [26] Gittins CB, Hunt C. Self-criticism and self-esteem in early adolescence: do they predict
465 depression? *PLoS One.* 2020;15(12): e0244182. doi: 10.1371/journal.pone.0244182
- 466 [27] Abramson LY, Seligman MEP, Teasdale JD. Learned helplessness in humans: critique
467 and reformulation. *J Abnorm Psychol.* 1978;87(1): 49-74. doi: 10.1037/0021-
468 843X.87.1.49
- 469 [28] Lakdawalla Z, Hankin BL, Mermelstein R. Cognitive theories of depression in children
470 and adolescents: a conceptual and quantitative review. *Clin Child Fam Psychol Rev.*
471 2007;10(1): 1-24. doi: 10.1007/s10567-006-0013-1
- 472 [29] Hu JM, Ai HS. Self-esteem mediates the effect of the parent-adolescent relationship on
473 depression. *J Health Psychol.* 2016;21(6): 897-904. doi: 10.1177/1359105314541315
- 474 [30] Metalsky GI, Joiner TE, Hardin TS, Abramson LY. Depressive reactions to failure in a
475 naturalistic setting: a test of the hopelessness and self-esteem theories of depression. *J*
476 *Abnorm Psychol.* 1993;102(1): 101-109. doi: 10.1037/0021-843x.102.1.101

- 477 [31] Southall D, Roberts JE. Attributional style and self-esteem in vulnerability to adolescent
478 depressive symptoms following life stress: a 14-week prospective study. *Cognit Ther Res.*
479 2002;26: 563-579. doi: 10.1023/A:1020457508320
- 480 [32] Sun SY, Wang SS. The Children's Depression Inventory in worldwide child
481 development research: a reliability generalization study. *J Child Fam Stud.* 2015;24(8):
482 2352-2363. doi: 10.1007/s10826-014-0038-x
- 483 [33] Rotter JB. A new scale for the measurement of interpersonal trust. *J Pers.* 1967;35: 651-
484 665. doi: 10.1111/j.1467-6494.1967.tb01454.x
- 485 [34] Wang XD, Wang XL, Ma H. Manual of mental health rating scale. *Chinese Mental*
486 *Health Journal.* 1999; 113-115
- 487 [35] Rosenberg M. *Society and the adolescent self-image.* Princeton, NJ: Princeton University
488 Press; 1965.
- 489 [36] Lefcourt HM, von Baeyer CL, Ware EE, Cox DJ. The Multidimensional-
490 Multiattributional Causality Scale: the development of a goal specific locus of control
491 scale. *Can J Behav Sci.* 1979;11: 286-304. doi: 10.1037/h0081598
- 492 [37] Hu L, Bentler PM. Cutoff criteria for fit indexes in covariance structure analysis:
493 conventional criteria versus new alternatives. *Struct Equ Model.* 1999;6(1): 1-55. doi:
494 10.1080/10705519909540118
- 495 [38] Rotenberg KJ, McDougall P, Boulton MJ, Vaillancourt T, Fox C, Hymel S. Cross-
496 sectional and longitudinal relations among peer-reported trustworthiness, social
497 relationships, and psychological adjustment in children and early adolescents from the

- 498 United Kingdom and Canada. *J Exp Child Psychol.* 2004;88(1): 46-67. doi:
499 10.1016/j.jecp.2004.01.005
- 500 [39] Kong FC, Zhou ZK. The correlation between attributional style and interpersonal trust
501 of adolescents. *China J Health Psychol.* 2008;16(12): 1371-1372.
- 502 [40] Baumeister RF. Does high self-esteem cause better performance, interpersonal success,
503 happiness, or healthier lifestyles? *Psychol Sci Public Interest.* 2003;4(1): 1-44. doi:
504 10.1111/1529-1006.01431
- 505 [41] McCarthy MH, Wood JV, Holmes JG. Dispositional pathways to trust: self-esteem and
506 agreeableness interact to predict trust and negative emotional disclosure. *J Pers Soc*
507 *Psychol.* 2017;113(1): 95-116. doi: 10.1037/pspi0000093
- 508 [42] Li LMW, Chen QL, Gao HJ, Li WQ, Ito K. Online/offline self-disclosure to offline
509 friends and relational outcomes in a diary study: the moderating role of self-esteem and
510 relational closeness. *Int J Psychol.* 2021;56(1): 129-137. doi: 10.1002/ijop.12684
- 511 [43] Yuan Y, Jiang SH, Wen X, Han Z, Wu D, Wang X, et al. The chain-mediation pathway
512 of social avoidance to depression in college students is regulated by self-esteem. *Front*
513 *Psychol.* 2022;13: 802161. doi: 10.3389/fpsyg.2022.802161
- 514 [44] Jacobs RH, Reinecke MA, Gollan JK, Kane P. Empirical evidence of cognitive
515 vulnerability for depression among children and adolescents: a cognitive science and
516 developmental perspective. *Clin Psychol Rev.* 2008;28(5): 759-782. doi:
517 10.1016/j.cpr.2007.10.006

518 [45] Ngo H, VanderLaan DP, Aitken M. Self-esteem, symptom severity, and treatment
519 response in adolescents with internalizing problems. *J Affect Disord.* 2020;273: 183-191.
520 doi: 10.1016/j.jad.2020.04.045
521




Figure 1