1	Individual, organisational and system capacities, and the functioning
2	of a multi-country implementation-focused network for maternal,
3	newborn and child health: Bangladesh, Ethiopia, Malawi, and
4	Uganda.
5	Authors: Anene Tesfa ^{1*} , Catherine Nakidde ² , Kohenour Akter ³ , Fatama Khatun ³ , Kondwani
6	Mwandira ⁴ , Seblewengel Lemma ⁵ , Gloria Seruwagi ² , Kasonde Mwaba ⁶ , Mike English ⁷ , Callie
7	Daniels-Howell ⁶ , QCN Evaluation Group, Nehla Djellouli ⁶ , Tim Colbourn ⁶ , Tanya Marchant ⁵
8	
9	¹ Ethiopian Public Health Institute, Addis Ababa, Ethiopia
10	² School of Public Health, Makerere University, Kampala, Uganda
11	³ Perinatal Care Project, Diabetic Association of Bangladesh, Dhaka, Bangladesh
12	⁴ Parent and Child Health Initiative PACHI, Lilongwe, Malawi
13	⁵ Department of Disease Control, London School of Hygiene & Tropical Medicine, London, UK
14	⁶ Institute for Global Health, University College, London, UK
15	⁷ Centre for Tropical Medicine and Global Health, University of Oxford, Oxford, UK
16	
17	*Corresponding author
18	Email: anenetesfa@gmail.com (AT)
19	Addis Ababa, Ethiopia
20	

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

22 Abstract

23 Better policies, investments, and programs are needed to improve the integration and quality 24 of maternal, newborn, and child health services. Previously, partnerships and collaborations that involved multiple countries with a unified aim have been observed to yield positive 25 results. Since 2017, the WHO and partners have hosted the Quality of Care Network [QCN], a 26 27 multi-country implementation network focused on improving maternal, neonatal, and child 28 health care. In this paper we examine the functionality of QCN in different contexts. We focus 29 on implementation capacities and contexts in four network countries: Bangladesh, Ethiopia, Malawi, and Uganda. In each country, the study was conducted over several consecutive 30 rounds between 2019-2022, employing 227 key informant interviews with major 31 32 stakeholders and members of the network countries, and 42 facility observations. The collected data were coded using Nvivo-12 software and categorized thematically. The study 33 34 showed that individual, organizational and system-level capacities, and circumstances all 35 played an important role in shaping implementation success in network countries, but that these levels were inter-linked. Across all levels, systems that enabled leadership, motivated 36 and trained staff, and created a positive culture of data use were critical – from the policy 37 making arena including addressing financing issues - to the day-to-day practice improvement 38 39 at the front line. Some characteristics of QCN actively supported these levels, for example shared learning forums for continuous learning, a focus on data and tracking progress, and 40 emphasising the importance of coordinated efforts towards a common goal. However, 41 inadequate system financing and capacity also hampered network functioning, especially in 42 the face of external shocks. 43

44 Key words: capacities, multi-county network, quality of care, maternal and newborn health,

- 45 Bangladesh, Ethiopia, Malawi, Uganda
- 46

47 Introduction

Despite advances in maternal and newborn survival rates in low and middle-income countries, most deaths are attributed to weak health systems and poor quality maternal and newborn healthcare services [1]. Many maternal and newborn deaths are preventable if all women have access to quality care during and after childbirth and measures taken to support maternal health will also positively influence newborn health [2,3].

53 Lessons learnt from previous efforts to improve maternal, newborn and child healthcare such 54 as improvement in coverage and quality of services have pointed to the need for integrated, comprehensive, and holistic approaches and systems that promote an enabling environment 55 to produce a tangible result. Such environments are influenced by a combination of the 56 circumstances of individuals, organizations, and systems so that quality services with the 57 requisite staffing and equipment are supported by local problem-solving initiatives and 58 59 coherent policies [4-6]. For example, the current recommendation for all births to be assisted 60 by skilled professionals who provide care with knowledge, problem-solving attitudes and compassion is important but not sufficient to save lives as these individuals also require an 61 62 appropriate environment to practice in [7,8]. Therefore, at the organizational level, foundations such as the availability of basic amenities and adequate equipment and staff, 63 favourable rules, and regulations as well as a supportive management system are needed to 64 65 stimulate the implementation of interventions aimed at improving health [9]. And both individual and organizational performance requires system support [10]. 66

One such initiative designed to take a holistic approach to service improvement is the network 67 for improving Quality of Care for Maternal, Newborn and Child Health [QCN], a multi-country 68 implementation and learning network focusing on maternal, newborn and child health care 69 improvements, hosted by the World Health Organisation (WHO) since 2017 [11]. In 2017, the 70 71 WHO and global partners launched QCN, with the partnership of ten pathfinder network 72 countries: Bangladesh, Cote d'Ivoire, Ethiopia, Ghana, India, Malawi, Nigeria, Sierra Leone, 73 the United Republic of Tanzania and Uganda. Kenya joined the network as the 11th country 74 in 2019.

The launch of QCN presented an opportunity to learn lessons about this multi-country network strategy and implementation process for maternal and newborn health care quality improvement. This paper is part of a collection looking at different aspects of the emergence, legitimacy, and effectiveness of the network (S1 Text). Here, we report on the capacities of individuals, organizations, and systems that enabled or impeded the network's functionality examining the implementation context in four of the network countries, Bangladesh, Ethiopia, Malawi, and Uganda.

82

83 Methods

Our research provides the implementation perspective of these four network countries (S2 Text). The study teams in these countries used a mixed-method approach to collect data from the national and subnational level network members, including at the health facility level, for the overall evaluation. Data from qualitative interviews and facility observations are analysed and presented in this paper (Table 1).

89 Table 1: QCN interviews and observations completed

Case-study	Data collection round (dates)	National	Local interviews	Facility observation
country		interviews (n)	(n)	(n)
Bangladesh	1 (Oct 2019 – Mar 2020)	13	07	3
	2 (Oct 2020 – Jan 2021)	14	11	4
	3 (May 2021 - Sep 2021)	10	12	4
	4 (Jan 2022 - Mar 2022)	08	00	00
Ethiopia	1 (Jan 2021– Mar 2021)	08	11	4
	2 (Nov 2021- Dec 2021)	10	11	3
Malawi	1 (Oct 2019 – Mar 2020)	07	12	4
	2 (Nov 2020– Jan 2021)	10	07	4
	3 (Aug 2021 – Nov 2021)	9	7	4
	4 (Mar 2022)	2	3	00
Uganda	1 (Nov 2020 – Mar 2021)	07	13	4
	2 (Jun 2021 – Sep 2021)	12	08	4
	3 (Feb 2022 – March- 2022)	10	05	4

90

91 We conducted semi-structured interviews with national level and sub-national level network 92 members and key stakeholders in Bangladesh, Ethiopia, Malawi, and Uganda. Participants 93 included employees of government bodies, implementing and technical partners as well as 94 health facility workers in the implementation districts. A topic guide was centrally prepared 95 then translated to local languages (S2 Text) where appropriate and piloted in each country. As a result, minor adaptations were made to reflect country contexts. In each country we conducted several rounds of interviews, at least six months apart, to capture changes in how the network was operating and views pertaining to network activities as well as follow-up on emerging findings from the previous round. Following the first round of data collection, topic guides were refined in subsequent rounds specifically for each country and category of stakeholders.

102 Facility observations were conducted in purposefully selected best and least well performing 103 facilities in each country. These facilities were selected in conversation with network leaders in each country and based on health outcome data such as a comparison of maternal and 104 105 child mortality indicators [available from national databases] and other quality of care data [e.g., those used in national schemes]. During observations, we used a common template to 106 capture key processes relevant to the focus of the network in each country and recorded 107 108 unstructured notes about health care processes on the day. Mothers coming to the facility 109 were observed during service provision. Further details on our methods are provided in S2 110 Text.

Data were entered into Nvivo-12 software for analysis and all countries used a common codebook developed by the senior members of the QCN evaluation group, that was then iteratively refined to accommodate country-specific context (S2 text). We used a framework analysis for the purpose of writing this paper, informed by a conceptual framework for understanding policy competences and capabilities (figure 1) [12].

116

Fig 1. Conceptual framework on policy competencies and capabilities, adapted from Wu
et. al [12].

119

120 Ethical considerations

121	All interviews and observations were conducted by local team members after obtaining
122	informed, formal written consent, including separate written consent for tape recording.
123	Patients' privacy was respected during hospital observations. All data are confidential and
124	anonymised. Ethical approval was obtained from the Research Ethics Committee at University
125	College London (3433/003) and institutional review boards in Bangladesh (BADAS-
126	ERC/EC/19/00274), Ethiopia (EPHI-IRB-240-2020), Malawi (NHSRC Ref,19/03/2264) and
127	Uganda (MUSPHHDRC, Ref: 869).
128	
129	
130	
131	
132	
133	
134	
135	
136	
137	
138	
139	
140	
141	
142	

143 **Results**

Here we present findings on ways in which individual, organizational and system
circumstances influenced the functionality of QCN at the national level, highlighting common
themes to emerge across the four network countries.

147

148 Individual circumstances

Three key themes emerged under individual circumstances: [i] the need to retain trained and motivated staff, and the frustration experienced when this was suboptimal; [ii] enhancing a culture of documentation and data use; and [iii] the importance of leaders to motivate individuals.

153 i. <u>The need to retain trained and motivated staff</u>

154 QCN was perceived to have improved the availability of skilled professionals in enrolled 155 facilities. This is both by increasing the number of staff and improving the skills of the existing ones. Bangladesh is one of the countries making progress in consistently providing health care 156 with the assistance of trained professionals. However, participants reported on-going 157 challenges and frustrations in retaining quality improvement trained and motivated staff. In 158 159 Bangladesh while facilities were striving to provide full-time skilled care, it was noted that not 160 all staff provided an equally high-quality service and high demand negatively affected staff 161 motivation.

162

163 *"Clinical standards are not uniformly applied by all providers; there are insufficient* 164 *training and decision aids; there are long patient waiting times and improper queue*

165 management and a large staff workload has resulted in challenges with maintaining 166 staff motivation." [QCN webinar-Global level-Bangladesh Round 1]

Newly qualified and fresh staff joining the health system in Ethiopia and Uganda were thought to contribute to a lack of saturation of quality improvement (QI) knowledge and skills. And this QI skill gap was exacerbated by high levels of staff attrition, affecting the institutional memory for network functioning. In Malawi, retention of skilled staff was a significant challenge as well, partly due to a pre-existing ministry of health policy in place that rotates health care workers between departments and/or health facilities, thereby disrupting institutional memory about QI and network activities.

174 "Staff turnover due to rotation to other departments/facilities affects the quality of 175 Care as health workers trained to provide MNH services are moved out and incoming 176 health workers may not have the necessary skills. This also directly affects QCN 177 implementation as sometimes the staff who are shifted are trained WIT [Work 178 Improvement Team] members." [Facility observation-Case 3-Malawi Round 2]

One of the assumptions of the network was that knowledge and learning would be shared among network member health professionals and periodic learning forums were organized for this purpose. Staff attending these forums were eligible for an allowance to cover any expenses and respondents commented that competition among staff occasionally got in the way of knowledge sharing, partly because of those compensations. This was found to be an emergent property of the QCN implementation that has negative consequences.

".... remember these health workers in maternity, antenatal and the child clinics all work in shifts. So, I am going to pick nurse A and leave out nurse B in the hope that nurse A will come and tell nurse B what is supposed to be done. They actually don't

even share. The health workers are saying that those who go are getting paid allowances and when they come back, even if they wanted to share, others are really annoyed that they are not selected." [Technical Partner-National level-Uganda Round 191 1]

192

193 ii. Enhancing the culture of documentation and data use

A strong theme to emerge across the four countries was that a critical achievement of the network to enhance health care professional's documentation culture, aligning with a core network objective to reduce maternal and newborn mortality through use of easily retrievable, local data. As explained by a midwife in Ethiopia:

198 ".... If you don't record the number of mothers you assisted, you don't know how many
199 deliveries you have attended. This system has helped me and fellow midwives to
200 improve our documentation culture..." [Health Facility Worker-Local level-Ethiopia
201 Round 1]

Network countries put renewed emphasis on training for reporting systems as well as learning
from identified problems. This was explained to be a major component of capability for QI in
Bangladesh where there was a focus on introducing updated data systems and training
hospital staff to use them.

"The data from different sectors come to the statistician and the statistician updates the database. We couldn't do this thing before. Now the sisters [nurses] have been motivated to do these after arranging training and doing many things." [Implementing partner-National level-Bangladesh Round 1] 210 Despite improvements, actors working at different levels in the system reported that poor documentation practices, poor quality of data collected, lack of data collection tools, lack of 211 knowledge on how to use them, and lack of a culture of data use for decision making 212 213 continued to be a challenge across the network. In Uganda there were complaints that the ministry of health monitoring tool was not easy to use due to its bulkiness and requiring extra 214 215 time of providers who are already overburdened, resulting in implementing partners using 216 their own tools: this duplication negatively affected motivation around data use. Numerous 217 respondents in Ethiopia and Malawi reported that their DHIS-2 reports remained incomplete, 218 and mistakes were frequently found despite improvements in report quality. A respondent at 219 one of the health facilities in Malawi elaborated this as follows,

- 220 "There are data issues, missing data, poor quality data and lack of ownership for the
- 221 data. People in the facilities should sit down to look at their data... they should ask 'Is it making sense to us? What are the problems?' So, there is a lot of work out there to
- 223 *improve."* [Government-National level-Malawi Round 2]
- 224

222

The importance of leaders to motivate individuals iii. 225

Strong leadership was cited as playing an instrumental role in supporting individuals to 226 contribute positively to QCN across the network countries. The active participation of leaders 227 at all levels brought attention to the importance of quality of care, motivating health staff and 228 communities alike. 229

"......About leadership, when the Civil Surgeon puts a focus on, that facility will 230 231 undoubtedly perform well. The reason for this is that no matter what you want to do,

232 good institutional leadership is critical." [Implementing partner-National level-233 Bangladesh Round 4]

However, respondents across the countries indicated that leadership and accountability 234 lacked uniformity between different levels of the network, with different patterns by country. 235 In Ethiopia the network members' engagement seemed strong at the top and most 236 peripheries; in Uganda QCN seemed more cohesive at the national level compared to the 237 subnational level; in Malawi, network leadership was more robust at the top level. Different 238 239 levels in Bangladesh showed varied leadership commitment. All countries shared that the continuous reshuffling of leaders negatively affected engagement. Lack of QI knowledge 240 among individuals in leadership positions within health facilities was also cited as a challenge. 241

"Leadership is also an issue in most hard-to-reach facilities. They have people who are
just coming from school, they don't have the experience on management...So
somehow, you will find that the leadership to be weak and they don't even grasp the
concept of quality. So, for them to support the QI initiative is a challenge. Once the
leadership is weak or not conversant on some of the QI initiatives, you will find that we
don't manage our facilities the way we would want." [Government-National levelMalawi Round 3]

249 **2. Organizational circumstances**

Three themes emerged under organisational circumstances [i] inadequate staffing levels; [ii] the need to find strategies for continuously building staff skills; and [iii] the problem of limited physical resources and processes in facilities.

253 i. <u>Inadequate staffing levels</u>

Numerous respondents across the four countries said that the inadequate number of 254 255 healthcare personnel reduced the ability of a facility to engage with QCN effectively. The problem also extended to support staff such as cleaners. This often led to staff performing 256 'double duties', unsanitary conditions, and health care users experiencing long waiting times. 257 258 For example, findings from an observation in one of the case study sites in Uganda indicated that there was a 1:>50 ratio of provider to patients and, there a 1:12 ratio of providers to beds 259 in the maternity ward. Despite this, some institutions reported success in establishing targets 260 261 for an adequate number of healthcare personnel by recruiting staff especially in districts.

262 "We have an indicator called 'approved posts filled with qualified people'. This one 263 has improved really for us. Now we are at 74% of course, we cannot avoid the 264 shortages all in all, but I think there is a lot of improvement in the wage bill and 265 recruitment of staff especially in districts." [Government-National level-Uganda Round

266

2]

Of concern, nepotism emerged as a challenge mentioned for lack of adequate and skilled professionals in some cases. There were reports of managerial positions and project related work with extra incentives and benefits being monopolized by a small group of people in an institution.

271 "Our current situation is serious. Academic competence is given less attention and
272 people are assigned by race and tribe. They form secret networks and influence the
273 entire institution. Since the leader is not competent enough, he will assign one or two
274 people to support him in every aspect. These people will be assigned to 5-6 programs
275 each. When these people are gone, everything is lost." [Government-Regional level276 Ethiopia Round 2]

277

278 ii. Finding strategies to continuously build staff skills

279 QCN actors commented on opportunities for building skills of current staff that need either new training or refresher training on a continuous basis. Examples were provided at multiple 280 281 levels: coaching within supportive supervision, mentoring between facilities, skills building in clusters of facilities, and having visual posters or banners in facilities that show processes. In 282 addition, institutional collaboration with different universities and professional associations 283 was described as a good opportunity for support of staff capacity in facilities in Bangladesh 284 285 and Uganda. Respondents across the countries agreed on the importance of network activities that brought staff together to support continuous capacity building. A local level 286 287 respondent from Malawi explained,

288 "We have Continuous Professional Development (CPD) sessions where we invite key 289 players in MNH activities in these 8 facilities where we discuss common conditions that 290 we think need more knowledge and skills so that we will be able to improve the quality 291 of services that we are giving to our patients." [Health facility worker-Local level -292 Malawi Round 1]

Building from previously existing initiatives and programs of country health systems were also identified to be important. Participants acknowledged the complementarity of these programs with QCN.

296 "QI initiatives by the MoH are already in the system. We have these… learning districts 297 that report regularly is the new thing the network brought. So, the programs complement 298 one another…. Now hospitals support health centers." [Government-Regional level-299 Ethiopia Round 1]

300

301 iii. Limited physical resources and processes in facilities

Lack of physical resources – infrastructure, basic amenities, and equipment - was frequently mentioned to prevent adequate care, or to harm patient satisfaction. Providers reported that this problem had tied their hands to exercise the skills and knowledge they acquired through various trainings.

306 *"The implementing partners have done a lot of training on quality of care however on* 307 *many occasions, health workers are not able to utilise this acquired knowledge due to* 308 *lack of essential equipment/resources." [Government-National level-Uganda Round 2]* 309 One respondent from Bangladesh explained how the combination of shortages in staff and
 310 resources limited the potential for quality improvement:

311 "So, what is the reason behind this high maternal mortality? The reason is quality has 312 been compromised. You want to increase the delivery rate of the hospitals without the 313 quality improvement? You need the capacity, manpower, system design and different 314 tools. One of my staff reported to me that 'Sir, I have two death cases of PPH'. I told 315 him to 'Investigate it.' He came back after 30 minutes. It was found that the waiting 316 time for those two PPH patients was more than 2 hours." [Technical Partner-National

317 *level-Bangladesh Round 1*]

Despite the challenge of physical resources, some improvements in processes were noted due to QI interventions, for example maternal and perinatal death, surveillance and response [MPDSR] and death audits in member countries were reported to have been strengthened as a result of QCN.

322 "The audits are conducted more frequently, and the quality of data has improved."
323 [Government-Local-Malawi Round 1]

324 **3. System circumstances**

Four themes emerged under system circumstances: [i] the opportunity of policy alignment and partner coordination; [ii] the burden of parallel reporting systems; [iii] paying for quality health care; and finally [iv] managing disruptive events.

328

329 i. <u>Policy alignment and partner coordination</u>

QCN was frequently commented to align well with government policy and rhetoric and to promote partner alignment. QCN purposively identified and engaged NGOs that work on QI areas and quality was where these organizations interface. Respondents considered that government leadership for QCN had been strong in all of the four network countries. It was a slow start in Uganda but later on picked up with the re-structuring of the ministry of health. In Ethiopia, the programme was considered a flagship initiative and there was effective partner coordination. A respondent explained:

337 "The ministry is taking this initiative as a flagship initiative and in fact, other new 338 learning initiatives are replicating this approach. So, this is an overall mobilization from 339 top to bottom level. Most importantly, I believe it is because of the network that the 340 partner organizations are able to implement the national strategy MNH quality of care 341 road map according to the governmental recommendation and in a harmonized 342 approach." [Implementing partner-National level-Ethiopia Round 1]

By the same token, MNH was a priority area for the Malawian government and the goals ofthe QCN align with national priorities which facilitated uptake of QCN.

"Issues of maternal and newborn health are a priority for Malawi. So, any opportunity
that comes, that is geared towards quality services, Malawi is very much interested in
that. So, when this network came, it was structured to ministry of health to buy it.
Initially it was WHO to talk about the quality of care network. And Malawi got
interested and wanted to be one of the countries to get the network." [GovernmentNational level-Malawi Round 2]

351 ii. <u>The burden of parallel reporting systems</u>

352 Parallel reporting systems were identified as a challenge to continuous, timely and quality data across the countries. One consequence observed in Ethiopia was that implementers 353 were selective in the indicators they engaged with. Indicators related to maternal mortality 354 rate, neonatal mortality rate and stillbirth became their focus areas. Likewise, respondents 355 also mentioned that the indicator "experience of care" was difficult to collect as it required 356 interviews with service users. Similarly, not every public facility in Bangladesh was using the 357 358 full set of QCN indicators. As an implementing partner respondent from Bangladesh explained, the rollout of quality of care indicators required a high level of complexity: 359

360 *"…But what we could not do still now is bringing the data under national system,* 361 *neither at DHIS2 nor Director General of Management Information System."*

362 [Implementing partner-National-Bangladesh Round 2].

Respondents also commented that the parallel reporting system and the documentationprocess were burdens for health care providers.

365 "This is a very good tool that was developed in partnership with the MoH, partners, 366 even in consultation with the other offices not only in Malawi. And good results came 367 out but in some places it's too cumbersome for the health unit to complete. But it

provides a good baseline and a good tool to monitoring progress." [Technical Partner-368 National-Malawi Round 3] 369

370 However, regardless of the challenges, some partners had worked successfully with local

governments to align the national data systems. 371

372 "Numerous implementing and monitoring stakeholders, notably UNICEF, Save the Children, and QIS, have worked to include QCN indicators in the formal chain of quality

data reporting." [Health facility worker-Local level-Bangladesh Round 2] 374

375

373

376

Paying for quality healthcare iii.

Network countries that made maternal and newborn health a pillar of the health system 377 commented on the importance of financing care. Free maternal and newborn health services, 378 as was the case in Ethiopia, Malawi and Uganda were thought crucial. In the same vein, the 379 result-based financing programme in Uganda was thought to have had a positive impact not 380 381 only on increased uptake of institutional delivery, but also through improved birth and death registration, motivation of health workers, and enabling facilities to buy supplies. 382 Nonetheless, all countries reported that direct or indirect health care costs borne by the user 383

were a barrier to achieving network goals, with some costs preventing patients from receiving 384 all of the recommended care. This may include having to pay extra for certain tests, like 385 386 ultrasound, blood testing, or urinalysis, or having to pay for transportation to a physically distant district hospital. 387

iv. Managing disruptive events 388

389 All network countries reported the challenge of staying focused on quality improvement in the face of disruptive events. The Covid-19 pandemic had created considerable challenge to 390

health care systems everywhere. Immediate QCN implementation was affected, as were
 plans for future scale-up. Budgets previously designated for other health care provisions were
 repurposed to Covid-19 emergency operation centers, according to respondents. Members
 of the subnational network also mentioned the discrepancy in the frequency and intensity of
 monitoring and supervision activities.

- 396 "Of course, at that time because of the fear, things weren't clear. Even, people also 397 said 'all the money to COVID'. Some of the facilities decided to take the QM [Quality 398 management] money to COVID. So, there were those situations in which money was 399 channelled to the COVID activities instead of the routine things." [Government-
- 400 National level-Malawi Round 2]

But the Covid-19 pandemic was not the only systems challenge reported. The national election of Uganda was said to have temporarily disrupted network operations. And the unstable political situation in Ethiopia was reported to have had an impact on both the site selection and implementation of the project. Five of the nine implementation regions encountered sporadic conflicts during the implementation process. During those occasions, health-care workers were repurposed for emergency tasks, facilities were demolished, and implementers were unable to obtain complete data.

408

409 **Discussion**

We examined the capacities and functionality of the Quality of Care Network in four network countries, reflecting on challenges and facilitators at three levels: individual, organizational and system. Three core themes emerged that operated across these levels: [i] the need for high quality staff who were trained, retained and continuously motivated; [ii] avoiding parallel data systems and promoting a culture of local data use; and [iii] leadership at multiple levels
to motivate individuals but also to drive system policy and coordinate partner actions. In
addition, having access to adequate physical resources, financing health care, and managing
disruptive events all emerged as key drivers to network functionality.

Individual level contributions in the network activities were found to be the backbone of successful network implementation but it repeatedly emerged that the individual level must have the support of organisations and systems. The baseline skill of available health care workers and their commitment to providing quality services, as reported in other settings, were crucial [13]. As the world's public health focus has expanded to incorporate quality of care, the scarcity of qualified health care providers to carry out quality improvement operations is a major concern [2, 14].

Beyond the availability of skilled personnel to conduct health care was the need for 425 426 operations that provided continuous on-the-job training. QCN activities directly contributed 427 to this need through refresher training and learning forum initiatives that brought actors together for shared learning [15]. The attention that the network placed on tracking progress 428 429 at the facility level also supported ongoing ambitions to improve data recording and data use, although it was not always possible to avoid duplication. These initiatives were seen to fill 430 gaps that country education systems were not able to address through on-the-job training. 431 432 Lessons drawn from the four countries indicated that the knowledge and skills obtained 433 through continuous learning opportunities also contributed to address the problem of staff retention by reducing attrition of staff and increasing institutional memory. 434

Failure to develop effective leadership minimizes the chances of a high-quality work environment, which leads to adverse patient outcomes. Transformational and resonant leadership styles are linked to decreased patient mortality, whereas relational and task-

oriented leadership styles are linked to improved patient satisfaction [16]. A similar case study 438 which compared rural resource limited facilities of South Africa indicated facilities with 439 authoritarian leadership style had poor maternal outcomes, less staff motivation and poor 440 client satisfaction, though this might not work all the time [17]. Other literature also indicates 441 that a mix of the different leadership styles that consider organizational contexts could bring 442 the desired effects [18]. The importance of good leadership at different levels to improve 443 444 implementation was clearly seen in the four selected countries, but it was a limitation of the 445 network functioning that leadership and power were not equally distributed at national and sub-national levels. Beyond direct implementation, political leadership, and commitment to 446 smooth and successful implementation of programs was also key. Partner and government 447 alignment and coalition were crucial to the functioning of QCN in all the four countries [19]. 448

Adequate financing of essential health services is crucial [20]. A bottleneck analysis applied in 449 450 12 countries in Africa and Asia indicated that health care financing and health workforce were 451 the top two bottlenecks for scale-up of maternal-newborn intervention packages [21]. 452 Furthermore, in LMICs, infrastructure and basic amenities remain the most significant contextual obstacles to successfully utilizing and benefiting from interventions and similar 453 networks [22]. These issues resonated through our study, showing that, despite some 454 characteristics of the network helping to problem solve, trying to improve quality of care in 455 456 the absence of an adequate health workforce, infrastructure, country-led finance, or 457 distributed leadership was challenging.

In LMICs the foundation of a health system can easily be shaken because of the little reserve capacity to respond to a shock. The Covid 19 pandemic was a perfect example of this. While contextual adaptation and accommodation of interventions in an existing environment could be a foundation for a sustainable and resilient system, repurposing of health professionals and health facilities during the pandemic has clearly negatively affected maternal and newborn care [23]. Likewise, contextual factors like political instability, as well as natural calamities such as droughts and floods, may impair on-going health efforts by disrupting usual service delivery [24]. In the case of QCN, such challenges directly linked to limiting the possibility of conducting learning sessions, reducing the pool of available staff, restricting transportation and supply chains, and reducing service provision.

468

469 Strengths and limitations of this study

470 Research methods that were harmonised between time and place across four diverse countries represented a unique opportunity for learning. However, implementation of the 471 research methods was driven by country specific local realities meaning that the learning was 472 not uniform between settings. In addition, the framework used for this paper has a limitation 473 in not focusing on what many have called the invisible software of health systems and the 474 475 network such as intra and inter-professional relationships, local 'practical norms' and other aspects of local facility culture or local cultural issues. Nonetheless, the consistency of themes 476 emerging across these four different contexts suggested a high level of external validity and 477 potential of extrapolation to inform future health networks. 478

479

480 **Conclusion and recommendation**

Implementing multicounty networks in different settings necessitates inputs and coordination at multiple health system levels. To achieve the network's objectives, it is necessary to have an adequate amount of health system financing, strong political leadership, and coordination, as well as dedication to streamlined data systems, which requires

organizational structures filled with motivated and well trained individuals who benefit from 485 local leaders and have a positive data use culture. Within countries, the intended network 486 goal to reduce maternal and newborn mortality had the best opportunity to be realized 487 through coordinated efforts of subnational and national stakeholders. In the selected four 488 489 network countries, the characteristics of QCN helped to address issues related to staff, leadership and data use. Capacity challenges encountered at individual, organisational and 490 491 system levels hampered the initiative's ability to succeed as intended. Nonetheless, sufficient 492 gains have been made to warrant investing the time, effort and resources needed to sustain the Network rather than introducing other new programmes. 493

494

495 Acknowledgment

We would like to forward our gratitude to the national and local level network 496 497 implementation stakeholders and members including the QCN technical working group 498 members in Bangladesh, Ethiopia, Malawi, and Uganda for their relentless support during the data collection process. We thank all respondents and stakeholders for their time and 499 contributions toward making this work possible. The QCN Evaluation Group is: Mithun Sarker, 500 Abdul Kuddus, Kishwar Azad [BADAS-PCP Bangladesh], Albert Dube, Gladson Monjeza, Rachel 501 502 Magaleta, Zabvuta Moffolo, Charles Makwenda [Parent and Child Health Initiative, Malawi], 503 Mary Kinney, Fidele Mukinda [independent researchers, South Africa], Yusra Shawar, Will 504 Payne, Jeremy Shiffman [Johns Hopkins University, USA], Agnes Kyamulabi, Hilda Namakula, [Makerere University, Uganda] Asebe Amenu, Theodros Getachew, Geremew Gonfa [Ethiopia 505 Public Health Institute, Ethiopia]. 506

507

508 **References**

- 509 1. Nyongesa P, Yego F, Tonui P, Itsura P, Sorre B, Omar EO. Strengthening Weak
- 510 Healthcare Systems for Maternal and Neonatal Care in Low and Middle Income
- 511 Countries: The Missing Link. Adv Sex Med. 2022;12(01):18–33.
- 512 2. WHO. Delivering quality health services [Internet]. World Health Organization, World
- 513 Bank Group, OECD. 2018. 1–100 p.
- 5143.Levenstein A. Successful leadership; Country Actions for Maternal, Newborn and Child
- 515 Health. Nurse Educ. 2008;6(3):33.
- 4. WHO. Quality of Care for Maternal and Newborn Health : a Monitoring Framework for
- 517 Network Countries. Who [Internet]. 2019;(February).
- 518 5. WHO. Standards for improving quality of maternal and newborn care in health 519 facilities. Who. 2016;2021:84.
- 520 6. Chambers V, Booth D. Delivering maternal health. Overseas Dev Inst. 2012;(May).
- 521 7. Berwick D, Snair M, Nishtar S. Crossing the Global Health Care Quality Chasm. JAMA.
 522 2018; 320(13):1317.
- 5238.Edwards N, Barker P. The Importance of Context in Implementation Research. JAIDS524Journal of Acquired Immune Deficiency Syndromes. 2014;67(Supplement 2):S157-
- 525 S162.
- Msiska G, Simwaka A, Munkhondya B, Kabuluzi E, Munkhondya TE. Factors Militating
 against the Delivery of Compassionate Care: A Malawian Perspective. Open J Nurs.
 2018;08(12):889–904.
- 529 10. Spicer N, Bhattacharya D, Dimka R, Fanta F, Mangham-Jefferies L, Schellenberg J, et al.
 530 'Scaling-up is a craft not a science': Catalysing scale-up of health innovations in

531 Ethiopia, India and Nigeria. Soc Sci Med [Internet]. 2014;121:30–8.

- 532 11. Quality, equity, dignity: the network to improve quality of care for maternal, newborn
- and child health strategic objectives [Internet]. Who.int. 2022 [cited 23 May 2022].
- 534 Available from: https://www.who.int/publications-detail-redirect/9789241513951
- 53512. Wu X, Ramesh M, Howlett M. Policy capacity: A conceptual framework for understanding
- policy competences and capabilities. Policy and Society. 2015; 34(3-4):165-171.
- 537 13. Djellouli N, Mann S, Nambiar B, Meireles P, Miranda D, Barros H et al. Improving
 538 postpartum care delivery and uptake by implementing context-specific interventions
- in four countries in Africa: a realist evaluation of the Missed Opportunities in Maternal
- and Infant Health (MOMI) project. BMJ Global Health. 2017; 2(4): e000408.
- 14. WHO, UNICEF, UNFPA, WBG, UN. World Health Organization. (2019). Trends in maternal
 mortality 2000 to 2017: estimates by WHO, UNICEF, UNFPA, World Bank Group and
 the United Nations Population Division. World Health Organization. Available from:
 https://apps.who.int/iris/handle/10665. 2017. 119 p.
- 54515. Mwandra K. et.al. (2022) Do networks facilitate innovation, learning and sharing? Case546studies from the Quality of Care Network (QCN) evaluation, One of the QCN series
- 547 papers
- 548 16. Sfantou D, Laliotis A, Patelarou A, Sifaki- Pistolla D, Matalliotakis M, Patelarou E.
 549 Importance of Leadership Style towards Quality of Care Measures in Healthcare
 550 Settings: A Systematic Review. 2022.
- 17. Mathole T, Lembani M, Jackson D, Zarowsky C, Bijlmakers L, Sanders D. Leadership and
 the functioning of maternal health services in two rural district hospitals in South
 Africa. Health Policy and Planning. 2018;33(suppl 2): ii5-ii15.
- 18. Belrhiti, Z., Van Damme, W., Belalia, A. and Marchal, B., 2020. The effect of leadership on

555 public service motivation: a multiple embedded case study in Morocco. BMJ Open,

- 556 10(1), p.e033010.
- 19. Akter K. Influences on policy-formulation, decision-making, organisation and
 management for maternal, newborn and child health in Bangladesh, Ethiopia, Malawi
 and Uganda: the roles and legitimacy of a multi-country network, One of the QCN
 series papers
- 20. Hanson K. Introducing The Lancet Global Health Commission on financing primary health
 care: putting people at the centre. The Lancet Global Health. 2022;10(1):e20-e21.
- 563 21. Sharma G, Mathai M, Dickson K, Weeks A, Hofmeyr G, Lavender T et al. Quality care during
- Iabour and birth: a multi-country analysis of health system bottlenecks and potential
 solutions. BMC Pregnancy and Childbirth. 2015;15(S2).
- 566 22. Maina M, Tosas-Auguet O, McKnight J, Zosi M, Kimemia G, Mwaniki P et al. Evaluating 567 the foundations that help avert antimicrobial resistance: Performance of essential 568 water sanitation and hygiene functions in hospitals and requirements for action in

569 Kenya. PLOS ONE. 2019;14(10): e0222922.

- 23. Ahmed T, Rahman A, Amole T, Galadanci H, Matjila M, Soma-Pillay P et al. The effect of
 COVID-19 on maternal newborn and child health (MNCH) services in Bangladesh,
 Nigeria and South Africa: call for a contextualised pandemic response in LMICs.
 International Journal for Equity in Health. 2021;20(1).
- 24. Baten A, Wallemacq P, van Loenhout JAF, Guha-Sapir D. Impact of Recurrent Floods on
 the Utilization of Maternal and Newborn Healthcare in Bangladesh. Matern Child Heal
 J 2020 246 [Internet]. 2020 Apr 13 [cited 2022 Feb 4];24(6):748–58.
- 577

578 Supporting information

- 579 **S1 Text. PLOS Global Public Health QCN Evaluation Collection 2-page summary.**
- 580 **S2 Text. PLOS Global Public Health QCN papers common methods section.**

System circumstances

Policy alignment and partnercoordination
 The burden of parallel reporting systems
 Paying for quality healthcare
 Managing disruptive events

Inadequate staffing levels

- Finding strategies to continuously build staff skills
- Limited physical resources and processes in facilities

· Retaining trained & motivated staff

- Enhancing the culture of documentation and data use
- Importance of leaders to motivate individuals

Multi-country network functionality

Organizational circumstances

Individual circumstances