

## GENDER IDENTITY TRAINING IN HEALTHCARE WORKERS

### 1 PROFILE AND TRAINING OF HEALTH PROFESSIONALS IN EASTERN AMAZON ON 2 GENDER IDENTITY

### 3 4 PROFILE AND TRAINING ON GENDER IDENTITY AMONG HEALTH PROFESSIONALS IN 5 THE CAETÉ REGION IN THE EASTERN AMAZON

6 Pedro Renan Nascimento Barbosa<sup>1</sup>; Roseane do Socorro da Silva Matos Fernandes<sup>2</sup>;  
7 Erica Feio Carneiro Nunes<sup>3</sup>; Cibele Nazaré Câmara Rodrigues<sup>4</sup>

8  
9 <sup>1</sup>Master's student in Human Movement Sciences, Federal University of Pará  
10 (PPGCMH/UFPa), Belém, Pará, Brazil. Email: [pedro.barbosa@ics.ufpa.br](mailto:pedro.barbosa@ics.ufpa.br);

11 <sup>2</sup>PhD in Education from the Federal University of Pará (UFPa), Faculty of Physical  
12 Therapy and Occupational Therapy, Belém, Pará, Brazil. Email:  
13 [rosereis@yahoo.com.br](mailto:rosereis@yahoo.com.br);

14 <sup>3</sup>PhD in Rehabilitation Sciences (UNINOVE-SP), State University of Pará, Belém, Pará,  
15 Brazil. E-mail: [ericacarneiro@uepa.br](mailto:ericacarneiro@uepa.br)

16 <sup>4</sup>PhD in Theory and Research of Human Behavior from the Federal University of Pará  
17 (UFPa), Faculty of Physical Therapy and Occupational Therapy, Belém, Pará, Brazil.  
18 Email: [cibelecamara@hotmail.com](mailto:cibelecamara@hotmail.com).

19  
20 Correspondence to Master's student Pedro Barbosa, Laboratory of Adapted Physical  
21 Activity (LAFA/UFPa), Postgraduate Program in Human Movement Sciences, Institute  
22 of Health Sciences of the Federal University of Pará, Rua Igarapé Tucunduba, 976 -  
23 Guamá, Belém - PA, Brazil, 66075-123; E-mail: [pedro.barbosa@ics.ufpa.br](mailto:pedro.barbosa@ics.ufpa.br).

24  
25 Acknowledgment: to the Santo Antônio Maria Zaccaria Hospital (HSAMZ), the City Hall  
26 and Municipal Health Department (SEMUSB) of Bragança, the Ministry of Education  
27 and the Ministry of Health, the Coordination for the Improvement of Higher Education  
28 Personnel (CAPES) and the Federal University of Pará (UFPa) through the  
29 Multiprofessional Residency in Women's and Children's Health and the Dean's Office  
30 for Research and Graduate Studies, which funded this publication through the  
31 Qualified Publication Support Program (PAPQ).

### 32 33 ABSTRACT

34  
35 **Background:** The National Policy on Integral Health of Lesbians, Gays, Bisexuals,  
36 Transvestites, and Transsexuals (PNSILGBT+) aims to eliminate discrimination and  
37 institutional prejudice in public health services, with emphasis on training and enabling  
38 professionals to assist in the care of this population. However, for transsexuals and  
39 transvestites, this access continues to be neglected.

40 **Aim:** To determine the profile of health professionals, their academic-professional  
41 training in health, and their knowledge about the specificities of gender identity.

42 **Methods:** This is a cross-sectional, observational, quantitative survey conducted with  
43 health professionals working in the Caeté Region. Data were collected using a semi-

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

44 structured questionnaire, which was applied online via Google Forms in the period  
45 from March 2021 to August 2021.

46 **Outcomes:** Epidemiological profile, academic education, area of practice, and  
47 knowledge about gender identity were predictors for the descriptive analysis.

48 **Results:** The sample consisted of 73 participants: 82.19% female, 100% cisgender, with  
49 a mean age of  $32.37 \pm 7.80$  years, and the majority self-declared as Catholic (65.75%).  
50 The largest number of health professionals were in Nursing (34.24%), practicing in  
51 Tertiary Care (50.68%), with an average time of service of  $6.24 \pm 6.30$  years. The  
52 volunteers reported that they did not understand the difference between cisgender  
53 and transgender people (57.53%), admitting that they had not received any training on  
54 gender identity or the healthcare of Lesbians, Gays, Bisexuals, Transvestites, and  
55 Transsexuals (LGBT)+ people (79.45%). However, 87.67% understood the importance  
56 of training on this subject for the healthcare of this population.

57 **Clinical Implications:** This study demonstrates the need for continued trainings on  
58 gender identity, health and care of the LGBT+ population, with a focus on transgender  
59 people, to eliminate institutional bias.

60 **Strengths and limitations:** The research was based on the search for professionals'  
61 knowledge about gender identity, even in healthcare in a region in the interior of the  
62 Amazon, however it did not reach the preterit sample n, but it was important for the  
63 debate between the professionals reached and the institutions and their managers.

64 **Conclusion:** The academic training and professional development of health  
65 professionals are still lacking when it comes to the theme studied; a fundamental point  
66 needed to comply with the National Curricular Guidelines (NCDs) for courses in health,  
67 National Policy for Professional Development, and in particular, the PNSILGBT+.

68 **Keywords:** Gender Identity; Transgender; Sexual and Gender Minorities; Vocational  
69 training; Professional development.

70

## 71 INTRODUCTION

72 The National Policy on Integral Health of Lesbians, Gays, Bisexuals,  
73 Transvestites, and Transsexuals (PNSILGBT+) established in Ordinance 2,836 of  
74 December 1, 2011, of the Brazilian Ministry of Health, promotes integral LGBT+ health  
75 based on the elimination of discrimination and institutional prejudice in public health  
76 services. It also contributes to reducing inequalities and violations of the rights of this  
77 social minority and to consolidate the guiding principles of the Unified Health System  
78 (*Sistema Único de Saúde*—SUS) as universal, integral, and equitable for quality care (1)

79 The discussions that emerged around this Policy bring to light the vulnerability  
80 to which the LGBT+ population is subject, due to the non-fulfillment of their  
81 fundamental citizenship rights when it comes to healthcare. This raises questions  
82 about professional training and the care of this population within the SUS. Such  
83 debates consider that healthcare professionals need to be qualified to receive this

84 social minority groups<sup>1\*</sup>, whether in the practical care provided or to demystify any  
85 prejudiced conceptions; this requires a new approach to healthcare (2).

86 Due to the non-equivalence of gender and biological sex, the transsexual and  
87 transvestite populations are those that most frequently suffer attacks against their  
88 human and basic rights. Aware of this reality, the Ministry of Health recognizes that  
89 sexual identity and gender identity are part of a complex process of discrimination and  
90 exclusion from which factors of vulnerability, such as violation of the right to health,  
91 dignity, non-discrimination, autonomy, and free development, derive (3,4).

92 Composing an analytical matrix, Zerbinati (5), creates a temporality of historical  
93 accounts needed to discuss gender fluidity, starting with ancient times, with the  
94 divinity of Príapo, son of the goddess Aphrodite and the god Dionysus, in which he is  
95 characterized as androgenous and hermaphrodite, playing a decisive role in human  
96 and agricultural fertility (6); then moving forward to the French Revolution, with its  
97 ideals that still influence our understanding of female empowerment<sup>2\*\*</sup> and the  
98 discussions about the social roles of man and woman and the deconstruction of the  
99 previously established standard (7).

100 From the eighteenth century, marked by the French Revolution and its liberal  
101 ideals, an individual's status (man or woman) came to be adapted according to the  
102 development of society and the process of humanistic analysis beyond the merely  
103 biological, through a process of formation of their identities, particularly women,  
104 which impacted on the self-view of their gender identity and sexual orientation (6,7).

105 In the nineteenth century, the importance of discussions related to human  
106 sexuality expanded to include the medical-social approach, due to the impacts of  
107 gender-related sexual disorders and their repercussions on society, work, family life,  
108 and other aspects of human life (8). However, it is only during the twentieth century, in  
109 the 1960s and 1970s, with the appearance of LGBT+ social movements, that the  
110 medical community began to intervene in the care of the LGBT+ population (6).

---

<sup>1\*</sup> Refers to a human or social group that is in a situation of inferiority or subordination in relation to the other, which is considered the majority or dominant group due to various factors, such as socioeconomic, legislative, psychic, age-related, physical, linguistic, gender-related, ethnic or religious (50).

<sup>2\*\*</sup> This is the multidimensional process of transformation of the social role of women, from subordinate to the opposite sex to an active agent, capable and with individual and collective decision-making power (51)

111 With the biomedical positions aligning with the process of transgender visibility  
112 and playing an active role in the process of sexual reassignment, the understanding  
113 and the need to separate sexual identities into categories has become prominent; for  
114 example, not confusing homosexuality with transsexuality and/or transvestility, but  
115 rather, focusing on its characteristics, and whether or not the sex assigned at birth  
116 should be accepted (6).

117 This historical context demarcates not only the urgent need to overcome the  
118 pathological/prejudiced view of transgender subjects who belong to the LGBT+  
119 community, but the need for multi-professional healthcare, and professionals who  
120 have a knowledge and understanding of the socio-historical and cultural factors  
121 involved, to intervene in their process of transition and sexual reassignment, for  
122 example (3,4).

123 However, studies indicate that two out of three LGBT individuals (67%) have  
124 suffered some type of discrimination related to their sexual identity or gender, and this  
125 figure is as high as 85% among transvestites and transsexuals. The data in this  
126 Document also indicate that in a study conducted at the Gay Pride Parade in São Paulo,  
127 14.5% of those questioned reported having suffered some kind of prejudice  
128 concerning the healthcare services received (4,9,10).

129 All these aspects demonstrate the need for health professionals to ensure  
130 humanized conduct and a good understanding of aspects related to the diversity of  
131 this population, its sexuality, and its specificities in interpersonal/affective  
132 relationships<sup>3</sup> in healthcare. Out of this understanding by training institutions, curricula  
133 emerge that guarantee health specificities in professional practices and the proper  
134 handling of pronouns and chosen names, for example, contributing substantially to the  
135 improvement and quality of access to health services (3,4).

136 Because of the above, this research aims to verify the academic-professional  
137 training profile in healthcare, and their knowledge about the specificities of gender  
138 identity.

## 139 **METHODS**

---

<sup>3</sup> This is the process of acquisition of human and social skills needed for professional development; carrying out the services; teamwork, didactics, and reflection on the values (52)

140 This is a quantitative, observational, cross-sectional study. The participant  
141 profile was defined as health professionals in the Caeté Region (Eastern Amazon), in  
142 professional practice at any level of healthcare (Primary Care, Secondary Care, Tertiary  
143 Care, or Managerial). The research was submitted to the Research Ethics Committee of  
144 the Center for Tropical Medicine of the Federal University of Pará (*Núcleo de Medicina  
145 Tropical da Universidade Federal do Pará—CEP—NMT/UFPa: CAAE—  
146 40179820.6.0000.5172*) and was approved through Opinion No. 4,514,620.

147 The participants were contacted via e-mail through data provided by the  
148 Municipal Health Departments of the National Registry of Health Establishments  
149 (*Cadastro Nacional de Estabelecimentos de Saúde—CNES*). The participants were  
150 informed about the research through an Informed Consent Form (ICF), guaranteeing  
151 their freedom to participate voluntarily, and informing them that they were free to  
152 discontinue at any stage of the study, besides the questionnaire being totally  
153 confidential, with no personal identification.

154 For the collection of empirical data, a semi-structured questionnaire was used,  
155 with 23 questions. The questionnaire was applied online using Google Forms. The first  
156 part aimed to gather the participants' profiles in terms of socioreligious and  
157 demographic aspects, and professional education (age, sex, gender, religion, religious  
158 practice, educational institution, training area, and level of healthcare practice, among  
159 others) and the second part contained fundamental questions on the theme (gender  
160 identity, the difference between cisgender and transgender, sexual organ designated  
161 at birth for each gender identity, chosen names, academic training and professional  
162 development on the theme, and need for training).

163 The survey was conducted between March 2021 and August 2021. A total of  
164 267 questionnaires were distributed, giving a deadline of up to 48 hours for their  
165 return. Of the 103 questionnaires that were returned, 30 were excluded because they  
166 had incomplete responses and/or did not meet the inclusion criteria of the study. The  
167 quantitative data generated from the objective questions were transferred from  
168 Google Forms to Excel Office 2019, and tabulated and organized for analysis and  
169 discussion (see tables below).

## 170 **RESULTS**

171 The sample consisted of 73 participants who met the established inclusion  
172 criteria and agreed to participate by signing the ICF. Of these, 82.19% (n=60) were  
173 female and 17.80% (n=13) male; 100% of the sample identified as cisgender, with a  
174 mean age of 32.37 years (Standard Deviation [SD] = 7.80). As regards religion, the  
175 majority declared themselves Catholic (65.75%) and practicing in their faith (58.90%).  
176 The data are shown in Table 1.

177

**Table 1. Socioreligious and demographic data (n=73)**

	n	%
Sex		
Female	60	82.19
Male	13	17.80
Gender Identity		
Cisgender man	60	82.19
Cisgender woman	13	17.80
Other	0	0
Age group		
21-25	24	32.87
26-30	13	17.80
31-49	34	46.57
≥ 50	2	2.73
Religion		
Catholic	48	65.75
Evangelical	16	21.91
Other	2	2.73
No religion	7	9.58
Practicing		
Yes	43	58.90
No	23	31.50
No religion	7	9.58

178

179 In the reality studied, the largest number of health professionals in the sample  
180 worked in the area of Nursing, with 34.24% (n=25), followed by Physiotherapy, with  
181 13.69% (n=10) and Psychology, with 13.69% (n=10).

182 Regarding the level of healthcare, a majority of the participants worked in  
183 Tertiary Care (50.68%); notably, 26.02% (n=19) indicated that they worked in two or  
184 three levels of healthcare or management. The average length of service was 6.24  
185 years (SD = 6.30). The data are shown in Table 2.

**Table 2. Professional training, level of healthcare, and length of service (n=73)**

	n	%
<b>Training</b>		
Biomedicine	5	6.84
Nursing	25	34.24
Physiotherapy	10	13.69
Pharmacy	4	5.47
Speech therapy	5	6.84
Medicine	4	5.47
Nutrition	2	2.73
Psychology	10	13.69
Social services	6	8.21
Occupational therapy	2	2.73
<b>Level of Attention in action</b>		
Basic	21	28.76
Secondary	29	39.72
Tertiary	37	50.68
Management	8	10.95
<b>Time of Professional Performance</b>		
> 1 year	12	16.43
1–5 years	31	42.46
6–10 years	18	24.65
< 10 years	12	16.43

186 When questioned about their knowledge of gender identity or care for LGBT+  
 187 people, 57.53% of the participants demonstrated that they did not know the  
 188 difference between cisgender and transgender (n=40); however, 69 individuals  
 189 (94.52%) understand what is meant by a preferred, or chosen name.

190 When asked whether they had received any training in this area, the majority  
 191 (79.45%) admitted to not having received any training on gender identity and/or  
 192 healthcare of LGBT+ people; however, 64 of the participants (87.67%) understood the  
 193 need for training on this theme for their routine in healthcare, as shown in Table 3.

194

**Table 3. Information on Professionals' Knowledge About Gender Identity and/or Healthcare of LGBT+ people (n=73)**

	n	%
<b>Do you know the difference between transgender and cisgender?</b>		
Yes	31	42.46
No	42	57.53
<b>Do you know what a chosen or preferred name is?</b>		
Yes	69	94.52

No	04	5.47
Have you received any support training in gender identity and/or healthcare for LGBT+ people?		
Yes	15	20.54
No	58	79.45
Do you believe it is important to have training on gender identity and/or healthcare for LGBT+ people?		
Yes	64	87,67
No	9	12,32

195

196 **DISCUSSION**

197       When discussing gender identity, it is important to emphasize that "gender" is  
 198 related to traits/characteristics of socio-psycho-cultural origin, such as femininity and  
 199 masculinity, and to the notion of social groups of what is considered feminine or  
 200 masculine; it is also linked to stereotypes<sup>4\*</sup> and/or what society expects and attributes  
 201 to what it is to be a man or to be a woman (11). This is different from "sex," which  
 202 relates purely to the biological aspects: reproductive anatomy, chromosomal  
 203 formation of the genome, gonads/hormones, and sexual behavior, according to traits  
 204 and characteristics of biological etiology (12).

205       Thus, we see a contradiction between what it is to be a man or a woman, going  
 206 beyond biological discussions and entering the sociocultural sphere; the result of the  
 207 construction of the environment in which a person lives, reaffirming the words of  
 208 Simone de Beauvoir (13): "*On ne naît pas femme, on devient femme*"<sup>5\*\*</sup>, which  
 209 reflects the meaning of the construction of being a woman and the social, cultural, and  
 210 political impacts contained in this condition; aspects that should be considered in the  
 211 identity process, moving away from the idea that associates all this dynamic of "being"  
 212 with the characteristics merely of biological etiology (14).

213       It should be mentioned that gender identity<sup>6\*\*\*</sup> is on the agenda of discussion  
 214 in contemporary society when it comes to issues related to transsexuality or  
 215 transvestility, or even non-binarity, in which both break with the culturally  
 216 standardized cisgender concept from ancient times, with the biblical figures and based

<sup>4\*</sup> Exaggerated belief associated with a category.

<sup>5 \*\*</sup>"One is not born, but becomes a woman" (13)

<sup>6 \*\*\*</sup>Term used from the end of the 20<sup>th</sup> century (15).



217 on the origins of humankind, according to Creationism<sup>7\*\*\*\*</sup>, as Scott (15) points out in  
218 his historical analysis of gender construction.

219 Medicine and other sciences interested in discovering the foundations of the  
220 human body needed to create definitions of sexual practices and identities(16). Thus,  
221 from the twentieth century, a process of biomedical deconstruction began to take  
222 place, seeking to understand the phenomenon of health/sickness as it relates to the  
223 transgender public, going beyond the term "transsexualism," which refers to the  
224 pathology provided for in the International Classification of Diseases—ICD 10 (17,18),  
225 code F640, which defines transsexuals as individuals "affected by disease, capable of  
226 undergoing reparative surgical interventions, able to adapt their physical body to the  
227 sex they have in their mental representation" (19,20).

228 From this nomenclature and all the prejudiced analysis that surrounded and  
229 involved it, "transsexualism" configured as "gender identity disorder" was later  
230 replaced by "gender identity disorder" and the current Diagnostic and Statistical  
231 Manual of Mental Disorders – DSM-5 (21–23), it is called "gender dysphoria," which,  
232 unlike the previous classifications, views transsexuality as a "psychological state of  
233 acute suffering that requires intervention, above all, medical" (16).

234 These milestones in the scientific literature on health and diagnosis involve the  
235 urgent need for professionals who act in the transsexualizing process, with the  
236 panorama and training demystified concerning the factors involved in perpetuating the  
237 prejudiced and pathological view of gender dysphoria, composing multidisciplinary and  
238 interdisciplinary teams that understand this process and in the specificities of the  
239 individual. However, the data shown in Table 3 demonstrate this unpreparedness, as  
240 42 participants (57.53%) were unaware of basic concepts of gender identity (3.4).

241 In this discussion, it is important to question Brazilian religiosity, which  
242 influences the national scenario in various ways; it acts as a positioning (ideology) and  
243 as an instrument of social intervention, intervening in the day-to-day political decisions  
244 (repressing or releasing some practices) and in judicial policy and state decisions.  
245 Therefore, in the current social context, in which various religious leaders are also

---

<sup>7\*\*\*\*</sup> The Christian belief that God created the world and all living beings, as described in the Biblical book of Genesis.

246 present in the legislative and executive spheres of the country, they influence their  
247 ideologies with regard to decision-making on issues of relevance to these citizens (24).

248 Since religion is important in social configurations, its convictions, its positions,  
249 and its actions in the field of sexuality influence the experiences and policies of  
250 sexuality and gender, being prioritized by religious leaders, especially from a Judeo-  
251 Christian perspective, as a matter of debate and negative regulation, gender themes,  
252 such as abortion and discussions about the LGBT+ population, go against the predictive  
253 concept of the Secular State<sup>8\*</sup>, to which Brazil belongs (24–26).

254 In Jewish-Christian religious traditions, the sexual behavior of LGBT+ people  
255 demonstrates spiritual weakness to resist "demonic temptations," in violation of  
256 biblical beginnings, and moving away from the divine and His plan for families,  
257 idealized by the figures of Adam (a heterosexual cisgender man) and Eve (a  
258 heterosexual cisgender woman), created in the formation of humanity, according to  
259 Genesis (27,28).

260 Moreover, from the religious perspective, Fernandez (29) shows the influence  
261 of healthcare professionals' religion on the care provided, with worrying reports that  
262 contradict the perspective desired by the SUS, with its policies of comprehensive,  
263 equitable, and universal health for every citizen, especially for LGBT+ users,  
264 corroborating Roncon (30) and Souza (31.32), who emphasize discriminatory practices,  
265 through religious discourses on transgender people, generating mental anguish due to  
266 ignorance or neglect of scientific foundations that break with the demonic idealization  
267 about these communities, and the social prejudice that surrounds this portion of the  
268 population<sup>9\*</sup>.

269 Psychological follow-up, guidance on the correct use of hormonal medications,  
270 regular consultations with the health team, evaluations for surgical interventions,  
271 performing surgeries, and the post-surgical rehabilitation process are some of the  
272 demands to be met, as many LGBT+ subjects have been on the waiting list for a long

---

<sup>8\*</sup> Promotion of the segmentation of State and Religions, not granting mediation of leaderships, streams of thought, and religious ideals in state matters, or favoring one or several religions over the others (53).

<sup>9\*</sup> Type of discrimination related to public or private institutions that reinforce the exclusion and marginalization of social minorities (54).

273 time (sometimes years). Therefore, the health team must ensure humanized and  
274 unprejudiced conduct (4).

275 These are characteristics that the health professional should demonstrate in  
276 the care of the LGBT+ public, specific people with gender dysphoria, since the data  
277 from this research indicates a lack of knowledge about gender identity and a lack of  
278 training on this theme (Table 3), which prompts two questions related to the  
279 educational processes: does academic education (initial education) fail to  
280 approach/address gender themes in the curricula of health professionals? How does  
281 the professional development of health professionals take place, or how should it take  
282 place, in relation to this subject and the public?

283 Visgueira (33), analyzing the knowledge of medical students, for example,  
284 about gender identity (n=122), showed high percentages of inadequate responses  
285 regarding the differences between definitions and specific behaviors of the transsexual  
286 population; moreover, the approach to the subject during the undergraduate course  
287 was minimal or non-existent; data that corroborate the analysis in this study, which  
288 showed that 58 of the participants (79.45%) reported not having received any training  
289 on the theme of LGBT+ and gender identity.

290 This panorama also reflects the inefficiency of Higher Education Institutions  
291 (HEIs) with regard to gender discussions, how these relate to the health–disease  
292 process, and their approaches to the care of the LGBT+ population, with this being an  
293 important requirement for compliance with the National Curricular Guidelines (NCDs)  
294 for health professionals, which define, as part of the professional profile, an academic  
295 background with a generalist, humanist, critical, and reflexive basis in ethical principles  
296 and understanding of social, cultural, and economic reality, acting for the benefit of  
297 society, at all levels of healthcare, based on scientific and intellectual rigor (34,35).

298 Another finding of this study is that of the 37 participants aged between 21 and  
299 30 years (50.67%), 34 had a service experience of 5 years or less (94.59%; n=37).  
300 Therefore, they were mostly new graduates, corroborating the concept that there is a  
301 lack of focus on LGBT+ health in the curricula. It should be noted, however, that  
302 although the principles recommended in the conduct of health professionals are  
303 established in these NCDs, which extend to any citizen who needs care and follow-up,

304 the data and concerns of this study justify the criticisms made here, especially those  
305 related to access to health services for transsexual people (34,36,37).

306 It is understood that there is a need for more training, given that most of the  
307 participants (87.67%) said they hoped to achieve the characteristics and perceptions  
308 that professionals need to have to serve the LGBT+ population (38.39); understanding  
309 gender dysphoria and the specificities of care for this public, in compliance with the  
310 fundamental principles of the SUS: health as a right of all (universality), applying  
311 prevention, promotion and rehabilitation actions to health (integrality) and reducing  
312 inequalities by offering the necessary support to those who need it most (equity) (40–  
313 42).

314 The lack of debate about the care of this portion of the population during  
315 academic training becomes critical to fulfilling the National Policy on Continuing  
316 Education of the Brazilian Ministry of Health (43) for the development of the  
317 professional in service, training him/her for necessary actions in the areas in which  
318 they work, finding solutions to the problems they face, articulating professional  
319 practice and learning, and effectively implement public health policies such as the  
320 PNSILGBT+ (44.45).

321 With these specificities in the care and treatment of the transgender public and  
322 members of the LGBT+ community, in 2007, during the 13<sup>th</sup> National Health  
323 Conference (CNS), through the implementation of the PNSILGBT+, approved only in  
324 2009 and instituted in the SUS in 2011, measures were taken to guarantee sexual and  
325 reproductive rights, professional development practices in health, and review of the  
326 academic curricular, encouraging the production of scientific research, technological  
327 innovation and the sharing of therapeutic advances, protocols to combat violence,  
328 non-discriminatory regulation of blood donations, the adaptation of forms and medical  
329 records and the health information system, to bring into its texts, for the first time, the  
330 distinction between gender identity and sexual orientation (46).

331 Another milestone was reached at the 1st National Conference of Lesbians,  
332 Gays, Transvestites, and Transsexuals, held in Brasília/DF, in 2008; based on the  
333 Federal Constitution of 1988, strategic guidelines were created aimed at promoting  
334 citizenship and human rights to meet the specificities of lesbian, gay, bisexual,  
335 transvestite, and transsexual care in the health–disease process (2).

336 In that same year, GM Decree 1707, of August 18, 2008, which established the  
337 transsexualizing process under the SUS, and SAS Decree of August 19, 2008, which  
338 approved and regulated this process in the SUS, was forwarded to public consultation,  
339 in the period from June 26 to July 30, 2008, installed in the DATASUS consultation tool,  
340 and published in the DOU through Ordinance 1279, of July 25, 2008 (2.46).

341 The National Policy for Integral Healthcare for Men (*Política Nacional de*  
342 *Atenção Integral à Saúde do Homem*)(47), instituted in 2009 by the Ministry of Health  
343 within the SUS, through Decree 1,944 of August 27, 2009 (48), guarantees the  
344 specificities of gay, bisexual, transvestite, and transsexual men, with the publication of  
345 its version of the Basic Care Notebook no. 26, Sexual and Reproductive Health  
346 (*Caderno da Atenção Básica nº 26, Saúde Sexual e Reprodutiva*), which deals with the  
347 themes of sexual orientation and gender identity, aimed at providing guidance and  
348 training for health professionals to care for the LGBT+ population (49).

349 The abovementioned policies initiated the transformation of the SUS as the  
350 main sector in the care and assistance provided to transgender people. This research,  
351 with its participants and its data, aims to reinforce the adaptations in care and  
352 assistance of this public, encouraging debates at the curricular level among future  
353 professionals, and as part of the professional development of professionals, among  
354 other aspects needed to expand the knowledge of working professionals, and break  
355 the cycle of institutional and professional prejudice that pose barriers to the inclusion  
356 and adaptation of transvestites and transsexuals when it comes to health services.

357 During this research, there were limitations in terms of the completion of  
358 questionnaires by the participants. The questionnaires were sent out online, at the  
359 recommendation of the Research Ethics Committee, due to the issues faced worldwide  
360 by the COVID-19 Pandemic; there were also difficulties in accessing the questionnaire,  
361 and a fear among the participants of getting the questions wrong, and these  
362 impressions may have led to them withdrawing their participation in the survey, or  
363 failing to complete the questionnaires.

## 364 **FINAL CONSIDERATIONS**

365 The PNSILGBT is a milestone in the fulfillment of the human rights of transsexual and  
366 transvestite people when it comes to access to public health services and the effective

367 treatment and follow-up by the multidisciplinary team, as part of the transition and sexual  
368 reassignment process. However, there is still a knowledge of the specificities that concern  
369 these processes among the professionals themselves, which hinders the dissemination of  
370 discrimination and institutional prejudice, causing this policy to be less effective.

371 The data from this research prompts debate and reveals gaps in professional  
372 health education for the care of the LGBT+ population, whether as part of the initial  
373 academic training or as part of ongoing professional development. This discussion rests  
374 in the NCDs of courses in health, in the absence or lack of professional development on  
375 the subject.

376 Given these questions, it is recommended that HEIs, health facilities, health  
377 teams, their managers, and professionals seek to understand this information and the  
378 repercussions on healthcare for the LGBT+ population, especially transvestites and  
379 transsexuals, to strengthen the outworking of the policies highlighted in this study,  
380 such as the characteristics recognized in it for the professional profile needed to work  
381 in the SUS and establish a commitment to its guiding principles.

382

## 383 REFERENCES

384

- 385 1. Ministério da Saúde (Brasil). Portaria nº 2.836, de Dezembro de 2011, Instituí no  
386 âmbito do Sistema Único de Saúde (SUS), a Política Nacional de Saúde Integral  
387 de Lésbicas, Gays, Bissexuais, Travestis e Transexuais. Available at:  
388 [http://bvsms.saude.gov.br/bvs/saudelegis/gm/2011/prt2836\\_01\\_12\\_2011.html](http://bvsms.saude.gov.br/bvs/saudelegis/gm/2011/prt2836_01_12_2011.html).  
389 Diário da União (DF), 2011.
- 390 2. Tavares J S *et al.* Conhecimento dos Estudantes da Saúde acerca da Política  
391 Nacional de Saúde Integral à População Lgbt e sua Abordagem Clínica como  
392 Futuros Profissionais. *Temas em Saúde* (João Pessoa). 2019;19:178–97.
- 393 3. Negreiros FRN de, Ferreira B de O, Freitas DN, Pedrosa JI dos S, Nascimento  
394 EF do. Saúde de Lésbicas, Gays, Bissexuais, Travestis e Transexuais: da  
395 Formação Médica à Atuação Profissional. *Rev Bras Educ Med*. 2019;43(1).
- 396 4. Freitas F R N D *et al.* Saúde da população LGBT: da formação médica à atuação  
397 profissional. *Carbohydr Polym*. 2016;17(1).
- 398 5. Ministério da Saúde (Brasil). Departamento de Apoio à Gestão Participativa,  
399 Secretaria de Gestão Estratégica e Participativa, Ministério da Saúde. Saúde da  
400 população de gays, lésbicas, bissexuais, travestis e transexuais. *Rev Saude*  
401 *Publica*. 2008;42(3):570–3.
- 402 6. Marques ACM, Alves N de C. Crimes sexuais contra mulheres em situação de  
403 conflito. *Rev Estud e Pesqui Avançadas do Terc Set* [Internet]. 2017;4(1):324–  
404 41. Available from:  
405 <https://portalrevistas.ucb.br/index.php/REPATS/article/view/8209>
- 406 7. Muribeca MMM. From the feminine sexuality to the feminine into the human  
407 psychosexuality origin. *Estud psicanal*. 2010; 1(33):101-108.

- 408 8. Menegon C, Silva EW da. A sexualidade feminina e a psicanálise: rompendo as  
409 amarras da moral sexual cristã e do sexo como reprodução. *Gênero & Direito*  
410 [Internet]. 2015;4(3). Available from:  
411 <https://periodicos.ufpb.br/index.php/ged/article/view/25975>
- 412 9. Ministério da Saúde (Brasil). Departamento de Apoio à Gestão Participativa,  
413 Secretaria de Gestão Estratégica e Participativa, Ministério da Saúde. Saúde da  
414 população de gays, lésbicas, bissexuais, travestis e transexuais. *Rev Saude*  
415 *Publica*. 2008;42(3):570–3.
- 416 10. Ministério da Saúde (Brasil). Prevenção de violências e cultura de paz. 2008;32.
- 417 11. Muehlenhard CL, Peterson ZD. Distinguishing Between Sex and Gender:  
418 History, Current Conceptualizations, and Implications. *Sex Roles*. 2011, 1(64).
- 419 12. Vala J, Benedicta M. *Psicologia social*. Lisboa: Fundação Calouste Gulbenkian.  
420 2013; 9(1).
- 421 13. Beauvoir S de. *O Segundo Sexo*. *J Mater Process Technol*. 2018;1(1).
- 422 14. Levy L. Aporias of Blame and Punishment in Simone de Beauvoir’s “Œil pour  
423 Œil.” *Hypatia*. 2021;36(4).
- 424 15. Scott J. Gender: a useful category of historical analyses. *Gender and the politics*  
425 *of history*. Columbia University Press. 1989;(1).
- 426 16. Zerbinati JP, Bruns MA de T. Sexualidade e educação: revisão sistemática da  
427 *Literatura Científica Nacional*. *Travessias*. 2017;11(1); Available from:  
428 <https://repositorio.unesp.br/handle/11449/152491>
- 429 17. Hughes C. *Cid 10*. *Fam Pract Manag*. 2011;18.
- 430 18. Olivera AGC, Vilaça AF, Gonçalves DT. Da transexualidade à disforia de gênero  
431 – protocolo de abordagem e orientação nos cuidados de saúde primários. *Rev*  
432 *Port Clínica Geral*. 2019;35(3):210–22.
- 433 19. Rocha MV da. Transsexualidade e o direito fundamental à identidade de gênero.  
434 2013;2:2337–64.
- 435 20. Soalheiro LHM, Caçado POM. A garota dinamarquesa: reflexão sobre o direito  
436 fundamental à sexualidade. *Rev Gênero, Sex e Direito*. 2017;3(1).
- 437 21. Regier DA, Kuhl EA, Kupfer DJ. The DSM-5: Classification and criteria  
438 changes. *World Psychiatry*. 2013;12(2).
- 439 22. Earle WJ. DSM-5. *Philos Forum*. 2014;45(2).
- 440 23. American Psychiatric Association *Diagnostic and Statistical Manual of Mental*  
441 *Disorders (DSM-IV)*. In: SpringerReference. 2012.
- 442 24. Fernandes FBM. Assassinatos de travestis e “pais de santo” no Brasil:  
443 homofobia, transfobia e intolerância religiosa. *Saúde em Debate*.  
444 2013;37(98):485–92.
- 445 25. Fernandes FBM. A Agenda anti-homofobia na educação brasileira (2003-2010).  
446 2011; Available from: <https://repositorio.ufsc.br/handle/123456789/95612>
- 447 26. Arisi BM, Ávila S, Sala S. Sexualidade no interior conservador brasileiro: uma  
448 experiência de educação para a diversidade sexual e de gênero em Foz do Iguaçu.  
449 *Amazônica: Revista de Antropologia*. 2016;8(2):482-95. Available from:  
450 <https://periodicos.ufpa.br/index.php/amazonica/article/view/5053>.
- 451 27. Pereira CR, Torres ARR, Pereira A, Falcão LC. Preconceito contra homossexuais  
452 e representações sociais da homossexualidade em seminaristas católicos e  
453 evangélicos. *Psicol Teor e Pesqui [Internet]*. 2011;27(1):73–82. Available from:  
454 [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0102-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-37722011000100010&lng=pt&tlng=pt)  
455 [37722011000100010&lng=pt&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0102-37722011000100010&lng=pt&tlng=pt)
- 456 28. Bíblia. *Bíblia Sagrada*. Tradução de João Ferreira de Almeida. Igreja de Jesus  
457 Cristo dos Santos dos Últimos Dias. Salt Lake City, Utah, EUA. 2015.

- 458 29. Fernandez JCA, Silva RA, Sacardo DP. Religion and health: to transform  
459 absence in presence. 2018;27(4):1058-1070.
- 460 30. Rocon PC, Wandekoken KD, Barros MEB de, Duarte MJO, Sodré F. Acesso à  
461 saúde pela população trans no brasil: nas entrelinhas da revisão integrativa. Trab  
462 Educ e Saúde [Internet]. 2020;18(1). Available from:  
463 [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1981-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1981-77462020000100505&tlng=pt)  
464 [77462020000100505&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1981-77462020000100505&tlng=pt)
- 465 31. Souza MHT de, Signorelli MC, Coviello DM, Pereira PPG. Itinerários  
466 terapêuticos de travestis da região central do Rio Grande do Sul, Brasil. Cienc e  
467 Saude Coletiva. 2014;19(7).
- 468 32. de Souza MHT, Malvasi P, Signorelli MC, Pereira PPG. Violência e sofrimento  
469 social no itinerário de travestis de Santa Maria, Rio Grande do Sul, Brasil. Cad  
470 Saude Publica. 2015;31(4).
- 471 33. Visgueira FLL, Chaves SRS, Batista LIV, Nunes M das DS. Análise do  
472 conhecimento de estudantes de medicina acerca da identidade de gênero. Rev  
473 Bras Educ Med. 2021;45(4).
- 474 34. Costa DAS, Silva RF da, Lima VV, Ribeiro ECO. Diretrizes curriculares  
475 nacionais das profissões da Saúde 2001-2004: análise à luz das teorias de  
476 desenvolvimento curricular. Interface - Comun Saúde, Educ. 2018;22(67).
- 477 35. Ministério da Educação (Brasil). Conselho Nacional De Educação e Câmara de  
478 Educação Superior: Diretrizes Curriculares Nacionais do Curso de Graduação em  
479 Medicina e outras providências. Diário Oficial da União..Resolução CNE/CES  
480 3/2014. 2014.
- 481 36. Barchin VF, De Carvalho B, De Moraes Santos Marques S, Franco CRP, Garzin  
482 ACA. Perception of undergraduate health field students about approaching  
483 LGBTI+ health. Mundo da Saúde. 2021;45(1):175–86.
- 484 37. Negreiros FRN de, Ferreira B de O, Freitas D de N, Pedrosa JI dos S,  
485 Nascimento EF do. Saúde de Lésbicas, Gays, Bissexuais, Travestis e  
486 Transexuais: da Formação Médica à Atuação Profissional. Rev Bras Educ Med.  
487 2019 Mar;43(1):23–31.
- 488 38. Cardoso MR, Ferro LF. Saúde e população LGBT: demandas e especificidades  
489 em questão. Psicol Ciência e Profissão. 2012;32(3).
- 490 39. Guimarães R de CP, Cavadinha ET, Mendonça AVM, Sousa MF. Assistência a  
491 população LGBT em uma capital brasileira: o que dizem os Agentes  
492 Comunitários de Saúde? Tempus Actas de Saúde Coletiva. 2017;11(1).
- 493 40. Nogueira FJ de S, Aragão TAP. Política nacional de saúde integral lgbt: o que  
494 ocorre na prática sob o prisma de usuários (as) e profissionais de saúde. Saúde e  
495 Pesqui. 2019;12(3).
- 496 41. Souza MBCA de, Helal DH. Política nacional de saúde integral de lésbicas, gays,  
497 bissexuais, travestis e transexuais: análise descritiva e utilização de dados  
498 secundários para pesquisa e prática. Bagoas - Est gays gêneros e Sex [Internet];  
499 9(13). Available at: <https://periodicos.ufrn.br/bagoas/article/view/9656>  
500 2016;9(13).
- 501 42. Ministério da Saúde (Brasil). Política nacional de saúde integral de lésbicas,  
502 gays, bissexuais, travestis e transsexuais. Ministério da Saúde. 2013.
- 503 43. Ministério da Saúde (Brasil). Política Nacional de Educação Permanente em  
504 Saúde: o que se tem produzido para o seu fortalecimento? Secretaria de Gestão  
505 do Trabalho e da Educação na Saúde. 2018.
- 506 44. Conselho Nacional de Saúde (Brasil) [Internet]. [cited 2022 Jan 11]. Available  
507 from: [https://conselho.saude.gov.br/resolucoes/reso\\_04.htm](https://conselho.saude.gov.br/resolucoes/reso_04.htm)



- 508 45. Ministério da Saúde (Brasil). Portaria no 1.996, de 20 de agosto de 2007. Diário  
509 Oficial da União. 2007.
- 510 46. Paulino DB, Rasera EF, Teixeira F do B. Discursos sobre o cuidado em saúde de  
511 Lésbicas, Gays, Bissexuais, Travestis, Transexuais (LGBT) entre médicas(os) da  
512 Estratégia Saúde da Família. *Interface - Comun Saúde, Educ* [Internet]. 2019;23.  
513 Available from: [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1414-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1414-32832019000100249&tlng=pt)  
514 [32832019000100249&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1414-32832019000100249&tlng=pt)
- 515 47. Ministério da Saúde (Brasil). Secretaria de atenção à saúde - Departamento de  
516 ações programáticas estratégicas: Política nacional de atenção integral à saúde do  
517 homem (Princípios e Diretrizes). 2009.
- 518 48. Ministério da Saúde [Internet]. [cited 2022 Jan 11]. Available from:  
519 [https://bvsmms.saude.gov.br/bvs/saudelegis/gm/2009/prt1944\\_27\\_08\\_2009.html](https://bvsmms.saude.gov.br/bvs/saudelegis/gm/2009/prt1944_27_08_2009.html)
- 520 49. Ministério da Saúde (Brasil). Saúde sexual e saúde reprodutiva cadernos de  
521 atenção básica. Brasília-DF. 2013; 1(1).
- 522 50. Paula CEA, Da Silva AP, Bittar CML. Vulnerabilidade legislativa de grupos  
523 minoritários. *Cienc e Saude Coletiva*. 2017;22(12).
- 524 51. Couto CAM, Saiani CSC. Dimensões do empoderamento feminino no Brasil:  
525 índices e caracterização por atributos locais e individuais e participação no  
526 Programa Bolsa Família. *Rev Bras Estud Popul* [Internet]. 2021;38:1–22.  
527 Available from: <https://rebeb.org.br/revista/article/view/1620>
- 528 52. Pryjma MF, Winkeler MSB. Da formação inicial ao desenvolvimento  
529 profissional docente: análises e reflexões sobre os processos formativos.  
530 *Formação Docente – Rev Bras Pesqui sobre Formação Profr* [Internet].  
531 2014;6(11):23–34. Available from:  
532 <https://revformacaodocente.com.br/index.php/rbpf/article/view/102>
- 533 53. Tanaka M. Secularização, laicidade e espaço público: como pensar a política  
534 contemporânea brasileira à luz da religião? *Reli Soc* [Internet]. 2020;40(3):169–  
535 88. Available from:  
536 [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0100-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0100-85872020000300169&tlng=pt)  
537 [85872020000300169&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S0100-85872020000300169&tlng=pt)
- 538 54. Parente JS, Silva CF, Magalhães B de C, Silva MM de O, Albuquerque GA.  
539 Saúde LGBTQIA+ à luz da bioética principialista. *Rev Bioética* [Internet].  
540 2021;29(3):630–40. Available from:  
541 [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1983-](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1983-80422021000300630&tlng=pt)  
542 [80422021000300630&tlng=pt](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1983-80422021000300630&tlng=pt)  
543