Barriers and facilitators to sexual and reproductive health rights for Persons with Disability in Nepal: a scoping review Sanju Bhattarai (First Author)¹, Saugat Pratap KC¹, Sampurna Kakchapati¹, Shraddha Poudel¹, Sushil Chandra Baral¹, Cicely Marston² 1. HERD International, Bhainsepati, Nepal Department of Public Health and Policy, London School of Hygiene and Tropical Medicine, London WC1E 7HT, UK **Corresponding author:** Saugat Pratap KC saugat.kc@herdint.com, spk266@gmail.com These authors contributed equally to this work.

Abstract

Persons with disability have the same sexual and reproductive health needs as people without disability but their rights have consistently been overlooked. They face numerous challenges to access sexual and reproductive health services in Nepal, however coherent evidence on nature, size, and extent of these challenges are not available. We carried out a literature review to explore barriers and facilitators encountered by persons with disability while accessing sexual and reproductive health services in Nepal. We reviewed published government policies on reproductive health and disability, searched PubMed database and used google scholar search engine to find literature published between 2011 to 2021 that reported on barriers and facilitators to sexual and reproductive health rights for person with disability in Nepal. Out of 2145 identified literature only 21 literatures meeting the eligibility criteria were included in the analysis. We found inadequate inclusion of PWDs in health sector policies, lack of knowledge about SRH needs, misconception and poor attitude and lack of social support in accessing SRH rights and services. In Nepal, people with disabilities face multitude of barriers in accessing sexual and reproductive healthcare. Multilevel measures informed by further studies on vulnerabilities and experience of different subgroups of PWDs.

Introduction

Worldwide 15% of the adult population (15 years and older) lives with some form of disability, the proportion is higher (18%) in low and middle income countries(1) and estimates from Nepal range between 4.0%(2) to 13.6%(3). Disability is an important social determinant of health(4): person with disabilities (PWDs) experience lower educational attainment(5), less income(6), and worse health outcomes(7) compared with people without disabilities. These circumstances reduce access to health and social services forcing many PWDs into poverty, social exclusion and marginalization(1).

Sexual and Reproductive Health needs of PWDs

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

Persons with Disabilities have the same SRH needs as people without disability but their rights have consistently been overlooked and ignored(8). They are often deprived the rights to establish relationships, marry or to start a family, in extreme cases they are even forced into sterilization, abortion and unwanted marriages(9). PWDs are restricted from accessing health care for reasons including physical inaccessibility of facilities and infrastructure, unavailability of suitable and affordable transportation, inappropriate communication materials, lack of assistive devices, and long waiting times(10). Other factors that drive poor access to SRH services are health care providers' negative attitudes and ignorance about the health needs of the PWDs, and lack of insurance or safety net to cover healthcare costs(8). These barriers can deprive PWDs of basic SRH information. Lack of knowledge and skills in partner negotiation increases the likelihood of engaging in high-risk behaviors(11). Even when able, PWDs access and use SRH services less frequently(12,13) increasing the risk of being infected with Human Immunodeficiency virus (HIV) and other sexually transmitted infections (STIs)(14). Incorrect assumptions and beliefs about the sexual drive of PWDs, considering them either sexually inactive or hyperactive, can also reduce their access to SRH services increasing their exposure to abuse and adverse health consequences(15,16). PWDs are at increased risk of experiencing abuse and gender-based violence, compared to others, they are three times more likely to become victims of physical and sexual violence, higher among those financially and physically dependent on the perpetrator(8). A meta-analysis reported that sexual victimization is higher among women with disabilities.(17) These vulnerabilities underscore that the PWDs require SRH education and care as much as, or possibly even more than, people without disabilities. However, their SRH rights have been largely ignored by both the disability community and those working on SRH(8). Universal access to SRH is a fundamental human right as emphasized in the Sustainable Development Goals on good health and wellbeing and gender equality(18). Within this context, an understanding of the factors affecting access to SRH information and

services by PWDs is urgently needed. This review documents the barriers and facilitators for tailoring SRH programmes to meet the specific needs of the PWDs in Nepal.

Policy environment for PWDs in Nepal

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

As a signatory to several international human rights instruments including the Universal Declaration of Human Rights' 1980 and the United Nations Convention on the Rights of PWDs (CRPD) 2006, the Nepal government is obliged to ensure the rights of PWDs. Over the years Nepal has developed several acts, namely, Protection and Welfare of the Disabled Persons Act, 1982 and the, the Education Act 1992, Child Rights Act 1992 and Local Self-governance Act 1999. However, 'The 2013 constitution of Nepal' set out specific commitments to ensure the basic human rights of its citizens, specifically mentioning to uphold the rights of PWDs, and moved the needs of PWD higher up the national development agenda. In 2017 Nepal developed an act on 'Rights of the PWDs upholding the eight principles of the United Nations Convention on the Rights of Persons with Disabilities (CRDP) (respect and dignity, non-discrimination, full and active participation, respect and accepting PWDs, equal opportunity, accessibility, equality between gender, respect for children with disability)'. These policy frameworks set out government obligation to effectively manage disability, and the consecutive national plans increasingly provide for health and community-based services for PWDs such as rehabilitative schemes, special needs education, and grants and social security. The Ministry of Women, Children and Senior Citizen is largely responsible for implementing these programs. Within the health sector, the National Health Policy 2014 mandated universal and equitable health services, including health care for PWDs under the basic health services, allocating some funds for treatment of PWDs patients(19). Along with general health services, article 25 of the CRPD also urged member states to ensure the sexual and reproductive health (SRH) rights of PWDs, through provision of quality health care including SRH as provided to other people(20). Nepal's Constitution 2015(21) vows to guarantee the SRH rights of its citizens including PWDs. Despite protection

of SRH being a constitutional rights, the PWDs continue to face social injustice and are denied their right to equitable health services(22). Estimates show more than 40% of PWDs in Nepal do not have access to necessary healthcare service(23). The paucity of published articles on SRH of PWD limited our ability to make a coherent argument on the barriers and facilitators faced by different subgroups of PWDs in Nepal. Therefore, we aimed to identify and synthesize the current literature on perceived barriers and facilitators to SRH among PWDs in Nepal and the interventions to address their needs.

Theoretical Framework

We used the Kaufman et al.'s model on developing a socio-ecological framework(24) to guide organization and presentation of the results. The model provides a combination of multilevel factors individual (e.g. beliefs, behaviors), social and community (e.g. norms), institutional and health system (e.g. health services, education), and structural (e.g. laws, safety, social protection) factors that may interact in ensuring SRH rights of PWDs.

106

107

108

109

110

111112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

Methods We carried out a literature review to answer three research questions: 1. What are the barriers and facilitators to SRH for PWDs in Nepal? 2. What evidence is there relating to SRH interventions for PWDs in Nepal? 3. Are PWDs included in SRH policies and guidelines in Nepal? Search Strategy For the purpose of this review the definition of PWDs used was "long term physical, mental, intellectual, or sensory impairments which, in interaction with various barriers, may hinder their full and effective participation in society on an equal basis with others" (20) and for SRH the International Conference on Population and Development (ICPD) definition that includes maternal health, newborn health, family planning, STIs, including HIV, and gender-based violence(25) was used. These definitions guided finalization of key search terms. On 9th of March 2022, we searched the PubMed database to retrieve articles. Our search terms included MESH terms (presented in the supplementary table 1) including search domains "Sexual and Reproductive Health', 'Disability', and 'Nepal'. In addition, we used publish or perish software(26) to search for articles using google scholar search engine using search terms "Sexual and Reproductive health", "People with Disability" and "Nepal". To understand the extent to which PWDs are included in SRH policies (research question 3), we hand searched websites of organizations working for PWDs, government reproductive health and disability related policy documents, guidelines, national surveys, and routine monitoring data from Nepal. Eligibility criteria We included original articles, case studies, systematic reviews, and grey literature that published

qualitative or quantitative findings relevant to PWD and SRH from Nepal between August 2011 to

August 2021, this was done to gain an understanding of the research landscape with a greater precision during this period. We included all publications reporting on any of the SRH outcomes in the ICPD definition mentioned earlier.

Screening
Two researchers (SPK and SP) screened the title and abstract of the articles. Those articles not mentioning barriers or facilitators or SHR outcomes and interventions for PWDs were excluded.

Data extraction and analysis
We extracted information from the included articles on study characteristics (e.g., publication year, study population, study aim, design), and barriers, facilitators, and intervention characteristics. Similarly, we extracted information on ownership, inclusion of PWDs and specific activities for PWDs from policy documents. Two researchers (SPK and SP) extracted the information, and any disagreements were resolved by consensus after discussing with third researcher (SBW).

Results

Fig 1 shows the screening process of the published articles. Altogether, 2145 articles were identified across PubMed (1147) and Google scholar (998). We removed 492 duplicates. Next, we screened the title and abstract of the 1653 remaining articles, 1631 were excluded for not reporting on any of the SRH outcomes from Nepal. The remaining 21 articles were included in this review.

Fig 1. PRISMA flow chart of published articles reviewed

Characteristics of the publications included

Table 1 shows the characteristics of the 21 articles included in the review. Sixteen were peer reviewed journal articles (6 mixed method, 4 qualitative and 3 quantitative, 1 systematic review, 1 Intervention and 1 Randomized Control Trial) and the remaining five were: 2 policy papers, 1 situational analysis report and two case studies. Out of the 16 peer reviewed articles, 14 reported on female PWDs, two on both male and female PWDs, one each reported care takers and health care provider's perspectives. Thirteen of the studies were conducted in rural setting and three in both urban and rural settings and for the rest not mentioned. One of the studies recruited participants from health facility and another one from refugee camp. Sixteen of the 21 studies explored facilitators and barriers to SRH issues.

Table 1: Characteristics of manuscripts included in final review

Article	Study	Explored	Study site	Type of	Respondents	Age group
Douksta II D. Kett M. S. Cross N	Design	Beliefs,	Rural	disability Physical	Women with	23-35
Devkota, H. R., Kett, M. & Groce, N. Societal attitude and behaviours towards	Qualitative	· '	Kurai	and	and without	23-35
		attitudes, &			disabilities	
women with disabilities in rural Nepal:		experiences of		Sensory		
Pregnancy, childbirth and motherhood.		women with			and Female	
BMC Pregnancy Childbirth (2019)		disabilities			Community	
doi:10.1186/s12884-019-2171-4.					Health	
					Volunteers	
Subedi, L. & Regmi, M. C. PIH30	Mixed	Challenges faced	Rural	Not	Male and	Not
CHALLENGES FACED BY PEOPLE WITH	Method	in accessing SRH		mentioned	female PWDs	mentioned
PHYSICAL DISABILITIES IN ACCESSING		services by				in the
SEXUAL AND REPRODUCTIVE HEALTH		PWDs				article
SERVICES IN EASTERN REGION OF NEPAL.						
Value Heal. (2019)						
doi:10.1016/j.jval.2019.09.1211.						
Wilbur, J. et al. Qualitative study exploring	Qualitative	Barrier to	Urban and	Physical	Adolescent	15-24
the barriers to menstrual hygiene		menstrual	Rural	and	girls with	
management faced by adolescents and		hygiene		Sensory	Disabilities	
young people with a disability, and their					Care takers	
carers in the Kavrepalanchok district,						

Nepal. BMC Public Health (2021)						
doi:10.1186/s12889-021-10439-y. Devkota, H. R., Murray, E., Kett, M. &	Mixed	Experience of	Rural	Physical	Health care	15-49
Groce, N. Healthcare provider's attitude towards disability and experience of women with disabilities in the use of maternal healthcare service in rural Nepal. Reprod. Health (2017) doi:10.1186/s12978-017-0330-5.	Method	utilizing maternal health services	Health facility	and Sensory	providers and women with Disabilities	
Devkota, H. R., Murray, E., Kett, M. & Groce, N. Are maternal healthcare services accessible to vulnerable group? A study among women with disabilities in rural Nepal. PLoS One (2018) doi:10.1371/journal.pone.0200370.	Mixed Method	Challenges encountered in accessing maternal healthcare services	Rural	Physical and sensory	Women with and without disabilities	15-49
Shiwakoti, R. et al. Factors affecting utilization of sexual and reproductive health services among women with disabilities- A mixed-method cross-sectional study from Ilam district, Nepal. BMC Health Serv. Res. (2021) doi:10.21203/rs.3.rs-131588/v1.	Mixed Method	Factors affecting utilization of SRH services	Rural	Physical, Sensory and Motor	Woman with Disabilities	15-49
Raut, N. Case studies on sexual and reproductive health of disabled women in Nepal. Asian J. Women's Stud. (2018) doi:10.1080/12259276.2018.1424700.	Case Study	Experience and the challenges in seeking SRH information and services	Not mentioned	Physical and Sensory	Woman with Disabilities	20-40
Adhikari, K. P. Realising the Rights of Persons with Disability in Nepal: Policy Addresses from the Health, Education and Livelihoods Perspectives. Nepal. J. Dev. Rural Stud. (2019) doi:10.3126/njdrs.v16i0.31532.	Policy Review	Review of policies and programmes for the protection of rights and wellbeing of PWDs	Not mentioned	Not mentioned	Not applicable	Not mentioned
Institute of Development Studies. Disability Inclusive Development Nepal Situational Analysis June 2020 update. 40 (2020).	Situational Analysis	Analysis of current situation for PWDs in Nepal	Not mentioned	Not mentioned	Not applicable	Not mentioned
Tanabe, M., Nagujjah, Y., Rimal, N., Bukania, F. & Krause, S. Intersecting Sexual and Reproductive Health and Disability in Humanitarian Settings: Risks, Needs, and Capacities of Refugees with Disabilities in Kenya, Nepal, and Uganda. Sex. Disabil. (2015) doi:10.1007/s11195- 015-9419-3.	Qualitative	Risks, needs, and barriers to access SRH services	Rural, Refugee Camp	Multiple disabilities	Men and women refuges with disabilities	M (15-59), F (15-49)
Puri, M., Misra, G. & Hawkes, S. Hidden voices: prevalence and risk factors for violence against women with disabilities in Nepal. BMC Public Health (2015) doi:10.1186/s12889-015-1610-z.	Mixed method	Risk factors, and consequences of violence	Urban and Rural	Physical and Sensory	Women with Disabilities	16-49
Morrison, J. et al. Disabled women's maternal and newborn health care in rural Nepal: A qualitative study. Midwifery 30, 1132–1139 (2014).	Qualitative	Experiences of accessing maternal and newborn care	Rural	Physical and Sensory	Women with Disabilities and Auxiliary Nurse Midwives	Not mentioned
Gupta, J. et al. Disability status, intimate partner violence and perceived social support among married women in three districts of the Terai region of Nepal. BMJ Glob. Heal. (2018) doi:10.1136/bmjgh-2018-000934.	Quantitative	Associations between severity of Disabilities and intimate partner violence	Rural	Not mentioned	Women with Disabilities	18-49
Cardoso, L. F. et al. Menstrual restriction prevalence and association with intimate partner violence among Nepali women.	Quantitative	Prevalence of menstrual restrictions	Rural	Not mentioned	Married women, subgroup	Not mentioned

BMJ Sex. Reprod. Heal. (2019) doi:10.1136/bmjsrh-2017-101908.		experienced by married women			analysis for women with Disabilities	
Haworth, E. J. N. et al. Prenatal and perinatal risk factors for disability in a rural Nepali birth cohort. BMJ Glob. Heal. (2017) doi:10.1136/bmjgh-2017-000312.	RCT	Antenatal, birth and neonatal factors associated with disability in childhood	Rural	Not mentioned	Married women with infants	Not mentioned
Wilbur, J., Mahon, T., Torondel, B., Hameed, S. & Kuper, H. Feasibility study of a menstrual hygiene management intervention for people with intellectual impairments and their carers in Nepal. Int. J. Environ. Res. Public Health (2019) doi:10.3390/ijerph16193750.	Feasibility	explores the campaign's feasibility and acceptability	Rural	Intellectual impairment	Young women and their carers	15–24
Wilbur, J. et al. Are Nepal's water, sanitation and hygiene and menstrual hygiene policies and supporting documents inclusive of disability? A policy analysis. Int. J. Equity Health (2021) doi:10.1186/s12939-021-01463-w.	Policy analysis	assesses the inclusion of disability in Nepal's policy and guidance relevant to water, sanitation, and hygiene (WASH), and menstrual hygiene management	Rural	Not mentioned	Not mentioned	Not mentioned
Wilbur, J. et al. Developing behaviour change interventions for improving access to health and hygiene for people with disabilities: Two case studies from Nepal and Malawi. Int. J. Environ. Res. Public Health (2018) doi:10.3390/ijerph15122746.	Case study	Demonstrate frameworks that can be applied, to document the interventions developed to encourage initiatives to advance health services targeting people with disabilities.	Not mentioned	Not mentioned	Adolescents and young people	Not mentioned
Devkota, H. R., Clarke, A., Murray, E. & Groce, N. Do experiences and perceptions about quality of care differ among social groups in Nepal?: A study of maternal healthcare experiences of women with and without disabilities, and Dalit and non-Dalit women. PLoS One (2017) doi:10.1371/journal.pone.0188554.	Quantitative	Compare perceptions of the quality of maternal healthcare services between two groups that are consistently considered vulnerable, women with disabilities from both the non- Dalit population and Dalit population	Urban and Rural	Not mentioned	women with disabilities, Dalits and non-Dalits	15-49
Hameed, S. et al. From words to actions: Systematic review of interventions to promote sexual and reproductive health of PWDs in low- And middle-income countries. BMJ Glob. Heal. (2020) doi:10.1136/bmjgh-2020-002903.	Systematic review	assessed interventions to promote SRHR for PWDs in low- and middle- income countries.	Not mentioned	Not mentioned	Women with severe impairment	Not mentioned

Devkota, H. R., Clarke, A., Murray, E., Kett,	Mixed	Study explored	Rural	Not	women with	15-49
M. & Groce, N. Disability, Caste, and	method	this complex		mentioned	disabilities,	
Intersectionality: Does Co-Existence of		relationship and			Dalits and	
Disability and Caste Compound		the multiple			non-Dalits	
Marginalization for Women Seeking		perspectives of				
Maternal Healthcare in Southern Nepal?		Dalit women				
Disabilities (2021)		with and				
doi:10.3390/disabilities1030017.		without				
		disability about				
		their access and				
		utilization of				
		maternal health				
		care services				

Barriers and Facilitators for SRH of PWDs

 Out of the 21 publications, eleven reported on individual level(27-35)·(36)·(37) and institutional and health systems level(27-29,31-34,38,39)·(40), seven reported on social and community level(27,29,31,39)·(30)·(32)·(41) and only three reported on structural level factors(31)·(42)· (38). The overview of the barriers and facilitators experienced by the PWDs are presented in table 2 and 3.

Table 2: Overview of the Barriers to SRH for PWDs

Category	Subcategory	Themes	Number of studies	quotation
	Self-efficacy	Low self-esteem	Four ^{27,29,31,34}	Many disabled women were embarrassed and this often prevented them from telling their in-laws about their pregnancy ³⁸ . Participants felt humiliated when asking another person to change their menstrual product, and guilt seeing their care providers handle their menstrual blood ²⁹ .
	Education	Knowledge and information	Three ^{28,29,32}	Nearly 26.7% of PWDs do not have knowledge about the disability rights provided by the government and 94.2% of the respondents think there is no easy access of SRH services for them ²⁸ .
Individual	Socioeconomic	status	Three ^{31,32,34}	Those women with disabilities who were ever married are 122 times more likely to utilize SRH services compared to those who were never married ³² . Data suggests that poverty was more of a barrier than embarrassment or bad behavior of health workers, and many women felt it was inevitable that they would deliver at home ³⁸ .
	Severity		Five ^{29,31–} 33,35	Women with hearing impairments were identified as being particularly at risk of sexual violence ³⁴ . User's disability status was the influencing factor in receiving services ³¹ .
Social and community	Socio cultural norms	Belief and attitude	Four ^{27,29,31,39}	If a mother cannot see the baby, hear the baby cry or play with them, then what would be the point of having a baby ²⁷ . Disability was also viewed as a curse. Therefore, people feared that they will be doubly cursed if they did not follow restrictions ²⁹ .

	Education	Knowledge and	Two ^{27,30} ,	Some participants reported that they faced challenges due to
		information		preconceived mind-sets and limited understanding about
				disability and disabled people's desire and expectations ³⁰ . Some of the women with disabilities reported that their parents did not understand their emotional and sexual needs
				and never talked to them about marriage ²⁷ .
	Support systen	n	Three ^{27,29,33}	In the case where family members are absent, they believe they are more prone to sexual violence, so they provide Depo-Provera injection to prevent the individual from being pregnant ³² .
				Her husband was blamed for marrying her and excluded for several years by his parents and relatives ²⁷ .
	Cost		Three ^{30,33,43} ,	Respondents reported to receive good service from government officials only if they have money otherwise there was no service without finances ³⁵ . It is often costly and time-consuming to transport patients to health facilities generally, and it is even more costly for people with disabilities when an additional person is needed to accompany them ³¹ .
	Social norms	Behavior	Three ^{29,31,34}	One care provider reported that a teacher sent her daughter home from school at the onset of menarche, and the care provider never sent her back ²⁹ .
		Providers gender		All the women interviewed reported that they felt uncomfortable while examined by a male provider for maternity care and hesitated to seek services next time ³¹ .
		Attitude		Many women with disabilities reported that the attitudes of providers and their understanding about disability were negative and often discouraging, expressing concern about SRH choices of women with disabilities ³⁰ .
Institutional and health system	Support from a	uthorities		Respondents reported that even the authorities'/police officials, when are reported to domestic violence do not provide support to the disabled ³⁵ .
	Resources	Physical (infra structure/ wait time)	Six ^{28-31,38,39}	Inconvenient and limited opening hours of health facilities were often reported by participants in their qualitative interviews as one of the reasons for non-utilization of services ³¹ .
	Education	Knowledge	Three ^{30,33,34} .	The rejection of women with disabilities by the health facility for services could be an indicator of lack of knowledge and
		Communication skills		experience among providers or established prejudice ³¹ . Providers did not explain things to them properly or give information about their pregnancy while attending antenatal clinics. It was evident that only a very few were advised to go for delivery in a health facility and none of them were informed about the need for post-natal check-ups ³⁰ . Even in hospitals, they do not get the same transment as
				others if they do not have a sign language interpreter. Sometimes, they communicate by writing but it is impossible for illiterate people do that ³³ .
Structural	Policy	Inclusion	One ⁴²	The act is silent about reproductive and sexual health rights of women/girls with disabilities and management of reproductive impairments explicitly ⁴²
	Resources	Implementation and funding	One ³¹	Due not only to limited resources but to poor implementation of policies, the most marginalized and vulnerable women are the least likely to receive these benefits ³¹ . A respondent reported she was asked to pay 60 thousand to access maternal healthcare services in multiple health facility, even though safe motherhood program is in place ³¹ .
	Organization C	apacity	One ³⁸	Despite several organizations working on disability issues in the district, other organization are providing SRH services ³⁸ .

Table 3: Overview of facilitator for SRH and PWDs

Category	Subcategory	Themes	Number of studies	quotation
Individual	Empowerment	Coping	Three ^{27,35,38}	Most women had chosen their partner, a stark contrast to the social practices, where arranged marriages remain the norm. When families had not considered arranging a marriage for them; they had sought a partner of their own and lived separately from the extended family ²⁷ .
Social and community	Social norm	Beliefs	One ²⁷	Many of the participants believed that emotions and desires about sexuality and pregnancy for women with disabilities are the same as for women without disabilities ²⁷ .
	Social support mechanism	Emotional and financial	Three ^{27,32} 34	Home-based refugees reported family members, especially mothers, as safe resources. While self-help activities were on the whole limited, participants noted their ability and willingness to share information with each other and with other refugees and leaders in the community ³⁴ . They reported that their partners had married them expecting to acquire their parent's property as part of the dowry, which was
Institutional and health system	Social Norm	Attitude	One ³⁰	an incentive for the marriage ²⁷ . Slightly higher mean attitude towards disabled persons scores to those who gave maternal healthcare services to women with disabilities than those who did not (79.49 vs 76.35), however, this difference was not significant P > 0.05) ³⁰ .
		Respectful		Many reported that the providers were kind, caring and treated them respectfully in a welcoming environment. Several stated that they received counselling and advice in their ANC visits and support during childbirth by the nurses and doctors ³⁰ .
Structural	Organizations for	PWDs	Two ^{38,36}	Sample reported presence of several organizations working on disability issues in the district ³⁸ . Another study reported campaign ensuring to help people with intellectual impairment and their carers in regards to menstrual hygiene management ³⁶ .

<u>Individual</u>

Out of the eleven publication reporting on individual level barriers (27–35)·(36,40), four publications(28,29,32)·(36) identified lack of information and knowledge about the disability and SRH service availability as a barrier. For example, a study exploring barriers to menstrual hygiene among adolescent girls with disabilities reported that the guardian were in disbelief when they had menses as they presumed menarche would be delayed or not have menses(29). A quantitative study exploring challenges of seeking SRH services by PWDs reported that nearly 94.2% thought the SRH services were inaccessible(28), and another article reported that women with disabilities do not report violence because they lack information on where and how to report(33). Four articles identified perceived low self-efficacy and esteem from experiencing constant fear and humiliation as a barrier for women with disabilities to

exercise SRH rights (27,29,31,34). Studies reported they were not able to share their needs or problems (31), or even too embarrassed to share the news of their pregnancy to their parents and in-laws (34). Three publications highlighted socio economic status as a barrier (31,32,34). One study exploring factors affecting utilization of SRH services reported, compared to unmarried women with disabilities those married were more likely to utilize SRH services(31). Similarly, an article reported poverty was a bigger barrier than health worker's behavior to access maternal health care therefore women with disability often choose to give birth at home (34). Five publications highlighted that the type and severity of disability increased their vulnerabilities (29,31-33,35), for example a study among refugee women reported that those with hearing impairments were more likely to experience sexual violence(32). Another study exploring risk factors of violence among women with disability reported being disabled was the major reason for experiencing violence including rape and the situation gets worse as condition deteriorates(33). This review also found some facilitators, three of the studies reported individual level facilitators, such as coping and receiving preferential services (27,35,38). One study reported how women with disability were challenging the social norms of arranged marriage by taking matters in their own hand to choose a life partner and living separately from their extended family(27). Another study reported that compared to women with no disability those with disability were more likely to report violence (sexual and physical)(35).

Social and community

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

Five publications reported socio cultural norms as a barrier to SRH rights, particularly for women with disabilities(27,29,31,39)·(41). Discrimination and harassment based on erroneous beliefs about PWDs' sexuality, ability to reproduce and child care were common(27,29,31,39). For example, a qualitative study exploring attitudes and behaviors towards women with disability in rural Nepal reported that family and neighbors constantly questioned disabled women's desire and ability to raise a child, while their ability to

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

perform other physically demanding household chores was never questioned (27). The same study also reported that societal assumptions that women with disability are powerless weakens and instills fear and insecurity in them. Taboos relating to menstruation and pregnancy outside marriages are common, however two publications reported their repercussions were severe for women with disability(29,32). One of the study exploring utilization of SRH services reported women with disability particularly those with no family members were offered/encouraged to use contraception without proper consent with assumptions they were more likely to encounter sexual violence leading to unwanted pregnancy(31). A study from refugee camp setting reported discrimination against women who became pregnant outside marriage forced some to flee their homes, and others to kill themselves(32). Two publication reported poor knowledge on disability and SRH needs of PWDs as a barrier(27,30), including among health workers (30). A case study of women with disability reported that they were discouraged to have children fearing the off springs will also be disabled increasing the burden of disability in the society (39). Three studies reported lack of social support as a barrier for SRHR (27,29,33), for example one study reported that she and her husband were banished by his family for marrying (27), while in another the girl was abused and called names for marrying(33). A study among care takers of PWDs reported they felt isolated and overwhelmed from having to take care of the PWDs on their own (29). In terms of facilitators, the same study (27) that reported strong social norms as barriers also reported belief that emotion and desires about sexuality were similar for women with and without disabilities were also prevalent and thus they should be encouraged to have children for security and support in old age. Three studies reported support from family and friends was valuable resource's for PWDs(27,32),34. For example, PWDs felt reassured when they were accepted by and received support from the in-laws(27). However, in some instances parents were over protective hindering PWDs prospect of marriage, while

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

some parents found suitors willing to marry for dowry but such marriages were reported not to end well(27). Institutional and health system Eleven publications(27–29,31–34,38,39)·(37)·(40) reported on institutional level barriers. Six of them reported inadequate physical infrastructure (facilities, opening time, remoteness)(28-31,38,39). For example, one study reported lack of ramps for wheelchair access and inconvenient opening hours of the health facilities(30). Five publications identified cost as a barrier(30,33,43)-(40)For example, a study reported that good health care services are not accessible for those without resources to pay them(33). Another study among disabled woman in rural setting further elaborated it was not just the users fees, but also travel cost of her and the companion, as they are unable to travel on their own(30). Inadequate education (knowledge and skills) of health workers to effectively interact and communicate with PWDs was reported by three publications (30,33,34). For example, a study focusing on healthcare provider's attitudes(38) highlighted health care providers avoid talking to the PWDs when providing care and lacked confidence to handle maternal health care such as child birth. Health facilities often denied health care to persons with severe disabilities citing incapability to provide services (30). Three publications(29,31,34) highlighted social norms such as belief and attitudes help by service providers driving health system barriers. For example, a study reported that doctors advised women with disability to not to have any more children with no further explanation (38). According to one qualitative study among adolescent girls with disability (29), adolescent girls were sent home by teachers after having menses never returning to school, such attitude and response by teachers ended any chance they had of receiving SRH education from school. Similarly, two study(29,33) reported lack of support by those in authority, a study focusing on violence against woman with disability showed that police officials do not

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

provide any kind of support when violence is reported(33). The same study further elaborated that violence were less likely to be reported if it was inflicted by an intimate partner (33). Only one publication reported institutional facilitator that the health workers providing maternal health services to women with disability had better attitude compared to those not providing services to women with disability, in support the women with disability also shared they felt respected by health care providers(30). Structural The findings for structural barriers are based on findings from article review as well as the review of policies and data sources. Supplementary table 2 shows the list of policy documents (strategies, guidelines, plans and acts) the researcher reviewed. Altogether 19 policies (10 on broader health policies, 9 specific to SRH and 2 on protecting rights of the PWDs) of Nepal government were reviewed. With regards to structural barriers, this review found little inclusion of SRH rights of PWDs in policies and programming. While the constitution of Nepal guarantees universal, non-discriminatory and free SRH care services for marginalized groups including PWDs(42), these aspirations were not carried through into policy. The National Health Policy 1991 mentions engaging with the private sector to provide rehabilitation services for PWDs whereas the most recent National Health Policy 2019 talks of providing reproductive health services through lifecycle approach in providing with no particular mention of PWDs. Another policy analysis document shows that disability is not fully covered in policy documents and MHM's disability policy commitments are almost non-existent(41), this resulted in limited professional understanding of the issues, as service providers had no training. Only eight out of 19 policy documents reviewed touched upon SRH rights of PWDs, but most mentioned PWDs as a marginalized group without outlining specific activities or strategies designed to meet their needs. Fig 2 shows that the timelines of policies that have included SRH rights of PWDs, almost all of them

are after the CRDP. Two acts(44,45) and a guideline(46) have called for protecting SRH rights of PWDs with special focus on women through provision of disability friendly reproductive health services including sexual harassment and violence. The guideline(46) further elaborated the need to raise awareness and enhance the communication and counselling skills of health workers and to raise awareness among PWDs on availability of SRH services. A standard for maternal and newborn care(47) recommends equitable access to perinatal care for women with disabilities stressing the need for additional information and resources to facilitate the labor, child birth and lactation. Similarly, Nepal safer motherhood and newborn health roadmap talks about improving access to maternal and newborn care through home visits to provide care and provision of devices to facilitate communication. A costed implementation plan(48) for family planning allocated funds to develop a national strategy to address legal and socio-cultural barriers faced by PWDs in accessing family planning services.

Fig 2. Timeline of policy documents that have mentioned SRH of PWDs

Two of the policies (46,49) reviewed urged the MoHP to conduct research assessing the SRH needs of PWDs and one (49) of them further calls to establish a surveillance system for PWDs in reproductive age and share the information with stakeholders to guide evidence based policy and programming for PWDs. However, we found paucity of data on SRH of PWDs to guide development of SRH programs for PWDs. Supplementary Table 3 show national level data sources (50–57) (1 census, 6 surveys and 1 health system monitoring data). Four of them collected data on SRH, such as utilization of SRH services (50–52,55), knowledge and access to SRH services (50,51,55) and violence and harassment experience (50,51). However, only two data sources census and multi-indicator cluster survey had data disaggregated by disability status, but only the later had SRH data on PWDs disaggregated by gender.

Our findings from assessment of websites of 12 national level organizations that the authors knew worked for PWDs are presented in supplementary table 4. We found SRH rights and services were not prioritized

within their programming, only two organizations mentioned taking up SRH issues of PWDs. However, it was not clear what kind of interventions were implemented and our searches yielded no published work about them or on any other interventions hinting lack of SRH intervention for PWDs. This was validated from one of the publication(34) included in the review that reported organizations working with PWDs did not provide SRH interventions (information and services). Similarly, a study(29) exploring barriers to menstrual hygiene among women with disabilities reported unavailability of support mechanisms or networks for PWDs and their care takers.

Discussion

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

This paper assessed evidence on barriers and facilitators faced by PWDs in recognizing their rights and accessing SRH services in Nepal. The common barriers reported in the reviewed literature were exclusion of PWDs from health and SRH policies, lack of knowledge, socio cultural norms and inadequate support system. However, facilitators to PWD uptake of SHR services were rarely discussed – they were and only reported in passing by five studies. Overall, many of the barriers were also reported in studies from low and middle income countries in Sub-Saharan Africa(58), rural Cambodia(59), and North India (60) and the UK(61). The literature on the situation in Nepal suggests similarities with the situation in other countries: lack of knowledge and education (58-63), lack of disability friendly infrastructure (58) and poor attitude of health care providers (58,60,62). Barriers to SRH for PWD in Nepal that we identify in our review are similar to barriers to access among PWD for general health care(64). We found inadequate mention of PWDs and their rights in health policies in Nepal, in fact health policies appear to have regressed in terms of highlighting rights to healthcare for PWDs. For instance, while the 1991 national health policy mentions providing rehabilitative services for PWDs, the 2019 policy omits this altogether. Such systematic exclusion of PWDs in the sectoral plans have also been reported in reviews from Africa and Mediterranean regions(58,65,66). If left unchallenged the SRH rights of PWDs will continue to be neglected undermining the country's ability to ensure universal access to SRH services. It is worth noting that some of the most recent policy documents have begun to fulfill the country's commitment to international human rights instruments by including SRH needs of PWDs. Despite these policy initiatives, a study among women with disability reported that poor implementation of policies, and cost of the maternal health care were major hindrance to access SRH care(30). Thus, raising questions on the level of commitment, and highlighting the need for further exploration of gaps in policy implementation.

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

In parallel with our findings a systematic review including studies mostly from high income countries reported negative attitudes and stigma around SRH needs of women with disabilities, it found people including parents were uncomfortable with PWDs being sexually active (67). In fact, the PWDs themselves held such misconceptions often due to inadequate knowledge about their SRH rights, poor awareness on policies and provisions made by the government (68) leading to reluctance in seeking and demanding SRH information and services. Similarly, we found girls with disabilities were discouraged to go to school after onset of menses, as was also reported by a systematic review outside Nepal depriving girls from school was a coping mechanisms parents used to avoid embarrassment caused by their daughter's inability to follow social and cultural norms on mensuration (67). These misconceptions imply poor understanding and awareness of disability and sexuality of PWDs; therefore, this suggests that educating the public on SRH needs of PWDs and their right to lead a safe and satisfying sexual life. Such education can also be mainstreamed into the formal education system for lasting positive socio-cultural change. In addition, activities to empower persons living with disabilities such as educating them on their SRH rights are important for them- to confidently access SRH services. Sexual violence and subsequent lack of access to legal and social support for women with disabilities found during this review have also been reported by a study from Senegal (69). A probable reason for deterring them from seeking care and support may be due to fear of victimization.(17) To encourage women with disabilities to report violence and use SRH services, the care and support system may have to shift from imposing long term contraception on women with disabilities to avoid the consequences of sexual violence by investing in training and education of the social and health care workers to recognize signs of violence and respecting women with disabilities and encouraging them to understand their rights. In addition, those providing care or guardians must also be empowered to dismiss wrong socio-cultural beliefs, one way to achieve this is to form support groups of guardians, where they can discuss their concerns, find solutions and voice their concerns jointly when dealing with authority.

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

Several health system barriers such as lack of knowledge about needs of PWDs, poor communication skills of health care professionals, and cost of health care identified during this review undermine the SRH rights of PWDs. Several studies (62,70,71) have shown these factors negatively affect the relationship between health care providers and PWDs discouraging them from using health care services. Therefore, for effective interpersonal relationship based on clear communication and trust, the government should provide regular training to the health care providers on SRH rights of PWDs and to provide non-judgmental SRH information and services. Similarly, health facilities must accommodate the specific needs of persons with all forms of disabilities such as making provisions for an in house or outsource when needed a sign language interpreter, wheelchair accessible ramps, toilets, beds, and equipment. Agreeing with our findings, a systematic review from low and middle income countries has reported a strong link between poverty and disability (72), while others have reported type and severity of disability (62,70) determined access to health care. Poverty makes SRH services unaffordable, and also the negative attitudes towards PWDs may get worse with poverty(72). Such findings underscore the urgent need to elaborate on the right based equitable health service vision inscribed in the policy documents with sufficient allocation of resources to implement them. Apart from barriers, our study also identified few facilitators such as PWDs were empowered enough to choose their own partner, supportive family members, and instances of good treatment by health care providers. These show that social support system exists in the society, there is the need to identify and tap on such good examples to develop a well thought out culturally appropriate programs and interventions to support PWDs and their family to exercise their SRH rights in respectful manner. Overall, our review has two important strengths. First, to the best of our knowledge, this is the first review to identify and synthesize the current literature on perceived barriers and facilitators to SRH among PWDs and the interventions to address their needs in Nepal. Second, we reviewed policies, published paper and national sources of data to enrich our findings from various angles. However, this review also had some

limitation, first, restricting our search to only one database and studies published between 2011-2021 may have excluded some relevant publications. Second, this review did not report on the extent of interaction between these barriers to influence access to SRH services. Third, most of the studies reviewed were done among women with disabilities, therefore the barriers and facilitators faced by men are not properly articulated in this review.

Conclusion

375

376

377

378

379

380

381

382

383

384

385

386

387

389

392

In summary, we found that inadequate inclusion of PWDs in health sector policies, lack of knowledge about SRH needs, misconception and poor attitude and lack of social support system were the main barriers to accessing SRH rights and services in Nepal. Understandings from this review could be used to develop a roadmap to address access barriers at various level; national, institutional or health system, individual and community level. In addition, further studies exploring experience from different subgroups of PWDs, their guardians and health care providers are needed to substantiate the findings from this review.

Acknowledgement

The authors would like to thank Catherine McGowan for guiding with the scoping review process.

Funding

- The authors declare that no funds, grants, or other support were received during the preparation of this
- 388 manuscript.

Declaration

- We confirm that the manuscript has been read and approved by all named authors and that there are no
- other persons who satisfied the criteria for authorship but are not listed.

Conflict of Interest

393 All authors declare that they have no conflicts of interest.

References


394

WHO. World Report On Disability. World Health [Internet]. 2011;1–24. Available from: 395 1. 396 www.who.int/about/licensing/copyright_form/en/index.html%0Ahttp://www.larchetoronto.org/ 397 wordpress/wp-content/uploads/2012/01/launch-of-World-Report-on-Disability-Jan-27-121.pdf 398 2. Central Bureau of Statistics. Nepal living standards survey. 2011;(November):1–146. 399 3. Washington Group on Disability statistics. Disability Research Center studies. BMC Public Health. 400 2020;20(1):1-13. 401 4. Emerson E, Madden R, Graham H, Llewellyn G, Hatton C, Robertson J. The health of disabled 402 people and the social determinants of health. Public Health. 2011; 403 5. Filmer D. Disability, poverty, and schooling in developing countries: Results from 14 household 404 surveys. World Bank Econ Rev. 2008; 405 6. Parish SL, Grinstein-Weiss M, Yeo YH, Rose RA, Rimmerman A. Assets and income: Disability-406 based disparities in the United States. In: Social Work Research. 2010. 407 7. Mithen J, Aitken Z, Ziersch A, Kavanagh AM. Inequalities in social capital and health between 408 people with and without disabilities. Soc Sci Med. 2015; 409 8. WHO/UNFPA. Promoting sexual and reproductive health for persons with disabilities. Vol. 72, 410 Physics Letters B. 354-356 p. 411 9. UNFPA. Emerging issues: sexual and reproductive health of persons with disabilities. 2007;1–10. 412 E. S, S.F. M, A.K. Y, L. K. Barriers to accessing safe motherhood and reproductive health services: 10. The situation of women with disabilities in Lusaka, Zambia. Disability and Rehabilitation. 2004. 413

414	11.	Rohleder P, Eide AH, Swartz L, Ranchod C, Schneider M, Schür C. Gender differences in HIV
415		knowledge and unsafe sexual behaviours among disabled people in South Africa. Disabil Rehabil.
416		2012;
417	12.	Aderemi Dr TJ, Mac-Seing M, Woreta SA, Mati KA. Determinants of utilization of voluntary HIV
418		counselling and testing services among individuals with disabilities in Ethiopia. 20th International
419		AIDS Conference, July 20-25, 2014, Melbourne, Australia. 2014.
420	13.	JF. T, J. B, M. K, O. B, T. M, N. B, et al. Access to health care, reproductive health and disability: A
421		large scale survey in Sierra Leone. Soc Sci Med. 2011;
422	14.	Groce NE. HIV/AIDS and people with disability. Lancet. 2003.
423	15.	Hanass-Hancock J. Interweaving conceptualizations of gender and disability in the context of
424		vulnerability to HIV/AIDS in KwaZulu-Natal, South Africa. Sex Disabil. 2009;
425	16.	The World Bank. HIV/AIDS and disability: capturing hidden voices: Report of the World Bank/Yale
426		University Global Survey on HIV/AIDS and Disability. 2004;1–31.
427	17.	Mailhot Amborski A, Bussières EL, Vaillancourt-Morel MP, Joyal CC. Sexual Violence Against
428		Persons With Disabilities: A Meta-Analysis. Trauma, Violence, Abus. 2021;
429	18.	Starrs AM, Ezeh AC, Barker G, Basu A, Bertrand JT, Blum R, et al. Accelerate progress—sexual and
430		reproductive health and rights for all: report of the Guttmacher–Lancet Commission. The Lancet.
431		2018.
432	19.	Ministry of Health (MoH)/Department of Health Services (DoHS). Disability Management
433		(prevention, treatment and rehabilitation) policy, strategy and 10 year action plan. 2017;

434	20.	Justice M of. Convention on the rights of persons with disabilities. 2011;6(3):225.
435	21.	Government of Nepal. The Constitution of Nepal. 2015;1–226.
436	22.	Ministry of Health. Nepal Health Sector Strategy. Nepal Heal Sect Strateg. 2015;
437	23.	Eide AH, Shailes N, Karl-G H. Living conditions among people with disabilities in Nepal. A National
438		Representative Study. 2016;1–99. Available from:
439		file:///C:/Users/ICS/Downloads/Eide2016_Living conditions among people with disability in
440		Nepal.pdf
441	24.	Kaufman MR, Cornish F, Zimmerman RS, Johnson BT. Health behavior change models for HIV
442		prevention and AIDS care: Practical recommendations for a multi-level approach. J Acquir
443		Immune Defic Syndr. 2014;
444	25.	Nations U. International Conference on Population and Development. Asia-Pacific Popul J
	25.	
445	23.	[Internet]. 1994;9(3):1–2. Available from: https://www.un-
445 446	23.	[Internet]. 1994;9(3):1–2. Available from: https://www.un-ilibrary.org/content/journals/15644278/9/3/9
	26.	
446		ilibrary.org/content/journals/15644278/9/3/9
446 447		ilibrary.org/content/journals/15644278/9/3/9 Harzing AW. Publish or Perish [Internet]. 2007 [cited 2022 Feb 8]. Available from:
446 447 448	26.	ilibrary.org/content/journals/15644278/9/3/9 Harzing AW. Publish or Perish [Internet]. 2007 [cited 2022 Feb 8]. Available from: https://harzing.com/resources/publish-or-perish
446 447 448 449	26.	ilibrary.org/content/journals/15644278/9/3/9 Harzing AW. Publish or Perish [Internet]. 2007 [cited 2022 Feb 8]. Available from: https://harzing.com/resources/publish-or-perish Devkota HR, Kett M, Groce N. Societal attitude and behaviours towards women with disabilities
446447448449450	26. 27.	ilibrary.org/content/journals/15644278/9/3/9 Harzing AW. Publish or Perish [Internet]. 2007 [cited 2022 Feb 8]. Available from: https://harzing.com/resources/publish-or-perish Devkota HR, Kett M, Groce N. Societal attitude and behaviours towards women with disabilities in rural Nepal: Pregnancy, childbirth and motherhood. BMC Pregnancy Childbirth. 2019;

29.	Wilbur J, Kayastha S, Mahon T, Torondel B, Hameed S, Sigdel A, et al. Qualitative study exploring
	the barriers to menstrual hygiene management faced by adolescents and young people with a
	disability, and their carers in the Kavrepalanchok district, Nepal. BMC Public Health. 2021;
30.	Devkota HR, Murray E, Kett M, Groce N. Are maternal healthcare services accessible to
	vulnerable group? A study among women with disabilities in rural Nepal. PLoS One. 2018;
31.	Shiwakoti R, Gurung YB, Pathak RS, Poudel RC, Neupane S, Thapa RK, et al. Factors affecting
	utilization of sexual and reproductive health services among women with disabilities- A mixed-
	method cross-sectional study from Ilam district, Nepal. BMC Health Serv Res [Internet]. 2021;
	Available from: https://doi.org/10.21203/rs.3.rs-131588/v1
32.	Tanabe M, Nagujjah Y, Rimal N, Bukania F, Krause S. Intersecting Sexual and Reproductive Health
	and Disability in Humanitarian Settings: Risks, Needs, and Capacities of Refugees with Disabilities
	in Kenya, Nepal, and Uganda. Sex Disabil. 2015;
33.	Puri M, Misra G, Hawkes S. Hidden voices: prevalence and risk factors for violence against
	women with disabilities in Nepal. BMC Public Health. 2015;
34.	Morrison J, Basnet M, Budhathoki B, Adhikari D, Tumbahangphe K, Manandhar D, et al. Disabled
	women's maternal and newborn health care in rural Nepal: A qualitative study. Midwifery
	[Internet]. 2014;30(11):1132–9. Available from:
	https://www.sciencedirect.com/science/article/pii/S0266613814000928
35.	Gupta J, Cardoso LF, Ferguson G, Shrestha B, Shrestha PN, Harris C, et al. Disability status,
	intimate partner violence and perceived social support among married women in three districts
	of the Terai region of Nepal. BMJ Glob Heal. 2018;



496	44.	Nepal P of. The Right to Safe Motherhood and Reproductive Act 2018. Gov Nepal.
497		2018;2075(September):1–13.
498	45.	Disabilities AR to R of P with. The Act Relating to Rights of Persons with Disabilities , 2074 (2017
499). 2018;2074(October 2017):1–34.
500	46.	Department of Health Services, Ministry of Health and Populatin G of N. National Guidelines for
501		Disability Inclusive Health Services , 2019. 2019;1–55.
502	47.	MoHP. National Medical Standard for Maternal and Newborn Care Ministry of Health and
503		Population National Medical Standard for Maternal and Newborn Care Volume III , 3rd Edition
504		2020. 2020;III(July).
505	48.	Health M of. National Family Planning Costed Implementation Plan 2012-2015. J Med Philos.
506		2012;39(1):90.
507	49.	MoHP. Health sector strategy implementation plan 2017-20. 2017;(2):2–5.
508	50.	MoHP. Demographic Health Sruvey. 2016;14(1):54–9.
509	51.	CBS. Nepal Multiple Indicator Cluster Survey 2019, Survey Findings Report. 2020;
510	52.	DoHS. Annual Report DoHS 2019/2020. 2020;205–8.
511	53.	Ministry of Health and Population Nepal, New ERA, UNICEF, EU, USAID, CDC. Nepal National
512		Micronutrient Status Survey 2016. 2018;1–315. Available from:
513		https://www.unicef.org/nepal/sites/unicef.org.nepal/files/2018-08/NNMSS Report 2016.pdf
514	54.	Dhimal M, Bista B, Bhattarai S, Hyder MKA, Agarwal N, Rani M JA. Noncommunicable Disease Risk
515		Factors: STEPS Survey Nepal 2019. Nepal Heal Res Counc [Internet]. 2019;8(May):284. Available

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

from: www.who.int/dietphysicalactivity/%0Ahttps://www.who.int/docs/default-source/nepaldocuments/ncds/ncd-steps-survey-2019-compressed.pdf?sfvrsn=807bc4c6 2 Iv R. Integrated Biological and Behavioral Surveillance (IBBS) Survey among Men who have Sex 55. with Men (MSM) and Transgender (TG) People in Kathmandu Valley , Nepal Round IV – 2012 Ministry of Health and Population National Centre for AIDS and STD Control. 2012; 56. CBS. National Population and Housing Census 2011. 2012;111(3):51–7. 57. Government of Nepal. Economic Survey 2019/20. Minist Financ [Internet]. 2020;1–144. Available from: https://mof.gov.np/uploads/document/file/Economic Survey 2019 20201125024153.pdf Ganle JK, Baatiema L, Quansah R, Danso-Appiah A. Barriers facing persons with disability in 58. accessing sexual and reproductive health services in sub-Saharan Africa: A systematic review. PLoS ONE. 2020. Gartrell A, Baesel K, Becker C. "We do not dare to love": Women with disabilities' sexual and 59. reproductive health and rights in rural Cambodia. Reprod Health Matters. 2017; 60. Sharma R, Singh A, Suri V, Kaur S. Barriers Faced by Women with Disabilities in Access to Sexual and Reproductive Healthcare: Experiences from North India. Int J Prev Curative Community Med. 2015; 61. Sakellariou D, Rotarou ES. Utilisation of mammography by women with mobility impairment in the UK: Secondary analysis of cross-sectional data. BMJ Open. 2019; 62. Matin BK, Williamson HJ, Karyani AK, Rezaei S, Soofi M, Soltani S. Barriers in access to healthcare for women with disabilities: a systematic review in qualitative studies. BMC Womens Health. 2021;



abuse: A critical incident technique study. BMC Pregnancy Childbirth. 2015;
71. Lee K, Devine A, Marco MJ, Zayas J, Gill-Atkinson L, Vaughan C. Sexual and reproductive health services for women with disability: A qualitative study with service providers in the Philippines.
BMC Womens Health. 2015;
72. Banks LM, Kuper H, Polack S. Correction: Poverty and disability in low- and middle-income countries: A systematic review. PLoS One. 2018;

Figure 1: PRISMA flow chart of published articles reviewed





Figure 2: Timeline of policy documents that have mentioned SRH of PWDs



International human rights instruments relating to SRH rights of PWDs National policies