Short-term health system responses to epidemics across hard-to-reach areas in sub-Saharan Africa: A scoping review protocol

Annette A. Murunga

Contributed equally to this work with: Ben Ngoye, Francis Wafula, Gilbert Kokwaro

**Roles:** Conceptualization, methodology, project administration, writing-original draft writing-review and editing

amurunga@strathmore.edu

Affiliation: Institute of healthcare management Strathmore Business School

Ben Ngoye

Contributed equally to this work with: Annette A. Murunga, Francis Wafula, Gilbert Kokwaro

Roles: Conceptualization, Funding acquisition, methodology, writing-review and editing

Affiliation: Institute of healthcare management Strathmore Business School

bngoye@strathmore.edu

Francis P. Wafula

Contributed equally to this work with: Annette A. Murunga, Ben Ngoye, Gilbert Kokwaro

Roles: Conceptualization, Funding acquisition, methodology, writing-review and editing

Affiliation: Institute of healthcare management Strathmore Business School

fwafula@strathmore.edu

Gilbert O. Kokwaro

Contributed equally to this work with: Annette A. Murunga, Ben Ngoye, Francis Wafula

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

Roles: Conceptualization, Funding acquisition, methodology, writing-review and editing

Affiliation: Institute of healthcare management Strathmore Business School

## gkokwaro@strathmore.edu

**Funding:** This work received financial support from Wellcome (UKAid), Economic and Social Research Council, Medical Research Council- MR/T022078/1

Competing interests: The authors have declared that no competing interests exist

**Data availability:** All relevant data from this study will be made available upon study completion.

### **Abstract**

## **Background**

Epidemics and disease outbreaks are the occurrence of cases of disease in excess of what would be normally expected. Epidemic-prone diseases, including emerging and re-emerging diseases, constitute the greatest threat to public health security and disruption of social and economic development. When cases of epidemics are diagnosed in specific areas, an outbreak response is triggered to stop the spread swiftly, keeping as few people as possible from being infected. In the past 20 years, the sub-Saharan region has witnessed a marked increase in the number of outbreaks in pandemics, such as cholera, dengue, A/H5N 1 influenza, and rift valley fever, among others. And while many of the efforts toward containment have been individually studied, we have no recent studies that examine them collectively in order to draw appropriate comparisons, no recent studies that have especially focused on hard-to-reach areas, and none that have applied a health systems lens. This study thus details a scoping review of short-term health system responses to epidemics across hard-to-reach areas in sub-Saharan Africa.

#### Methods

A scoping review will be undertaken following PRISMA guidelines for scoping reviews. A modified Donabedian framework will be used to help in understanding approaches used in the immediate health system responses to disease outbreaks. The review will focus on published and unpublished studies that report short-term health systems responses during disease outbreaks in sub-Saharan Africa. These will be gleaned from PubMed, google scholar and Cochrane electronic databases, supplemented by a Google advanced search. In addition, manual searches will be carried out through related articles and websites. Two authors will independently screen the studies and extract data. Disagreements will be resolved by discussions, and a third reviewer will decide if there is no consensus. Data will be charted, coded, and narratively synthesized.

## **Outcome**

We anticipate developing a document that will show the different approaches health systems responded with to epidemics in the short term and that will contribute to strengthening future short-term responses to disease outbreaks by identifying best practices and innovative ideas. In addition, the study will highlight possible knowledge gaps that need to be filled with new research.

### Introduction

The Covid-19 pandemic pushed the world to the brink of a social and economic meltdown, triggering questions about how well the global health community is prepared to handle major epidemics and pandemics. The world had to deal with an event that has been described as a once-in-a-generation occurrence. That said, we cannot claim full ignorance of the risk of such calamities. Health system inequities and poor resourcing of healthcare, especially across low-and middle-income settings, put the entire world at risk. One type of population group that is particularly ignored and underfunded yet carries a substantial risk of disease outbreaks is those living in hard-to-reach areas across Africa. We define hard-to-reach areas as places where it would be hardest or take the longest for someone to access basic humanitarian services (such as health clinics and hospitals). This access is further compounded by a lack of functioning transport links and infrastructure, as well as terrain difficulty (1).

To contextualize the challenge better, though, it is important to realize that health systems in LMICs are barely able to handle those in high-access areas such as urban and more affluent areas. Major gaps exist in key areas like surveillance, emergency preparedness and response, risk communication and effective control and management of points of entry (2). A WHO evaluation reported that most SSA countries are not equipped to respond to sudden shocks to health systems, yet the region often suffers isolated disease outbreaks (3). Worse still, broader dynamics continue to contribute to the emergence and re-emergence of outbreaks of new diseases and antimicrobial resistance (4). Despite the fact that outbreaks like SARS, cholera, chikungunya, dengue fever, Rift Valley Fever and Ebola provided warning signs and tested countries' ability to respond (5), Covid-19 still found most LMICs unprepared. And the poor emergency response strategy was made worse by inadequate laboratory and epidemiological surveillance systems and economic, social and political disincentives to case reporting (6).

While Covid-19 presented a particularly unique challenge for most countries, we think that we cannot fully appreciate the path-dependent challenges affecting SSA without going back in time to understand how countries have been responding to other types of outbreaks. We are particularly keen to document immediate (short-term) responses in order to better understand policy agility and capacity to learn, adapt and change when the need does not

seem/appear to be urgent. We know that because most SSA countries focus on urgent rather than important matters, their ability to handle Covid-19, which is both an urgent and important matter, was compromised. We argue that by understanding immediate policy response to outbreaks in low-priority areas, we may be able to characterize and deal with the pain points that prevent countries from prioritizing and establishing mechanisms to nip outbreaks in the bud before the major calamity. We also argue that while effort has gone towards examining health sector responses to specific outbreaks, not enough attention has gone towards characterizing commonalities in immediate response to the disease of different kinds and how the immediate actions translate into (or fail to translate into) medium- and longer-term strategies. Examining the causal relationships between the response activities and the broader health system change is crucial if the global health community is to find a lasting solution to disease outbreaks. Moreover, successful strategies for pandemic response and preparedness over the years have been viewed from a vertical lens that is diseasespecific, yet it is plausible that if the response was looked at from a health system lens, the response would be quick and more effective. This explicit linkage appears under-addressed by existing literature.

Our scoping review, therefore, aims to provide an overview of existing evidence on immediate health system responses to epidemics in SSA and answer the following questions: what is the context of the health system (Service Delivery, Human Resources, Leadership and Governance, Financing, Medicines Procurement and Supply Chain, and Information Technology) with regard to epidemic preparedness and management in SSA? What is the diversity of approaches in terms of policies, protocols, communication, community participation, and surveillance that were used to manage disease outbreaks? And what were the outcomes of the various approaches and models in the early detection of diseases, reduced disease impact on the population, change in health behaviour, and strengthened health system?

# The rationale for the scoping review

A scoping review is suitable for summarizing and disseminating research findings and identifying research gaps in the existing literature. While a systematic review typically focuses

6

on a well-defined question where appropriate study designs can be identified in advance, a scoping study addresses broader topics where different study designs may be applicable (7).

## Conceptual framework for the scoping review

A conceptual framework has been developed using the Donabedian framework (8) of structure, processes and outcomes (Figure 1). The framework is commonly used to assess the quality of health services. For this review, a modified framework will be used to help in understanding approaches used in the immediate health system responses to disease outbreaks. For the review, *Structures* will describe the context of the health system and includes the WHO building blocks of Service Delivery, Human Resource for health (HRH), Leadership Management and Governance (LMG), Financing, Medicines, and Technologies, Health Information Systems (HMIS) (9). *The process* will include the functions and the surveillance, policies, protocols, and communication between partners, and *outcomes* will include early detection, reduced disease impact on the population and improved health systems.

Aided by this modified framework, we focus on the following review questions:

- 1. Context of the health system building block: What contextual forces are shaping the health system, and what are the key challenges faced by countries in SSA?
- 2. Processes (functions and activities) of the health system: What are the main functions and activities of the health system in SSA, and what diversity of approaches, models, innovations and tools were used to manage disease outbreaks?
- 3. Outcomes of the health system: How successful are the various approaches and models in improving the prevention and management of disease outbreaks?

### Methodology

The review seeks to describe the short-term health system responses to epidemics across hard-to-reach areas in sub-Saharan Africa. Like other scoping reviews, the purpose is to broadly describe a phenomenon (what is known and what isn't) and characterize it in ways that contribute towards a more detailed understanding and/or further research. Consequently, we seek to identify and map available evidence from a wide variety of sources,

including published and unpublished material. We follow Arksey and O'Malley's five-stage scoping review framework (10), which proposes the following five stages: identifying the research question, finding the articles, selecting appropriate articles, charting the data, and collating and summarizing the data into meaningful themes.

Stage 1: Identifying the research question

The research question in this review is based on the Joanna Briggs Institute PCC (Population-concept-context) model (11). An overarching research question was developed to guide the search strategy: "What are the short-term health system responses to epidemics across hard-to-reach areas in sub-Saharan Africa?". The question allows us to capture appropriate existing literature and also provides an opportunity for research questions to be added or modified in the course of the study.

Stage 2: Identifying relevant studies

Our approach will include a systematic search of peer-reviewed studies from electronic databases - PubMed, google scholar and Cochrane, snowballing from article reference lists to include additional studies that may not have been indexed. We will also search grey literature from the internet using Google. Literature search strategies will be developed using medical subject headings (MeSH-terms) and text words related to the population, geographical terms and phenomenon of interest/intervention, as shown in Table 1.

Empirical studies with either qualitative or quantitative data published in English will be considered for inclusion. The scoping review will exclude all types of reviews, protocols and book chapters. A three-step search strategy will be undertaken. An initial limited search of PubMed, google scholar and Cochrane will be carried out, followed by an analysis of the text words contained in the title and abstract and the index terms used. The second step will include using all identified keywords and index terms in all the included databases. The third step will include screening the reference list of all the studies for additional articles. We shall consider all articles from 2010 onwards.

8

MeSH terms used to search for CAB Direct included: *Epidemic OR disease outbreak, AND Health system response AND Sub-Saharan Africa*; and for Google Scholar, *Health system response to epidemics AND Sub-Saharan Africa* 

Table 1: Search terms used in searching Pub-Med electronic database

Group A: Target population	Group B: Geographical terms	Group C:			
terms (combined by 'OR')	(combined by 'OR')	intervention			
		(combined by 'OR')			
		Health systems			
AND	AND	impact OR Health			
cholera OR diarrhoea OR	Angola OR Benin OR Burkina Faso	systems resilience			
diarrhoea OR dysentery OR	OR Burundi OR Cape Verde OR	OR Health systems			
Covid-19 OR leishmaniasis OR	Central African Republic OR Chad	performance OR			
kala azar OR trypanosomiasis	OR Comoros OR the Democratic	Health systems			
OR sleeping sickness OR	Republic of Congo OR Djibouti OR	response OR Health			
malaria OR polio OR measles	Equatorial Guinea OR Eritrea OR	system assessment,			
OR mumps OR meningitis OR	Ethiopia OR Gambia OR Guinea OR	OR Immediate health			
chikungunya OR yellow fever	Guinea-Bissau OR Lesotho OR	system response, OR			
OR dengue OR Ebola OR SARS	Liberia OR Madagascar OR Malawi	Short-term health			
OR MERS OR influenza OR	OR Mali OR Mauritania OR	system response			
Zika OR epidemic	Mozambique OR Niger OR Rwanda				
	OR Sao Tome and Principe OR				
	Senegal OR Sierra Leone OR				
	Somalia OR Sudan OR Tanzania OR				
	Togo OR Uganda OR Zambia OR				
	Cameroon OR Congo OR Côte				
	d'Ivoire OR Ivory Coast OR Ghana				
	OR Kenya OR Nigeria OR Zimbabwe				
	OR Namibia OR Swaziland OR				
	Botswana OR Gabon OR Mauritius				
	OR South Africa OR Seychelles OR				
	Sub-Saharan Africa OR hard-to-				

reach areas in Sub-Saharan Africa

OR ASAL areas in SSA

Stage 3: Selecting articles

Following the search, all identified articles will be uploaded onto Zotero, where all duplicates will be removed. The review process will be carried out in two stages; each stage will have two reviewers who will independently determine the articles based on the inclusion and exclusion criteria. The first screening process will include reading the title and the abstracts to reach the following decisions: (1) if at least one reviewer agrees to include or consider the abstract or title to be inconclusive, the study will be moved to the next level of screening; (2) for any of the studies if both reviewers agree for an article to be excluded, the article will be

excluded. All studies at this level will be charted in an Excel sheet.

In the second level of screening, the full texts will be assessed by two independent reviewers.

Reasons for any exclusion will be recorded and reported in the scoping review. Any

disagreements will be resolved through discussions or with a third reviewer. The results of

the search and study selection will be reported in a Preferred Reporting Items for Systematic

Reviews and Meta-Analyses (PRISMA) flow diagram.

Stage 4: Charting data

To answer the research question, a data charting form in Excel with the following features will be created: authors, year of publication, study title, study design, the aim of the study,

country of the study, and key findings relevant to the review objective. A draft charting table

is provided (appendix 1). As a preliminary step, the reviewers will independently extract data

from the first five articles using the data-charting table and meet to determine whether the

approach to data extraction is consistent with the purpose of the study. The draft data

extraction tool will be modified and revised as necessary during the extraction process.

Modifications will be detailed in the full scoping review article.

Stage 5: collating, summarizing and reporting the results

The data from stage 4 will be collated, summarized and reported in a manner that aligns with

the study objectives. Tabular and graphical representations of the data may be used to

illustrate the identified results and will be supported by narrative descriptions of the data.

10

The meaning of the findings and implications for future research and practice will be discussed.

Patient and public involvement

Patients and the public will not be involved in the design and conception of the study.

Ethics and dissemination

The proposed scoping review does not require ethical approval as data will be collected through published peer-reviewed literature and grey literature. This scoping review will provide a comprehensive overview of existing evidence in the field.

#### References

- 1. C-03-WDR-2018-3-reach.pdf [Internet]. [cited 2021 Jul 22]. Available from: https://media.ifrc.org/ifrc/wp-content/uploads/2018/10/C-03-WDR-2018-3-reach.pdf
- Lokossou VK, Usman AB, Sombie I, Paraiso MN, Balogun MS, Umeokonkwo CD, et al. COVID-19 pandemic in Economic Community of West African States (ECOWAS) region: implication for capacity strengthening at Point of Entry. Pan African Medical Journal [Internet]. 2021 May 25 [cited 2023 Apr 18];39(1). Available from: https://www.ajol.info/index.php/pamj/article/view/219655
- 3. Paintsil E. COVID-19 threatens health systems in sub-Saharan Africa: the eye of the crocodile. J Clin Invest [Internet]. 2020 Jun 1 [cited 2023 Apr 18];130(6):2741–4. Available from: https://www.jci.org/articles/view/138493
- 4. Cohen ML. Changing patterns of infectious disease. Nature. 2000 Aug;406(6797):762–7.
- 5. Cable J, Heymann DL, Uzicanin A, Tomori O, Marinissen MJ, Katz R, et al. Pandemic diseases preparedness and response in the age of COVID-19-a symposium report. Ann N Y Acad Sci. 2021 Apr;1489(1):17–29.
- 6. Ali M, Lopez AL, Ae You Y, Eun Kim Y, Sah B, Maskery B, et al. The global burden of cholera. Bull World Health Org. 2012 Mar 1;90(3):209–18.
- 7. Haugdahl HS, Sandsæter HL, Lysne M, Bjerkeset O, Uhrenfeldt L, Horn J. Postpartum lifestyle interventions among women with pre-eclampsia: a scoping review protocol. BMJ Open [Internet]. 2020 May 1 [cited 2021 Jul 22];10(5):e035507. Available from: https://bmjopen.bmj.com/content/10/5/e035507
- 8. Voyce J, Gouveia M, Medinas M, Santos A, Ferreira R. A Donabedian Model of the Quality of Nursing Care From Nurses' Perspectives in a Portuguese Hospital: A Pilot Study. Journal of Nursing Measurement. 2015 Dec 1;23:474–84.
- 9. World Health Organization, editor. Monitoring the building blocks of health systems: a handbook of indicators and their measurement strategies. Geneva: World Health Organization; 2010. 92 p.
- 10. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. 2007 Feb [cited 2021 Jun 24];8. Available from: https://www.tandfonline.com/doi/abs/10.1080/1364557032000119616
- 11. Peters M, Godfrey C, Khalil H, Mcinerney P, Soares C, Parker D. 2017 Guidance for the Conduct of JBI Scoping Reviews. In 2017.




Figure 2; Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) flow diagram.




Figure 1: Modified Donabedian framework for the scoping review

# Appendix 1: Data extraction sheet

Author	Year	Study title	Study design	Key Findings relevant to the review objective (Structure health workforce)
Author	Year	Study title	Study design	Structure: Health Financing
Author	Year	Study title	Study design	Structure: Service delivery
Author	Year	Study title	Study design	Structure: Medical products, vaccines & Technologies
int doi: https://doi.org/ for beftified by peer	10.1101/2028.05.05.2920 review) is the author/funda It is made available und	9564, this version posted er, who has granted medF er a CC-BY 4.0 Internation	May 5, 2023. The copyrig Rxiv a license to display thal license .	ht holder for this preprint e preprint in perpetuity; ship and Governance
Author	Year	Study title	Study design	Structure: Health Information system
Author	Year	Study title	Study design	Functions and activities of the health system and what diversity of approaches used