1	Title: Feasibility of a social protection linkage program for individuals at-risk for tuberculosis in
2	Uganda
3	Authors: Grace Nanyunja <sup>a</sup> ¶, Jillian L. Kadota <sup>b</sup> ¶, Catherine Namale <sup>a</sup> , Mollie Hudson <sup>b</sup> , Talemwa Nalugwa <sup>a</sup> ,
4	Stavia Turyahabwe <sup>c</sup> , Adithya Cattamanchi <sup>a,b,e</sup> , Achilles Katamba <sup>a,f</sup> , Prosper Muhumuza <sup>d</sup> , Priya B.
5	Shete* <sup>a,b</sup>
6	<sup>¶</sup> These authors contributed equally to this work.
7	Author Information:
8	a. Uganda Tuberculosis Implementation Research Consortium, Kampala, Uganda
9	b. Division of Pulmonary and Critical Care Medicine and Center for Tuberculosis, University of
10	California San Francisco, San Francisco CA USA
11	c. National Tuberculosis and Leprosy Program, Uganda Ministry of Health, Kampala, Uganda
12	d. Expanded Social Protection Programme, Ministry of Gender, Labor and Social Development,
13	Kampala Uganda
14	e. Division of Pulmonary Diseases and Critical Care Medicine, University of California Irvine, Irvine,
15	CAUSA
16	f. Clinical Epidemiology & Biostatistics Unit, Department of Medicine, Makerere University College
17	of Health Sciences, Kampala, Uganda
18	*Corresponding Author: E-mail: Priya.shete@ucsf.edu (PS)
19	Word Count: 3507
20	Short title: Feasibility of social protection linkage program in Uganda
21	Abstract Word Count: 331
22	Tables/Figures: 4
23	Keywords: tuberculosis, diagnosis, implementation science, social protection
24	Trial Registration: Pan African Clinical Trials Registry (PACTR201906852160014)
25	

## 26 **ABSTRACT**

Introduction: Social protection interventions have the potential to accelerate progress towards global
 tuberculosis (TB) targets. We piloted a screening and linkage program at four community health centers
 (HC) to enroll adults seeking TB diagnostic evaluation services into existing government-supported social
 protection programs in Uganda.

Methods: From May-December 2021, health center staff were asked to screen adults being evaluated for TB for eligibility for government-supported social protection programs, and to refer eligible people to a sub-county community development office (CDO) responsible for enrolling community members into government-supported social protection programs. Linkage was facilitated with a transportation reimbursement via mobile money and referral documentation confirming program eligibility. We assessed feasibility using programmatic data and conducted post-intervention surveys to understand experiences with the linkage program.

38 **Results:** Of 855 people undergoing TB evaluation, 655 (76%) adults met criteria for at least one 39 government-supported social protection program. 25 (4%) of those were not interested in referral; the 40 rest were referred to their local CDO. While 386 (61%) of the 630 participants reported to the CDO 41 seeking social protection enrolment, only 122 (32%) of those were ultimately enrolled into a social 42 protection scheme, representing only 19% (n=655) of those eligible. In participant surveys, among those 43 seeking enrolment at the CDO (n=60; 65% of those surveyed), 46 (77%) were not enrolled into a social 44 protection program. Reasons for non-enrollment were either unknown to the participant (n=25, 54%) or 45 due to operational challenges at the CDO including a lack of human resources or available groups join 46 in the social protection program (n=20, 43%). 61 (63%) survey participants indicated that they would not 47 have sought social protection enrollment without the referral program.

48 **Conclusion:** Most adults seeking TB diagnostic evaluation are eligible for and interested in obtaining 49 government-supported social protection. We found facilitated linkage from HCs to CDOs offering social 50 protection services to be feasible, however ultimate enrollment into programs was limited. Additional

research is needed to identify strategies to improve access to existing social protection programs for eligible TB-affected individuals. 

# 77 INTRODUCTION

78 Tuberculosis (TB) remains a major global health issue and among the leading causes of death worldwide. 79 In 2021 alone, approximately 10.6 million people developed TB, causing almost 1.6 million deaths 80 globally in the same year (1). It is well-recognized that TB is as much a social disease as it is infectious, 81 with those affected representing the poorest and most vulnerable individuals in society who 82 disproportionately live in low and middle countries (1.2). In addition to the financial vulnerabilities created 83 by TB disease, evidence suggests that suffering from catastrophic costs due to TB, defined as costs 84 surpassing 20% of annual household income, creates greater risk of adverse TB outcomes such as 85 treatment failure, recurrence, and death, and perpetuates negative financial coping strategies such as 86 dissaving, thus entrenching vulnerable individuals and households deeper into poverty and poor health 87 (3-6).

88

89 Recognizing the interdependence between disease, social determinants of health, and socioeconomic 90 development(5,7), both the United Nation's Sustainable Development Goals (SDGs)(8) and the World 91 Health Organization's (WHO) 2015 End TB Strategy(9) encourage the implementation of innovative 92 multisectoral approaches to address the intersection of social determinants of health and illnesses like 93 TB (10,11). Both highlight social protection and poverty alleviation as key strategies for addressing risk 94 factors for acquiring TB and the economic consequences that follow its diagnosis (8.9). Social protection 95 is defined as social and economic policies and programs that target multiple dimensions of poverty among 96 disadvantaged groups. They function by improving access to basic services and supporting livelihoods, 97 thereby mitigating the consequences of financial shocks for those at risk of further impoverishment 98 (12,13). Examples include improving access to social services, assistance in the form of cash, food, or 99 transportation vouchers, training for participation in income-generating activities, community 100 administered savings groups, or training activities to encourage the development of human capital 101 (13, 14).

4

102

103 Beyond protecting vulnerable groups from deepening poverty due to ill health, there has been mounting 104 interest in harnessing the benefits of social protection to achieve global TB elimination goals(15), 105 particularly in Africa(14). An emerging body of evidence demonstrates the utility and effectiveness of 106 social protection for improving TB outcomes including increasing uptake of TB services (16), reducing 107 risk of TB treatment default and improving rates of in TB treatment success and cure (13). Unfortunately, 108 how best to link TB affected populations to social protection programs in high HIV/TB burden, low-income 109 settings remains unknown. The landscape of social protection in Uganda, exemplary of this context, 110 includes a number of government-supported programs but none that include a mechanism to enroll 111 potentially eligible individuals affected by TB (so-called "TB-sensitive" programs), nor any social 112 protection programs that target TB patients specifically (so-called "TB-specific" programs) (S1 Table)(17). 113 Limited evidence exists on how to design such programs in accordance with TB elimination strategies 114 (9,18). This gap presents a major operational and programmatic barrier for implementing social and 115 economic supports for TB affected populations(19,20). To address this gap, we implemented and 116 evaluated the feasibility of a health center (HC)-based social protection linkage strategy for individuals 117 presumed to have TB in Uganda.

118

## 119 **METHODS**

## 120 Study setting and population

121 In partnership with the Ministry of Health (MoH) and the Ministry of Gender, Labour and Social 122 Development (MoGLSD) of Uganda, we piloted a program to link eligible adults seeking TB diagnostic 123 evaluation services from four community HCs with existing government-supported social protection 124 programs in Uganda (May to December 2021). Participating HCs were classified as Level IV HCs, where 125 TB diagnosis and treatment services are offered and are managed by the National Tuberculosis and Leprosy Programme (NTLP) within the MoH. Participating community development offices (CDO, n=10) served the same catchment area as participating HCs. CDOs are under the purview of the MoGLSD and are responsible for the local administration of government-supported social protection programs including disseminating information on existing social services locally, screening and enrolment for eligible individuals, and distributing benefits.

131

# 132 Eligibility criteria and study population

The study population included all individuals ≥18 years of age being evaluated for TB at a participating HC, defined as having submitted a sputum sample to the laboratory for TB diagnostic evaluation. After submission of their sputum sample, health center staff asked adults three questions to screen them for eligibility into any one of the seven major government-supported social protection programs included in our pilot program. This included verification that the individual: 1) lives in a participating subcounty served by one of the included CDOs; 2) is not a salaried government worker; and 3) does not already receive benefits from a government-supported social protection program.

140

## 141 **Procedures**

## 142 Social protection program identification

With key stakeholders including MoGLSD and NTLP, we landscaped the social development sector to identify active government-supported social protection programs being implemented across all regions where the pilot was taking place. We collected data on each social protection program according to target population, eligibility criteria, benefit scheme and structure, geographic catchment area, and duration of program implementation.

148

## 149 Facilitated linkage process

150 Procedures for social protection program facilitated linkage include steps for screening, eligibility 151 determination, and provision of a transportation voucher and referral documentation for eligible adults to 152 present to the local CDO. Research study staff introduced linkage procedures to each participating HC 153 and subcounty CDO and conducted trainings with relevant personnel. At each HC, the village health 154 team (VHT) worker responsible for screening HC clients for TB was identified to serve as the focal point 155 for study activities. The VHT assessed all persons under evaluation for TB for eligibility for government-156 supported social protection programs and informed each person whether they were likely eligible for a 157 social protection program based on results of the screening. Those likely eligible for social protection 158 program enrollment were asked about their interest in referral; those interested were given: 1) a referral 159 slip with a unique identifier to present to the CDO officer with sociodemographic and eligibility information, 160 and 2) instructions on how to access the respective subcounty CDO to seek social protection program 161 enrollment. VHTs also informed all participants that they would receive a one-time transport voucher of 162 20.000 Ugandan Shillings (USH; ~\$5.64USD) after they presented to the CDO. At the CDO, the 163 development officer received the participants with the referral slip bearing their unique identifier, 164 registered them in a study screening and enrollment logbook, and then followed routine procedures for 165 enrolling community members into government-supported social protection schemes including providing 166 information on available schemes and prerequisites for enrolment. At the CDO, participants found eligible 167 for one or more schemes were enrolled as per the discretion of the development officer and according to 168 their standard operating procedures.

169

## 170 Data collection

#### 171 Social protection referral data collection

Process metrics were abstracted from logbooks at each HC and CDO to assess implementation and enrollment outcomes (see **Outcomes**). Focal persons at each HC and CDO was identified and trained using a camera-enabled smartphone to take photos of the HC and CDO logbooks, respectively. They

would then upload the photos to a central secure server using the National Institutes of Health (NIH)recommended Research Electronic Data Capture (REDCap) software mobile application (21).

177

#### 178 **TB clinical data collection**

179 Full data abstraction procedures are standardized for TB diagnostic evaluation studies within the Uganda 180 Tuberculosis Implementation Research Consortium (U-TIRC), and are described elsewhere (22). In brief, 181 data were collected at all HCs from NTLP Presumptive TB registers, Laboratory and Treatment registers, 182 and Xpert laboratory requisition forms. These data included key patient demographic and clinical 183 (including HIV-related) information in addition to TB outcomes. Data quality assurance is as described 184 previously (22). Research staff matched social protection referral data to TB register data using 185 participant identifiers such as name and referral dates to create a linked study database which was 186 subsequently de-identified.

187

### 188 Survey data collection

The VHT also assessed those found to be eligible for government-supported social protection programs for interest in survey participation. We randomly selected a subset of those interested for survey participation, stratified by HC and sex. We collected socioeconomic information as well as perceptions and experiences with linkage to the CDO for social protection enrollment. Surveys were conducted one month following HC referral.

194

## 195 **Outcomes**

Study outcomes focused on implementation outcomes that reflected the HC screening and linkage process. These outcomes included numbers and proportions of: 1) people with presumed TB screened for eligibility for study and social protection linkage criteria at the HC (screened), 2) those eligible for linkage among total screened (eligible), 3) those referred to the CDO among those eligible (referred), 4) those who presented to the CDO after referral (linked), 5) those sent the 20,000 USH transport reimbursement, and 6) those ultimately enrolled into a social protection scheme (enrolled). Among those who presented to the CDO we ascertained time from referral to presentation for social protection enrollment. We additionally included TB care outcomes related to TB screening, diagnosis, and treatment.

205

## 206 Statistical analysis

We assessed patient characteristics, implementation of the pilot linkage process, TB register data, and survey results using numbers and proportions for categorical data and either median and interquartile ranges (IQR) or means with standard deviations (SD) for continuous variables. All analyses were conducted using Stata version 16 (StataCorp, TX USA).

211

The study protocol was approved by the institutional review boards of the University of California San Francisco, San Francisco, CA, USA, Makerere University School of Public Health, Kampala, Uganda and by the Uganda National Council for Science and Technology, Kampala, Uganda, and included a waiver of written informed consent for social protection program referral and access to routinely collected demographic and clinical information among all participants. Verbal consent was obtained for participation in surveys.

218

# 219 **RESULTS**

## 220 Social protection program characteristics

We identified seven major government-supported social protection programs being implemented across all regions where the pilot was taking place. A description of the target population and intended function and structure of benefits and geographic coverage are summarized in **S1 Table**. All programs provide benefits at either the subcounty or parish level, which is the most granular administrative level in a subcounty. The majority of social protection programs were group-based, in which benefits are distributed not individually, but to a group of eligible individuals participating in the same enterprise. Most social protection programs provided benefits as loan requiring repayment with interest. Two programs distributed benefits as grants, which do not require repayment, and one program distributed agricultural inputs to land-owning beneficiaries.

230

## **Feasibility of the pilot facilitated linkage process**

232 From May to December 2021, we screened 855 persons undergoing TB diagnostic evaluation at 233 participating HCs. Among the 855 screened, we found 655 (76%) adults to be eligible per government-234 supported social protection program criteria. 25 (4%) of those eligible were not interested in referral and 235 declined to participate. The remaining 630 (96%) were informed they were likely eligible for a social 236 protection program based on results of the screening. All were referred to the CDO for further 237 assessment. Sociodemographic and clinical information on participants referred for social protection 238 enrollment is shown in **Table 1**. 386 (61%) of those referred were successfully linked to the sub-county 239 CDOs and were ultimately evaluated for social protection program enrollment with a median time to 240 linkage of 1 day (IQR: 0-4). The development officer at the CDO found 382 of the 386 (99%) participants 241 referred for social protection enrollment to be eligible for one or more government-supported social 242 protection program. Of the 386 total participants linked to the CDO, 362 (94%) received the transport 243 refund. 122 (32%) of those who were linked and evaluated at the CDO were ultimately enrolled into a 244 social protection scheme, representing only 19% of those eligible (Fig 1). There was substantial variation 245 in implementation outcomes by health center (S2 Table).

246

Table 1. Demographic and clinical characteristics of the study population across all participating
 health centers.

10

Characteristic	N (%) or Median (IQR)
Age, Median (IQR)	35 (26-48)
Female sex, n (%)	372 (59.0)
HIV status, n (%)	
Positive	170 (27.0)
Negative	441 (70.0)
Unknown	19 (3.0)
Micro-bacteriologically confirmed TB, n (%)	36 (5.7)
Treated, n (%)	30 (4.8)
Treatment outcome (n=30), n (%)	
Completed	15 (42.1)
Cured	10 (33.3)
Lost to follow up	1 (3.3)
Died	3 (10.0)
Transferred out	1 (3.3)

## 249 CDO=community development office; IQR=interquartile range; TB=tuberculosis

250

251 Fig 1. Linkage feasibility based on cascade of screening, referral, and enrolment into a social 252 protection program. CDO=community development office; SP=social protection. Each bar represents 253 a necessary step in the linkage program from screening for social protection enrolment, identification of 254 those eligible, facilitated referral for those interested in participating, linkage to the CDO, and enrolment 255 in an available program. Reasons participants were found to be ineligible for social protection eligibility 256 included those living in a subcounty outside of the jurisdiction of the CDO (n=134; 16% of all screened), 257 those not meeting age requirements (n=38; 4% of all screened), those who were government workers on payroll (n=14; 2% of all screened), and those already enrolled in social protection schemes (n=14; 2% of 258 259 all screened).

260

## 261 Survey results

262	Ninety-seven participants (median age was 38 years (IQR: 26-48); 57 (59%) were female) responded to
263	our survey. Over half (n=49; 51%) of the participants were multidimensionally impoverished or severely
264	multidimensionally impoverished based on the Multidimensional Poverty Index (MPI) (22). Dissaving due
265	to the economic impact of TB was common; 74% (n=72) used personal or household savings, 51% (n=50)
266	reduced household food intake, 41% (n=40) sold an asset, and 40% (n=39) took out a loan to cover costs
267	associated with their current episode of illness (Table 2). Unmet social needs were also commonly
268	reported; 70% (n=68) of participants had food insecurity, 39% (n=38) lacked reliable transport to the HC,
269	and 80 participants (82%) indicated that it was difficult to pay or find basic needs such as food, housing,
270	and medical care (Table 3).

271

## Table 2. Household and individual characteristics of survey participants.

	N (%), Mean (SD), or
	Median (IQR)
Total surveys	97
Age (Median, IQR)	38 (26-48)
Female sex	57 (58.8)
Multidimensional Poverty Index	
Not poor/not vulnerable	17 (17.5)
Vulnerable to poverty	31 (32.0)
Impoverished	34 (35.1)
Severely impoverished	15 (15.5)
Participant is head of household	62 (63.9)
Participant is not currently working	19 (19.6)
Education level	
None	6 (6.2)
Primary level	62 (63.9)
Secondary level	25 (25.8)

Tertiary level	4 (4.1)
Household size (Mean, SD)	5.8 (2.9)
Participant has a functional bank account	19 (19.6)

273 IQR=interquartile range; SD=standard deviation

274

275	We compared self-reported data regarding social protection program referral, linkage and enrollment
276	between HC and CDO logbooks. All survey participants (n=97) were found eligible for CDO referral.
277	However, four survey participants did not realize they had been found eligible and were referred to the
278	CDO for social protection enrollment. 64% (n=9/14) of those who thought they were enrolled into a
279	scheme by the CDO had not been upon CDO logbook review, while 8 of those who were indeed enrolled
280	into a social protection scheme according to CDO logbook data did not know that they had been enrolled.
281	The majority (n=25; 54%) of those not enrolled into a program did not know the reason for why they were
282	not enrolled (Fig 1). 63% (n=61) of survey participants indicated that they would have not sought out a
283	social protection program without this linkage program.

284

### 285 Table 3. Negative financial consequences and unmet social needs among individuals presumed

## 286 to have TB (n=97).

Economic impact of TB	N (%)					
Dissaving						
Used personal or household savings	72 (74.2)					
Reduced household food intake	50 (51.6)					
Sold an asset	40 (41.2)					
Took out a loan	39 (40.2)					
Took a child out of school	7 (7.2)					
Unmet social needs						
In past 1 month:						
Worried food would run out (sometimes/often)	68 (70.1)					

Lack of reliable transportation kept from: health facilities, work, market, or from getting things needed for daily living	38 (39.2)					
Been to a place where free food is distributed	14 (14.4)					
Current living situation						
Steady place to live	57 (58.8)					
Steady place to live, but worried will lose it	37 (38.1)					
No steady place to live	2 (2.1)					
Missing living situation	1 (1.0)					
Difficulty in paying/finding basic food/housing/medical care						
Somewhat difficult	69 (71.1)					
Not difficult at all	17 (17.5)					
Very difficult	11 (11.3)					

TB=tuberculosis. Participants in the pilot social protection linkage program randomly selected to participant in a survey described persistent social and financial challenges during their illness.

289

# 290 **DISCUSSION**

291 Innovative, multisectoral approaches are urgently needed in order to reach the ambitious global public 292 health goal of ending TB. We sought to evaluate the acceptability and feasibility of a program in which 293 we facilitated the linkage of people with presumed TB from community health centers to local community 294 development offices for enrollment into government-supported social protection programs. Our results 295 suggest this linkage program was highly acceptable, with 92% of those eligible interested in the referral 296 program, as well as technically feasible, with 99% of participants linked from the HC subsequently 297 confirmed to be eligible for one or more government-supported social protection program. Our program 298 delivered transportation vouchers with high fidelity; 94% of those who sought social protection enrolment 299 at the CDO successfully received their mobile money. Our results also suggest that this social protection 300 linkage program addressed an important need: 63% of surveyed participants (n=61) felt that the program 301 facilitated access to social protection benefits that they might otherwise not have sought out. Despite

feasibility and acceptability of this health system-based linkage process, ultimate enrollment into programs was limited. Among the 382 total eligible persons linked to CDOs, only 122 were enrolled into a program, representing less than 20% (n=655) of those who were eligible to receive social protection benefits.

306

307 Our study demonstrates individuals with presumed TB are exceedingly socioeconomically vulnerable. 308 with high levels of impoverishment and unmet social needs. Over half of our participants were classified 309 as either impoverished or severely impoverished based on a validated quantitative measure, the MPI. 310 Surveys revealed many participants engaged in negative financial coping strategies, called dissaving, in 311 order manage the costs of TB associated care seeking and symptoms: 40% of participants took out a 312 loan, 41% sold an asset, 52% reduced household food intake, and 74% used personal or household 313 savings (Table 3). Most surveyed participants reported unmet social needs, including 82% who indicated 314 they faced difficulties in accessing basic needs and services including food, housing, and medical care. 315 In the month prior to participating in our surveys, over 70% of participants were worried that their food 316 source would run out, with 14% of respondents having been to a place where free food is distributed. 317 These results are in keeping with the large literature citing the social and economic consequences of TB 318 (3,6,23). Unfortunately, while 76% of individuals being evaluated for TB related symptoms were eligible 319 for social protection programs, less than 20% were enrolled, representing a major gap in social protection 320 service delivery for this vulnerable population.

321

Several implementation challenges likely contributed to the substantial attrition of participants from the time of referral at the health center to social protection program enrolment. Distance between the HC and CDO and/or associated time and opportunity costs for additional visits to a government office may not have been overcome by our transportation vouchers for all participants. Among those that reached the CDO but were not enrolled in a social protection program, attrition was largely due to unpredictable closures at the CDO and a lack of available development staff. Even after linkage to a development office,

15

328 our survey results revealed that 20% of eligible participants faced systems barriers to enrollment, 329 including strict limitations to enrollment based on the terms and structure of government-supported 330 programs. In most Ugandan social protection or development programs, eligible clients are required to 331 either form or join groups of 7 or more other eligible clients prior to being enrolled. Although requirement 332 for group formation is likely intended to mitigate financial risk for the program and support community 333 building, it presented a formidable barrier to enrollment for our study participants who are often left to 334 navigate these complex terms on their own. Finally, we found evidence of knowledge and communication 335 barriers among participants. Over half of survey participants indicated that they were not told the reason 336 for why they were not enrolled into a social protection program. Other discrepancies were also noted: 8 337 survey participants whose logbook data reflected social protection program enrollment reported that they 338 were not enrolled, while 9 participants self-reported that they were enrolled into a program when logbook 339 data indicated that they were not. This mismatch may reflect a breakdown in communication and lack of 340 understanding among community members of the process of receiving social protection benefits. These 341 results also highlight the importance of optimizing performance for social protection programs as a pre-342 requisite for successful implementation and scale up of sustainable multi-sectoral linkage programs that 343 address the social and economic determinants of TB.

344

345 As with most pilot programs, our approach has several potential limitations. First, we did not include 346 informal, community-based social protection programs that are common in Uganda, including saving 347 circles or loans from faith-based organizations, nor did we include large social protection programs 348 administered and funded by multilateral or bilateral implementing partners in our linkage program. We 349 chose not to include these programs as they were not government funded and thus had less likelihood 350 for sustainable scale-up. Future research may consider the impact that access to such programs may 351 have on TB outcomes. Additionally, we observed high levels of heterogeneity in screening, eligibility, and 352 enrollment across participating HCs (S2 Table) but were unable to explain the reason behind these 353 differences with our study data alone. Additional research including interviews with health center staff

and CDO officers will be necessary to gain a better understanding for the differences we saw in program eligibility and enrollment across health centers, as well as the supply and demand mismatch we observed in access to social protection programs for eligible TB-affected individuals overall.

357

358 The main strength of our study stems from our early partnership and collaboration with both the 359 NTLP/Ministry of Health and the Expanded Social Protection Programme within the MoGLSD. Engaging 360 a key governmental partner outside of the health sector with the mandate for provision of social protection 361 programs enabled our study to co-design our implementation strategy, collect essential process metrics, 362 and leverage ongoing programs in our approach. Our focus on implementation outcomes provides a 363 simple and systematic approach to measure social protection program coverage and attrition in services 364 for eligible TB-affected individuals which may be replicated in other similar settings. Finally, our use of 365 explanatory surveys provides some crucial insights into key gaps in the linkage process, while also 366 highlighting barriers and facilitators that will support the development of improved linkage strategies and 367 metrics to foster multisectoral accountability, an approach highlighted as critical for reaching END TB 368 targets (20).

369

370 While all government-supported social protection programs that were included in this study could be 371 considered TB-sensitive, in that although not directly targeting TB-affected patients their effects could 372 have downstream impacts on TB-related outcomes and mitigate the financial consequences of disease 373 (19), the challenges with even facilitated linkage to such programs suggests that an improved strategy 374 for reaching vulnerable TB affected individuals is required. Like other high-burden and low-income 375 countries, no government-supported social protection programs are available to Ugandans with TB 376 specifically on the basis of their TB status. Given the recent growing interest in the use of social protection 377 and other multisectoral approaches to improve outcomes for TB-affected households in Uganda (20) and 378 in other similar contexts (13,24), policy makers and stakeholders should consider collaborating to improve

17

- program performance for those eligible and/or expanding the types of social development and socialprotection programs available for individuals and households affected by TB.
- 381

# 382 CONCLUSIONS

383	Individuals at risk for TB in this high-burden, low-income setting are extremely socioeconomically
384	vulnerable and, unfortunately, not covered by government-supported social protection programs despite
385	eligibility and interest. A health center based social protection linkage program for individuals presumed
386	to have TB, in partnership with community development offices, while acceptable and technically feasible,
387	has marginal impact due to implementation barriers to enrollment within the development sector.
388	Additional research is needed to identify optimal ways of enhancing access to essential social protections
389	for this vulnerable population.
390	
391	
392	
393	
394	
395	
396	
397	
398	
399	
400	
401	
402	
403	

# **ACKNOWLEDGEMENTS**

The authors are grateful to the administration, staff, and patients at the participating health centers for their time and participation, the staff and administration for the participating community development offices, the research administration of the Uganda TB Implementation Research Consortium, the Expanded Social Protection Programme within the Ministry of Labour, Gender, and Social Development, and the National Tuberculosis and Leprosy Program.

# 429 **REFERENCES**

- World Health Organization. Global tuberculosis report 2022 [Internet]. Geneva: World Health Organization; 2022 [cited 2022 Dec 2]. Available from:
   https://www.scholarter.com/doi/10.0007/0000750
- 432 https://apps.who.int/iris/handle/10665/363752
- 433
  433
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
  434
- 435
  436
  436
  437
  438
  439
  439
  439
  430
  430
  430
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
  431
- 4. Wingfield T, Boccia D, Tovar M, Gavino A, Zevallos K, Montoya R, et al. Defining catastrophic costs and comparing their importance for adverse tuberculosis outcome with multi-drug resistance: a prospective cohort study, Peru. PLoS Med. 2014 Jul;11(7):e1001675.
- 5. Saunders MJ, Evans CA. Fighting poverty to prevent tuberculosis. Lancet Infect Dis. 2016
   Apr;16(4):395–6.
- 6. Ukwaja KN, Modebe O, Igwenyi C, Alobu I. The economic burden of tuberculosis care for patients and households in Africa: a systematic review. Int J Tuberc Lung Dis. 2012 Jun;16(6):733–9.
- T. Dye C, Lönnroth K, Jaramillo E, Williams BG, Raviglione M. Trends in tuberculosis incidence and
   their determinants in 134 countries. Bull World Health Organ. 2009 Sep;87(9):683–91.
- 8. Sustainable Development Goals [Internet]. United Nations; Available from: https://www.un.org/sustainabledevelopment/
- 449
   9. The End TB Strategy: Global strategy and targets for tuberculosis prevention, care and control after
   450
   2015. World Health Organization; 2014.
- 451 10. Lönnroth K, Raviglione M. The WHO's new End TB Strategy in the post-2015 era of the
   452 Sustainable Development Goals. Trans R Soc Trop Med Hyg. 2016 Mar;110(3):148–50.
- 453 11. Uplekar M, Weil D, Lonnroth K, Jaramillo E, Lienhardt C, Dias HM, et al. WHO's new end TB
   454 strategy. Lancet. 2015 May 2;385(9979):1799–801.
- 455 12. Hargreaves JR, Boccia D, Evans CA, Adato M, Petticrew M, Porter JDH. The social determinants of
   456 tuberculosis: from evidence to action. Am J Public Health. 2011 Apr;101(4):654–62.
- Andrade KVF de, Nery JS, Souza RA de, Pereira SM. Effects of social protection on tuberculosis
   treatment outcomes in low or middle-income and in high-burden countries: systematic review and
   meta-analysis. Cad Saude Publica. 2018 Feb 5;34(1):e00153116.
- 460 14. Adato M, Hoddinott J. Social protection: Opportunities for Africa. International Food Policy
   461 Research Institute (IFPRI); 2008.
- 462 15. Social protection: A development priority in the post-2015 UN development agenda. ECA, ILO\*,
   463 UNCTAD, UNDESA, UNICEF; 2012 May.

- 464
   465
   16. Volmink J, Garner P. Systematic review of randomised controlled trials of strategies to promote adherence to tuberculosis treatment. BMJ. 1997 Nov 29;315(7120):1403–6.
- 466
   467
   468
   468
   468
   469
   469
   460
   460
   460
   460
   460
   461
   462
   463
   463
   464
   465
   465
   466
   466
   467
   468
   468
   468
   469
   469
   460
   460
   460
   460
   460
   460
   461
   462
   463
   464
   464
   465
   465
   466
   466
   466
   467
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
   468
- 18. NATIONAL STRATEGIC PLAN FOR TUBERCULOSIS AND LEPROSY CONTROL 2020/21 –
   2024/25. Uganda: National TB and Leprosy Control Program; 2020.
- 471 19. Boccia D, Pedrazzoli D, Wingfield T, Jaramillo E, Lönnroth K, Lewis J, et al. Towards cash transfer
   472 interventions for tuberculosis prevention, care and control: key operational challenges and research
   473 priorities. BMC Infect Dis. 2016 Jun 21;16:307.
- 474 20. NATIONAL MULTISECTORAL ACCOUNTABILITY FRAMEWORK TO ACCELERATE PROGRESS
   475 TO END TUBERCULOSIS BY 2030 (MAF-TB). Uganda: National TB and Leprosy Control
   476 Program; 2020.
- 477 21. Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture
  478 (REDCap)--a metadata-driven methodology and workflow process for providing translational
  479 research informatics support. J Biomed Inform. 2009 Apr;42(2):377–81.
- Reza TF, Nalugwa T, Farr K, Nantale M, Oyuku D, Nakaweesa A, et al. Study protocol: a cluster
   randomized trial to evaluate the effectiveness and implementation of onsite GeneXpert testing at
   community health centers in Uganda (XPEL-TB). Implement Sci. 2020 Apr 21;15(1):24.
- 483 23. Muttamba W, Tumwebaze R, Mugenyi L, Batte C, Sekibira R, Nkolo A, et al. Households
  484 experiencing catastrophic costs due to tuberculosis in Uganda: magnitude and cost drivers. BMC
  485 Public Health. 2020 Sep 16;20(1):1409.
- 486
   487
   24. Making universal social protection a reality for people living with, at the risk of, and affected by HIV or tuberculosis. International Labour Organization; 2021.
- 488 25. Youth Livelihood Programme (YLP) Programme Document. Kampala, Uganda: Ministry of Gender,
   489 Labour and Social Development; 2013 Dec.
- 490 26. Uganda Women Entrepreneurship Programme (UWEP) Programme Document. Kampala, Uganda:
   491 Ministry of Gender, Labour and Social Development; 2019 May.
- 492 27. Revised Guidelines for the Implementation of the Uganda Women Entrepreneurship Programme
   493 (UWEP) Programme. Kampala, Uganda: Ministry of Gender, Labour and Social Development; 2019
   494 May.
- 495 28. Presidential Initiative on Wealth and Job Creation (Emyooga) Draft Operational Guidelines.
   496 Kampala, Uganda: Ministry of Finance, Planning and Economic Development;
- 497 29. Implementation Guidelines for the Parish Development Model. Kampala, Uganda: Ministry of Local
   498 Government; 2022 Feb.

- 30. The Senior Citizens Grant (SCG) Stakeholders' Handbook: How SAGE Works in the Community.
   Kampala, Uganda: Expanding Social Protection Programme, Ministry of Gender, Labour and Social
   Development; 2022 May.
- 502 31. Guidelines on the Special Grant for Persons with Disabilities. Kampala, Uganda: Ministry of
   503 Gender, Labour and Social Development; 2020 Jan.
- 504 32. Operation Wealth Creation [Internet]. Available from: https://owc.go.ug/index.html

- - -

- - -

- ---

# 526 SUPPORTING INFORMATION

527	S1 Table. Characteristics and dates of implementation of government-supported social protection									otection	
528	programs included in the linkage program. Characteristics reflect data collected in May-December										
529	2021.										
530	S2 Table	. Screening	and r	referral	metrics	among	linked	participants	by	health	center.
531	CDO=com	imunity develo	pment c	office; H0	C=health	center; IQ	R=interq	uartile range			
532											
533											
534											
535											
536											
537											
538											
539											
540											
541											
542											
543											
544											
545											
546											
547											
548											
549											
550											



# Figure