- 1 "He stepped on my belly" An exploration of Intimate Partner Violence Experience
- 2 and Coping Strategies among Pregnant Women in Southwestern-Uganda
- 3 Eve Katushabe^{1, 2}, JohnBosco Ndinawe³, Abeneitwe Editor², Katusiime Agnes², Gladys
- 4 Nakidde², John Baptist Asiimwe⁴, Vincent Batwala⁵
- 5 Department of Community Health, Mbarara University of Science and Technology,
- 6 P.O. Box 1410, Mbarara City, Uganda.
- ²Department of Nursing, Bishop Stuart University, P. O. Box 09, Mbarara City, Uganda.
- ³Road to Care, Kampala City, Uganda
- 9 ⁴School of Nursing and Midwifery, Aga Khan University, Uganda Campus, Kampala
- 10 City, Uganda

16

17

18

19

20

21

22

23

24

25

- ⁵Directorate of Research and Graduate Training, Mbarara University of Science and
- 12 Technology, P. O. Box 1410, Mbarara City, Uganda.
- 13 Corresponding author
- 14 Email: ekatushabe@nhs.bsu.ac.ug (EK)

Abstract

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

Intimate Partner Violence (IPV) associated with pregnancy remains a challenge globally and in the Ugandan context. However, literature on IPV experiences, support seeking and coping strategies during pregnancy remains limited in Uganda. This study explored the pregnant women's IPV experiences, support seeking and coping strategies in Southwestern Uganda. Pregnant women with IPV experience during the index pregnancy were purposively approached for in-depth interviews and saturation of data was reached at 25 respondents. Data was analyzed inductively using thematic analysis. Women voiced experiences of IPV that included partners: spending nights away from home without any communication, refusal of accompaniment for antenatal care contacts, uncomfortable sexual intercourse positions, forced sexual intercourse, being slapped, punched, and kicked, failure to pay bills like rent, children's school fees, transport money to seek medical care and food. Women preferred sharing IPV experiences with their biological mothers to midwives or any other person and some kept it to themselves. The main support given by their support systems was encouraging the victims to try and maintain their marriage and keeping quiet when the partner starts quarreling. Women coped by confiding in their relatives, keeping silent, self-consolation, tolerance of the perpetrator since they financially depended on them, distracting bad thoughts through thinking about good things like friends, self-blame and praying to God. Pregnant women did not understand the role of midwives in IPV nor did the midwives' inquire about the IPV experience during Antenatal care contacts. The findings of this study point to the need for the Health system to incorporate a user friendly IPV screening tool onto the ANC card to enhance routine IPV screening by

- 49 midwives and recruit counselors and peer supporters to assist midwives in providing
- 50 individualized psychological support.
- 51 **Keywords:** Intimate Partner Violence, Coping, Pregnancy, midwives' role, Uganda

Introduction

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

Intimate partner violence (IPV) is a public health problem and has been recognized as a serious social issue^(1, 2) which affects all women irrespective of cultural or religious affiliation, socioeconomic and education background^(3, 4). IPV manifests in forms of physical, sexual, psychological^(5, 6) and economic abuse ^(7, 8). In addition to other forms of violence, economic violence has been identified more recently as another form of IPV. It involves behaviors that control the victim's power to get, use and maintain resources hence lowering the victim's economic security and possibility for self-sufficiency⁽⁹⁾. Furthermore, economic violence affects both the woman and children since it contributes to home instabilities especially when the perpetrators neglect their role as family breadwinners which is contrary to the African culture(10, 11). Globally, it is known that one in three women experience IPV in their life time, with African countries ranking highest⁽¹²⁾ and reporting IPV in pregnancy at 66.9% in Kenya, 18.8% in Tanzania, 41.1%, 59% in Ethiopia and 61.8% in Gambia (13-17). In Uganda among women of the reproductive age (15-49 years), 40% of the ever married experienced IPV (18) and according to the Uganda Bureau of Statistics (UBOS), perinatal IPV was reported at 10.6%, while IPV during the index pregnancy at 27.8% in Eastern Uganda and 70.3% in Southwestern Uganda (18-20).

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

Occurrence of IPV negatively affects pregnancy outcomes for both mother and infant (21, ²²⁾. Earlier studies reported that women experiencing IPV during pregnancy are at a higher risk of chronic stress⁽²³⁾, spontaneous abortion, delayed antenatal care first contact, sexually transmitted diseases acquisition, antepartum hemorrhage, trauma related to IPV, feeling of defenselessness and other health problems (18, 24-28). These may lead to serious mental health problems like substance and alcohol abuse, depression and suicidal tendencies (25, 28-32). Effects on the baby include: premature rupture of membranes, risk of preterm birth, low birth weight, fetal injuries, perinatal and neonatal mortality (25, 28, 33, 34). Pregnant women experience shame, fear and stigma following IPV episodes, which significantly contributes to victim isolation and concealment of her experiences yet involving other people can be a strategy to cope with the violence (35, 36). nevertheless some studies indicate that a number of victims will seek support in severe IPV cases⁽³⁷⁾. which helps them in dealing with the traumatizing life events (38). Studies report that IPV victims adapting certain coping strategies have lower risks of suffering from alexithymia and depression^(39, 40). The identified coping strategies include: using various distracters to avoid bad feelings like watching movies, singing and talking to friends averting their intimate partners' attention and protesting against violence (38, 41), and seeking social support, problem solving and self-re-examination, dedication to religion which involves praying, reading the Bible and visiting pastors for counseling and prayers (42-45). Some victims adopt coping strategies like fighting back or shaming the partner by disclosing the violent behavior beyond family members to co-workers or friends, self-blame (43, 44), acceptance, using emotion-focused strategies which include substance use (including alcohol, other drugs) (43). Coping strategies commonly in African settings include: self-re-

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

examination, devotion to religion and quest for informal social support. These practices can positively or negatively impact onto ones' mental or physical health⁽⁴¹⁾. Concentrating on coping strategies used by women can be helpful in developing focused IPV management interventions⁽⁴⁶⁾. Pregnancy provides a unique opportunity for health care providers to connect with women in time enabling identification of IPV experiences and its distinct effects (47), as they come for ANC contacts. Currently women in Uganda are recommended to have eight ⁽⁸⁾ contacts with care providers during pregnancy and IPV screening is an important ANC package for every woman (48). Though the Uganda clinical guidelines (UCG) recommends IPV screening during the prenatal period (49), there is a paucity of documented information regarding qualitative inquiry of pregnant women's IPV experiences and their coping strategies. Many studies have reported IPV experience, prevalence and associated factors during pregnancy using quantitative methods (6, 19). Therefore, our aim was to explore IPV experiences, coping and support seeking strategies among pregnant women attending a city hospital in Southwestern Uganda. **Materials and Methods** This study was carried out within a larger study titled "Intimate partner violence disclosure among pregnant women attending a health facility in South Western Uganda" An interpretive phenomenological qualitative study design was employed to explore pregnant women's IPV experiences, support seeking and their coping strategies. The study was conducted at the ANC clinic of a high-volume City hospital for a period of one month from 7th January 2019 to 7th February 2019. The hospital operates a daily general outpatient, Antenatal, Family planning and Young Child Clinics; and an inpatient

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

Maternity Ward where normal deliveries, assisted and operative deliveries are conducted. The facility ANC monthly attendance was 800 (including new and re-attendance) as per 2018 Hospital database (both new ANC cases and re-attendance). These ANC consultations for all low risk pregnant women are managed by midwives on a daily basis Monday to Friday excluding Thursday which is strictly for pregnant women living with Human Immune Virus (HIV) and high risk cases are managed by the medical officer with room for referral to the nearby Regional Referral Hospital. Participants aged 15 and above in a larger cohort of 199 pregnant women that had experienced at least one form of IPV were enrolled for the in depth interviews. Purposeful sampling (50) was used to select pregnant women that had experienced IPV. The sample size was a maximum of 25 respondents; this was guided by the saturation of data attained during the in-depth interviews. An In-depth interview guide was used. We pre-tested the interview guide on five pregnant women attending ANC from a different health facility. Ambiguous questions in the guide were amended for clarity before data collection commenced. The interview guide contained questions on the bio-demographic characteristics (Age, tribe, level of education), probing questions about the type of IPV experienced "What form of intimate partner violence (IPV) have you experienced during this current pregnancy?" How did you feel when this was experienced?":"What did you do when this happened?":"Why did you do that?": "Have you ever told any midwife voluntarily about the IPV experience?": "Have you ever been asked by a midwife about IPV during pregnancy": "What do you do to cope with the violent partner? "The interview guide was informed by literature on IPV (13, 37, 43, 51).

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

We carried out in-depth interviews which were audio recorded and field notes were taken. Each interview took between 45 to 60 minutes. The interviews were majorly carried out in the local language Runyankole to ensure the best quality of data since it is the commonly used language in the area. Interviews were conducted by KE who is experienced in collecting qualitative data and two baccalaureate nurses who were trained in qualitative data collection. The first author and interviewer introduced the study to the health facility in-charge and other health care providers in person to introduce the study and create rapport. Participants were informed that participation is voluntary and decision to withdraw wouldn't affect their routine care. Recruitment was done at the exit after receiving all the ANC services. In-depth interviews were carried out in the ANC clinic private rooms which prevented interruptions and supported privacy. Before each interview session, written informed consent was obtained. Data identifiers were not considered to maintain confidentiality and data safety, therefore pseudonyms or false names have been used in this study. Data was analyzed using thematic analysis approach. Thematic analysis was selected for the study as it allows analysis and understanding of the meaning of various coded responses from interviews in their right context⁽⁵²⁾. Initially interviews were transcribed in Runyankore and then translated into English. Transcription and translation were done by KE and NJB and these checked themselves. The translated scripts were repetitively read by three researchers individually to familiarize themselves to the data and pinpoint significant responses connected to the study objectives as well as distinctive responses to the prompts consequently inductive coding was done. After finding repetitive expressions, responses that included the expressions were highlighted and color coded in each interview. The color coded phrases were grouped into categories and the categories structured into themes. During this analysis, themes directly connected to the study objectives were identified. In addition, emergent and new themes were also established. The themes were revised by the team for accuracy and to authenticate that they represented the correct description of the respondents. Inductive thematic data saturation was achieved by ensuring that no more new codes or themes were identified during analysis. This shows that majority of the codes were recognized during the first interviews, followed by decreasing codes identified from the rest of the interviews.

Ethical considerations

The research protocol was reviewed and approved by the Research Ethics Committee of Mbarara University of Science and Technology (Ref: MUREC# 22/09-18). The WHO guidelines on "Ethical and safety recommendations for research on Intimate partner violence against women" (53) were followed. Study methods were executed in agreement with the guidelines and regulations of the Declaration of Helsinki to uphold ethical standards and respect for the respondents to ensure their safety and protected their health and rights (54). Informed Consent was sought from all study respondents for individual interviews at the time of data collection, enrolled pregnant women of 15 to 17 years of age; need for consent was waived by the research ethics committee and were considered as emancipated minors. The participants were informed that no identity would be used so participants were referred to using pseudonyms names. Interviews were carried out in private rooms by female interviewers to minimize under reporting of IPV experiences. A trained counselor was recruited for the study to emotionally support women that had

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

distress, only two sought for support from the study counselor. No cash incentives were provided, only refreshment in form of a soft drink and a cup cake were given to each respondent to prevent hypoglycemia. Rigor and trustworthiness of data Guba and Lincoln's criteria including credibility, dependability, confirmability and transferability were followed to achieve rigor and confidence in the study findings (55). To maintain credibility of the results, the research team conducted training meetings and pilot interviews. Each of the interviewers conducted two pilot interviews to perfect the overall process using the interview guide, time-management and the overall administration of the interviews. The analyzers had prolonged engagement with the data. Also the multidisciplinary background of the research team in midwifery, nursing, public health and health service research enabled us to interpret the findings. These features guaranteed that data collection and content were consistent. For dependability the study to dispose of individual analyst predisposition, the three team members (KE, NJB and AJB) were responsible for reading the translated scripts, as well as independently coding and generating meaning out of the data. The individual data was then compiled by the three analysts and evaluated for consistency. Any analyses that were inconsistent or equivocal were discussed amongst the analysts and interpretations clarified until there was consensus among all the three analysts. For confirmability the analysis was conducted by the research team who had diverse perspectives to the data interpretation. Each analyst used a separate reflexive journal to record different issues that could have affected the analysis process this contributed to appreciation of collective interpretation of the findings. We also used recorded audios and investigators' field notes as a form of triangulation to validate the data collected. This enabled us to eliminate potential individual investigators' predisposition and achieve neutral findings reflecting information from the respondents.

To ensure transferability purposive sampling was employed to form a nominated sample of pregnant women who had experienced IPV and we gave an adequate description of the study site and the respondents

Results

The reported results are derived from In-depth interviews with pregnant women experiencing IPV. Data from interviews are presented in form of cases with direct quotations from the respondents and pseudonyms have been used hereunder.

Characteristics of respondents

Majority of the participants (56%) were aged 15-25 [range 19 -34] years. Some 64% were in the second trimester, 40% prime gravidae, 40% had small businesses (including tomato and charcoal selling) while 56% had attained secondary level of education, most participants were married (n=92%), the remaining 4% abandoned by partner after awareness of conception, the other 4% runaway after conception due to unbearable violence as shown in table 1 below.

Table 1 Characteristics of the participants (n=25)

| Variable | Category | Frequency (%) |
|------------|----------------------|---------------|
| Age(Years) | 15 – 25 | 14 (56) |
| | 26 – 35 | 11 (44) |
| Trimester | 1 st | 3(12) |
| | 2 nd | 16(64) |
| | 3 rd | 6 (24) |
| Gravida | 1 | 10(40) |
| | 2 | 5(20) |
| | 3 | 6(24) |
| | ≥4 | 4(16) |
| Occupation | Salaried job | 6(24) |
| | Small scale business | 10(40) |

| | Housewife | 5(20) |
|-----------------|---------------------|--------|
| | Others | 4(16) |
| Education level | No formal education | 1(4) |
| | Primary level | 4(16) |
| | Secondary level | 14(56) |
| | Tertiary level | 6(24) |
| Marital status | Married | 23(92) |
| | Not married | 2(8%) |

Themes

226

227

232

235

- Responses from the participants were categorized into four major themes: IPV experiences, support seeking, coping strategies and with intergenerational continuation of
- 230 IPV. Within each theme, multiple sub-themes were generated to explain the phenomenon
- 231 better.

Theme one: Various experiences by pregnant women

- 233 Participants' narratives highlighted various experiences of IPV which were categorized
- as: Psychological, physical, sexual and economic violence.

Psychological violence

- 236 This was experienced in different forms that include: talking rudely, accused of
- extramarital affairs, partner receiving phone calls late at night, spending nights outside
- 238 home, abandoned after conception, refusal to accompany women while attending ANC,
- chased with a crying child at night and Children witnessing the violence.
- 240 Intimate partner talking rudely was commonly voiced by pregnant women in the study.
- 241 This made pregnant women sad and frightened by the perpetrator.
- When we are in the house he can talk to me with a loud voice, it makes me feel bad and I
- 243 get scared of him" (Maureen).
- "He talks to me with a loud voice and he doesn't care whether I get angry or not"

245 (*Beatrice*)

- 246 Most of the pregnant women were accused by their intimate partners of having
- extramarital affairs and had a tendency to get angry when they found other men talking to
- 248 these women even in public places. Some were accused of having extra marital affairs
- 249 with brother in-laws as long as women were out of the intimate partner's vicinity. This

250 caused psychological trauma since some of these women would be in their gardens 251 toiling for the family welfare. 252 He thinks I have other men yet, I have a shop most of my customers are men but when he finds me talking to them he becomes angry" (Annette). 253 254 "He gets mad at me when he finds me talking to other men and wants me to explain what 255 we were talking about, imagine that!" (Meron) 256 "My husband remains in bed, after he accuses me to have sexual relations with his 257 brother yet I'm always in the garden working with his mother" (Rehema). 258 259 Intimate partners receiving phone calls late in the night was a common occurrence among pregnant women, claiming that their partners talked for a longtime and were very much 260 suspicious that it were other women they communicated to. This made the victims 261 uncomfortable. 262 "He receives phone calls at night from other women and he talks for a very long time, it 263 annoys me" (Annette) 264 265 "He receives phone calls late in the night almost every day, I have complained most of the times but he cannot listen to me, it bothers me" (Godwin) 266 267 Some women voiced that their partners spent nights outside their home without prior notification. This brought mixed feelings of insecurity and fear, wondering if there is 268 269 another woman and sometimes questioning if he is not in any danger. Some women were told by their intimate partners that since they own the home they can always come back 270 271 home anytime they wished and women shouldn't intervene in anyway. "Sometimes he does not spend nights at home, he does not tell me where he is, it keeps 272 273 me imagining a lot of things....." (Imelda). 274 Most of the times he comes home towards morning, I cannot tell where he is always 275 coming from, when I ask him he tells me that it's his house and he can come back anytime he wants....bursts into tears (Beatrice) 276 277 Some women revealed that the intimate partners abandoned them, blocked their

telephone numbers after discovering about the pregnancy. This was often preceded by

convincing the women to abort since the partners were not interested in the pregnancy.

278

279

- 280 "My partner impregnated me, when I told him that am pregnant he told me to abort I
- 281 refused, and then he abandoned me and blocked me on his phone right now I can't tell
- 282 his where about" (Imelda).
- 283 At first everything was fine, but when I told him that I'm pregnant his behaviors changed,
- 284 he told me to abort and I refused, one night he strangled me like he wanted to kill me, I
- 285 managed to run away and never went back..." (Irene)
- 286 Pregnant women expressed concern about their intimate partners failing to accompany
- them as they seek health care. Some voiced how their intimate partners refuse to escort
- them for antenatal care attendance claiming that it's a waste of time.
- 289 "He refuses to escort me to the health facility that it's a waste of time for example when
- 290 going for Antenatal care" (Sarah).
- 291 "I wish he can accept to accompany me when I'm coming here, but he cannot he always
- asks me if he is the one carrying the pregnancy" (Grace)
- 293 Women being chased out of the house with their crying children were a common form of
- 294 psychological violence. Intimate partners had a tendency of telling the women to move
- out of their sight claiming that the children made noise that interrupted their peace and
- sleep. This made pregnant women feel bad since they expected their partners to first
- understand why the baby is crying and get involved in child care.
- 298 "He tells me to carry away my child at night, that he doesn't want noise"
- 299 (Rehema,).
- "When any of the children cries at night, he tells me to get off his sight with the crying
- 301 *child as if the child belongs to alone, it hurts!*"(**Jackline**)
- 302 Some women reported their children witnessing the violence and had nowhere to take the
- 303 children to prevent them from witnessing the IPV incidences. This brought a lot of
- 304 discomfort.
- 305 "What pains me most is that our child witnesses us insulting each other and fighting so
- often I don't know where to take the child" (Sarah)
- "He talks to me any how even the presence of our children" (Maureen)
- 308 Sexual violence
- 309 This was experienced in form of Uncomfortable sexual intercourse position and forced
- 310 sexual intercourse.

Uncomfortable sexual position was one of the mentioned forms of sexual violence. 312 Women claimed that their intimate partners enjoyed positioning themselves on top 313 without caution and not listening to pregnant women's grievances, yet it's very painful 314 and uncomfortable due to the gravid uterus. "Laughs....my husband wants to be on top of me during sexual intercourse yet am 315 pregnant and I feel a lot of pain, I have told him that it's not comfortable but he does not 316 listen he does it every day and it hurts me". (Rose) 317 Some respondents reported forced sexual intercourse by their partners, especially after 318 after being beaten by the intimate partner, women became annoyed, lost feelings and 319 interest in coitus yet their partners pretended like nothing had happened and forced them 320 into sexual intercourse. Respondents had no choice but to let their partners fulfill their 321 322 sexual desires. There was also a common perception that a husband had the right to 323 sexual intercourse at any time regardless of the women's choice. "Like he beats me, I get annoyed so I cannot have feelings for sexual intercourse, but 324 he tells me to turn and he forces me, I have no choice since he is my husband but when 325 there are no feelings and i feel it on my heart that I don't want to" (**Doreen**). 326 "My husband has bad behaviors, I come from the garden very tired and he forces me to 327 have intercourse with him there and then yet he spends the whole day in bed" (Rehema). 328 329 Physical violence This was experienced in form of being slapped, pushed, kicked, stepped on the 330 abdomen and hit 331 Women expressed concerns of being physically violated on a daily basis while pregnant. 332 333 This sometimes left women with serious bruises. 334 "... Am now pregnant but he beats me almost every day. He slaps, pushes, kicks and hits 335 me with his fists most of the time" (Joan). Some of these fights emanated from refusal of the women to follow the husband's 336 337 commands, Rose was not spared by her intimate partner after failing to listen to orders of carrying a bunch of bananas commonly known as "Matooke" from the banana plantation. 338 She knew pregnancy consequences of carrying heavy loads. She wished her husband was 339

340 considerate such that he can perform the heavy duties by himself. Rose obeyed after a slap in fear of being hit again. 341 342 "He slapped me on the back during this current pregnancy, he wanted me to carry a bunch of matoke from the banana plantation....." (Rose). 343 Doreen narrated how she was beaten by Robert her husband and reported that the 344 violence escalated every time she conceived. The worst occurrence was stepping on her 345 abdomen during the fight. Robert always ensured that he left marks on Doreen's face. 346 The couple already had children and Doreen claimed that she stayed for the children 347 since she had no job and had nowhere to go with them. Doreen claimed Robert had 348 another woman. 349 ".....My husband beats me so badly, especially the time I'm pregnant, he recently 350 351 stepped on my belly. Every time he beats me he ensures that he leaves a mark on me...... I can't go anywhere with these children". (**Doreen**) 352 Marion recounted how she is always slapped on the face, ears and head. To her, most of 353 354 the times her partner was interested in damaging her face. All this created bad feelings 355 and anger. "My husband slaps me on the face, ears and head. I feel so bad and I'm always very 356 357 angry". (Marion) Meron voiced how her intimate partner fought and behaved like a drunkard every day. 358 359 The fights would be triggered by trivial issues. "My husband is a fighter ... he slaps me every day he does things like for a drunkard yet 360 361 he does not drink any alcohol". (Meron) **Economical violence** 362 363 Economic violence was reported by the respondents and they expressed how their partners stopped them from working to earn money, not given money to seek health care, 364 failure to buy food at home and non-involved in purchase of family assets. 365 Lack of financial support 366

367 Lack of financial support was one of the forms of economic violence reported. Olivia

368

369

claimed that her intimate partner had money but refused to pay money for rent, school

dues for the children and failed to buy food for the family yet he wanted to eat at home.

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390 391

392

393

394

395

396

397

398

399

This left Olivia stuck with no constructive solution but to tolerate him as the father of the children and man of the house. "You can see that he has money but does not pay for us rent, school fees and food, yet in the morning he wants to eat.... (Cries), but I have nothing to do he is the father of my *children.....*" (**Olivia**) Sharon narrated how Peter her husband wasn't leaving any money at home for food and other home expenses most of the times Peter claimed that he had no money yet he came back home late and drunk on a daily basis and this kept Sharon wondering where Peter got the money to buy alcohol. She always dedicated her partner to God with hope to change into a responsible man. "He always leaves no money and food at home, he comes back towards morning drunk. I keep praying and dedicating him to God with hope that he will change". (Sharon) Women expressed their concern about how their intimate partners failed to provide money for transport to seek for medical care and Antenatal care attendance. Sometimes intimate partners ignored these women when they were sick. Women required money for transport and money for food since there are long waiting queues at the facilities. Women believed that this highly contributed to delay in seeking ANC services and sometimes missing appointments. "My husband cannot give me care, like i want to go the health facility, he cannot give me transport and money to buy something to eat on the way so I have to look for it and that is a big problem, i buy each and everything by self". (**Teddy**) "I tell him am sick but he takes it easy like am not sick he ignores me without giving me money to go to the health facility......, I look for fees for the children and yet I have a partner it bothers me".(Doreen) Women as sole family breadwinners Some women claimed to be sole family bread winners and where their main source of income was small scale farming to enable women cater for some basic needs like soap and food. Majority were bothered because they provided everything for the family without intimate partner's contribution. Women expressed bad feelings about this and admitted that it's not an easy situation.

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

I usually do some small farming to cater for all the basic needs in the home, he provides nothing." (Rehema) "I usually plant beans when the season is good I sell them and I get some money for basic needs at home, he doesn't give us anything." (Merab) Deprived of gainful employment Norah narrated how she was stopped from gainful employment by her intimate partner despite the fact that she attained formal education. This was painful and quite disturbing because Norah's spouse was not providing all her financial needs. She had a perception that what kept the relationship going was the love she had for her partner. "I studied but my husband does not want me to work yet he cannot give me all I want. Since I love him I just bear and I receive whatever he gives me but I keep on having bad thoughts" (Norah). Taking away all the money Olivia described how her partner started a shop for her but the most distressing part was that she was never allowed to directly handle and plan for the money generated from the shop. Her partner routinely takes all the money collected without giving her a single penny, he refills the shop and buys home items by himself. Even when paying a visit to Olivia's parents he decides alone and buys what to carry. These made Olivia feel like a shop attendant not a wife and a shareholder. It was so disturbing to request for all her personal and home use requirements from her partner. Her wish was to be given the freedom to plan for the money or be paid a monthly salary since she had personal problems that needed money. My husband started a shop for me but every time he comes he picks all the money generated I can never handle money, he re-fills items s for himself am like a shop

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

attendant not a wife and as a woman I also have some things that I would want to buy (Olivia) There was also a tendency of intimate partners taking away all the money even when the business starting capital belonged to the woman. Rose described how she received money from her mother and started a hair dressing salon but her husband Denis was always interested in taking away all the money made. Even when she is bargaining with the customer Denis stands nearby to know how much is to be paid. This would lead to a physical fight if Rose hesitated to hand in the money. It became so much painful when the Rose wanted to seek for medical care and the partner fails to provide money for costs involved. "I have a salon that I started with my own money, but he takes all the money I make, even when I'm bargaining with the customers he is always around to know how much the cost will be..." (Rose) Non-involvement in the purchase of family assets was voiced. Respondents reported that intimate partners bought property for example land without informing or consulting women. Incidences of hearing about the new developments from the partner's friends and sometimes relatives were reported. Some women had no answers why this happened, though others attributed it to disrespect since most of these women had no sources of income to contribute to the family's properties bought. And other thought that their partners could be planning to marry other women. "He buys property without telling me, if I get lucky I hear it from friends......it really hurts" (Emily)

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464 465

466

467

468

469

"He buys family property like land without informing me, I think he does not involve me because I have no source of income to contribute money, but I cannot be sure he could be buying it to marry another woman..." (Joyce) Theme two: Support seeking Participants were probed whether they sought help after IPV experience and a number of them sought support through informal and formal means, as mentioned in the quotations. Informal support was from respondents' biological relatives like mothers, siblings, and fathers. A few sought support from their mother in laws and friends. Others never sought support due to lack of whom to confide in and fear of being laughed at. "I usually tell my mother and she counsels me" (Miriam). "I usually tell my father all my experiences sometimes he sends money to support me....When it's too tough he encourages me to come back home and rest" (Bridget) It was voiced that spouse's friends had a tendency to withdraw from the matter after disclosure. Also it appeared that these friends had no experience in handling intimate partner violence issues since they never called back to inquire about the progress in regard to the disclosed violence, some participants felt these friends withdrew to maintain their relationship with the perpetrator. "I told his friend about the violence, he was shocked about everything and promised to talk to him. I expected his friend to call back first and give feedback which he never did, so i called and confirmed that they met and talked, you see it didn't help much I wish I had kept quiet....." (Godwin). Some respondents never sought support due to lack of trust and others reported to the human rights organizations and others to police depending on the severity of IPV and some observed change thereafter.

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

"If he beats me every day I report to the police or human rights organizations such that he is threatened and sometimes counseled" (Lydia) "Look at the scar on my face, I sustained it when he hit me hard and I reported him to police and he later changed his behaviour" (Miriam) **Barriers to support seeking** Some women never sought support due to trust issues, threats from the perpetrator and fear of the perpetrator's knowledge about any support sought. Some respondents believed that those they sought help from would spread the rumors to non-significant others that would instead laugh at them. Some found it difficult to identify people they trusted to provide support with some reporting that they had no biological mothers which made it difficult to identify someone to confide in thus waiting patiently for the husband to change. "I look for whom to tell ...laughs. Anyone I tell will laugh at me and will go telling others that I was beaten so I decide to keep quiet" (Marion). "I have no mother, I therefore keep my problems and I try to talk to my husband such that he can change" (Teddy). Some received constant threats from the violent partner who warned not to tell anyone about the ongoing violence claiming that they would abandon the women with the children and never to back. This controlled the women since majority were housewives with no gainful income to financially support the children. "He threatens me that when he beats me or mistreats me and I go to police or tell any other legal authorities he will abandon me and never to come back, I cannot afford the finances to care for my children so when I hear that I cool and leave everything" (Emily). Others feared that their husbands would become more violent after knowing that a third party had been involved. Some had experienced the worst violence after involving someone else in these family issues. This restricted respondents to only seek support from

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

biological mothers they fully trusted, with surety that the perpetrator won't know about the support sought. "One time I told my brother in law about our problems in the home, when he talked to my husband about it, the violence increased! That night he beat me up terribly, he strangled me like he wanted to kill me. So I can now only tell my mother since I know the information will not get back to him....." (Sarah) Midwives' involvement Participants were further probed to know if they sought support from midwives. Surprisingly none had ever done so due to different perceptions. Some women wondered how to start involving health care providers in marital issues. Participants generally thought that IPV is not a health care provider's role. To them health care workers were supposed to measure their blood pressure, perform abdominal examination and provide treatment and they voiced that healthcare providers never inquire about IPV: "I wonder how I begin telling her. Now how do you begin?That's not her work! "(Jackline) "Their work is to educate us about diet, what to bring to the hospital at the time of delivery (Annette). Why should she even ask me how my husband is treating me! Is she my aunt? I have come to check for pregnancy. "(Beatrice). "Sometimes I feel like telling a midwife but I wonder where to start from. She has not asked how things are at home I have come for antenatal care and I start saying problems at home no....(Norah). If she asks me then I can get where to start from but they speak to us rudely." (Merab) "You are the first one I have seen asking me" (Godwin). "Even you, I wouldn't have told you if you had not asked me. They don't ask...they also have their own problems and they start asking about my own problems instead they will put their stress on me" (Imelda). Theme three: IPV coping strategies among pregnant women

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

Participants experiencing IPV during the index pregnancy mentioned coping strategies including: confiding in their relatives especially mothers of the victim, a few to mother in-laws, keeping quiet, self-consolation, partner tolerance, reporting to authorities, disrupting negative thoughts, praying to God, state of resignation, consideration of man as a dominant figure, understanding spouse's likes and dislikes, saying yes to everything and belief that all men are the same. **Confiding in relatives** The most common confidents were the biological mothers of the victims who often encouraged their daughters to stay in the relationship despite the IPV incidents. Most of them were advised by their mothers to always keep quiet as a way of creating a peaceful situation when their partners started quarreling. To these women talking to a confidant like a mother relived stress. "....my mother always tells me to keep quiet and ignore him." (Godwin) "When I had problems with my husband, I talked to my sister she counseled me and told me to be strong and patient and indeed I became strong and managed" (Joan). A few like Rehema confided in their mother in laws. Rehema was close to her mother in law and they would do gardening together this made it easy for her to share her experiences, Rehema's mother in law encouraged her to be patient giving her hope of success in future. "I first told my mother in law about the violence, she told me to be patient" (Rehema). **Keeping Quiet** Doreen revealed that she keeps quiet and pretends to be a fool in response to the violence caused by her partner. Doreen's perception was that keeping quiet prevents escalation to physical violence. "Most of the times he quarrels and I pretend to be a fool so I always keep quiet to avoid slaps and punches..." (Doreen). Though there were mixed feelings where by some women benefited from silence while others did not. Marion narrated that sometimes she tried to keep quiet but her husband instead became more furious complaining that Marion was stubborn due constant silence.

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575576

577

578

579

580

581

582

"Most of the times I keep quiet though that makes him more furious that I'm stubborn and bigheaded and damn, hmmm it's not easy." (Marion) Others felt that their opinions were not valued by their intimate partners hence keeping quiet was the best solution. "Even if I argue he will not value my opinion so I just keep quiet" (Joyce). **Praying to God** Respondents also coped by getting closer to God through meditation and prayer when IPV occurred. Others approached their Pastors to pray for them. I always pray to God and my pastor prays for me (Jackline). I usually dedicate him to God, When you keep on praying God changes him...... (Grace). Disrupting negative thoughts Some coped through disrupting negative thoughts and replacing them by thinking about other good things like friends to have a piece of mind. "I try to think about other good things like my friends such that I take away all the bad thoughts."(Joyce) Reporting to authorities Reporting to authorities was one of the adapted coping ways. Women believed that their husbands respected the local council, non-governmental organizations and the police. "My husband hit me hard.....that I didn't want to give him a child, thank God I had conceived though we hadn't known. I reported him to Police" (Bridget). **Self-consolation** Due to cultural concerns, public opinion towards marriage and public respect accorded to married women there was a tendency of coping through self- consolation. For Sarah's perception was that in their culture a woman without a spouse is undermined and disrespected by the community. To maintain this perceived respect and social reputation, Sarah consoled herself and stayed in the violet relationship. I console myself with the public picture for the respect of being married..... Many people around will not respect me when I have no husband" (Sarah).

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

Despite the intimate partner's violet behaviors, others consoled themselves when the partner was constructive in terms of home building, paying school fees for the children and providing food for the family. This was a fundamental comfort to remain in the violet relationship. Women under this category felt better than other women in violet relationships whose intimate partners fail to sustain the family financially. "His behaviors are bad but he is constructive, he pays fees for the children and he ensures we have food so I console myself that I'm better than many out there" (Meron). Partner tolerance Some tolerated their partners despite the IPV experience because of lack of alternatives including financial support and the fear of abandoning her and the children. There was also an element of partner tolerance as long as the intimate partner was still interested in having sexual intercourse. Sexual intercourse influenced the belief that there was still love between them and also dispelled worries of the partner having extramarital relationships. "I have nothing else to do, once he does not want to talk to me but gives me money to buy food and he is willing to have sexual intercourse with me, then I can bear him the way he is....'. (Irene). Man as a dominant force A tendency of women considering their intimate partners (Men) as superior was cited. Respondents mentioned that a woman cannot compete with a man since he can easily beat her. To them the solution was keeping quiet when violence sets in. "You cannot compete with a man, if I become stubborn, he can slap me....." (Norah). **State of resignation** A state of resignation was noted. Some respondents had histories of prior relationships that were violet. This forced some to withstand the violence in fear of being blamed by

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

the society as complicated women and these partly blamed themselves and had to remain in the relationship. "I decided to bear the situation because this is my second relationship, my first partner used to mistreat me and I left him..... If I decide to quit now people will judge me as the complicated one" (Merab) **Understanding spouse's likes and dislikes** Understanding what the spouse liked or hated was voiced as one of the coping strategy. "I have managed by trying hard to know what he likes and what he hates, hmmm...." (Olivia) Saying yes to everything: "Whatever he says whether wrong or right I say yes yes...to avoid being beaten" (Norah) Belief that all men are the same Some participants believed that all men are them and believed that everyone has a specific burden to tolerate in a relationship. I accepted him the way he is, because it's not different in other families, everyone has a cross to carry" (Olivia) Theme four: Intergenerational continuity of IPV Intergenerational continuity of IPV was noted, where some of the participants voiced that their Mothers in laws interrelated to how they also went through the same violence with the respondents' father in laws. This made most of the respondents calm down after realizing that their mothers in laws have gone through such IPV experience. "My mother in law told me to be patient that's how his father used to treat her! You will succeed one day..." (Rehema). **Discussion** This study explored the pregnant women's IPV experiences, support seeking and coping strategies in Southwestern Uganda. We report women's voices of IPV experience in form of physical, psychological, sexual and economic violence. Women preferred sharing IPV experiences with their biological mothers to midwives or any other person. The main support given by their support systems was encouraging the victims to maintain their marriage and keeping quiet when the partner starts quarreling. Pregnant women did not know the role of midwives in mitigating IPV and the midwives' did not investigate about the IPV experience during Antenatal care contacts. Women coped by confiding in their relatives, keeping silent, self-consolation, tolerance of the perpetrator, distracting bad thoughts through thinking about good things like friends, self-blame and praying to God and intergenerational continuity of violence was narrated.

IPV experienced by pregnant women

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

Current findings reveal that women experienced various types of IPV including psychological, physical, sexual and economic violence. This is comparable to previous studies that reported psychological violence physical, sexual (5, 13, 19) and economic violence (6, 14). A number of women expressed their concern on economic violence where they claimed that spouses had money but ignored their financial needs that included paying money for rent, school fees for the children, buying food for the family. This situation can intensify the violence since in African settings men are traditionally considered as family breadwinners. This is supported by previous studies which asserted that women are never breadwinners but have supportive roles in families (10, 56). In the African tradition it is known that a man should be economically able and willing to provide almost everything to the family including providing for the wife (11). Studies have affirmed that when women are left to be the main source of family survival, instabilities and divorce may set in(57, 58). Non-involvement in purchase of family assets and restriction in obtaining gainful employment was voiced by the respondents and others who were allowed to work all the money was taken away from them. This is in agreement with aforementioned studies (51, 59-61), that economic violence was widespread where violent partners impede women's employment, access to financial resources and isolation from domestic financial information. This creates economic dependency on the perpetrator, forcing women to beg for everything and become more controlled. Studies have consistently demonstrated that

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

economic dependence is the primary obstacle victims face in attempting to leave violent relationships (7, 8, 62). Women need to be empowered with personal development skills, education and knowledge on problem solving skills to reframe their situation and regain power from the perpetrator. Women narrated how their partners insisted on uncomfortable sexual positions specifically man on top commonly known as the missionary style. This is consistent with previous studies (63-67) where the missionary style remained common position throughout pregnancy. During pregnancy increase in abdominal volume and girth makes this common position more difficult and uncomfortable (67). Sexual intercourse shouldn't be abridged to the man's interest: pregnant woman's satisfaction, comfort and enjoyment should also be considered. Due to societal norms, women may not freely talk about these sexual issues (64, 68) and continue with such experience while trying to fulfill marital obligations. Consequently midwives in the prenatal clinics should have the initiative to facilitate, educate and counsel pregnant women and their partners on appropriate sexual positions, particularly after 20 weeks of gestation to keep pressure and weight off the abdomen and positions that keep the woman off the back to avoid potential blood flow compression that can lead to discomfort, fainting and other issues. The recommended sex positions during pregnancy include woman on hands and knees, woman on top, seated pregnancy sex, side by side, use of pregnancy pillows (69, 70) for support and more comfort. Intergenerational violence was voiced by the respondents, this is in line with earlier studies (71-74) that reported experience of violence during childhood contributes to victimization and perpetration during adulthood. This can be attributed to lack of maternal-infant bonding during the period of IPV experience which affects the child's development and behavior (75), also the tendency of children demonstrating their parents' behavior and act the same in their relationships during adulthood. It is therefore important to identify victims early which can enhance timely intervention and minimize on the future consequences.

Support seeking and midwives involvement

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

Women preferred seeking support informally from their biological relatives compared to midwives or any other person. The results are similar to previous studies (76, 77). Women sought support specifically from their birth relatives probably due to the primary bonding, security and the trust they have in their biological relatives. It is reported that women have a strong link with the family of origin (76). Having somebody to confide in should be credited since it is recounted that lack of victim family support acts as a barrier to terminating IPV (78). Another reason why women prefer to confide in their natal relatives is because they fear that their intimate partner's family would support their son and prevent the issue from being resolved. Fear of the perpetrator discovering that a third party was involved is another possibility, since victims normally reside far from their biological relatives, it makes it difficult for the abusive partner to learn about the support being sought. It is reported that fear of the perpetrator negatively affects support seeking (79). The current findings are contrary to the study by Amel Barez et al (80) where the bulk of the women never asked for help and kept their experiences with perinatal IPV hidden.. Interviews revealed that the participants in the current study were unaware of the role that midwives play in IPV. The expert opinion in an earlier studies indicate that women are less likely to reveal violence to institutions such as health facilities because they appear to be more formal, and they do not know what formal measures would be taken when health care providers are involved to stop further violence (36, 42). Nurses and Midwives form the biggest healthcare workforce in Sub-Saharan Africa (81) and most of the prenatal clinics in these settings are operated by midwives so their role and responsibility in IPV control and management is crucial. As part of this, IPV screenings are conducted, resources are provided to victims, women who sustain physical injuries are treated, the victim's and significant others' safety is assessed, the findings are properly documented, emotional support is provided, and appropriate referrals are made (75). Many women may focus more on the immediate solution to stopping the violence and neglect to consider how IPV impacts them in the long run. Health care providers responsible for maternal and child health, specifically midwives, are encouraged to educate pregnant women about their role in preventing IPV, to elaborate on the consequences of IPV during pregnancy, as well as to actively screen pregnant women for IPV and offer support. By doing so, women will realize and appreciate that care providers play an important role in this regard, and this will help them break the cycle of IPV.

Coping strategies

Among the coping strategies used by pregnant women in this study were confiding in someone commonly their biological mothers, partner tolerance, self-consolation, self-blame, keeping quiet, thinking of other good things like friends, praying to God, and others reported to authorities. This is comparable with a study done in Bangladesh where in particular, women used different strategic responses, including remaining silent, trying to divert their intimate partner's attention, protesting against the violence, and seeking help from others (82). Some of these coping mechanisms for example keeping quiet may shortly calm the situation since it prevents escalation to physical violence. On the other hand silence puts the victim at risk of continuous exposure to IPV due to the fact that it does not encourage dialogue between the partners to solve the conflict. It has been reported that persistent violence in intimate relationships leads to chronic stress, which survivors describe as painful and overpowering, posing a threat to their physical and social self (83). IPV results in significant morbidity and disability among women with the biggest impact on their reproductive and mental health (84). Traumatic stress is thought to be the main mechanism that explains why exposure to intimate partner violence may

cause subsequent depression and suicide attempts to the mother as previously reported

(85). This also affects the fetus. The fetal effects include: preterm delivery, low birth weight, fetal death (34, 86) and if the baby survives with continuous IPV exposure, is highly likely to be at risk of adult victimization and perpetration (74, 75). Findings show that women resorted to praying to God and involving religious leaders to pray for them. This is echoed in previous studies (43, 44). Not different from a previous study (87), in the current study women hoped that their intimate partners would change if they continued praying for them. It has been documented that religious coping can benefit the victims through reshaping their perceptions and institute new behaviors, and can support recovery by providing hope and preventing feelings of powerlessness (88). Though too much devotion in prayer can at times be dangerous since some women may go to the extreme of spending much of the time in churches praying including overnights, others stop working and spend all the time praying which can worsen the relationship with their partners due to long periods of absence at home. Women voiced reporting IPV experience to authorities like police when IPV became severe remarkably associated with injuries. This is in agreement with reports from previous studies which showed that victims sought for help when the IPV experience was severe and could not endure anymore (37, 76). This indicates that some women can tolerate IPV when it's not severe and life threatening which is not healthy since any level of IPV has significant consequences to the women, fetus, children and other family members.

Conclusion

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

Pregnant women continue to live in violent relationships with various coping strategies and women are not aware of the midwives' role in IPV. These findings point to the need for the health care system to reflect on the care provided to these women in our health centers, community clinics and hospitals in response to women who are not aware that family IPV can be discussed with health professionals. Officers in charge of maternal and child health need to develop and incorporate a user friendly IPV screening tool onto the ANC card, ensure midwives and obstetricians professional training on the process of IPV identification and management, mentoring and supervision to enhance routine IPV

screening, also recruit counselors and peer support specifically for pregnant women in the prenatal clinics to provide individualized psychological support. Professional health education talks on sexual positions during pregnancy need to be emphasized during ANC classes and community outreaches to prevent sexual violence in regard to uncomfortable positions. Policy makers in maternal and child health department should develop a protocol for care of women identified to have suffered from IPV, ensure follow up mechanisms for continuum of care.

Study strength and limitations

One of our strength was achieving data saturation by interviewing a sample of 25 women experiencing IPV and attending ANC. The second strength was using qualitative methods of inquiry which are the best in understanding pregnant women's experiences and coping strategies. Also existing literature in our setting majorly considers psychological, physical and sexual violence, the current study reveals economic violence too. This study had some limitations. First the findings may not be transferable to rural health facilities since our study was based in the urban setting. Secondly this study relies on self-report, so recall bias and inaccuracy may be present. Nonetheless it contributes literature on IPV which is still a very fundamental topic. Future research should focus on triangulating views from rural health facilities and urban health facilities to appreciate the diverse views that can diminish the possible bias created by this concept.

Acknowledgement

The authors extend their gratitude to the First Mile Community Health program for the support during the time of the study. Great thanks to the Department of Community Health, Mbarara University of Science and Technology for the support rendered during the study. The authors would also like to acknowledge the study participants for their willingness and cooperation during the data collection process.

Author's contribution

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

KE, NJB and BV designed the study. KE participated in data collection. KE, NJB and AJB participated in data analysis. KE, NJB, AE, KA, NG, AJB and BV participated in original drafting, review and editing of the manuscript. All authors read and approved the final manuscript. Funding The research work was funded by the First Mile community health program though authors did not receive any financial support for authorship and publication of this study. Funders were not involved in the design of the study, data collection, analysis, interpretation, or writing the manuscript. Data Availability The data used to support the findings of this study are available from the corresponding author upon reasonable request. **Consent for publication** Participants gave their consent for the data to be used for research purposes. They were also assured that any information about them will be anonymized. **Competing interest** The authors declare that they have no competing interests. **Disclosure** The author reports no conflicts of interest in this work. References Loseke DR, Kurz D. Men's violence toward women is the serious social problem. Current 1. controversies on family violence. 2005;2:79-96. Lapierre S, Côté I. We are not there to solve the problem of domestic violence, we are 2. here to protect the child: The conceptualization of domestic violence situations in a youth center in Quebec. Service Social. 2011;57(1):31-48.

- 824 3. Holmes MR. Long-Term Effects of Intimate Partner Violence on Children's Social Behavior: University of California, Los Angeles; 2012.
- 4. Daoud N, Smylie J, Urquia M, Allan B, O'Campo P. The contribution of socio-economic position to the excesses of violence and intimate partner violence among Aboriginal versus non-Aboriginal women in Canada. Canadian Journal of Public Health. 2013;104(4):e278-e83.
- 5. Stiller M, Bärnighausen T, Wilson ML. Intimate partner violence among pregnant women in Kenya: forms, perpetrators and associations. BMC Women's Health. 2022;22(1):1-25.
- 6. Katushabe E, Chinweuba A, Omieibi A, Asiimwe JB. Prevalence and Determinants of Intimate-Partner Violence among Pregnant Women Attending a City Health Centre IV, South western Uganda, during the COVID-19 Pandemic: A Cross-Sectional Study. Student's Journal of Health Research Africa. 2022;3(3):17-.
- 7. Fawole OI. Economic violence to women and girls: is it receiving the necessary attention? Trauma, Violence, & Abuse. 2008;9(3):167-77.
- 837 8. Buzawa ES, Buzawa CG. What does research suggest are the primary risk and protective factors for intimate partner violence (IPV) and what is the role of economic factors?

 339 Journal of Policy Analysis and Management. 2013:128-37.
- 9. Adams AE, Sullivan CM, Bybee D, Greeson MR. Development of the scale of economic abuse. Violence against women. 2008;14(5):563-88.
- Akanle O, Adesina JO, Nwaobiala UR. Turbulent but I must endure in silence: Female
 breadwinners and survival in Southwestern Nigeria. Journal of Asian and African Studies.
 2018;53(1):98-114.
- 11. Akanle O, Nwaobiala UR. Changing but fragile: Female breadwinning and family stability in Nigeria. Journal of Asian and African Studies. 2020;55(3):398-411.
- 12. Garcia-Moreno C, Jansen HA, Ellsberg M, Heise L, Watts CH. Prevalence of intimate partner violence: findings from the WHO multi-country study on women's health and domestic violence. The lancet. 2006;368(9543):1260-9.
- Owaka IO, Nyanchoka MK, Atieli HE. Intimate partner violence in pregnancy among
 antenatal attendees at health facilities in West Pokot county, Kenya. Pan African Medical Journal.
 2017;28(1).
- Mahenge B, Stöckl H, Abubakari A, Mbwambo J, Jahn A. Physical, sexual, emotional and
 economic intimate partner violence and controlling behaviors during pregnancy and postpartum
 among women in Dar es Salaam, Tanzania. PloS one. 2016;11(10):e0164376.
- Azene ZN, Yeshita HY, Mekonnen FA. Intimate partner violence and associated factors
 among pregnant women attending antenatal care service in Debre Markos town health facilities,
 Northwest Ethiopia. PloS one. 2019;14(7):e0218722.
- 859 16. Lencha B, Ameya G, Baresa G, Minda Z, Ganfure G. Intimate partner violence and its associated factors among pregnant women in Bale Zone, Southeast Ethiopia: A cross-sectional study. PloS one. 2019;14(5):e0214962.
- 17. Idoko P, Ogbe E, Jallow O, Ocheke A. Burden of intimate partner violence in The Gambia-a cross sectional study of pregnant women. Reproductive health. 2015;12(1):1-6.
- 18. UBOS I. Uganda Bureau of statistics (UBOS) and ICF. 2018. Uganda demographic and health survey. 2016.
- 866 19. Epuitai J, Udho S, Auma AG, Nabirye RC. Intimate partner violence among pregnant women in Uganda. African Journal of Midwifery and Women's Health. 2019;13(2):1-5.
- 868 20. Katushabe E, Asiimwe JB, Batwala V. Intimate partner violence disclosure and
- associated factors among pregnant women attending a city hospital in South-Western Uganda: a cross-sectional study. BMC pregnancy and childbirth. 2022;22(1):1-9.
- 871 21. Abdollahi F, Abhari FR, Delavar MA, Charati JY. Physical violence against pregnant
- women by an intimate partner, and adverse pregnancy outcomes in Mazandaran Province, Iran.
- Journal of family & community medicine. 2015;22(1):13.
 Al-adayleh LM, Al Nabulsi HH. Violence against pregnant w
- 22. Al-adayleh LM, Al Nabulsi HH. Violence against pregnant women-The study population in salt city. Asian Social Science. 2013;9(2):257.
- 876 23. Miller GE, Chen E, Zhou ES. If it goes up, must it come down? Chronic stress and the
- hypothalamic-pituitary-adrenocortical axis in humans. Psychological bulletin. 2007;133(1):25.
- 878 24. Baird K, Creedy D, Mitchell T. Intimate partner violence and pregnancy intentions: a qualitative study. Journal of clinical nursing. 2017;26(15-16):2399-408.

- 880 25. Coker AL, Sanderson M, Dong B. Partner violence during pregnancy and risk of adverse pregnancy outcomes. Paediatric and perinatal epidemiology. 2004;18(4):260-9.
- 882 26. Young CR, Kaida A, Kabakyenga J, Muyindike W, Musinguzi N, Martin JN, et al.
- Prevalence and correlates of physical and sexual intimate partner violence among women living with HIV in Uganda. PLoS One. 2018;13(8):e0202992.
- 885 27. García-Moreno C, Pallitto C, Devries K, Stöckl H, Watts C, Abrahams N. Global and regional estimates of violence against women: prevalence and health effects of intimate partner violence and non-partner sexual violence: World Health Organization; 2013.
- Viellas EF, Gama SGNd, Carvalho MLd, Pinto LW. Factors associated with physical aggression in pregnant women and adverse outcomes for the newborn. Jornal de pediatria. 2013;89:83-90.
- 891 29. Trevillion K, Oram S, Feder G, Howard LM. Experiences of domestic violence and mental disorders: a systematic review and meta-analysis. PloS one. 2012;7(12):e51740.
- 30. Sansone RA, Elliott K, Wiederman MW. Self-harm behaviors among female perpetrators of intimate partner violence. Partner abuse. 2016;7(1):44-54.
- 895 31. Aydin A, Gulec M, Boysan M, Selvi Y, Selvi F, Kadak MT, et al. Seasonality of self-896 destructive behaviour: seasonal variations in demographic and suicidal characteristics in Van, 897 Turkey. International journal of psychiatry in clinical practice. 2013;17(2):110-9.
- 32. Gibson-McCrary D, Upchurch D. Treatment of women and domestic violence in Africa. Journal of Gender, Information and Development in Africa (JGIDA). 2015;4(1_2):57-69.
- 900 33. Kaye DK, Mirembe FM, Bantebya G, Johansson A, Ekstrom AM. Domestic violence as 901 risk factor for unwanted pregnancy and induced abortion in Mulago Hospital, Kampala, Uganda. 902 Tropical Medicine & International Health. 2006;11(1):90-101.
- 903 34. Koenig MA, Stephenson R, Acharya R, Barrick L, Ahmed S, Hindin M. Domestic violence 904 and early childhood mortality in rural India: evidence from prospective data. International journal 905 of epidemiology. 2010;39(3):825-33.
- 906 35. Murray CE, Crowe A, Brinkley J. The stigma surrounding intimate partner violence: A cluster analysis study. Partner abuse. 2015;6(3):320-36.
- 908 36. Katiti V, Sigalla GN, Rogathi J, Manongi R, Mushi D. Factors influencing disclosure 909 among women experiencing intimate partner violence during pregnancy in Moshi Municipality, 910 Tanzania. BMC Public Health. 2016;16(1):1-9.
- 911 37. Tenkorang EY, Sedziafa AP, Owusu AY. Does type and severity of violence affect the 912 help-seeking behaviors of victims of intimate partner violence in Nigeria? Journal of family issues. 913 2017;38(14):2026-46.
- 914 38. Mohammad-Alizadeh-Charandabi S, Bahrami-Vazir E, Kamalifard M, Mirghafourvand M. Intimate partner violence during the first pregnancy: A comparison between adolescents and adults in an urban area of Iran. Journal of forensic and legal medicine. 2016;43:53-60.
- 917 39. Hyde JS, Mezulis AH, Abramson LY. The ABCs of depression: integrating affective, 918 biological, and cognitive models to explain the emergence of the gender difference in depression. 919 Psychological review. 2008;115(2):291.
- 920 40. Craparo G, Gori A, Petruccelli I, Cannella V, Simonelli C. Intimate partner violence: relationships between alexithymia, depression, attachment styles, and coping strategies of battered women. The Journal of Sexual Medicine. 2014;11(6):1484-94.
- pattered women. The Journal of Sexual Medicine. 2014; F1(6): 1484-94.
 923 41. Bakermans-Kranenburg MJ, Van Ijzendoorn MH. The hidden efficacy of interventions:
 924 Genex environment experiments from a differential susceptibility perspective. Annual review of
- 925 psychology. 2015;66(1):381-409.
 926 42. Sigalla GN, Rasch V, Gammeltoft T, Meyrowitsch DW, Rogathi J, Manongi R, et al.
- Social support and intimate partner violence during pregnancy among women attending antenatal care in Moshi Municipality, Northern Tanzania. BMC Public Health. 2017;17(1):1-12.
- 929 43. Itimi K, Dienye PO, Gbeneol PK. Intimate partner violence and associated coping 930 strategies among women in a primary care clinic in Port Harcourt, Nigeria. Journal of family 931 Medicine and primary care. 2014;3(3):193.
- 44. Laisser RM, Nyström L, Lugina HI, Emmelin M. Community perceptions of intimate
 partner violence-a qualitative study from urban Tanzania. BMC women's health. 2011;11(1):1-12.

- 934 45. Sayem AM, Khan MAU. Women's strategic responses to intimate partner violence: A
- 935 study in a rural community of Bangladesh. Asian Social Work and Policy Review. 2012;6(1):23-936 39.
- 937 46. Khodabakhshi-Koolaee A, Bagherian M, Rahmatizadeh M. Stress and coping strategies
- 938 in women with and without intimate-partner violence experiences. Journal of Client-Centered 939 Nursing Care. 2018;4(1):29-36.
- 940 47. Wortham TT. Resilience traits of African American women survivors of intimate partner
- 941 violence (IPV): Mental health practitioner perspectives: Capella University; 2013.
- 942 48. WHO. WHO recommendations on antenatal care for a positive pregnancy experience:
- 943 World Health Organization; 2016.
- MoH U. Uganda Clinical Guidelines 2016 National Guidelines for Management of 944
- 945 Common Conditions. Kampala, Uganda: Ministry of Health. 2016.
- 946 Creswell JW. Steps in conducting a scholarly mixed methods study. 2013. 50.
- 947 Yount KM, Krause KH, VanderEnde KE. Economic coercion and partner violence against 51.
- 948 wives in Vietnam: a unified framework? Journal of interpersonal violence. 2016;31(20):3307-31.
- 949 52. Joffe H, Yardley L. Content and thematic analysis. 2003.
- 950 53. Garcia-Moreno C, Watts C, Heise L, Ellsberg M. Putting women first: Ethical and safety
- 951 recommendations for research on domestic violence against women. 2001.
- 952 54. Skierka A-S, Michels KB. Ethical principles and placebo-controlled trials—interpretation
- 953 and implementation of the Declaration of Helsinki's placebo paragraph in medical research. BMC 954 medical ethics. 2018;19(1):1-12.
- 955 Lincoln YS, Guba EG. But is it rigorous? Trustworthiness and authenticity in naturalistic
- 956 evaluation. New directions for program evaluation. 1986;1986(30):73-84.
- 957 Akanle O, Oluwakemi EO. Traditionalism and household chores in Ibadan, Nigeria. 56.
- 958 International journal of sociology of the family, 2012;203-24.
- 959 57. Munsch CL. Her support, his support: Money, masculinity, and marital infidelity. American
- 960 Sociological Review. 2015;80(3):469-95.
- 961 Teachman J. Wives' economic resources and risk of divorce. Journal of Family Issues.
- 962 2010;31(10):1305-23.
- 963 Sedziafa AP, Tenkorang EY, Owusu AY, Sano Y. Women's experiences of intimate
- 964 partner economic abuse in the eastern region of Ghana. Journal of Family Issues.
- 965 2017;38(18):2620-41.
- 966 Jury A, Thorburn N, Weatherall R. " What's his is his and what's mine is his": Financial
- 967 power and the economic abuse of women in Aotearoa. Aotearoa New Zealand Social Work.
- 968 2017;29(2):69-82.
- 969 Sanders CK. Economic abuse in the lives of women abused by an intimate partner: A
- 970 qualitative study. Violence against women. 2015;21(1):3-29.
- 971 62. Tolman R. Impact of intimate partner violence on economic well-being. CFS Research
- 972 Brief. 2011;5.
- 973 Jawed-Wessel S, Sevick E. The impact of pregnancy and childbirth on sexual behaviors: 63.
- 974 a systematic review. The Journal of Sex Research. 2017;54(4-5):411-23.
- 975 Bello FA, Olayemi O, Aimakhu CO, Adekunle AO. Effect of pregnancy and childbirth on
- 976 sexuality of women in Ibadan, Nigeria. International Scholarly Research Notices. 2011;2011.
- 977 Gałazka I, Drosdzol-Cop A, Naworska B, Czajkowska M, Skrzypulec-Plinta V. Changes
- 978 in the sexual function during pregnancy. The journal of sexual medicine. 2015;12(2):445-54.
- 979 Pauleta JR, Pereira NM, Graça LM. Sexuality during pregnancy. The journal of sexual 66. 980 medicine. 2010;7(1 Part 1):136-42.
- 981 67. Sacomori C, Cardoso FL. Sexual initiative and intercourse behavior during pregnancy
- 982 among brazilian women: a retrospective study. Journal of Sex & Marital Therapy. 2010;36(2):124-983 36.
- 984 Keçe AC, Aydoğan Kırmızı D, Coşar F, Başer E, Sivaslıoğlu AA. Female sexual 68.
- 985 behaviour and perception during pregnancy: A questionnaire-based study. 2023.
- 986 Senkumwong N, Chaovisitsaree S, Rugpao S, Chandrawongse W, Yanunto S. The
- 987 changes of sexuality in Thai women during pregnancy. J Med Assoc Thai. 2006;89(4):124-9.

- 988 70. Afshar M, Mohammad-Alizadeh-Charandabi S, Merghti-Khoei E-S, Yavarikia P. The
- 989 effect of sex education on the sexual function of women in the first half of pregnancy: a randomized controlled trial. Journal of caring sciences. 2012;1(4):173.
- 991 71. Sousa C, Herrenkohl TI, Moylan CA, Tajima EA, Klika JB, Herrenkohl RC, et al.
- 992 Longitudinal study on the effects of child abuse and children's exposure to domestic violence,
- parent-child attachments, and antisocial behavior in adolescence. Journal of interpersonal violence. 2011;26(1):111-36.
- 995 72. McKinney CM, Caetano R, Ramisetty-Mikler S, Nelson S. Childhood family violence and perpetration and victimization of intimate partner violence: Findings from a national population-
- 997 based study of couples. Annals of epidemiology. 2009;19(1):25-32.
- 998 73. Abramsky T, Watts CH, Garcia-Moreno C, Devries K, Kiss L, Ellsberg M, et al. What factors are associated with recent intimate partner violence? Findings from the WHO multi-
- 1000 country study on women's health and domestic violence. BMC public health. 2011;11(1):1-17.
- 1001 74. Williams H, Foster D, Watts P. Perinatal domestic abuse: Midwives making a difference through effective public health practice. British Journal of Midwifery. 2013;21(12):852-8.
- 1003 75. Grier G, Geraghty S. Intimate partner violence and pregnancy: how midwives can listen to silenced women. British Journal of Midwifery. 2015;23(6):412-6.
- 1005 76. Sigalla GN, Mushi D, Gammeltoft T. "Staying for the children": The role of natal relatives in supporting women experiencing intimate partner violence during pregnancy in northern Tanzania–A qualitative study. PLoS One. 2018;13(6):e0198098.
- 1008 77. Okenwa L, Lawoko S, Jansson B. Factors associated with disclosure of intimate partner violence among women in Lagos, Nigeria. Journal of injury and violence research. 2009;1(1):37.
- 1010 78. Ilika AL. Women's perception of partner violence in a rural Igbo community. African journal of reproductive health. 2005:77-88.
- 1012 79. Spangaro JM, Zwi AB, Poulos RG, Man W. Who tells and what happens: disclosure and health service responses to screening for intimate partner violence. Health & Social Care in the Community. 2010;18(6):671-80.
- 1015 80. Amel Barez M, Babazadeh R, Latifnejad Roudsari R, Mousavi Bazaz M, Mirzaii
- Najmabadi K. Women's strategies for managing domestic violence during pregnancy: a qualitative study in Iran. Reproductive health. 2022;19(1):58.
- 1018 81. Saralegui-Gainza A, Soto-Ruiz N, Escalada-Hernández P, Arregui-Azagra A,
- 1019 García-Vivar C, San Martín-Rodríguez L. Density of nurses and midwives in sub-Saharan Africa:
- Trends analysis over the period 2004–2016. Journal of Nursing Management. 2022;30(8):3922-1021 32.
- 1022 82. Sayem AMaMUAK. 'Women's Strategic Responses to Intimate Partner Violence: A Study 1023 in a Rural Community of Bangladesh', Asian Social Work and Policy Review 6(1): 23–39. 2012
- 1024 6(1).

- 1025 83. Miller GE, Chen E, Zhou E.S. . If it goes up, must it come down? Chronic stress and the hypothalamic-pituitary-adrenocortical axis in humans. . Psychol Bull. 2007;133:25-45.
- Trevillion K, Oram S, Feder G, Howard LM. Experiences of domestic violence and mental disorders: a systematic review and meta-analysis. PLoS One; 7: e51740. 2012.
- Hyde JS, Mezulis A.H, Abramson L.Y. . Hyde JS, Mezulis AH, Abramson LY. The ABCs of depression: integrating affective, biological, and cognitive models to explain the emergence of the gender difference in depression. Psychological Review, 2008;115:(2):291–313.
- 1032 86. Sanjel S. Gender-based violence: a crucial challenge for public health. Kathmandu 1033 University medical journal. 2013;11(2):179-84.
- 1034 87. McMullin S, Nason-Clark N, Fisher-Townsend B, Holtmann C. When violence hits the religious home: Raising awareness about domestic violence in seminaries and amongst religious leaders. Journal of Pastoral Care & Counseling. 2015;69(2):113-24.
- 1037 88. Fowler DN, Rountree MA. Exploring the meaning and role of spirituality for women survivors of intimate partner abuse. Journal of Pastoral Care & Counseling. 2009;63(3-4):1-13. 1039