

# **A community-based participatory research approach to the development, refinement, and distribution of Test-to-PrEP: A peer-to-peer distributed at-home HIV self-test and prevention information kit in Miami-Dade, Florida**

Stefani Butts<sup>1</sup>, Edda Rodriguez<sup>2</sup>, Lacey Craker<sup>2</sup>, Ariana L. Johnson<sup>2</sup>, Patrick Whiteside<sup>4</sup>, Jakisha Blackmon<sup>1</sup>, Sonjia Kenya<sup>3</sup>, Mariano Kanamori<sup>2</sup>, Susanne Doblecki-Lewis<sup>1</sup>

<sup>1</sup>Department of Infectious Diseases, University of Miami Miller School of Medicine, Miami, FL, USA

<sup>2</sup>Department of Public Health Sciences, University of Miami Miller School of Medicine, Miami, FL, USA

<sup>3</sup>Department of General Medicine, University of Miami Miller School of Medicine, Miami, FL, USA

<sup>4</sup>Prevention 305, Miami, FL, USA

## **A community-based participatory research approach to the development, refinement, and distribution of Test-to-PrEP: A peer-to-peer distributed at-home HIV self-test and prevention information kit in Miami-Dade, Florida**

### **Abstract**

In the US, there is a need for interventions that address gaps in awareness, interest, and uptake of HIV testing and biomedical HIV prevention strategies, such as pre-exposure prophylaxis and non-occupational post-exposure prophylaxis. The Test-to-PrEP intervention; an HIV self-test bundled with prevention information that was distributed via a social network strategy, was found to be effective at bridging said gaps. This manuscript presents the development and design of Test-to-PrEP, in which a community-based participatory research approach was used.

The intervention combines peer-to-peer distribution of HIV self-testing kits with tailored HIV prevention education. Key features include culturally sensitive educational materials, a strategic emphasis on the connection between intervention distributors and recipients, and rigorous training protocols.

Our process led to the creation of materials that were neutral to sexual identity, highlighting the importance of inclusivity and cultural relevance. It also led to a mechanism that allows enhanced network member selection. Stakeholder guidance ensured the initiative was well-aligned with community needs, enhancing its potential acceptability and effectiveness.

By centering community needs and cultural nuances, interventions like Test-to-PrEP can potentially increase their reach and efficacy. Our development process underscores the importance of community engagement, cultural relevance, and well-defined reporting.

Keywords: HIV prevention, HIV self-testing, Intervention development, Community-based participatory research

## Introduction

In the United States (U.S.), nearly 1 in 7 individuals living with human immunodeficiency virus (HIV) is unaware of their status (Centers for Disease Control and Prevention, 2021a). As such, there is a critical need to address current gaps in awareness, interest, and uptake of HIV testing and biomedical HIV prevention strategies, such as pre-exposure prophylaxis (PrEP) and non-occupational post-exposure prophylaxis (nPEP), particularly among communities disproportionately impacted by HIV.

Strategies such as home-based HIV testing kits, peer-led education interventions, and mobile clinics may be more approachable and acceptable compared to traditional clinic-based HIV prevention services (Hillis, Germain, Hope, McVeigh, & Van Hout, 2020; Rousseau, Julies, Madubela, & Kassim, 2021). Social network strategies to disseminate HIV testing and prevention efforts through peer networks (e.g., sexual and friendship) can further enhance reach. The combination of such strategies presents an opportunity to de-medicalize and simplify HIV prevention services and can reduce barriers that hinder access to HIV testing and biomedical HIV prevention tools (Chimbindi & Shahmanesh, 2022; Hillis et al., 2020; Rousseau et al., 2021).

Miami-Dade County, Florida (MDC) has among the highest HIV incidence and prevalence rates in the nation (Centers for Disease Control and Prevention, 2022). In MDC, nearly 14% of those living with HIV are unaware of their HIV status (U.S. Health and Human Services, 2019). As of 2018, the most recent year with available PrEP coverage data, less than 20% of individuals living in MDC with indications for PrEP had received a prescription (U.S. Health and Human Services, 2019). Together these indicators highlight the need for increased efforts to improve HIV testing and linkage to biomedical prevention services in MDC.

Designing strategies to increase priority populations' knowledge of, access to, and use of HIV testing and prevention strategies requires an insider's understanding of what is acceptable and feasible for each community. Community-based participatory research (CBPR), which emphasizes co-learning, the sharing of expertise, and distributing decision-making power among community members, organizational representatives, and academic researchers (Coughlin, Smith, & Fernandez, 2017; Israel, Eng, Parker, &

Schulz, 2012), is an effective way to work with communities to gain this inside perspective (Coughlin et al., 2017; Israel et al., 2012). CBPR also allows researchers to identify and develop strategies in partnership with the community, increasing the intervention's reach, acceptability, appropriateness and ultimately, improving testing and prevention outcomes (Coughlin et al., 2017; Israel et al., 2012).

Consistent with this approach, we employed an iterative CBPR model that builds on the work of Rhodes et al. (2013), to conceptualize, design, and disseminate Test-to-PrEP. This intervention leverages peer networks to distribute bundled HIV self-tests, along with HIV, PrEP and nPEP information. The objective of this report is to delineate the Test-to-PrEP framework (Table 1), outlining its development, lessons learned, and potential directions for scaling and sustaining this community-focused intervention.

## **Materials and Methods**

### **Setting**

The Rapid Access Wellness (fixed clinic) and Mobile PrEP initiatives, at the University of Miami, are health care clinics that provide sexual health services including STI/HIV testing, STI treatment, PrEP, nPEP, and rapid entry into HIV care at no cost to clients. The majority of clients served by these clinics are Hispanic/Latino, immigrant, men-who-have-sex-with-men (MSM). The clinic team collaborates regularly with both academic and community-based partners to create and deliver evidenced-based and community-prioritized health care services.

### **Intervention Concept Development**

The "Test-to-PrEP" intervention builds upon a pilot study which engaged existing PrEP clients to distribute HIV self-tests to members of their social networks (King et al., 2022). The intervention was proposed in response to qualitative feedback from pilot study participants supporting the expansion of the pilot and inclusion of educational materials regarding PrEP and nPEP (King et al., 2022). To ensure that "Test-to-PrEP" would be coherent with the needs and priorities of the community, a CBPR-based approach was used for its development.

**Table 1. Test-to-PrEP Iterative Framework**

<b>Step</b>	<b>Purpose</b>
Initial Solicitation of Community Input	Gather insight from local experts and community members who are well versed in specific challenges and socio-cultural contexts of the area.
Exploration of Community Needs	Set theoretical foundations for the intervention. Ground intervention in evidence-based practices. Identify gaps/limitations in pilot. Develop adaptations that align with target communities.
Development and Cultural Tailoring of Intervention Content	Create and refine materials, resources, and tools to be used as part of the intervention that are accessible and culturally relevant.
Recruitment & Distribution Preparation	Train recruiters and intervention distributors to communicate crucial information about the study and kit usage.

### **Initial Solicitation of Community Input**

In April 2020, a 10-member community advisory panel was assembled. Panelists included the director and staff members from Prevention305; a community-based non-profit HIV prevention organization, the director and staff members from CHAMP; a community service program that provides HIV testing, linkage to care, and advocacy to individuals from Miami's diverse Black neighborhoods, and PhD and masters-level community health experts in the HIV prevention field from UM's Social Networks and Latino Health Disparities lab. Panelists were Miami-Dade residents, individuals identifying as Hispanic/Latino MSM, immigrants, Black cisgender women, and/or individuals experienced in HIV testing and PrEP engagement within Miami-Dade County. The group met weekly to discuss content and practical strategies for development. Meeting notes were recorded in real time and reviewed regularly by the study team.

### **Exploration of Community Needs**

This stage was conducted using an iterative approach, garnering input and feedback through discussion of current HIV-testing practices and perceived barriers and facilitators of HIV testing and HIV

self-test (HIVST) program implementation. Panelists were encouraged to consider this data in the context of their experiences.

### **Review of Foundational Work**

First, qualitative data collected and analyzed during the pilot study (King et al., 2022) were presented to the panel to identify opportunities for feasible and swift adaptations. Four broad potential improvement areas were found, these included: intervention-distribution logistics, data collection on intervention recipients/users, HIV prevention education for intervention recipients/users, and training on HIVST-handling, use, and distribution, for intervention distributors. Each area identified was subsequently divided into more specific subcategories, allowing for a nuanced understanding and targeted approach to addressing the individual challenges within each domain.

### **Literature Review**

Panelists then reviewed literature on existing U.S.-based HIV self-testing interventions that leveraged social network strategies (SNS) for distribution, examining their potential for scale-up, sustainability, and integration into the Test-to-PrEP intervention. At the time of this review, only two studies that fit location and methodology criteria had been published (Lightfoot et al, 2018 & Wesolowski et al, 2019). Panelists characterized each study by relevant similarities and differences.

Both studies found that SNS strategies were effective at increasing testing among MSM, particularly MSM of color who had never tested for HIV (Lightfoot et al, 2018 & Wesolowski et al, 2019). However, while the study by Lightfoot and colleagues recruited intervention distributors who were living with and without HIV and provided training on HIVST use (Lightfoot et al, 2018), the Wesolowski group recruited distributors who were living with HIV and did not train participants on use of the self-test (Wesolowski et al, 2019). The Lightfoot study also implemented an electronic mechanism to collect data from HIVST users/recipients (Lightfoot et al, 2018). Both studies recruited HIVST distributors mainly through social media and dating applications and focused on recruiting distributors who were Black and Hispanic MSM (Lightfoot et al, 2018 & Wesolowski et al, 2019). Neither study recruited cisgender women for distribution or included HIV-prevention educational materials with the HIVST.

Intervention adaptations to address the gaps found within the pilot were then identified. Gaps and proposed adaptations are summarized in Table 2.

**Table 2. Summary of Intervention Optimization: Opportunities for Enhancement and Proposed Adaptations**

<b>Opportunity</b>	<b>Adaptation</b>
<b>Kit Distribution Logistics</b>	
Underrepresentation of Black MSM and cisgender women among kit recipients	Focused recruitment of Black and cisgender female PrEP clients
Lack of confidentiality during HIVST distribution due to packaging of materials	Develop inclusive intervention materials & messaging
	Develop “discrete” intervention packaging
Unstructured Test-to-PrEP distribution	Survey-facilitated creation of distribution plan
Limited intervention reach	Allow recipients to become distributors
<b>Data Collection on Intervention Recipients/Users</b>	
Secondary reporting of intervention users/recipients’ HIV prevention knowledge and HIVST use	Create and disseminate user/recipient data collection tool
<b>HIV Prevention Education for Users/Recipients</b>	
Lack of prevention information materials accompanying the HIVST	Develop prevention-education materials to be included within the intervention
<b>Recruitment &amp; Distribution Preparation</b>	
Limited knowledge on handling & usage of HIVST among distributors	Develop and conduct formal training with intervention-distributors

## **Outcomes**

### **Development and Cultural Tailoring of Educational Materials and Data Collection Tool**

Guided by findings and insights from the panel, the first drafts of intervention content and data collection tools were formulated. Materials included a palm-sized card with a quick response (QR) code that opened the survey and instructions for taking it when scanned, a six-page booklet that detailed information about HIV, PrEP, and nPEP and an opaque tote bag with RAW/mobile PrEP names and logos printed on the front for transporting the HIVST and educational materials.

### **Educational Booklet**

Information included within the booklet was based on priorities expressed by pilot study participants and guidelines from the World Health Organization (WHO) for implementing HIV self-testing programs (King et al., 2022; WHO, 2021). This resource was divided into two sections. The first section focused on providing foundational knowledge about HIV. This included considerations for before using the HIVST, related to recency of exposure, guidance on interpreting test results, and actionable steps depending on the test's outcome. The second section described PrEP and nPEP HIV prevention strategies. Additionally, the booklet offered clinic referral details and provided the process for scheduling appointments.

Pictures of reactive and non-reactive HIVST results were included in the booklet to facilitate comprehension among intervention recipients. The use of pictures in health communications can improve attention, recall, and adherence to instructions and can be particularly helpful for individuals with low literacy skills or limited language proficiency (Houts et al., 2006).

Qualitative feedback garnered from the pilot study (King et al., 2022) and recommendations from panelists supported a design that was gender- and sexual identity-neutral, leading to inclusion of photos and language within the booklet that were not anchored to any specific gender or sexual orientation. It was believed that this would facilitate broader applicability and resonance with a diverse range of participants. Indeed, results from a study that assessed perceptions of HIV testing campaigns among Black and Latino individuals found that these groups were more likely to find messaging acceptable if they were not focused on the LGBTQIA+ community (Drumhiller et al., 2018).

### **Survey & Data Collection Design**

Survey questions were developed based on priority areas identified during the “Exploration” step. They encompassed a broad range of topics, from user demographics and HIVST outcomes to patterns of HIV risk behaviors. Likert-scale items queried HIVST-users' understanding of HIV, self-testing processes, and preventive measures. Distinctive features of the survey were its emphasis on relationship dynamics between intervention recipients/users and distributors and that it asked recipients/users to rate their pre- and post-intervention PrEP & nPEP knowledge, evaluate the intervention-information's quality,



and express their propensity towards future PrEP use. The survey assessed primary outcomes of the larger study, which are reported elsewhere (Johnson et al., 2023).

It was observed that prior HIVST interventions recruited distributors for whom limited background knowledge was known and did not possess reliable mechanisms to associate these distributors with HIVST recipients (Lightfoot et al, 2018 & Wesolowski et al, 2019). Panelists recognized this as an opportunity to leverage the comprehensive demographic and sexual risk data on distributors, already collected by RAW/mobile PrEP. They hypothesized that this data-rich context would facilitate a more in-depth characterization of effective intervention-distributors. To establish a direct connection between intervention recipients and respective distributors, each QR code was embedded with an individual identifier that linked distributor-recipient pairs automatically when scanned, further enhancing the traceability and potential feedback mechanisms of the Test-to-PrEP intervention.

### **Language Adaptation**

To ensure inclusivity and broad accessibility, all materials and the survey were translated into Spanish. Spanish versions were then circulated among native Spanish-speaking panel members and project staff. This was done to ensure linguistic accuracy and cultural relevance, as research has shown that social context and local specificity of language is important for encouraging acceptability of public health messages directed at specific communities (Fields et al., 2020)

### **Pretesting & Refining Materials**

The drafted Test-to-PrEP intervention concept was then shared with a CBPR and Social Networks graduate class at the University of Miami, acting as a proxy focus group. Their feedback, combined with insights from current PrEP program clients, led to essential revisions, particularly concerning privacy and clarity. As an example, participants expressed concerns about privacy, which led the panel to select a material for the tote bag that was opaque. Their feedback also influenced the information that was displayed on the outside of the bag; logos and images used did not explicitly indicate HIV related content or describe services provided by the clinics.

**Figure 1. Materials Visualization**



### **Recruitment & Distribution Preparation**

Aiming to equip study recruiters and intervention distributors with adequate knowledge on Test-to-PrEP content and HIVST procedures, panelists developed a Test-to-PrEP “training module” for study recruiters. The module was based on suggestions described within pilot study data, related to distributor preparedness and self-efficacy (King et al., 2022), and grounded in the “Train-the-Trainer” approach. Train-the-Trainer is a capacity and dissemination multiplier model in which subject matter experts train others to become trainers themselves (Yarber et al., 2015). It allows sharing of knowledge and skills with a wider audience and helps develop training expertise amongst said audience (Yarber et al., 2015).

The module included role-play scenarios, helping recruiters familiarize themselves with potential real-world interactions with PrEP clients. An accompanying brief document with key bullet points was also created for quick reference. This document included short prompts that reminded recruiters to emphasize the most important information about Test-to-PrEP when training distributors. Two outreach coordinators, possessing relevant clinical, research, and linguistic competencies, underwent intensive two-day training on this module.

## **Discussion**

We developed the Test-to-PrEP intervention, which strategically integrates peer-to-peer distribution of HIVST with tailored HIV prevention education, through a robust CBPR approach. With the understanding that interventions often have increased efficacy when tied to community needs and assets, our process of design and dissemination of a community-centered intervention that aims to increase HIV testing and prevention knowledge may be applicable to development of similar interventions.

Central to the success of the Test-to-PrEP development process was the engagement of community stakeholders and organizations. Such engagement ensures alignment with specific experiences and preferences of priority populations and emphasizes the responsive and dynamic nature of the initiative, as evidenced by findings from the pilot study and other interventions (King et al., 2022; Lightfoot et al, 2018; Wesolowski et al, 2019) and bolstered by real-time feedback. CBPR research methods have been shown to enhance the acceptability of health interventions by involving community members at every stage, from design to evaluation (Viswanathan et al., 2004), and employing these methods has been linked to the creation of health interventions that are more sustainable and equitable (Viswanathan et al., 2004).

After deployment of the Test-to-PrEP kit, intervention recipients/users indicated the high quality of information provided (Johnson et al., 2023). This aligns with prior research suggesting that the efficacy of information-based interventions hinges on the caliber of the information presented, the modality of its delivery, and the specific characteristics of the target audience (Gagliardi & Brouwers, 2015). The

importance of using high-quality information for these interventions plays a crucial role in equipping individuals with the insights necessary to comprehend their health risks and benefits, instigate behavioral change, and make informed decisions about their health (Epping-Jordan et al., 2004).

An important feature of Test-to-PrEP was the purposeful tailoring of language, imagery, and content to resonate across diverse genders, sexual orientations, and cultural backgrounds, as our objective was to amplify the program's reach and enhance its efficacy. This aligns with the observations of Drumhiller et al. (2018), who ascertained that HIV prevention messages garnered more public acceptance when they highlighted general risk factors for HIV and refrained from using terms like "MSM" or explicit depictions of sexual activity. Further, Test-to-PrEP was deliberately inclusive of cisgender women as intended recipients as this group was perceived to have been left out of many HIV prevention initiatives.

## **Conclusion**

We present a CBPR-based process for development of Test-to-PrEP, an intervention to increase HIV testing and PrEP information. We hope that our description of the Test-to-PrEP process may aid others in development of similar interventions, and that the inclusion of this process in intervention development will result in amplification of the potential health impact.

Future research will assess the efficacy and implementation needs of Test-to-PrEP deployment. Periodic reevaluation and adaptation of the model in partnership with community stakeholders is also planned, to ensure that our strategy remains relevant and aligned with the evolving needs of diverse communities.

## **Acknowledgements:**

This work was supported by Miami Center for AIDS Research Ending the HIV Epidemic administrative supplement (NIH/NIAIDS P30AI169643) awarded to M.K. and S.D.L

## **Conflicts of Interest:**

The authors declare there are no potential conflicts of interest.

## **Author Contributions**

SDL and MK conceived the idea presented. SB, ALJ, ER, and LC wrote the manuscript with support from SDL and MK. SDL and SB supervised the project. All authors were involved in the intervention's iterative planning and development process, its revision for intellectual content, and approved the final version of the manuscript. All authors agree to be accountable for all aspects of the work.

## References

1. Centers for Disease Control and Prevention. (2021). *HIV Surveillance Report*, 2019.
2. Chimbindi, N., & Shahmanesh, M. (2022). PrEP dispensing with HIV self-testing. *The Lancet HIV*, 9(7), e450-e451.
3. Coughlin, S. S., Smith, S. A., & Fernández, M. E. (Eds.). (2017). *Handbook of community-based participatory research*. Oxford University Press.
4. Drumhiller, K., Murray, A., Gaul, Z., Aholou, T. M., Sutton, M. Y., & Nanin, J. (2018). “We deserve better!”: Perceptions of HIV testing campaigns among Black and Latino MSM in New York City. *Archives of Sexual Behavior*, 47, 289-297.
5. Epping-Jordan, J. E., Pruitt, S. D., Bengoa, R., & Wagner, E. H. (2004). Improving the quality of health care for chronic conditions. *BMJ Quality & Safety*, 13(4), 299-305.
6. Fields, E. L., Long, A., Bademosi, K., Granderson, R., Schumacher, C. M., Chandran, A., ... & Jennings, J. M. (2020). Identifying community-informed language to promote HIV pre-exposure prophylaxis (PrEP) in Black LGBTQ communities in Baltimore. *AIDS Education and Prevention*, 32(2), 152-168.
7. Gagliardi, A. R., & Brouwers, M. C. (2015). Do guidelines offer implementation advice to target users? A systematic review of guideline applicability. *BMJ Open*, 5(2), e007047.
8. Hillis, A., Germain, J., Hope, V., McVeigh, J., & Van Hout, M. C. (2020). Pre-exposure prophylaxis (PrEP) for HIV prevention among men who have sex with men (MSM): A scoping review on PrEP service delivery and programming. *AIDS and Behavior*, 24, 3056-3070.
9. Houts, P. S., Doak, C. C., Doak, L. G., & Loscalzo, M. J. (2006). The role of pictures in improving health communication: A review of research on attention, comprehension, recall, and adherence. *Patient Education and Counseling*, 61(2), 173-190.
10. Israel, B. A., Schulz, A. J., Coombe, C. M., Parker, E. A., Reyes, A. G., Rowe, Z., & Lichtenstein, R. L. (2012). Community-based participatory research. *Urban health*, 272(2), 272-282.

11. Johnson, A.L., Butts, S.A., Rodriguez E, Craker L, Kanamori M, Doblecki-Lewis S. (2023) “Test-to-PrEP”: Assessing Reach and Adoption of a New Approach to Increase HIV Testing and PrEP Knowledge using HIV Self-Test Kit Distribution Through PrEP Clients' Social Networks. *Journal of Acquired Immune Deficiency Syndromes*. [In Press]
12. King, K., Balan, S., Kanamori, M., Shrader, C. H., Arroyo-Flores, J., Johnson, A., ... & Doblecki-Lewis, S. (2022). Feasibility and Acceptability of HIV Self-Test Kit Distribution Through PrEP Clients' Social and Sexual Networks to Increase HIV Testing and PrEP Information. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, 90(1), S105-S113.
13. Lightfoot, M. A., Campbell, C. K., Moss, N., Treves-Kagan, S., Agnew, E., Dufour, M. S. K., ... & Lippman, S. A. (2018). Using a social network strategy to distribute HIV self-test kits to African American and Latino MSM. *JAIDS Journal of Acquired Immune Deficiency Syndromes*, 79(1), 38-45.
14. Rhodes, S. D., Duck, S., Alonzo, J., Daniel-Ulloa, J., & Aronson, R. E. (2013). Using community-based participatory research to prevent HIV disparities: assumptions and opportunities identified by the Latino partnership. *Journal of acquired immune deficiency syndromes* (1999), 63(0 1), S32.
15. Rousseau, E., Julies, R. F., Madubela, N., & Kassim, S. (2021). Novel platforms for biomedical HIV prevention delivery to key populations—community mobile clinics, peer-supported, pharmacy-Led PrEP delivery, and the use of telemedicine. *Current HIV/AIDS Reports*, 1-8.
16. Viswanathan, M., Ammerman, A., Eng, E., Garlehner, G., Lohr, K. N., Griffith, D., ... & Whitener, L. (2004). Community-based participatory research: Assessing the evidence: Summary. AHRQ evidence report summaries.
17. Wesolowski, L., Chavez, P., Sullivan, P., Freeman, A., Sharma, A., Mustanski, B., ... & MacGowan, R. (2019). Distribution of HIV self-tests by HIV-positive men who have sex with men to social and sexual contacts. *AIDS and Behavior*, 23, 893-899.
18. World Health Organization. (2016). Guidelines on HIV self-testing and partner notification: supplement to consolidated guidelines on HIV testing services. *World Health Organization*.

19. Yarber, L., Brownson, C. A., Jacob, R. R., Baker, E. A., Jones, E., Baumann, C., ... & Brownson, R. C. (2015). Evaluating a train-the-trainer approach for improving capacity for evidence-based decision making in public health. *BMC health services research*, 15, 1-10.