1	Human versus Artificial Intelligence: ChatGPT-4
2	Outperforming Bing, Bard, ChatGPT-3.5, and Humans in
3	Clinical Chemistry Multiple-Choice Questions
4	Short title: AI-Based Models' Performance in Clinical Chemistry
5	
6	Malik Sallam ^{1,2,3,*} , Khaled Al-Salahat ^{1,3} , Huda Eid ³ , Jan Egger ⁴ , Behrus Puladi ⁵
7 8	¹ Department of Pathology, Microbiology and Forensic Medicine, School of Medicine, The University of Jordan, Amman, Jordan
9 10	² Department of Clinical Laboratories and Forensic Medicine, Jordan University Hospital, Amman, Jordan
11 12	³ Scientific Approaches to Fight Epidemics of Infectious Diseases (SAFE-ID) Research Group, The University of Jordan, Amman, Jordan
13	⁴ Institute for AI in Medicine (IKIM), University Medicine Essen (AöR), Essen, Germany
14	⁵ Institute of Medical Informatics, University Hospital RWTH Aachen, Aachen, Germany
15	
16	*Corresponding Author:
17	E-mail: malik.sallam@ju.edu.jo (MS)
18	
19	

20 Abstract

21 The advances in large language models (LLMs) are evolving rapidly. Artificial intelligence 22 (AI) chatbots based on LLMs excel in language understanding and generation, with potential 23 utility to transform healthcare education and practice. However, it is important to assess the 24 performance of such AI models in various topics to highlight its strengths and possible 25 limitations. Therefore, this study aimed to evaluate the performance of ChatGPT (GPT-3.5 and 26 GPT-4), Bing, and Bard compared to human students at a postgraduate master's (MSc) level 27 in Medical Laboratory Sciences. The study design was based on the METRICS checklist for 28 the design and reporting of AI-based studies in healthcare. The study utilized a dataset of 60 29 Clinical Chemistry multiple-choice questions (MCQs) initially conceived for assessment of 20 30 MSc students. The revised Bloom's taxonomy was used as the framework for classifying the 31 MCQs into four cognitive categories: Remember, Understand, Analyze, and Apply. A 32 modified version of the CLEAR tool was used for assessment of the quality of AI-generated 33 content, with Cohen's k for inter-rater agreement. Compared to the mean students' score which 34 was 40/60 (66.8%), GPT-4 scored 54/60 (90.0%), followed by Bing (46/60, 76.7%), GPT-3.5 (44/60, 73.3%), and Bard (40/60, 66.7%). Statistically significant better performance was noted 35 36 in lower cognitive domains (Remember and Understand) in GPT-3.5, GPT-4, and Bard. The 37 CLEAR scores indicated that ChatGPT-4 performance was "Excellent" compared to "Above 38 average" performance of ChatGPT-3.5, Bing, and Bard. The findings indicated that ChatGPT-4 39 excelled in the Clinical Chemistry exam, while ChatGPT-3.5, Bing, and Bard were aboveaverage. Given that the MCQs were directed to postgraduate students with a high degree of 40 41 specialization, the performance of these AI chatbots was remarkable. Due to the risks of 42 academic dishonesty and possible dependence on these AI models, the appropriateness of MCQs as an assessment tool in higher education should be re-evaluated. 43

- 44 **Keywords:** AI in healthcare education; higher education; large language models; evaluation.
- 45 Abstract word count: **300** words, limit: 300 words.

47 Introduction

The domain of higher education is set for a new transformative era [1, 2]. This transformation will be driven by the infiltration of artificial intelligence (AI) into various academic aspects [3-7]. Specifically, the incorporation of AI into higher education can help in enhancing personalized learning, supporting research, automating the grading, facilitating the humancomputer interaction, time-saving assistance, and enhancing the students' satisfaction [8-12].

Nevertheless, the AI utility in higher education does not only hold promising opportunities but also valid concerns, both of which warrant critical and robust examination [13-15]. This research endeavor is necessary to guide the ethical, responsible, and productive use of AI to enhance higher education guided by a robust scientific evidence [14, 16, 17]. The relevance of the quest to meticulously examine the benefits and challenges of AI in higher education is also important in light of the current evidence showing that a substantial number of university students are already using AI chatbots [18-22].

Despite the benefits of AI in higher education, it simultaneously raises valid concerns about the academic integrity [23, 24]. The ease with which AI can perform complex tasks might inadvertently encourage academic dishonesty, potentially undermining the educational ethics [23, 25]. Furthermore, the reliance on AI for academic tasks could trigger a decline in critical thinking and personal development skills among students, both of which are essential outcomes to enable the graduates in achieving economic, technological, and social advancements [26, 27].

Ultimately, with notable capabilities of AI chatbots in understanding and engaging in helpful
conversations, would usher a paradigm shift in higher education [8, 14, 28]. This AI-driven
change could be a key moment in educational history, with impact surpassing the advent of the

70 internet and the transition to online teaching [16, 17, 29]. Therefore, the stakeholders in the 71 academia must strike the right balance between embracing technological innovations while 72 preserving the core values of education [30-32]. Thus, the integration of AI into higher 73 education is inevitable, and the academic organizations must adapt to this evolution [3]. This 74 adaptation involves the need to emphasize educational aspects such as self-reflection, critical 75 thinking, problem-solving, and independent learning [33]. Consequently, the educational 76 systems can benefit from AI as a tool to complement, rather than replace, human intellect and 77 creativity [34].

78 In the quest of transition to the AI era in education, guidance by robust scientific evidence is 79 crucial. One of the primary steps in this process is to scientifically evaluate the performance of 80 the commonly used and popular AI tools, such as ChatGPT (by OpenAI, San Francisco, CA), 81 Bing (by Microsoft Corporation, Redmond, WA), and Bard (by Google, Mountain View, CA). 82 Several recent studies explored the performance of AI-based models in multiple-choice 83 questions (MCQs), particularly within a broad spectrum of healthcare fields as recently 84 reviewed by Newton and Xiromeriti [35]. The observed variability in AI performance can be 85 ascribed to several factors, including the different AI models tested, varying approaches to 86 prompting, language variations, and the diversity of the topics tested, among others [35-37]. Thus, continued investigation into this research area is needed to elucidate the determinants of 87 88 AI model performance across various dimensions which can guide improvements in AI 89 algorithms. However, it is essential that such explorations are conducted utilizing a standardized, refined methodology [36, 38]. 90

91 The use of multiple-choice questions (MCQs) have traditionally been fundamental as an 92 objective approach in academic evaluation [39]. The versatility of MCQs is shown through the 93 use of the Bloom's taxonomy and its subsequent revised framework [40, 41]. The Bloom's

taxonomy can guide structuring MCQs to align with specific cognitive functions needed to provide correct answers [42]. This alignment is key in assessing the students' achievement of the intended learning outcomes [43]. The taxonomy stratifies these cognitive functions into distinct categories. The lower cognitive levels encompass knowledge, which emphasizes "Recall", and comprehension, centered on "Understanding". Conversely, the higher cognitive functions include "Apply", key in problem-solving, and "Analyze", entailing the systematic breakdown of information [40, 41].

101 In the context of assessing the performance of AI model performance in MCQs based on the 102 Bloom's taxonomy, a pioneering study by Herrmann-Werner et al. assessed ChatGPT-4 with 307 psychosomatic medicine MCOs [44]. The study demonstrated ChatGPT-4 ability to pass 103 104 the exam irrespective of the prompting method. Notably, cognitive errors were more prevalent 105 in "Remember" and "Understand" categories. Another recent study demonstrated that 106 ChatGPT-3.5 correctly answered 64 of 80 medical microbiology MCQs, albeit below student 107 averages, with better performance in the "Remember" and "Understand" categories and more 108 frequent errors in MCO with longer choices in terms of word count [45].

109 In this study, the objective was to synthesize and expand upon recent research examining the 110 performance of AI chatbots in various examinations. This research was informed by seminal 111 studies, such as the Kung et al. evaluation of ChatGPT in the United States Medical Licensing Examination (USMLE) [37], and also it aimed to extend the evidence of AI chatbot 112 113 performance in a topic rarely encountered in literature, namely the Clinical Chemistry at 114 postgraduate level. The novel contribution of the current study lies in employing a standardized 115 framework, termed "METRICS" for the design and reporting of AI assessment studies, coupled 116 with an in-depth analysis of AI models' rationale behind responses, using an evaluation tool 117 specifically tailored for AI content evaluation referred to as "CLEAR" [36, 38].

118	The study hypothesized that postgraduate students, particularly in the field of clinical
119	chemistry, will demonstrate superior performance compared to AI models. We anticipate that
120	this disparity will be especially evident in tasks requiring higher cognitive functions, such as
121	"Apply" and "Analyze". This study aimed to critically assess the current capabilities of AI in
122	an academic setting and explore the differences of human versus artificial intelligence in
123	complex problem-solving scenarios.
124	
125	
126	
127	
128	

129 Materials and Methods

130 Study design

The study utilized the METRICS checklist for the design and reporting of AI studies in healthcare [36]. The basis of the study was a dataset of 60 MCQs, used in a Clinical Chemistry examination. This examination was part of the Medical Laboratory Sciences Clinical Chemistry course, tailored for Master of Science (MSc) students in Medical Laboratory Sciences at the School of Medicine, University of Jordan.

The specific exam in focus was conducted in-person and 20 students undertook the examination
during the Autumn Semester of the 2019/2002 academic year. The students' performance in
each question was available for comparison with AI models.

The MCQs utilized in this exam were designed by the first author (M.S.), who is a Jordan Medical Council (JMC) certified consultant in Clinical Pathology. Additionally, the first author (M.S.) has been a dedicated instructor for this course since the Academic Year 2018/2019. The MCQs were original, ensuring there were no copyright concerns.

143 Ethical considerations

In conducting this study, we paid careful attention to ethical implications. Ethical clearance for this research was determined to be non-essential, given the nature of the data involved. The data utilized were entirely anonymized, ensuring no breach of confidentiality or personal privacy. Additionally, the university examination results, which formed part of our dataset, are publicly accessible and open for academic scrutiny. Moreover, the MCQs employed in the study were originally created by the first author. These questions are devoid of any copyright concerns, further reinforcing the ethical integrity of our research approach.

151 MCO features and indices of human students' performance

The indices of student performance included facility index defined as the proportion of students 152 who correctly answered the MCQ divided by the total number of students (n=20). The students 153 were then divided into the upper group comprising the top 5 performing students, and the 154 155 middle group comprising the middle 10 students and the lower group comprising the lower 156 scoring 5 students. The "Discrimination Index" (DI) was then calculated based on the 157 difference between the percent of correct responses in the upper group and the percent of 158 correct responses in the lower group. This was followed by the calculation of the "Maximum" 159 Discrimination" based on the sum of the percent in the upper and lower groups marking the 160 item correctly. Then, the Discrimination Efficiency (DE) of the MCQ was calculated as the 161 ratio of DI to the Maximum Discrimination. The classification of the MCQs based on the 162 revised Bloom's taxonomy four cognitive levels "Remember", "Understand", "Apply", and "Analyze" was based on a consensus between the first and second authors, both of which are 163 164 certified Clinical Pathologists.

165 Models of AI tested, settings, testing time, and duration

In this study, a detailed evaluation of four AI models was conducted, each selected for its relevance, popularity, and advanced capabilities in language processing as follows: First, ChatGPT-3.5 (OpenAI, San Francisco, CA) [46]: This model is grounded in the GPT-3.5 architecture deployed using its default settings and was assessed as of its latest update at time of testing as of January 2022.

Second, ChatGPT-4 (OpenAI, San Francisco, CA) [46]: An advancement in the Generative
Pre-trained Transformer (GPT) series, with the most recent update from April 2023 at time of
testing. Third, Bing Chat (GPT-4 Turbo) [47]: This model uses the GPT-4 Turbo model. At the

time of testing, the version was updated until April 2023 and we selected the more balanced
conversation style. Fourth, Bard (Google, Mountain View, CA) [48]: This Google AI GPT
model was last updated on October 4, 2023, at time of testing.

The testing of these models was conducted over a concise period, spanning November 27 to November 28, 2023. Our methodological approach involved initiating interactions with GPT-3.5, GPT-4, and Bard using a single page. For Bing Chat, we used the "New Topic" option considering the limit of responses posed by this model (50 at maximum). Additionally, we opted not to use the "regenerate response" feature in ChatGPT and abstained from providing feedback in all models to avoid feedback bias.

183 **Prompt and language Specificity**

184 In this study, we meticulously crafted the prompts used for interacting with the AI models to 185 ensure clarity and consistency in the testing process. For ChatGPT-3.5, ChatGPT-4, and Bard, 186 the following exact prompt was used: "For the following 60 Clinical Chemistry MCQs that 187 will be provided one by one, please select the most appropriate answer for each MCQ, with an 188 explanation for the rationale behind selecting this choice and excluding the other choices. 189 Please note that only one choice is correct while the other four choices are incorrect. Please 190 note that these questions were designed for masters students in medical laboratory sciences." 191 This was followed by prompting each MCQ one by one. For Bing, the following prompt was 192 used for each MCQ: "For the following 60 Clinical Chemistry MCQs that will be provided one 193 by one, please select the most appropriate answer for each MCQ, with an explanation for the 194 rationale behind selecting this choice and excluding the other choices. Please note that only 195 one choice is correct while the other four choices are incorrect. Please note that these questions 196 were designed for masters students in medical laboratory sciences."

All MCQs were presented in English. This choice was based on the fact that English is the
official language of instruction for the MSc program in Medical Laboratory Sciences at the
University of Jordan.

200 AI content evaluation approach and individual involvement in

201 evaluation

202 First, we objectively assessed the correctness of responses based on the key answers of the 203 MCQs. Then, subjective evaluation of the AI generated content was based on a modified 204 version of the CLEAR tool. This involved assessing the content on three dimensions as follows: 205 First, completeness of the generated response. Second, accuracy reflected by lack of false 206 knowledge and the content being evidence-based. Third, appropriateness and relevance of 207 content being easy to understand, well organized, and free from irrelevant content [38]. Each dimension was scored on a 5-point Likert scale ranging from 1=poor, 2=satisfactory, 3=good, 208 209 4=very good, to 5=excellent. A list of the key points to be considered in the assessment was 210 set beforehand to increase objectivity.

The content generated by the four models was evaluated by two raters independently; the first author (M.S.) a consultant in Clinical Pathology, and the second author (K.A.) a specialist in Clinical Pathology, both certified in Clinical Pathology from the Jordan Medical Council (JMC).

215 **Data source transparency and topic range**

The MCQs were totally conceived by the first author and sole instructor of the course. Sources of the material taught during the course were the following three textbooks: Tietz Textbook of Clinical Chemistry and Molecular Diagnostics; Clinical Chemistry: Principles, Techniques,

and Correlations; and Henry's Clinical Diagnosis and Management by Laboratory Methods[49-51].

The scope of topics covered in the MCQs were as follows: Adrenal Function, Amino Acids
and Proteins, Body Fluid Analysis, Clinical Enzymology, Electrolytes, Gastrointestinal
Function, Gonadal Function, Liver Function, Nutrition Assessment, Pancreatic Function,
Pituitary Function, Thyroid Gland, and Trace Elements.

225 Statistical and data analyses

226 The statistical analysis was conducted using IBM SPSS Statistics Version 26.0 (Armonk, NY: 227 IBM Corp). The continuous variables were presented as means and standard deviations (SD). 228 while categorical data were summarized as frequencies and percentages [N (%)]. To explore 229 the associations between categorical variables, we employed the chi-squared test (γ^2), while to 230 explore the associations between scale variables and categorical variables, non-parametric tests 231 were utilized: the Mann-Whitney U test (M-W) and the Kruskal Wallis test (K-W). The Kolmogorov-Smirnov test was employed to confirm the non-normality of the scale variables: 232 233 facility index (FI, P=.042), discriminative efficiency (DE, P=.011), word count for both stem 234 choices both). completeness, and (P<.001 for average accuracy/evidence, 235 appropriateness/relevance, and the mCLEAR scores (P<.001 for the four scores). P values <0.050 were considered statistically significant. For multiple comparisons, post hoc analysis 236 237 was conducted using the M-W test. To account type I error due to multiple comparisons, we 238 adjusted the α level using the Bonferroni correction. Consequently, the adjusted α level for 239 conducting pairwise comparisons between the four AI models was set at P=0.0083.

The MCQs were categorized based on the FI as "difficult" for an FI of 0.40 or less, "average" for an FI > 0.40 and \leq 0.80, and "easy" for an FI > 0.80. Additionally, the DE was stratified

- into "poor discrimination" if the DE was between -1 to zero, "satisfactory discrimination" for DE > zero to < 0.40 as satisfactory, and DE \ge 0.4 indicating "good discrimination".
- 244 The inter-rater agreement was assessed using Cohen's kappa (κ) values, which ranged from very good to excellent. For ChatGPT-3.5, the agreement was $\kappa=0.874$ for Completeness, 245 κ =0.921 for Accuracy, and κ =0.723 for Relevance. ChatGPT-4 showed κ =0.845 for 246 247 Completeness, a perfect $\kappa=1$ for Accuracy, and $\kappa=0.731$ for Relevance. Bing displayed κ values 248 of 0.911 for Completeness, 0.871 for Accuracy, and 0.840 for Relevance. Lastly, Bard's 249 agreement was $\kappa=0.903$ for Completeness, $\kappa=1$ for Accuracy, and $\kappa=0.693$ for Relevance. 250 Finally, the overall modified CLEAR (mCLEAR) scores for AI content quality were averaged 251 based on the scores of the two raters and categorized as: "Poor" (1-1.79), "Below average" 252 (1.80-2.59), "Average" (2.60-3.39), "Above average" (3.40-4.19), and "Excellent" (4.20-253 5.00) similar to the previous approach in [52].

254

255

257 **Results**

258 Overall performance of the tested AI models compared to the

259 human students

- 260 The overall performance of the MSc students in the exam was reflected in the average score of
- 40.05 ± 7.23 (66.75%), with the range of scores of the students of 24–54 (40.00%–90.00%). The
- 262 performance of the four AI models varied with the best performance for ChatGPT-4 scoring
- 263 54/60 (90.00%), followed by Bing scoring 46/60 (76.67%), ChatGPT-3.5 scoring 44/60
- 264 (73.33%), and finally Bard scoring 40/60 (66.67%).

265 Human students' performance based on the revised Bloom's

266 taxonomy

The MCQ metrics were derived from the performance of the 20 MSc students in the exam. The best performance was in the "Remember" category, followed by the "Apply" category, "Understand" category, while the worst performance was in the "Analyze" category; however, these differences lacked statistical significance (**Table 1**).

271

272

- 273
- 274

276 Table 1. Multiple-choice questions (MCQs) metrics stratified by the revised Bloom's

Revised Bloom's taxonomy	Remember	Understand	Apply	Analyze	<i>P</i> value ³
MCQ metric	Mean±SD ²	Mean±SD	Mean±SD	Mean±SD	
Facility index	0.74 ± 0.22	0.61 ± 0.28	0.71 ± 0.21	0.6±0.17	.180
Discriminative efficiency	0.24 ± 0.25	0.24 ± 0.27	0.17 ± 0.43	0.43 ± 0.41	.482
MCQ stem word count	15.04 ± 6.5	24±16.95	73.4 ± 57.06	25.31±27.55	.052
MCQ choices word count	13.5±9.29	24.83 ± 17.76	22.2 ± 8.07	29.54±28.64	.153
Revised Bloom's cognitive level ¹	Lo	wer	Hiş	P value ⁴	
Facility index	Facility index 0.68			±0.18	.225
Discriminative efficiency		0.24 ± 0.25		0.36 ± 0.42	
MCQ stem word count	18.88	±12.77	38.67	±42.34	.265
MCQ choices word count	18.36	±14.54	27.5±	.268	

277 taxonomy as derived from the performance of 20 MSc students.

278 ¹Lower cognitive level includes "Remember" and "Understand" categories, while the higher cognitive 279 level includes "Apply" and "Analyze" categories; ²SD: Standard deviation; ³Calculated using the

280 Kruskal Wallis test; ⁴Calculated using the Mann Whiteny U test.

Performance of the AI models based on the MCQ metrics 282

283 The performance of the four tested AI models was stratified based on the MCQ metrics.

284 Significantly lower number of correct answers was seen in difficult MCQs in both Bing and

285 Bard (Table 2), while the MCQ stem and choices word counts were not associated with AI

286 models' performance.

287

²⁸¹

	FI ¹ category						DE ³ category				MCQ stem word count		MCQ choices word count	
AI mode	Answer	swer Easy	Easy Average	Difficult	D 1 2	Poor	Satisfactory	Good	P value.					
		N ² (%)	N (%)	N (%)	- P value, χ^2	N (%)	N (%)	N (%)	χ^2	Mean±SD ⁺	<i>P</i> value ³	Mean±SD	<i>P</i> value ³	
	Correct	15 (78.9)	22 (68.8)	7 (77.8)	(00.0741	10 (62.5)	15 (65.2)	19 (90.5)	087, 4.891	23.8±28.49	.063 -	18.2±16.07	055	
GPT-3.5	Incorrect	4 (21.1)	10 (31.3)	2 (22.2)	.690, 0.741 -	6 (37.5)	8 (34.8)	2 (9.5)		27.63±21.62		29.06±22.41		
	Correct	19 (100)	26 (81.3)	9 (100)	.054, 5.833	14 (87.5)	21 (91.3)	19 (90.5)	923, .160	24.33±27.49	.315	20.5±18.67	339	
GPT-4	Incorrect	0	6 (18.8)	0		2 (12.5)	2 (8.7)	2 (9.5)		29.17±19.57		26.5±16.49		
Bing	Correct	16 (84.2)	26 (81.3)	4 (44.4)	.045, 6.204 -	11 (68.8)	18 (78.3)	17 (81.0)	667, .809	25.89±29.62	.322	19.57±15.17	— .655	
	Incorrect	3 (15.8)	6 (18.8)	5 (55.6)		5 (31.3)	5 (21.7)	4 (19.0)		21.29±13.53		26.14±26.6		
Bard	Correct	17 (89.5)	19 (59.4)	4 (44.4)	005 5 010	9 (56.3)	18 (78.3)	13 (61.9)	303, 2.387	26.9±31.18	.660 -	17.63±14.08	— .114	
	Incorrect	2 (10.5)	13 (40.6)	5 (55.6)	027, 7.213 -	7 (43.8)	5 (21.7)	8 (38.1)		20.65±13.9		28.05±23.89		

289 Table 2. Artificial intelligence (AI)-based model performance based on the multiple-choice question (MCQ) metrics.

 1 FI: Facility index of the MCQ; 2 N: Number; 3 DE: Discriminative efficiency of the MCQ; 4 SD: Standard deviation; 5 Calculated using the Mann Whiteny *U* test.

295 Performance of the AI models based on the revised Bloom's

296 taxonomy

Upon analyzing the AI models' performance in MCQs stratified per the four revised Bloom's
categories, only ChatGPT-4 showed statistically significant better performance in the
Remember and Understand categories compared to Apply and Analyze categories (Table 3).

300

301 Table 3. The performance of the four artificial intelligence (AI)-based models in the
302 Clinical Chemistry multiple-choice question (MCQs) stratified per the four revised
303 Bloom's categories.

Revised Bloom's	American	Remember	Understand	Apply	Analyze	$\frac{P \text{ value,}}{\chi^2}$	
taxonomy	Answer	N ¹ (%)	N (%)	N (%)	N (%)		
CDT 2.5	Correct	19 (79.2)	15 (83.3)	2 (40.0)	8 (61.5)	.164,	
GP1-3.5	Incorrect	5 (20.8)	3 (16.7)	3 (60.0)	5 (38.5)	5.104	
CDT 4	Correct	24 (100)	17 (94.4)	3 (60.0)	10 (76.9)	.015,	
GP1-4	Incorrect	0	1 (5.6)	2 (40.0)	3 (23.1)	10.532	
Dine	Correct	20 (83.3)	15 (83.3)	4 (80.0)	7 (53.8)	.182,	
Bing	Incorrect	4 (16.7)	3 (16.7)	1 (20.0)	6 (46.2)	4.859	
Dand	Correct	18 (75.0)	14 (77.8)	3 (60.0)	5 (38.5)	.090,	
Bara	Incorrect	6 (25.0)	4 (22.2)	2 (40.0)	8 (61.5)	6.504	

 $\overline{1}$ N: Number.

305

306 On the other hand, ChatGPT-3.5, ChatGPT-4, and Bard showed statistically better performance

307 in the lower cognitive MCQs compared to the higher cognitive MCQs (Figure 1).

308 Fig 1. The performance of the four artificial intelligence (AI)-based models in the MCQs

309 stratified per the revised Bloom cognitive levels.

311 Performance of the AI models based on the modified CLEAR tool

In our assessment of completeness, accuracy/evidence, and appropriateness/relevance, based on the modified CLEAR tool, ChatGPT-4 was the only model rated as "Excellent" across all categories. Bing achieved an "Excellent" rating solely in appropriateness/relevance. The other AI models were categorized as "Above average" in performance (**Table 4**). The statistical analysis revealed significant superiority of ChatGPT-4 compared to the other models in all CLEAR categories, with the exception of Bing where the difference was only significant in the completeness and the overall mCLEAR score (**Table 4**).

319

321 Table 4. Modified CLEAR average scores for the four AI models in explaining the rationale for selecting choices.

	Mean±SD ²	Rank	<i>P</i> value ³	Post hoc test (Mann Whiteny U test)						
Assessment category				GPT-3.5 vs. GPT-4	GPT-3.5 vs. Bing	GPT-3.5 vs. Bard	GPT-4 vs. Bing	GPT-4 vs. Bard	Bing vs. Bard	
ChatGPT-3.5 completeness score	4.03±1.26	Above average								
ChatGPT-4 completeness score	4.73±0.77	Excellent	- <.001	<.001	.343	.249	.001	.003	.745	
Bing completeness score	4.14±1.34	Above average								
Bard completeness score	4.19±1.18	Above average								
ChatGPT-3.5 accuracy/evidence score	3.87±1.80	Above average								
ChatGPT-4 accuracy/evidence score	4.6±1.21	Excellent	- 0.016	0.007	.633	.604	.023	.002	.324	
Bing accuracy/evidence score	4.07±1.66	Above average								
Bard accuracy/evidence score	3.67±1.90	Above average								
ChatGPT-3.5 appropriate/relevance score	4.18±1.33	Above average								
ChatGPT-4 appropriate/relevance score	4.76 ± 0.76	Excellent	- 0.011	0.005	.645	.691	.023	.001	.355	
Bing appropriate/relevance score	4.27±1.35	Excellent								
Bard appropriate/relevance score	4.15±1.22	Above average								
ChatGPT-3.5 mCLEAR ¹ score	4.03±1.41	Above average								
ChatGPT-4 mCLEAR score	4.70 ± 0.90	Excellent	< 001	< 0.01	270	.213	.001	.002	.868	
Bing mCLEAR score	4.16±1.43	Above average	<.001	~.001	.270					
Bard mCLEAR score4.00±1.41A		Above average								

322 ¹mCLEAR: Modified CLEAR score based on the study by Sallam et al. [38]; ²SD: Standard deviation; ³Calculated using the Kruskal Wallis test. Significant *P*

323 values are highlighted in bold style.

326 **Discussion**

327 The whole landscape of education, including higher education is set for a new era that can be 328 described as a paradigm shift with the widespread and popularity of AI [13, 53, 54]. In this 329 study, a comparison between the human and AI abilities in a highly specialized field at a high 330 level was undertaken. Specifically, the performance of MSc students in a Clinical Chemistry 331 exam, with an average score of 40.05 ± 7.23 (66.75%), was used as a benchmark for comparison. 332 Remarkably, ChatGPT-4 surpassed this human benchmark, achieving a score of 54/60 (90.00%). Bing followed with 46/60 (76.67%), outperforming both ChatGPT-3.5 (44/60, 333 334 73.33%) and Bard (40/60, 66.67%). Overall, the level of AI models' performance underlines 335 the advancements in AI capabilities. Additionally, these results could pave the way for a 336 broader scientific inquiry into both the potential role of AI in educational settings as well as 337 the usefulness of the current assessment tools in higher education.

338 In this study, the initial central hypothesis assumed that the human students at a postgraduate 339 level who undertook a specialized course in a highly specialized field, namely Clinical 340 Chemistry, would show a superior performance compared to the tested AI models. The findings of this study showed that the AI models tested not only passed the exam but showed a 341 342 noteworthy performance. For example, ChatGPT-4 score equaled the highest student score and 343 thus would be rated as an "A" student. On the other hand, the performance of the AI models in 344 this study was not entirely an unexpected finding. This comes in light of the recent evidence 345 showing AI models' abilities to pass reputable exams in multiple languages such as the 346 USMLE [37], the German State Examination in Medicine [55], the National Medical Licensing 347 Examination in Japan [56, 57], and the Brazilian National Examination for Medical Degree 348 Revalidation [58].

349 From a broader perspective, a recent systematic review highlighted the abilities of ChatGPT as 350 an example of LLMs in various exams [35]. The review by Newton and Xiromeriti highlighted 351 the capabilities of this popular AI model, with ChatGPT-3 outperforming human students in 352 11% of the included exams, with ChatGPT 4 achieving superior performance and outscoring the human performance in 35% of the included exams [35]. The current study findings were in 353 354 line with the finding of better GPT-4 performance as opposed to the earlier and free GPT-3.5 version. Yet, the performance of ChatGPT-4 in comparison to the human students was 355 356 noteworthy highlighting the refinements of LLMs over a short period of time.

357 In this study, analyzing the human students' performance based on the revised Bloom's 358 taxonomy enabled elucidation of deeper insights into the assessment of cognitive aspects. The 359 human students excelled in the "Remember" domain which is indicative of strong recalling and 360 recognizing abilities. Additionally, the human students demonstrated a high performance in the 361 "Understand" and "Apply" categories, with the lowest performance shown in the "Analyze" 362 category. The lack of statistical significance in these differences suggest a balanced level of 363 cognitive skills acquired among the students during the course despite the potential for 364 improvement in higher-order cognitive skills entailing breakdown and organization of acquired 365 knowledge.

On the other hand, the study findings revealed an interesting observation manifested in worse AI models' performance across the higher cognitive domains. This observation stands in contrast to the findings of Herrmann-Werner et al., which pioneered the use of the Bloom's taxonomy in AI model performance in MCQs [44]. Herrmann-Werner et al. demonstrated a lower level of ChatGPT performance in the lower cognitive skills in contrast to the findings of this study [44]. To the contrary, a recent study that assessed ChatGPT-3 performance in medical microbiology MCQs showed a trend similar to our findings where the AI model

373 performed at a higher level in the lower cognitive domains [45]. This divergence of findings 374 suggests the need for more comprehensive studies to discern the abilities of AI models in 375 different cognitive domains, which would be helpful to guide improvements in these models 376 and to enhance their utility in higher education.

Upon examining the performance of AI models in this study based on the MCQ metrics (FI, DE, stem and choices word count), a significant drop in performance was noted in Bing and Bard for more difficult MCQs. This finding suggests that some AI models have yet to show evolution into the level where it can handle complex queries. The absence of a correlation between MCQ stem and choice word counts and AI performance indicates that the challenge was not related to the length of the queries but rather in the inherent complexity of the prompts.

383 In this study, the use of the validated CLEAR tool for assessment of the quality of AI generated 384 content presented a robust approach [38]. The rating of ChatGPT-4 as "Excellent" across all 385 categories of completeness, accuracy/evidence, and appropriateness/relevance serves as a clear 386 demonstration of its superiority. The Bing's — which uses similar GPT-4 architecture — rating 387 as "Excellent" in appropriateness/relevance was a noteworthy finding; nevertheless, the 388 performance of this Microsoft AI model did not match ChatGPT-4 in terms of completeness 389 and accuracy. The other AI models in this study were rated as "Above average" based on the 390 modified CLEAR tool. This result, albeit lower than ChatGPT-4, still showed the huge 391 potential of these freely available models, but with an evident room for improvement. The 392 significant superiority of ChatGPT-4 over the other AI models tested in this study highlights 393 the swift evolution of AI capabilities [59].

In the field of higher education, the implications of the study findings can be profound. The noteworthy capabilities of AI models, especially those shown by ChatGPT-4, to outperform humans at a postgraduate level could serve as a red flag necessitating the re-evaluation of

traditional assessment approaches currently utilized for evaluation of students' achievement of learning outcomes [53, 60]. Additionally, the study findings highlighted the current possible AI limitations in addressing higher-order cognitive tasks, which shows the unique value of human critical thinking and analytical skills [61]. Nevertheless, more studies are needed to confirm this finding based on a recent evidence showing the satisfactory performance of ChatGPT in tasks requiring higher-order thinking specifically in the field of medical biochemistry as shown by Ghosh and Bir [62].

404 Future research could focus on investigating the feasibility of integrating AI into higher 405 education frameworks in terms of utilizing an approach that could augment the human learning (e.g., through enhancing personalized learning experience and providing instantaneous 406 407 feedback) without compromising the development of critical thinking and analytical skills [5, 408 9, 53, 63-65]. Additionally, the ethical considerations of academic integrity should be 409 considered in light of opportunities of academic dishonesty posed by AI models in educational 410 settings [66-68]. This issue also extends to warrant a thorough investigation into the 411 implications of possible decline in students' analytical and critical thinking skills and prioritizing the human needs and value [27, 69, 70]. 412

413 Finally, while the current study can provide valuable insights into the performance of AI models compared to human students in the context of Clinical Chemistry topic, several 414 415 limitations should be considered when interpreting the results. Future research in this area 416 would benefit from addressing these limitations that included: First, this study employed a 417 limited dataset of 60 MCQs. This limited number of MCQs inherently restricts the scope of 418 performance evaluation. Second, the use of the CLEAR tool, albeit standardized, introduces a 419 subjective element in evaluating the content generated by AI models. This subjectivity could 420 lead to a potential bias in the assessment of AI responses if approached by different raters.

421 Thus, the AI content evaluation was not entirely devoid of subjective judgment despite the use 422 of key answers to reduce this subjectivity bias. Third, the exclusive concentration on Clinical 423 Chemistry as a subject is both a strength and a limitation. While it allowed for a deep insight 424 this specific health discipline, it limits the generalizability of the findings to other academic 425 fields, since different subjects may present unique challenges that were not addressed in this 426 study. Fourth, LLMs are evolving rapidly, and this study only provided a snapshot of AI models' performance at a specific time point. Therefore, this study may not fully represent the 427 428 potential improvements or advancements in AI capabilities that have occurred or may occur 429 shortly after the study period. Fifth, the exam metrics, derived from the performance of a limited number of students (n=20), might have been influenced by various external factors. 430 431 These include the format of the exam and its time limits and the specific cohort of students.

432 In conclusion, the current study provided a comparative analysis of the human versus AI 433 performance in a highly specialized academic context at the postgraduate level. The results 434 could motivate future research to address the possible role of AI in higher education reaping its benefits while avoiding its limitations. The ideal approach would be to use the strengths of 435 436 AI as a complement to the unique capabilities of human intellect. This can ensure the evolution 437 of the educational process in an innovative way aiding in students' intellectual development. Importantly, the study results call for a revision of the current assessment tools in higher 438 education with a focus on improving the assessment of higher cognitive skills. 439

440

441

442

444 Acknowledgments

445 NA.

446 Funding

- 447 We declare that we received no funding nor financial support/grants by any institutional,
- 448 private, or corporate entity.

449 **Conflicts of Interest**

450 We declare that we have no competing interest nor conflict of interest.

451 Data availability statement

- 452 The data that support the findings of this study are available on request from the
- 453 corresponding author (M.S.). The data are not publicly available due to the confidentiality of
- 454 the questions created for an exam purposes.

455 Author contribution

- 456 Conceptualization: Malik Sallam
- 457 Data Curation: Malik Sallam, Khaled Al-Salahat
- 458 Formal Analysis: Malik Sallam
- 459 Investigation: Malik Sallam, Khaled Al-Salahat, Huda Eid, Jan Egger, Behrus Puladi
- 460 Methodology: Malik Sallam, Khaled Al-Salahat, Huda Eid, Jan Egger, Behrus Puladi
- 461 **Project administration:** Malik Sallam
- 462 Supervision: Malik Sallam

- 463 Visualization: Malik Sallam
- 464 Writing Original Draft Preparation: Malik Sallam
- 465 Writing Review & Editing: Malik Sallam, Khaled Al-Salahat, Huda Eid, Jan Egger,
- 466 Behrus Puladi

468 **References**

469 1. Chiu TKF. Future research recommendations for transforming higher education with
470 generative AI. Computers and Education: Artificial Intelligence. 2023;In Press:100197. doi:
471 10.1016/j.caeai.2023.100197.

472 2. Rawas S. ChatGPT: Empowering lifelong learning in the digital age of higher education.
473 Education and Information Technologies. 2023. doi: 10.1007/s10639-023-12114-8.

474 3. Rahiman HU, Kodikal R. Revolutionizing education: Artificial intelligence empowered
475 learning in higher education. Cogent Education. 2024;11(1):2293431. doi:
476 10.1080/2331186X.2023.2293431.

477 4. Crompton H, Burke D. Artificial intelligence in higher education: the state of the field.
478 International Journal of Educational Technology in Higher Education. 2023;20(1):22. doi:
479 10.1186/s41239-023-00392-8.

480 5. Karabacak M, Ozkara BB, Margetis K, Wintermark M, Bisdas S. The Advent of Generative
481 Language Models in Medical Education. JMIR Med Educ. 2023;9:e48163. Epub 20230606. doi:
482 10.2196/48163.

483 6. Rodway P, Schepman A. The impact of adopting AI educational technologies on projected
484 course satisfaction in university students. Computers and Education: Artificial Intelligence.
485 2023;5:100150. doi: 10.1016/j.caeai.2023.100150.

Giansanti D. The Chatbots Are Invading Us: A Map Point on the Evolution, Applications,
Opportunities, and Emerging Problems in the Health Domain. Life [Internet]. 2023; 13(5):[1130 p.].

488
48. Dempere J, Modugu K, Hesham A, Ramasamy LK. The impact of ChatGPT on higher
489 education. Frontiers in Education. 2023;8:1206936. doi: 10.3389/feduc.2023.1206936.

490 9. Sallam M, Salim NA, Barakat M, Al-Tammemi AB. ChatGPT applications in medical,
491 dental, pharmacy, and public health education: A descriptive study highlighting the advantages and
492 limitations. Narra J. 2023;3(1):e103. doi: 10.52225/narra.v3i1.103.

493 10. Sáiz-Manzanares MC, Marticorena-Sánchez R, Martín-Antón LJ, González Díez I, Almeida
494 L. Perceived satisfaction of university students with the use of chatbots as a tool for self-regulated
495 learning. Heliyon. 2023;9(1):e12843. Epub 20230113. doi: 10.1016/j.heliyon.2023.e12843.

Labadze L, Grigolia M, Machaidze L. Role of AI chatbots in education: systematic literature
review. International Journal of Educational Technology in Higher Education. 2023;20(1):56. doi:
10.1186/s41239-023-00426-1.

Imran M, Almusharraf N. Analyzing the role of ChatGPT as a writing assistant at higher
education level: A systematic review of the literature. Contemporary Educational Technology.
2023;15(4):ep464. doi: 10.30935/cedtech/13605.

502 13. Sallam M. ChatGPT Utility in Healthcare Education, Research, and Practice: Systematic
503 Review on the Promising Perspectives and Valid Concerns. Healthcare (Basel). 2023;11(6):887. Epub
504 20230319. doi: 10.3390/healthcare11060887.

505 14. Kooli C. Chatbots in Education and Research: A Critical Examination of Ethical Implications
 506 and Solutions. Sustainability [Internet]. 2023; 15(7):[5614 p.].

507 15. Ray PP. ChatGPT: A comprehensive review on background, applications, key challenges,
508 bias, ethics, limitations and future scope. Internet of Things and Cyber-Physical Systems. 2023;3:121509 54. doi: 10.1016/j.iotcps.2023.04.003.

510 16. Grassini S. Shaping the Future of Education: Exploring the Potential and Consequences of AI and ChatGPT in Educational Settings. Education Sciences [Internet]. 2023; 13(7):[692 p.].

512 17. Kamalov F, Santandreu Calonge D, Gurrib I. New Era of Artificial Intelligence in Education:
513 Towards a Sustainable Multifaceted Revolution. Sustainability [Internet]. 2023; 15(16):[12451 p.].

18. von Garrel J, Mayer J. Artificial Intelligence in studies—use of ChatGPT and AI-based tools
among students in Germany. Humanities and Social Sciences Communications. 2023;10(1):799. doi:
10.1057/s41599-023-02304-7.

517 19. Sallam M, Salim NA, Barakat M, Al-Mahzoum K, Al-Tammemi AB, Malaeb D, et al.
518 Assessing Health Students' Attitudes and Usage of ChatGPT in Jordan: Validation Study. JMIR Med
519 Educ. 2023;9:e48254. Epub 20230905. doi: 10.2196/48254.

20. Abdaljaleel M, Barakat M, Alsanafi M, Salim NA, Abazid H, Malaeb D, et al. Factors
Influencing Attitudes of University Students towards ChatGPT and its Usage: A Multi-National Study
Validating the TAME-ChatGPT Survey Instrument. Research Square. 2023. doi: 10.21203/rs.3.rs3400248/v1.

Malik AR, Pratiwi Y, Andajani K, Numertayasa IW, Suharti S, Darwis A, et al. Exploring
Artificial Intelligence in Academic Essay: Higher Education Student's Perspective. International
Journal of Educational Research Open. 2023;5:100296. doi: 10.1016/j.ijedro.2023.100296.

S27 22. Rodríguez JMR, Montoya MSR, Fernández MB, Lara FL. Use of ChatGPT at university as a
tool for complex thinking: Students' perceived usefulness. NAER: Journal of New Approaches in
Educational Research. 2023;12(2):323-39. doi: 10.7821/naer.2023.7.1458.

530 23. Cotton DRE, Cotton PA, Shipway JR. Chatting and cheating: Ensuring academic integrity in
531 the era of ChatGPT. Innovations in Education and Teaching International. 2023:1-12. doi:
532 10.1080/14703297.2023.2190148.

533 24. Bin-Nashwan SA, Sadallah M, Bouteraa M. Use of ChatGPT in academia: Academic
534 integrity hangs in the balance. Technology in Society. 2023;75:102370. doi:
535 10.1016/j.techsoc.2023.102370.

536 25. Birks D, Clare J. Linking artificial intelligence facilitated academic misconduct to existing
537 prevention frameworks. International Journal for Educational Integrity. 2023;19(1):20. doi:
538 10.1007/s40979-023-00142-3.

- 539 26. Hasanein AM, Sobaih AEE. Drivers and Consequences of ChatGPT Use in Higher
 540 Education: Key Stakeholder Perspectives. Eur J Investig Health Psychol Educ. 2023;13(11):2599-614.
- 541 Epub 20231109. doi: 10.3390/ejihpe13110181.

Ahmad SF, Han H, Alam MM, Rehmat MK, Irshad M, Arraño-Muñoz M, et al. Impact of
artificial intelligence on human loss in decision making, laziness and safety in education. Humanities
and Social Sciences Communications. 2023;10(1):311. doi: 10.1057/s41599-023-01787-8.

545 28. George B, Wooden O. Managing the Strategic Transformation of Higher Education through
546 Artificial Intelligence. Administrative Sciences. 2023;13(9):196. doi: 10.3390/admsci13090196.

547 29. Roll I, Wylie R. Evolution and Revolution in Artificial Intelligence in Education. 548 International Journal of Artificial Intelligence in Education. 2016;26(2):582-99. doi: 10.1007/s40593-549 016-0110-3.

550 Chan CKY. A comprehensive AI policy education framework for university teaching and 30. 551 learning. International Journal of Educational Technology in Higher Education. 2023;20(1):38. doi: 552 10.1186/s41239-023-00408-3.

553 Liu M, Ren Y, Nyagoga LM, Stonier F, Wu Z, Yu L. Future of education in the era of 31. 554 generative artificial intelligence: Consensus among Chinese scholars on applications of ChatGPT in 555 schools. Future in Educational Research. 2023;1(1):72-101. doi: 10.1002/fer3.10.

556 32. McCarthy AM, Maor D, McConney A, Cavanaugh C. Digital transformation in education: 557 Critical components for leaders of system change. Social Sciences & Humanities Open. 558 2023;8(1):100479. doi: 10.1016/j.ssaho.2023.100479.

559 33. Spector JM, Ma S. Inquiry and critical thinking skills for the next generation: from artificial 560 intelligence back to human intelligence. Smart Learning Environments. 2019;6(1):8. doi: 561 10.1186/s40561-019-0088-z.

562 34. Essel HB, Vlachopoulos D, Essuman AB, Amankwa JO. ChatGPT effects on cognitive skills 563 of undergraduate students: Receiving instant responses from AI-based conversational large language 564 models (LLMs). Computers and Education: Artificial Intelligence. 2024;6:100198. doi: 565 10.1016/j.caeai.2023.100198.

566 Newton PM, Xiromeriti M. ChatGPT performance on MCQ exams in higher education. A 35. 567 pragmatic scoping review. EdArXiv. 2023;Preprint. doi: 10.35542/osf.io/sytu3.

568 Sallam M, Barakat M, Sallam M. METRICS: Establishing a Preliminary Checklist to 36. 569 Standardize Design and Reporting of Artificial Intelligence-Based Studies in Healthcare. JMIR 570 Preprints. 2023; Preprint. doi: 19/11/2023:54704.

571 Kung TH, Cheatham M, Medenilla A, Sillos C, De Leon L, Elepaño C, et al. Performance of 37. 572 ChatGPT on USMLE: Potential for AI-assisted medical education using large language models. 573 PLOS Digit Health. 2023;2(2):e0000198. Epub 20230209. doi: 10.1371/journal.pdig.0000198.

38. 574 Sallam M, Barakat M, Sallam M. Pilot Testing of a Tool to Standardize the Assessment of the 575 Quality of Health Information Generated by Artificial Intelligence-Based Models. Cureus. 576 2023;15(11):e49373. Epub 20231124. doi: 10.7759/cureus.49373.

- 577 39. Douglas M, Wilson J, Ennis S. Multiple-choice question tests: a convenient, flexible and 578 effective learning tool? A case study. Innovations in Education and Teaching International. 579 2012;49(2):111-21. doi: 10.1080/14703297.2012.677596.
- 580 40. Bloom BS, Krathwohl DR. Taxonomy of Educational Objectives: The Classification of 581 Educational Goals: Longmans, Green; 1956. 403 p.
- 582 Seaman M. BLOOM'S TAXONOMY: Its Evolution, Revision, and Use in the Field of 41. 583 Education. Curriculum and Teaching Dialogue. 2011;13(1/2):29-131A.

584 42. Liu Q, Wald N, Daskon C, Harland T. Multiple-choice questions (MCQs) for higher-order 585 cognition: Perspectives of university teachers. Innovations in Education and Teaching International. 586 2023:1-13. doi: 10.1080/14703297.2023.2222715.

medRxiv preprint doi: https://doi.org/10.1101/2024.01.08.24300995; this version posted January 9, 2024. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in

perpetuity. It is made available under a CC-BY 4.0 International license .

587 43. Karanja E, Malone LC. Improving project management curriculum by aligning course 588 learning outcomes with Bloom's taxonomy framework. Journal of International Education in 589 Business. 2021;14(2):197-218. doi: 10.1108/JIEB-05-2020-0038.

590 Herrmann-Werner A, Festl-Wietek T, Holderried F, Herschbach L, Griewatz J, Masters K, et 44. 591 al. Assessing ChatGPT's Mastery of Bloom's Taxonomy using psychosomatic medicine exam 592 questions. medRxiv. 2023; Preprint: 2023.08.18.23294159. doi: 10.1101/2023.08.18.23294159.

593 45. Sallam M, Al-Salahat K. Below average ChatGPT performance in medical microbiology 594 exam compared to university students. Frontiers in Education. 2023;8:1333415. doi:

595 10.3389/feduc.2023.1333415.

596 OpenAI. GPT-3.5 2023 [cited 2023 27 November 2023]. Available from: https://openai.com/. 46.

597 47. Microsoft, OpenAI. Bing is your AI-powered copilot for the web 2023 [cited 2023 27 598 November 2023]. Available from:

599 https://www.bing.com/search?q=Bing+AI&showconv=1&FORM=hpcodx.

600 48. Google. Bard 2023 [cited 2023 27 November 2023]. Available from: 601 https://bard.google.com/chat.

602 Burtis CA, Ashwood ER, Bruns DE, Tietz NW. Tietz textbook of clinical chemistry and 49. 603 molecular diagnostics. 5th ed. St. Louis, Mo.: Saunders; 2013. xviii, 2,238 p. p.

604 Bishop ML, Fody EP, Schoeff LE. Clinical chemistry : principles, techniques, and 50. 605 correlations, Eighth edition, ed. Philadelphia: Wolters Kluwer; 2018, xxviii, 736 pages p.

606 McPherson RA, Pincus MR. Henry's clinical diagnosis and management by laboratory 51. 607 methods. 24. ed. Philadelphia: Elsevier; 2021. pages cm p.

608 52. Sallam M, Al-Salahat K, Al-Ajlouni E. ChatGPT Performance in Diagnostic Clinical 609 Microbiology Laboratory-Oriented Case Scenarios. Cureus. 2023;15(12):e50629. Epub 20231216. 610 doi: 10.7759/cureus.50629.

611 53. Lo CK. What Is the Impact of ChatGPT on Education? A Rapid Review of the Literature. 612 Education Sciences [Internet]. 2023; 13(4):[410 p.].

54. 613 Sallam M, Salim NA, Al-Tammemi AB, Barakat M, Fayyad D, Hallit S, et al. ChatGPT 614 Output Regarding Compulsory Vaccination and COVID-19 Vaccine Conspiracy: A Descriptive Study 615 at the Outset of a Paradigm Shift in Online Search for Information. Cureus. 2023;15(2):e35029. Epub 616 20230215. doi: 10.7759/cureus.35029.

617 55. Jung LB, Gudera JA, Wiegand TLT, Allmendinger S, Dimitriadis K, Koerte IK. ChatGPT 618 Passes German State Examination in Medicine With Picture Questions Omitted. Dtsch Arztebl Int. 619 2023;120(21):373-4. doi: 10.3238/arztebl.m2023.0113.

620 56. Yanagita Y, Yokokawa D, Uchida S, Tawara J, Ikusaka M. Accuracy of ChatGPT on Medical 621 Ouestions in the National Medical Licensing Examination in Japan: Evaluation Study, JMIR Form 622 Res. 2023;7:e48023. Epub 20231013. doi: 10.2196/48023.

623 57. Takagi S, Watari T, Erabi A, Sakaguchi K. Performance of GPT-3.5 and GPT-4 on the 624 Japanese Medical Licensing Examination: Comparison Study. JMIR Med Educ. 2023;9:e48002. Epub 625 20230629. doi: 10.2196/48002.

medRxiv preprint doi: https://doi.org/10.1101/2024.01.08.24300995; this version posted January 9, 2024. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in

perpetuity. It is made available under a CC-BY 4.0 International license .

626 58. Gobira M, Nakayama LF, Moreira R, Andrade E, Regatieri CVS, Belfort R, Jr. Performance 627 of ChatGPT-4 in answering questions from the Brazilian National Examination for Medical Degree 628 Revalidation. Rev Assoc Med Bras (1992). 2023;69(10):e20230848. Epub 20230925. doi: 629 10.1590/1806-9282.20230848.

630 59. Hofmann Hayden L, Guerra Gage A, Le Jonathan L, Wong Alexander M, Hofmann Grady H, 631 Mayfield Cory K, et al. The Rapid Development of Artificial Intelligence: GPT-4's Performance on 632 Orthopedic Surgery Board Questions. Orthopedics. 2023;0(0):1-5. doi: 10.3928/01477447-20230922-633 05.

634 Mbakwe AB, Lourentzou I, Celi LA, Mechanic OJ, Dagan A. ChatGPT passing USMLE 60. 635 shines a spotlight on the flaws of medical education. PLOS Digital Health. 2023;2(2):e0000205. doi: 636 10.1371/journal.pdig.0000205.

637 Zhai X, Nyaaba M, Ma W. Can AI Outperform Humans on Cognitive-demanding Tasks in 61. 638 Science? SSRN. 2023; Preprint. doi: 10.2139/ssrn.4451722.

639 Ghosh A, Bir A. Evaluating ChatGPT's Ability to Solve Higher-Order Questions on the 62. 640 Competency-Based Medical Education Curriculum in Medical Biochemistry. Cureus. 641 2023;15(4):e37023. Epub 20230402. doi: 10.7759/cureus.37023.

642 63. Tlili A, Shehata B, Adarkwah MA, Bozkurt A, Hickey DT, Huang R, et al. What if the devil 643 is my guardian angel: ChatGPT as a case study of using chatbots in education. Smart Learning 644 Environments. 2023;10(1):15. doi: 10.1186/s40561-023-00237-x.

645 Dai W, Lin J, Jin H, Li T, Tsai YS, Gašević D, et al., editors. Can Large Language Models 64. 646 Provide Feedback to Students? A Case Study on ChatGPT. 2023 IEEE International Conference on 647 Advanced Learning Technologies (ICALT); 2023 10-13 July 2023.

648 65. Schleiss J, Laupichler MC, Raupach T, Stober S. AI Course Design Planning Framework: 649 Developing Domain-Specific AI Education Courses. Education Sciences [Internet]. 2023; 13(9):[954 650 p.].

651 66. Perkins M. Academic integrity considerations of AI Large Language Models in the post-652 pandemic era: ChatGPT and beyond. Journal of University Teaching and Learning Practice. 2023;20. 653 doi: 10.53761/1.20.02.07.

654 Memarian B, Doleck T. ChatGPT in education: Methods, potentials, and limitations. 67. 655 Computers in Human Behavior: Artificial Humans. 2023;1(2):100022. doi: 656 10.1016/j.chbah.2023.100022.

657 Saylam S, Duman N, Yildirim Y, Satsevich K. Empowering education with AI: Addressing 68. 658 ethical concerns. London Journal of Social Sciences. 2023;(6):39-48. doi: 10.31039/ljss.2023.6.103.

659 69. Grájeda A, Burgos J, Córdova P, Sanjinés A. Assessing student-perceived impact of using 660 artificial intelligence tools: Construction of a synthetic index of application in higher education. 661 Cogent Education. 2024;11(1):2287917. doi: 10.1080/2331186X.2023.2287917.

662 70. Hadi Mogavi R, Deng C, Juho Kim J, Zhou P, D. Kwon Y, Hosny Saleh Metwally A, et al. 663 ChatGPT in education: A blessing or a curse? A qualitative study exploring early adopters' utilization 664 and perceptions. Computers in Human Behavior: Artificial Humans. 2024;2(1):100027. doi: 665 10.1016/j.chbah.2023.100027.



Figure 1