Variation in health visiting for the under 5s: A cross-sectional analysis 1 of administrative data in England for 2018-2020 2 3 Author details 4 5 6 Mengyun Liu: UCL Great Ormond Street Institute of Child Health, University College London, 7 London, WC1N 1EH 8 9 Jenny Woodman: Thomas Coram Research Unit, Social Research Institute, University College 10 London, London, WC1H 0AA 11 12 Louise Mc Grath-Lone: Thomas Coram Research Unit, Social Research Institute, University 13 College London, London, WC1H 0AA 14 15 Amanda Clery: UCL Great Ormond Street Institute of Child Health, University College 16 London, London, WC1N 1EH 17 18 Catherine Bunting: UCL Great Ormond Street Institute of Child Health, University College 19 London, London, WC1N 1EH 20 21 Samantha Bennett: Strategic Commissioning, Kent County Council, Maidstone, ME14 1XQ 22 23 Sally Kendall: Centre for Health Services Studies, University of Kent, Canterbury, CT2 7NZ 24 25 Jennifer Kirman: Oxford School of Nursing and Midwifery, Oxford Brookes 26 University, Oxford, OX3 0BP 27 28 Helen Weatherly, Centre for Health Economics, University of York, YO10 5DD 29 30 Jane Barlow, Department of Social Policy and Intervention, University of Oxford, Oxford, 31 OX1 2ER 32 33 Helen Bedford, UCL Great Ormond Street Institute of Child Health, University College 34 London, London, WC1N 1EH 35 Katie Harron: UCL Great Ormond Street Institute of Child Health, University College London, 36 37 London, WC1N 1EH 38

Abstract

39 40 41

42 43

44

45

46

47 48

49 50

51

52 53

54 55

56 57

58

59

60

61 62

63 64

65

66

67

68

69

70

71

72 73

74 75

76 77

78

79

80 81

82

83

84

Introduction

The health visiting service in England leads the delivery of the government's Healthy Child Programme (HCP) for children under five. However, local authorities and their provider partners deliver this service differently in respond to the challenges of funding cuts, low numbers of health visitors and high levels of family needs.

Objective

We aimed to describe local authority variation in the delivery of health visiting services to children under 5 in England between 2018 and 2020.

Methods

We used nationally published statistics on mandated health visiting contacts, and administrative data from the Community Services Dataset (CSDS) on duration, location, and medium of delivery of contacts. We mapped the population coverage of mandated contacts (new birth visit, 6-8-week review, one-year review and 2-2 ½year review), and additional contacts, and described the frequency and characteristics of contacts across local authorities.

Results

According to the published statistics, 99% of eligible children received their new birth visit, 89% received the 6-8-week review and the one-year review, and 82% received the 2-2½year review. There was substantial variation across local authorities: coverage for the 2-2½year review ranged between 33%-97%. Based on CSDS, 80% of local authorities (n=46/57) delivered more additional contacts than mandated contacts: on average, 1.6 additional contacts (range: 0.1-8.5) were delivered for each mandated contact. There was also significant variation in the duration of contacts and the percentage of contacts delivered face-to-face and at home.

Conclusions

Our study demonstrates substantial variation in the delivery of health visiting services across England, particularly in the delivery of additional contacts. Further research is needed to explore the extent to which this trend has continued and the reasons for this variation. There is also a need to exploit this data to further explore the impact of these different models of service delivery on family outcomes.

Keywords

Health visiting, Healthy Child Programme, early years, public health service, proportionate universalism

Introduction

85 86 87

88

89

90

91

92

93 94

95

96

97

98

99

100

101

102

103

104

105

106 107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129 130

131

The health visiting service in England leads the delivery of the government's Healthy Child Programme (HCP) for children under five. The HCP comprises a universal preventative service and targeted support for families with higher need. [1-4] Health visiting teams are made up of health visitors (specialist community public health nurses), community staff nurses, nursery nurses, health care assistants, and other specialist health professionals. [2-4]

In England, health visiting teams are mandated to provide five universal health reviews: during the third trimester of pregnancy (health promoting visit), at child age 10-14 days (new birth visit), 6-8 weeks (6-8-week review), 12 months (one-year review), and 2-2½ years (2-2½ year review), each with a schedule of health promotion activities and with a review of health and development of the child within their family context (Supplementary material A, Appendix Table A1). [3] These mandated contacts provide an opportunity for health visiting teams to identify children and families in need of additional support, [3] which can comprise further additional contacts and/or referral of child and family to specialist services. [2, 3] Additional contacts might include support for the continuation of breastfeeding or advice on safer sleep, support for nutrition and accident prevention, or advice on managing minor illnesses. [3]

From 2015, the responsibility for commissioning public health services for children aged 0-5, including health visiting, was transferred from the NHS to local authorities. [5] Local authorities and their provider partners have faced funding cuts, low numbers of health visitors and high levels of family need, putting pressure on the service. [4, 6-8] Case studies and surveys have shown that local authorities have responded differently to these challenges, leading to additional variation in models of service delivery, priorities, and capacity. [2, 7, 9] To-date, there have been two analyses of routinely collected data on health visiting using the national individual-level administrative data on health visiting in England (the Community Services Dataset; CSDS). One study focused on variation in coverage and average number of health visiting contacts for children aged 2 years in 2018-9, by child-level characteristics (ethnicity, deprivation, child safeguarding flags). [10] This study found that found that children living in the most deprived neighbourhoods or with vulnerability markers (e.g. Looked After Child) were less likely to receive their 2-2½ year health and developmental review than other children but when all additional contacts were included, the pattern was reversed (deprivation) or disappeared (Looked After Children). There were no clear patterns by ethnicity and no analyses of local authority variation. [10] The second study reported similar results, based on a wider age range of children (birth to 3 years) and for two years of data (2018-20) and also reported high variation between local authorities in the proportion of mandated contacts conducted at home. [11] This current study adds to the evidence-base by providing a local authority view of health visiting delivery in terms of relative frequency of mandated to additional contacts from birth to age 5, a more detailed picture of medium and location and for the first time, contact duration and use of group contacts.

Our results highlight areas for improvement or investigation, can inform parameters for national guidance and local area decisions about service commissioning, including by

benchmarking their own service. Our analyses also provide a reference point for international comparisons of child health services in the early years.

Methods

132 133

134 135

136 137

138 139

140

141

142

143

144

145

146

147

148

149

150

151 152

153

154

155

156

157

158 159

160

161 162

163

164

165

166

167

168

169

170 171

172

173 174

175

176

177

178

Data Sources

Health Visiting Service Delivery Metrics (Health Visiting metrics)

Health Visiting metrics are published by the Office of Health Inequalities and Disparities (OHID), who report local authority-level quarterly experimental statistics on health visiting service delivery, including the numbers of each mandated contact delivered and the number of eligible children. [12-14] These quarterly aggregate data are collected from commissioners of health visiting services in each local authority. [15] Health Visiting metrics provides the most accurate figures on the coverage of mandated contacts by local authorities, but does not include information on additional contacts or the format and duration of contacts. For each of the four postnatal mandated contacts, we extracted the number completed and the number of eligible children in each LA for two financial years from April 2018 to March 2020. As these data are experimental, we carried out additional validation and cleaning to correct reporting errors. [16]

Community Services Dataset (CSDS)

CSDS is an individual-level whole-population dataset established by NHS Digital in 2015, which comprises data on the utilization of all publicly funded community health services in England by individuals of all ages, including health visiting services. Relevant to this study, CSDS includes patient personal and demographic characteristics and health visiting activity. [14, 17]

We extracted data from CSDS for April 2018 to March 2020. We identified mandated health visiting contacts using the 'Activity Type' flag entered by the practitioner. [16] Where the Activity Type was missing (30% of records), we identified any health visiting contact that took place within a plausible time window for each mandated contact (Supplementary material A, Appendix Table A2). Additional contacts (i.e., health visiting contacts not defined as mandated) were identified for children up to 5 years old using the "Service or Team Type" variable indicating the health visiting service. We excluded contacts that were labelled as "did not attend".

CSDS provides detailed information on how contacts are delivered but previous studies show that data in CSDS is incomplete and submitted inconsistently over time in some local authorities. [18] We assessed the completeness of CSDS at local authority-quarter level by comparing it to the Health Visiting metrics to create a "research-ready" dataset. [16] There were 149 local authorities (health visiting in City of London is delivered by Hackney and Isles of Scilly by Cornwall), each contributing up to 8 quarters of data, resulting in a maximum of 1,192 local authority-quarters possible for analysis. There were 57 local authorities (contributing 164 quarterly data points) that had high correlation with the Health Visiting metrics and were included in the "research-ready" dataset for analysis (Supplementary material A, Appendix Table A3). This means that we have 'snap shot' data by quarter for local authorities (Supplementary material A, Appendix Figure A1). The local authorities

- 179 included in the "research-ready" dataset represent the distribution of regions, urban/rural 180 status, and deprivation quintiles of England (Supplementary material A, Appendix Table A4).
- Further data cleaning is described in Supplementary material B. 181

Indicators of health visiting delivery

- We derived a set of local-authority level indicators for each type of health visiting contact 184
- (Supplementary material A, Appendix Table A5) and described the median and range of 185
- these indicators across local authorities. For local authorities with multiple quarters 186
- 187 included in the "research-ready" dataset, we pooled data across quarters.

Analysis

182 183

188 189

195 196

197 198

199

200 201

202

203

204

205

206

207 208

209

210

211

218 219

- 190 The geographic distribution of coverage of mandated contacts was mapped, and box plots
- were used to visualise variation in the medium (face-to-face or telephone) and locations (at 191
- 192 home, health and social settings, or children's centre) of health visiting delivery for both
- 193 mandated and additional contacts across local authorities. All counts of individuals were
- 194 rounded to the nearest 5 to reduce the risk of identifying individuals. [19]

Results

All counts of contacts from CSDS have been rounded to the nearest 5 to comply with NHS statistical disclosure rules for subnational data.

Study sample

There were 4,172,835 mandated contacts delivered to children aged 0-5 years between April 2018 and March 2020 in 149 local authorities, recorded in the Health Visiting metrics (Supplementary material A, Appendix Table A6). In the "research-ready" CSDS data for the same period, we included 1,779,155 contacts from 57 local authorities (Supplementary material Appendix A, Table A6).

Coverage of mandated contacts (Health Visiting Metrics)

Coverage of the new birth visit was highest (median coverage of 98.5%, range: 89.9%-100.0%), followed by the 6-8-week review (median: 88.5%, range: 17.8%-100.0%) and oneyear review (median: 89.0%, range: 19.9%-98.9%; Figure 1). The 2-2½-year review had a relatively lower coverage (median: 81.5%, range: 33.0%-97.4%). For 29 (19.5%) local

212 213

- authorities, >20% of eligible children did not receive the 6-8-week review. For 26 (17.4%)
- 214 local authorities, >20% of eligible children were not recorded as receiving the one-year
- 215 review. For 68 (45.6%) local authorities, >20% of eligible children were not recorded as
- 216 receiving the 2-2½-year review and in 5 local authorities, >50% of eligible children were not
- 217 recorded as having the 2-2½-year review.

Additional contacts (research-ready CSDS data)

- 220 Most local authorities (n=46, 80%) reported conducting more additional contacts than
- 221 mandated contacts, with a median of 1.6 additional contacts delivered per mandated
- 222 contact, and wide variation across local authorities (range 0.1-8.5). The number of
- 223 additional contacts per mandated contact varied between 0.6-2.8 in 80% of local
- 224 authorities, indicating that this variation was not due to a small number of outlying local
- 225 authorities. Local authorities that delivered more health visiting contacts tended to conduct

more additional contacts per mandated contact (Supplementary material A, Appendix Figure A2).

On average, 61.1% of children who received a health visiting contact received an additional contact within the year-quarter, but there was high variation across local authorities (range: 3.8%-94.1%). The large variation was not due to extreme values: in 80% of local authorities, the percentage of children who received a health visiting contact who received an additional contact within the year-quarter was between 27.2%-75.1%.

Medium (research-ready CSDS data)

226

227

228 229

230

231

232

233

234 235

242

243 244

245

246

247

248 249

250

251 252

253

254

255

256

257

258

259 260

261

262

263

264

265

236 The majority (>96%) of mandated contacts were delivered face-to-face (Figure 2). Most 237 additional contacts were also delivered face-to-face (median 82.7%, range: 47.6%-99.5%). 238 About half of local authorities (n=23, 44.2%) offered >20% of additional contacts virtually. 239 Phone calls were also used to deliver additional contacts: 34 local authorities (65%) 240 delivered >10% of additional contacts through phone calls. Other mediums, including 241 telemedicine, email, and messages, were rarely used for mandated or additional contacts,

Location (research-ready CSDS data)

with <3% delivered through these mediums.

New birth visits and 6-8-week reviews predominantly took place in the home setting, but there was substantial variation in the location of one-year reviews, 2-2½-year reviews and additional face-to-face contacts (Figure 3).

<u>Duration (research-ready CSDS data)</u>

Mandated contacts were typically longer than additional contacts (Table 1), but high variation existed across local authorities. Face-to-face contacts were longer than phone call contacts. In more than half of the local authorities with available data on duration, 65% of new birth visits were at least an hour long, but most local authorities delivered more than half of other mandated contacts in 30-59 minutes. A considerable percentage of mandated contacts were recorded as lasting under 30 minutes (median 4.6%-7.9%) or 30-44 minutes long (median 12.3%-29.6%). Additional contacts were generally short: on average, 36.2% of additional contacts were completed in under 30 minutes. The duration of both mandated and additional contacts showed large variations across local authorities.

Use of group sessions (research-ready CSDS data)

Group sessions were rarely used for mandated contacts. Of the 48 local authorities with information on group sessions, only five (10%) local authorities delivered >2% of new birth visits, 6-8-week reviews, and one-year reviews in group sessions. The use of group sessions also varied by local authority and type of contact.




Figure 1. Coverage of mandated health visiting contacts in England based on Health Visiting Metrics, 2018/19-2019/20

266

267

268

269 270

271

A: coverage of new birth visit; B: coverage of 6-8-week review; C: coverage of one-year review; D: coverage of 2-2½-year review.




Figure 2: Variation in delivery of health visiting contacts based on research-ready CSDS data. A: Medium of delivery. B: Locations of face-to-face contacts. N=52 and N=49 local authorities with information about medium and location, respectively. F2F: face-to-face contacts; Call: phone call contacts; H&S: healthcare and social setting; CC: children's centre

272 273

274

275

276

277 278

279

Table 1. Duration of health visiting contacts in minutes, median duration or median percentage (range across local authorities). N=50 local authorities with data on duration

	New birth visit	6-8-week review	One-year review	2-2½-year review	Additional contact			
Overall median duration	60 (30, 120)	45 (10, 60)	45 (20, 60)	45 (30, 90)	30 (5, 90)			
Median duration by medium (minutes)								
Face-to-face	60 (30, 120)	45 (10, 60)	45 (20, 60)	45 (30, 75)	30 (5, 105)			
Phone calls	17.5 (5, 60)	30 (5, 60)	25 (5, 120)	22.5 (5, 75)	15 (5, 30)			
Other	52.5 (12.5, 120)	45 (5, 95)	40 (10, 60)	42.5 (5, 90)	24.5 (5, 60)			
Median duration by locations for face-to-face contacts (minutes)								
Home	60 (30, 120)	45 (30, 60)	60 (30, 60)	60 (35, 75)	45 (30, 60)			
Healthcare & social settings	60 (10, 120)	30 (10, 60)	45 (10, 60)	45 (30, 90)	25 (3, 120)			

perpetuity.

It is made available under a CC-BY 4.0 International license .

Children's centre	30 (3, 60)	30 (3, 120)	40 (10, 75)	45 (20, 90)	30 (3, 120)			
Other	60 (10, 75)	30 (10, 75)	45 (3 <i>,</i> 60)	45 (30, 90)	45 (3, 120)			
Median percentage of contacts in duration categories (%)								
0-29 minutes	4.6 (0.2, 32.5)	7.9 (0.2 <i>,</i> 92.8)	7.8 (0.5 <i>,</i> 84.9)	5.7 (0.3, 29.8)	36.2 (3.8, 83.0)			
30-44	12.3 (0.6,	29.6 (0.7,	21.1 (1.7,	14.8 (1.1,	13.4 (4.0,			
minutes	88.5)	89.0)	83.3)	87.3)	54.9)			
45-59	8.5 (0.3,	15.2 (0.5,	28.0 (0.8,	25.9 (0.9,	5.8 (1.0,			
minutes	40.1)	84.6)	85.1)	89.6)	16.7)			
>=60 minutes	65.0 (4.1,	31.1 (0.9,	19.5 (1.4,	31.7 (2.2,	30.2 (4.6,			
	96.4)	94.4)	89.5)	91.2)	80.7)			

Discussion

280281

282

283

284 285

286

287

288

289

290

291

292293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

Key Findings

Between 2018-2020, the new birth visit was delivered with almost universal coverage but variation across England existed in the coverage of the 6-8-week, one-year, and 2-2½-year reviews. The high coverage of new birth visits and lower coverage of 2-2½-year review are consistent with previous studies using CSDS. [10, 11] However, our results also demonstrate that much of the reported activity was being delivered outside of mandated contacts, with 80% of local authorities delivering more additional than mandated contacts. The duration and way in which these additional contacts are delivered, for example by telephone or face-to-face, also varied across areas, which has not previously been described.

Implications

There have been many years of austerity, cuts and a depleted workforce: since 2015 the real term value of the public health grant (from which health visiting is commissioned) has fallen by 26% [20] and the health visiting workforce has decreased by 37% from 11,193 in 2015 to 7,030 in 2022. [21] Despite this, health visiting teams during 2018-2020 were reaching nearly all babies and most children face-to-face, and conducting over one and a half times the number of additional contacts relative to mandated contacts. This represents a significant public health infrastructure to support the health and development of babies and children and the wellbeing of their families in the critical period before school. Our study highlights the importance of taking into account additional contacts when measuring health visiting activity. Additional contacts, to address identified need, were the most frequent type of contact (though shorter and more likely to be on the phone than the mandated reviews) in our analysis. This is consistent with other evidence about significant health visiting activity outside the mandated contacts in England, including a birth cohort study (of children born in 2020) which reported that 27% of 8628 families had four or more contacts with the health visiting team in the first 9 months of their child's life. [22] However, there was substantial variation in the frequency, duration and medium of additional contacts, which is unlikely to be completely explained by differences in underlying need of the families across areas. Other factors that may have contributed to this variation include local service specifications and service priority, budgets, personnel capacity, and the availability of other local services. [23] Other evidence suggests that despite substantial 'additional'

contacts, not all identified need can be followed up by the health visiting team: in a survey of 1186 health visitors, 45% reported that mandated contacts were prioritised over targeted or specialist support and 79% said that the service lacked capacity to offer a package of support to all children with identified needs. [24] Further qualitative work with parents and professionals is needed to understand the experiences and perceived purpose and impact of different types of additional contacts, as well as why models of additional contact are so different across areas.

Our results can inform conversations at the national and local level about the parameters of a 'good' health visiting service during a time when early years is a priority area, with targeted funding and innovation (e.g., Start for Life and Family Hubs [25]). For example, our findings raise a question about whether a mandated review can be adequately conducted in less than 45 minutes, given that it should include a direct observation of the child and significant health promotion activity. In this pre-Covid data we found that a considerable percentage of mandated contacts were recorded as lasing under 30 minutes (median 5%-8%, Table 1) or 30 to 44 (median 12%-30%) minutes. Providers, commissioners and national policy teams should consider how far features of delivery such as <30 minute or <45 minute mandated contacts are consistent with the way health visiting is theorised to work. In other words, is there a minimum time feasibly needed for health visitors or members of their team to build relationships with parents (including those with a mistrust of services), work in partnership with families, undertake health promotion work and conduct a holistic needs assessment of the whole family and family environment? It is possible that some features of service delivery, such as the shorter mandated contacts, are a service response to resource pressure which have the unintended consequence of undermining the mechanisms by which health visiting is thought to work and influence family outcomes. Next steps in building the evidence-base for national and local decision makers is to understand local authority variation in delivery to different types of families, including those living in deprivation or with other indicators of vulnerability, and the impact of decisions about service delivery on outcomes. [26, 27] As our study involved the use of data that was collected in the pre-pandemic era, we also now need to investigate how far the service delivery has 'bounced back' or has been permanently changed following the partial stop of health visiting services and widespread redeployment of staff and a change to virtual contacts. [28-31]

Strengths and limitations

314 315

316

317

318

319

320

321 322

323

324

325

326

327

328

329

330 331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347 348 349

350

351 352

353

354

355

356

357

358

359

A strength of our study is that we used a subset of nationally representative data with high levels of completeness to monitor and measure the coverage, medium, location, duration of contacts, the delivery of additional contacts and use of group sessions. For estimates of coverage of mandated visits, we used aggregate Health Visiting metrics that cover every local authority in England. For the other characteristics of health visiting service delivery, we only included local authorities that correlated with health visiting activity recorded in the Health Visiting metrics (research-ready CSDS data). This means that misclassification of nonhealth visiting activity as mandated contacts for records with missing values on Activity Type is likely to be marginal.

360 361

362

363

364

365

366

367 368

369

370

371

372

373

374 375

376

377

378

379

380

381

382

383

384

385

386 387

388

389

390

391

392

393

394

395

396

397

398

399

400 401

402

403

404

405

406

Data quality remains an issue. First, we may not have identified all health visiting contacts in the CSDS, due to missing data in the "Service or Team Type" variable. This was likely a bigger issue for additional contacts, because we had no alternative method of identifying these (unlike mandated contacts for which we could use the "Activity Type" variable). [16] However, our study actually found a higher number of additional contacts than reported by other analyses of CSDS, which found 0.3 additional contacts per mandated contact for children between April 2019-March 2020 (compared to 1.6 in our study). [32] This may be explained by different ways of cleaning and curating the data: our research-ready data described health visiting on a subset of local authorities with more complete health visiting data, which may be associated with higher health visiting activity. There might also be misclassification between mandated and additional contacts: some local authorities offer more than five mandated contacts to every child and these extra "mandated contacts" will be identified as additional contacts in our analysis. Results about the use of additional contacts thus need to be interpreted with caution.

Results about the shortest mandated contacts should also be treated with caution (median 5%-8% of mandated contacts were recorded as under 30 minutes, Table 1). It is possible that some of these contacts were flagged as mandated contacts but were in fact initial conversations to schedule or prepare for a longer contact, which could have taken place shortly afterwards and covered some or all of the relevant mandated content. There is some evidence to support this hypothesis from our unpublished longitudinal analysis for a related health visiting project: [26] we found that 24% of children had an additional health visiting contact within two weeks of their new birth visit, but 41% of children with a new birth visit under 30 minutes had an additional contact within two weeks. Although the new birth visits under 30 minutes duration were more likely to be followed up within two weeks, most were not.

Second, we can only report on local authorities included in the research-ready dataset and we cannot assume that these findings are generalisable to local authorities with incomplete CSDS data. [10] The distribution of regions, urban/rural status, and deprivation quintiles in our analysis is representative to that in England (Supplementary material A, Appendix Table A4). Our findings are largely based on a few months of data within each area, as more than half of local authorities (n=31, 54.4%) included in the research-ready dataset only contributed one or two year-quarters. The sample selection largely depended on good reporting of data, which might be associated with good services. However, the coverage of mandated contacts is similar between the research-ready datasets and the whole dataset (Supplementary material A, Appendix Figure A3) and the median duration of 45-60 minutes for mandated contacts and 30 minutes for additional contacts is consistent with the average duration of 42 minutes pooling mandated and additional contacts together reported by health-visiting providers in a survey. [33]

Third, we were unable to conduct longitudinal analyses in this research-ready dataset, as a result of using the quarterly Health Visiting metrics as a reference to assess the completeness of CSDS (Supplementary material A, Appendix Figure A1). This means we were unable to describe the average number of contacts per child or patterns of contacts over early childhood.

Finally, as this study describes different aspects of service delivery independently, the association between them is not clear. For example, we do not yet know whether local authorities with a high coverage of mandated contacts had more additional contacts per mandated contact, or whether those who offered more additional contact per mandated contact had generally shorter contacts. Further exploration of models of service delivery combining different aspects together will help draw a more comprehensive picture of health visiting service delivery in England.

Conclusion

407

408

409

410

411

412

413

414 415

416

417

418

419

420

421

422

423 424

425

426

427

428

429 430

431

432

433

434

This study demonstrates substantial variation in the delivery of health visiting across England, with potential unmet need in some local authorities. Further work is needed to explore whether this trend has continued in more recent years, and if so, the reasons for (for example, local specification and staff capacity) and determinants of (for example, urban/rural status and deprivation) this variation; it also provides a natural opportunity to exploit this variation to understand the impact of different models of service delivery on family outcomes.

This national picture of health visiting should be used by local authorities to review their own practice based on data in local systems, compare their practice with the national statistics and identify areas for improvement. [27] Such comparisons would generate hypotheses about the causes of outliers in terms of whether this is due to commissioning decisions or to the level of need and availability of other services in the area.

We demonstrate that with careful validation and cleaning, administrative data can be used to create a national picture of health visiting that can be used for research, monitoring and evaluation. However, we also highlight the need for data reporting and transfer systems to be strengthened in order to improve completeness and representativeness of these data to support future analyses.

Acknowledgements and funding 435

- This study/project is funded by the NIHR Public Health Research Programme (NIHR129901). 436
- This research was supported in part by the NIHR Great Ormond Street Hospital Biomedical 437
- 438 Research Centre. This research benefits from and contributes to the NIHR Children and
- 439 Families Policy Research Unit but was not commissioned through this Policy Research Unit
- 440 (PR-PRU-1217-21301).

441

444

450

453

457

466

468 469

470

- 442 The views expressed are those of the author(s) and not necessarily those of the NIHR or the
- 443 Department of Health and Social Care.
- 445 We thank study Steering Committee membership: Dr Louise Marryat, Donjeta Baliu, Dr
- 446 Annie Herbert, Dr Toity Deave and Prof John Macleod. Thank you to Dr Cheryll Adams, CBE
- 447 and Alison Morton for advice and input. We are grateful to all the Local Authority
- 448 commissioners and NHS providers of health visiting services who met with us to sense-check
- 449 our methods and interpretation of results.
- 451 Statement on Conflicts of Interest
- 452 The authors declare no conflicts of interest.
- 454 **Ethics Statement**
- 455 This study has been approved by University College London Institute of Education (UCL IOE)
- 456 Research Ethics Committee (1531).
- 458 Data Availability Statement
- 459 Access to the CSDS was approved and provided by NHS England (NIC-393510 and NIC-
- 460 381972). Health Visiting Service Delivery Metrics data are published by the Office for Health
- 461 Improvement and Disparities and are openly available: data for 2018/19 [12] can be found
- 462 at https://www.gov.uk/government/statistics/health-visitor-service-delivery-metrics-2018-
- 463 to-2019 and data for 2019/20 [13] can be found at
- https://www.gov.uk/government/statistics/health-visitor-service-delivery-metrics-464
- 465 experimental-statistics-2019-to-2020-annual-data.
- 467 Supplementary Appendices

Supplementary Material A. Tables and Figures

- 471 Appendix Table A1. Focuses of each universal health review
- 472 Appendix Table A2. Coding of date-derived mandated health visiting contacts in the
- **Community Service Dataset** 473
- 474 Appendix Table A3. Local-authority-quarters included in the research-ready subset (with
- 475 overall highly complete data on Health Visiting contacts in CSDS compared to the Health
- 476 Visiting metrics)
- 477 Appendix Figure A1. Illustration of the selection of research ready dataset in an imaginary
- 478 local authority
- 479 Appendix Table A4. The distribution of regions, urban/rural status, deprivation quintiles in
- 480 local authorities included and not included in research ready dataset, N (%)

- 481 Appendix Table A5. Calculation of local-authority-quarter level indicator
- 482 Appendix Table A6. Characteristics of study sample in the Community Services Dataset
- 483 "research-ready data"
- 484 Appendix Figure A2. Scatter plots showing the pattern of the number of additional contacts
- 485 per mandated contact with the size of local authority, grouped by provider type (N=55)
- 486 Appendix Figure A3. Distribution of coverage of mandated contacts at the local-authority
- 487 level, comparing "research-ready" dataset and the whole dataset, April 2018-March 2020

Supplementary Material B. Data cleaning and management process

- 491 Appendix Table B1. Missingness in variables relevant to Health Visiting service delivery in
- 492 CSDS for research-ready dataset
- 493 Appendix Table B2. Recategorization of the medium and location of contacts

References

488 489

490

494 495

- 496 Department for Health. Healthy Child Programme. Pregnancy and the First Five
- 497 Years. 2009. Available from: https://www.gov.uk/government/publications/healthy-child-498 programme-pregnancy-and-the-first-5-years-of-life.
- 499 Local Government Association. Health visiting: giving children the best start in life.
- 500 2019. Available from: https://www.local.gov.uk/publications/health-visiting-giving-children-501 best-start-life.
- 502 Public Health England. Health visiting and school nursing service delivery model. 3.
- 503 2021. Available from: https://www.gov.uk/government/publications/commissioning-of-
- 504 public-health-services-for-children/health-visiting-and-school-nursing-service-delivery-
- model. 505
- 506 4. Local Government Association. Improving outcomes for children and families in the
- 507 early years: a key role for health vistiing services.
- 2017.https://www.local.gov.uk/publications/improving-outcomes-children-and-families-508
- 509 early-years-key-role-health-visiting-services
- 510 Department of Health, Public Health England, NHS England, Health Education
- 511 England, Local Government Association. Factsheet on Health Visiting and commissioning of
- 512 public health services for 0 to 5 year olds. 2014.
- 513 Institute of Health Visiting. Survey confirms babies and young children have been
- 514 forgotten and failed in the nation's pandemic response. 2020. Available from:
- 515 https://ihv.org.uk/news-and-views/news/survey-confirms-babies-and-young-children-have-
- 516 been-forgotten-and-failed-in-the-nations-pandemic-response/.
- 517 7. Institute of Health Visiting. State of Health Visiting in England: we need more health
- visitors. 2021.https://ihv.org.uk/our-work/publications-reports/ 518
- 519 Bryar RM, Cowley DS, Adams CM, Kendall S, Mathers N. Health visiting in primary
- 520 care in England: a crisis waiting to happen? Br J Gen Pract. 2017;67(656):102-
- 521 3.10.3399/bjgp17X689449
- 522 Whittaker K, Appleton JV, Peckover S, Adams C. Organising health visiting services in
- 523 the UK: Frontline perspectives. Journal of Health Visiting. 2021;9(2):68-
- 524 75.10.12968/johv.2021.9.2.68
- 525 Fraser C, Harron K, Barlow J, Bennett S, Woods G, Shand J, et al. Variation in health
- 526 visiting contacts for children in England: cross-sectional analysis of the 2-2(1/2) year review

- 527 using administrative data (Community Services Dataset, CSDS). BMJ Open.
- 528 2022;12(2):e053884.10.1136/bmjopen-2021-053884
- 529 Amanda C, Jenny W, Helen B, Katie H. P53 Factors associated with delivery of health
- 530 visiting contacts to families with children under 5 in England: analysis of administrative data.
- 531 Journal of Epidemiology and Community Health. 2023;77(Suppl 1):A77.10.1136/jech-2023-
- 532 SSMabstracts.158
- 533 12. Public Health England. Health visitor service delivery metrics: 2018 to 2019
- 534 2019.www.gov.uk/government/statistics/health-visitor-service-delivery-metrics-2018-to-
- 535 2019 [Accessed 19.02.20]
- 536 13. Public Health England. Health visitor service delivery metrics: 2019 to 2020 annual
- 537 data. 2020.https://www.gov.uk/government/statistics/health-visitor-service-delivery-
- 538 metrics-experimental-statistics-2019-to-2020-annual-data
- 539 Public Health England. Health visitor service metrics and outcomes definitions from
- 540 CSDS. 2018.www.gov.uk/government/publications/health-visitor-service-metrics-and-
- 541 outcomes-definitions-from-csds [Accessed 19.02.20]
- Public Health England. Children's public health 0 to 5 years: interim national 542 15.
- 543 reporting process for the universal health visiting service: full guidance for local authority
- 544 members of staff 2019/20. 2019. Available from: https://dera.ioe.ac.uk/id/eprint/34143/.
- 545 16. Amanda C, Catherine B, Mengyun L, Katie H, Jenny W, Louise MG-L. Data Note:
- 546 Accounting for data quality when analysing experimental administrative data: lessons
- 547 learned from using the Community Services Dataset to understand health visiting in England
- 548 [Manuscript submitted for publication]
- 549 NHS Digital. Community services data set technical output specification. 2018.
- 550 Available from: https://digital.nhs.uk/data-andinformation/data-collections-and-data-
- 551 sets/data-sets/communityservices-data-set/community-services-data-set-technical-
- 552 outputspecification.
- 553 Fraser C, Harron K, Barlow J, Bennett S, Woods G, Shand J, et al. How can we use the
- 554 community services dataset (CSDS) for research into health visiting? Available at
- 555 https://www.ucl.ac.uk/children-policy-research/sites/children-policy-
- research/files/using_csds_for_research_report_08.10.20.pdf [last accessed 14.01.21]. 2020. 556
- 557 19. NHS Digital. Disclosure control methodology for Hospital Episode Statistics (HES) and
- 558 Emergency Care Data Set (ECDS). 2023. Available from: https://digital.nhs.uk/data-and-
- 559 information/data-tools-and-services/data-services/hospital-episode-statistics/disclosure-
- 560 control-methodology-for-hospital-episode-statistics-and-emergency-care-data-set.
- 561 Finch D, Vriend M. Public health grant: What it is and why greater investment is
- 562 needed. 2023. Available from: https://www.health.org.uk/news-and-comment/charts-and-
- infographics/public-health-grant-what-it-is-and-why-greater-investment-is-needed. 563
- Visiting IoH. Health visitor workforce numbers in England reach an all-time low. 564
- 565 2022. Available from: https://ihv.org.uk/news-and-views/news/health-visitor-workforce-
- 566 numbers-in-england-reach-an-all-time-low/.
- 567 Department of Education. Children of the 2020s: first survey of families at age 9
- 568 months. 2023. Available from: https://www.gov.uk/government/publications/children-of-
- 569 the-2020s-first-survey-of-families-at-age-9-months.
- 570 Smith MA. Health visiting: the public health role. Journal of Advanced Nursing.
- 571 2004;45(1):17-25.https://doi.org/10.1046/j.1365-2648.2003.02856.x

- 572 24. Institute of Health Visiting. State of Health Visiting, UK survey report: Millions
- 573 supported as others miss out. 2024.https://ihv.org.uk/wp-content/uploads/2024/01/State-
- 574 of-Health-Visiting-Report-2023-FINAL-VERSION-16.01.24.pdf
- 575 Department of Health and Social Care, Department of Education. Family Hubs and 25.
- 576 Start for Life programme. 2023. Available from:
- 577 https://www.gov.uk/government/collections/family-hubs-and-start-for-life-programme.
- 578 Katie H, Francesca LC, Catherine B, Amanda C, Sally K, Rebecca C, et al. Study
- 579 protocol: evaluation of the 0-5 public health investment in England - a mixed-methods
- 580 study integrating analyses of national linked administrative data with in-depth case studies.
- BMJ Open. 2023;13(4):e073313.10.1136/bmjopen-2023-073313 581
- 582 Woodman J, Mc Grath-Lone L, Clery A, Weatherly H, Jankovic D, Appleton JV, et al. 27.
- 583 Study protocol: a mixed-methods study to evaluate which health visiting models in England
- 584 are most promising for mitigating the harms of adverse childhood experiences. BMJ Open.
- 585 2022;12:e066880.doi:10.1136/bmjopen-2022-066880
- 586 Woodman J, Harron K, Hancock D. Which children in England see the health visiting
- team and how often? Journal of Health Visiting. 2021;9(7):282-587
- 588 4.10.12968/johv.2021.9.7.282
- 589 Launder M. Health visiting contacts to only count if face-to-face amid child safety
- 590 concerns. 2022. Available from: https://www.nursinginpractice.com/community-
- 591 nursing/face-to-face-health-visiting-contacts-to-return-amid-child-safety-concerns/.
- 592 Morton A, Adams C. Health visiting in England: The impact of the COVID-19
- 593 pandemic. Public Health Nursing. 2022;39(4):820-30.https://doi.org/10.1111/phn.13053
- 594 Conti G, Dow A. The impacts of COVID-19 on Health Visiting in England. 2020. 31.
- 595 Available from:
- 596 https://discovery.ucl.ac.uk/id/eprint/10106430/8/Conti Dow The%20impacts%20of%20CO
- 597 VID-19%20on%20Health%20Visiting%20in%20England%20250920.pdf.
- 598 Public Health England. Contacts other than those mandated and referrals by health
- 599 visitors - Experimental analysis of the Community Services Dataset. 2021. Available from:
- 600 https://www.gov.uk/government/publications/contacts-other-than-those-mandated-and-
- 601 referrals-by-health-visitors.
- NHS Benchmarking Network. Deep dive report for Health Visiting. 2020. Available 602 33.
- 603 from: https://s3.eu-west-2.amazonaws.com/nhsbn-
- 604 static/Community%20Services/2020/CS%20Deep%20dive%20report%20-%20Health%20Visi
- 605 ting%20FINAL.pdf.