1	Analyzing the efficacy of a decade-long endeavor:
2	extracurricular medical research training amidst the turmoil
3	of Syria
4	Short title: Extracurricular medical research training amidst the Syrian war
5	
6	AUTHORS:
7 8	Ibrahem Hanafi¹*, Marah Alsalkini², Kheder Kheder³, Maarouf Gorra Al Nafouri⁴, Ahmad Rami Rahmeh⁵, Rami Sabouni⁴
9 10	1 Division of Neurology, Department of Internal Medicine, Faculty of Medicine, Damascus
11	2 Faculty of Medicine, Albaath University, Homs, Syria
12	3 Al-Andalus University for Medical Science, Tartus, Syria
13	4 Faculty of Medicine, Damascus University, Damascus, Syria
14	5 Department of Ophthalmology, Aleppo University Hospital, Aleppo, Syria
15	* Correspondence: Ibrahem Hanafi, Division of Neurology, Department of Internal Medicine,
16	Faculty of Medicine, Damascus University, Midan Area 9, Zahira Neighborhood 1, Muhiddin
17	Kattad Ave, Lane 1021, Building 2, Damascus, Syria. Email: Ibrahem.W.Hanafi@gmail.com

19 **ABSTRACT:**

Objectives: Medical research in Syria faced significant limitations due to inadequate human and financial resources, exacerbated by the ongoing war. Until recently, the curriculum did not incorporate sufficient training on research skills. Consequently, extracurricular workshops were initiated or utilized nationwide to acquire research-related expertise, aiming to bolster research output. This study aims to characterize and evaluate these training endeavors concerning research-related knowledge, attitudes, barriers, as well as research productivity.

Methods: This case-control study encompassed all training initiatives in Syria from 2011 to 2020, both on-site and online. Participants consisted of early career healthcare professionals affiliated with all Syrian universities and were recruited into four equal groups based on the quantity of research projects they undertook and published. Our participants reported and assessed individual extracurricular workshops regarding their gained knowledge, attitudes, and practical skills. These initiatives were compared to curricular training and practical peer-led support regarding these outcomes.

33 Results: The study included 53 on-site and 30 online workshops, displaying diverse distributions 34 and features. Attendance of extracurricular workshops correlated with participants' knowledge. 35 attitudes, and research productivity (p < 0.001). The most effective interventions were massive 36 open online courses and workshops lasting over 12 hours. Extracurricular workshops and peer-37 led support has comparable effectiveness and associated with higher knowledge, attitudes, and 38 practical skills of their beneficiaries in comparison to curricular training (adjusted p<0.05). Lastly, 39 peer trainers in these workshops exhibited more publications and higher levels of knowledge and 40 attitude than the rest of the sample (adjusted p < 0.05).

41 Conclusions: Overall, extracurricular interventions and peer support demonstrated their 42 superiority over curricular training. Despite the varied nature of these workshops and the absence 43 of institutional organization, these approaches exhibited significant potential in enhancing 44 research-related knowledge, promoting positive attitudes, and augmenting research productivity 45 in resource-constrained settings such as Syria.

46

47 **KEY WORDS**:

48 Extracurricular training; Evidence-based medicine; curriculum; research productivity; Syrian war.

49

50 **INTRODUCTION:**

51 Research in Syria faced many challenges before the war, including limited research capacities 52 and financial support, which led to poor quantity and quality of research output (1,2). The situation 53 was exaggerated during the Syrian armed conflict, which severely devastated the medical and 54 educational infrastructure and forced the majority of the medical personnel to flee the country 55 (3,4). Consequently, the remaining physicians had to deal with a flood of cases related and 56 unrelated to war (5). leaving them too little motivation and time to improve their academic skills 57 and conduct scientific research (6). In addition, the war also impacted the psychological wellbeing 58 of healthcare professionals and workplace violence exacerbated the incidence of burn-out 59 syndrome among them, which put them under constant pressure and depleted their mental health, 60 competence, productivity, and work satisfaction (7,8). Moreover, the lack of research 61 opportunities, as well as the poor training and mentoring became more prominent as the country

was left with a scarcity of expertise in this field (9,10). It is worth mentioning that evidence-based medicine (EBM) was not formally part of the curriculum in Syrian medical faculties until 2016 (9,11). Hence, the pressing and yet unaddressed requirement remained the implementation of accessible, cost-effective, and sustainable training methodologies aimed at augmenting researchrelated competencies among Syrian medical professionals (12).

67 On the other hand, significant efforts started to target this paucity at the different Syrian medical 68 schools and they were mainly led by small teams of residents and medical students (9). Local 69 peer-led workshops arose as an alternative cheap method to assist medical students and 70 residents in this field (13). Initially, these teams leveraged online international resources to 71 enhance their research-related knowledge and skills. This initiative empowered them to 72 autonomously strategize, execute, and publish research studies. Subsequently, they effectively 73 orchestrated workshops across Syria, imparting fundamental principles of medical research to 74 their peers, thereby sharing the expertise and experiences acquired. On the institutional level, 75 these efforts were aided by associations gathering Syrian medical professionals practicing abroad 76 such as the Syrian American Medical Society, who also coordinated advanced online courses 77 regarding EBM and academic writing (14,15). Recently, more basic online workshops were 78 delivered by peers performing research careers abroad (13,16). These online workshops were 79 shown to be as effective as face-to-face workshops on participants' knowledge (14), but offered 80 valuable advantages like affordability, flexible accessibility (13), and safety especially in war 81 zones,(15) non-governmental controlled areas (17), and during pandemics (18,19), which made 82 them more favorable in countries with limited resources like Syria. The progress made by Syrian 83 efforts on this front paved the way for Syrian doctors to seek further training from international 84 bodies when provided as massive open online courses (MOOCs) (9,16). For instance, remote-85 sites were liaised for the comprehensive course "the Introduction to the Principles and Practice of 86 Clinical Research (IPPCR)" provided by the American national institutes of health (NIH) in several 87 Syrian medical faculties and in several years. These steps made it possible to leverage from more

formal sources of medical research training even for participants in massively destroyed cities like
Aleppo (20).

90 Despite the great efforts spent to achieve all these extracurricular interventions and, when 91 assessed, their proven effectiveness, it is difficult to tell whether they collectively achieved the 92 goals they were aimed at nation-wide. These efforts were not tailored based on comprehensive 93 assessments of the needs and barriers at each phase, location, and field (16). Additionally, they 94 were mostly run by individual or team efforts and lacked cohesive organization and coordination, 95 which hindered both the learning and teaching processes in the long run and challenged any 96 comparison of the efficacy of the different efforts. Consequently, it is still to be proved that the 97 Syrian medical research synthesis significantly improved in guality and guantity due to these 98 initiatives, as most of the research articles published from Syria are still mostly case reports and 99 cross-sectional studies and when they do not end up unpublished, they mostly get published in 100 low impact journals. Therefore, this study aimed to characterize all extracurricular training 101 opportunities utilized by early career Syrian healthcare workers during the first decade of the 102 Syrian war and to assess their impact on attendees' knowledge, attitudes, perceived barriers, as 103 well as their research productivity.

104 **METHODS:**

105 The identification of extracurricular events targeting medical research:

We identified all interventions targeting research capacity building for Syrian healthcare professionals during the period 2011-2020. This was performed through interviews with trainers and trainees from different academic levels and at all Syrian medical schools. We additionally performed a comprehensive search for event invitations on social media platforms, particularly in groups and channels that target Syrian healthcare professionals and medical and paramedical

111 students around the country. The final list of workshops included all extracurricular in-house 112 training that took place at any of the Syrian medical schools as well as those offered online by 113 international associations or platforms like the American National Institute of Health (NIH) and 114 Coursera. We then extended our interviews to retrospectively define the features of each 115 workshop including its city, year, trainers (professionals or peers), length (approximate number of 116 training hours), size (approximate number of attendees), and focus (research methodology, 117 critical appraisal, academic writing, statistical analysis, systematic reviews, and case reports). 118 Online workshops were also classified into international workshops (i.e., offered by the NIH, 119 Cochrane, Coursera, and Stanford school of Medicine) and Syrian workshops (i.e., offered by the Syrian American Medical Society and Syrian peers abroad). All of the international workshops 120 121 were delivered in English, while most of the Syrian workshops were presented in Arabic. During 122 data collection, participants also had the possibility to add missing workshops and provide details 123 about their features (e.g., year, city, and duration).

124 Study design and population:

125 This study had a case-control design, and its sample population is identical to the one reported 126 in our previous article (21). The recruitment for data collection took place between 05.01.2021 127 and 06.07.2021. Briefly, we communicated the guestionnaire individually to all undergraduate students, postgraduate students, residents, and fresh specialists in all Syrian medical and 128 129 paramedical faculties, who have at least one published article in a peer-reviewed journal. These 130 participants were grouped into two equal arms, the first with one publication and the second with 131 two or more publications. We then recruited two equal control groups, one with participants who 132 contributed to at least one research study (without any publication) and the second with 133 participants who had no previous research contributions. We maintained equal arms at every 134 university and academic level (under- and postgraduates). Syrian specialists and postgraduate 135 students who are currently practicing outside Syria but received their medical training in one of

136 the Syrian universities were not excluded. Participants in their first or second year of 137 undergraduate studies or after more than one year from the end of their specialization were 138 excluded. Further details regarding the ethical approval, data collection, and sample 139 characteristics can be found in our previous article (21); which also reported participants' self-140 reported research-related knowledge, attitudes, and perceived barriers. Briefly, the ethical 141 approval for this study (30/2020) was obtained from the institutional review board of Damascus 142 University on 19.01.2021. All participants provided their written informed consent for the 143 publication of their anonymous data before their participation.

144

145 **The data collection tool:**

146 The guestionnaire developed first asked the participants to identify all the workshops and trainings 147 they took part in by selecting them from a list that contained the name, year, and city of each 148 workshop. In the next step, participants had the possibility to refer to their first, second, and third 149 best workshops in terms of knowledge and skills gained from it. For each of these one to three 150 workshops, participants also assessed the gained knowledge, attitudes, and practical practice on 151 a scale from one to ten, where one stood for poor benefit and ten stood for outstanding benefit. 152 In order to compare these evaluations to other methods of gaining research-related knowledge 153 and skills, we asked the participants to perform the same evaluation for undergraduate and 154 postgraduate curricular research training as well as the practical support they received from peers 155 they worked with on specific research projects. As most of the in-house training was peer-led, we 156 supplemented the questionnaire with a section asking the participants to identify the workshops 157 they participated in training. This information was used afterwards to compare the cohort of these 158 peer trainers to the rest of the sample in terms including knowledge, attitudes, and publications.

159 Data analysis:

160 The data was exported to Microsoft Excel 365 version 2011 (year 2020) then analyzed using the 161 Statistical Package for the Social Sciences version 23.0 (SPSS Inc., Chicago, IL, United States). 162 Details about the presentation and statistical analysis of the demographic characteristics, 163 knowledge, attitudes, and barriers including association and correlation tests can be found in the 164 first article (21). In addition, we used different logistic regression tests for models that predicted 165 conducting and publishing research studies as well as number of extracurricular workshops 166 attended and research knowledge and attitudes. For these analyses, regression coefficients and 167 their 95% confidence intervals (CI) were reported as measures of association together with their 168 P values.

169 As most of the participants with multiple publications attended several workshops with various 170 features, we could not link higher research productivity (i.e., number of conducted and published 171 research projects) to specific workshops characteristics. However, to sidestep this obstacle, we 172 grouped participants repeatedly based on the dominant features in the workshops they attended. 173 These groups of participants were then compared to draw conclusions about features responsible 174 more for higher research conduction. For instance, if more than half of the workshops attended 175 by a participant were delivered by peers, he was included in the group of peer-led training and 176 otherwise he would be in the professional-led training group. The same applied when more than 177 half of the training attended by the participant happened online, originated from international 178 organizations, focused on research methodology, took place after 2017, had more than 12 training 179 hours, and recruited more than 40 participants.

To limit the number of workshops presented, we excluded those that were attended by less than four participants from our population. To mitigate the possibility of over- or underestimating the rank or the self-assessed benefit from any workshop, we also excluded all workshops that received less than three evaluations (by three participants). For the rest, we allocated points based on the ranking the participants gave to each workshop, where workshops ranked first,

185 second, and third best got three, two, and one points, respectively. To adjust the rankings for the 186 number of attendees, we divided the sum of the points of each workshop by the number of 187 participants in our sample who reported attending this workshop. On the other hand, the gained 188 knowledge, attitudes, and practical practice for each workshop were averaged among entries.

An Alpha value of 0.05 was used as a cutoff to determine statistical significance after Bonferroni correction for multiple comparisons. Figures were created using Microsoft Excel 365 version 2011 (year 2020) and the Statistical Package for the Social Sciences version 23.0 (SPSS Inc., Chicago, IL, United States), while illustrations were designed using Adobe Illustrator (year 2017) and Microsoft PowerPoint 365 version 2011 (year 2020).

194 Patient and Public Involvement:

The target audience for this project encompasses medical under- and postgraduates, and this report presents their assessment of the needs and challenges faced towards better research productivity. It is important to note that this project was solely executed by a team comprising these individuals, ensuring that the research directly addresses their needs and interests.

199 **RESULTS**:

200 The demographics of extracurricular medical research workshops:

Fifty-six in-house workshops that targeted research-related skills were identified during the study period. Our workshops' list additionally included 53 online workshops that were accessible to Syrian healthcare personnel to learn about medical research. Of which, three in-house and 23 online workshops were attended by less than four of our participants and were, therefore, excluded from the sample. The few in-house workshops that took place before 2017 were concentrated in Damascus. Afterwards, workshops increased in number and extended to the

207 other two major Syrian medical schools (i.e., Aleppo, and Latakia). In general, the workshops 208 varied in the length of training, number of trainees, and covered topics. However, it can be noted 209 that the most common trained topic of in-house workshops was research methodology (26; 49%), 210 and these workshops had larger size than the ones focusing on other research skills. It is also 211 worth mentioning that the topics covered were not homogenously distributed across the years 212 (e.g., most systematic review workshops happened between 2016 and 2017). Additionally, the 213 majority of in-house workshops (n=45; 85%) were conducted by peers, leaving only seven 214 professional-led workshops, which focused mainly on research methodology. On the other hand, 215 the majority of online workshops were delivered by professionals as MOOCs (n=22; 71%), and 216 they mostly had more than 12 training hours. However, we could still isolate a group of online 217 workshops delivered by Syrians, which were classified into professional-led trainings conducted 218 by the SAMS and peer-led ones (Fig 1).

219

Fig 1: Inhouse and online training sources on medical research.

Fig 1 legend: Panel a illustrated inhouse trainings while panel b illustrates online sources of training.

223

The vast majority of these extracurricular workshops were offered for free and to all under- and postgraduate students as well as specialists. Nevertheless, we found that participants affiliated with the University of Aleppo attended more workshops compared to participants in Damascus and Latakia (P<0.001). Furthermore, participants who had better internet connectivity or higher English competence also attended more workshops (S. table 1).

229 The effectiveness of extracurricular medical research workshops:

230 After excluding the participants who never attended any research focused extracurricular workshop, we found a significant moderate positive correlation between the number of 231 232 extracurricular trainings attended and the number of research projects conducted. The number of 233 attended trainings also correlated with the number of publications as well as the total scores of 234 knowledge and attitudes (Fig 2). Moreover, we entered the number of trainings attended together 235 with the total scores of knowledge, attitudes, and barriers, as well as the academic score in a 236 stepwise multiple regression model to predict the number of research projects conducted or 237 published for each participant. This analysis showed that the total knowledge score could 238 independently predict research conduction and publication similarly to our previous article.(21) 239 However, the number of attended extracurricular workshops had an independent added change 240 of 3.6 % to the R2 (P<0.001) specifically in the prediction of number of conducted research studies 241 (S. table 2).

242

Fig 2: The impact of the number of workshops attended on research productivity as well as the self-reported knowledge and attitudes towards medical research.

Fig 2 Legend: Panel a represents the correlations of conduction (blue) and publication (orange) of research studies, while panel b represents the same for the total knowledge (green) and attitudes (grey) scores. The correlations were estimated based on Spearman's rho methods. Participants who never attended any workshop were excluded (n=452 for participation and panel b; n=364 for publication).

250

251 **Comparing the features of medical research extracurricular workshops:**

252 MOOCs and workshops that had more than 12 training hours were associated with a higher 253 number of conducted and published studies as well as higher knowledge scores than Syrian-led 254 trainings and shorter workshops, respectively (Fig 3 and Fig 4). These findings were confirmed 255 by stronger correlations between the number of workshops attended with these features on the 256 first side and research productivity, knowledge, and attitudes on the other side (S. table 3). 257 However, as these two features significantly coexist (i.e., most MOOCs had more than 12 training 258 hours), we ran an ordinal logistic regression that confirmed the independent contributions of these 259 two features to the higher research productivity (S. table 4). Furthermore, to isolate the added 260 value of these two features, we added the total knowledge score (i.e., the best predictor of 261 publications) to the same logistic regression. Interestingly, MOOCs lost their independence in 262 predicting the number of publications while the length of the workshops retained its independent 263 effect (S. table 5). On the other hand, participants who attended more professional-led trainings 264 also conducted more research projects and had higher knowledge than those who attended more 265 peer-led trainings. This difference was evident on the correlation analysis but did not show 266 independent contributions to the predictions in the regression analyses.

267

268 Fig 3: The impact of workshops features on research conduction and publication.

Fig 3 legend: The bars refer to statistically significant differences in Mann-Whitney U test after Bonferroni correction for multiple comparisons (P=0.05/8=0.006); the boxes depict interquartile ranges; the horizontal lines in the boxes present the medians; the X signs show the means; the extending vertical lines illustrate the ranges; and the dots that exceed the line represent outliers.

273

Fig 4: The impact of workshops features on participants' knowledge, and attitudes towards research.

Fig 4 Legend: The bars refer to statistically significant differences in Mann-Whitney U test after Bonferroni correction for multiple comparisons (P=0.05/8=0.006); the boxes depict interquartile ranges; the horizontal lines in the boxes present the medians; the X signs show the means; the extending vertical lines illustrate the ranges; and the dots that exceed the line represent outliers.

280

Participants' evaluation of extracurricular medical research workshops, curricular training, and peer support:

283 Three-hundred-fifty-six participants of our sample indicated the best one to three extracurricular 284 trainings they attended then self-evaluated their gained knowledge, attitudes, and practical skills 285 from each one of them. After excluding the workshops that received less than three individual 286 evaluations, only 54 workshops remained for the analysis. These assessments showed that 287 averaged evaluations of the one to three best extracurricular workshops refer to higher gained 288 knowledge, attitudes, and practical practice than the average of under- and postgraduate official 289 curricular training. It also showed that practical peer support was rated as high as the 290 extracurricular workshops and was also significantly higher than curricular training on the three 291 scales (S. Fig 1). We then ran a correlation analysis between the self-evaluated gained knowledge 292 and attitudes from each of the three training sources with the total knowledge and attitudes scores. 293 The correlations confirmed our findings as they were significant for extra-curricular workshops 294 and peer support but not for the curricular training. Additionally, the estimation of the gained 295 knowledge, attitudes, and practical practice from peer support correlated significantly with 296 research productivity, which did not apply to evaluations regarding curricular training. Meanwhile,

the same correlations regarding extracurricular workshops did not survive correction for multiplecomparisons (S. table 6).

To compare the evaluations of gained knowledge, attitudes, and practical practice among the different features of the workshops, we averaged the assessments of each workshop across participants. Then, we compared the groups of workshops for each gained outcome. However, the only difference that survived the correction for multiple comparisons was the higher practical skills gained from MOOCs when compared to other online workshops (S. Fig 2).

304 Training on extracurricular medical research workshops:

305 Seventy-five participants in our sample trained in at least one of the studied peer-led workshops; 306 most of them (n=62, 82.7%) trained in less than three workshops, and 49 of them (65.3%) were 307 affiliated with the University of Aleppo (S. table 7). Participants who trained in workshops reported 308 higher numbers of research projects conducted and published as well as greater knowledge and 309 attitudes compared to those who did not train on any workshop regardless of whether they 310 attended or did not attend any workshop. Trainers also showed higher English competence and 311 attended more workshops compared to those who did not participate in training any workshop 312 (Fig 5). Among these five variables (i.e., research conduction, publication, knowledge, attitudes, 313 and English level), the number of research projects conducted, and knowledge and attitudes 314 scores were isolated as significant independent predictors of the variability between those who 315 trained and did not train on workshops in a binary logistic regression analysis (S. table 8).

316

Fig 5: Comparison of the demographic characteristics and research contributions between peer
trainers and attendees of research related trainings as well as those who never attended any of
these trainings.

Fig 5 Legend: The bars represent statistically significant differences in the post-hoc Dunn-Bonferroni-Test pairwise comparison (adjusted P<0.05); the boxes depict interquartile ranges; the horizontal lines in the boxes present the medians; the X signs show the means; the extending vertical lines illustrate the ranges; and the dots that exceed the line represent outliers.

324

325 **DISCUSSION:**

326 Despite the unprecedented humanitarian crisis in Syria. Syrian students sought to develop their 327 research skills by attending numerous in-house and online workshops conducted through Syrian 328 efforts or provided by international organizations. This study was novel in providing a broad 329 overview of the characteristics and effectiveness of all these interventions used during the first 330 ten years of the Syrian armed conflict. We first proved that attending more of these workshops 331 was associated with higher research knowledge, attitudes, and productivity. Then, we showed 332 that self-reported research knowledge had particularly the strongest correlation with the number 333 of attended workshops and was also the strongest predictor of the number of conducted and 334 published research projects. Additionally, we could, using participants' evaluations, show that 335 these extracurricular interventions were more effective than curricular training and as valuable as 336 practical peer support during ongoing research projects. Finally, we presented a scheme 337 summarizing all the modifiable personal factors that play a role in improving or hindering research 338 productivity in our limited resources settings (Fig 6).

339

Fig 6: A scheme depicting all the investigated factors that affect research productivity among early

341 career health professionals as well as the interrelations among them.

Fig 6 Legend: The blue arrows represent significant positive correlations; the orange arrows illustrate significant independent predictors with the dependent variable ahead of the arrow; and the green arrows depict significant association with higher effectiveness or recruitment of the extracurricular trainings.

346

347 Even in countries where research training is deeply rooted as a part of the curriculum, research 348 workshops seemed to be the most effective way of training (22). These workshops are also widely 349 recognized as an effective tool for promoting medical research in low- and middle-income 350 countries (LMICs) (23–25). In Syrian, they were suggested as an attainable alternative to address 351 the shortcomings of the research curriculum (10,16). Previous reports assessing individual 352 interventions that targeted research skills including EBM and academic writing in Syria highlighted 353 the knowledge-enhancing effects of their workshops (11,13,14,26), or at least improvement 354 limited to attendees' confidence (27), or perceived skills (15). Additionally, a recent cross-355 sectional study on Syrian residents suggested that attending more trainings on medical research 356 correlates with better practices of EBM (28). We similarly proved that attending more research 357 workshops has a significant positive impact on research-related knowledge. Although this finding 358 comes in line with previous reports, it uniquely generalizes their findings employing a novel 359 comprehensive assessment that pooled all eligible interventions in the study period and recruited 360 a large sample size from several universities and academic levels.

Our findings also confirmed that participants who attended more workshops reported higher attitudes towards research, which was described as a major outcome of one workshop targeting EBM.(26) Notably, attitudes towards research were less strongly correlated with workshops attendance compared to knowledge. We can attribute that to the fact that medical personnel in Syria, even those who have never conducted any research project, generally reported high

attitudes towards research (10,16), and this does not apply to the poor research-related knowledge repetitively reported (21,28,29). The weak impact of workshops on attitudes can also be due to the limited effectiveness of workshops in addressing certain research barriers, such as language, internet connection, and time availability (10,11,16,29), thus, hindering attitudes strengthening towards medical research.

371 Despite that, when it comes to studying the improvement in research productivity, trainings on 372 research skills can achieve it in several pathways (Fig 6). Our previous article established that 373 self-reported knowledge explains much of the variability in the number of conducted and 374 published scientific papers (21). The current study also proves that attending research-related 375 workshops as an independent factor has a positive additional value on research conduction. This 376 can be attributed to the development of leadership and time management skills through 377 extracurricular activities (30) and the possibility to engage more effectively in the research 378 community during such trainings (31). The extracurricular workshops in Syria were also 379 suggested to help in establishing research networks that foster research knowledge and 380 participation, in addition to enhancing students' understanding of research materials (10,20). The 381 higher research productivity we found among participants who attended longer workshops 382 supports this logic, as the time by itself may offer a higher probability to the establishment of the 383 aforementioned research networks. Although, the literature suggests that shorter courses can be 384 of higher feasibility and effectiveness (12.32), they might not offer further mentorship after the 385 training (33), possibly suggesting a lower impact on research productivity, which meets our 386 findings.

Although MOOCs and traditional learning showed similar effectiveness in medical education by means of a meta-analysis (34), MOOCs remain a valuable, and sometimes the only, asset in LMICs to acquire the needed knowledge and skills to conduct research projects (35). In line with that, our study found that participants who attended MOOCs reported higher knowledge and

391 research productivity than those who attended other workshops. This can be explained by the 392 findings of Li et al, which highlighted that MOOCs attendees tend to have higher motivation to 393 learn (36). The open-structure of MOOCs also allows students to design their individual learning 394 objectives depending on their needs (37). Therefore, we can speculate that participants who had 395 running projects preferably attended MOOCs to address the specific knowledge gaps they faced 396 during the progress of their projects, which could be the reason behind the higher knowledge and 397 research conduction we found among MOOCs attendees. A similar pattern was evident in an 398 academic writing workshop, where participants who practiced research skills through writing 399 assignments gained higher objective knowledge than those who did not achieve these 400 assignments (13).

401 Although the investigated workshops were in general effective in improving research knowledge, 402 attitudes, and productivity, it is difficult to believe that Syrian healthcare personnel leveraged from 403 the full capacities of these interventions. It was guite evident that these interventions lacked a 404 consistent pattern across the different cities and varied in terms of content, delivery, and targeted 405 group(s). This lack of organization can be attributed to the fact that they were in most cases driven 406 by the needs in their proximity, which suggests a significant room for improvement if they become 407 tailored based on up-to-date representative assessments of the needs and barriers towards 408 research (10,13,16,21). On the other hand, we assume that the lack of institutional collaborations 409 constrained the amplitude of benefit, especially from in-house workshops, to specific groups and 410 locations. Therefore, it is important to emphasize the role of the concerned faculties and ministries 411 in organizing research training efforts. This is particularly relevant in developing countries, where 412 personnel with decision-making capacities are less involved in the scientific progress (38).

413 Nevertheless, this study emphasized the role of peers in pushing the wheel of research training
414 in Syria (9). The vast majority of in-house trainings, as well as some online workshops, in our
415 analysis relied heavily or completely on under- or postgraduate peer trainers with wider research

416 experiences and higher research-related knowledge and attitudes. This role of peers was 417 particularly underlined in countries grappling with significant training gaps and depletion of 418 professionals, as reported in the Syrian case (10,11,13,16). The reliance on peers in such settings 419 is both justified and indispensable, as peer-led training presents a practical and affordable solution 420 that alleviates the burden on professors and faculty members (39,40). Superiority of peer training 421 might also be argued, as one study also reported negative experiences (e.g., uncomfortable 422 interaction) in extracurricular activities delivered by faculty members (30). Notably, the support 423 from peers extended beyond extracurricular trainings to personalized peer-to-peer assistance 424 during ongoing research projects (9,16). Our study further underscored that these two forms of 425 peer-support are of comparable value in the gained knowledge, attitudes, and practice. 426 Interestingly, both of these methods were significantly more valuable to beneficiaries than the 427 previously deemed substandard curricular research training (10,11,16), suggesting them as an 428 established solution for the dearth of expertise in Syria (13).

429 Limitations:

430 In spite of the strengths that reside in our sample and methodology, our findings still provide proof of association rather than causality. For instance, it might be argued that participants with higher 431 432 knowledge, attitudes, and more research projects are those who attend workshops training 433 research skills. However, this remains unlikely for two reasons. First, this explanation does not 434 justify how high our participants evaluated the best workshops they attended (S. Fig 1). Second, 435 a significant group of participants had multiple research projects despite declaring that they never 436 attended any workshop training research skills (Fig 5). On the other hand, one systematic review 437 suggests that increased knowledge may be driven by medical students' motivation to achieve 438 higher grades on curriculum-based assessments (41). This explanation does not apply to our 439 sample, as several reports described how Syrian researchers lack the institutional and curricular 440 motivation to perform research (10,11,16). Additionally, the academic scores of our participants

did not correlate with any measure of attitudes towards research (21). Moreover, the tool we used remains subjective and lacks the objectivity in assessing research-related knowledge in particular. It might have also been affected by recall bias as some of the trainings were ten years old by the time of data collection. Finally, as many participants attended a mixture of workshops of different characteristics, it was quite difficult to purely assess the impact of each of their characteristics individually. However, we believe that the clustering methods we used in addition to the selfevaluation of the best workshops are the best feasible approaches to overcome this obstacle.

448 **Conclusion**:

The extracurricular interventions targeting medical research paucity in Syria have proven successful in helping Syrian early-career medical researchers to find their voice (27). Regardless of the dreadful circumstances of war, these workshops increased research attitudes, knowledge, skills, and productivity, and facilitated engagement in the research community. Local peers and international professionals played crucial roles in this progress; however, these efforts still lack the institutionally-organized framework that can be achieved by joining forces with medical faculties.

456

457 **DECLARATIONS**:

458 Acknowledgements:

459 The authors are grateful to Luma Haj Kassem and Ahmad Naem for their support in data 460 collection.

461 declaration of interest:

462 None of the authors have any conflict of interest that is relevant for this project.

463 **Contributions**:

- 464 IH conceptualized the project. IH, MA, KK, ARR collected the data. IH, RS, and ARR analyzed
- 465 and interpreted the data. IH, MA, KK, and MGN prepared the manuscript. IH supervised the
- 466 project. All authors revised and approved the final version of the manuscript.

467 Ethical approval and consent for publication:

- 468 The ethical approval for this study (30/2020) was obtained from the institutional review board of
- 469 Damascus University on 19.01.2021. All participants provided their written informed consent for
- 470 the publication of their anonymous data before their participation.

471 Data availability statement:

472 The data supporting this manuscript is available and can be provided upon reasonable request to

473 the corresponding author.

474 Funding:

- 475 None of the authors received any funding from any agency that is related to the work on this
- 476 project.
- 477

478 **REFERENCES**:

 Matar HE, Almerie MQ, Adams CE, Essali A. Publications indexed in Medline and Embase originating from the Syrian Arab Republic: a survey. East Mediterr Health J Rev Sante Mediterr Orient Al-Majallah Al-Sihhiyah Li-Sharq Al-Mutawassit. 2009;15(3):648–52.

- 482
 482
 483
 483
 483
 484
 483
 484
 485
 485
 486
 486
 486
 487
 487
 488
 488
 488
 489
 489
 480
 480
 480
 480
 480
 481
 481
 481
 482
 483
 483
 484
 484
 484
 485
 485
 486
 486
 487
 487
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
 488
- Sahloul MZ, Monla-Hassan J, Sankari A, Kherallah M, Atassi B, Badr S, et al. War is the
 Enemy of Health. Pulmonary, Critical Care, and Sleep Medicine in War-Torn Syria. Ann Am
 Thorac Soc. 2016 Feb;13(2):147–55.
- 487 4. Coutts A, Fouad FM. Response to Syria's health crisis--poor and uncoordinated. Lancet
 488 Lond Engl. 2013 Jun 29;381(9885):2242–3.
- 489 5. Alahdab F, Omar MH, Alsakka S, Al-Moujahed A, Atassi B. Syrians' alternative to a health
 490 care system: "field hospitals." Avicenna J Med. 2014 Jul;4(3):51–2.
- 491 6. Fouad FM, Sparrow A, Tarakji A, Alameddine M, El-Jardali F, Coutts AP, et al. Health
 492 workers and the weaponisation of health care in Syria: a preliminary inquiry for The Lancet493 American University of Beirut Commission on Syria. Lancet Lond Engl. 2017 Dec
 494 2;390(10111):2516–26.
- 495 7. Mohamad O, AlKhoury N, Abdul-Baki MN, Alsalkini M, Shaaban R. Workplace violence
 496 toward resident doctors in public hospitals of Syria: prevalence, psychological impact, and
 497 prevention strategies: a cross-sectional study. Hum Resour Health. 2021 Jan 7;19(1):8.
- 498 8. Alhaffar BA, Abbas G, Alhaffar AA. The prevalence of burnout syndrome among resident
 499 physicians in Syria. J Occup Med Toxicol Lond Engl. 2019;14:31.
- Al Saadi T, Abbas F, Turk T, Alkhatib M, Hanafi I, Alahdab F. Medical research in war-torn Syria: medical students' perspective. Lancet Lond Engl. 2018 Jun 23;391(10139):2497–8.
- Turk T, Al Saadi T, Alkhatib M, Hanafi I, Alahdab F, Firwana B, et al. Attitudes, barriers, and
 practices toward research and publication among medical students at the University of
 Damascus, Syria. Avicenna J Med. 2018;8(1):24–33.
- 11. Alahdab F, Firwana B, Hasan R, Sonbol MB, Fares M, Alnahhas I, et al. Undergraduate
 medical students' perceptions, attitudes, and competencies in evidence-based medicine
 (EBM), and their understanding of EBM reality in Syria. BMC Res Notes. 2012 Aug
 12;5:431.
- 509 12. Busse CE, Anderson EW, Endale T, Smith YR, Kaniecki M, Shannon C, et al. Strengthening
 510 research capacity: a systematic review of manuscript writing and publishing interventions for
 511 researchers in low-income and middle-income countries. BMJ Glob Health. 2022
 512 Feb;7(2):e008059.
- 513 13. Hanafi I, Kheder K, Sabouni R, Gorra Al Nafouri M, Hanafi B, Alsalkini M, et al.
 514 Synchronicity and peer-reviewed assignments in online scientific writing training with limited
 515 resources: a four-arm blinded randomized controlled trial with one-year follow-up [Internet].
 516 2022 [cited 2023 Jun 3]. Available from: https://www.researchsquare.com
- 517 14. Sabouni A, Bdaiwi Y, Janoudi SL, Namous LO, Turk T, Alkhatib M, et al. Multiple strategy
 518 peer-taught evidence-based medicine course in a poor resource setting. BMC Med Educ.
 519 2017 May 4;17(1):82.

- 520 15. Alahdab F, Alabed S, Al-Moujahed A, Al Sallakh MA, Alyousef T, Alsharif U, et al. Evidence-521 based medicine: a persisting desire under fire. Evid Based Med. 2017 Mar;22(1):9–11.
- 16. Hanafi I, Haj Kassem L, Hanafi M, Ahmad S, Abbas O, Hajeer MY, et al. Medical Research
 Conduct and Publication during Higher Education in Syria: Attitudes, Barriers, Practices,
 and Possible Solutions. Avicenna J Med. 2022 Jul;12(3):127–37.
- 525 17. Bdaiwi Y, Rayes D, Sabouni A, Murad L, Fouad F, Zakaria W, et al. Challenges of providing
 526 healthcare worker education and training in protracted conflict: a focus on non-government
 527 controlled areas in north west Syria. Confl Health. 2020;14:42.
- 528 18. Camargo CP, Tempski PZ, Busnardo FF, Martins M de A, Gemperli R. Online learning and 529 COVID-19: a meta-synthesis analysis. Clin Sao Paulo Braz. 2020;75:e2286.
- 19. Qazi A, Naseer K, Qazi J, AlSalman H, Naseem U, Yang S, et al. Conventional to online
 education during COVID-19 pandemic: Do develop and underdeveloped nations cope alike.
 Child Youth Serv Rev. 2020 Dec;119:105582.
- 533 20. NIH Clinical Center News: April 2017 [Internet]. [cited 2023 Jun 3]. Available from:
 534 https://clinicalcenter.nih.gov/about/news/newsletter/2017/apr2017/story-april-06-syria.html
- 535 21. Hanafi I, Kheder K, Sabouni R, Rahmeh A, Alsalkini M, Hanafi M, et al. Factors Influencing
 536 Research Productivity among Syrian Medical Professionals amidst Conflict: a Case-Control
 537 Study. 2024.
- 538 22. Larsen CM, Terkelsen AS, Carlsen AMF, Kristensen HK. Methods for teaching evidence-539 based practice: a scoping review. BMC Med Educ. 2019 Jul 11;19(1):259.
- Stan F, Shakir M, Qayyum MA. Why Medical Students Are Crucial to the Future of
 Research in South Asia. PLOS Med. 2005 Nov 29;2(11):e322.
- 542 24. Negida AS, Negida A. Egypt's Premier Medical Student Research Group: A New Model for
 543 Medical Student Research in Developing Countries. Cureus [Internet]. 2018 Nov 8 [cited
 544 2023 Jun 3];10(11). Available from: https://www.cureus.com/articles/10927-egypts-premier545 medical-student-research-group-a-new-model-for-medical-student-research-in-developing546 countries
- 547 25. El Achi N, Papamichail A, Rizk A, Lindsay H, Menassa M, Abdul-Khalek RA, et al. A
 548 conceptual framework for capacity strengthening of health research in conflict: the case of
 549 the Middle East and North Africa region. Glob Health. 2019 Nov 28;15(1):81.
- 26. Kenjrawi Y, Dashash M. The First Asynchronous Online Evidence-Based Medicine Course
 for Syrian Health Workforce: Effectiveness and Feasibility Pilot Study. JMIR Form Res
 [Internet]. 2022 Oct [cited 2023 Jun 3];6(10). Available from:
 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9644249/
- Sabouni A, Chaar A, Bdaiwi Y, Masrani A, Abolaban H, Alahdab F, et al. An online
 academic writing and publishing skills course: Help Syrians find their voice. Avicenna J Med.
 2017 Jul;07(03):103–9.

- 28. Alabdullah MN, Alabdullah H, Kamel S. Knowledge, attitude, and practice of evidencebased medicine among resident physicians in hospitals of Syria: a cross-sectional study.
 BMC Med Educ. 2022 Nov 14;22(1):785.
- S60 29. Assar A, Matar SG, Hasabo EA, Elsayed SM, Zaazouee MS, Hamdallah A, et al.
 S61 Knowledge, attitudes, practices and perceived barriers towards research in undergraduate
 S62 medical students of six Arab countries. BMC Med Educ. 2022 Jan 18;22(1):44.
- 30. Chun KH, Park WK, Lee SS, Park YS, Kang E. A study on the educational climate, selfdirected learning and creative thinking in medical school. Korean J Think Dev.
 2010;6(1):179–200.
- 31. Lee HJ, Kang YJ, Lee SH, Lin Y, Kim DH, Ihm J. Relationship matters: a qualitative study of
 medical students' experiences in a learner-driven research program in South Korea. BMC
 Med Educ. 2023 May 16;23(1):337.
- 32. Archer A, Berry I, Bajwa U, Kalda R, Di Ruggiero E. Preferred modalities for delivering
 continuing education to the public health workforce: a scoping review. Health Promot
 Chronic Dis Prev Can Res Policy Pract. 2020 Apr;40(4):116–25.
- 33. Mugabo L, Rouleau D, Odhiambo J, Nisingizwe MP, Amoroso C, Barebwanuwe P, et al.
 Approaches and impact of non-academic research capacity strengthening training models in sub-Saharan Africa: a systematic review. Health Res Policy Syst. 2015 Jun 9;13(1):30.
- 34. Zhao F, Fu Y, Zhang QJ, Zhou Y, Ge PF, Huang HX, et al. The comparison of teaching
 efficiency between massive open online courses and traditional courses in medicine
 education: a systematic review and meta-analysis. Ann Transl Med. 2018 Dec;6(23):458–
 458.
- 35. Launois P, Maher D, Certain E, Ross B, Penkunas MJ. Implementation research training for
 learners in low- and middle-income countries: evaluating behaviour change after
 participating in a massive open online course. Health Res Policy Syst. 2021 Apr 6;19(1):59.
- 582 36. Li T, Yang N. Comparing MOOCs with Traditional Courses for Quality Teaching in Higher
 583 Education. DEStech Trans Soc Sci Educ Hum Sci. 2019 Jan 24;
- 584 37. Kop R, Fournier H, Mak JSF. A pedagogy of abundance or a pedagogy to support human
 585 beings? Participant support on massive open online courses. Int Rev Res Open Distrib
 586 Learn. 2011;12(7):74–93.
- 38. McMichael C, Waters E, Volmink J. Evidence-based public health: what does it offer
 developing countries? J Public Health. 2005 Jun 1;27(2):215–21.
- 589 39. Fleming-Nouri A, Crocombe D, Sammaraiee Y. Twelve tips on setting up and running a
 590 peer-led medical education society. Med Teach. 2016 Dec 1;38(12):1199–203.
- 40. Allikmets S, Vink JP. The benefits of peer-led teaching in medical education. Adv Med Educ
 Pract. 2016 May 31;7:329–30.

41. Ahmadi SF, Baradaran HR, Ahmadi E. Effectiveness of teaching evidence-based medicine
to undergraduate medical students: a BEME systematic review. Med Teach. 2015
Jan;37(1):21–30.

596

597 **PRACTICE POINTS:**

- 598 Syrian extracurricular training initiatives positively impact knowledge, attitudes, and research
- 599 productivity among early career healthcare professionals.
- 600 Expanding extracurricular initiatives could offer a maintainable method to significantly enhance
- 601 research capacity in resource-constrained settings.
- Massive open online courses and longer-duration trainings are more effective in achieving these
- 603 outcomes.
- 604 Policymakers and educators may incorporate these initiatives to optimize research outcomes
- 605 despite limited resources.







Scatter Plot of knowledge and attitudes by workshops

Scatter Plot of participation and publication by workshops

a) City and trainers



a) City and trainers



c) Workshops attendence type, audience of online workshops, and workshops focus





