Title Page

The Development of a Brain Injury Survivor Patient and Public

Involvement Group by a Brain Injury Survivor.

James Piercy^a, Colin Hamilton^b, Robert Runcie^a, Christi Deaton^c and Alexis J

Joannides^a

- ^aNIHR Brain Injury Medtech Cooperative, University of Cambridge, Cambridge, UK.
- ^b Department of Physiotherapy, Cambridge University Hospitals NHS Foundation Trust,
- Cambridge, UK.
- ^c*Primary Care Unit, Department of Public Health & Primary Care, University of Cambridge*
- Cambridge CB2 0SR, UK
- *Corresponding Author:

NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

27	Abstract
28	Background:
29	Patient and public involvement (PPI) in research is seen as key to ensuring applicability
30	and impact. Undertaking PPI in people after brain injury has long been seen to be a
31	challenge. In 2020 The NIHR Brain Injury MedTech Cooperative developed a
32	programme with the aim of improving PPI involvement, impact and diversity in this
33	population.
34	Methods:
35	Through a process of iterative development, a PPI programme was created. It built on
36	an existing underutilised database of people after brain injury and their carers who were
37	interested in engaging with PPI and utilised video-calling software. It was led by a
38	Brain injury Survivor acting as Facilitator with admin support from the MedTech
39	Cooperative.
40	Results:
41	To date 14 PPI sessions were completed supporting a total of 17 projects. The diversity
42	of the panel members was comparable to that of the population at large. However,
43	further work is needed, especially in engaging people experiencing homelessness,
44	people living outside of England and those with communication impairments.
45	Feedback from researchers was positive and specific impacts are stated.
46	Conclusion:
47	Through the leadership of a facilitator who has an understanding of the lived
48	experience of brain injury a PPI programme has been developed. The use of a video-
49	calling platform enabled a wider representation then a face-to-face group would have
50	and techniques such as shortened sessions and single project presentations ensured
51	engagement and impact.
52 53 54	Keywords PPI, outreach, diversity, online

56 57 The Development of a Brain Injury Survivor Patient and Public

58 Involvement Group by a Brain Injury Survivor.

59 Background

60 Patient and public involvement (PPI) is acknowledged to be central to good research

61 practice(Brett et al., 2014). However, enacting it in practice is a challenge(Brett et al., 2014).

62 This can be particularly true in populations who may experience disability, with researchers

63 finding it difficult to engage with these patients and their carers(Brett et al., 2014). These

64 challenges can lead to inequities in access to PPI opportunities.

65 Populations who have limited access or particular difficulties to engaging with research are

66 less likely to benefit from the improvements in care that research can bring(McDonald &

67 Keys, 2008). Research is also likely to be less applicable and wasteful if rigorous PPI with

disadvantaged groups is not conducted (Brett et al., 2014). Due to the emphasis that funders

69 now place on PPI, research projects without robust PPI with relevant groups may find

70 accessing funding more challenging, leading to further health inequalities in such

71 populations.

72 Main Text

73 Brain injury is a leading cause of death and disability worldwide(Dewan et al., 2019). With

sequelae including physical impairments, cognitive deficits, and communication

challenges(Turkstra, Politis, & Forsyth, 2015) brain injury survivors face many barriers to

76 actively participating in PPI. Caring responsibilities may limit the ability for their family and

carers to engage(Aitken et al., 2009). Therefore, finding effective methods of engaging with

and facilitating research involvement among brain injury survivors are key to ensuring that

research is relevant to this population(Whitehouse et al., 2021).

80 The NIHR Brain Injury MedTech Co-operative (Brain Injury MIC) works with patients, 81 carers, NHS, charities, academia, inventors, small and medium sized enterprises (SME) and 82 potential investors to support the development of new medical devices and healthcare 83 technologies improving the effectiveness and quality of healthcare services. Since its 84 inception the Brain Injury MIC has established a patient advisory group (PAG). This group is 85 formed of those who have suffered a brain injury and carers of people who have had a brain 86 injury. The PAG provides a governance role to the Brain Injury MIC as well as contributing 87 to strategic direction. It has been key in a push to develop an effective PPI strategy. In this 88 paper we describe the development of the Brain Injury MIC's PPI programme, initiated by 89 Brain Injury Survivors, led by a Brain Injury Survivor and contributed to by Brain Injury 90 Survivors.

91 Previous PPI Offering and Identification of Gap

92 Until 2020 PPI in research supported by the Brain Injury MIC was dealt with by the 93 individual research teams with only informal help from the MIC administrative team. This 94 support entailed advertising projects to members of the Register for Healthcare Involvement 95 and Technology Evaluation (RHITE) database (www.brainmic.nihr.ac.uk/RHITE). RHITE 96 was developed in 2012 by a previous version of the Brain Injury MIC and is a database of 97 people with brain injury and their families/cares who were potentially interested in supporting 98 research. While the RHITE could be a means of connecting researchers to interested parties it 99 was underused.

Following discussion, the PAG and Brain Injury MIC administration agreed that this underuse of the RHITE resource was making it difficult to achieve meaningful and timely patient involvement in line with the UK standards for Public Involvement(Partnership, 2019). A more focussed support programme for PPI was needed, especially to assist researchers at

application stage to improve their research questions in discussion with brain injury survivors

105 and to demonstrate early commitment to PPI.

106 An outreach programme was proposed by the Brain Injury MIC with support of the PAG to

107 make connections between those with lived experience of brain injury on the RHITE

108 database and research groups developing new interventions on the acquired brain injury

109 pathway.

110 **Aims**:

111 The aims of the outreach programme were:

- To increase involvement of brain injury survivors and their family or carers in the
- development of brain injury research
- To widen the diversity of involved members to be more representative of the
- population as a whole. This to include but not be limited to geography, gender, age,

116 ethnic group and educational background.

117 Iterative Development

118 The outreach programme was developed through a process of discussion and consensus

building with the Brain Injury MIC and the PAG. It was led by a brain injury survivor active

120 in public engagement who took the role of Facilitator. Administrative and financial support

- 121 was provided by the Brain injury MIC. The Outreach Programme adopted a model of
- 122 iterative evaluation and review after initial launch and subsequent sessions.
- 123 The initial meeting between the Brain Injury MIC and the Facilitator was undertaken in Nov
- 124 2020 to set expectations for the programme and format. Due to the Covid-19 pandemic the
- 125 meeting participants agreed that an online platform was needed to protect patients, carers and

researchers. The participants also discussed their expectations of what the programme in thefirst year should deliver:

- A series of online events suitable for patients and carers, in which they can hear about research being supported by the Brain Injury MIC and discuss with the principal investigator.
 A supporting document for people joining the sessions, with links to the Brain Injury MIC, its research programmes and ways to get involved in research.
 Three outreach sessions within 6 months
- A review of the outreach programme after the first three sessions

135 Pilot stage: (Month 0-3)

A survey was sent to the investigators of all supported research projects to gather
information about the researchers' requirements for involvement and participation of patients,
carers and the public in their projects, for example, review of documents or serving on an
advisory committee (appendix 1). Each group was asked to provide a lay summary of their
project. Six completed forms were initially received and from these 3 were chosen to be
featured in the outreach session.

A pilot event was set up to test the effectiveness of the model on attendance rates of PPI
Panel Members and impacts on projects. It was run using the GoTo Meeting[™] web platform.
Potential Panel Members were identified through the RHITE database and by contact with
the local Headway (www.headway.org.uk) group which offers support and signposting for
brain injury survivors and their families. Invitations were sent to those registered on the
RHITE database and through Headway to its contact list. The event was set to run for 90
minutes and featured an introduction to the Brain Injury MIC followed by a presentation on

Examples of current projects were discussed by the Brain Injury MIC to demonstrate the

149 the difference between engagement, involvement and participation.

150

151	differences between engagement, involvement and participation as well as highlight
152	opportunities to be engaged. Panel Members were invited to register their interest in specific
153	projects by contacting the programme manager or to register a more general interest in
154	research by joining the RHITE database.
155	In line with best practice and following the guidelines from the Centre for Engagement and
156	Dissemination(NIHR, 2022) participants were offered reimbursement in the form of a £25
157	voucher. Time was allowed for questions and comments, with participants invited to share
158	their own experiences of involvement in research. After the session all delegates were sent a
159	copy of the outreach brochure (Appendix 2) and reminded of the links to join RHITE.
160	Contact information was provided to give feedback and ask further questions.
161	Stage 1: (Month 4-7)
162	Following the pilot session, a team discussion took place incorporating comments from Panel
163	Members and reflection from the Facilitator. The following changes were made:
164	• Reduced duration
165	• Switch to Zoom. The platform was felt to be more versatile, and attendees were more
166	familiar with using it.
167	• Shorter introduction. The overview of the Brain Injury MIC activity was reduced to a
168	very short introduction.
169	• Less time given to education on the distinctions between participation, involvement

Guest speaker. An aim was set to invite a researcher to each outreach session to speak
 personally about their project.

Improved web visibility. The Brain Injury MIC website was updated to include
 information about the programme, engagement, involvement and participation and
 how to access the RHITE database.

Three research projects were featured in each of the 4 online workshops in stage 1. One of these was given prominence with the inclusion of a presentation from the research team, but due to time constraints the other two were presented by the Facilitator. The researchers could ask the group direct questions about their research question, methodology and recruitment strategy. With consent from the Panel members, sessions were recorded and shared with the research team after the event.

182 Stage 2: (Month 8-20)

Feedback from researchers and Panel Members indicated that whilst featuring a number of research projects allowed for variety and wider interest, a more focussed approach might yield greater impact. Delegates told the team that duration should be limited to 1 hour and that morning slots were easier to handle. Delegates emphasised that the cognitive fatigue experienced by many brain injury survivors made sustained attention difficult.

In the most recent iteration, a single project was featured presented by a member of the research team. The sessions were facilitated by the Facilitator. Key questions and issues which could be informed by the lived experience of brain injury survivors and their carers were agreed before the focus groups and time was allotted to cover these.

192 Greater attention was paid to recruitment of PPI Panel Members with efforts made to match193 people with direct experience of the topic under discussion and to improve the geographic,

194 gender, age and ethnic diversity of the group. As well as existing contacts the events were 195 publicised through the People in Research website (<u>https://www.peopleinresearch.org</u>). Interested 196 parties were invited to apply and their suitability explored with simple questions about the 197 nature of their direct experience, location and ethnic background.

198 To gain an understanding of progress against the stated aims of this project (Increasing

199 involvement in PPI and increasing the diversity of PPI Panel Members) numbers of Panel

200 Members attending each session were recorded and a demographic questionnaire was sent out

to gain an understanding of the makeup of the group. To assess impacts of the PPI group on

202 each research study presented, feedback forms were issued to all investigators of projects that

203 were supported by the outreach programme. The forms were based on the Centre for

204 Research in Public Health and Community Care Guidance for Researchers: Feedback

205 document (Mathie, 2018).

206

207 Results

Since the start of the PPI group 17 projects have been presented. This included 3 from Small and Medium Sized Enterprises (SME). Eight were featured in the initial outreach document and presented in stage 1, a further nine presented by researchers in the sessions held during stage 2 (including the 3 projects from SMEs). A timeline and attendance at the outreach sessions are presented in Table 1.

213

214

215

216

	Month since start of	Delegates	Delegates
	project	Registered	Attending
Pilot	Month 3	16	11
session			
Stage 1	Month 4	18	10
sessions	Month 5	10	6
	Month 6	5	0
	Month 7	8	8
Stage 2	Month 11	15	13
sessions	Month 12	9	9
	Month 13	19	12
	Month 14	9	7
	Month 16	27	22
	Month 17	14	9
	Month 18	11	11
	Month 18	13	13
	Month 20	10	7

218 Table 1: Number of Delegates Attending Each PPI session.

219

220

221 The demographic makeup of the overall group can be found in Table 2 with geographical

location in Figure 1.

223 Table 2. Demographics of the PPI Group

Male	Female	Non-Binary
------	--------	------------

Gender				31				21			1			
Ethnic	Asian or Asian			Black, African,			Mixe	d or	White	e	Any	v Ot	her	
Group	British			Caribbean, or			Multiple			Ethnic Group				
				Bl	Black British			Ethnicity						
	4			15 1			1	31			2			
Decade	1950-1959			19	60-196	59		1970-	_	1980-	1989	1990- 2000-		2000-
Born	1,00 1,00				00 190			1979		1900	1707	199		2009
Dom	10												>	
	10			11				11		2		17		1
Sexual	Heterosexu	al/strai	ght	Ga	vy/Lesl	oiai	n	Bisex	cual	Self-		Self	-	
Orientation										descri	bed:	described:		
								Asexu		ıal	Flui	Fluid		
	45		2		3 1		1]	l				
Disability			Yes		1		No		1					
					38					14				
. .			NT			D	· · ·		Г	·1 . M	1		0	
Experience of	of Brain Inju	ry	IN01	one		Patient			Family Member		nber o	or Caregiver		
						Frie		riend						
			2			37	7		9			4	4	
Highest Level No Formal		Secondary Fur		Furt	her	er Undergraduate		luate	Higher degree					
of Educational Qualifications			Education Ed		Edu	acation Degree		gree or	ree or or e		quiv	valent		
Attainment				equiv		uivalent								
	3			0			11		27			12		

225 Figure 1. Geographical Distribution of PPI Group Members by County

226 Table 3: Feedback from Researchers

	Very Helpful	Quite Helpful		Not Helpful		
Overall, how helpful were the comments from	4 2		0			
the PPI group?	V	es		No		
Has the review informed			140			
or influenced the project?	2	1		2		
	Yes	No	Not Sure	Missing		
Would you recommend the group to colleagues?	5	0	0	2		
		Com	ments			
Any changes made	'we modified the adding refer	ences to making t	nents specific he device as	dified' cation for our product, unintimidating as situation during use.'		
		elivery. Shaped c		on. Pragmatics of tcome measurement		

	1
	We received useful feedback from patients and their loved ones
	during the workshop on their experience of the NPH pathway at
	CUH. Patients told us they would prefer to minimise hospital
	appointments so we adjusted our pathway to include a one-stop
	assessment clinic, saving time and transport costs.
Reason for not making	'The discussion was centred around the accessing of the personal
changes	information to create a dataset to derive a clinical prediction rule.
	The study applied for CAG approval and the PAG was approached
	to discuss how the data were to be collected, handled, shared and
	subsequently destroyed. Best practice approaches were proposed
	and the PAG was in agreement in how the study was designed in
	this respect.'
	'offered correspondence with a patient but unfortunately we were
	not at a stage in the project to involve the individual at that time'
Overall comments	'We were very grateful to have been invited to present to the Brain
	MIC PPIE group.'
	'Our major difficulties have been in accessing clinical colleagues to
	complete our project, mainly as a result of the huge pressures in the
	NHS, the pandemic but also due to changes in personnel. Through
	our research panels we are able to contact patients for PPI (and we
	have over the past year done this on a number of projects) but our
	issue remains engaging clinicians.'

'We discussed repeating this workshop format as our project
progresses so we can continually get feedback from patients and
their family members '
'We have continued involvement with some of the group
participants to continually get their feedback on the project's
outputs. Some participants were invited to our project closing
event where they could speak about their experiences in front of
clinicians and researchers.'

227

228

229 Out of the 17 projects supported only investigators from seven projects provided feedback 230 when requested. Results can be found in table 3. While numbers are small all projects found 231 the group "Very Helpful" or "Quite Helpful" and all investigators that responded to the 232 question (n=6) would recommend the group to colleagues. In two projects no changes were 233 made with one discussing that concerns were raised by the PPI group about data collection, 234 but further clarification was sought, and no changes were needed. While not a change, this 235 may have strengthened the proposal and confirmed that the approach taken was acceptable. 236 Comments were received on the facilitation of the session which helped with its 237 development and improvement. 238 "We had a very positive experience in part because we were able to send private messages 239 to the facilitator during the session to keep the conversation on track. The facilitator said

240	they would adopt this for future sessions. This worked particularly well with it being a virtual
241	format as it would be harder to communicate privately in person and not disrupt the
242	conversation."

243 **Discussion**

244

The development of meaningful PPI is often stated as a challenge within research(Ocloo, 245 246 Garfield, Franklin, & Dawson, 2021). Various methods and models have been described in the literature(South et al., 2016) however this example emphasises the flexibility advocated 247 248 by Buck et al. (Buck et al., 2014). From the start the team adopted a process driven by the 249 PPI Panel Members of iterative evaluation, reviewing the format and potential impact after 250 each session to deliver the aims of the project. Overall, the programme was successful in the 251 stated aims of facilitating a diverse group of people after brain injury to participate in 252 impactful PPI activities. However, work remains to be done. Key points are presented below. 253

254 Understanding the Population:

Brain Injury can cause a wide range of issues and understanding the challenges faced by survivors and their families or carers was key to the development of this project. From the initial idea the PAG, formed of people who have suffered brain injuries and their carers, has been key in ensuring the project was of importance to this population. This was further developed by the Facilitator who is a survivor of severe brain injury and whose direct experience helped inform this process and was key to the success.

261

262 Ensuring Impact

263 The aim of the outreach project was to have real involvement from Panel Members, listening 264 to their thoughts and responses to issues more than disseminating information about projects. 265 It aimed to have useful input from lived experience at all stages of the research cycle. 266 Informing preapplication strategy, focussing research questions and modifying delivery of 267 research projects which fit well with the NIHR UK Standards for Public Involvement (7). 268 The importance of being able to meaningfully input on research projects has been described 269 before (11) and is seen to be a key element of PPI. Through the iterative development the 270 Panel moved from aiming to influence a larger number of projects with less input from 271 researchers to intensely inputting on one in each session. This enabled active input rather than 272 a light touch approach, which the group found to be key in ensuring impact. 273 274 The role of an active and experienced Facilitator was found to be vital in ensuring that 275 messages were understood and that the purpose of the session was clear to participants. Prior 276 to each session the facilitator reviewed the researchers' presentations to check for clarity, and 277 in a pre-meeting, identified key questions or areas for discussion with the research team. The 278 use of plain English was mandatory at all points. In the Panel Meeting the facilitator directed 279 the questions and ensured Panel Members understanding and supported their participation to 280 maximise impact.

281 Maximising Accessibility:

282 FIGURE 2 Ice-Breakers for Online Groups

By understanding the population, a focus on accessibility was acknowledged to be central in order to optimise participation. While the choice of an online process was initially driven by the COVID pandemic, which made face-to face sessions impossible, the need to engage with

286 vulnerable people meant that in-person group meetings were not feasible. The online format 287 has worked well as a means of engaging patients and the public with research projects, 288 allowing people from across the UK to take part in the process and, whilst there is still work 289 to do, it appears to have widened the diversity of participants. The use of the Zoom platform 290 to host the events was driven by the familiarity of the system to users. The pandemic also 291 meant that potential participants were likely to be familiar with the technology and able to 292 engage without prolonged instruction. The widespread use of online platforms in PPI is a 293 relatively new phenomenon (12) and the advantages and disadvantages are still being 294 evaluated. It must be acknowledged, however, that there are groups that find accessing 295 technology more difficult and by using this platform certain groups are may have been 296 disadvantaged(Das & Gonzalez, 2020).

297 There are particular issues of importance for engaging people in PPIE after brain injury. 298 Brain injury survivors commonly live with issues caused by cognitive fatigue and screen-299 based activity has been shown to be more likely to cause these issues (Bailenson, 2021), 300 which can limit participation. In response to these concerns sessions have been time limited 301 to 1 hour and following feedback from participants have been scheduled before lunch rather 302 than in the afternoon when people are more likely to be tired. The group format also means 303 that people with severe communication impairment are more likely to find the sessions 304 difficult to engage with(Paterson & Carpenter, 2015). The team is looking into offering 305 bespoke sessions in these cases (Palmer & Paterson, 2013).

Researchers found the inbuilt ability in the Zoom platform to record and review the session at a later date valuable. This allowed follow up questions to be directed to participants and a good understanding of contentious areas in discussion. The use of 'chat' functions allowed participants to note questions as they think of them, rather than having to remember them and

310	finding a time to raise them later, which in view of the high incidence of memory difficulties
311	in this population(Paterno, Folweiler, & Cohen, 2017) can be a particular challenge. The
312	facilitators also found that these questions could be used to restart conversations or to redirect
313	conversation which may have become fixed on a minor point.
314	It is well acknowledged that PPI group members should be reimbursed for their time and
315	discussion(Manikandan et al., 2022). Legislation around HMRC IR35 can make it
316	problematic for public bodies to make direct payments to individuals so provision of
317	vouchers for payment was selected, which has been found to be effective
318	previously(Manikandan et al., 2022). Contributors reported being happy with this model.
319	Research programmes at application stage do not have funding to support PPI but the
320	Research Design Service public involvement fund was able to cover the cost of these initial
321	sessions.

322

323 Ensuring Representation:

324 Diversity in PPI is an acknowledged issue (INVOLVE, (2012)). The project aimed to improve the geographic, ethnic and socio-economic diversity of the group and the final 325 326 results showed some success. An initial challenge of the team was not having previous data 327 on the diversity of the initial participants in the RHITE database. The group so far is England 328 centric with a concentration in London which does limit range of views. With other factors, 329 however the group was more representative of the country with 10% of the PPI group 330 identifying as LGBT+ in comparison with 10.6% in the most recent census(Statistics, 2022). 331 With 28% of the group describing themselves as Black, African, Caribbean, or Black British 332 this group is a higher proportion then in the wider population (4% (Statistics, 2022)). One person stated that they were "homeless" which is often seen to be one of the most challenging 333

populations to engage with PPI work (Dawes, Barron, & Lee, 2022). People experiencing
homelessness however are at significantly higher risk for ill health and brain injury with
53.1% suffering a traumatic brain injury across their lifetime(Stubbs et al., 2020) and
expanding input from this population is likely to provide significant new insights for the
group.

339

The wide ranges of presentations that people have after Brain Injury (Turkstra et al., 2015)
also make ensuring appropriate representation difficult. At present no attempt is made to
understand diversity of impairment within the group but is seen to be a key future
development.

344

345 *Moving forward:*

346 The latest review of the programme has identified areas where the outreach session could be347 improved further.

348	•	More effort needs to be made to improve the diversity of those attending the sessions
349		Identifying third sector organisations and support groups for communities of ABI
350		survivors with specific types of injuries or conditions might be one way of doing this.
351		In particular, geographical diversity will need to be further addressed.
352	•	A related project to develop a patient portal is underway. This will improve public
353		access to information about research projects, allowing greater transparency of the
354		work of the Brain Injury MIC and act as a forum to recruit study participants and
355		Panel Members.

356	•	Currently the PPI group has been focused on early-stage projects. As the supported
357		projects continue and move to stages such as dissemination the PPI group will have
358		input and impact on these aspects.

Further focussing on increasing awareness of the use of the PPI programme with
 SMEs and supporting them to develop solutions and products to address problems
 faced by Brain Injury Survivors.

362 **Conclusion:**

363 We have illustrated the development of an outreach programme, led by a Brain Injury 364 Survivor that engages brain injury survivors and their families or carers in learning about and 365 providing input to research being conducted by the Brain Injury MIC. The programme has 366 grown and been able to engage relevant and increasingly diverse participants across much of 367 the UK. More researchers in brain injury are engaging with the programme and finding it 368 useful for their research. While the Brain Injury MIC team started as novices in this area, 369 through an iterative process a purposeful and useful programme was formed which has had 370 an impact on research within an area that is often challenging in which to obtain patient and 371 carer input. Key learning from this programme includes ensuring measurement of diversity, 372 supporting access through the use of online platforms, maximising impact through 373 preparation of researchers ahead of the sessions, and a knowledgeable and empathetic 374 facilitator. 375 376 List of abbreviations 377 **ABI** Acquired Brain Injury

378 MIC Med tech cooperative

379 **PAG** Patient advisory group

- 380 **PPI** Patient public involvement
- 381 **PPIE** Patient public involvement and engagement
- 382 **SME** Small and medium enterprise
- 383

384 **Declarations**


- 385 Ethics approval and consent to participate
- 386 Not applicable
- **387** Consent for publication
- 388 All authors consent to publication
- 389 Availability of data and materials
- 390 All material is owned by the authors and available on request
- 391 Funding
- 392 The NIHR brain injury med tech cooperative was funded by the National Institute of health
- and care research
- 394 Award ref MIC-2016-009
- 395 Acknowledgements:
- 396 The Authors wish to thank the members of the Brain Injury MIC PAG as well members of
- 397 RHITE and all those who have attended as a PPI Panel member.
- 398 The research was supported by the National Institute for Health and Care Research (NIHR)
- 399 Brain Injury MedTech Co-operative based at Cambridge University Hospitals NHS
- 400 Foundation Trust and University of Cambridge. The views expressed are those of the
- 401 author(s) and not necessarily those of the NHS, the NIHR or the Department of Health and
- 402 Social Care.

403	Declaration of Interest Statement:
404	The Authors have no conflicts of interest to declare.
405	Declarations
406	Acknowledgements
407 408 409	The authors would like to thank all of the patients and carers for their contribution to then outreach project and ongoing support of research
410	References
411	
412 413 414 415	Aitken, M. E., McCarthy, M. L., Slomine, B. S., Ding, R., Durbin, D. R., Jaffe, K. M., Mackenzie, E. J. (2009). Family burden after traumatic brain injury in children. <i>Pediatrics, 123</i> (1), 199-206. doi:10.1542/peds.2008-0607
416 417 418	Bailenson, J. N. (2021). Nonverbal overload: A theoretical argument for the causes of Zoom fatigue. <i>Technology, Mind, and Behavior, 2</i> (1). doi:10.1037/tmb0000030
419 420 421 422 423	Brett, J., Staniszewska, S., Mockford, C., Herron-Marx, S., Hughes, J., Tysall, C., & Suleman, R. (2014). Mapping the impact of patient and public involvement on health and social care research: a systematic review. <i>Health Expectations, 17</i> (5), 637-650. doi: <u>https://doi.org/10.1111/j.1369-7625.2012.00795.x</u>
423 424 425 426 427 428 429	Buck, D., Gamble, C., Dudley, L., Preston, J., Hanley, B., Williamson, P. R., & Young, B. (2014). From plans to actions in patient and public involvement: qualitative study of documented plans and the accounts of researchers and patients sampled from a cohort of clinical trials. <i>BMJ Open, 4</i> (12), e006400. doi:10.1136/bmjopen-2014-006400
430 431 432 433	Das, L. T., & Gonzalez, C. J. (2020). Preparing Telemedicine for the Frontlines of Healthcare Equity. <i>Journal of General Internal Medicine, 35</i> (8), 2443-2444. doi:10.1007/s11606-020-05941-9
434 435 436 437 438	Dawes, J., Barron, D. S., & Lee, L. E. (2022). Capturing learning from public involvement with people experiencing homelessness to help shape new physiotherapy research: Utilizing a reflective model with an under-served, vulnerable population. <i>Health Expectations</i> , 25(5), 2203-2212. doi: <u>https://doi.org/10.1111/hex.13397</u>
439 440 441 442 443	Dewan, M. C., Rattani, A., Gupta, S., Baticulon, R. E., Hung, YC., Punchak, M., Park, K. B. (2019). Estimating the global incidence of traumatic brain injury. <i>Journal of</i> <i>Neurosurgery, 130</i> (4), 1080-1097. doi:10.3171/2017.10.jns17352

444	INVOLVE. (2012). Strategies for diversity and inclusion in public involvement:
445	Supplement to the briefing notes for researchers. INVOLVE, Eastleigh. Retrieved from
446	https://www.invo.org.uk/wp-
447	content/uploads/2012/06/INVOLVEInclusionSupplement1.pdf
448	
449	Manikandan, M., Foley, K., Gough, J., Harrington, S., Wall, É., Weldon, F., Fortune, J.
450	(2022). Public and Patient Involvement in Doctoral Research During the COVID-19
451	Pandemic: Reflections on the Process, Challenges, Impact and Experiences From the
452	Perspectives of Adults With Cerebral Palsy and the Doctoral Researcher. Frontiers in
453	Rehabilitation Sciences, 3. doi:10.3389/fresc.2022.874012
454	
455	Mathie, E. (2018). Guidence for Researchers: Feedback. Retrieved from
456	https://www.clahrc-eoe.nihr.ac.uk/wp-content/uploads/2016/05/Guidance-for-
457	Researchers-PPI-Feedback 2018.pdf:
458	
459	McDonald, K. E., & Keys, C. B. (2008). How the powerful decide: access to research
460	participation by those at the margins. Am J Community Psychol, 42(1-2), 79-93.
461	doi:10.1007/s10464-008-9192-x
462	
463	NIHR. (2022). Payment guidance for researchers and professionals. Retrieved from
464	www.nihr.ac.uk/documents/payment-guidance-for-researchers-and-
465	professionals/27392
466	
467	Ocloo, J., Garfield, S., Franklin, B. D., & Dawson, S. (2021). Exploring the theory,
468	barriers and enablers for patient and public involvement across health, social care
469	and patient safety: a systematic review of reviews. <i>Health Research Policy and</i>
470	Systems, 19(1), 8. doi:10.1186/s12961-020-00644-3
471	
472	Palmer, R., & Paterson, G. (2013). To what extent can people with communication
473	difficulties contribute to health research? <i>Nurse Res, 20</i> (3), 12-16.
474	doi:10.7748/nr2013.01.20.3.12.c9491
475	
476	UK Public Involvement Standards Development Partnership (2019) UK Standards for
477	Public Involvement. Retrieved From www.nihr.ac.uk/pi-standards/standards
478	
479	Paterno, R., Folweiler, K. A., & Cohen, A. S. (2017). Pathophysiology and Treatment
480	of Memory Dysfunction After Traumatic Brain Injury. <i>Curr Neurol Neurosci Rep</i> ,
481	<i>17</i> (7), 52. doi:10.1007/s11910-017-0762-x
482	
483	Paterson, H., & Carpenter, C. (2015). Using different methods to communicate: how
484	adults with severe acquired communication difficulties make decisions about the
485	communication methods they use and how they experience them. <i>Disability and</i>
486	<i>Rehabilitation, 37</i> (17), 1522-1530. doi:10.3109/09638288.2015.1052575
487	
488	South, A., Hanley, B., Gafos, M., Cromarty, B., Stephens, R., Sturgeon, K., Vale, C. L.
489	(2016). Models and impact of patient and public involvement in studies carried out

490	by the Medical Research Council Clinical Trials Unit at University College London:
491	findings from ten case studies. <i>Trials, 17,</i> 376. doi:10.1186/s13063-016-1488-9
492	
493	UK Census (2021). Office of National Statistics, Available at
494	https://census.gov.uk/census-2021-results
495	
496	Stubbs, J. L., Thornton, A. E., Sevick, J. M., Silverberg, N. D., Barr, A. M., Honer, W. G.,
497	& Panenka, W. J. (2020). Traumatic brain injury in homeless and marginally housed
498	individuals: a systematic review and meta-analysis. The Lancet Public Health, 5(1),
499	e19-e32. doi:10.1016/S2468-2667(19)30188-4
500	
501	Turkstra, L. S., Politis, A. M., & Forsyth, R. (2015). Cognitive–communication
502	disorders in children with traumatic brain injury. Developmental Medicine & Child
503	<i>Neurology</i> , 57(3), 217-222. doi: <u>https://doi.org/10.1111/dmcn.12600</u>
504	
505	Whitehouse, D., Piffer, F., Becker, T., Gravett, K., Stewart, A., Basi, K., Newcombe, V.
506	(2021). Challenges, approaches and opportunities for Patient and Public Involvement
507	(PPI) in Traumatic Brain Injury (TBI) research. <i>Br J Neurosurg, 35</i> (5), 651-652.
508	doi:10.1080/02688697.2021.1922605
509	

Figure 1. Geographical Distribution of PPI Group Members by County



1

Created with mapchart.net

Figure 1

Figure 2. Ice-Breakers for Online Groups

What is your favourite biscuit?

Joining a video conference with a group you have not met before can be intimidating for some. To improve the chance of everybody engaging in the process it is helpful to adopt a conversational, informal tone and to break hierarchies between facilitator, researcher and public member of the group. Starting the session with an off-topic subject is one way to do this. Using the rename function of the platform and ask each participant to change their name to a piece of information is a simple way of doing this. You can gather useful information mediate operation of the group of the group of the session with an off-topic subject is one way to do this. Using the rename function of the platform and ask each participant to change their name to a piece of information is a simple way of doing this. You can gather useful information mediate additional doing the session of the platform of the present of the present additional geographic doing the session of the platform and ask each participant to change their name to a piece of information is a simple way of doing this. You can gather useful information mediate additional geographic doing the session of the present to a piece of information is a simple way of the present of the

1

Figure 2