

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

1 **Monitoring sodium content in packaged foods sold in the Americas and compliance with** 2 **the Updated Regional Sodium Reduction Targets**

3
4 Yahan Yang¹, Nadia Flexner¹, Maria Victoria Tiscornia², Leila Guarnieri², Adriana Blanco-Metzler³,
5 Hilda Núñez-Rivas³, Marlene Roselló-Araya³, Paola Arévalo-Rodríguez⁴, Maria Fernanda Kroker-
6 Lobos⁴, Francisco Diez-Canseco⁵, Mayra Meza-Hernández⁵, Kiomi Yabiku-Soto⁵, Lorena Saavedra-
7 Garcia⁵, Lorena Allemandi⁶, Leo Nederveen⁶, Mary R. L'Abbé^{1*}

8
9 ¹ Department of Nutritional Sciences, Temerty Faculty of Medicine, University of Toronto, Toronto, Canada.

10 ² Fundación Interamericana del Corazón Argentina, Buenos Aires, Argentina

11 ³ Costa Rican Institute of Research and Education on Nutrition and Health (INCIENSA), Tres Ríos, Cartago, Costa
12 Rica.

13 ⁴ INCAP Research Center for the Prevention of Chronic Diseases, Institute of Nutrition of Central America and
14 Panama, Guatemala City, Guatemala.

15 ⁵ CRONICAS Center of Excellence in Chronic Diseases, Universidad Peruana Cayetano Heredia, Lima, Peru.

16 ⁶ Pan American Health Organization/World Health Organization, Washington D.C., USA.

17
18 *Corresponding author: mary.labbe@utoronto.ca

19
20 **Keywords:** Sodium reduction, food reformulation, food supply, packaged foods, food policy

21 22 **Abstract**

23
24 **Background:** Sodium reduction is a cost-effective measure to prevent noncommunicable
25 diseases. The World Health Organization (WHO) established a target of a 30% relative reduction
26 in mean population intake of sodium by 2025. The Pan American Health Organization (PAHO)
27 published sodium reduction targets for packaged foods in 2015, expanding and updating the
28 targets in 2021 to help Member States with its efforts in reducing population sodium intake.

29 **Objective:** This study examined the current sodium levels in packaged foods among five
30 countries in the Americas and monitored cross-sectional and longitudinal compliance with the
31 sodium targets from 2015 to 2022.

32 **Methods:** Food labels were systematically collected from the main supermarkets in five
33 countries in the Americas region in 2022. Sodium levels per 100g and per kcal for collected food
34 labels in 16 PAHO categories and 75 subcategories were analyzed and compared against the
35 Updated Regional Targets. Further analysis of three countries that have longitudinal data for
36 2015-2016, 2017-2018 and 2022 was conducted to compare sodium per 100 g against the 2015
37 PAHO Targets.

38 **Results:** A total of 25,569 food items were analyzed. Overall, '*processed meat and poultry*' had
39 the highest sodium levels, although there were large variations within categories. 47% and 45%
40 of products met the sodium per 100g and per kcal 2022 targets, respectively. Peru had the highest
41 compliance, whereas Panama had the lowest for both targets. Among Argentina, Costa Rica and
42 Peru, the proportion of foods meeting the 2015 PAHO lower targets were 48, 53 and 61% for
43 2015-2016, 2017-2018 and 2022, respectively.

44 **Conclusions:** This study showed that around half of the examined foods met their respective
45 sodium targets and there have been small improvements in compliance over time. Further efforts
46 are required to reach the WHO's global sodium reduction goal by 2025, such as implementation
47 of mandatory sodium reduction targets and front-of-pack labelling regulations.

48 1. Introduction

49 Hypertension is one of the major risk factors for cardiovascular diseases (CVDs) and it has been
50 estimated to account for 10.8 million deaths globally in 2019^{1,2}. The number of adults with
51 hypertension has been increasing in the past few decades, with more than 1 billion adults
52 affected by hypertension in 2019, globally³. It has been well demonstrated that excessive
53 consumption of sodium is a significant causal risk factor for the development of hypertension
54 and reducing dietary sodium can have a favorable effect on the cardiovascular system⁴. The
55 World Health Organization (WHO) published a guideline in 2012 recommending less than 5g of
56 salt (2g of sodium) intake per day for adults⁵. However, the global average salt intake in 2019
57 was estimated to be more than double the recommendation at 10.8g of salt (4.3g of sodium) per
58 day¹.

59
60 In 2013, WHO established an action plan that included reducing salt intake by 30% by 2025 and
61 all 194 Member States signed up⁶. A series of interventions had been proposed, including
62 reformulation of foods to contain less sodium, establishing public food procurement policies to
63 limit foods high in sodium, using front-of-package labelling that inform consumers of high
64 sodium products and using mass media campaigns to reduce sodium intake⁷. However, a report
65 released in early 2023 showed that the world is off-track to achieve this global target, with only
66 5% of countries (Brazil, Chile, Czech Republic, Lithuania, Malaysia, Mexico, Saudi Arabia,
67 Spain and Uruguay) implementing at least two mandatory and comprehensive sodium reduction
68 policies and all WHO sodium-related ‘best buys’¹.

69
70 To support the Americas region in accomplishing the global target, the Pan American Health
71 Organization (PAHO) published a set of regional sodium reduction targets (2015 PAHO targets)
72 in 2015 for 18 food categories that were commonly sold in the region⁸. In 2019, a study
73 examined the sodium levels in packaged foods sold in 14 Latin American and Caribbean
74 countries (LAC) according to the 2015 PAHO targets. The study found 82% compliance with the
75 regional target and 47% compliance with the lower and stricter targets⁹. The regional target level
76 was the maximum level (mg/100g) or upper limit, whereas food manufacturers were encouraged
77 to reach the lower target level that is reflective of the average level in reference countries⁸. A
78 later study published in 2021 showed that compliance with regional targets increased from 83%
79 to 89% from 2015-2016 to 2017-2018 among four Latin American countries¹⁰. Therefore,
80 PAHO updated the targets in 2021 to set stronger regional sodium reduction targets for 2022 and
81 2025 (2022 and 2025 PAHO targets) which are similar to the 2015 PAHO lower targets, and it
82 further categorized foods into 16 main categories and 75 subcategories^{11,12}. Similarly, WHO
83 published global benchmarks, defined as the lowest maximum value for each subcategory from
84 existing national or regional targets, for sodium levels in foods across different food categories¹³.
85 However, there has been no further follow-up study monitoring sodium levels in packaged foods
86 in the Americas since 2018. Thus, the objectives of this study were to 1) examine the current
87 sodium levels among five countries in the Americas (Argentina, Canada, Costa Rica, Panama,
88 and Peru), as well as monitor compliance with the Updated Regional Sodium Reduction Targets
89 for 2022; and 2) monitor the progress of sodium reduction among three Latin American countries
90 that have longitudinal data.

91 2. Methods

93 This cross-sectional study was conducted using data from five countries: Argentina, Canada,
94 Costa Rica, Panama, and Peru. Data from the Nutrition Facts table (NFt) (n=44,570) were
95 collected in supermarkets in Argentina (n=4,340), Costa Rica (7,402), Panama (n=1,509) and
96 Peru (n=5,378) between March and August 2022. The Food Label Information Program for Latin
97 America and Caribbean countries (FLIP-LAC) was used for data collection and analyses. FLIP-
98 LAC is a smartphone-based technology and web database, and the methodology was developed
99 by The University of Toronto (U of T)¹⁴. The Canadian data (n=25,941) were extracted from the
100 Food Label Information and Price (FLIP) database collected in 2020¹⁴.

101
102 Foods were classified into 16 major categories and 75 subcategories described in the Updated
103 PAHO Regional Sodium Reduction Targets¹². The updated PAHO target categorization was
104 individually completed by each country team and the U of T research team validated the results
105 and resolved discrepancies with country team members. The sodium content was standardized
106 into mg/100g and mg/kcal where data were available. Foods excluded from the analyses included
107 duplicated items, foods that could not be categorized under the PAHO categories (n=19,001),
108 and foods that have 0 kcal were additionally excluded from the mg/kcal analysis, due to
109 mathematical restrictions (n=387). Summary statistics were calculated for food products by food
110 categories and by country. The sodium level was compared against the Updated PAHO Regional
111 Sodium Reduction Targets (**Appendix A**) to determine the proportion of foods that met or
112 exceeded the target level set for 2022.

113
114 Since three countries in this study had baseline data from 2015-2016 and 2017-2018, categorized
115 under the 2015 PAHO targets, a further sub-analysis was conducted by categorizing the foods
116 collected in 2022 from Argentina, Costa Rica and Peru into the 2015 PAHO target categories (18
117 food categories)⁸. Sodium levels were compared against the 2015 PAHO regional (upper) target
118 level as well as the lower target level. Proportion of foods meeting the regional targets was
119 compared among the three timepoints. All analyses were conducted with R studio (5.12.10) and
120 Microsoft Excel (2016).

121 122 **3. Results**

123 After exclusions, this study included a total of 25,569 items across 16 PAHO sodium reduction
124 main categories and 75 subcategories (Argentina n=2,515, Canada n=15,268, Costa Rica
125 n=3,875, Panama n=1,121, and Peru n=2,790).

126 127 *3.1 Sodium levels per 100g and per kcal by PAHO categories*

128 Of the 23,663 foods that had sodium per 100g available, '*processed meat and poultry*' and
129 '*saucers, dips, gravy, and condiments*' had the highest median sodium levels per 100g (both at
130 800mg/100g), followed by '*fats and oils*' (720mg/100g) (**Table 1**). The variations within
131 categories were high, particularly among '*saucers, dips, gravy and condiments*' (SD =
132 5,733mg/100g), '*processed fish and seafood*' (SD = 972mg/100g) and '*processed vegetables,*
133 '*beans and legumes*' (SD = 599mg/100g). There were variations between the median sodium
134 levels between countries, with the largest variation within '*saucers, dips, gravy, and condiments*',
135 '*soy products and meat alternatives*' and '*processed meat and poultry*'. The lowest variation
136 between countries was within '*fresh or dried plain pasta and noodles*', '*processed fish and*
137 '*seafood*' and '*ready-made foods*'.

138

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

139 Of the 23,236 foods that had sodium per kcal data available, ‘sauces, dips, gravy, and
140 condiments’, ‘soups’ and ‘processed vegetables, beans, and legumes’ have the highest median
141 sodium level per kcal of 7.8mg/kcal, 6.0mg/kcal and 5.1mg/kcal, respectively (**Table 2**). The
142 lowest median sodium levels per kcal were among ‘fresh or dried plain pasta and noodles’
143 (0mg/kcal), ‘granola and energy bars and nut butters/spreads’ (0.5mg/kcal) and ‘cakes, biscuits,
144 pastries, and sweet breads’ (0.7mg/kcal). The largest variations between countries were found
145 among ‘sauces, dips, dips, dips and condiments’, ‘soups’ and ‘soy products and meat alternatives’.
146 Variation within category was highest among ‘sauces, dips, dips, dips and condiments’
147 (SD=41.4mg/kcal), ‘processed vegetables, beans and legumes’ (SD=20.2mg/kcal) and ‘soups’
148 (SD=17.8mg/kcal).

149 [3.2 Proportion of foods meeting the 2022 PAHO regional sodium targets by categories and](#) 150 [country](#)

152 Overall, 11,037 of 23,663 (47%) analyzed foods met their respective 2022 PAHO sodium targets
153 (mg/100g). Peru and Argentina had the highest proportion of compliance (52% and 50%,
154 respectively), whereas Panama had the lowest (36%) (**Fig 1**). By food category, the highest
155 proportion of products meeting the regional target was among ‘ready-made foods’ (77%),
156 ‘processed meat and poultry’ (53%) and ‘cheese’ (50%). The lowest proportion of foods meeting
157 the regional target was among ‘bread products’ (30%), ‘granola and energy bars and nut
158 butters/spreads’ (37%) and ‘processed fish and seafood’ (41%). The largest variation between
159 countries was observed in ‘soy products and meat alternatives’ (range: 28% to 85%) and ‘soups’
160 (range: 31% to 54%) (**Table 3**).

161
162 **Fig 1.** Proportion of products meeting the updated 2022 PAHO Sodium Targets – by country

163
164 With respect to the PAHO targets for sodium levels per kcal, 10,304 of 23,000 (45%) foods met
165 their respective sodium targets (mg/kcal). Peru had the highest proportion of compliance (52%),
166 followed by Costa Rica (48%), whereas Panama only had 37% compliance (**Table 4**). By
167 category, the highest proportion of products meeting the regional target was among ‘savoury
168 snacks’ (71%), ‘soups’ (67%) and ‘corn derivatives’ (67%). The lowest proportion of foods
169 meeting the regional target was among ‘bread products’ (31%), ‘cheese’ (35%) and ‘ready-made
170 foods’ (35%). The largest variation between countries was observed in ‘soy products and meat
171 alternatives’ (range: 33% to 80%) and ‘fresh or dried plain pasta and noodles’ (range: 16% to
172 55%) (**Table 4**).

173 174 [3.3 Changes in the proportion of foods meeting the old 2015 PAHO sodium targets](#)

175 The longitudinal analysis included a total of 10,571 foods, of which 2,915 foods were from the
176 2015-2016 collection, 3,241 foods were from the 2017-2018 collection, and 4,415 foods were
177 from the 2022 collection (countries: Argentina, Costa Rica, and Peru) across 18 2015 PAHO
178 sodium food categories (**Fig 2**). Overall, the proportion of foods meeting the 2015 PAHO sodium
179 regional target among the three countries was 82, 88 and 90% for 2015-2016, 2017-2018 and
180 2022, respectively (**Fig 2A**). The proportion of foods meeting the 2015 PAHO lower targets were
181 48, 53 and 61% for 2015-2016, 2017-2018 and 2022 (**Fig 2B**). There was an increase in the
182 proportion of items meeting the regional targets, with a 9, 9 and 5% increase from 2015-2022 for
183 Argentina, Costa Rica, and Peru, respectively (**Fig 3**).

184

185 **Fig 2.** A) Proportion of products meeting the PAHO 2015 Regional Sodium Targets from 2015
186 to 2022 (Argentina, Costa Rica, Peru) – overall; B) Proportion of products meeting the PAHO
187 2015 Lower Sodium Targets from 2015 to 2022 (Argentina, Costa Rica, Peru) – overall

188
189 **Fig 3.** Proportion of products meeting the 2015 PAHO Sodium Targets – by country (2015 –
190 2022)

191 192 **4. Discussion**

193 This study provides an up-to-date assessment of sodium levels in packaged foods sold in five
194 countries in the Americas, after the publication of the Updated PAHO Regional Sodium
195 Reduction Targets in 2021¹². The results showed that the proportion of foods meeting the older
196 2015 PAHO sodium regional targets has gradually increased from 82% to 90%. However, the
197 progress is slow and there still needs to be improvement in compliance with the Updated Sodium
198 Reduction Targets. Further accelerated actions are needed for the achievement of sodium
199 reduction goals. These data shed light into the progress in different countries in the Region
200 towards the current sodium reduction interventions aligned with recommendations from the
201 WHO's SHAKE technical package for sodium reduction¹⁵ and other initiatives to reach the 2025
202 global target of a 30% relative reduction in mean population intake of sodium.

203
204 '*Processed meat and poultry*' and '*saucers, dips, gravy, and condiments*' have the highest median
205 sodium levels per 100g. This result is consistent with the previous regional study⁹ that showed a
206 similar median sodium level for '*processed meats*' and a lower median sodium level in
207 '*saucers/condiments*'. In addition to the sodium level by weight, sodium density (mg/kcal)
208 accounts for the variation in energy consumption and has been shown to be more strongly
209 associated with blood pressure than total intake¹⁶. Our results show that '*saucers, dips, gravy, and*
210 '*condiments*', '*soups*' and '*processed vegetables, beans, and legumes*' had the highest sodium
211 density. These results are expected, as these food categories have lower energy density. Overall,
212 the results also showed large variations within food categories, suggesting that lower sodium
213 options are available among different foods and showing the technical feasibility of reducing
214 sodium levels in these categories. This is important, as it highlights the importance of combining
215 other strategies, such as front-of-pack labels to help consumers identify lower sodium options,
216 social marketing campaigns to encourage consumers to select lower sodium foods, marketing
217 restrictions to products with high sodium contents and nutrition standards for foods and
218 beverages available in schools and other settings, to disincentivize consumption of such
219 products. However, the high average and median sodium levels in many categories also
220 suggested that governments need to encourage sodium reduction at the manufacturer level
221 through food reformulation by setting mandatory sodium reduction targets for key food
222 categories.

223
224 When examining the compliance in 2022 with the updated regional targets, almost half of the
225 analyzed foods met their respective sodium targets (mg/100g). This proportion is the same as the
226 previously reported compliance (47%) with the 2015 lower target (which is lower, if not the
227 same, as the 2022 regional target)⁹, suggesting a small increase in the number of foods meeting
228 the targets or the introduction of new low sodium alternative products. The compliance rate
229 between countries was similar, except for Panama (36%). However, this needs careful
230 interpretation due to the different stages at which each country is in its efforts to reduce sodium.

231 On examination of the longitudinal progress of Argentina, Costa Rica and Peru, there was an 8%
232 increase in compliance when compared to the 2015 regional target (82% to 90%) and an 13%
233 increase when compared to the 2015 lower target (48% to 61%). While this may indicate some
234 progress, it remains insufficient to achieve the target of a 30% relative reduction in mean
235 population intake of sodium by 2025. Therefore, stronger measures and greater compliance with
236 the set targets are needed.

237
238 These five countries each have national-level policies supporting sodium reduction. For example,
239 Argentina included sodium maximum levels for certain food groups by passing Act 26905 in
240 2014 and there were education campaigns and restaurant policies to reduce sodium intake¹⁷.
241 There was also ongoing monitoring of Argentina's sodium content in foods. Studies in 2017-
242 2018 and 2022 showed that over 90% and 94% of surveyed food products, respectively,
243 complied with the national sodium reduction law^{18,19}. However, this suggests that the current
244 local limits are too lax compare with the regional targets and require further adjustment; and the
245 necessity to include sodium source food groups that are currently not included, such as cheese
246 and puff pastries²⁰.

247
248 While Costa Rica has a voluntary sodium reduction strategy to reduce sodium levels in some key
249 food categories, progress has been monitored continuously²¹⁻²³. A study published by Vega-
250 Solano et al. in 2019 showed 87% compliance with the voluntary national sodium targets. In the
251 case of Peru, there is no specific national sodium reduction strategy in place; however, Peru
252 implemented 'high in' FOPL regulations in 2019 that requires foods exceeding established
253 thresholds for nutrients of concern (i.e., sugar, saturated fat, trans fat, and sodium) to display a
254 'high in' symbol²⁴. This law could indirectly motivate food industry to reformulate products to
255 avoid a 'high in' symbol, as already seen in Peru and other countries^{25,26}. Canada published a
256 voluntary sodium reduction guideline for prepackaged foods in 2012 and updated the targets in
257 2020^{27,28}. Evaluations of this initiative have shown minimal progress over time, with only 14%
258 of food categories meeting sodium reduction targets in 2017²⁹. Panama has recently launched a
259 national plan to reduce sodium intake (2022-2025)³⁰.

260
261 Overall, these interventions aiming to reduce sodium intake by encouraging food reformulations
262 could have important public health impacts, as several simulation studies found that an important
263 number of CVDs could have been prevented or delayed if the reformulation targets or sodium
264 guidelines would have been met³¹⁻³⁴. Worth noting that mandatory policies have shown to be
265 more effective than voluntary initiatives^{35,36}. For instance, a recent evaluation in South Africa,
266 one of the fewest countries with mandatory sodium levels for key food categories, showed a
267 reduction in salt intake of 1.15 g/day during the first phase of the program (2015-2019), a
268 significant reduction in population-level sodium intake, while other voluntary initiatives in
269 countries like Brazil and Canada have shown only modest results in meeting sodium reduction
270 targets^{29,37}. Given the slow progress in meeting regional sodium reduction targets, our results
271 highlight the importance of establishing and monitoring effective and feasible mandatory sodium
272 reduction targets to prevent diet-related NCD deaths.

273
274 This study has both strengths and limitations that should be considered when interpreting our
275 findings. Variations in sampling sizes among countries could potentially influence the overall
276 study results. Therefore, a detailed examination of variations within each country at the

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

277 subcategory level would be necessary, although out of the scope of this analysis. However, we
278 do provide results of progress relative to the PAHO targets, at the major category level for each
279 country. Furthermore, the data in this study were based on Nutrition facts table (NfT)
280 information, with a permitted variation margin of 20% when reporting nutrient values in NfTs.
281 Additionally, several products per country were excluded due to the absence of sodium level
282 declarations on food labels, as some countries within the region lack mandatory nutrient values
283 declaration. Regional comparison at different time points was limited to only three countries,
284 including other countries in future analyses will provide a more comprehensive assessment at the
285 regional level. However, this regional analysis benefited from the utilization of common
286 methodologies across countries (e.g., data collection, data cleaning, and analysis). Additionally,
287 several quality assurance measures were performed including food category categorization and
288 validation, outlier check and Atwater validation. Furthermore, prices of products were not
289 included in this study. To ensure the decrease in sodium content is not driven by the lower
290 sodium products that might be higher in price (which likely will not target the majority of
291 population), future studies should also consider including sales-weighted average sodium levels
292 to account for the actual sales of foods sampled.

293 294 **5. Conclusion**

295 Overall, this study provides an ongoing surveillance of the sodium content in package foods sold
296 in five countries in the Americas, under key food categories of the Updated PAHO Regional
297 Sodium Reduction Targets. Around half of the examined foods met their respective sodium
298 targets and there has been some improvement in the compliance overtime, although the
299 reductions have been modest at best. Further efforts are required to reach the WHO's global
300 sodium reduction goal by 2025, such as implementation of national mandatory sodium reduction
301 targets, reformulation guidelines, FOPL regulations, marketing restrictions, social marketing
302 campaigns, and nutrition standards in schools and other settings, among others. Moreover, there
303 is a need to transform the food systems and promote a healthy diet based on unprocessed or
304 minimally processed foods, rather than ultraprocessed foods.

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

305 **Conflict of interest**

306 The authors declare that the research was conducted in the absence of any commercial or
307 financial relationships that could be construed as a potential conflict of interest.

308

309 **Authors' contributions**

310 YY, NF, VT, LG, ABM, HNR, MRA, PAR, MFKL, FDC, MMH, KYS, LSG, LA, LN and MRL
311 conceptualized the study design; YY, NF, VT, LG, ABM, HNR, MRA, PAR, MFKL, FDC,
312 MMH, KYS, LSG, LA, LN and MRL interpreted the findings; YY, NF VT, LG, ABM, HNR,
313 MRA, PAR, MFKL, FDC, MMH, KYS, and LSG conducted the study; YY and NF wrote the
314 original draft; YY performed the statistical analysis. All authors critically reviewed and approved
315 the final manuscript.

316

317 **Funding**

318 This research was funded by the Canadian Institutes of Health Research (PJT-152979), Pan
319 American Health Organization (PAHO/WHO) and Resolve to Save Lives.

320

321 **Acknowledgments**

322 The authors would like to express their gratitude to Alyssa Schermel for her support to country
323 teams with the FLIP-LAC application and platform. Also, to country team members Luciana
324 Castronuovo (Argentina) and Ana Atencio (Panama) for their contributions throughout the
325 project.

326 Tables:

327 Table 1. Distribution of sodium content per 100g/ml of packaged foods per PAHO food category at the regional level and by country

Category	Country	Products (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
1. Bread, bread products and crisp breads	Regional	1564	504	309	0	364	467	600	5300
	Argentina	226	476	288	0	365	457	608	2902
	Canada	1019	514	233	0	375	483	600	1700
	Costa Rica	188	551	615	0	291	473	658	5300
	Panama	44	527	154	240	444	500	592	1040
	Peru	87	354	113	40	311	365	396	676
2. Cakes, biscuits, pastries, and sweet breads	Regional	3530	371	269	0	191	308	469	2600
	Argentina	626	316	254	0	129	251	430	2110
	Canada	2028	400	280	0	224	326	500	2600
	Costa Rica	512	348	248	0	179	280	442	1214
	Panama	99	415	313	34	201	354	537	1667
	Peru	265	303	190	0	179	267	367	1063
3. Corn derivatives	Regional	58	476	447	0	103	349	834	1600
	Costa Rica	43	513	487	0	75	396	847	1600
	Panama	8	348	336	15	115	272	479	983
	Peru	7	399	270	63	343	344	368	960
4. Breakfast cereal	Regional	1089	294	223	0	98	283	442	2388
	Argentina	87	232	177	0	77	240	323	810
	Canada	617	325	234	0	105	364	500	2388
	Costa Rica	195	278	206	0	113	268	374	1307
	Panama	48	339	215	0	205	350	408	1133
	Peru	142	202	187	0	18	183	347	775
5. Savoury snacks	Regional	1692	545	354	0	305	500	731	3000
	Argentina	143	602	250	0	429	604	780	1292
	Canada	962	556	348	0	326	520	724	3000
	Costa Rica	336	516	390	0	202	445	720	2467

Category	Country	Products (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
	Panama	92	646	467	27	358	532	842	2491
	Peru	159	434	276	19	266	359	577	1434
6. Cheese	Regional	1813	696	421	0	475	667	800	7143
	Argentina	256	642	425	0	346	577	877	3300
	Canada	1167	698	385	0	500	667	767	3400
	Costa Rica	214	717	584	0	506	641	889	7143
	Panama	68	898	423	32	634	780	1253	1800
	Peru	108	629	348	10	398	608	800	1800
7. Processed vegetables, beans, and legumes	Regional	1976	546	599	0	168	326	767	4400
	Argentina	151	677	875	0	73	240	1148	2885
	Canada	1244	539	582	0	153	324	767	4333
	Costa Rica	394	519	508	0	220	346	640	3500
	Panama	109	521	657	0	232	280	460	4400
	Peru	78	577	536	4	200	360	929	2300
8. Processed meat and poultry	Regional	1776	896	567	0	527	800	1036	5460
	Argentina	178	962	747	46	593	753	1036	5460
	Canada	1210	881	506	0	511	800	1026	3143
	Costa Rica	184	1071	759	5	722	908	1225	4800
	Panama	91	790	394	96	626	769	969	2495
	Peru	113	763	546	198	335	600	900	2640
9. Processed fish and seafood	Regional	946	514	972	0	255	354	487	9940
	Argentina	54	541	1085	0	205	303	457	5913
	Canada	579	554	1132	0	255	368	504	9940
	Costa Rica	175	477	681	22	275	345	491	5938
	Panama	72	366	178	10	271	360	446	985
	Peru	66	403	227	70	269	350	450	1152
10. Soy products and meat alternatives	Regional	274	478	278	0	355	421	577	1929
	Argentina	77	382	120	0	328	376	433	784

Category	Country	Products (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
	Canada	116	555	344	0	393	473	632	1929
	Costa Rica	50	547	236	5	400	539	678	1375
	Panama	5	204	276	6	12	24	360	620
	Peru	26	339	177	15	301	360	386	680
11. Soups	Regional	715	316	302	0	216	276	336	4538
	Argentina	45	319	138	32	259	285	341	702
	Canada	485	264	125	0	201	260	320	792
	Costa Rica	83	356	358	18	221	309	351	3250
	Panama	48	303	282	62	188	287	323	1797
	Peru	54	727	776	97	328	405	953	4538
12. Ready-made foods, convenience foods, and mixed dishes	Regional	2133	412	283	0	254	341	486	3000
	Argentina	144	412	174	31	286	397	519	973
	Canada	1784	400	260	0	250	333	464	2050
	Costa Rica	116	493	398	0	160	421	726	1900
	Panama	24	497	322	0	309	440	749	1200
	Peru	65	570	589	85	317	380	530	3000
13. Fresh or dried plain pasta and noodles	Regional	1108	20	101	0	0	3	11	2040
	Argentina	202	16	35	0	9	10	11	216
	Canada	571	22	99	0	0	0	12	1789
	Costa Rica	125	32	195	0	0	0	2	2040
	Panama	39	7	10	0	0	4	11	36
	Peru	171	12	62	0	0	2	5	770
14. Granola and energy bars and nut butters/spreads	Regional	967	222	146	0	115	221	313	893
	Argentina	33	137	119	0	58	104	208	429
	Canada	736	235	140	0	136	232	320	867
	Costa Rica	117	188	170	0	60	182	280	893
	Panama	31	285	138	56	156	281	391	500
	Peru	50	138	122	0	34	83	280	391

Category	Country	Products (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
15. Fats and oils	Regional	1044	718	435	0	567	720	867	11000
	Argentina	86	542	472	0	110	629	806	2520
	Canada	692	730	243	0	600	733	867	1800
	Costa Rica	144	736	929	0	415	673	900	11000
	Panama	48	835	235	383	692	817	972	1867
	Peru	74	708	334	0	400	700	884	1571
16. Sauces, dips, gravy and condiments	Regional	2978	3157	5733	0	400	800	2800	36000
	Argentina	203	1946	3974	0	275	483	1283	24000
	Canada	2058	3149	5493	0	417	833	3200	36000
	Costa Rica	341	3222	6367	0	385	824	2333	32750
	Panama	153	4533	7137	0	528	1110	4550	34667
	Peru	223	3290	6874	0	362	681	1413	32660
Total	Regional	23663	820	2261	0	233	402	714	36000
	Argentina	2511	570	1286	0	152	360	640	24000
	Canada	15268	853	2251	0	256	429	733	36000
	Costa Rica	3217	782	2292	0	200	393	721	32750
	Panama	979	1153	3194	0	269	460	829	34667
	Peru	1688	781	2705	0	172	350	610	32660

329 **Table 2.** Distribution of sodium content per kcal of packaged foods, by PAHO category at the regional level and by country

Category	Country	Product (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
1. Bread, bread products and crisp breads	Regional	1556	1.7	1.0	0.0	1.2	1.6	2.0	17.7
	Argentina	226	1.6	0.8	0.0	1.3	1.7	2.0	5.0
	Canada	1011	1.7	0.7	0.0	1.3	1.6	2.0	5.0
	Costa Rica	187	1.8	2.0	0.0	0.9	1.6	2.2	17.7
	Panama	45	1.8	0.7	0.8	1.5	1.7	2.1	4.7
	Peru	87	1.2	0.5	0.1	0.9	1.3	1.5	2.4
2. Cakes, biscuits, pastries, and sweet breads	Regional	3524	0.9	0.8	0.0	0.5	0.7	1.3	23.0
	Argentina	625	0.8	0.6	0.0	0.3	0.6	1.1	4.6
	Canada	2024	1.0	0.9	0.0	0.5	0.8	1.4	23.0
	Costa Rica	511	0.9	0.7	0.0	0.4	0.7	1.2	3.5
	Panama	99	1.0	0.9	0.1	0.5	0.8	1.3	5.0
	Peru	265	0.7	0.4	0.0	0.4	0.6	0.9	2.3
3. Corn derivatives	Regional	58	1.3	1.2	0.0	0.5	1.0	2.0	6.3
	Costa Rica	43	1.2	1.0	0.0	0.2	0.8	2.0	3.2
	Panama	8	2.0	2.1	0.1	0.5	1.3	2.7	6.3
	Peru	7	1.1	0.4	0.9	0.9	1.0	1.0	2.1
4. Breakfast cereal	Regional	1090	0.8	0.6	0.0	0.3	0.8	1.2	6.8
	Argentina	87	0.6	0.5	0.0	0.2	0.6	0.9	2.2
	Canada	617	0.9	0.6	0.0	0.3	1.0	1.3	6.8
	Costa Rica	195	0.7	0.5	0.0	0.3	0.7	1.1	2.5
	Panama	49	0.9	0.6	0.0	0.5	0.9	1.1	3.1
	Peru	142	0.5	0.5	0.0	0.0	0.5	0.9	2.1
5. Savoury snacks	Regional	1691	1.1	0.8	0.0	0.6	1.0	1.4	6.7
	Argentina	143	1.2	0.6	0.0	0.8	1.2	1.7	2.9
	Canada	960	1.1	0.7	0.0	0.6	1.0	1.4	6.7
	Costa Rica	336	1.0	0.9	0.0	0.4	0.8	1.4	5.4

Category	Country	Product (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
	Panama	93	1.2	0.9	0.0	0.7	1.0	1.6	4.4
	Peru	159	0.9	0.6	0.0	0.5	0.7	1.1	3.2
6. Cheese	Regional	1807	2.3	1.5	0.0	1.5	1.9	2.6	25.0
	Argentina	256	2.1	1.3	0.0	1.3	1.9	2.6	9.7
	Canada	1162	2.3	1.3	0.0	1.6	1.9	2.5	10.3
	Costa Rica	214	2.4	2.4	0.0	1.5	1.9	2.7	25.0
	Panama	68	3.0	1.7	0.2	1.7	2.4	4.1	7.5
	Peru	107	2.1	1.2	0.0	1.3	1.8	2.8	6.4
7. Processed vegetables, beans, and legumes	Regional	1933	11.6	20.2	0.0	2.3	5.1	10.6	192.0
	Argentina	148	9.4	15.0	0.0	1.3	3.9	12.4	123.1
	Canada	1221	12.7	22.1	0.0	2.2	4.9	10.7	192.0
	Costa Rica	376	8.6	11.8	0.0	3.2	5.3	9.3	114.3
	Panama	110	11.7	27.5	0.0	3.2	5.8	9.0	186.7
	Peru	78	12.1	14.4	0.1	3.0	6.3	17.4	84.6
8. Processed meat and poultry	Regional	1772	4.3	2.8	0.0	2.4	3.6	5.6	23.7
	Argentina	178	4.6	3.7	0.3	2.2	3.4	5.5	23.7
	Canada	1204	4.2	2.4	0.0	2.3	3.6	5.5	12.4
	Costa Rica	184	5.3	3.8	0.0	3.1	4.2	7.0	23.4
	Panama	93	4.5	2.6	0.4	2.9	4.2	5.8	12.6
	Peru	113	4.0	2.8	0.8	2.0	3.3	4.6	14.6
9. Processed fish and seafood	Regional	945	3.5	7.1	0.0	1.4	2.2	3.5	76.5
	Argentina	54	3.5	6.4	0.0	1.3	2.2	3.0	40.3
	Canada	579	4.0	8.6	0.0	1.5	2.4	3.6	76.5
	Costa Rica	175	2.7	3.5	0.1	1.2	1.9	3.1	31.7
	Panama	71	2.9	1.9	0.5	1.4	2.4	3.9	12.3
	Peru	66	2.5	1.8	0.2	1.4	2.0	3.2	9.1
10. Soy products and meat alternatives	Regional	272	2.7	1.5	0.0	1.8	2.5	3.4	8.2
	Argentina	77	2.2	1.1	0.0	1.3	2.1	2.5	6.5

Category	Country	Product (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
	Canada	115	3.2	1.4	0.0	2.3	3.0	4.0	7.0
	Costa Rica	49	3.1	1.8	0.1	2.3	2.7	3.7	8.2
	Panama	5	1.4	2.3	0.1	0.1	0.1	1.3	5.5
	Peru	26	1.9	0.9	0.1	1.6	2.4	2.6	2.8
11. Soups	Regional	700	11.7	17.8	0.0	3.9	6.0	11.1	180.0
	Argentina	45	10.5	8.0	2.2	3.7	9.9	12.1	40.7
	Canada	472	12.5	20.4	0.0	3.8	6.0	8.6	180.0
	Costa Rica	83	12.9	13.6	0.0	4.9	8.7	14.8	66.2
	Panama	48	10.7	6.8	2.0	4.4	10.8	16.2	26.5
	Peru	52	5.5	3.7	0.9	3.2	4.5	6.2	17.6
12. Ready-made foods, convenience foods, and mixed dishes	Regional	2116	2.3	1.2	0.0	1.6	2.1	2.7	21.8
	Argentina	144	2.0	0.8	0.2	1.4	2.1	2.5	4.8
	Canada	1769	2.2	1.1	0.0	1.6	2.1	2.6	21.8
	Costa Rica	115	2.3	1.4	0.0	1.3	2.1	3.0	6.7
	Panama	24	2.6	3.2	0.0	2.0	2.2	2.5	16.9
	Peru	64	3.2	2.2	0.3	1.9	2.7	3.7	14.1
13. Fresh or dried plain pasta and noodles	Regional	1110	0.1	0.3	0.0	0.0	0.0	0.0	5.1
	Argentina	201	0.0	0.1	0.0	0.0	0.0	0.0	0.8
	Canada	571	0.1	0.3	0.0	0.0	0.0	0.0	5.1
	Costa Rica	128	0.1	0.6	0.0	0.0	0.0	0.0	5.1
	Panama	39	0.1	0.2	0.0	0.0	0.0	0.0	0.7
	Peru	171	0.0	0.2	0.0	0.0	0.0	0.0	2.1
14. Granola and energy bars and nut butters/spreads	Regional	967	0.5	0.4	0.0	0.3	0.5	0.8	4.1
	Argentina	33	0.3	0.3	0.0	0.1	0.3	0.5	0.9
	Canada	736	0.6	0.3	0.0	0.3	0.6	0.8	3.0
	Costa Rica	117	0.5	0.6	0.0	0.1	0.4	0.7	4.1
	Panama	32	0.6	0.2	0.1	0.4	0.6	0.8	0.9
	Peru	49	0.3	0.3	0.0	0.1	0.2	0.5	1.1

Category	Country	Product (n)	Mean	SD	Minimum	q25	Median	q75	Maximum
15. Fats and oils	Regional	1035	2.6	3.9	0.0	1.0	1.8	3.1	44.0
	Argentina	85	2.0	2.0	0.0	0.5	1.6	3.0	10.5
	Canada	691	2.6	3.7	0.0	1.0	1.8	3.1	36.0
	Costa Rica	140	3.4	5.7	0.0	1.1	2.0	3.3	44.0
	Panama	45	2.9	4.3	0.6	1.2	2.0	3.3	28.0
	Peru	74	2.7	3.3	0.0	1.0	1.6	2.7	22.7
16. Sauces, dips, gravy and condiments	Regional	2660	22.0	41.4	0.0	3.7	7.8	19.0	653.2
	Argentina	190	28.8	52.2	0.0	3.0	8.5	36.0	455.0
	Canada	1819	18.3	30.2	0.0	3.8	7.7	18.0	334.7
	Costa Rica	291	23.6	42.9	0.0	2.9	8.0	22.2	335.0
	Panama	153	45.9	70.1	0.0	5.5	14.2	50.0	352.5
	Peru	207	28.0	68.8	0.0	2.6	6.3	16.2	653.2
Total	Regional	23219	5.2	17.0	0.0	0.8	1.7	3.5	653.2
	Argentina	2492	4.3	16.7	0.0	0.5	1.4	2.5	455.0
	Canada	14951	5.1	14.3	0.0	0.9	1.8	3.6	334.7
	Costa Rica	3135	4.9	15.5	0.0	0.6	1.6	3.6	335.0
	Panama	974	10.5	33.2	0.0	0.9	2.3	5.5	352.5
	Peru	1667	5.3	26.0	0.0	0.5	1.1	2.8	653.2

331 **Table 3.** Proportion of products meeting the 2022 PAHO Sodium Interim Targets (mg per 100g/mL), at the regional and country
 332 level, by food category

PAHO 2021 Major and Subcategory	Regional		Argentina		Costa Rica		Panama		Peru		Canada	
	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022
1. Bread, bread products and crisp breads	1564	30 (476)	226	27 (60)	188	36 (68)	44	20 (9)	87	55 (48)	1019	29 (291)
2. Cakes, biscuits, pastries and sweet breads	3530	43 (1526)	626	56 (351)	512	42 (217)	99	34 (34)	265	51 (134)	2028	39 (790)
3. Corn derivatives	58	47 (27)	0	NA	43	44 (19)	8	25 (2)	7	86 (6)	0	NA
4. Breakfast cereal	1089	46 (499)	87	56 (49)	195	49 (96)	48	38 (18)	142	56 (79)	617	42 (257)
5. Savoury snacks	1692	45 (754)	143	23 (33)	336	52 (174)	92	36 (33)	159	62 (99)	962	43 (415)
6. Cheese	1813	50 (909)	256	69 (176)	214	57 (121)	68	44 (30)	108	60 (65)	1167	44 (517)
7. Processed vegetables, beans, and legumes	1976	43 (852)	151	41 (62)	394	45 (178)	109	28 (30)	78	54 (42)	1244	43 (540)
8. Processed meat and poultry	1776	53 (948)	178	42 (75)	184	31 (57)	91	47 (43)	113	65 (74)	1210	58 (699)
9. Processed fish and seafood	946	41 (385)	54	54 (29)	175	42 (73)	72	36 (26)	66	33 (22)	579	41 (235)
10. Soy products and meat alternatives	274	46 (127)	77	69 (53)	50	28 (14)	5	80 (4)	26	85 (22)	116	29 (34)
11. Soups	715	48 (346)	45	53 (24)	83	40 (33)	48	40 (19)	54	15 (8)	485	54 (262)
12. Ready-made foods,	2133	77 (1638)	144	81 (116)	116	68 (79)	24	67 (16)	65	82 (53)	1784	77 (1374)

convenience foods, and mixed dishes												
13. Fresh or dried plain pasta and noodles	1108	43 (479)	202	16 (33)	125	57 (71)	39	41 (16)	171	41 (70)	571	51 (289)
14. Granola and energy bars and nut butters/spreads	967	37 (357)	33	67 (22)	117	50 (58)	31	35 (11)	50	68 (34)	736	32 (232)
15. Fats and oils	1044	40 (414)	86	57 (49)	144	50 (72)	48	19 (9)	74	47 (35)	692	36 (249)
16. Sauces, dips, gravy and condiments	2978	44 (1300)	203	57 (116)	341	39 (132)	153	34 (52)	223	40 (89)	2058	44 (911)

333 Note: n, number of foods sampled and % (n) of products meeting the 2022 PAHO interim targets (items were compared against the targets set for
 334 respective sub categories). NA, not applicable.

335 **Table 4.** Proportion of products meeting the 2022 PAHO Sodium Targets (mg/kcal), at the regional and country level, by food
 336 category

PAHO 2021 Major and Subcategory	Regional		Argentina		Costa Rica		Panama		Peru		Canada	
	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022	n	% (n) 2022
1. Bread, bread products and crisp breads	1556	31 (487)	226	27 (62)	187	40 (74)	45	24 (11)	87	55 (48)	1011	29 (292)
2. Cakes, biscuits, pastries and sweet breads	3524	43 (1526)	625	52 (326)	511	41 (212)	99	38 (38)	265	52 (139)	2024	40 (811)
3. Corn derivatives	58	67 (39)	NA	NA	43	65 (28)	8	62 (5)	7	86 (6)	NA	NA
4. Breakfast cereal	1090	40 (441)	87	48 (42)	195	43 (84)	49	33 (16)	142	55 (78)	617	36 (221)
5. Savoury snacks	1691	71 (1205)	143	57 (82)	336	74 (248)	93	66 (61)	159	84 (134)	960	71 (680)
6. Cheese	1807	35 (639)	256	36 (92)	214	43 (93)	68	43 (29)	107	41 (44)	1162	33 (381)
7. Processed vegetables, beans, and legumes	1706	47 (795)	128	47 (60)	354	45 (161)	95	33 (31)	72	49 (35)	1057	48 (508)
8. Processed meat and poultry	1772	39 (689)	178	33 (59)	184	30 (55)	93	28 (26)	113	38 (43)	1204	42 (506)
9. Processed fish and seafood	945	48 (453)	54	52 (28)	175	57 (100)	71	41 (29)	66	56 (37)	579	45 (259)
10. Soy products and meat alternatives	272	49 (133)	77	73 (56)	49	37 (18)	5	80 (4)	26	65 (17)	115	33 (38)
11. Soups	700	67 (472)	45	40 (18)	83	48 (40)	48	44 (21)	52	67 (35)	472	76 (358)
12. Ready-made foods,	2107	35 (735)	144	48 (69)	115	47 (54)	24	25 (6)	64	23 (15)	1760	34 (591)

convenience foods, and mixed dishes												
13. Fresh or dried plain pasta and noodles	1110	43 (479)	201	16 (33)	128	55 (71)	39	41 (16)	171	41 (70)	571	51 (289)
14. Granola and energy bars and nut butters/spreads	967	47 (455)	33	76 (25)	117	63 (74)	32	38 (12)	49	69 (34)	736	42 (310)
15. Fats and oils	1035	43 (448)	85	52 (44)	140	41 (57)	45	29 (13)	74	39 (29)	691	44 (305)
16. Sauces, dips, gravy and condiments	2660	49 (1308)	190	53 (101)	291	40 (116)	153	27 (42)	207	48 (100)	1818	52 (948)

337 Note: n, number of foods sampled and % (n) of products meeting the 2022 PAHO interim targets (items were compared against the targets set for
 338 respective sub categories). NA, not applicable.

339 **Table 5.** Changes in the proportion of packaged food products meeting the original 2015 PAHO regional sodium reduction targets
 340 (2015 PAHO Targets, mg/100g) in PAHO countries between 2015-2016, 2017-2018 and in 2022, by main food category

PAHO categories	Year of collection	Products with sodium data (n)	Meeting 2015 Regional Targets (n)	Proportion (%)	Meeting 2015 Lower Targets (n)	Proportion (%)
Bread products	2015-2016	274	206	75	89	32
	2017-2018	218	201	92	99	45
	2022	356	296	83	142	40
Breakfast cereals	2015-2016	294	257	87	222	76
	2017-2018	299	268	90	237	79
	2022	472	452	96	379	80
Butter and margarine	2015-2016	84	68	81	43	51
	2017-2018	100	82	82	45	45
	2022	107	76	71	34	32
Cakes	2015-2016	204	142	70	72	35
	2017-2018	102	71	70	32	31
	2022	358	250	70	96	27
Bouillon cubes and powders	2015-2016	73	38	52	22	30
	2017-2018	51	25	49	11	22
	2022	46	36	78	34	74
Meat and fish seasonings	2015-2016	52	49	94	49	94
	2017-2018	64	58	91	58	91
	2022	121	105	87	88	73
Seasonings for side and main dishes	2015-2016	117	117	100	86	74
	2017-2018	34	34	100	23	68
	2022	43	42	98	8	19
Cookies and sweet cookies	2015-2016	316	294	93	156	49
	2017-2018	549	527	96	304	55
	2022	857	826	96	499	58
Flavored cookies and crackers	2015-2016	148	141	95	79	53
	2017-2018	158	157	99	103	65
	2022	273	271	99	163	60
Mayonnaise	2015-2016	72	69	96	20	28
	2017-2018	80	72	90	16	20
	2022	96	89	93	37	39
Meats and sausages	2015-2016	269	227	84	67	25

PAHO categories	Year of collection	Products with sodium data (n)	Meeting 2015 Regional Targets (n)	Proportion (%)	Meeting 2015 Lower Targets (n)	Proportion (%)
	2017-2018	321	260	81	65	20
	2022	297	272	92	73	25
Cured and preserved meats	2015-2016	29	21	72	11	38
	2017-2018	62	52	84	24	39
	2022	160	131	82	60	38
Breaded meat and poultry	2015-2016	64	40	63	10	16
	2017-2018	68	56	82	38	56
	2022	109	98	90	45	41
Pasta and noodles, as consumed	2015-2016	N/A	N/A	N/A	N/A	N/A
	2017-2018	136	104	76	42	31
	2022	111	101	91	69	62
Pasta and noodles, dry uncooked	2015-2016	217	213	98	206	95
	2017-2018	319	318	100	318	100
	2022	573	572	100	530	92
Snacks	2015-2016	445	344	77	177	40
	2017-2018	512	434	85	214	42
	2022	730	644	88	358	49
Noodles in broth	2015-2016	68	58	85	35	51
	2017-2018	42	28	67	15	36
	2022	99	64	65	36	36
Wet and dry soups	2015-2016	189	114	60	68	36
	2017-2018	126	98	78	71	56
	2022	132	113	86	61	46
Total	2015-2016	2915	2398	82	1412	48
	2017-2018	3241	2845	88	1715	53
	2022	4940	4438	90	2712	55

341 Note: NA, not applicable.

342 **References**

- 343 1. World Health Organization. *WHO Global Report on Sodium Intake Reduction*. Geneva:
344 *World Health Organization*; 2023. World Health Organization; 2023.
345 <https://www.who.int/publications/i/item/9789240069985>
- 346 2. Kearney PM, Whelton M, Reynolds K, Muntner P, Whelton PK, He J. Global burden of
347 hypertension: analysis of worldwide data. *The Lancet*. 2005;365(9455):217-223.
348 doi:10.1016/S0140-6736(05)17741-1
- 349 3. Zhou B, Carrillo-Larco RM, Danaei G, et al. Worldwide trends in hypertension prevalence
350 and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201
351 population-representative studies with 104 million participants. *The Lancet*.
352 2021;398(10304):957-980. doi:10.1016/S0140-6736(21)01330-1
- 353 4. Grillo A, Salvi L, Coruzzi P, Salvi P, Parati G. Sodium Intake and Hypertension. *Nutrients*.
354 2019;11(9):1970. doi:10.3390/nu11091970
- 355 5. World Health Organization. *Guideline: Sodium Intake for Adults and Children*. World
356 Health Organization; 2012. Accessed July 23, 2023.
357 <https://apps.who.int/iris/handle/10665/77985>
- 358 6. World Health Organization. *Global Action Plan for the Prevention and Control of*
359 *Noncommunicable Diseases 2013-2020*. World Health Organization; 2013. Accessed July
360 23, 2023. <https://apps.who.int/iris/handle/10665/94384>
- 361 7. World Health Organization. *Tackling NCDs: “best Buys” and Other Recommended*
362 *Interventions for the Prevention and Control of Noncommunicable Diseases.*; 2017.
363 Accessed August 1, 2023. <https://apps.who.int/iris/handle/10665/259232>
- 364 8. Pan American Health Organization. Salt smart Consortium Consensus Statement. Published
365 December 28, 2015. Accessed August 2, 2023.
366 <https://www.paho.org/en/documents/saltsmart-consortium-consensus-statement>
- 367 9. Arcand J, Blanco-Metzler A, Benavides Aguilar K, L’Abbe M, Legetic B. Sodium Levels in
368 Packaged Foods Sold in 14 Latin American and Caribbean Countries: A Food Label
369 Analysis. *Nutrients*. 2019;11(2):369. doi:10.3390/nu11020369
- 370 10. Blanco-Metzler A, Vega-Solano J, Franco-Arellano B, et al. Changes in the Sodium Content
371 of Foods Sold in Four Latin American Countries: 2015 to 2018. *Nutrients*.
372 2021;13(11):4108. doi:10.3390/nu13114108
- 373 11. Allemandi LA, Flexner N, Nederveen L, Gomes FDS. Building capacity in reducing
374 population dietary sodium intake in the Americas. *Rev Panam Salud Pública*. 2022;46:1.
375 doi:10.26633/RPSP.2022.198
- 376 12. Pan American Health Organization. Updated PAHO Regional Sodium Reduction Targets.
377 Published 2021. Accessed August 2, 2023.

- 378 [https://iris.paho.org/bitstream/handle/10665.2/54658/PAHONMHRF210016_eng.pdf?sequen](https://iris.paho.org/bitstream/handle/10665.2/54658/PAHONMHRF210016_eng.pdf?sequence=1&isAllowed=y)
379 [ce=1&isAllowed=y](https://iris.paho.org/bitstream/handle/10665.2/54658/PAHONMHRF210016_eng.pdf?sequence=1&isAllowed=y)
- 380 13. World Health Organization. WHO global sodium benchmarks for different food categories.
381 Published May 3, 2021. Accessed August 2, 2023.
382 <https://www.who.int/publications/i/item/9789240025097>
- 383 14. Ahmed M, Schermel A, Lee J, Weippert M, Franco-Arellano B, L'Abbé M. Development of
384 the Food Label Information Program: A Comprehensive Canadian Branded Food
385 Composition Database. *Front Nutr.* 2022;8:825050. doi:10.3389/fnut.2021.825050
- 386 15. World Health Organization. SHAKE the salt habit: Technical package for salt reduction.
387 Published 2017. Accessed August 2, 2023. [https://www.who.int/publications/i/item/WHO-](https://www.who.int/publications/i/item/WHO-NMH-PND-16.4)
388 [NMH-PND-16.4](https://www.who.int/publications/i/item/WHO-NMH-PND-16.4)
- 389 16. Murtaugh MA, Beasley JM, Appel LJ, et al. Relationship of Sodium Intake and Blood
390 Pressure Varies With Energy Intake: Secondary Analysis of the DASH (Dietary Approaches
391 to Stop Hypertension)–Sodium Trial. *Hypertension.* 2018;71(5):858-865.
392 doi:10.1161/HYPERTENSIONAHA.117.10602
- 393 17. Allemandi L, Tiscornia MV, Ponce M, Castronuovo L, Dunford E, Schoj V. Sodium content
394 in processed foods in Argentina: compliance with the national law. *Cardiovasc Diagn Ther.*
395 2015;5(3):197-206. doi:10.3978/j.issn.2223-3652.2015.04.01
- 396 18. Allemandi L, Tiscornia MV, Guarnieri L, Castronuovo L, Martins E. Monitoring Sodium
397 Content in Processed Foods in Argentina 2017–2018: Compliance with National Legislation
398 and Regional Targets. *Nutrients.* 2019;11(7):1474. doi:10.3390/nu11071474
- 399 19. Guarnieri L, Castronuovo L, Flexner N, Yang Y, L'Abbé MR, Tiscornia V. Monitoring
400 Sodium Content in Processed and Ultraprocessed Foods in Argentina 2022: Compliance with
401 National Legislation and Regional Targets. *Public Health Nutr.* Published online 2023.
- 402 20. Elorriaga N, Gutierrez L, Romero I, et al. Collecting Evidence to Inform Salt Reduction
403 Policies in Argentina: Identifying Sources of Sodium Intake in Adults from a Population-
404 Based Sample. *Nutrients.* 2017;9(9):964. doi:10.3390/nu9090964
- 405 21. Vega-Solano J, Blanco-Metzler A, Benavides-Aguilar KF, Arcand J. An Evaluation of the
406 Sodium Content and Compliance with the National Sodium Reduction Targets among
407 Packaged Foods Sold in Costa Rica in 2015 and 2018. *Nutrients.* 2019;11(9):2226.
408 doi:10.3390/nu11092226
- 409 22. Blanco-Metzler A, Montero-Campos MDLÁ, Núñez-Rivas H, Gamboa-Cerda C, Sánchez G.
410 Avances en la reducción del consumo de sal y sodio en Costa Rica. *Rev Panam Salud*
411 *Pública.* 2012;32(4):316-320. doi:10.1590/S1020-49892012001000011
- 412 23. Roselló-Araya M, Madriz-Morales K, Vega-Solano J, et al. Estimation of Sodium
413 Availability and Food Sources from 2018 to 2019 and Its Trends during the 2004–2019
414 Period in Costa Rica. *Nutrients.* 2022;14(15):3200. doi:10.3390/nu14153200

- 415 24. Diez-Canseco F, Cavero V, Alvarez Cano J, et al. Design and approval of the nutritional
416 warnings' policy in Peru: Milestones, key stakeholders, and policy drivers for its approval.
417 Shivashankar R, ed. *PLOS Glob Public Health*. 2023;3(6):e0001121.
418 doi:10.1371/journal.pgph.0001121
- 419 25. Reyes M, Smith Taillie L, Popkin B, Kanter R, Vandevijvere S, Corvalán C. Changes in the
420 amount of nutrient of packaged foods and beverages after the initial implementation of the
421 Chilean Law of Food Labelling and Advertising: A nonexperimental prospective study.
422 Wareham NJ, ed. *PLOS Med*. 2020;17(7):e1003220. doi:10.1371/journal.pmed.1003220
- 423 26. Saavedra-Garcia L, Meza-Hernández M, Diez-Canseco F, Taillie LS. Reformulation of Top-
424 Selling Processed and Ultra-Processed Foods and Beverages in the Peruvian Food Supply
425 after Front-of-Package Warning Label Policy. *Int J Environ Res Public Health*.
426 2022;20(1):424. doi:10.3390/ijerph20010424
- 427 27. Health Canada. Guidance for the Food Industry on Reducing Sodium in Processed Foods
428 2012. Published 2012. Accessed September 28, 2023.
429 [https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/fn-](https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/fn-an/alt_formats/pdf/legislation/guide-ld/2012-sodium-reduction-indust-eng.pdf)
430 [an/alt_formats/pdf/legislation/guide-ld/2012-sodium-reduction-indust-eng.pdf](https://www.canada.ca/content/dam/hc-sc/migration/hc-sc/fn-an/alt_formats/pdf/legislation/guide-ld/2012-sodium-reduction-indust-eng.pdf)
- 431 28. Health Canada. Voluntary sodium reduction targets for processed foods 2020–2025.
432 Published 2020. Accessed September 28, 2023. [https://www.canada.ca/en/health-](https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/sodium/sodium-reduced-targets-2020-2025.html)
433 [canada/services/food-nutrition/healthy-eating/sodium/sodium-reduced-targets-2020-](https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/sodium/sodium-reduced-targets-2020-2025.html)
434 [2025.html](https://www.canada.ca/en/health-canada/services/food-nutrition/healthy-eating/sodium/sodium-reduced-targets-2020-2025.html)
- 435 29. Health Canada. Sodium Reduction in Processed Foods in Canada: An evaluation of Progress
436 toward Voluntary Targets from 2012 to 2016. Published January 2018. Accessed September
437 30, 2023. [https://www.canada.ca/content/dam/hc-sc/documents/services/food-](https://www.canada.ca/content/dam/hc-sc/documents/services/food-nutrition/legislation-guidelines/guidance-documents/guidance-food-industry-reducing-sodium-processed-foods-progress-report-2017/pub1-eng.pdf)
438 [nutrition/legislation-guidelines/guidance-documents/guidance-food-industry-reducing-](https://www.canada.ca/content/dam/hc-sc/documents/services/food-nutrition/legislation-guidelines/guidance-documents/guidance-food-industry-reducing-sodium-processed-foods-progress-report-2017/pub1-eng.pdf)
439 [sodium-processed-foods-progress-report-2017/pub1-eng.pdf](https://www.canada.ca/content/dam/hc-sc/documents/services/food-nutrition/legislation-guidelines/guidance-documents/guidance-food-industry-reducing-sodium-processed-foods-progress-report-2017/pub1-eng.pdf)
- 440 30. Pan American Health Organization. Panamá lanza el Plan de Acción para la Reducción de
441 Sodio y Eliminación de Grasas Trans (2022-2025). Published 2022. Accessed September 30,
442 2023. [https://www.paho.org/es/noticias/13-12-2022-panama-lanza-plan-accion-para-](https://www.paho.org/es/noticias/13-12-2022-panama-lanza-plan-accion-para-reduccion-sodio-eliminacion-grasas-trans-2022)
443 [reduccion-sodio-eliminacion-grasas-trans-2022](https://www.paho.org/es/noticias/13-12-2022-panama-lanza-plan-accion-para-reduccion-sodio-eliminacion-grasas-trans-2022)
- 444 31. Trieu K, Coyle DH, Afshin A, Neal B, Marklund M, Wu JHY. The estimated health impact
445 of sodium reduction through food reformulation in Australia: A modeling study. Adams J,
446 ed. *PLOS Med*. 2021;18(10):e1003806. doi:10.1371/journal.pmed.1003806
- 447 32. Flexner N, Christoforou AK, Bernstein JT, et al. Estimating Canadian sodium intakes and the
448 health impact of meeting national and WHO recommended sodium intake levels: A
449 macrosimulation modelling study. Hennis AJM, ed. *PLOS ONE*. 2023;18(5):e0284733.
450 doi:10.1371/journal.pone.0284733
- 451 33. Vega-Solano J, Blanco-Metzler A, Madriz-Morales K, Fernandes-Nilson EA, Labonté ME.
452 Impact of salt intake reduction on CVD mortality in Costa Rica: A scenario modelling study.
453 Garikipati VNS, ed. *PLOS ONE*. 2021;16(1):e0245388. doi:10.1371/journal.pone.0245388

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

- 454 34. Nilson EAF, Metzler AB, Labonté ME, Jaime PC. Modelling the effect of compliance with
 455 WHO salt recommendations on cardiovascular disease mortality and costs in Brazil.
 456 Shimosawa T, ed. *PLOS ONE*. 2020;15(7):e0235514. doi:10.1371/journal.pone.0235514
- 457 35. Charlton KE, Corso B, Ware L, et al. Effect of South Africa’s interim mandatory salt
 458 reduction programme on urinary sodium excretion and blood pressure. *Prev Med Rep*.
 459 2021;23:101469. doi:10.1016/j.pmedr.2021.101469
- 460 36. Nilson EAF, Pearson-Stuttard J, Collins B, et al. Estimating the health and economic effects
 461 of the voluntary sodium reduction targets in Brazil: microsimulation analysis. *BMC Med*.
 462 2021;19(1):225. doi:10.1186/s12916-021-02099-x
- 463 37. Nilson E, Spaniol A, Gonçalves V, et al. Sodium Reduction in Processed Foods in Brazil:
 464 Analysis of Food Categories and Voluntary Targets from 2011 to 2017. *Nutrients*.
 465 2017;9(7):742. doi:10.3390/nu9070742

466
 467 **Appendix**

468 **Appendix A. Updated PAHO 2022 Regional Sodium Reduction Targets¹²**

Category	Description	mg sodium/100 g	mg sodium/kcal	
		2022 Target	2022 Target	
1. Bread, bread products and crisp breads				
1a	Pantry and hearth bread, rolls and buns	Includes whole grain, whole wheat, wholemeal, white bread and buns.	340	1.2
1b	Tortillas (wheat), wraps, naan, roti	Includes plain or flavored flatbread, pita, roti, wheat-based tortillas, wraps or naan. Excludes tortillas made with corn (3a) and bread with additions (1c).	550	1.8
1c	Bread with additions	Includes breads with additions that contain sodium e.g., olives, onion, pieces of ham, raisins, tomatoes, butter/garlic, cheese, pandebono.	420	1.5
1d	Other bread products	Includes bread products not captured in 1a-c, e.g., English muffins, bagels, dry bread, croutons, croissants, pizza crusts, etc.	400	1.3
2. Cakes, biscuits, pastries and sweet breads				
2a	Savory biscuits and crackers	Plain or flavored crackers, sandwich crackers, puffed cakes, and graham crackers e.g., cheese crackers, soda crackers, and rice cakes. Excludes dry bread (1d).	640	1.5
2b	Cookies and sweet biscuits	Includes filled/coated and unfilled/uncoated sweet cookies and biscuits. Excludes graham crackers (2a) and crackers/savory biscuits (2a).	225	0.5
2c	Pastries, squares, and quick/sweet breads	Filled/unfilled pastries, danishes, sweet buns, tea biscuits/scones, muffins, squares, brownies, quick/sweet breads.	260	0.7

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

2d	Cakes	Cakes, cheesecakes, snack cakes. Includes prepared products and dry cake mixes (as consumed).	300	0.7
3. Corn derivatives				
3a	Tortillas (corn)	Tortillas made from nixtamalized corn flour or cornmeal. Excludes tortillas made with wheat (1b).	35	0.9
3b	Biscuits (bizcochos)	Flavored and unflavored salty biscuits and crackers made of corn flour, salt and cheese. Excludes extruded corn products.	825	1.6
3c	Tostadas	Chips or crisp-type products, made from corn tortillas, flavored and unflavored, that have been either oil fried, air fried, oven fried or baked.	720	2.6
3d	Arepas	Plain or savory flat (usually round), unleavened patty of soaked, ground kernels of corn, corn meal or corn flour that can be grilled, baked, fried, boiled or steamed. It may be savory.	50	0.5
4. Breakfast cereal				
4a	Ready to eat and hot instant breakfast cereals	Granola, muesli, shredded, flaked, puffed, extruded, and high-fibre compact cereals. Includes plain and flavored hot instant cereals (dry mix, as sold) e.g. oatmeal. Excludes plain oatmeal and other traditional cereals cooked from scratch.	260	0.6
5. Savoury snacks				
5a	Nuts, seeds, and kernels, seasoned and candied	Seasoned, salted, and candied nuts, seeds, and kernels e.g. salted sunflower seeds, BBQ peanuts, beer nuts, and trail mixes. Excludes unsalted products.	265	0.9
5b	Chips, popcorn, and/or extruded snacks	Potato, corn, tortilla, rice, and vegetable chips; extruded and puffed corn snacks; microwave and stovetop ready popcorn, and seasoned or candied ready to eat popcorn. Excludes unseasoned dry popcorn kernels.	530	1.4
5c	Pretzels and snack mixes	Hard pretzels, candied pretzels, sesame sticks, and assorted salty snack mixes. Excludes trail mix (5a).	800	1.8
5d	Other savory snacks	Includes savory snacks not captured in 5a-c. e.g., plantain/yucca chips, kale chips, chips made with tropical root products.	525	0.9
6. Cheese				
6a	Fresh cheese (i.e., fresh mozzarella and others)	Includes fresh Mozzarella, turrialba and palmito (Costa Rica) and quesillo, queso de hebra, queso oaxaca (Mexican cheese), cheese curds.	480	1.1
6b	Soft cheese (i.e., unripened goat cheese, cream cheese)	Plain and flavored (sweet or savory) cream cheese, cream cheese spreads, cream cheese-style products and soft unripened goat cheese. Excludes processed cheese (6e) and cream cheese-based dips (16h).	420	0.7
6c	Semi-hard cheese (e.g., mozzarella, cheddar and others)	Includes semi-hard cheese such as mozzarella (including pasta filata), mild, medium and old cheddar, Swiss, Monterey Jack, brick, colby, gouda, brie, camembert, manchego, string cheese, and shredded mixed cheese. Excludes fresh mozzarella and cheese curds (6a).	650	1.7

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

6d	Hard cheese, grated and ungrated	Shelf stable and refrigerated hard cheese (moisture content <35%) e.g. parmesan, manchego, pecorino, asiago, romano.	1300	2
6e	Processed cheese	Processed cheese products made from an emulsified blend of natural cheese. Includes processed cheese spreads, blocks, and slices with or without added ingredients. Excludes string cheese (6c) and cream cheese spreads (6b).	1000	5.4
7. Processed vegetables, beans, and legumes				
7a	Tomato paste with additions	Tomato paste with added ingredients e.g. tomato paste with herbs or garlic. Excludes plain tomato paste with no added salt.	400	3.3
7b	Canned vegetables	Canned vegetables and legumes e.g. potatoes, tomatoes, corn, peas, green beans, mushrooms, mixed vegetables, beets (plain and pickled). Excludes kidney beans, chickpeas, lentils (7c).	150	4
7c	Canned beans, chickpeas and lentils	Boiled, whole, canned kidney beans, chickpeas, lentils. Excludes dry beans and lentils that are cooked or uncooked.	220	2.5
7d	Baked and refried beans (mashed)	Shelf stable baked beans and refried beans (mashed beans). Products may include meat.	280	2.6
7e	Frozen potatoes and similar products	Frozen plain and seasoned French fries, sweet potato fries, hash browns, potato patties, green plantain and tropical tubers such as cassava (yuca),	170	N/A
7f	Dry mashed or scalloped potatoes (as consumed)	Dehydrated scalloped or mashed potatoes, as consumed.	290	N/A
7g	Pickled vegetables	Shelf stable sour pickled vegetables e.g. cucumbers, onions, peppers, sauerkraut, and other vegetables. Also includes shelf stable sweet pickled vegetables e.g., cucumbers, onions, relish.	680	30.1
7h	Sundried tomatoes	Sundried tomatoes.	900	7.8
7i	Olives	Shelf stable stuffed olives, unstuffed olives, and tapenade.	1300	9.9
7j	Vegetable juice	Vegetable juice and vegetable juice cocktail e.g. tomato juice, carrot juice, and tomato and clam juice. Excludes vegetable and fruit juice blends.	175	4.5
8. Processed meat and poultry				
8a	Packaged deli meats – fully cooked	Cooked deli meat e.g. smoked meat, pastrami, mortadella, bologna, corned beef, ham, sliced chicken and turkey, luncheon meat loaf, roast beef, cooked pepperoni, and cooked back bacon.	900	6.6
8b	Packaged dry-cured deli meats – dry cured, fermented, no thermal process	Dry cured, fermented deli meats which have not been thermally processed, e.g., salami and dried pepperoni. Excludes prosciutto (8g).	1350	3.6
8c	Sausages - uncooked	Uncooked breakfast and dinner sausages e.g. pork, chicken and turkey. Excludes hot dogs and wieners (8d).	600	2.5
8d	Sausages - cooked	Cooked breakfast and dinner sausages e.g., pork, chicken and turkey. Includes salchichon, wieners (hot dogs) and smoked or unsmoked sausages with or without cheese.	840	3

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

8e	Uncooked bacon – belly	Uncooked belly bacon. Excludes back bacon, bacon substitutes, and pre-cooked shelf stable bacon.	700	1.4
8f	Burgers, meatballs, meatloaf and breaded meat and poultry	Meat and poultry burgers, meatballs and meatloaf, and breaded meat products e.g. products with cheese, breaded and unbreaded burgers, strips, nuggets/fingers, chicken burgers, chicken balls, schnitzel, and cutlets.	540	2
8g	Ham, canned meat and poultry, and uncooked, pickled, cured and smoked meats that are not deli meats	Picnic and roast ham, cottage rolls, prosciutto, back bacon, peameal bacon and turkey-bacon strips. Also includes uncooked pickled, corned, cured or smoked meats. Includes canned meat and poultry. Excludes canned fish (9a), uncooked belly bacon (8e) and deli meats (8a and 8b).	915	4.1
8h	Patés and meat spreads	Patés and spreads e.g., creton and liverwurst. Excludes fish patés and spreads.	720	2.4
9. Processed fish and seafood				
9a	Canned fish	Canned fish or shellfish packed in water, oil or sauce e.g., salmon, tuna, sardines, mackerel, shrimp, crab, clams, smoked oysters, anchovies, fish salad.	320	2.2
9b	Frozen plain fish and seafood with added sodium phosphate	Frozen plain fish and seafood with added sodium phosphate.	350	3.1
9c	Fish and seafood cakes, fingers or burgers, seasoned, and breaded or battered or with sauces	Fish and seafood cakes and burgers, seasoned, with sauce or seasoning, breaded or battered, and stuffed fish.	310	1.7
9d	Smoked, salted, pickled and kippered fish	Smoked fish e.g., smoked salmon, smoked rainbow trout; pickled fish; salted fish, and; kippered fish e.g., kippered herring, dried and salted cod.	540	2.6
10. Soy products and meat alternatives				
10a	Seasoned tofu and tempeh	Savory, marinated, and seasoned tofu and tempeh. Excludes plain tofu, tofu-based desserts and plain tempeh.	350	2
10b	Meat analogues and other meat alternatives	Frozen and refrigerated meat analogues e.g. veggie patties, burgers, veggie dogs, meatballs, and deli-style slices.	410	2.5
11. Soups				
11a	Wet and dry soups (as consumed)	Canned condensed, ready-to-serve, or dry cream and broth-based soups, broth, stock and consommé. As consumed. Excludes bouillon (16a).	260	9.2
11b	Noodles in broth (as consumed)	Includes fresh and instant noodles with soup, broth or seasoning e.g. instant oriental noodle soups. Excludes shelf stable pasta with sauce or seasonings (12c)	330	5.2
12. Ready-made foods, convenience foods, and mixed dishes				
12a	Canned chili	Shelf stable vegetarian and meat chili.	260	2.5


Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets

12b	Canned stew and meatballs	Shelf stable stew, meatballs, and curries.	470	3.2
12c	Pasta, noodles, rice or grains with sauce or seasonings (as consumed)	As consumed. Shelf stable pasta (dry mix, as consumed) and ready-to-eat, noodles, and rice or grain mixes with sauce or seasonings, as consumed e.g. macaroni with cheese sauce, noodles in tomato sauce, and teriyaki noodles. Excludes refrigerated or frozen pasta dishes (12h), noodles in broth (11b) and plain dry or cooked pasta without additions (13a), and frozen pasta dishes (12h)	330	1.9
12d	Pasta, noodles, rice or grains with sauce or seasonings (dry mix, as sold)	Dry mixes, as sold. Shelf stable pasta, noodles, and rice or grain mixes with sauce or seasonings e.g. macaroni with cheese sauce, noodles in tomato sauce, and teriyaki noodles. Excludes noodles in broth (11b) and plain dry or cooked pasta without additions (13a).	870	2.6
12e	Stuffing mixes (as consumed)	Shelf stable stuffing mixes, as consumed. Excludes refrigerated stuffing.	470	N/A
12f	Pizza and pizza snacks	Frozen and refrigerated pizza, pizza snacks, calzones.	500	1.9
12g	Sandwiches	Fresh or frozen sandwiches with or without meat. Includes sandwich wraps and burritos.	500	1.9
12h	Refrigerated or frozen appetizers, sides and entrees	Refrigerated or frozen entrées, meal sides, meal centers, frozen pasta mains/sides, and appetizers. Includes empanadas. Excludes pizza and pizza snacks (12f) and sandwiches (12g).	575	1.7
13. Fresh or dried plain pasta and noodles				
13a	Plain pasta and noodles (as consumed or dry, uncooked)	Plain dry or uncooked pasta, as consumed. Excludes pasta with sauce or seasonings (12c) and noodles in broth (11b).	0	0
14. Granola and energy bars, and nut butters/spreads				
14a	Granola, cereal and energy bars	Granola bars (plain and coated), energy bars, sweet and salty bars, fruit filled bars, and muffin-type bars. Excludes sweet and salty bars (see 1n), and infant and toddler snack bars.	170	0.5
14b	Nut butters and nut spreads	Nut butters and nut spreads e.g., peanut, almond, cashew, soy, hazelnut cocoa spread. Excludes unsalted nut butters and tahini.	330	0.3
15. Fats and oils				
15a	Salted butter, margarine, and butter blends	Plain and flavored butter, margarine and butter blends. Excludes unsalted butter and margarine.	510	0.8
15b	Mayonnaise	Plain and flavored mayonnaise and mayonnaise-type spreads and dressings. Includes low fat and fat-free versions, and oil-based sandwich spreads.	670	2.3
15c	Salad dressing & vinaigrette	Refrigerated and shelf stable oil and vinegar-based dressings, creamy dressings. Includes dry mix salad dressing, as consumed. Includes low fat and fat-free versions.	800	2.3
16. Sauces, dips, gravy and condiments				
16a	Bouillon cubes and powders (as sold)	Bouillon cubes and powders, as sold.	18000	68

Monitoring sodium content in packaged foods sold in the Americas and compliance with the PAHO 2021 regional sodium targets



16b	Pasta sauce	Shelf stable, refrigerated, frozen, and dry mix pasta sauces including those that are tomato, cream or cheese-based (e.g., alfredo sauce). As consumed. Includes pizza sauce.	330	4.5
16c	Pesto	Shelf stable and refrigerated pesto e.g., basil or sun-dried tomato pesto.	800	1.9
16d	Tomato sauce	Shelf stable plain or flavored tomato sauce. Excludes tomato-based pasta sauces (16b) and tomato paste (7a).	300	5.7
16e	Ketchup and similar tomato-type condiments (as consumed)	Shelf stable condiments e.g., ketchup, tomato-based chili sauce, seafood sauce, BBQ sauce, steak sauce, chutney. Excludes relish (7g), mustard (16f) and mayonnaise (15b).	800	7.1
16f	Mustard	Mustards including yellow, Dijon, honey mustard, spicy brown mustard.	1000	10.2
16g	Spicy sauce	Red, green, ranchera sauces, pepper sauce, chilero, salsa picante, sriracha, chili picante, salsa de aji/rocoto.	1100	21.4
16h	Gravy, cooking sauces, dips, and salsa (as consumed)	Shelf stable, refrigerated and dry mix gravy, cooking sauces, as consumed e.g., hollandaise, curry, and stir-fry sauces, and salsa. Includes vegetable, legume, and dairy-based dips (i.e., cream cheese and sour cream-based dips). As consumed. Excludes curry paste.	350	3.5
16i	Sweet oriental sauces	Sweet oriental sauces e.g. plum sauce, cherry sauce, pineapple sauce, and sweet and sour sauce. Excludes salty oriental sauces (16j).	220	1.3
16j	Soya and other salty oriental sauces	Oriental sauces e.g. soya, teriyaki, black bean, fish, hoisin, peanut sauce. Excludes stir-fry sauce (16h), marinades (16k), and sweet oriental sauces (16i).	2900	9.9
16k	Marinades (as consumed)	Shelf stable and dry marinade mixes. As consumed.	1800	14.2
16l	Dry seasoning mixes for rice and side dishes	Dry seasoning mixes for side and main dishes, as sold e.g. chili, stew, fajita, and salad seasoning. Includes popcorn seasoning.	10000	13.1
16m	Dry seasoning mixes for meat and fish	Dry seasoning for meat, poultry and fish e.g., steak spice.	10000	27.9

469



Note: Updated PAHO targets were set in 2021 for 2022 (interim) and 2025 targets¹². Data were compared against the 2022 interim targets

Fig 1

A**B****Fig 2**




Fig 3