

1 Vaccine-related misinformation and attitude toward COVID-19 vaccination in Japan

2

3 Yuki Furuse^{1,2,*}

4 Takahiro Tabuchi^{3,4}

5

6 1 Department of Microbiology and Infection; The University of Tokyo Pandemic Preparedness,

7 Infection and Advanced Research Center (UTOPIA); The University of Tokyo; Tokyo; Japan

8 2 Department of Medical Virology, Nagasaki University Graduate School of Biomedical

9 Sciences, Nagasaki, Japan

10 3 Division of Epidemiology, School of Public Health, Tohoku University Graduate School of

11 Medicine, Sendai, Japan

12 4 Cancer Control Center, Osaka International Cancer Institute, Osaka, Japan

13

14 * Correspondence:

15 4-6-1 Shirokanedai, Minato City, Tokyo 108-8639, Japan

16 Tel: +81 364092253

17 E-mail: furusey.tokyo@gmail.com

18

19 Keywords

20 COVID-19; vaccination; vaccine hesitancy; misinformation; online survey

21

22 **Abstract**

23 We have struggled with vaccine hesitancy for vaccination rollout during the COVID-19
24 pandemic. Although the spread of misinformation seems to play a role in vaccine hesitancy,
25 the extent to which it affects attitudes toward COVID-19 vaccination is unknown. Here, we
26 investigated the prevalence of beliefs about misinformation regarding COVID-19 vaccines in
27 vaccinated and unvaccinated populations in Japan and analyzed associated risk factors. An
28 online survey of 31,000 participants in 2021 found that 8.1% of vaccine-accepted individuals
29 believed vaccine-related misinformation, whereas 36.6% of those who refused vaccination
30 believed misinformation. Most factors associated with beliefs about misinformation and
31 vaccine hesitancy overlapped, including young age, unmarried status, low income, particular
32 information sources, and history of COVID-19 infection. Interestingly, some factors, such as
33 age and sources of information, had different effects on vaccine acceptance between
34 individuals who did not believe misinformation and those who did. Advanced age was
35 associated with vaccine acceptance among non-misinformation believers. In contrast,
36 misinformation believers in their 10s and 20s were more willing to be vaccinated than older
37 adults. The effects of television and Internet information were stronger in individuals who
38 believed misinformation on their attitude toward vaccination than non-misinformation
39 believers. This study highlights the importance of understanding the relationship between
40 beliefs about misinformation and vaccine hesitancy for ongoing and future pandemics.

41

42 **Background**

43 The COVID-19 pandemic has caused substantial morbidity and mortality worldwide. To
44 reduce the death toll, novel vaccines have been developed and administered (1). Vaccination
45 for COVID-19 in Japan started in February 2021. During the time, “one million shots per day”
46 was aimed by the Japanese government to increase vaccination coverage as high and as
47 rapidly as possible (2).

48 However, we have faced vaccine hesitancy at that time. Many people are especially
49 concerned about the effectiveness and safety of mRNA vaccines, a new biomedical
50 technology that had not been practically applied before the pandemic (3). Furthermore,
51 misinformation regarding COVID-19 and its vaccines has spread worldwide, dubbed an
52 infodemic (4,5). Those include unfounded allegations like “governments hide the causal
53 association between vaccination and autism” or “the COVID-19 pandemic was caused by a
54 man-made virus to control the global population by vaccination.” Such misinformation has
55 been reported to be associated with vaccine hesitancy (6).

56 Still, some people must have received vaccination even if they believed vaccine-related
57 misinformation. How often that happened and what determined the behavior are largely
58 unknown. In this study, we investigated the prevalence of people who believed misinformation
59 regarding COVID-19 vaccines by vaccination status, factors associated with misinformation
60 beliefs, and how they have affected attitudes toward COVID-19 vaccination in Japan.

61

62 **Methods**

63 *Survey for vaccine hesitancy and beliefs about misinformation*

64 Data on vaccine hesitancy and beliefs about vaccine-related misinformation were
65 collected in part of the Japan COVID-19 and Society Internet Survey (JACSIS) study (7). Briefly,

66 31,000 participants aged 15 years or older were recruited and asked about their demographic,
67 economic, and health-related information through an online questionnaire between
68 September and October 2021. Participants were asked whether they agreed with each of the
69 seven sentences regarding vaccine-related misinformation ([Table 1](#)).

70 Responses from each participant were weighted using inverse probability weighting for
71 participation in the JACSIS study to be adjusted to the general population in Japan, referring to
72 the national data of the Comprehensive Survey of Living Conditions in 2019. Propensity scores
73 were calculated by adjusting for residential address (prefecture), education level, marital
74 status, and self-rated health consciousness (8,9).

75

76 *Factors for vaccine hesitancy and misinformation beliefs*

77 Factors associated with vaccine hesitancy were tested with binomial regression
78 analysis using the Stats package in R. Similarly, factors associated with the number of beliefs
79 about vaccine-related misinformation were tested by ordered logistic regression analysis using
80 the MASS package in R. Statistical adjustments were conducted for age groups where
81 indicated. Statistical significance was set at $P < 0.05$.

82

83 *Ethical consideration*

84 The protocol for the JACSIS study was reviewed and approved by the Institutional
85 Review Board of the Osaka International Cancer Institute (No. 20084). The survey results were
86 anonymized, and all study participants agreed that their response data would be used for
87 analysis and publication.

88

89 **Results**

90 Of the 31,000 participants in the JACSIS study in 2021, 28,175 (90.9 %) provided valid
91 responses (7). Among them, 83.2% (23,435) were already vaccinated for COVID-19, 3.4% (968)
92 were waiting for vaccination, 6.2% (1,740) were undecided about whether to get vaccinated,
93 6.4% (1,800) decided not to get vaccinated, and 0.8% (232) responded that they could not get
94 vaccinated for medical reasons, such as allergies (Table 2).

95 No vaccine-related misinformation was believed in 88.9% (25,041) of the participants.
96 Among the already vaccinated people, 8.1% believed at least one of the seven misinformation
97 items (Table 1, Figure 1A and Supplementary Figure 1). In contrast, 36.6% of those who refused
98 vaccination believed misinformation. To put it the other way around, 88.1% of people who did
99 not believe misinformation were willing to be vaccinated, while 63.6% of misinformation
100 believers accepted vaccination (Figure 1B). Vaccine acceptance rates declined as the number
101 of believed misinformation items increased.

102 Younger age; living by oneself; unmarried; lower education level; not having physical
103 comorbidity; having a mental illness; history of COVID-19 infection; not knowing friends who
104 had contracted COVID-19 before; not getting information about COVID-19 and its vaccination
105 from friends, medical doctors, governments, newspapers, or television; getting information
106 from the Internet including social media; and lower income were significantly associated with
107 vaccine hesitancy (Table 3). In addition, the number of believed vaccine-related
108 misinformation items was strongly associated with vaccine hesitancy, with odds ratios ranging
109 from 2.1 (believed one misinformation item) to 17.5 (believed seven misinformation items).
110 Hence, many factors associated with vaccine hesitancy overlapped with those related to
111 beliefs about misinformation. Younger age; living by oneself; unmarried; having a mental
112 illness; history of COVID-19 infection; having family members and friends who had contracted
113 COVID-19 before; not getting information from governments, newspapers, or television; getting

114 information from the Internet; and lower income were significantly associated with an increase
115 in the number of believed misinformation items ([Table 4](#)).

116 We noticed that many people who believed vaccine-related misinformation still
117 accepted vaccination ([Figure 1B](#)) and wondered whether any factors affected their attitudes
118 toward vaccination differently between individuals who did not believe misinformation and
119 those who did. [Figure 2](#) shows the odds ratios for vaccine hesitancy in the two stratified groups.
120 Although the direction of the associations was the same for most factors between the two
121 groups, two findings were notable. First, age had the opposite effect. Whereas older age
122 showed a strong association with vaccine acceptance among non-misinformation believers,
123 there was a positive association between younger age and vaccine acceptance among
124 misinformation believers. Second, the effects of some information sources were more evident
125 among individuals who believed misinformation. The association between an information
126 source from television and vaccine acceptance was stronger among misinformation believers
127 than non-misinformation believers. An information source from the Internet was found to be
128 more closely linked to vaccine hesitancy in misinformation believers than in non-
129 misinformation believers.

130

131 **Discussion**

132 In this study, we reported the prevalence of people who believed vaccine-related
133 misinformation in vaccinated and unvaccinated populations in Japan through an online survey
134 that included over 30,000 participants. We also identified the risk factors associated with
135 misinformation beliefs and vaccine hesitancy.

136 The spread of misinformation and vaccine hesitancy are major hurdles in the fight
137 against COVID-19. As with previous studies, we found that many factors, such as the absence

138 of cohabiters, low income, particular information sources, and history of COVID-19 infection,
139 are associated with misinformation beliefs and vaccination reluctance (10–12). An interesting
140 observation of the present study is that the effect of misinformation on vaccine hesitancy is
141 weak in the younger generation (Figure 2 and Supplementary Figure 1B), although COVID-19
142 vaccination coverage is generally high for older adults (1). While information from the Internet
143 helps misinformation-believers have a more obstinate attitude toward vaccine hesitancy,
144 information from television showed a positive effect on vaccine acceptance, even for
145 individuals who believed vaccine-related misinformation. Further studies on these
146 mechanisms will allow us to develop effective strategies to increase vaccination coverage in
147 the midst of an infodemic.

148 Our study has several limitations. The generalizability of the results is limited, as we
149 conducted the survey only for residents of Japan at a certain time. As the participants were
150 recruited through an online platform, we cannot rule out the existence of selection bias.
151 Although we statistically adjusted our data to the general population in the country, this could
152 have been insufficient. In addition, the self-report of vaccination status in the survey was not
153 verified by official records.

154 COVID-19 vaccination coverage in Japan is very high, reaching >80% of eligible people
155 by the end of 2021 (1). We found that 88.9% of the study participants did not believe vaccine-
156 related misinformation. In addition, among those who believed misinformation, 63.6%
157 accepted vaccination. However, there is a growing trend of vaccine hesitancy today. For
158 example, the coverage of regular vaccinations, such as one for measles, has recently
159 decreased in Japan and other countries (13,14). As the spread of misinformation repeatedly
160 hinders countermeasures for past infectious disease outbreaks (15), this tide should not be

161 disregarded for the next pandemic. Our study underscores the importance of understanding
162 risk factors for misinformation beliefs in relation to vaccine hesitancy.
163

164 **Data availability**

165 All data produced in the present study are available upon reasonable request to the
166 authors.

167

168 **Author contributions**

169 TT was a major contributor to the JACSIS survey. YF analyzed and interpreted the data
170 and wrote the first draft. All authors read and approved the final manuscript.

171

172 **Acknowledgments**

173 This work was supported by the Strategic Center of Biomedical Advanced Vaccine
174 Research and Development for Preparedness and Response (JP243fa627001 and
175 JP243fa627004) from the Japan Agency for Medical Research and Development; by the Grant-
176 in-Aid for Scientific Research (JP16KK0059, JP18H03107, JP19K10446, JP19KK0204,
177 JP21H04856, and JP23K09693) from the Japan Society for the Promotion of Science; by the
178 Health Labour Sciences Research Grants (19FA1012) from the Ministry of Health, Labour and
179 Welfare; by the Innovative Research Program on Suicide Countermeasures (R3-2-2) from the
180 Japan Suicide Countermeasures Promotion Center; by the Grants from Chiba Foundation for
181 Health Promotion & Disease Prevention (grant number not available); and by the Nagasaki
182 University State of the Art Research program from Nagasaki University (grant number not
183 available). The funders had no role in the study design, data collection and analysis, decision
184 to publish, or preparation of the manuscript.

185

186 **References**

- 187 1. Digital Agency. Vaccination Record System [Internet]. [cited 2024 May 1]. Available from:
188 <https://info.vrs.digital.go.jp/>
- 189 2. Kayano T, Ko Y, Otani K, Kobayashi T, Suzuki M, Nishiura H. Evaluating the COVID-19
190 vaccination program in Japan, 2021 using the counterfactual reproduction number. *Sci*
191 *Rep.* 2023 Oct 18;13(1):17762.
- 192 3. Lazarus JV, Wyka K, White TM, Picchio CA, Rabin K, Ratzan SC, et al. Revisiting COVID-19
193 vaccine hesitancy around the world using data from 23 countries in 2021. *Nat Commun.*
194 2022 Jul 1;13(1):3801.
- 195 4. Borges do Nascimento IJ, Pizarro AB, Almeida JM, Azzopardi-Muscat N, Gonçalves MA,
196 Björklund M, et al. Infodemics and health misinformation: a systematic review of reviews.
197 *Bull World Health Organ.* 2022 Sep 1;100(9):544–61.
- 198 5. Gallotti R, Valle F, Castaldo N, Sacco P, De Domenico M. Assessing the risks of
199 “infodemics” in response to COVID-19 epidemics. *Nat Hum Behav.* 2020 Dec;4(12):1285–
200 93.
- 201 6. Loomba S, de Figueiredo A, Piatek SJ, de Graaf K, Larson HJ. Measuring the impact of
202 COVID-19 vaccine misinformation on vaccination intent in the UK and USA. *Nat Hum*
203 *Behav.* 2021 Mar;5(3):337–48.
- 204 7. Murayama H, Suda T, Nakamoto I, Shinozaki T, Tabuchi T. Changes in social isolation and
205 loneliness prevalence during the COVID-19 pandemic in Japan: The JACSIS 2020-2021
206 study. *Front Public Health.* 2023 Feb 16;11:1094340.
- 207 8. Tabuchi T, Kiyohara K, Hoshino T, Bekki K, Inaba Y, Kunugita N. Awareness and use of
208 electronic cigarettes and heat-not-burn tobacco products in Japan. *Addiction.* 2016
209 Apr;111(4):706–13.
- 210 9. Tabuchi T, Shinozaki T, Kunugita N, Nakamura M, Tsuji I. Study Profile: The Japan “Society
211 and New Tobacco” Internet Survey (JASTIS): A Longitudinal Internet Cohort Study of Heat-
212 Not-Burn Tobacco Products, Electronic Cigarettes, and Conventional Tobacco Products in
213 Japan. *J Epidemiol.* 2019 Nov 5;29(11):444–50.
- 214 10. Ghaznavi C, Yoneoka D, Kawashima T, Eguchi A, Murakami M, Gilmour S, et al. Factors
215 associated with reversals of COVID-19 vaccination willingness: Results from two
216 longitudinal, national surveys in Japan 2021-2022. *Lancet Reg Health West Pac.* 2022
217 Oct;27:100540.
- 218 11. Okubo R, Yoshioka T, Ohfuji S, Matsuo T, Tabuchi T. COVID-19 Vaccine Hesitancy and Its
219 Associated Factors in Japan. *Vaccines (Basel)* [Internet]. 2021 Jun 17;9(6). Available from:
220 <http://dx.doi.org/10.3390/vaccines9060662>
- 221 12. Soares P, Rocha JV, Moniz M, Gama A, Laires PA, Pedro AR, et al. Factors Associated with
222 COVID-19 Vaccine Hesitancy. *Vaccines (Basel)* [Internet]. 2021 Mar 22;9(3). Available
223 from: <http://dx.doi.org/10.3390/vaccines9030300>

- 224 13. Japan Pediatric Society. Situation about MR vaccination coverage [Japanese] [Internet].
225 Available from: https://www.jpeds.or.jp/uploads/files/20240401_MR_wakuchin.pdf
- 226 14. Kaur G, Danovaro-Holliday MC, Mwinnyaa G, Gacic-Dobo M, Francis L, Grevendonk J, et
227 al. Routine Vaccination Coverage - Worldwide, 2022. *MMWR Morb Mortal Wkly Rep.* 2023
228 Oct 27;72(43):1155–61.
- 229 15. Jin SL, Kolis J, Parker J, Proctor DA, Prybylski D, Wardle C, et al. Social histories of public
230 health misinformation and infodemics: case studies of four pandemics. *Lancet Infect Dis*
231 [Internet]. 2024 Apr 19; Available from: [http://dx.doi.org/10.1016/S1473-3099\(24\)00105-1](http://dx.doi.org/10.1016/S1473-3099(24)00105-1)

232

233 **Tables**

234 Table 1 Seven vaccine-related misinformation sentences asked in JACSIS

Misinformation regarding COVID-19 vaccines
1. The reported data about vaccine safety are fabricated.
2. Vaccines for infants and children are harmful, but the fact is concealed.
3. Pharmaceutical companies hide safety concerns in vaccines.
4. Citizens are deceived about the effectiveness of vaccines.
5. The reported data about vaccine effectiveness are fabricated.
6. Citizens are deceived about the safety of vaccines.
7. Governments hide the causal association between vaccination and autism.

235

236

237 Table 2 Summary of JACSIS study about vaccine hesitancy and beliefs about vaccine-related

238 misinformation

Age group	All participants	Valid responders	Percent of valid responders	Vaccine acceptance					Number of believed vaccine-related misinformation items							
				Already vaccinated	Want to be vaccinated (waiting)	Wondering	Refuse to get vaccinated	Unable to get vaccinated because of medical reasons	0	1	2	3	4	5	6	7
10	645	573	88.8%	434 (75.7%)	37 (6.5%)	44 (7.7%)	52 (9.1%)	6 (1.0%)	471 (82.2%)	53 (9.2%)	24 (4.2%)	11 (1.9%)	6 (1.0%)	2 (0.3%)	3 (0.5%)	3 (0.5%)
20	4,107	3,626	88.3%	2,767 (76.3%)	223 (6.2%)	307 (8.5%)	305 (8.4%)	24 (0.7%)	3,055 (84.3%)	286 (7.9%)	127 (3.5%)	45 (1.2%)	31 (0.9%)	28 (0.8%)	17 (0.5%)	37 (1.0%)
30	4,652	4,149	89.2%	3,077 (74.2%)	270 (6.5%)	398 (9.6%)	371 (8.9%)	33 (0.8%)	3,589 (86.5%)	231 (5.6%)	99 (2.4%)	61 (1.5%)	24 (0.6%)	32 (0.8%)	39 (0.9%)	74 (1.8%)
40	6,078	5,454	89.7%	4,330 (79.4%)	240 (4.4%)	430 (7.9%)	388 (7.1%)	66 (1.2%)	4,798 (88.0%)	246 (4.5%)	115 (2.1%)	55 (1.0%)	56 (1.0%)	46 (0.8%)	50 (0.9%)	88 (1.6%)
50	5,289	4,785	90.5%	3,999 (83.6%)	147 (3.1%)	291 (6.1%)	311 (6.5%)	37 (0.8%)	4,274 (89.3%)	207 (4.3%)	73 (1.5%)	39 (0.8%)	28 (0.6%)	33 (0.7%)	68 (1.4%)	63 (1.3%)
60	5,267	4,882	92.7%	4,441 (91.0%)	35 (0.7%)	160 (3.3%)	209 (4.3%)	37 (0.8%)	4,489 (92.0%)	177 (3.6%)	49 (1.0%)	36 (0.7%)	19 (0.4%)	26 (0.5%)	28 (0.6%)	58 (1.2%)
70	4,962	4,706	94.8%	4,387 (93.2%)	16 (0.3%)	110 (2.3%)	164 (3.5%)	29 (0.6%)	4,365 (92.8%)	162 (3.4%)	46 (1.0%)	27 (0.6%)	31 (0.7%)	23 (0.5%)	22 (0.5%)	30 (0.6%)
Total	31,000	28,175	90.9%	23,435 (83.2%)	968 (3.4%)	1,740 (6.2%)	1,800 (6.4%)	232 (0.8%)	25,041 (88.9%)	1,362 (4.8%)	533 (1.9%)	274 (1.0%)	195 (0.7%)	190 (0.7%)	227 (0.8%)	353 (1.3%)

239

240

241 Table 3 Risk factors for vaccine hesitancy

Category	Variable	Vaccination		Unadjusted		Age-adjusted	
		Willing (already or waiting)	Reluctant (wondering or refused)	Odds ratio	P-value	Odds ratio	P-value
Sex	Male	12042 (86.8%)	1744 (12.6%)	Reference		Reference	
	Female	12361 (86.4%)	1796 (12.6%)	1.00 (0.93–1.08)	0.9283	1.02 (0.95–1.1)	0.5007
Age	15–19	471 (82.2%)	96 (16.8%)	1.14 (0.9–1.43)	0.272		
	20–29	2990 (82.5%)	612 (16.9%)	1.14 (1.02–1.28)	0.0216		
	30–39	3347 (80.7%)	769 (18.5%)	1.28 (1.15–1.43)	<0.0001		
	40–49	4570 (83.8%)	818 (15.0%)	Reference			
	50–59	4146 (86.6%)	602 (12.6%)	0.81 (0.72–0.91)	<0.0001		
	60–69	4476 (91.7%)	369 (7.6%)	0.46 (0.40–0.52)	<0.0001		
	70–	4403 (93.6%)	274 (5.8%)	0.35 (0.30–0.40)	0.3695		
Living	By oneself	4818 (81.5%)	1027 (17.4%)	1.66 (1.53–1.80)	<0.0001	1.59 (1.46–1.72)	<0.0001
Marital status	Married	15247 (89.9%)	1604 (9.5%)	0.50 (0.46–0.53)	<0.0001	0.57 (0.52–0.61)	<0.0001
Education level	Junior high school	276 (74.4%)	86 (23.2%)	2.07 (1.60–2.65)	<0.0001	2.23 (1.71–2.87)	<0.0001
	High school	6224 (86.1%)	938 (13.0%)	Reference		Reference	
	University/college	14865 (87.7%)	1957 (11.5%)	0.87 (0.80–0.95)	0.0015	0.74 (0.68–0.81)	<0.0001
	Graduate school	1127 (89.9%)	124 (9.9%)	0.73 (0.60–0.89)	0.0018	0.57 (0.46–0.69)	<0.0001
Comorbidity	Physical illness	14760 (88.4%)	1760 (10.5%)	0.65 (0.60–0.69)	<0.0001	0.78 (0.72–0.84)	<0.0001
	Mental illness	1645 (81.4%)	331 (16.4%)	1.43 (1.26–1.61)	<0.0001	1.29 (1.14–1.46)	0.0001
COVID-19 infection history	Self	399 (77.9%)	91 (17.8%)	1.59 (1.25–1.99)	0.0001	1.36 (1.02–1.80)	0.0318
	Family member	424 (79.5%)	84 (15.8%)	1.37 (1.08–1.73)	0.0084	1.09 (0.81–1.45)	0.5503
	Friend	2063 (86.4%)	284 (11.9%)	0.94 (0.83–1.07)	0.3874	0.73 (0.63–0.83)	<0.0001
Information source	Family member	12638 (89.4%)	1376 (9.7%)	0.59 (0.55–0.64)	<0.0001	1.04 (0.95–1.13)	0.443
	Friend	13355 (89.8%)	1406 (9.4%)	0.55 (0.51–0.59)	<0.0001	0.70 (0.63–0.76)	<0.0001
	Medical doctor	7799 (92.7%)	529 (6.3%)	0.37 (0.34–0.41)	<0.0001	0.60 (0.54–0.66)	<0.0001
	Expert	10083 (90.5%)	968 (8.7%)	0.53 (0.49–0.58)	<0.0001	0.97 (0.89–1.07)	0.5594
	Government	11575 (91.1%)	1019 (8.0%)	0.45 (0.41–0.48)	<0.0001	0.66 (0.61–0.72)	<0.0001
	Internet including social media	17411 (87.2%)	2375 (11.9%)	0.82 (0.76–0.88)	<0.0001	1.48 (1.35–1.62)	<0.0001
	Newspaper	11218 (92.0%)	883 (7.2%)	0.39 (0.36–0.42)	<0.0001	0.69 (0.63–0.76)	<0.0001
	Television	20429 (89.4%)	2238 (9.8%)	0.33 (0.31–0.36)	<0.0001	0.48 (0.43–0.52)	<0.0001
Income	0–3 million JPY	3977 (81.7%)	811 (16.7%)	1.58 (1.43–1.74)	<0.0001	1.82 (1.64–2.02)	<0.0001
	3–6 million JPY	7593 (87.9%)	982 (11.4%)	Reference		Reference	
	6–9 million JPY	4362 (89.3%)	494 (10.1%)	0.88 (0.78–0.98)	0.0229	0.73 (0.65–0.82)	<0.0001
	9–12 million JPY	2078 (90.8%)	198 (8.7%)	0.74 (0.63–0.86)	0.0002	0.62 (0.52–0.73)	<0.0001
	12 million– JPY	1300 (89.7%)	138 (9.5%)	0.82 (0.68–0.99)	0.0391	0.72 (0.59–0.87)	0.0007
Believed misinformation items	0	22404 (89.5%)	2464 (9.8%)	Reference		Reference	
	1	1068 (78.4%)	272 (20.0%)	2.32 (2.01–2.66)	<0.0001	2.12 (1.84–2.44)	<0.0001
	2	358 (67.2%)	165 (31.0%)	4.19 (3.46–5.05)	<0.0001	3.65 (3.01–4.42)	<0.0001
	3	171 (62.4%)	94 (34.3%)	5.00 (3.86–6.43)	<0.0001	4.56 (3.51–5.90)	<0.0001
	4	114 (58.5%)	77 (39.5%)	6.14 (4.57–8.21)	<0.0001	5.98 (4.43–8.04)	<0.0001
	5	90 (47.4%)	97 (51.1%)	9.8 (7.33–13.11)	<0.0001	9.59 (7.13–12.91)	<0.0001
	6	79 (34.8%)	141 (62.1%)	16.23 (12.32–21.53)	<0.0001	16.33 (12.33–21.78)	<0.0001
	7	119 (33.7%)	230 (65.2%)	17.57 (14.06–22.07)	<0.0001	17.46 (13.91–22.03)	<0.0001
Total		24403 (86.6%)	3540 (12.6%)				

242 Significance after age adjustment is in bold.

243


244 Table 4 Risk factors for misinformation beliefs

Category	Variable	Number of believed vaccine-related misinformation items								Unadjusted		Age-adjusted	
		0	1	2	3	4	5	6	7	Odds ratio	P-value	Odds ratio	P-value
Sex	Male	12275 (88.5%)	717 (5.2%)	272 (2.0%)	141 (1.0%)	93 (0.7%)	83 (0.6%)	104 (0.7%)	185 (1.3%)	Reference		Reference	
	Female	12766 (89.2%)	645 (4.5%)	261 (1.8%)	133 (0.9%)	102 (0.7%)	107 (0.7%)	123 (0.9%)	168 (1.2%)	0.93 (0.87-1.00)	0.0628	0.95 (0.88-1.02)	0.1388
Age	15-19	471 (82.2%)	53 (9.2%)	24 (4.2%)	11 (1.9%)	6 (1.0%)	2 (0.3%)	3 (0.5%)	3 (0.5%)	1.51 (1.20-1.88)	0.0004		
	20-29	3055 (84.3%)	286 (7.9%)	127 (3.5%)	45 (1.2%)	31 (0.9%)	28 (0.8%)	17 (0.5%)	37 (1.0%)	1.32 (1.17-1.49)	<0.0001		
	30-39	3589 (86.5%)	231 (5.6%)	99 (2.4%)	61 (1.5%)	24 (0.6%)	32 (0.8%)	39 (0.9%)	74 (1.8%)	1.13 (1.00-1.28)	0.0413		
	40-49	4798 (88.0%)	246 (4.5%)	115 (2.1%)	55 (1.0%)	56 (1.0%)	46 (0.8%)	50 (0.9%)	88 (1.6%)	Reference			
	50-59	4274 (89.3%)	207 (4.3%)	73 (1.5%)	39 (0.8%)	28 (0.6%)	33 (0.7%)	68 (1.4%)	63 (1.3%)	0.87 (0.77-0.99)	0.0301		
	60-69	4489 (82.0%)	177 (3.6%)	49 (1.0%)	36 (0.7%)	19 (0.4%)	26 (0.5%)	28 (0.6%)	58 (1.2%)	0.64 (0.56-0.72)	<0.0001		
	70+	4365 (92.8%)	162 (3.4%)	46 (1.0%)	27 (0.6%)	31 (0.7%)	23 (0.5%)	22 (0.5%)	30 (0.6%)	0.56 (0.49-0.65)	<0.0001		
Living	By oneself	5145 (87.1%)	352 (6.0%)	124 (2.1%)	67 (1.1%)	38 (0.6%)	45 (0.8%)	53 (0.9%)	86 (1.5%)	1.24 (1.14-1.35)	<0.0001	1.17 (1.07-1.27)	0.0007
Marital status	Married	15309 (90.2%)	743 (4.4%)	252 (1.5%)	148 (0.9%)	103 (0.6%)	94 (0.6%)	135 (0.8%)	185 (1.1%)	0.72 (0.66-0.77)	<0.0001	0.86 (0.79-0.93)	0.0002
Education level	Junior high school	329 (88.7%)	14 (3.8%)	12 (3.2%)	2 (0.5%)	4 (1.1%)	5 (1.3%)	4 (1.1%)	1 (0.3%)	1.18 (0.84-1.62)	0.003	1.18 (0.84-1.63)	0.3223
	High school	6519 (90.2%)	300 (4.2%)	120 (1.7%)	60 (0.8%)	48 (0.7%)	43 (0.6%)	45 (0.6%)	92 (1.3%)	Reference		Reference	
	University/college	15072 (88.9%)	811 (4.8%)	297 (1.8%)	174 (1.0%)	110 (0.6%)	120 (0.7%)	151 (0.9%)	218 (1.3%)	1.15 (1.05-1.26)	0.003	1.06 (0.96-1.16)	0.2435
	Graduate school	1117 (89.1%)	62 (4.9%)	26 (2.1%)	7 (0.6%)	9 (0.7%)	6 (0.5%)	6 (0.5%)	20 (1.6%)	1.12 (0.92-1.35)	0.2671	0.99 (0.81-1.20)	0.8907
Comorbidity	Physical illness	14883 (89.1%)	786 (4.7%)	337 (2.0%)	169 (1.0%)	98 (0.6%)	114 (0.7%)	134 (0.8%)	179 (1.1%)	0.94 (0.87-1.01)	0.0998	1.06 (0.98-1.14)	0.1765
	Mental illness	1643 (81.3%)	153 (7.6%)	92 (4.6%)	30 (1.5%)	15 (0.7%)	29 (1.4%)	20 (1.0%)	39 (1.9%)	1.94 (1.72-2.18)	<0.0001	1.73 (1.53-1.94)	<0.0001
COVID-19 infection history	Self	363 (70.9%)	75 (14.6%)	44 (8.6%)	19 (3.7%)	4 (0.8%)	0 (0%)	1 (0.2%)	6 (1.2%)	3.08 (2.54-3.70)	<0.0001	1.62 (1.26-2.07)	0.0002
	Family member	377 (70.7%)	70 (13.1%)	50 (9.4%)	20 (3.8%)	5 (0.9%)	3 (0.6%)	1 (0.2%)	7 (1.3%)	3.16 (2.62-3.79)	<0.0001	1.90 (1.49-2.42)	<0.0001
	Friend	1999 (83.7%)	166 (7.0%)	86 (3.6%)	36 (1.5%)	17 (0.7%)	20 (0.8%)	33 (1.4%)	30 (1.3%)	1.61 (1.44-1.81)	<0.0001	1.19 (1.05-1.34)	0.0074
Information source	Family member	12682 (89.7%)	664 (4.7%)	242 (1.7%)	118 (0.8%)	90 (0.6%)	95 (0.7%)	104 (0.7%)	141 (1.0%)	0.84 (0.78-0.9)	<0.0001	0.93 (0.85-1.02)	0.1472
	Friend	13258 (89.1%)	763 (5.1%)	264 (1.8%)	148 (1.0%)	105 (0.7%)	96 (0.6%)	101 (0.7%)	144 (1.0%)	0.94 (0.87-1.01)	0.1064	1.02 (0.93-1.12)	0.685
	Medical doctor	7578 (90.0%)	384 (4.6%)	151 (1.8%)	77 (0.9%)	54 (0.6%)	55 (0.7%)	43 (0.5%)	74 (0.9%)	0.84 (0.77-0.91)	<0.0001	1.06 (0.96-1.16)	0.2267
	Expert	10022 (89.8%)	538 (4.8%)	201 (1.8%)	89 (0.8%)	56 (0.5%)	57 (0.5%)	69 (0.6%)	113 (1.0%)	0.83 (0.77-0.89)	<0.0001	1.03 (0.94-1.13)	0.4996
	Government	11564 (91.0%)	526 (4.1%)	206 (1.6%)	100 (0.8%)	69 (0.5%)	66 (0.5%)	80 (0.6%)	97 (0.8%)	0.67 (0.62-0.72)	<0.0001	0.71 (0.65-0.78)	<0.0001
	Internet including social media	17659 (88.4%)	1012 (5.1%)	398 (2.0%)	208 (1.0%)	138 (0.7%)	139 (0.7%)	174 (0.9%)	240 (1.2%)	1.17 (1.07-1.27)	0.0004	1.60 (1.45-1.77)	<0.0001
	Newspaper	11123 (91.3%)	513 (4.2%)	174 (1.4%)	94 (0.8%)	63 (0.5%)	63 (0.5%)	66 (0.5%)	93 (0.8%)	0.64 (0.59-0.69)	<0.0001	0.88 (0.80-0.96)	0.0046
	Television	20626 (90.3%)	1048 (4.6%)	366 (1.6%)	201 (0.9%)	146 (0.6%)	129 (0.6%)	144 (0.6%)	192 (0.8%)	0.51 (0.47-0.56)	<0.0001	0.53 (0.48-0.58)	<0.0001
Income	0-3 million JPY	4262 (87.5%)	262 (5.4%)	98 (2.0%)	58 (1.2%)	30 (0.6%)	32 (0.7%)	47 (1.0%)	81 (1.7%)	1.21 (1.08-1.35)	0.0007	1.29 (1.15-1.44)	<0.0001
	3-6 million JPY	7722 (89.4%)	395 (4.6%)	153 (1.8%)	100 (1.2%)	70 (0.8%)	49 (0.6%)	64 (0.7%)	83 (1.0%)	Reference		Reference	
	6-9 million JPY	4348 (89.0%)	242 (5.0%)	92 (1.9%)	55 (1.1%)	23 (0.5%)	33 (0.7%)	35 (0.7%)	55 (1.1%)	1.04 (0.93-1.16)	0.5246	0.94 (0.83-1.05)	0.2516
	9-12 million JPY	2015 (88.0%)	133 (5.8%)	40 (1.7%)	15 (0.7%)	20 (0.9%)	18 (0.8%)	20 (0.9%)	28 (1.2%)	1.14 (0.99-1.32)	0.0667	1.03 (0.89-1.19)	0.7007
	12 million+ JPY	1268 (87.5%)	70 (4.8%)	40 (2.8%)	9 (0.6%)	14 (1.0%)	12 (0.8%)	15 (1.0%)	21 (1.4%)	1.21 (1.02-1.43)	0.0256	1.12 (0.94-1.33)	0.183
Total		25041 (88.9%)	1362 (4.8%)	533 (1.9%)	274 (1.0%)	195 (0.7%)	190 (0.7%)	227 (0.8%)	353 (1.3%)				

245 Significance after age adjustment is in bold.

246

247 **Figures**




248

249 **Figure 1** Prevalence of vaccine hesitancy and misinformation beliefs

250 A) The prevalence of beliefs about vaccine-related misinformation was stratified by attitudes toward vaccination. B) The proportions of
 251 vaccine acceptance and hesitancy were shown by the number of believed misinformation items. “1–7” indicates people who believed at
 252 least one vaccine-related misinformation item. The survey results were adjusted for age, residence, educational level, marital status,
 253 and self-rated health consciousness to fit the general population in Japan. The results for each age group are shown in [Supplementary](#)
 254 [Figure 1](#).

255



256

257 Figure 2 Factors associated with vaccine hesitancy in non-misinformation and misinformation believers

258 The age-adjusted odds ratios for vaccine hesitancy in non-misinformation believers (zero believed misinformation items) and

259 misinformation believers (2 or more believed misinformation items) are shown. Vertical lines indicate 95% confidence intervals.

260