	1	Full Title:	Violence	against	women d	and children	in \	Yemen: A	A mixed
--	---	-------------	----------	---------	---------	--------------	------	----------	---------

- 2 methods systematic review
- 3 Short Title: Violence against women and children in Yemen

- 5 Samana Shreedhar<sup>1</sup>, Sayali Arvind Chavan<sup>1,2</sup>, Marwah Al-Zumair<sup>2</sup>, Mirna Naccache<sup>2</sup>, Priya
- 6 Shreedhar, Lauren Maxwell<sup>2\*</sup>
- 7 Institute of Tropical Medicine and Public Health, Charité-Universitätsmedizin Berlin, Berlin,
- 8 Germany

- 9 <sup>2</sup> Heidelberg Institute of Global Health, Universitatklinikum Heidelberg, Germany
- 10 \*Corresponding Author
- 11 Email: lauren.maxwell@uni-heidelberg.de (LM)

# 12 Abstract

- 13 Violence against women and children (VAWC) is a significant health and human rights issue
- 14 closely tied to multiple Sustainable Development Goals. While VAWC is prevalent in all
- 15 countries, the severity and incidence of VAWC increase during wars, natural disasters,
- 16 economic crises, and pandemics, all of which have affected Yemen in recent years. This

systematic review synthesizes evidence from qualitative and quantitative studies on the types, prevalence, perpetrators of, and risk factors for VAWC in Yemen. Before initiating the search, the protocol and search strategy were registered to PROSPERO (CRD42021237855). We systematically searched four biomedical databases and grey literature sources and used reverse snowball sampling to identify eligible studies. The 31 studies included in the analysis depicted a range of forms of VAWC, encompassing honor violence, female genital mutilation and cutting, early and very early marriage, tourist marriage, family and intimate partner violence, and gender inequities in access to food, education, and medical care. Included studies reported a high prevalence of many forms of violence, including corporal punishment in schools and intimate partner violence. We reviewed study quality and how studies addressed ethical concerns in VAWC-related research. We found that several studies did not report ethics review or interviewer training and no studies discussed safety planning or addressing the mental health needs of participants in VAWC research. This systematic review provides a much-needed synthesis of existing research on VAWC in Yemen. Since the start of the 2014 war, Yemen has become the world's largest humanitarian crisis, with the highest rate of maternal mortality and gender inequality in the world. We only identified one study initiated after the recent war in Yemen. This deficiency represents a missed opportunity to understand how the ongoing war has reversed prior gains in reducing the prevalence of child and very early child marriage and introduced new forms of gender-based violence, including tourist marriage.

# Keywords

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

Gender-based violence, violence against women and children, intimate partner violence, honor

killing, tourist marriage, gender inequities, intersectionality, research ethics, Yemen

# Introduction

Violence against women and children (VAWC) is a global human rights issue that closely relates to the achievement of the Sustainable Development Goals (SDGs), particularly Goal 5, which aims to achieve gender equality and empower all women and girls and Goal 16, which seeks to promote peaceful and inclusive societies for sustainable development, provide access to justice for all, and build effective, accountable institutions. In this systematic review (SR), we summarize primary and secondary research related to the forms, perpetrators, consequences, and reporting of VAWC in Yemen to inform future research and the development of interventions that prevent VAWC in Yemen or address the consequences of VAWC.

## Humanitarian crisis

In 2023, eighty percent of Yemen's population of 29.8 million people required humanitarian assistance [1], and 4.5 million people were internally displaced [2], making Yemen the world's largest humanitarian crisis. The recent war has decimated the country's economy, healthcare, education, and infrastructure [3]. In addition to the ongoing humanitarian crisis, Yemen has deeply entrenched gender inequities where limited resources mean that women and girls do not have the same access to limited educational, health care, or food resources as their male counterparts [4,5]. As in any

humanitarian crisis [6], the prolonged war disproportionately affected Yemeni women

and children.

Non-governmental organizations (NGOs) in Yemen report increased levels of forced, early marriage and trafficking of girls and young children in response to the ongoing war [7]. Girls are sexually exploited in bars and restaurants in the larger towns of Yemen and may be forced to traffic illegal drugs [8]. Both Saudi and Houthi forces have used child soldiers [9]. The economic crisis and targeted attacks on infrastructure, including education, health care, and government services, mean that child labor has become commonplace [8], affecting mental and physical health (19). Where school bombings have not occurred, parents are reluctant to send their children to school for fear of bombing, trafficking, recruitment of child soldiers, and other forms of community or

### Violence against women

war-related violence [10].

Intimate partner violence (IPV), defined as "behavior by an intimate partner or expartner that leads to physical, sexual or psychological harm, including aggression, sexual coercion, psychological abuse, and controlling behaviors" [11], is the most prevalent form of gender-based violence (GBV) globally. Longstanding gender inequities codified into law mean that Yemeni women, their families, and their community may perceive their experience of IPV, including marital rape, as their fault [12]. Societal stigma associated with physical and sexual violence means that women and children have limited options for support or for reporting violence. Where support is available, the

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

stigmatization of women or children who experience violence, especially sexual violence, prevents reporting or accessing available services [13]. Violence against children The World Health Organization (WHO) defines violence against children (VAC) as "violence in all forms experienced by children who are under 18 years old, perpetrated by parents or other caregivers, peers, romantic partners, or strangers" [14,15]. Globally, 75% of children experience physical or emotional abuse from their parents, peers, or caretakers [14,15]. Female genital mutilation or cutting (FGM/C), defined as "all procedures involving partial or total removal of the external female genitalia or other intentional injuries to the female genital organs for non-medical reasons," [16] is a prevalent cultural practice in Yemen and elsewhere in the Middle East and North Africa (MENA) and sub-Saharan Africa (SSA) [17]. The practice of FGM/C leads to an increase in urinary, vaginal, and pregnancy-related morbidities and mortalities, repeat surgeries, and death [12]. Gender inequitable access to food, education, employment, health care, and legal protections In 2021, Yemen ranked last out of 170 countries on the Gender Inequality Index (GII) [18]. Educational attainment and literacy in Yemen are low (8, 10), especially for women and only 6% of women work outside of their home [5]. Yemen has two legal systems,

Shari'a and Kabeelee, or tribal law. Under Shari'a law, Yemeni women lack child custody

protections and have limited to no right to divorce, property rights, or the right to manage their finances [19]. In contrast, men are legally entitled to control their spouse's money and property, are the default recipients of child custody, and can divorce their wives by saying "talaq" [19]. Marital rape remains non-criminalized [20] even though Yemen acceded to the Convention on the Elimination of All Forms of Discrimination Against Women (CEDAW) in 1984, mandating states to ensure that marriage is founded on free and full consent [21]. Yemen does not have a minimum age of marriage, even though Yemen ratified the Convention on the Rights of the Child in 1989, setting 18 as the minimum age for marriage.

## Intersectionality and violence against women and children

Minority ethnic groups in Yemen, including the indigenous *Akhdam* or *Muhamasheen* community and refugees from Somalia, Sudan, or Ethiopia, face high levels of discrimination and violence in Yemen, including sexual assault and rape [22]. Homosexuality in Yemen is a criminal offence under *Shari'a* law that is punishable by death, which means that violence against lesbian, gay, bisexual, transgender, queer, and intersex (LGBTQI) likely goes unreported [22].

# **Materials and Methods**

We used a mixed-methods SR design with a narrative synthesis approach to provide a broad overview of VAWC that could be used to inform policymakers and develop research priorities [23]. The SR protocol was developed using the 2015 Preferred

Reporting Items for Systematic Reviews and Meta-Analyses Protocols (PRISMA-P) guidelines [24] and registered on the PROSPERO Register of Systematic Reviews before initiating the search (CRD42021237855). We followed the 2020 PRISMA guidelines for conducting and reporting systematic reviews [25] and reported the PRISMA elements in Supplementary Table S1.

## Search strategy

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

We conducted a systematic search of four electronic databases, Ovid (MEDLINE) and (Embase), Cumulated Index to Nursing and Allied Health Literature (CINAHL), and Web of Science (WoS), using a combination of MeSH and text terms (S2 Table). We ran the searches on 18 February 2021 and did not include language or date restrictions. We updated the search for Ovid (Medline), WoS, and CINAHL on 8 April 2024 but no longer had access to Ovid (Embase) and did not rerun that search. We also searched for additional citations using backward snowball sampling [26], reviewing the citations in included studies. Additional studies were identified through grey literature searches, using the Google search engine and reviewing NGO websites, including the United Nations High Commissioner for Refugees (UNHCR), Save the Children, United Nations Children's Fund (UNICEF), and United Nations Family Planning Association (UNFPA) websites. We also reviewed Yemen country reports from the Demographic and Health Surveys (DHS) and the Multi-Cluster Indicator Surveys (MICS), population-representative survey research initiatives that focus on maternal and child health (MCH)-related outcomes.

### Inclusion criteria

Included studies were primary research studies that used any design and that reported on any form of sexual, physical, emotional, or economic violence against Yemeni women and children, including IPV and family violence (early or very early marriage or forced marriage, femicide, prenatal sex selection, female infanticide, FGM/C, gendered access to food, education, vaccines, healthcare, employment; dowry-related violence; honor killings; child labor; child neglect and maltreatment) workplace violence; war-related violence (child soldiers, captivity, trafficking of women and children, war-related sexual violence, physical attacks on women and children (e.g., rape, bombing), indirect attacks (bombing of water treatment facilities, hospitals, schools); pandemic-related violence (child labor, increased family, or IPV), violence related to displacement, gendered access to masks or COVID-19 treatments or vaccines. Studies that did not report on VAWC in Yemen and publications that did not represent primary research or secondary analyses of participant-level data (e.g., commentaries, systematic reviews, editorials) were excluded.

## Data extraction and management

Citations were exported to EndNote (version 9.3.3) for deduplication using the Braner approach [27]. Citations were then exported to Covidence version 2.0 [28] for title-abstract and full-text screening and data extraction using a pre-piloted data extraction form (Supplementary Text 5). Three reviewers (SC, MAL, SS) independently conducted the screening and data extraction. A fourth reviewer (LM) resolved disagreements. A

meta-analysis was not possible due to the heterogeneity of study designs, types of violence, and age groups. We used thematic synthesis [29] to summarize findings across studies. We treated different types of violence as themes and identified additional themes, including risk factors, perpetrators, resources, and barriers to accessing resources, from the included studies and our review of related literature.

### Quality assessment

We assessed the quality of included primary research studies using the Mixed Method Analysis Tool (MMAT), version 2018 [30], which reviews the study's design, sampling strategy, generalizability, data collection methods, integrity of intervention (where applicable), and analytic approach. We did not review the quality of population-level surveys (e.g., MICS, DHS, Arab Family Survey), which are generally regarded as high quality. Quality assessment criteria were applied by two independent reviewers (SS, MN); disagreements were resolved through a third reviewer (LM).

# Results

The screening process is summarized in the PRISMA Flow diagram [25] shown in Figure 1. From the initial search of the database conducted in February 2021, we identified 459 abstracts, while in the updated search done in April 2024, 106 abstracts were identified. After removing duplicates, 356 titles and abstracts (291 from the initial search and 65 from the updated search) were reviewed in Covidence. Subsequently, 63 studies were assessed for full-text eligibility, with 32 studies excluded for being systematic reviews,

commentaries, editorials, or other non-primary research (19 studies) or for not measuring violence or stigma against Yemeni women and children (13 studies). Data was extracted from the 31 studies (6 reports and 25 articles(2 of which are grey literature sources)) that met the inclusion criteria. For details on the reasons for exclusion at the full-text review stage, refer to Supplementary Table S3.

### **Overview of included studies**

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

Table 1 provides an overview of the types of violence, risk factors, and consequences examined in the included studies, excluding data from the Yemen DHS and MICS reports (n=4) as they were included in other studies in the table. We identified 17 primary research studies, six reports, and eight secondary analyses that met the study inclusion criteria. Studies and reports included a diversity of age groups and types of violence and covered all of Yemen's 22 governorates. Primary research included four qualitative studies and two qualitative components of mixed-method studies [7,21,31-34]. Most qualitative studies conducted in-depth interviews (IDIs; N=3), one study used a focus group discussion (FGD) approach [21], and two studies analyzed answers to open-ended questions in a cross-sectional questionnaire [32,34]. Supplementary Table S4 provides a detailed overview of quantitative studies and the quantitative estimates in mixed studies, including types of violence, measurement approach, point estimates (e.g., prevalence), measures of uncertainty (if any), associated risk factors, and regional differences. All 20 quantitative studies employed a cross-sectional design. Four quantitative studies [16,35–37] used DHS data [12,38,39]. Two studies [36,40] used data

from MICSs [41], and five studies used data from various national and sub-national household surveys conducted in Yemen [42–46].

Studies included different types of VAWC, offenders or perpetrators of violence, location of violence, risk factors, consequences of violence, and information on ethical concerns, access to services, or safety planning. We identified two studies related to early child marriage [7,21], seven studies on child abuse or maltreatment [21,40,47–51], five studies on FGM/C [16,36,43,44,46], seven studies on gender differences in education or health care services [35,37,42,45,52–54], and one study on community violence [31], IPV [32], attitudes towards honor violence [21], GBV [33], gender preference [37], dentist's reports of suspected violence [55], and stigmatizing attitudes towards women with human immunodeficiency virus (HIV) [56]. No studies presented information on pandemic or war-related VAWC.

All studies reported on risk factors and perpetrators, and most studies described barriers to reporting violence [7,16,31–34,36,40,42–44,47–53,55,57]. Other than the DHS and MICS, which are country-wide, studies that collected primary data were conducted in Aden, Sana'a, Al Hudaydah, Taiz, Al-Mukalla, Al-Mahrah, Lahij, and Hadramout governorates. Most studies included both urban and rural areas, although a few studies were limited to urban (N=2) [49,54] or rural (N=1) [44] populations. In most studies, verbal consent, as opposed to written consent, was obtained. This practice

could be attributed to concerns about participant safety in research related to VAWC or to Yemen's generally low literacy level. Over half of the studies (25 of 31) were conducted before the 2014 war. While most VAWC occurs within the home, three articles found that women were also likely to experience GBV outside the home [32–34].

# Types of VAWC

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

### Family and intimate partner violence against women

Neither the DHS from 1991/92, 1997, or 2013 nor the 2005/6 MICS included questions on women's experience of partner or family violence. In addition to the DHS and MICS, two quantitative studies examined IPV [21,32]. One 2002 study of a stratified random sample of 111 ever-partnered women aged 15-55 in two areas of Sana'a found that 55% of women had experienced physical IPV (beatings, confinement to home, torture), 51% experienced threats, and 17% experienced sexual IPV [32]. Participants also reported experiencing violence perpetrated by their sons, brothers, fathers, mothers, and uncles [32]. Many participants reported that the violence they experienced was "normal" and expected given societal norms [32]. Honor violence often occurs as a punitive response to perceived sexual immodesty in young girls, including after cases of sexual violence where the attribution of blame lies with the victim [21]. A 2009 qualitative study found that teenage girls in Yemen internalized honor violence. Participants reported acceptance of harsh punishments for girls who experienced sexual violence because they had 'allowed' or invited the violence [21].

### Early and very early child marriage

The 1991/92 DHS revealed that 31% of girls were married by the age of 15 [38], a figure that decreased to 29% in the 1997 DHS [39] and further dropped to 14% in the 2006 MICS [41], and significantly decreased to 3% in the 2013 DHS [12]. A 2009 focus group study involving 138 Yemeni girls aged 12 to 18 discovered that financially insecure families felt compelled to marry off their young daughters [21].

"First, I got married at 11, and second, my maternal uncle married me off. He found the groom through his connections, and he was 50 years old. It was a marriage of avarice. My uncle got a bribe of 200,000 rials, and my father got 160,000 in money and 300,000 in gold (dowry)....On the day of my marriage, I still had not reached puberty, and I reached puberty only in his house. He had intercourse with me on the first night, and of course, I did not know what a man does to a woman or how to act...my feelings on that night were horrible. I thought he was going to kill me, and he took me by force. I tried to defend myself that night, and I could not and then I fainted and lost consciousness and recovered only in the morning, and he left me alone to get rest." (p. 462-463, [21]).

## Tourist marriage

Tourist marriage, a recent manifestation of child marriage, involves a temporary union between a Yemeni girl and a man from a wealthy Gulf country. This phenomenon has

arisen in response to the ongoing humanitarian crisis in Yemen stemming from the 2014 war. Tourist marriages can last from one day to several months and represent a temporary agreement rather than a legal marriage [7,21]. In a qualitative study involving stakeholders at NGOs focused on working and helping Yemeni women and children in crisis, a participant highlighted poverty as the primary factor contributing to the increasing incidence of this emerging form of child marriage [7].

"Poverty, economic hardship, unemployment and increasing cost of living were all raised as reasons for families to resort to child marriage as a coping mechanism to permit them to alleviate poverty or the burdens of a large family with many daughters. Girls from low-income families are more likely to marry before 18" (p. 9, [7]).

### Female genital mutilation and cutting

Five cross-sectional studies measured FGM/C, defined as "all procedures involving partial or total removal of the external female genitalia or other intentional injuries to the female genital organs for non-medical reasons" [16,36,43,44,46]. Three studies assessed both women's and their husbands' attitudes toward FGM/C [16,44,46]. Estimates of the prevalence of FGM/C ranged from 16% in a 2008 subnational survey [44] and the 2013 DHS [12] to around 20% in the 1997 DHS [39] and the 2003 Arab Family Health Survey [43] and 89% in a population-representative FGM/C-specific survey in three southern Yemeni governorates [46]. Traditional birth attendants called daya, gedah, kharshofa, or gabila conducted FGM/C at home or in the community

[16,44,46]. While some studies found maternal education and knowledge of the harms of FGM/C was predictive of their daughter's likelihood of experiencing FGM/C [16,44], other studies did not [46].

## Gender preference

The 1991/92 and 1997 DHS found that 20% and 33% of ever-married women preferred having a male over a female child [38,39]. In one qualitative study where 220 women aged <25 to >35 in Aden, Lahij, Hadramaut, Taiz, and Al Hudaydah governorates were asked about their gender preferences, respondents reported that they "pray to God" for a boy and not a girl child to make their husband happy [34].

"I had nine daughters; my husband wants a son. I was so frightened, it's a girl that I started a fever and was shivering from fright." (pregnant woman, aged 33, urban residence) (p. 7, [34])

"My husband is only waiting to hear the good news that the baby is a boy; he never thinks of me, only the gender of the baby, and I feel very badly." (woman with three living children, aged 22, rural residence) (p. 7, [34])

#### Gender inequitable access to food, medical care, and education

Six studies described gender inequities in access to food, medical services, or education using data from qualitative studies [42,52–54], the DHS [35], the Pan Arab Project for Family Health (PAPFAM) [42], and the 2016 Household Income, Expenditure and Consumption Surveys (HIECS) [45]. A cross-sectional quantitative study on

gendered access to education with 8-15-year-olds in 20 Yemeni districts found that over 30% of girls were not able or allowed to attend school, compared to 10% of boys [42]. A cross-sectional, multi-country survey on gendered access to medical care, found that Yemeni boys exhibited a higher likelihood of seeking or receiving hospital care compared to girls (prevalence sex ratio 0.85; p<0.05) [35]. A statistically significant proportion of women (3.66 on a scale of 1 to 5; p<0.001) reported feeling guilty for accessing medical services and were less likely than their male counterparts to spend money on medical care [53]. A 2005 cross-sectional study on gender and literacy as determinants of care-seeking behavior found that 63% of low-literacy women delayed diagnosis of tuberculosis (TB) (longer than eight weeks) compared to 44% of fully literate women [52]. In a 2007 study, most women (69%) reported having been harmed by family members when seeking medical care within the formal health system [53]. The two cross-sectional surveys mentioned above also found that women must seek permission from their husbands or male family members before visiting a doctor or clinic [52,53].

#### Child abuse or maltreatment

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

Seven studies measured violence against children (VAC) at home or in school, including emotional, physical, and sexual abuse [33,40,47–51]. The majority of the studies were cross-sectional. Four studies conducted interviews with children to gather information about their own experiences of abuse [21,47,48,51]. Two studies analyzed caregiver (mothers, aunts, grandmothers, guardians, teachers) reports of child abuse, either

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

abuse that they had witnessed or been told about [40.50]. One study examined MICS data to determine the different forms of child abuse and related risk factors [40]. A high level (around 80%) of adults reported experiencing emotional abuse in their childhood across studies [40,47,49-51]. The 2013 DHS reported that 42% of children aged 2-14 (n=5,731) were exposed to severe physical punishment (being hit on the head or face with hands or by an implement) in the month before the survey. Nearly 80% (n=10,774) faced some form of physical discipline in the same timeframe [12]. The 2006 MICS reported that 94% of children aged 2-14 (n=2,702) were ever exposed to at least one form of physical or psychological abuse, and over 20% of children aged 5-14 (n=1,733) were engaged in child labor [41]. Three studies found a high prevalence of emotional and physical abuse among school children in Sana'a and four randomly selected districts of Aden [47,48,51]. A 2011 study of the different forms of child abuse prevalent in Yemen found that more than 90% of children aged 2-14 ever experienced emotional abuse [40], and a 2019 cross-sectional study found that 35% of students aged 18-24 reported experience of sexual abuse during their childhood [49]. A 2008 study of a random sample of students aged 7-10 (n=1,196) and another 2019 study with a random sample of students from five colleges at Hadramaut University (n=395) found shouting, yelling, hitting by hands, severe physical punishments, and sexual abuse to be commonly experienced by children [49,50]. Close to 60% of the interviewed mothers (n=119) of school-aged children living in rural areas reported hitting their children with their hands to discipline them [50]. Thirty-five per cent of students in one quantitative study (n=139) experienced sexual violence during

childhood, defined as being "spoken to in a sexual way, unwanted sexual touching, forced to watch movies, take naked photos" [49]. Eighty per cent of students experienced verbal sexual harassment (n=111), and 19% (n=26) were coerced into watching pornographic movies [49].

# **Perpetrators of violence**

Most studies reported child abuse perpetrators as parents or other family members, teachers, and school principals in schools or universities [40,47–51]. FGM/C practices were mainly carried out by family, traditional healers, and community members at home or in health facilities [16,36,43,44]. Both partners and parents perpetrated honor violence [32].

## Legal context

Legal protections for women and children facing violence are limited. In cases of sexual violence against women or girls, families might force their daughters to marry the perpetrator as a means of restoring the family's honor [7,21]. Divorced women are often blamed for their divorce [32]. One 2002 qualitative study found that Yemeni women felt that:

'Women have no rights...We are second-class citizens. Nobody listens, nobody cares, people think this is normal, but it is not normal" (p.343, [32]).

In the same study, a participant reported,

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

"I do not believe what I hear from the media about equality between man and woman in our society. Our society is a men's society. Men decide what is right and what is wrong, not only in the family but in the whole society. They interpret the holy Qur'an in harmony with their interest. We know that our religion (Islam) guarantees many rights for women, but men accept only what is good for them and do not accept what is not good for them. For example, in some parts of Yemen, the community does not accept women's inheritance: this is against Islamic law! This is because they don't accept women as people" (p.343, [32]). While Yemen is considering a bill that specifies girls should be at least 18 to marry, the bill has not been passed into law. In addition to country-level legal prohibitions against child marriage, alternative approaches that leverage Islamic prohibitions against child marriage are needed [21]. According to a workshop conducted by the Arab Resource Collective (ARC), early marriages are practiced due to weak laws and the inability to feed children [21]. The lack of birth or marriage registries makes it challenging to track the girls' age at marriage [7,21], and the ongoing conflict has set back previous progress toward reducing child marriage in Yemen. "A boy and a girl can be considered adults, making it difficult for them to understand that they are marrying children. We managed to include it in the national dialogue, and we succeeded. But unfortunately, [child marriage] is now on hold due to conflict" (p. 10, [7]).

In a study aiming to gather participant suggestions for mitigating child marriage, recommendations included providing financial support to families for girls' education, funding NGOs dedicated to addressing child marriage, raising awareness within communities about girls' rights, and implementing local interventions as potential strategies

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
Al- Khulaidi, 2013 [16]	Aden, Al Hudaydah , Sana'a, Taiz, Hadramau t, Ibb, Dhamar, Al Mahwit, Hajjah, Amran, Sa'dah, Lahij, Al Bayda, Marib, Al Jawf, Shabwah, Al Mahrah, Raymah	11,528 women aged 15- 49	Both	Quantitati ve (secondar y data analysis: Yemen DHS 1997 & 2003 data)	What are the prevailing attitudes of Yemeni women and their husbands towards FGM/C?	FGM/C	Home, health facility	Family members, society, traditional birth attendant s, traditional healers, medical personnel, barbers	Paternal support for or family history of FGM/C; low SES; cultural traditions; low level of maternal education	Septicemi a; death; obstructe d or prolonged labor, severe postpartu m bleeding; post- pregnanc y complicati ons	Lack of awareness of FGM/C; stigma associated with reporting
Alosaimi, 2019 [44]	Alazareq (Dhale), Asabrah & Fara'a Aludain (Ibb), Mokaa & Maoza (Taiz), & Azidiah (Al Hudaydah	4238 women aged 15- 49	Rural	Quantitati ve (secondar y data a nalysis: HBMNC 2008- 2009)	What are the factors associated with FGM/C in Yemen?	FGM/C	Home	Family members, traditional healers	Low SES or level of maternal education; mother's FGM/C experience; cultural norms; child marriage; qat use	Risk of neonatal death and low infant birth weight; sexual, mental, and social conseque nces for women	Poor implemen tation of laws against FGM/C; cultural norms, including FGM/C as a requirement for

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
											marriage and family honor
Al Taj, 2023 [46]	Al- Mahrah, Al Hudaydah h, Hadramau t governora tes	646 women; 354 men	Both	Quantitati ve (cross- sectional questionn aire)	What are the factors associated with FGM/C in Yemen?	FGM/C	Home	Family members, traditional healers	Maternal age; parental support for or family history of FGM/C; rural residence; low level of paternal education; geographic location	NS	NS
Alyahri 2008 [50]	Mukalla (Hadramo ut), Turban, (Lahji)	Caregivers and teachers of 1,196 Yemeni children aged 7–10	Both	Quantitati ve (cross- sectional questionn aire)	What are the types, determina nts, and prevalenc e of harsh corporal punishme nt in Yemen?	Child a buse	Home	Family members	Rural residency; lower level of maternal education; male gender of the child; more significant number of children in a household	Poor academic performa nce; behaviora   disorders	Parental acceptanc e of corporal punishme nt
Akmatov,	28 LMIC,	Mothers/c	Bot h	Quantitati	What is	Child	Home	Parents	Male	Poor	Parental
2011 [40]	including Yemen	aretakers of 2,845 Yemeni		ve (secondar y data	the prevalenc e of	abuse		and adult guardians	gender of child; higher	academic performa nce;	acceptanc e of corporal

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
		children aged 2-14		analysis: Yemen MICS 2006)	different forms of child abuse and the factors associated with them (countries including Yemen?				number of household members; low SES; age of the child (younger children face a higher risk); urban residency	mental health disorders; substance abuse	punishme nt; parents' denial of abuse; low school enrollmen t precludes school- based programs to prevent child abuse
Assaad, 2019 [45]	8 MENA countries, including Yemen	19,168 Yemeni children aged 12- 18	Both	Quantitati ve (secondar y data analysis: Yemen HIECS 2006)	What is the relationshi p between the education al attainmen t of MENA youth and the circumstances they are born into?	Gendered access to education	Home, Communit y	Governme nt, communit ies, parents	Prioritizati on of the education of male versus female children in both urban and rural household s; rural residency; lack of parental education; low SES	Gender gap in education attainmen t	NS
Badahdah, 2016 [56]	Yemen	613 male and female undergrad uate students	NS	Quantitati ve (cross- sectional questionn aire)	What are the attitudes of young adults in Yemen	Stigmatizi ng attitudes towards WLWH	Communit y, country	Communit y members	Men were more likely than women to stigmatize PLWH and	WLWH face increased prejudice and discrimina	NA

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
		from a public university			towards the sexual and reproducti ve rights of WLWH?				support restriction s to SRHR of WLWH.	tion compared to men living with HIV. Restrictio ns to SRHR of WLWH is widely supported	
Bamat raf, 2019 [49]	Al-Mukalla city	395 students from Hadramau t University (academic year 2015- 2016)	Urban	Quantitati ve (cross- sectional questionn aire)	What are the prevalenc e and risk factors of various forms of child abuse faced by Yemeni youth?	Child abuse	Home, schools, public	Parents, friends, neighbors, teachers, drivers, strangers, relatives (uncles, aunts, cousins,	Male gender of the child (who face a higher risk of physical, emotional, and sexual abuse); history of violence in the family; existence of mental health issues among parents	Poor academic performa nce; mental health issues including anxiety, depressio n, nightmare s, suicidal tendencie s, violent behavior, and revenge ideation	Cultural and societal acceptanc e of harsh or corporal disciplinin g of children; poor implemen tation of laws against child abuse
Ba-Saddik, 2012 [47]	4 districts in Aden	1066 students, aged 12- 17, from 8 schools	NS	Quantitati ve (cross- sectional questionn aire)	What is the prevalenc e of emotional abuse	Child abuse (Emotiona I abuse)	Schools	Teachers and other school administra tive staff	Male gender of the child; cultural acceptanc e of	Poor academic performa nce; adverse impacts	Cultural acceptanc e of emotional abuse in school

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
					faced by Yemeni students and the associated risk factors?				emotional abuse tactics in classrooms ; age of the student (older students face a higher risk); higher number of household members; lower levels of parental (especially paternal) education	on cognitive, emotional , and physical health	
Ba-Saddik, 2013 [48]	4 districts in Aden	1066 students, aged 12- 17, from 8 schools	NS	Quantitati ve (cross- sectional questionn aire)	What is the prevalence of physical abuse faced by Yemeni students and the associated risk factors?	Child abuse (Physical abuse)	Schools	Teachers and other school administra tive staff	Male gender of the child; social acceptanc e of classroom corporal punishmen t; student age (older students face a higher risk);	Poor academic performa nce; mental health issues; criminal behavior; social isolation; substance abuse; obesity; risky	Social acceptanc e of corporal punishme nt in classroom s

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
									higher number of household members; lower levels of paternal education	sexual behaviors	
Chamberl ain, 2007 [53]	Yemen, Uganda, Canada	100 Yemeni women aged 15- 45	NS	Quantitati ve (cross- sectional questionn aire)	What are Yemeni women's perceptio ns of self- worth concernin g healthcare -seeking?	Gender inequity in healthcare access	Communit ies, healthcare facilities	Governme nt, family members, communit y	Low perception of self-worth and self-value; lower levels of education; low decision-making power and financial autonomy; lack of knowledge of personal rights	Higher maternal mortality rates and related adverse health outcomes for women	Gender- inequitabl e norms and practices; poverty
Costa, 2017 [35]	Yemen & other LMICs	Mothers or caretakers of 15,383 Yemeni children under 5	NS	Quantitati ve (secondar y data a nalysis: Yemen DHS 2013 data)	Is there a gender bias in the access to medical interventi ons for children?	Gender inequity in healthcare access for children	Home, communit y	Family members, communit y	Female gender of the child; - preferenti al care- seeking for boys found in the Muslim communit	Poor health outcomes for female children	NS

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
Date, 2005 [52]	Sa na 'a	173 patients at the National Tuberculo sis Institute	NS	Quantitati ve (cross- sectional questionn aire)	How do gender and literacy affect diagnosis and treatment of TB cases in Yemen?	Gender inequity and illiteracy affecting healthcare access	NS	NS	Low literacy related to diagnostic delay; men less likely than women to complete treatment	Delay in diagnosis; inadequat e or incomplet e treatment	Absence of family support for men with TB during their treatment compared to women.
El Tantawi, 2018 [55]	8 Arab countries, including Yemen	291 Yemeni dentists	NS	Quantitati ve (cross- sectional questionn aire)	Are dentists in Arab countries likely to report suspected exposure to violence in patients, and what influences this?	Intention to report on interperso nal violence (e.g., IPV, child abuse)	Home, communit y	NS	Lack of awareness that reporting violence is mandated by law; inability of dentists to identify victims of violence; shifting responsibil ity to protective services; female dentists less likely to plan to report	Victims of violence do not receive services.	NS
Liang, 2016 [36]	23 African & 6 Arab countries,	Yemeni women aged 15-	NS	Quantitati ve (secondar	What are the current	FGM/C	Communit y	NS	High adolescent fertility	High maternal mortality	NS

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
	including Yemen	49		y data analysis: DHS and MICS data)	levels and observabl e trends in FGM/C prevalenc e?				rates; rural residency; mother's experience of child marriage; acceptanc e of VAW; low maternal education level; lower SES	rate; higher prevalenc e of FGM/C; gender inequaliti es	
Sharaf, 2019 [37]	Egypt, Jordan, Yemen	Mothers/c aretakers aged 15- 49 of 13,624 children aged 0-5	Both	Quantitati ve (secondar y data a na lysis: Yemen DHS 2013)	Is there a gender bias present in child nutritional status and is there an associatio n with a son preference?	Gender discrimina tion in childbeari ng preferenc es and nutritional status	NS	NS	NS	NS	NS
Smits, 2013 [42]	6 Arab countries (including Yemen: 20 districts and 649 clusters)	Yemeni mothers (aged 16- 49) of children aged 8-15	Both	Quantitati ve (secondar y data analysis: PAPFAM, 2003)	What are the determina nts of education al participati on and gender difference s in	Gender inequity in education participati on	Home, schools, communit y	Family members	Rural residency; lower levels of parental education; higher number of siblings (especially brothers);	Higher infant/chil d mortality; higher fertility in women; early marriage; higher rates of	Gender inequitabl e norms and access to education

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
					for young children in six Arab countries?				having a working mother or no mother at home; cultural norms; occupation of the father being farming-related; household SES	malnutriti on and poverty	
Yoder, 2013 [43]	27 African countries, including Yemen	4,250,558 Yemeni women aged 15- 49	Both	Quantitati ve (secondar y data analysis: Yemen FHS 2003	What is the estimate of the number of women who have undergon e FGM/C and of girls who will eventually be cut?	FGM/C	Home, healthcare facilities, communit y	Family members, modern or traditional health practition ers, communit y	Older age of woman associated with higher prevalence of FGM/C	Harmful effect on girl's health; violation of human rights	Poor implemen tation of laws against FGM/C; lack of awareness of FGM/C
Alansari, 2006 [54]	17 Islamic countries, including Yemen	048 University of Aden undergrad uate students aged 18- 25	Urban	Quantitati ve (cross- sectional questionn aire)	Is there a gender difference in the prevalenc e of depressio n among	Gender difference s in mental health issues	NS	NS	NS	NS	NS

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
					undergrad uate students?						
Ba-Obaid, 2002 [32]	Sana'a (Hadda, al-Hay al- Siyasi, Shari'a Taiz, Nuqum, Bab al- Yemen)	111 women aged 15- 55	NS	Mixed methods (cross-sectional questionn aire with closed and open-ended questions; secondary data analysis)	What are the kinds of violence that Yemeni women experience?	DV; societal violence	Home	Male relatives, communit y members, strangers	Gender inequitabl e norms and laws; early age of marriage	Adverse physical and emotional conseque nces	Police stations primarily staffed by men and requireme nt that women be accompan ied by a male relative prevents reporting; societal acceptanc e of VAWG; traditional laws stipulate family should resolve intermarit al conflicts.
Alizzy, 2017 [51]	Sana'a	598 students aged 11- 16	NS	Quantitati ve (cross- sectional questionn aire)	What is the associatio n (including gender) between	Child a buse	Home	Family members	Lower SES; older, male children face a higher risk of abuse;	Exposure to family violence can cause anxiety, depressio n (more	Cultural norms that normalize VAWG; stigma associated

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
					family violence and internalizi ng and externalizi ng problems in Yemeni children?				cultural acceptanc e and normalizat ion of corporal punishmen t; gender inequitabl e norms; societal acceptanc e of VAWG	common in female children) & hostility and aggressiv e behaviors (more common in male children)	with reporting
Kempe, 2015 [34]	Aden, Lahij, Hadramou t, Taiz, Al Hudaydah h	220 Yemeni mothers	Both	Qualitativ e (cross- sectional questionn aire)	What are the prevalenc e rates and causal factors of fear of childbirth in Yemeni women?	Fear of childbirth	Home, modern health facilities, communit y	Family members, modern health practition ers, communit y	Fear from previous childbirth trauma and pregnancy loss; fear from negative childbirth accounts shared by surroundin g women; lack of fertility control, early marriage; son preference; poor marital relationshi	Psycholog ical stress; adverse maternal outcomes ; impaired maternal- infant interactio n	Limited awareness or access to human rights, including SRHR

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
									p; lack of education forgirls		
Ouis, 2009 [21]	Lebanon, OPT, Yemen	138 teenagers, (aged 12- 18)	NS	Qualitativ e (FGDs, Life history interviewi ng)	What are the experienc es and opinions of young girls regarding honor violence, sexual abuse, and early marriage?	Honor violence, early marriage, sexual abuse	Home, communit y	Parents or guardians, male relatives, husbands, communit y members, strangers	Political and economic instability; gender inequitabl e laws and norms; religious ideals; concerns about family honor; stigmatizat ion of sexual abuse	Prostituti on, sexual violence, death, home arrest, forced marriage, stigma	Fear of reporting abuse due to practice of marrying sexual assault and rape victims to their rapists and honor killings
Christians en, 2019 [31]	Sana'a, Al Hudaydah , Taiz	16 Muhames heen activists	NS	Qualitativ e (IDIs)	How have Muhames heen activists enacted their citizenship , and how do the social status and moral discourse surrounding this group	Socioecon omic and political violence, GBV	Communit y, country	Communit y members	Political and social discriminat ion, low SES of Muhames heen, gendered exclusion due to perceived immodest y of Muhames heen	Social exclusion, poverty, lack of legal protectio n, limited access to education , healthcar e, housing jobs limited to handiwor k or	Low SES, limited legal protection , intersectio nal oppressio n of Muhames heen women

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
					affect this enactmen t?				women	manual labor, restricted from holding public office	
Lewis, 2012 [33]	Yemen	Prominent Yemeni stakehold ers from the governme nt and internatio nal governme nt organizati ons and donors, analyst experts on social reform and justice, civilian youth responden ts (aged 18-35)	NS	Mixed methods (IDI's, theoretica I analysis)	What is the relationshi p between state fragility and violent criminal behavior among children and young people in Yemen?	Youth violence and criminality , GBV	Streets, schools, home, prisons, communit y	Governme nt ministries, armed and extremist groups, family members, educators,	Lack of welfare services and public safety; poverty; unemploy ment; exposure to traumatic events, gangs and other armed groups; stigmatizat ion and imprisonm ent of 'deviant' youth; displacem ent; poor school attendanc e; high fertility of young	Smoking, exposure to violence, criminalit y	Lack of accessible services or familial support, limited access to education

Author, year of publicatio n	Location (city), governora te, study setting	Sample	Rural or urban location	Study type	Research question or objective	Type of violence	Place violence occurs	Perpetrat ors	Risk factors	Conseque nces of violence	Barriers, tools, and strategies for reporting
									girls; limited family support or safe spaces		
ICRW & UNICEF, 2017 [7]	Sana'a	8 responden ts from two UN agencies and 6 NGOs	NS	Qualitativ e (IDI's, thematic content analysis)	What is the prevalenc e of child marriage in Yemen, and what are its drivers?	Child marriage	Home, communit y	Family	War- related displacem ent and economic; limited mobility of women and girls; gender inequitabl e norms and laws; weak NGO service delivery related to limited resources; limited knowledge sharing between different CSOs/dono rs; lack of awareness of support services	Gendered inequitable access to education and resources	Lack of awareness of support services, gender inequitable e norms and laws, limited mobility of women and girls

CSO: civil society organisation; DHS: Demographic Health Survey; DV: domestic violence; FGD: focus group discussions; FGM/C: female genital mutilation/cutting; FV: family violence; GBV: gender-based violence; HBMNC: Home Based Maternal and Neonatal Care project; HIECS: Household Income, Expenditure and Consumption Surveys; IDI: in-depth interview; KII: key-informant interview; LMIC: low- and middle-income countries; MENA: Middle East and North Africa; MICS: Multi-indicator Cluster Survey; NGO: non-governmental organization; OPT: Occupied Palestinian Territories; PLWH: people living with HIV; SES: socioeconomic status; SV: sexual violence; TB: tuberculosis; UN: United Nations; WLWH: women living with HIV

# **Quality assessment**

The quality of primary research studies, excluding population-representative studies like DHS and MICS, is summarized in Table S5. The quantitative studies on corporal punishment in schools and experience of child maltreatment and abuse followed similar well-described study designs and sampling frames [40,47–50], but were small in scale and not representative. Most of the included qualitative studies had clearly stated research questions, methods, and findings. However, one article did not specify how the analysis was coded [33], and neither the research question nor methods were clear in one article [31].

# **Ethical conduct of VAWC research**

We adapted the rubric developed by Peterman, et. al., [58] to assess studies' compliance with established norms for the ethical conduct of VAWC research, described in Table 2. Ethical concerns for VAWC research from the DHS and MICS studies is described elsewhere [59–62]. Studies that asked children or young adults about their experience of violence at home (N=3; 12,46,48) or in the classroom (N=3; 44–46) reported ethical clearance, verbal assent from participants, and used paper-based forms that did not collect identifying information. In two studies, where the participants were minors, consent was obtained from the parents [47,48]. The two qualitative studies that interviewed women and girls about their own experience of violence, including sexual violence, did not mention ethical approval or informed consent [21,32]. One of the

studies mentioned that interviewers were trained psychology students and that they were accompanied by other women for safety purposes [32]. One quantitative study that interviewed male and female heads of household about their attitudes towards FGM/C, and in the case of women, their own experience of FGM/C, mentioned interviewer training, but did not specify what the training consisted of [46]. One quantitative survey of childhood experience of violence reported that the study team was trained to recognize any signs of distress exhibited as students completed the questionnaire [51]. No study mentioned making safety planning, resource lists, or support services available to participants. In one 2015 study, where female participants were sometimes accompanied by their husbands or older relatives, a second round of interviews was conducted when privacy could be ensured [34]. In resource-limited settings discussing the policy relevance of the findings is especially important to ensure ethical conduct and impact of future research, but most studies did not address the policy implications of their work.

#### Table 2. Ethical conduct of primary VAWC studies

Author, year of			
publication	Population	Focus	Ethics, interviewer training, safety planning
Al Taj, 2023 [46]	Male and female	Prevalence and	Ethical review by Sana'a University, multistage random
	heads of	attitudes	sampling, verbal IC, mentions interviewer training, but
	household	towards FGM/C	not what interviewers were trained in, interviews
			conducted in subject's home without others present.
Bamatraf, 2019	University	Prevalence and	Ethical review by Hadramaut University School of
[49]	students	risk factors for	Medicine, verbal IC, self-completed, anonymous paper

for emotional abuse in verbal assent from participants, self-completed, anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and Postgraduate Studies, Faculty of Medicine and Health Sciences, Aden University, Written IC from parents, abuse in verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family violence and completed, anonymous paper survey using validated	Author, year of			
Ba-Saddik, 2012 Secondary Prevalence of Ethical review by Committee of Research and [47] school students and risk factors Postgraduate Studies, Faculty of Medicine and Health for emotional abuse in classrooms anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and Postgraduate Studies, Faculty of Medicine and Health for physical Sciences, Aden University, Written IC from parents, verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15-  Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated	publication	Population	Focus	Ethics, interviewer training, safety planning
Ba-Saddik, 2012 Secondary Prevalence of Ethical review by Committee of Research and risk factors for emotional abuse in classrooms anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and risk factors anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and Postgraduate Studies, Faculty of Medicine and Health Sciences, Aden University, Written IC from parents, abuse in verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family violence and completed, anonymous paper survey using validated			child abuse	survey using validated instrument, returned in ballot box
school students and risk factors for emotional Sciences, Aden University, written IC from parents, verbal assent from participants, self-completed, anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and sociences, Aden University, written IC from parents, and risk factors for physical abuse in physical abuse in classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family violence and completed, anonymous paper survey using validated				for a nonymity
for emotional abuse in classrooms anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and Postgraduate Studies, Faculty of Medicine and Health Sciences, Aden University, Written IC from parents, abuse in verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family violence and completed, anonymous paper survey using validated	Ba-Saddik, 2012	Secondary	Prevalence of	Ethical review by Committee of Research and
abuse in classrooms verbal assent from participants, self-completed, anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and school students and risk factors Postgraduate Studies, Faculty of Medicine and Health Sciences, Aden University, Written IC from parents, abuse in verbal assent from participants, self-completed, anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Violence and completed, anonymous paper survey using validated	[47]	school students	and risk factors	Postgraduate Studies, Faculty of Medicine and Health
classrooms anonymous paper survey using validated instrument.  Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and school students and risk factors for physical abuse in classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15-  Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family violence and completed, anonymous paper survey using validated			for emotional	Sciences, Aden University, written IC from parents,
Ba-Saddik, 2013 Secondary Prevalence of Ethical review by Committee of Research and school students and risk factors postgraduate Studies, Faculty of Medicine and Health for physical Sciences, Aden University, Written IC from parents, abuse in classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15-  [32] Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at 11-16 between family violence and completed, anonymous paper survey using validated			abuse in	verbal assent from participants, self-completed,
[48] school students and risk factors for physical abuse in classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15- [32] 55 Were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at 11-16 between family violence and completed, anonymous paper survey using validated			classrooms	anonymous paper survey using validated instrument.
for physical abuse in verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15-  [32] 55 Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at 11-16 between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated	Ba-Saddik, 2013	Secondary	Prevalence of	Ethical review by Committee of Research and
abuse in verbal assent from participants, self-completed, classrooms anonymous paper survey using validated instrument.  Ba-Obaid, 2002 Women aged 15-  [32] 55 Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated	[48]	school students	and risk factors	Postgraduate Studies, Faculty of Medicine and Health
Ba-Obaid, 2002 Women aged 15- [32] Types of VAW Multistage sample, trained female interviewers who were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Violence and completed, anonymous paper survey using validated			for physical	Sciences, Aden University, Written IC from parents,
Ba-Obaid, 2002 Women aged 15-  [32] 55 Were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at 11-16 between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated			abuse in	verbal assent from participants, self-completed,
were psychology students, sometimes accompanied by a second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated			classrooms	anonymous paper survey using validated instrument.
second interviewer for safety reasons, interviews conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated	Ba-Obaid, 2002	Women aged 15-	Types of VAW	Multistage sample, trained female interviewers who
conducted in respondent home when adult males are not present.  Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at 11-16 between family Sana'a University, verbal assent from participants, self-violence and completed, anonymous paper survey using validated	[32]	55		were psychology students, sometimes accompanied by a
Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at  11-16 between family Sana'a University, verbal assent from participants, self- violence and completed, anonymous paper survey using validated				second interviewer for safety reasons, interviews
Alizzy, 2017 [51] Students aged Relation Ethical review from Faculty of Arts and Humanities at  11-16 between family Sana'a University, verbal assent from participants, self-  violence and completed, anonymous paper survey using validated				conducted in respondent home when adult males are
between family Sana'a University, verbal assent from participants, self- violence and completed, anonymous paper survey using validated				not present.
violence and completed, anonymous paper survey using validated	Alizzy, 2017 [51]	Students aged	Relation	Ethical review from Faculty of Arts and Humanities at
		11-16	between family	Sana'a University, verbal assent from participants, self-
child behavioral instrument, participants debriefed after completion of			violence and	completed, anonymous paper survey using validated
			child behavioral	instrument, participants debriefed after completion of
issues the questionnaire, data collection team trained to			issues	the questionnaire, data collection team trained to
handle signs of distress during survey completion.				handle signs of distress during survey completion.
Ouis, 2009 [21] Adolescents Experience of Convenience sample of participants who had	Ouis, 2009 [21]	Adolescents	Experience of	Convenience sample of participants who had
aged 12-18 and attitudes experienced sexual violence, no mention of IC, ethical		aged 12-18	and attitudes	experienced sexual violence, no mention of IC, ethical
towards honor clearance, resources or support, etc.			towards honor	clearance, resources or support, etc.
violence, sexual			violence, sexual	

Author, year of publication	Population	Focus	Ethics, interviewer training, safety planning
		abuse, early marriage	

434 |C=Informed Consent

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

Barriers, tools, strategies, and resources for addressing and reporting violence,

### including safety planning

One 2002 study found that only 3% of women who experienced violence went to the police, preferring to reach out to parents or relatives or not seek any external support rather than the police or legal support [32]. Two studies reported that women could only go to the police when accompanied by a male household member, leading to underreporting of GBV [32,51]. Most studies did not ask women or children about reporting or whether they accessed any resources to address the violence. Religious and cultural norms were identified as the most critical barriers to reporting most types of VAWC [16,36,43,44]. A cross-sectional study that asked dentists about their intention to report suspected VAWC found that only 60% of dentists would report VAWC to the police, followed by other agencies in Yemen [55]. A 2017 AMRO regional study by UNICEF reported that a shortage of skilled NGO personnel and a lack of awareness of available services were key barriers to accessing resources, as NGOs addressing genderrelated issues do not have the staff to effectively manage reported GBV cases and do not well understand how to connect women to services or what services are available [7]. The same study found that girls facing GBV and child marriage experience limitations to their mobility due to gender norms and restricted access to money needed to pay for resources that are generally located outside of their community [7].

Sexual abuse is highly stigmatized in Yemen, which limits reporting. One study found that women or girls who were sexually abused face "severe punishment" from their parents, who might "kill them" or "force them to marry rapists" [21]. The same study found that adolescent girls in Yemen felt that women and girls could be considered responsible for the sexual violence they experienced [21]. Two studies highlighted that a lack of education for girls and women increases their exposure to violence from husbands compared to more educated women [32,33]. Women reported the widespread cultural beliefs that they are second-class citizens and belong to men, which likely complicates their ability to report violence [32]. Poor implementation of the FGM/C law in Yemen, lack of educational infrastructure, lack of employment opportunities, and the ongoing conflict were also cited as barriers to reporting [44]. Lack of awareness of FGM/C status, which is at a very young age, was also cited as a barrier to reporting [16]

### Discussion

This systematic review synthesizes evidence from qualitative and quantitative studies on the types, prevalence, perpetrators of, and risk factors for VAWC in Yemen. The 30 studies included in the analysis collected data on a range of forms of VAWC, including 472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

honor violence, female genital mutilation and cutting, early and very early marriage, tourist marriage, family and intimate partner violence, school-based violence, and gender inequities in access to food, education, and medical care. Included studies reported a high prevalence of many forms of violence, including corporal punishment in schools and intimate partner violence. We identified seven primary research studies that asked women or children about their experience of violence [21,32,46-49,51] and nine studies that reused data from the Yemen DHS, MICS, PAPFAM, and other national and sub-national household surveys [16,35-37,40,42-45]. Six additional studies asked Yemeni dentists about reporting violence [55], students about their attitudes towards women living with HIV [56], gender differences in the prevalence of depression [54], women's perceptions of self-worth in relation to health-seeking behavior [53], tuberculosis patients on how gender and literacy affect healthcare access [52], and mothers on the factors that cause their fear of childbirth [34]. Studies measured IPV and non-partner family violence (both physical and psychological), sexual violence, early marriage, tourist marriage, child maltreatment, FGM/C, honor violence, child labor, school-based violence, including corporal punishment, and gender inequities in access to health care, education, and food. Studies had very different designs and sampling frameworks, preventing direct comparisons.

Similar to global trends [63], we found that IPV and other forms of family violence were the most prevalent forms of violence reported in quantitative studies of different types

of VAWC. Studies on structural violence in Yemeni society [31,33] linked political instability and social exclusion to GBV, including higher rates of violence and social stigma directed towards marginalized ethnic groups, like the *Muhamasheen*.

#### **Risk Factors**

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

Risk factors for VAWC included gender inequitable norms and laws, economic instability, lower SES, rural residence, low levels of parental education, and low levels of education in women and girls. IPV and FGM/C were linked to a lack of maternal education, cultural norms and traditions in Yemeni society and, in the case of IPV, restrictive divorce laws. FGM/C was linked to mothers' experience of FGM/C and early marriage. Child maltreatment and early child marriage were related to low levels of parental education and markers of low SES, including larger household size and reduced household income. These findings align with the determinants of VAWC in humanitarian crises in other countries, where cultural, economic, and educational factors are related to the incidence of GBV [64,65]. For example, studies in Sudan and Egypt found that lack of parental education, older age (where older women are more likely to have undergone FGM/C), and patriarchal norms were associated with FGM/C [66,67]. One study included in the review compared attitudes towards honor violence between Yemen, the occupied Palestinian Territories, and Lebanon and found that adolescent girls from Yemen and the Palestinian Territories were more likely than Lebanese girls to believe that women and girls were themselves responsible for their exposure to sexual violence [21].

## **Barriers to reporting VAWC**

Barriers to reporting violence included the lack of gender equitable laws, services or support for women or children who experience violence, and gender-inequitable child custody laws. Studies found that violence, when reported, was reported to family members or the local Sheikh, which is consistent with another study that found stigma and lack of support for women who experienced violence led to underreporting [68]. Yemen could consider female police officers to address that barrier to reporting violence [32]. The study also found that educational programs and providing mental health services were effective in reducing violence [68].

### Violence against children

Preschool & school-aged children and adolescents reported a higher prevalence of emotional rather than physical abuse, which is consistent with research conducted in South Africa [69,70]. Studies in this review reported low levels of sexual violence against children, which is mirrored in global research and likely related to underreporting [71–73]. Included studies reported that male children experienced higher levels of maltreatment than female children, which was similar to findings from another study conducted in Iran [74] but differed from findings in other Arab countries, including Tunisia and UAE [75]. Although child labor is a significant concern in Yemen, only the 2005 MICS measured this form of violence against children. Rates of corporal violence at school and child experience of maltreatment or physical abuse seemed much higher in Yemen than in related contexts, such as Sudan and Syria [76]. One study indicated that

children in rural areas encountered elevated levels of corporal punishment in schools [50], which was supported in another study in Mali and Libya [77]. Risk factors associated with child abuse and maltreatment, including gender, older age, rural residence, family socioeconomic status, family size, parent's education, and parent's alcohol use, were similar to those reported in a study in Saudi Arabia [78] and to findings from conflict-affected countries, including Pakistan [79] and Myanmar [80].

#### Sexual violence

Sexual violence is a common yet highly stigmatized form of VAWC and is subject to high levels of underreporting [21]. Tourist marriage is a new form of GBV that is a last resort for families with limited resources to feed their families. Tourist marriage was also identified as an emerging concern in a study in Giza, Egypt [81]. Policymakers suggest that poverty reduction and community education [82] can help reduce early marriage in Yemen and other contexts in the Eastern Mediterranean, South and Southeast Asia and Africa [83].

#### Female genital mutilation and cutting

Yemen has made strides to prevent FGM/C; however, the government's statement against FCM/C falls short of a nationwide law [44]. In contrast, Egypt has passed a law that prohibits FGM/C and punishes perpetrators [44,67]. Women's empowerment, the involvement of religious leaders, and the education of parents and communities have been cited as pathways towards reducing FGM/C [16,36,43,44].

#### Gender inequities in access to medical care, education

Several included studies found gender inequities in healthcare access [35,52,53], education [45], and nutrition [37]. These studies are similar to those in other gender inequitable settings where women and girl children have lower levels of access to food [84], health care [85], and education [86] than males.

### **Strengths & limitations**

This is the first mixed methods systematic review to summarize findings on different forms of VAWC in Yemen. We searched four biomedical databases and NGO websites and used snowball sampling to identify primary and secondary research on VAWC. Limitations stem from the predominantly cross-sectional design of most studies, constraining the ability to infer causality. Future research should focus on longitudinal studies to better understand the dynamics of VAWC over time and explore the efficacy of various intervention strategies. The high levels of stigma surrounding VAWC, especially sexual violence, may have led to underreporting. Most primary research studies, other than the large population-representative surveys like DHS and MICS, did not report on interviewer training to ensure women and children could report on their experience of violence in a safe environment, free of stigma from the interviewer. Adequately funding studies and ensuring that well-funded studies have a coherent plan to address ethical issues in VAWC research could ensure studies on VAWC in Yemen uphold best practices in ethical research on VAWC in resource-limited contexts.

**Recommendations for future work** 

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

Most studies on VAWC were conducted before the 2014 war in Yemen. The war and

pandemic have increased the frequency and forms of VAWC through multiple avenues.

The humanitarian research and intervention communities should explore and address

the causes and consequences of VAWC, and the international development community

should consider investing in research to develop community-based efforts to support

Yemeni women and children who experience or have experienced violence, including

war-related violence and the associated trauma.

This review found significant ethical concerns related to existing research, including the

absence of informed consent or ethical review. Only two studies, outside of the DHS and

MICS, mentioned interviewer training, and none of the studies that interviewed women

or children about their experience of violence discussed safety planning or connecting

women and children to available resources. Given the lack of resources in Yemen, using

positive deviance [87] approaches to identify strategies that would be possible and safe

for women and children who experience violence to mitigate or prevent violence.

Yemen is a complex context, and Yemeni women and children need to inform the design

46

and execution of research and interventions.

### **Policy implications**

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

In keeping with policy-related research in Yemen [88], included studies identified severe poverty and displacement, cultural norms, societal stigma, and a lack of sufficient legal protections and support services as barriers to addressing VAWC in Yemen. Humanitarian support for Yemeni families in need is a crucial starting point to curb child and forced marriages [89]. Gender-inequitable child custody laws, cultural beliefs that normalize VAWC, and stigmatizing attitudes towards survivors of violence, including coercive marriages to preserve family honor in the context of sexual violence and blaming divorced women, [90] make addressing VAWC extremely complex. Addressing weak enforcement of protections for women and children [7] and gender inequitable laws or gaps in legislation, including no minimum age of marriage, should be part of a national strategy to address VAWC in Yemen [91]. A locally developed and supported policy action plan is essential for fostering lasting changes in gender-inequitable attitudes towards women and children [92]. This summary of the current landscape of VAWC-related research could support the design of a policy agenda that addresses barriers to measuring, reporting, and responding to VAWC. While not well described in the included studies, the large-scale conflict and related internal displacement have intensified GBV in Yemen [93]. Significant investment is needed in research and services, including basic needs, education, psychological services, and VAWC-related prevention and mitigation to support Yemeni women and children better. Similarly, child labour, an important form of violence that was not well explored in the included studies, should be considered in the research and development agenda [94]. By combining efforts to address gender inequitable laws and harmful cultural practices and providing holistic support to Yemeni families, Yemen can make strides towards reducing VAWC and creating a safer environment for women and children [95].

# **Conclusions**

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

VAWC is a global public health and human rights issue that affects the global community's ability to achieve most of the 17 SDGs. Violence increases in unstable environments. Understanding and addressing VAWC is context-dependent, requiring meaningful community engagement, cross-sectoral support, and policy action. This SR highlights the high levels of VAWC in Yemen, driven by poverty, displacement, and gender inequitable norms and policies. While we know that VAWC increases during conflicts and when people are displaced, we did not identify any studies on VAWC that collected data after the onset of the ongoing conflict in Yemen, which represents a missed opportunity to understand how the ongoing war has reversed prior gains in reducing the prevalence of child and very early child marriage and introduced new forms of gender-based violence, including tourist marriage. The lack of funding for primary research on VAWC may be one reason why included studies did not report on interviewer training, mental health support for research participants, or safety planning, all of which should be included in VAWC-related research in humanitarian settings or fragile states. Addressing VAWC in Yemen will require a commitment on the part of the international community to fund locally-led efforts to determine immediate and long634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

term steps to alleviate the factors that drive VAWC (e.g., war, poverty), prevent and mitigate VAWC, and address the effects of VAWC on maternal and child health and related SDGs. **Acknowledgements** We want to thank the participants in the primary research studies included in this review for their courage and honesty in confronting the global challenge of VAWC and the NGOs and researchers working to ensure that their stories are heard and their needs addressed. **Supporting Information** S1 Table. PRISMA checklist S2 Table. Database-specific search strategies S3 Table. List of articles excluded at full-text review stage with reason for exclusion S1 Text. Data extraction form S4 Table. Overview of quantitative studies and quantitative section of mixed methods studies S5 Table. Quality assessment of included studies References Yemen – Emergencies. In: World Food Programme [Internet]. 2023. Available: https://www.wfp.org/emergencies/yemen-emergency

654 2 655	2.	OCHA - Yemen Situation Report 2023. United Nations Office for the Coordination of Humanitarian Affairs; 2023. Available: https://reports.unocha.org/en/country/yemen/
656 3 657	3.	National Plan to Implement Security Council Resolution 1325 Women, Security, and Peace 2020 – 2022 [Internet]. 2019.
658 4 659 660	1.	Sustainable Development Goals: Yemen. In: United National Development Programme [Internet]. 2021. Available: https://www.ye.undp.org/content/yemen/en/home/sustainable-development-goals.html
661 5 662	5.	Global Gender Gap Report 2021. World Economic Forum; 2021 Mar. Available: https://www.weforum.org/publications/global-gender-gap-report-2021/
663 6 664	5.	Gender considerations in humanitarian response in Yemen. United Nations Office for the Coordination of Humanitarian Affairs. In: ReliefWeb Response (RW Response). 2023.
665 7 666 667 668	7.	UNICEF & ICRW. Yemen Country Brief - UNICEF Regional Study on Child Marriage In the Middle East and North Africa. United Nations Children's Fund (UNICEF); 2017. Available: https://www.unicef.org/mena/media/1821/file/%20MENA-CMReport-YemenBrief.pdf.pdf. 2017.
669 8 670 671	3.	Findings on the Worst Forms of Child Labor - Yemen. Bureau of International Labor Affairs, U.S. Department of Labor; 2019. Available: https://www.dol.gov/agencies/ilab/resources/reports/child-labor/yemen
672 9 673 674 675	Э.	UN Security Council: Children and armed conflict in Yemen - Report of the Secretary-General (S/2019/453) [EN/AR]. ReliefWeb; 2019. Available: https://reliefweb.int/report/yemen/children-and-armed-conflict-yemen-report-secretary-general-s2019453-enar
676 1 677	LO.	Children of Yemen. In: Humanium [Internet]. 2021. Available: https://www.humanium.org/en/yemen/
678 1 679 680	l1.	Fact Sheet: Violence Against Women. In: World Health Organization [Internet]. Jun 2020 [cited 8 Jun 2020]. Available: https://www.who.int/news-room/fact-sheets/detail/violence-against-women
681 1 682 683 684 685	12.	Ministry of Public Health and Population - MOPHP/Yemen, Central Statistical Organization - CSO/Yemen, Pan Arab Program for Family Health - PAPFAM, ICF International. Yemen National Health and Demographic Survey 2013. Rockville, Maryland, USA: MOPHP, CSO, PAPFAM, and ICF International; 2015. Available: http://dhsprogram.com/pubs/pdf/FR296/FR296.pdf
686 1 687 688 689	13.	Country Assessment on Violence against Women, Yemen (2010). United Nations; 2010. Available: https://www.un.org/womenwatch/ianwge/taskforces/vaw/Country_Assessment_on_Violence_against_Women_August_2_2010.pdf

690 14. Factsheet: Child Maltreatment. In: World Health Organization [Internet]. World Health 691 Organization; Jun 2020 [cited 8 Jun 2020]. Available: https://www.who.int/news-692 room/fact-sheets/detail/child-maltreatment/ 693 Fact Sheet: Violence Against Children. In: World Health Organization [Internet]. Jun 2020 694 [cited 8 Jun 2020]. Available: https://www.who.int/news-room/fact-695 sheets/detail/violence-against-children 696 Al-Khulaidi GA, Nakamura K, Seino K, Kizuki M. Decline of Supportive Attitudes among 697 Husbands toward Female Genital Mutilation and Its Association to Those Practices in 698 Yemen. Behrens T, editor. PLoS ONE. 2013;8: e83140. doi:10.1371/journal.pone.0083140 699 17. Fact Sheet: Female Genital Mutilation. In: World Health Organization [Internet]. 2020 700 [cited 3 Feb 2020]. Available: https://www.who.int/en/news-room/fact-701 sheets/detail/female-genital-mutilation. 702 UNDP Human Development Report - Gender Inequality Index. United Nations 703 Development Programme; Available: https://hdr.undp.org/data-center/thematic-704 composite-indices/gender-inequality-index#/indicies/GII 705 SIGI 2019 Global Report. OECD; 2019. Available: https://www.oecd-706 ilibrary.org/content/publication/bc56d212-en https://www.genderindex.org/country-707 profiles/ 708 20. Alaimo K. Increased Efforts by Modern States to Improve Their Reputations for Enforcing 709 Women's Human Rights. Int J Commun. 2016;10: 2481-2500. 710 Ouis P. Honourable Traditions? Honour Violence, Early Marriage and Sexual Abuse of 711 Teenage Girls in Lebanon, the Occupied Palestinian Territories and Yemen. Int J Child 712 Rights. 2009;17: 445–474. doi:10.1163/157181808X389911 713 Country Reports on Human Rights Practices: Yemen for 2016. Bureau of Democracy, 714 Human Rights and Labor, United States Department of State; 2016. Available: 715 https://www.state.gov/reports/2016-country-reports-on-human-rights-practices/yemen/. 716 Pearson A, White H, Bath-Hextall F, Salmond S, Apostolo J, Kirkpatrick P. A mixed-methods 717 approach to systematic reviews. Int J Evid Based Healthc. 2015;13: 121–131. 718 doi:10.1097/XEB.0000000000000052 719 PRISMA-P Group, Moher D, Shamseer L, Clarke M, Ghersi D, Liberati A, et al. Preferred 720 reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 721 statement. Syst Rev. 2015;4: 1. doi:10.1186/2046-4053-4-1 722 25. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 723 2020 statement: an updated guideline for reporting systematic reviews. BMJ. 2021; n71. 724 doi:10.1136/bmj.n71

725 26. Kohli A. Snowballing in Systematic Literature Review. In: LinkedIn [Internet]. 4 Jul 2020. 726 Available: https://www.linkedin.com/pulse/snowballing-systematic-literature-review-727 amanpreet-kohli/. 728 Deduplicating in EndNote - An earlier version of the "Bramer method" for deduplicating. 729 In: McGill Library [Internet]. 2021. Available: https://libraryguides.mcgill.ca/knowledge-730 syntheses/deduplicating#s-lg-box-16286927 731 Covidence Systematic Review Software, Veritas Health Innovation, Melbourne, Australia. 732 In: Covidence [Internet]. 2023. Available: www.covidence.org 733 Thomas J, Harden A. Methods for the thematic synthesis of qualitative research in systematic reviews. BMC Med Res Methodol. 2008;8: 45. doi:10.1186/1471-2288-8-45 734 735 Hong QN, Fàbregues S, Bartlett G, Boardman F, Cargo M, Dagenais P, et al. The Mixed 736 Methods Appraisal Tool (MMAT) version 2018 for information professionals and 737 researchers. Educ Inf. 2018;34: 285-291. doi:10.3233/EFI-180221 738 31. Christiansen C, Al-Thawr S. Muhamesheen activism: enacting citizenship during Yemen's 739 transition. Citizsh Stud. 2019;23: 115-138. doi:10.1080/13621025.2019.1583725 740 Ba-Obaid M, Bijleveld CCJH. Violence Against Women in Yemen: Official Statistics and an 741 Exploratory Survey. Int Rev Vict. 2002;9: 331-347. doi:10.1177/026975800200900306 742 Lewis A. Violent crime and fragility 2: a study on violent offending among children and 743 young people in Yemen. 2013. Available: 744 https://api.semanticscholar.org/CorpusID:152969638 745 Kempe A, Theorell T, Alwazer FN-A, Taher SA, Christensson K. Exploring women's fear of 746 childbirth in a high maternal mortality setting on the Arabian Peninsula. Glob Ment Health. 747 2015;2: e10. doi:10.1017/gmh.2015.6 748 Calu Costa J, Wehrmeister FC, Barros AJ, Victora CG. Gender bias in careseeking practices 749 in 57 low– and middle–income countries. J Glob Health. 2017;7: 010418. 750 doi:10.7189/jogh.07.010418 751 Liang M, Loaiza E, Diop NJ, Legesse B. Demographic perspectives of female genital 752 mutilation. Reisel D, editor. Int J Hum Rights Healthc. 2016;9: 3-28. doi:10.1108/IJHRH-05-753 2015-0017 754 Mesbah Fathy Sharaf, Rashad AS, Elhussien Ibrahim Mansour. Son Preference and Child 755 Under Nutrition in the Arab Countries: Is There a Gender Bias Against Girls? 2019 [cited 8 756 Feb 2024]. doi:10.13140/RG.2.2.24901.09443 757 Central Statistical Organization/Yemen, Pan Arab Project for Child Development, Macro 758 International. Yemen Demographic and Maternal and Child Health Survey 1991/1992. 759 Calverton, Maryland, USA: Central Statistical Organization/Yemen and Macro 760 International; 1994. Available: http://dhsprogram.com/pubs/pdf/FR52/FR52.pdf

761 39. Central Statistical Organization/Yemen, Macro International. Yemen Demographic and 762 Maternal and Child Health Survey 1997. Calverton, Maryland, USA: Central Statistical 763 Organization/Yemen and Macro International; 1998. Available: 764 http://dhsprogram.com/pubs/pdf/FR94/FR94.pdf 765 Akmatov MK. Child abuse in 28 developing and transitional countries--results from the 766 Multiple Indicator Cluster Surveys. Int J Epidemiol. 2011;40: 219–227. 767 doi:10.1093/ije/dyq168 768 Ministry of Health and Population (Yemen), United Nations Children's Fund (UNICEF), Pan 769 Arab, Program for Family Health (PAPFAM). Yemen Multiple Indicator Cluster Survey 2006, 770 Final Report. Rockville, Maryland, USA: MOPHP, CSO, PAPFAM, and ICF International; 771 2015. Available: https://mics.unicef.org/survey\_archives/yemen/survey0/index.html 772 Smits J, Huisman J. Determinants of educational participation and gender differences in 773 education in six Arab countries. Acta Sociol. 2013;56: 325-346. 774 doi:10.1177/0001699313496259 775 Yoder PS, Wang S, Johansen E. Estimates of Female Genital Mutilation/Cutting in 27 776 African Countries and Yemen. Stud Fam Plann. 2013;44: 189–204. doi:10.1111/j.1728-777 4465.2013.00352.x 778 Alosaimi AN, Essén B, Riitta L, Nwaru Bl, Mouniri H. Factors associated with female genital 779 cutting in Yemen and its policy implications. Midwifery. 2019;74: 99–106. 780 doi:10.1016/j.midw.2019.03.010 781 Assaad R, Hendy R, Salehi-Isfahani D. Inequality of opportunity in educational attainment 782 in the Middle East and North Africa: Evidence from household surveys. Int J Educ Dev. 783 2019;71: 102070. doi:10.1016/j.ijedudev.2019.05.005 784 Al-Taj MA, Al-hadari MH. Prevalence and drivers of female genital mutilation/cutting in 785 three coastal governorates in Yemen. BMC Public Health. 2023;23: 1363. 786 doi:10.1186/s12889-023-16299-y 787 Ba- Saddik ASS, Hattab AS. Emotional abuse towards children by schoolteachers in Aden 788 Governorate, Yemen: A cross-sectional study. BMC Public Health. 2012;12: 647. 789 doi:10.1186/1471-2458-12-647 790 Ba Saddik AS, Hattab AS. Physical abuse in basic-education schools in Aden governorate, 791 Yemen: a cross-sectional study. East Mediterr Health J. 2013;19: 333–339. 792 doi:10.26719/2013.19.4.333 793 Bamatraf FF. Prevalence and Risk Factors of Childhood Abuse among Hadhramout 794 University Students in Yemen. World Fam Med. 2019;17: 42–54. 795 doi:10.5742MEWFM.2019.93645 796 50. Alyahri A, Goodman R. Harsh corporal punishment of Yemeni children: Occurrence, type 797 and associations. Child Abuse Negl. 2008;32: 766–773. doi:10.1016/j.chiabu.2008.01.001

798 51. Alizzy A, Calvete E, Bushman BJ. Associations Between Experiencing and Witnessing 799 Physical and Psychological Abuse and Internalizing and Externalizing Problems in Yemeni 800 Children. J Fam Violence. 2017;32: 585–593. doi:10.1007/s10896-017-9916-5 801 52. Date J, Okita K. Gender and literacy: factors related to diagnostic delay and unsuccessful 802 treatment of tuberculosis in the mountainous area of Yemen. Int J Tuberc Lung Dis Off J Int 803 Union Tuberc Lung Dis. 2005;9: 680-685. 804 Chamberlain J, Watt S, Mohide P, Muggah H, Trim K, Bantebya Kyomuhendo G. Women's 805 perception of self-worth and access to health care. Int J Gynecol Obstet. 2007;98: 75–79. 806 doi:10.1016/j.ijgo.2007.03.019 807 Alansari BM. GENDER DIFFERENCES IN DEPRESSION AMONG UNDERGRADUATES FROM 808 SEVENTEEN ISLAMIC COUNTRIES. Soc Behav Personal Int J. 2006;34: 729–738. 809 doi:10.2224/sbp.2006.34.6.729 810 El Tantawi M, Gaffar B, Arheiam A, AbdelAziz W, Al-Batayneh OB, Alhoti MF, et al. Dentists' 811 intention to report suspected violence: a cross-sectional study in eight Arab countries. BMJ 812 Open. 2018;8: e019786. doi:10.1136/bmjopen-2017-019786 813 Badahdah AM. Attitudes Toward Restricting the Sexual and Reproductive Rights of Women 814 Living With HIV Infection in Yemen. J Assoc Nurses AIDS Care. 2016;27: 180–187. 815 doi:10.1016/j.jana.2015.10.006 816 57. Kronfol NM. Access and barriers to health care delivery in Arab countries: a review. East 817 Mediterr Health J. 2012;18: 1239–1246. doi:10.26719/2012.18.12.1239 818 Peterman A, Devries K, Guedes A, Chandan JS, Minhas S, Lim RQH, et al. Ethical reporting 819 of research on violence against women and children: a review of current practice and 820 recommendations for future guidelines. BMJ Glob Health. 2023;8: e011882. 821 Bott S, Ruiz-Celis AP, Mendoza JA, Guedes A. Co-occurring violent discipline of children and 822 intimate partner violence against women in Latin America and the Caribbean: a systematic 823 search and secondary analysis of national datasets. BMJ Glob Health. 2021;6: e007063. 824 doi:10.1136/bmjgh-2021-007063 825 Guidelines for Producing Statistics on Violence against Women-Statistical Surveys. New 826 York: United Nations Department of Economic and Social Affairs Statistics Division; 2014. 827 Available: https://unstats.un.org/unsd/gender/docs/guidelines\_statistics\_vaw.pdf 828 Hancioglu A, Arnold F. Measuring Coverage in MNCH: Tracking Progress in Health for 829 Women and Children Using DHS and MICS Household Surveys. Madise N, editor. PLoS 830 Med. 2013;10: e1001391. doi:10.1371/journal.pmed.1001391 831 UNICEF Multiple Indicator Cluster Survey Manual 2005. United Nations International 832 Children's Emergency Fund; 2007 Apr. Available: 833 https://mics.unicef.org/files?job=W1siZilsIjlwMTUvMDQvMDIvMDYvMzcvMDYvMTE5L011 834 bHRpcGxlX0luZGljYXRvcl9DbHVzdGVyX1N1cnZleV9NYW51YWxfMjAwNS5wZGYiXV0&sha= 835 dd2e54d1ddd61cdb

836 Overview of Gender-Based Violence. Gender Data Portal. In: World Bank [Internet]. 1 Oct 837 2022 [cited 15 Jan 2024]. Available: https://genderdata.worldbank.org/data-838 stories/overview-of-gender-based-violence/ 839 Raftery P, Howard N, Palmer J, Hossain M. Gender-based violence (GBV) coordination in 840 humanitarian and public health emergencies: a scoping review. Confl Health. 2022;16: 37. 841 doi:10.1186/s13031-022-00471-z 842 Murphy M, Ellsberg M, Balogun A, Garcia-Moreno C. Risk and protective factors for GBV 843 among women and girls living in humanitarian setting: systematic review protocol. Syst 844 Rev. 2021;10: 238. doi:10.1186/s13643-021-01795-2 845 Elduma AH. Female Genital Mutilation in Sudan. Open Access Maced J Med Sci. 2018;6: 846 430-434. doi:10.3889/oamjms.2018.099 847 Arafa A, Mostafa A, Eshak ES. Prevalence and risk factors of female genital mutilation in 848 Egypt: a systematic review. Clin Epidemiol Glob Health. 2020;8: 850–857. 849 doi:10.1016/j.cegh.2020.02.012 850 Douki S, Nacef F, Belhadj A, Bouasker A, Ghachem R. Violence against women in Arab and 851 Islamic countries. Arch Womens Ment Health. 2003;6: 165-171. doi:10.1007/s00737-003-852 0170-x 853 Meinck F, Cluver L, Loening-Voysey H, Bray R, Doubt J, Casale M, et al. Disclosure of 854 physical, emotional and sexual child abuse, help-seeking and access to abuse response 855 services in two South African Provinces. Psychol Health Med. 2017;22: 94–106. 856 doi:10.1080/13548506.2016.1271950 857 Stoltenborgh M, Bakermans-Kranenburg MJ, Alink LRA, Van IJzendoorn MH. The 858 Prevalence of Child Maltreatment across the Globe: Review of a Series of Meta-Analyses. 859 Child Abuse Rev. 2015;24: 37–50. doi:10.1002/car.2353 860 71. Dworkin ER, Krahé B, Zinzow H. The global prevalence of sexual assault: A systematic 861 review of international research since 2010. Psychol Violence. 2021;11: 497–508. 862 doi:10.1037/vio0000374 863 UNICEF. A Statistical Profile of Violence Against Children in Latin America and the 864 Caribbean. New York: © United Nations Children's Fund (UNICEF), Division of Data, 865 Analytics, Planning and Monitoring; 2022. Available: 866 https://www.unicef.org/lac/media/38241/file/A-statistical-profile-of-violence-against-867 children-in-latin-america-and-the-caribbean.pdf. 868 73. Agüero JM, Frisancho V. Measuring Violence against Women with Experimental Methods. 869 Econ Dev Cult Change. 2022;70: 1565–1590. doi:10.1086/714008 870 Stephenson R, Sheikhattari P, Assasi N, Eftekhar H, Zamani Q, Maleki B, et al. Child maltreatment among school children in the Kurdistan Province, Iran. Child Abuse Negl. 871 872 2006;30: 231–245. doi:10.1016/j.chiabu.2005.10.009

873 75. Kelly S. Recent Gains and New Opportunities for Women's Rights in the Gulf Arab States. 874 Freedom House; 2009. Available: https://freedomhouse.org/article/womens-activists-see-875 gains-gulf-arab-states\$\#\$.VcjK JNVikq 876 UNICEF. A Profile of Violence against Children and Adolescents in the Middle East and 877 North Africa. New York: UNICEF Division of Data, Research and Poli; 2018 Jul. Available: 878 https://www.unicef.org/mena/reports/profile-violence-against-children-and-adolescents-879 middle-east-and-north-africa 880 Violence is predominantly rural in North and West Africa. In: OECD [Internet]. 21 Mar 2023 881 [cited 15 Jan 2024]. Available: 882 https://www.oecd.org/swac/news/violenceispredominantlyruralinnorthandwestafrica.ht 883 m 884 Al-Eissa MA, AlBuhairan FS, Qayad M, Saleheen H, Runyan D, Almuneef M. Determining 885 child maltreatment incidence in Saudi Arabia using the ICAST-CH: a pilot study. Child Abuse 886 Negl. 2015;42: 174–182. doi:10.1016/j.chiabu.2014.08.016 887 Lakhdir MPA, Farooq S, Khan UR, Parpio Y, Azam SI, Razzak J, et al. Factors Associated With 888 Child Maltreatment Among Children Aged 11 to 17 Years in Community Settings of 889 Karachi, Pakistan, Using Belsky Ecological Framework. J Interpers Violence. 2021;36: 297-890 313. doi:10.1177/0886260517726973 891 Aye WT, Lien L, Stigum H, Bjertness E. Childhood abuse and its association with adults' 892 mental health problems: a cross-sectional study among men and women in the Yangon 893 Region of Myanmar. BMJ Open. 2021;11: e045870. doi:10.1136/bmjopen-2020-045870 894 Soliman HH, Alsharqawi NI, Younis MA. Is Tourism Marriage of Young Girls in Egypt a Form 895 of Child Sexual Abuse? A Family Exploitation Perspective. J Child Sex Abuse. 2018;27: 122-896 140. doi:10.1080/10538712.2018.1425945 897 Ending Child Marriage: A Guide for Global Policy Action. UN Population Fund (UNFPA): 898 International Planned Parenthood Federation; Forum on Marriage and the Rights of 899 Women and Girls; 2006. Available: https://www.unfpa.org/sites/default/files/pub-900 pdf/endchildmarriage.pdf 901 83. Pourtaheri A, Sany SBT, Aghaee MA, Ahangari H, Peyman N. Prevalence and factors 902 associated with child marriage, a systematic review. BMC Womens Health. 2023;23: 531. 903 doi:10.1186/s12905-023-02634-3 904 Gender and Food Security and Nutrition. In: Food and Agriculture Organization (FAO) 905 [Internet]. 2024. Available: https://www.fao.org/gender/learning-center/thematic-906 areas/gender-and-food-security-and-nutrition/ 907 Kennedy E, Binder G, Humphries-Waa K, Tidhar T, Cini K, Comrie-Thomson L, et al. Gender 908 inequalities in health and wellbeing across the first two decades of life: an analysis of 40 909 low-income and middle-income countries in the Asia-Pacific region. Lancet Glob Health. 910 2020;8: e1473-e1488. doi:10.1016/S2214-109X(20)30354-5

911 Kattan RB, Khan MM. Closing the Gap: Tackling Remaining Disparities in Girls' Education 912 and Women's Labor Market. In: World Bank Blogs [Internet]. 9 Mar 2023. Available: 913 https://blogs.worldbank.org/education/closing-gap-tackling-remaining-disparities-girls-914 education-and-womens-labor-market 915 Marsh DR, Schroeder DG, Dearden KA, Sternin J, Sternin M. The power of positive 916 deviance. BMJ. 2004;329: 1177–1179. doi:10.1136/bmj.329.7475.1177 917 Al-Dhamari R. The Struggle of Yemeni Women between War and Harmful Social Norms. In: 918 ReliefWeb [Internet]. 3 Feb 2021 [cited 15 Jan 2024]. Available: 919 https://reliefweb.int/report/yemen/struggle-yemeni-women-between-war-and-harmful-920 social-norms 921 Yemen Country Profile of Phase I: UNFPA-UNICEF Global Programme to End Child 922 Marriage. United Nations Children's Fund (UNICEF); 2019. Available: 923 https://www.unicef.org/media/88851/file/Child-marriage-Yemen-profile-2019.pdf 924 90. Obligating Obedience. Violations of Women's Rights in Yemen. Human Rights Watch; 2015 925 Jan. Available: https://www.hrw.org/reports/yemen0115 web.pdf 926 Yemen Gender Justice & The Law. United Nations Development Programme. New York: 927 UNDP, UN Women, UNFPA, ESCWA; 2018. Available: 928 https://www.undp.org/sites/g/files/zskgke326/files/migration/arabstates/Yemen-929 Country-Assessment---English.pdf 930 92. Shang B. Tackling Gender Inequality: Definitions, Trends, and Policy Designs. IMF Work 931 Pap. 2022;2022: 1. doi:10.5089/9798400224843.001 932 Humanitarian Action for Children Yemen - June Update. United Nations Children's Fund 933 (UNICEF); 2021. Available: https://www.unicef.org/media/102341/file/2021-HAC-Yemen-934 June-Update.pdf 935 Ahmed A, Almassajdi A. Child Labor's Frightening Growth During the War in Yemen. In: 936 University of Oregon-UNESCO Crossings Institute [Internet]. 5 Nov 2021. Available: 937 https://unesco.uoregon.edu/2022/01/22/child-labors-frightening-growth-during-the-war-938 in-yemen/ 939 Intensify efforts to prevent violence against women and girls. In: ReliefWeb [Internet]. 10 940 Dec 2023. Available: https://reliefweb.int/report/yemen/intensify-efforts-prevent-941 violence-against-women-and-girls 942