1 Original Research

- 2 Full title: Influence of parenting styles on depression, anxiety, stress and self-esteem of
- 3 adolescents
- 4 Short title: Parenting styles and adolescent mental health
- 5 List of authors:
- Rabina Khadka¹, Anjali Bhatt¹, Milan Thapa², Anusha Sharma³, Manoj Joshi¹, Durga Khadka
 Mishra⁴
- 8

9 Author affiliations:

- ¹Department of Public Health, Manmohan Memorial Institute of Health Sciences, Tribhuvan
- 11 University, Kathmandu, Nepal
- ¹² ²Department of Research and Innovation, Public Health Arena, Kathmandu, Nepal
- ¹³ ³School of Public Health, Patan Academy of Health Sciences, Lalitpur, Nepal
- ⁴Dean, Madan Bhandari Academy of Health Sciences, Hetauda, Nepal
- 15
- 16 *Corresponding author
- 17 Email: bhattanjali80@gmail.com
- 18
- 19 [¶]These authors contributed equally to this work.

20 Abstract

21 Globally, fourteen percent adolescents suffer from mental health issues. Among the many contributing factors to mental health problems, parenting is considered to have a significant effect 22 23 on both the physical and psychological health of adolescents. This study aimed to assess 24 depression, anxiety, stress, and self-esteem among adolescents and their relationship with parenting style. A community-based cross-sectional study with multistage proportionate sampling 25 was conducted among 583 school-going adolescents from September 2022 to March 2023 in 26 Bheemdatt Municipality. This study used the previously validated Depression Anxiety and Stress 27 Scale-21 (DASS-21), Rosenberg Self-Esteem Scale, and Parenting Style and Dimension 28 29 Questionnaire to assess the status and relationships. Variables were analyzed using a multivariate 30 logistic regression model, and a p-value of < 0.05 was considered statistically significant. The 31 prevalence of depression, anxiety, and stress among adolescents was found to be 37.39% (95% CI: 32 33.46 to 41.32), 42.19% (95% CI: 38.18 to 46.19), and 24.69% (95% CI: 21.18 to 28.19), respectively. Likewise, the mean self-esteem score among adolescents was found to be $22.26 \pm$ 33 34 3.56. The authoritative parenting style was positively associated with DAS, while the authoritarian 35 and permissive parenting styles were negatively associated with DAS and positively associated with self-esteem. Parent's age, parent's education, social support, and bullying, showed strong 36 37 effects on the research outcomes. These findings highlight the crucial role of parental involvement and support in shaping adolescent mental health, underscoring the need for interventions that 38 encourage positive parenting practices to improve mental health outcomes for adolescents. It is 39 highly recommended that school-based programs focus on raising awareness of mental health 40 issues and offer interventions such as stress management and student counseling. There is a 41 42 pressing need to effectively monitor and enforce anti-bullying policies within educational settings.

43 Introduction

44 "Adolescence is the phase of life between childhood and adulthood, from ages 10 to 19. It is a unique stage of human development and an important time for laying the foundations of good 45 46 health."[1] Adolescents experience rapid physical, cognitive, psychological, and social changes, 47 including exposure to poverty, abuse, or violence, which can make adolescents vulnerable to mental health problems. Most of these conditions remain largely unrecognized and untreated.[2] 48 Globally, 1 in 7 (14%) of 10 to 19-year-olds worldwide suffer from mental health issues.[3] As 49 per the National Mental Health Survey (NMHS), Nepal 2020, the prevalence of mental disorders 50 among adolescents was recorded at 5.2%.[4] Moreover, within Sudurpashim province, the 51 prevalence of mental disorders was found to be 3.9%.[4] The issue of mental health is getting 52 worse in Nepal, and adolescents are disproportionately affected.[4–6] Adolescents exposure to risk 53 factors like living conditions, stigma, discrimination, family situation, or lack of access to quality 54 55 health services, make them vulnerable to mental health conditions.[2] Indeed, parenting style has 56 been found to have a long-lasting effect on the development of teenagers' personalities and other psychological traits in addition to having a direct impact on their mental health.[7–9] 57

A survey by WHO in 2017 reported that among the countries of South East Asia, Nepal had the highest rates of suicidal ideation (14%) and a significant number of suicide attempts (10%) among adolescents. Additionally, 5% and 7% of adolescents, showed signs of anxiety and loneliness respectively.[6] Further survey revealed that perceived parental engagement was 54% for "parents understood their problems and worries", 51% for "parents really knew what they were doing with their free time" and 50% for "parents checked if homework was done".[6] Adolescents whose parents who were less engaged in their lives had attempted suicide at a rate of 15% and 6% faced

anxiety and loneliness respectively.[6] As a result, it is crucial to investigate how parenting styleaffects adolescents' mental health.

67 According to Baumrind 1971, there are three types of parenting styles: authoritative, permissive, 68 and authoritarian.[10] Previous studies have shown that these parenting styles yield varying results on the mental health outcome of a child.[11–14] Parents play a major role in the physical and 69 70 emotional development of their child. Various research has shown the influence of parenting style 71 on the emotional development of adolescents.[11–13,15,16] Recent studies conducted in Nepal has examined how parents can enhance their adolescent's self-esteem and prevent suicidal 72 73 behavior, revealing an association between parental authoritativeness and the self-esteem of their adolescents.[12] Prevalence of suicidal risk behavior among adolescents (11.3%) strongly 74 75 correlates with authoritarian parents.[12]

Taking into account factors affecting mental health, there is limited research highlighting the
impact of parenting style on adolescents' mental health, more particularly concerning depression,
anxiety, stress, and self-esteem.[12] Therefore, this study aimed to assess depression, anxiety,
stress, and self-esteem in adolescents and their relationship with parenting style in Bheemdatt
Municipality, Kanchanpur, Nepal.

81

82 Materials and methods

83 Study setting, design and population

The cross-sectional study was conducted among school-going adolescents of Bheemdatt Municipality in Kanchanpur district of Sudurpaschim Province, Nepal. The study was conducted between mid-September 2022 to March 2023. The municipality was named Mahendranagar in

honor of the late King Mahendra of Nepal.[17] Later, it was changed to Bhimdatta municipality in 87 honor of the revolutionary farmer leader Bhimdatta Panta, following the country's 2008 republican 88 transition.[17] The municipality has 19 wards with the area of 171.24 km² (66.12 sq mi) and 89 located 700 kilometers (430 miles) west of Kathmandu and 5 kilometers (3.1 mi) east of the Indian 90 border.[17] Data collection was done in the first week of September 2022. There were 124 schools 91 92 in the municipality with a population of 5648, out of which 10 schools were selected. School-going adolescents were the study population. These school-going adolescents comprised of the 93 adolescents of grade 9 and 10. 94

95

96 Sample size calculation and sampling technique

A multistage proportionate sampling technique was used to select the schools and participants 97 98 randomly. The sample size was estimated using the formula for cross-sectional survey n = $\frac{Z_{\alpha}^2 pq}{d^2 + \frac{Z_{\alpha}^2 pq}{M}}$ using p = 0.57 and q = 0.43 [18] and finite population of 5648 adolescents at confidence 99 interval of 95% and allowable error set at 5%. After the calculation, minimum sample size was 100 101 353. After adjusting design effect of 1.5 and adjusting variance from cluster design and assuming nonresponse at 10%, the final sample size was 583. Two-stage cluster sampling was used where 102 two separate lists of public and private schools of Bheemdatt Municipality were prepared and then, 103 104 ten schools (5 public and 5 private schools) were chosen from the list of schools that fall under the 105 criteria. Schools with less than 50 students were excluded from the study. Likewise, adolescents 106 without parents were not taken in the study. Later, proportionate sampling was done to collect data 107 from adolescents from each school.

Data collection tools

A self-administered questionnaire, which was used to assess the status of depression, anxiety, 110 stress, and self-esteem in adolescents and its relationship with parenting style, was divided into 111 three sections. The first section includes information on socio-demographic characteristics, family 112 113 characteristics, and academic characteristics. The second section includes questions to measure perceived parenting style using Parenting Style and Dimension Questionnaire – Short Version 114 (PSDQ).[19] The Third section includes questions to measure the status of depression, anxiety, 115 116 and stress among adolescents using the previously validated Nepali version of Depression. Anxiety and Stress Scale - 21 (DASS-21).[20] The Fourth section includes questions to measure self-117 esteem levels among adolescents using the Rosenberg Self-esteem Scale.[21] 118

Parenting Style and Dimension Questionnaire - Short Version (PSDQ) was used to assess the 119 adolescents' perception of parenting style. The Short Version of the PSDQ consists of 32 items 120 121 rated on a five-point Likert-type scale ranging from 1 (never) to 5 (always).[19] The Depression, Anxiety, and Stress Scale - 21 Items (DASS-21) is a set of three self-report scales designed to 122 measure the emotional states of depression, anxiety, and stress. Each of the three DASS-21 scales 123 124 contains 7 items, divided into subscales with similar content. Each item is rated on a 4-point Likert scale, ranging from 0 (indicating "did not apply to me at all") to 3 (indicating "applied to me very 125 much"). Scores for DAS were calculated by summing the scores for the relevant items and 126 127 multiplying by two.[20] Rosenberg Self-esteem Scale, which was used to measure self-esteem in 128 the study, is a 10-item scale that measures global self-worth by measuring both positive and 129 negative feelings about the self. The scale is believed to be uni-dimensional. All items are answered using a 4-point Likert scale format ranging from strongly agree to strongly disagree.[21] 130

132 Data collection procedure and technique

The data collection for the study was started on the mid September 2022 after the authorization of 133 the ethical approval on the first week of September 2022. Data was collected after the permission 134 from the municipal education division and individual secondary schools. The questionnaire was 135 136 pretested among 58 school-going adolescents of Kathmandu Metropolitan. Self-administered questionnaires were distributed among the students, and orientation session was provided to 137 138 students before data collection, and information on mental health issues was provided to students at the end of the session. Written informed consent was taken from all students prior to data 139 collection whereas additional written parental consent was obtained from students below 18 years 140 of age. 141

142

143 Data analysis

The data entry form was created prior to data collection in IBM SPSS Statistics version 16 and was later entered, cleaned, and sorted for further analysis. Descriptive analysis was performed and frequency tables with percentage was generated for categorical variables and mean and standard deviation for continuous variables.

Binary logistic regression was performed to identify associated factors of symptoms of DAS. Firstly, we performed a univariate analysis in which each co-variate was modeled separately to determine the odds of DAS. Candidate variables for multivariable logistic regression were those whose univariate analysis yielded a p-value less than 0.05. A p-value of less than 0.05 was deemed statistically significant in multivariable logistic regression, and the strength of association was measured using the adjusted odds ratio (AOR) with a 95% confidence interval.

155 Ethical approval and consent

All the activities associated with the study proceeded after acquiring the required authorization 156 from the Manmohan Memorial Institute of Health Sciences' Institutional Review Committee 157 (MMIHS IRC 875; Ref 79/139; Date: 1 September 2022). Prior approval was sought from the 158 159 municipality's education sector and the school administration before data collection. Participants were also well-informed about the study. A written informed consent was obtained from the 160 students before the data collection to ensure their willingness to participate and no identification 161 162 was included in the questionnaire to ensure anonymity and confidentiality. Parental consent was obtained for students who were under the age of 18. 163

164

165 **Results**

166 Sociodemographic, family, and contextual characteristics of

167 adolescents

168 The research questionaries were distributed among 583 school-going adolescents from 5 public169 and private schools each.

Table 1 demonstrates the demographic and family characteristics of the respondents. The mean age of the respondents was 15.41 ± 1.02 ranging from 10-18 years. Among 583 participants, more than half of the respondents (58.8%) were male in comparison to female respondents (40.8%). With regards to academic characteristics, about two-thirds of the respondents (64.5%) belonged to public schools and more than half (57.5%) were in grade 10. Five-sixth of the respondents (83%) were from Brahmin/Chettri ethnicity. Talking about the parent's educational status, just over fivesixth of mothers (84.6%) were literate and the majority of the fathers (96.2%) were literate.

Likewise, the majority of the students responded that their father as well as mother had attained a secondary level of education. Likewise, 15000-30000 was the majority of the income in most families, that is 28%. The majority of the parents (93%) were married while the remaining tiny fraction (0.9%) were separated and divorced respectively. More than half (55.2 %) of the respondents lived in the nuclear family.

182 It was noted that the majority of the adolescents (86.3%) were single and the majority of 183 adolescents (80.8%) described their relationship with friends as close and two third (66.6%) of 184 adolescents described their relationship with teachers as close. Talking about the involvement in 185 extracurricular activities, it was found that the majority (80.3%) were involved in extracurricular 186 activities (ECA) with just over two-thirds (67.5%) involvement in sports activity. Likewise, just 187 over a quarter (28%) of the adolescents complained of being bullied, of which nearly half of the 188 adolescents (46.4%) were bullied in the school environment.

150 Table 1. Socio-demographic characteristics of respondents	190	Table 1. Socio-demographic characteristics of respondents
---	-----	---

Socio-demographic	Catagony	Fragmonay	Domoontago	
Characteristics	Category	Frequency	Percentage	
Sex	Male	344	59.0	
	Female	239	41.0	
Age in years	Mean \pm SD		15.41 ± 1.02	
	≤ 15	297	50.9	
	> 15	286	49.1	
Type of School	Public	376	64.5	
	Private	207	35.5	
Ethnicity	Brahmin/Chettri	470	82.5	
	Janajati	40	6.9	
	Dalit	44	7.5	
	Thakuri	22	3.8	
	Prefer not to say	7	1.2	
Grade	Nine	248	42.5	
	Ten	335	57.5	
Mother's Education	Literate	493	84.6	

	Illiterate	90	15.4
Father's Education	Literate	561	96.2
	Illiterate	22	3.8
Family Income	<15000	150	25.7
-	15000-30000	163	28
	30000-45000	146	25
	> 45000	124	21.3
Mother's Age	Mean \pm SD		38.42 ± 5.23
	≤ 45	538	92.3
	> 45	45	7.7
Father's Age	Mean \pm SD		42.75 ± 5.76
-	\leq 40	251	43.1
	>40	332	56.9
Parent's Marital Status	Married	573	98.3
	Separated	5	0.9
	Divorced	5	0.9
Type of Family	Nuclear	322	55.2
	Joint/Extended	261	44.8
Relationship Status	Single	503	86.3
	Dating	80	13.7
Relationship with Friends	Close	471	80.8
	Not close	112	19.2
Relationship with Teachers	Close	388	66.6
	Not close	195	33.4
Involvement in ECA	Yes	468	80.3
	No	115	19.7
If yes,	Sports	315	67.5
	Community Engagement	11	2.4
	Social Works	53	11.3
	Others	88	18.8
Bullying	Yes	165	28.3
	No	418	71.7
If yes,	School	77	46.4
	Online	32	19.3
	Society	32	19.3
	Others	25	15.1

194 Perceived parenting style among adolescents

The results of perceived parenting style and its dimensions are shown in Table 2. It was found that the percentage of authoritative parenting style was 83.2%, authoritarian parenting style was 43.6% and permissive parenting style was 56.6%. The overall mean scores of authoritative, authoritarian, and permissive parenting styles were 4.16 ± 0.64 , 2.18 ± 0.83 , and 2.83 ± 0.84 , respectively.

Parenting Style	Dimensions	Mean ± SD
Authoritative		4.16 ± 0.64
	Connection	4.36 ± 0.67
	Regulation	4.35 ± 0.70
	Autonomy	3.77 ± 0.95
Authoritarian		2.18 ± 0.83
	Physical Coercion	2.32 ± 1.13
	Verbal Hostility	2.45 ± 1.05
	Non-Reasoning/Punitive	1.77 ± 0.89
Permissive	Indulgent	2.83 ± 0.84

Table 2. Perceived parenting style among adolescents (n = 583)

208 Prevalence of depression, anxiety, and stress among adolescents

209 The prevalence of symptoms of depression, anxiety, and stress was found to be 37.39% (95% CI:

- 210 33.46%, 41.32%) 42.19% (95% CI: 38.18%, 46.19%), and 24.69% (95% CI: 21.18%, 28.19%)
- 211 respectively. (Table 3)

Depression Stress Anxiety Level % % % n n n 365 62.6 337 57.8 439 No 75.3 Mild 83 14.2 49 8.4 49 8.4 Moderate 93 16.0 17.3 50 8.6 101 19 3.3 41 7.0 34 5.8 severe Extremely 23 3.9 55 9.4 11 1.9 severe

Table 3. Prevalence of depression, anxiety, and stress among adolescents (n = 583)

213

214 Self-esteem among adolescents

The mean self-esteem score was 22.26 ± 3.56 . About the majority of the adolescents (69.3%) showed high self-esteem while the remaining (30.7%) of the adolescents had low self-esteem.

217

Association between parenting style and outcome variables

Table 4 represents the significant relationship between parenting style variables and depression, stress, anxiety, and self-esteem. It was found that authoritative parenting style has a low negative correlation with depression (r = -0.21) and anxiety variable (r = -0.20) and negligible negative correlation with stress (r = -0.19) and self-esteem variable (r = -0.16). Likewise, authoritarian parenting style showed a negligible positive correlation with DAS variables ($r_d = 0.15$, $r_a = 0.13$, $r_s = 0.08$), while, low positive relation with self-esteem (r = 0.15). Similarly, the data revealed that

permissive parenting style has a negligible positive correlation with DAS variables ($r_d = 0.10$, $r_a =$

226 0.06, $r_s = 0.11$) and self-esteem (r = 0.07).

Variables	Depression		Anxiety		Stress		Self-esteem	
Variables	r	p-value	r	p-value	r	p-value	r	p-value
Authoritative	-0.21	<0.0001	-0.20	<0.0001	-0.19	0.0001	-0.16	0.0001
Authoritarian	0.15	0.0003	0.13	0.0019	0.08	0.0637	0.15	0.0004
Permissive	0.10	0.0132	0.06	0.1376	0.11	0.0060	0.07	0.1042

227 Table 4. Association between parenting style and outcome variables

228

229 Factors associated with depression

The results of multivariate logistic regression for the factors associated with depression are shown in Table 5. In the final model, the father's age and bullying were found to be significantly associated with depression. Results showed that the odds of depression among adolescents having fathers aged >50 was 2.05 times (AOR=2.05, 95% CI 1.07 – 3.93) more likely than adolescents with fathers aged \leq 50. Likewise, the odds of depression among adolescents who reported bullying was 2.42 times (AOR=2.42, 95% CI 1.64 – 3.55) more likely than in adolescents who didn't report bullying.

237

238

240 Factors associated with anxiety

- The results of multivariate logistic regression for the factors associated with anxiety are shown in Table 5. The variables that remained in the final model were grade, relationship with friends, and bullying. Grade (AOR=1.81, 95% CI 1.27 – 2.58), Relationship with friends (AOR=1.99, 95% CI 1.28 - 3.10), Relationship with teachers (COR=1.49, 95% CI 1.05 – 2.11) and bullying (AOR=2.26, 95% CI 1.67 – 3.62) was found to be significantly associated with symptoms of anxiety.
- 247

248 Factors associated with stress

Factors associated with stress are presented in Table 5. Multivariate logistic regression between stress and selected independent variables showed that sex (AOR=0.46, 95% CI 0.31 - 0.69), grade (AOR=1.73, 95% CI 1.15 - 2.60), relationship with friends (AOR=1.71, 95% CI 1.07 - 2.73), relationship with teachers (AOR=1.95, 95% CI 1.29 - 2.96) and bullying (AOR=1.95, 95% CI 1.27 - 3.01) were significantly associated with symptoms of stress.

254

255 Factors associated with self-esteem

The final model of multivariate logistic regression between self-esteem and selected independent variables showed that age (AOR=1.88, 95% CI 1.18 – 3.00), relationship with friends (AOR=2.68, 95% CI 1.51 – 4.76), involvement in ECA (AOR=1.67, 95% CI 1.01 – 2.76) and bullying (AOR=2.37, 95% CI 1.47 – 3.82) were significantly associated, as displayed in Table 5.

	Depression ¹	Anxiety ²	Stress ³	Self-esteem ⁴	
Characteristics	AOR, 95% CI	AOR, 95% CI	AOR, 95% CI	AOR, 95% CI	
Sex					
Male			Ref	1.36 (0.94 – 1.98)	
Female			2.17 (1.44- 3.27) *	Ref	
Age					
≤ 15				Ref	
> 15				1.88 (1.18 – 3.00) *	
Grade					
9		Ref	Ref		
10		1.81 (1.27 – 2.58) *	1.73 (1.15 – 2.60) *		
Mother's education					
Illiterate	1.50 (0.93 – 2.42)				
Literate	Ref				
Father's education					
Illiterate				3.79 (0.85 - 16.86)	
Literate				Ref	
Father's age					
≤ 45	Ref				
> 45	2.05 (1.07 - 3.93) *				
Relationship status					

261 Table 5. Factors affecting depression, anxiety, stress and self-esteem among adolescents

Single				Ref
Dating				1.63 (0.90 - 2.95)
Relationship with friends				
Not close	1.17 (0.76 – 1.84)	1.99 (1.28 – 3.10) *	1.71 (1.07 – 2.73) *	2.68 (1.51 – 4.76) *
Close	Ref	Ref	Ref	Ref
Relationship with teacher				
Not close	1.33 (0.91 – 1.94)	1.15 (0.79 – 1.68)	1.95 (1.29 – 2.96) *	1.08 (0.70 – 1.65)
Close	Ref	Ref	Ref	Ref
Involvement in ECA				
No				1.67 (1.01 – 2.76) *
Yes				Ref
Bullying				
No	Ref	Ref	Ref	Ref
Yes	2.42 (1.64 – 3.55) *	2.26 (1.67 – 3.62) *	1.95 (1.27 – 3.01) *	2.37 (1.47 – 3.82) *
¹ adjusted for education of m ² adjusted for grade of study, ³ adjusted for sex of the respo	relationship with friends, re	elationship with teacher and l	bullying	

⁴adjusted for age, grade of study, education of father, relationship with friends, relationship with teacher, involvement in ECA and bullying OR: Odds Ratio

CI: Confidence Interval

Ref: Reference group

*Statistically significant at p<0.05

263 **Discussion**

The present study elucidates the intricate associations between parenting styles and various psychological outcomes, including depression, anxiety, stress, and self-esteem among adolescents. Our findings underscore the nuanced influence of parenting approaches, with the authoritative parenting style exhibiting a low negative correlation with DAS and self-esteem while the authoritarian and permissive parenting style showed a negligible positive correlation across these psychological dimensions.

These results are consistent with the data obtained in research by Sanjeevan, et. al which indicated 270 271 that authoritative parenting style correlated with a lower level of DAS while neglectful parenting 272 style with a higher level of DAS.[14] A cross-sectional study on US adolescents revealed parental care and control were associated with mental health disorders among adolescents with involved 273 parenting having a positive role and neglectful parenting having the negative role.[22] Likewise, 274 Mishra et. al demonstrated a significant relationship between anxiety and parents adopting an 275 276 authoritative parenting style and has shown an increase in social anxiety in adolescents with 277 authoritative parents.[23] The current study found that authoritative parenting style was significantly associated with depression. This outcome is corroborated by that of Prativa et. al 278 279 which indicated a negative correlation between authoritative parenting style and depression in 280 adolescents that is more authoritative parenting style is associated with less depression in adolescents.[15] Similar results were found in the study conducted in Japan in later adults [24] and 281 in Indonesia in high school students.[25] 282

Research findings showed a negative association of self-esteem with authoritative parenting styleand a positive association with authoritarian and permissive parenting styles. This differs from the

285 existing study conducted on the urban high school students of Nepal by Banstola et al. which reported a positive association between parental authoritativeness and self-esteem.[12] This 286 discrepancy might be due to differences in the study setting and population. Likewise, a study in 287 Indonesia showed a beneficial effect of authoritative parents on self-esteem and a negative effect 288 289 of authoritarian parents on self-esteem, which differs from the research findings.[25] Research 290 study by Milevsky et. al revealed the supportive role of an authoritative parenting style in increasing self-esteem.[11] The possible explanation for these results may be due to the nature of 291 parenting style. It has been evident that an authoritative parenting style is characterized by parents 292 293 who tend to display love and warmth, and high responsiveness towards the children. This reason might have resulted in a decrease in the symptoms of DAS among school-going adolescents.[22] 294 However, the authoritative parenting style showed a negative correlation with self-esteem which 295 296 resulted in a decrease in self-esteem. The result might be explained by the fact that the control nature of authoritative parents might increase the high expectations towards children as a result 297 this will decrease self-esteem in adolescents. Likewise, authoritarian and permissive parenting 298 styles showed negative association with DAS and self-esteem. This relationship may partly be 299 explained by the fact that authoritarian parents try to keep their children in the controlled 300 environment pressurizing their children which will increase DAS.[22,26] Likewise, permissive 301 parents are less involved with their children which might have increased DAS.[26,27] 302

303 Study results revealed the prevalence of depression, anxiety, and stress to be 37.39%, 42.19%, and 304 24.69% respectively. Existing research conducted by Gautam et. al in the rural setting of Nepal 305 showed about one-quarter of the high school students that is 27% showed depressive 306 symptoms[28] which is lower than the study. Likewise, Sharma et. al research conducted among 307 public schools of Kathmandu Valley reported the higher prevalence of depressive symptoms which

308 is 41.6%.[29] Similarly, more than half that is 56.9% of students showed symptoms of anxiety and 309 more than 1/4th of students that is 27.5% showed symptoms of stress corroborating research findings.[29] Another study conducted by Bhandari et. al revealed that roughly one out of every 310 two students (46.5%) experienced symptoms of anxiety.[30] Likewise, the study by Karki et. al 311 revealed more than half (56.5%) of the high school students of Kathmandu showed symptoms of 312 depression and a similar proportion (55.6%) showed anxiety symptoms, and about 1/4th of the 313 students showed stress symptoms that is 32.9%.[18] These findings are inconsistent with current 314 research. The prevalence of depression was found high as compared to study conducted in the rural 315 316 setting of Nepal. One of the possible explanations for this could be that data was collected at the very exam season. During this period students may have struggled academically and displayed 317 symptoms of depression, anxiety and stress. Likewise, majority of the students in the study were 318 319 grade 10 students, who were under constant pressure for approaching SEE exams. Taking into account academic characteristics of the adolescents, grades showed significant association with 320 stress. This was in line with a study conducted in India[31] and Bangladesh.[32] Among South 321 Asian countries, the prevalence of depression reported by our study is lower than the studies 322 conducted in India, Bangladesh, and China.[33–36] On the contrary, the prevalence of anxiety as 323 reported by the current study is in line with the studies conducted in China and Vietnam, but higher 324 than that of Sri Lanka and lower than that of India.[33,35,37,38] Likewise, the prevalence of stress 325 is comparable with the study conducted in Manipur, India but lower than that of a similar study 326 327 conducted in Chandigarh, India.[34,39] These findings suggested the increasing burden of DAS among school-going adolescents in South Asia. The mean self-esteem score in this study was 328 329 found to be 22.26 ± 3.56 . The study has shown that the majority of the adolescents (69.3%) showed 330 high self-esteem scores. This was in line with the study conducted in Nigeria (24.0 ± 3.3) .[40]

However, this differs from the research findings of Banstola et. al $(16.59 \pm 0.16)[12]$ and study in Iran $(38.49 \pm 6.55).[41]$ The possible reason for this might be the difference in study setting and population.

334 In the current study, it was found that female adolescents were more likely to suffer from symptoms of stress than male adolescents. The findings of the study are consistent with the 335 336 research of Sharma et. al which showed higher symptoms of stress in females.[18] This is 337 inconsistent with the findings of the previous research studies.[37,42–45] The possible explanation must be the difference in parenting between male and female adolescents which can result in 338 339 differences in the mental status of the adolescents. Likewise, females are more likely to be exposed to the family burden and social stigma. Similarly, the current study showed higher self-esteem 340 scores in male adolescents than in female adolescents. These results agree with the findings of a 341 study by Banstola et. al. [12] Likewise, study in Iran showed higher self-esteem in male adolescents 342 than female adolescents.[41] On the contrary, another study in Iran reported higher mean scores 343 of girls than boys.[16] 344

This study found the risk of depression was higher in adolescents with mothers without any formal 345 education. The possible explanation might be illiterate mothers don't have a stronger knowledge 346 of the child's mental health status and how to react to the child's aspirations and demands which 347 in turn can result in early signs of depression in the child. This differs from the findings of the 348 study conducted by Gautam et. al. [28] Likewise, research by Bhattarai et. al revealed depression 349 was higher in adolescents with illiterate parents.[46] Similarly, adolescents with illiterate fathers 350 showed low self-esteem among adolescents. This was in accordance with the research findings of 351 352 Alami et. al.[41] The possible explanation might be that illiterate fathers mightn't have the

knowledge to boost of confidence of their children. However, educated fathers play an importantrole in robust their child decision-making skills and boosting their morale.

355 Relationships with friends and teachers showed an association with DAS and self-esteem. It was 356 found that the odds of depression, anxiety, stress, and low self-esteem among adolescents having no close relationship with friends was 1.52 times, 1.99 times, 1.71 times, and 2.68 times more 357 358 likely than adolescents with close relationships with friends respectively. This was in accordance with the findings of the study conducted by Gautam et. al which showed those students who have 359 poor relationships with friends were 2.4 times more likely to be at risk of depression than those 360 361 students who have a good relationship with their friends.[28] Likewise, it was found that poor relationships with teachers resulted in adolescents experiencing 1.4 times more depressive 362 symptoms.[28] Similar studies conducted among Chinese students showed having average 363 relationships with classmates (AOR=2.82) or poor relationships with classmates (AOR=1.60) was 364 a risk factor for having depressive symptoms.[47] Having not close relationship might have 365 resulted in a lack of social support which eventually resulted in early signs of DAS and low self-366 esteem. A similar study on high school students showed a significant association between 367 perceived social support and level of depression. [46] Likewise, anxiety symptoms were 1.73 times 368 369 more likely in adolescents with poor relationships with classmates or friends [48], which was consistent with the findings of the current study. A possible explanation might be the fact that a 370 371 lack of social support results in a lack of confidence to tackle issues and worry about small problems. 372

Bullying was also found to be significant among adolescents and was associated with increased levels of DAS and a decrease in self-esteem among adolescents. Likewise, the odds of depression, anxiety, stress, and low self-esteem among adolescents who reported bullying were 2.42 times,

376 2.17 times, 1.95 times, and 2.37 times more likely than in adolescents who didn't report bullying respectively. It is consistent with the research findings of Karki et. al which showed the symptoms 377 of depression were 2.84 times more likely among the students who were bullied electronically, 378 379 symptoms of anxiety and stress were 1.36 and 1.48 times more likely in adolescents who were bullied in school property respectively.[18] Likewise, a similar study in Chinese high school 380 381 students revealed that bullying victimization results in an increased level of social anxiety with the mediating role of self-esteem.[49] Similarly, another study showed consistent findings which 382 confirmed that bullying victims have higher depressive symptoms, lower self-esteem, and higher 383 384 suicide tendencies than non-victims.[50] Existing research on students also confirmed the significant association between stress and bullying.[51] The students who were bullied repeatedly 385 experience abuse and threats which exacerbates the feeling of fear and loneliness. This causes 386 387 emotional distress in adolescents, which leads to increased DAS symptoms and low self-esteem.

The findings of the study should be interpreted in light of its limitations. This study took the perspective of adolescents on the perceived parenting style. This perception might differ among the parents. Future studies should try to include the perspectives of both parents and children. Likewise, maternal and parental parenting style was found to be different and can interfere with the findings so future studies should consider taking the perception of parenting style from each parent.

394

395 **Conclusion**

This study planned to assess depression, anxiety, stress, and self-esteem in adolescents and its relationship with parenting style in Bheemdatt Municipality, Kanchanpur. About one-third of

398 adolescents showed symptoms of depression, almost half of the adolescents showed symptoms of 399 anxiety, and about one-fourth of adolescents showed symptoms of stress in Bheemdatt Municipality. Likewise, the majority of the adolescents showed high self-esteem and about one-400 third of adolescents showed low self-esteem. Importantly, authoritative parenting style positively 401 predicted the DAS and negatively predicted self-esteem while authoritarian and permissive 402 parenting style negatively predicted the DAS and positively predicted the self-esteem. This shows 403 the important role of parenting behavior in the prediction of the mental health status of adolescents 404 with positive parenting behavior showing a positive impact on the behavior of the child. Study 405 406 covariates such as sex, grade, parent's age, and parent's education showed strong effects on the outcome of the research. Likewise, the social support system of the adolescents was found to be a 407 strong predictor of DAS and self-esteem. Thus, improving adolescents' perceived level of social 408 409 support may alleviate the mental health problems of adolescents. Similarly, students who were bullied showed a higher prevalence of DAS and low self-esteem. Therefore, prevention and control 410 activities such as school-based counseling focusing on bullying will help to reduce mental health 411 distress among adolescents. Hence, it is concluded that parents play an influential role in 412 promoting the mental health of their adolescent children with the supporting role of study 413 covariates and social support systems. 414

415

416

417

418

420 Supporting information

421 S1 Table. Study variables and tables. This is the study variables used in the study and tables
422 from further analysis done in the study.

423 S1 Tool. Study tool. English Questionnaire

424 S1 Data. Study dataset. Final version of study dataset

425 S1 Checklist. STROBE Statement. This is the Strengthening the Reporting of Observational

426 Studies in Epidemiology (STROBE) Statement guidelines for reporting observational studies

427

428 Acknowledgment

Foremost, we express our sincere gratitude towards the students for their cooperation and support during the study. Special thanks to Bheemdatt municipality for granting permission to conduct the study. Grateful to the school administration and teachers for their assistance during data collection. Above all sincere gratitude towards and Department of Public Health, Manmohan Memorial Institute of Health Sciences for their unwavering leadership and assistance.

434

435 Author contributions

436 Conceptualization: Anjali Bhatt, Rabina Khadka

437 **Data curation:** Anjali Bhatt

438 Formal analysis: Anjali Bhatt, Milan Thapa

- 439 Investigation: Anjali Bhatt
- 440 Methodology: Anjali Bhatt, Rabina Khadka
- **Project administration:** Anjali Bhatt
- 442 Supervision: Rabina Khadka, Durga Khadka Mishra
- 443 Visualization: Anjali Bhatt
- 444 Writing- original draft: Anjali Bhatt, Rabina Khadka
- 445 Writing- review & editing: Anjali Bhatt, Rabina Khadka, Milan Thapa, Anusha Sharma,
- 446 Manoj Joshi, Durga Khadka Mishra

460 **References**

461	1.	World Health Organization. Adolescent health. Available: https://www.who.int/health-
462		topics/adolescent-health#tab=tab_1
463	2.	WHO. Adolescent mental health. In: 2022.
464	3.	Institute of health Metrics and Evaluation. Global Health Data Exchange (GHDx).
465		Adolescents Mental Health. 2019.
466	4.	Nepal Health Research Council (NHRC). National Mental Health Survey, Nepal-2020.
467		2020.
468	5.	Nepal Health Research Council (NHRC), Ministry of Health and Population (MoHP),
469		Institute of Heath Metrics and evaluation ME and OR (MEOR). Nepal Burden of Disease.
470		2019.
471	6.	World Health Organization RO for S-EA. Mental health status of adolescents in South-East
472		Asia: Evidence for action. New Delhi; 2017. doi:Licence: CC BY-NC-SA 3.0 IGO
473	7.	Rohner RP, Britner PA. Worldwide Mental Health Correlates of Parental Acceptance-
474		Rejection: Review of Cross-Cultural and Intracultural Evidence. Cross-Cultural Res.
475		2002;36: 16-47. doi:10.1177/106939710203600102
476	8.	Rohner RP, Khaleque A, Cournoyer DE. Parental Acceptance-Rejection: Theory, Methods,
477		Cross-Cultural Evidence, and Implications. 2005;33: 299–334.
478		doi:https://doi.org/10.1525/eth.2005.33.3.299
479	9.	Xiuqin H, Huimin Z, Mengchen L, Jinan W, Ying Z, Ran T. Mental health, personality, and

480 parental rearing styles of adolescents with Internet addiction disorder. Cyberpsychol Behav

481 Soc Netw. 2010;13: 401–406. doi:10.1089/cyber.2009.0222

- 482 10. Baumrind D. Current patterns of parental authority. Dev Psychol. 1971;4: 1–103.
 483 doi:10.1037/h0030372
- 484 11. Milevsky A, Schlechter M, Netter S. Maternal and Paternal Parenting Styles in
 485 Adolescents : Associations with Self-Esteem , Depression and Life-Satisfaction. 2007; 39–
 486 47. doi:10.1007/s10826-006-9066-5
- Banstola RS, Ogino T, Inoue S. Impact of parents' knowledge about the development of
 self-esteem in adolescents and their parenting practice on the self-esteem and suicidal
 behavior of urban high school students in Nepal. Int J Environ Res Public Health. 2020;17:
- 490 1–19. doi:10.3390/ijerph17176039
- Hossain SM, Huq S, Adhikari B, Zabin S, Zai E, Mohammad S, et al. Parenting skills affect
 child behaviors in a selected area of Nepal. banglajol.info. 2015;5: 44–48.
 doi:10.3329/seajph.v5i1.24851
- 494 14. Sanjeevan D, Zoysa P De. The association of parenting style on depression, anxiety and
 495 stress among Tamil speaking adolescents in the Colombo city. 2019;47: 342–347.
 496 doi:http://dx.doi.org/10.4038/sljch.v47i4.8597
- 497 15. Prativa S, Deeba F. Relationship between parenting styles and depression in adolescents. J
 498 Biol Sci. 2019;28: 49–59. doi:10.3329/dujbs.v28i1.46492
- 499 16. Zakeri H, Karimpour M. Parenting Styles and Self-esteem. Procedia Soc Behav Sci.
 500 2011;29: 758–761. doi:10.1016/j.sbspro.2011.11.302
- 501 17. Bheemdatt Municipality. Brief Introduction Bheemdatt Municipality. 2024.

502	18.	Karki A, Thapa B, Pradhan PMS, Basel P. Depression, anxiety and stress among high school
503		students: A cross-sectional study in an urban municipality of Kathmandu, Nepal. PLOS
504		Glob Public Heal. 2022;2: e0000516.

- 19. Robinson CC, Mandleco B, Olsen SF, Hart CH. The Parenting Styles and Dimensions
 Questionnaire (PSDQ). 3rd ed. In B F Perlmutter, J Touliatos, & G W Holden (Eds),
 Handbook of family measurement techniques. 3rd ed. Thousand Oaks: Sage; 2001. pp. 319–
 321.
- 509 20. Lovibond SH, Lovibond PF. Manual for the Depression Anxiety Stress Scales. 2nd ed.
 510 Sydney: Psychology Foundation; 1995.
- 511 21. ROSENBERG M. Society and the Adolescent Self-Image. Princeton University Press;
 512 1965.
- Eun JD, Paksarian D, He J-P, Merikangas KR. Parenting style and mental disorders in a
 nationally representative sample of US adolescents. Soc Psychiatry Psychiatr Epidemiol.
 2018;53: 11–20. doi:10.1007/s00127-017-1435-4
- 516 23. Mishra P, Kiran U V. Parenting style and social anxiety among adolescents. Int J Appl home
 517 Sci 2394-1413. 2017;5: 117–123.
- 518 24. Uji, M., Sakamoto, A., Adachi K et al. The Impact of Authoritative, Authoritarian, and
 519 Permissive Parenting Styles on Children's Later Mental Health in Japan: Focusing on Parent
 520 and Child Gender. J Child Fam Stud. 2014; 293–302. doi:https://doi.org/10.1007/s10826521 013-9740-3
- 522 25. Jannah K, Hastuti D, Riany YE. Parenting style and depression among students: The

- mediating role of self-esteem. Psikohumaniora. 2022:7: 39-50. 523 doi:10.21580/pjpp.v7i1.9885 524
- 525 26. Yaffe Y. A narrative review of the relationship between parenting and anxiety disorders in and 526 children adolescents. Int J Adolesc Youth. 2021;26: 449-459. doi:10.1080/02673843.2021.1980067 527
- Singh V, Taruna ☑, Behmani RK. Parenting Styles and Mental Health of Adolescents. J 528 27. Psychol Behav Stud. 2021; 41–46. doi:https://doi.org/10.32996/jpbs.2021.1.1.6 529

28. Gautam P, Dahal M, Ghimire H, Chapagain S, Baral K, Acharya R, et al. Depression among 530

Adolescents of Rural Nepal: A Community-Based Study. Rybakowski JK, editor. Depress 531 532 Res Treat. 2021;2021: 1–9. doi:10.1155/2021/7495141

- 533 29. Choulagai BP, Sharma P. Stress, anxiety, and depression among adolescent students of public schools in Kathmandu. J Inst Med Nepal. 2020;40: 29-37. 534
- Bhandari K, Adhikari C. Prevalence and Factors Associated with Anxiety Disorder among 535 30. Secondary School Adolescents of Dang District, Nepal. J Gandaki Med Coll. 2015; 53-56.

- 537 31. Bhasin SK, Sharma R, Saini NK, Depression, anxiety and stress among adolescent students
- belonging to affluent families: A school-based study. Indian J Pediatr. 2010;77: 161-165. 538 doi:10.1007/s12098-009-0260-5 539
- 32. Anjum A, Hossain S, Sikder T, Uddin ME, Rahim DA. Investigating the prevalence of and 540 factors associated with depressive symptoms among urban and semi-urban school 541 adolescents in Bangladesh: а pilot study. Int Health. 2022;14: 354-362. 542 doi:10.1093/inthealth/ihz092 543

544	33.	Jha KK, Singh SK, Nirala SK, Kumar C, Kumar P, Aggrawal N. Prevalence of Depression
545		among School-going Adolescents in an Urban Area of Bihar, India. Indian J Psychol Med.
546		2017;39: 287–292. doi:10.4103/0253-7176.207326

547 34. Sandal RK, Goel NK, Sharma MK, Bakshi RK, Singh N, Kumar D. Prevalence of
548 Depression, Anxiety and Stress among school going adolescent in Chandigarh. J Fam Med
549 Prim Care. 2017;6.

35. Zhang S, Yang R, Li D, Wan Y, Tao F, Fang J. Association of health literacy and sleep
problems with mental health of Chinese students in combined junior and senior high school.
PLoS One. 2019;14: e0217685.

- 36. Billah SMB, Khan FI. Depression among Urban Adolescent Students of Some Selected
 Schools. Faridpur Med Coll J. 2015;9: 73–75. doi:10.3329/fmcj.v9i2.25678
- 37. Rodrigo C, Welgama S, Gurusinghe J, Wijeratne T, Jayananda G, Rajapakse S. Symptoms
 of anxiety and depression in adolescent students; a perspective from Sri Lanka. Child
 Adolesc Psychiatry Ment Health. 2010;4: 10. doi:10.1186/1753-2000-4-10
- 38. Nguyen DT, Dedding C, Pham TT, Wright P, Bunders J. Depression, anxiety, and suicidal
 ideation among Vietnamese secondary school students and proposed solutions: a crosssectional study. BMC Public Health. 2013;13: 1195. doi:10.1186/1471-2458-13-1195
- 39. Kumar KS, Akoijam BS. Depression, Anxiety and Stress Among Higher Secondary School
 Students of Imphal, Manipur. Indian J community Med Off Publ Indian Assoc Prev Soc
 Med. 2017;42: 94–96. doi:10.4103/ijcm.IJCM_266_15

40. Aremu TA, John-Akinola YO, Desmennu AT. Relationship Between Parenting Styles and

565	Adolescents'	Self-Esteem.	Int	Q	Community	Health	Educ.	2018;39:	91–99.
566	doi:10.1177/02	272684X18811	023						

- Alami A, Khosravan S, Sadegh Moghadam L, Pakravan F, Hosseni F. Adolescents' selfesteem in single and two-parent families. Int J community based Nurs midwifery. 2014;2:
 69–76.
- 42. Abbo C, Kinyanda E, Kizza RB, Levin J, Ndyanabangi S, Stein DJ. Prevalence, comorbidity
 and predictors of anxiety disorders in children and adolescents in rural north-eastern
 Uganda. Child Adolesc Psychiatry Ment Health. 2013;7: 21. doi:10.1186/1753-2000-7-21
- 43. Alharbi R, Alsuhaibani K, Almarshad A, Alyahya A. Depression and anxiety among high
 school student at Qassim Region. J Fam Med Prim Care. 2019;8.
- Mohammadi MR, Pourdehghan P, Mostafavi S-A, Hooshyari Z, Ahmadi N, Khaleghi A.
 Generalized anxiety disorder: Prevalence, predictors, and comorbidity in children and
 adolescents. J Anxiety Disord. 2020;73: 102234.
 doi:https://doi.org/10.1016/j.janxdis.2020.102234
- 579 45. Simegn W, Dagnew B, Yeshaw Y, Yitayih S, Woldegerima B, Dagne H. Depression,
 580 anxiety, stress and their associated factors among Ethiopian University students during an
 581 early stage of COVID-19 pandemic: An online-based cross-sectional survey. PLoS One.
 582 2021;16: e0251670.
- 583 46. Bhattarai D, Shrestha N, Paudel S. Prevalence and factors associated with depression among
 584 higher secondary school adolescents of Pokhara Metropolitan, Nepal: A cross-sectional
 585 study. BMJ Open. 2020;10: 1–9. doi:10.1136/bmjopen-2020-044042

586	47.	Guo L, Deng J, He Y, Deng X, Huang J, Huang G, et al. Prevalence and correlates of sleep
587		disturbance and depressive symptoms among Chinese adolescents: a cross-sectional survey
588		study. BMJ Open. 2014;4: e005517. doi:10.1136/bmjopen-2014-005517
589	48.	Shao R, He P, Ling B, Tan L, Xu L, Hou Y, et al. Prevalence of depression and anxiety and
590		correlations between depression, anxiety, family functioning, social support and coping
591		styles among Chinese medical students. BMC Psychol. 2020;8: 38. doi:10.1186/s40359-
592		020-00402-8
593	49.	Wu X, Qi J, Zhen R. Bullying Victimization and Adolescents' Social Anxiety: Roles of
594		Shame and Self-Esteem. Child Indic Res. 2021;14: 769-781. doi:10.1007/s12187-020-
595		09777-x
596	50.	Dergisi AP, Hesap ST. Bullying in schools and its relation with depressive symptoms, self-
597		esteem, and suicidal ideation in adolescents. 2018. doi:10.5455/apd.268900
598	51.	Konishi C, Hymel S. Bullying and Stress in Early Adolescence: The Role of Coping and
599		Social Support. J Early Adolesc. 2008;29: 333-356. doi:10.1177/0272431608320126
600		