Running Title: A Qualitative Study of Asian American Infertility

Article Title: The Lived Experience of Infertility in Asian Americans: A Qualitative Study

Authors: Michelle Vu, M.D.<sup>1</sup>, Anh-Tho Antoinette Nguyen, B.A.<sup>2</sup>, Jinsol Hyun, B.S.<sup>3</sup>, Timothy Dye, Ph.D.<sup>1</sup>, Snigdha Alur-Gupta, M.D., M.S.C.E.<sup>1</sup>

## **Corresponding Author:**

Michelle Vu Department of Obstetrics/Gynecology, University of Rochester Medical Center 601 Elmwood Avenue, Box 668 Rochester, NY 14642 Michelle vu@urmc.rochester.edu

**Article Type:** Qualitative study

**Funding statement:** There was no funding for this research study.

**Disclosure statement:** All authors do not have any financial and personal relationships with other people or organizations that could influence the design, conductor or reporting of their work.

Michelle Vu: No disclosures

Anh-Tho Antoinette Nguyen: No disclosures

Jinsol Hyun: No disclosures Timothy Dye: No disclosures

Snigdha Alur-Gupta: No disclosures

#### **Attestation statement:**

Data regarding any of the subjects in the study has not been previously published. Data will be made available to the editors of the journal for review or query upon request.

**Word Count:** 248 words for abstract and 3,535 words for text

Capsule: Sociocultural characteristics of Asian Americans affect their infertility experience and pose unique barriers to seeking fertility care.

<sup>&</sup>lt;sup>1</sup> Department of Obstetrics & Gynecology, University of Rochester Medical Center, Rochester, NY

<sup>&</sup>lt;sup>2</sup> University of Rochester School of Medicine & Dentistry, Rochester, NY

<sup>&</sup>lt;sup>3</sup> Department of Obstetrics & Gynecology, Northwell Health, New Hyde Park, NY

### **Abstract**

Objective: To identify psychosocial and cultural factors among Asian American patients diagnosed with infertility that may contribute to their disparate fertility outcomes.

Design: A cross-sectional qualitative interview study was conducted with women ≥18-years-old who identified as Asian American and had a diagnosis of infertility. Semi-structured interviews were performed until thematic saturation was reached. The interviews were transcribed and coded. A codebook was developed to capture the grounded perspectives of participants. The web application Dedoose was utilized to conduct content analysis, identifying common themes and patterns.

Results: Asian Americans voice the importance of having children, emphasizing the cultural expectation to procreate. They reported that infertility caused immense mental and emotional distress, resulting in feelings of disappointment and grief. Participants noted that it is not common in their culture to talk about infertility-related issues. Religion and naturopathic remedies played a large role in helping participants adjust to their infertility journeys.

Participants stated that the infertility evaluation was complicated and one particular area of frustration was the lack of individually centered treatment. Interestingly, participants expressed desire to help other Asian women who are also struggling with infertility.

Conclusion: Infertility is a difficult and complex experience for Asian American women.

Parenthood is a strong expectation for people of Asian descent and results in emotional burden when complicated by infertility. Fertility concerns are considered taboo to openly discuss, which can cause additional feelings of isolation. Healthcare providers should work to address the culturally induced shame associated with infertility and provide more individualized care.

## Keywords

Asian; Asian American; Infertility; Health Disparities

Introduction

Infertility is a widespread disease affecting over 13% of women in the United States (U.S.).[1] In recent years, there has been a large increase in publications reporting racial and ethnic disparities in reproductive medicine.[2] Asian American infertility, however, is a particularly understudied area of research. "Asian" as a racial category encompasses a large and diverse contingent of people, including those with origins in East, Southeast, and South Asia.[3] According to the 2020 U.S. Census Bureau population estimate, there are over 24 million Asian Americans, accounting for over 7.2% of the nation's population.[4] Despite the millions of Asian Americans seeking healthcare in the U.S., Asian Americans are underrepresented in health research, and are especially underrepresented in the infertility literature.[5, 6]

A few studies published on Asian American infertility reported that Asian American patients who decide to pursue fertility treatment have poorer outcomes for both intrauterine insemination (IUI) and in vitro fertilization (IVF) [7, 8] when compared with their white counterparts.[9, 10] In a study of the Society for Assisted Reproductive Technology (SART) database from 1999 to 2000 combined with data from the University of California, San Francisco reproductive health clinic from 2001 to 2003, Asian American women had decreased clinical pregnancy rates compared to white women. Multivariate analysis of the study data demonstrated that Asian ethnicity was an independent predictor of poor outcomes.[11] Additionally, Asian American patients are more likely to wait longer to seek infertility evaluation, presenting to fertility clinics at later ages.[7, 11] A retrospective cohort study of patients undergoing IUI at the University of California, San Francisco from 2002 to 2006 found that a greater proportion of Asian American patients (43.9%)

presented for treatment after >2 years of infertility compared to white patients (24.6%)

(p<0.0001).[8]

Many suspected sociocultural reasons could potentially explain the disparities in Asian American

infertility and treatment outcomes. In qualitative study of 13 Chinese women residing in Hong

Kong, the women reported feeling pressured to bear children and were frequently blamed for their

inability to conceive.[12] Infertility is also associated with social stigma, and Asian women report

a strong sense of shame associated with the diagnosis, resulting in psychologic distress.[6, 13]

Asian Americans are also less likely to report strong physician-patient relationships. Ngo-Metzger

et al. conducted a study administering the 2001 Health Care Quality Survey to both Asian

Americans and non-Hispanic white patients. Asian Americans were more likely to report that their

physicians did not understand their background and values, and their doctors did not listen or

involve them in healthcare decisions as much as they wanted.[14]

In a literature review evaluating infertility among Asian Americans within the United States, only

12 studies were found in the past 15 years, and there are no published qualitative studies. We aimed

to conduct interviews with Asian American patients facing infertility to assess the psychosocial

and cultural factors that may explain the disparate fertility outcomes. A qualitative approach helps

bridge a gap in the literature and identifies the experiences, attitudes, and beliefs of Asian

American patients that might not be validly captured numerically.

**Materials and Methods** 

We performed an ethnographic qualitative interview study with the goal of allowing participants

to explain how, why, or what they were thinking, feeling, and experiencing during their infertility

journeys. Potential subjects were identified through an electronic medical record query at a large, academic medical institution. The inclusion criteria for the study included women 18 years and older, self-identified as Asian, with a diagnosis of infertility (ICD-10 code N97.9) and evaluated at one of the academic center's resident obstetrics/gynecology clinics and the reproductive endocrinology and infertility (REI) clinic from 2016-2021. The exclusion criteria for the study included women who self-identified with another race or ethnicity, including patients of mixed race, and women who did not understand or speak English.

A qualitative discussion guide was created by the entire research team to help interview patients (Figure 1). The guide included questions about family building goals, challenges to fertility care, and experiences with the healthcare received. The questions were based on two previous qualitative studies with Asian patients experiencing infertility conducted in Kowloon, Hong Kong and Tianjin, China.[12, 18] 2 pilot interviews were conducted to ensure comprehensibility of the questions. 3 members of the research team conducted the interviews, including 1 obstetrics/gynecology resident (MV) and 2 medical students (AN, JH), all of whom identify as Asian American females. Subjects were called at the primary phone number listed in their charts. We thoroughly explained to subjects the purpose and goals of our study and they were asked if they were interested in participating. If yes, a consent form was read to the patient and a verbal consent was obtained and documented in RedCap.

Largely due to COVID-related limitations, the semi-structured interviews were performed over the phone in English. Interviews were conducted until thematic saturation was reached, meaning no new findings were identified from participants. The interviews were audio recorded and

transcribed. A codebook was developed combining emic and etic terms to capture both the

grounded perspectives of participants and the priorities of the research team. Dedoose, a secure,

HIPAA-compliant application used to analyze qualitative research based on grounded theory, was

utilized to code and conduct content analysis, identifying common themes and patterns. The same

3 team members who conducted the interviews independently coded the transcriptions.

The study protocol and consent form were approved by the University of Rochester Research

Subjects Review Board (RSRB) Office for Human Subject Protection (STUDY00006604).

**Results** 

87 patients were contacted, and 17 participants were included in the study. The duration of the

interviews varied from 15-45 minutes. The demographic characteristics of the 17 Asian American

participants are displayed in Table 1. The majority of participants were between 30-40 years old.

All were assigned female sex at birth and identified their gender as female. Most participants

reported they were heterosexual or straight. Participants identified affiliations with a variety of

Asian American ethnicities, with "Chinese" being the most common.

Figure 2 displays the 6 significant themes were extracted from the interviews. The themes were

not predetermined and derived directly from the data.

Theme 1: Cultural pressure to procreate

Participants voiced the importance of having children, emphasizing the cultural expectation to

7

procreate. Women persistently reported feeling a personal responsibility to bear children.

"I feel like Asian people are supposed to have like the women are supposed to have kids...like part of what you're supposed to do is have kids like that's a big deal, like you're supposed to make baby like, take care and have children so they can have their own kids." – Korean female in her 40s

"...if you don't get pregnant, if you don't have children, they don't say anything but you know that they're aware and look down on you." – Chinese female in her 40s

"So in our culture is like, different like where we are from...we have some kind of like different thinking like all traditional thinking. So like when you don't have children like they think that you are – that is not good luck in their house." – Nepalese female in her 30s

Participants also reported that it would be culturally appropriate for a man to leave his wife if she is unable to reproduce, resulting in increased pressure to conceive.

"...if they [husbands] don't have children, what do they do then? They won't keep the marriage. They won't keep the promises...if you don't have a child, you will get a divorce." – Chinese female in her 50s

"Well, so for those who can't get pregnant, they will be so worried of security. A few years after getting married, they can't get pregnant or they discovered that they have any problem, there is the chance that the husband will get another wife. He has the right-like we accept that, you know." – Pakistani female in her 40s

### Theme 2: Mental and emotional distress

Every participant reported that infertility caused immense mental and emotional distress. They reported feelings of disappointment and grief were verbalized multiple times.

"The hopelessness. There is no hope to have your own baby. By the time you see the doctor, every month, I felt hopeless." – Chinese female in her 30s

"Knowing that I can't carry a child makes me feel, um for awhile, makes me feel worthless... depression is mainly like why, why me and what did I do wrong or how did this happen to me, you know?" – Vietnamese female in her 30s

The high cost of infertility evaluation and treatment caused a particularly large amount of distress.

"And financially, I think, you know, my first child, my husband and I calculated we had spent one hundred and seven thousand dollars before she was born, and that was a lot of money for just fertility treatments." – Indian female in her 30s

"So we actually we looked online when we started talking about donor eggs and all that. I mean, it's like, it's like- it was \$14,000-15,000 for like six eggs. I mean, the cost was just insane and there's certain things about insurance...there are certain things insurance doesn't cover, so it wouldn't cover donor eggs...and that, you know, I think the cost of that was really challenging and stressful. You have to do it within a certain period of time and it was just expensive." – Korean female in her 40s

One patient even sought care outside of the United States due to the high cost of IVF.

"Money is a cause of concern...I had a body, my body checked and I had a surgery in U.S. and then we didn't continue the IVF program. We decided I would take it, the IVF program, in Taiwan." – Taiwanese female in her 40s

Theme 3: Uncommon to discuss infertility

Participants noted that it is not common in their cultures to talk about infertility or that infertility was not commonly discussed in the past. However, they did mention that infertility is becoming more openly discussed presently, though most still did not tell family or friends about their own infertility experience.

"I think infertility in Japanese culture, anyways, is like not something that we really speak about." – Japanese female in her 30s

"Just the thought of just nobody talks about it like it's always so easy, it should be easy to have a baby... like we don't talk about it even in my in, I guess, culture...I didn't really say much about it to my family and stuff like that." – Laotian female in her 40s

"It used to be really uncommon, but now I think more and more people are opening up to it, especially our generation. I bet in my parents' generation it wasn't at all common to talk about it...and in my generation, I want to say there's also, you know, more acceptance and more empathy towards whoever is going through it...my husband and I were the only ones who knew about me." – Indian female in her 30s

Theme 4: Negative experience with healthcare provider

Participants reported being unable to build a strong, trusting relationship with their providers. One specific area of frustration was the lack of individualized care.

"I feel like I was just a number coming in to get it done. So I didn't feel the love of like caring and personal service for me...so that wasn't making me feel comfortable, you know? And um, when I asked for information, yes information is provided, but it doesn't all pertain to me. She just gave a general of what the standard will be. Well, you know, it's just not personalized to me." – Vietnamese female in her 30s

"I thought um there could have been better guidance... I don't know how much, you know, a holistic lifestyle helps...every time I would ask, the answer would be brushed off...maybe this is not a strong correlation, but these things don't hurt to answer my questions." — Indian female in her 30s

"I feel, yeah, it's very hard for doctor to tell the patient that the pregnancy was the absolutely that their pregnancy cannot shouldn't keep going...it's very hard for patients to hear that, especially on the table when they are on the bed for ultrasound...I think maybe at that time should work on the communication better...I think they should spend more time for patients understand the benefits and disadvantages." – Chinese female in her 40s

Theme 5: Religion and naturopathic remedies helped with infertility
Religion played a large role in helping participants adjust to their infertility journeys even if they
didn't consider themselves to be very religious.

"We are not that much religious...but I believe to Jesus, so I really prayed to God." –Indian female in her 40s

"I don't have a very strong connection to my spiritual community right now, but I remember during my treatment, I like went to weekday mass, which I rarely ever do, but it was a source of comfort...there are times when I turn to prayer when I was really struggling." – Fillipino female in her 30s

"Right when we started this journey, we put our absolute faith in science... but there's probably still something beyond science or beyond control. It's something that cannot be explained, and it almost still feels like God's will...I don't know what else God does or doesn't do, but life and death, at least, are definitely you know his domain." – Indian female in her 30s

Respondents also turned to naturopathic remedies, including acupuncture and herbal medicine, to aid in their infertility treatment.

"I actually like some of the medication I bought from China and India. I thought that helps me too at that point. To keep my immuno high." – Nepalese female in her 30s

"I did exercise...I went to some yoga classes... I tried acupuncture." – Vietnamese female in her 30s

Theme 6: Desire to help other Asian women

Most participants expressed desire to help other Asian women who are also struggling with infertility. Many were interested in joining support groups for Asian Americans facing infertility.

"I tried to help the future people who might feel the same way as I do to kind of, you know, like, it's OK. It's OK to talk about, it's OK to feel this way, you know, you're not alone kind of thing" – Japanese female in her 30s

"[it's hard] not having somebody who's going through the same thing, like another woman who's going through the same thing to talk to...so I think it would have really it would have helped my journey if I just had a couple of girls who were going through the same thing as me." – Indian female in her 30s

"I know there are so many people are having the same issue like us, you know, so if there's anything we could do to help with the research, you know, that kind- that kind of thing. We would love to." – Chinese female in her 30s

#### **Discussion**

This study highlighted the complexity and difficulty of the Asian American infertility experience. Parenthood is a strong expectation for people of Asian descent and results in a mental and emotional burden that appears to disproportionately impact women. In East Asia, matrimony and childbearing are commonly viewed as paramount life events, and family building allows young adults to attain moral significance and status.[15] One of the proposed reasons having children is so important is because Asian people may see children as 'social security' with the idea that

children will take care of their parents when they become older.[16, 17] As the women in our study repeatedly echoed, the cultural belief that Asian women are responsible to procreate places enormous pressure on women diagnosed with infertility. To add to the psychologic distress, participants in our study expressed the fear that their partners would leave them if they were infertile. Yet women had few modes of communication available with healthcare professionals, family, or friends through which to express these pressures. In a study of women diagnosed with infertility in Tianjin, China, women similarly reported that childbearing was essential to preventing marital failure and/or rejuvenating an unsatisfactory marital relationship.[18] Moreover, in a meta-analysis of 25 studies investigating the prevalence of intimate partner violence (IPV) among women living in Africa and West, South and East Asia, with infertility, infertile women are more likely to experience IPV, including both psychologic and physical violence, when compared to women without infertility.[19]

Due to the sense of shame associated with infertility, people of Asian descent are unlikely to discuss their fertility journeys. In general, across most cultures, health concerns regarding reproduction and fertility are sensitive and considered taboo to discuss.[20] It has also been suggested that in this population discussion of any general health concerns is seen as a weakness and makes them appear fragile.[21] However, while the majority of participants in our study did not tell their family and friends about their infertility, they commented on their belief that infertility is more commonly discussed at present than in the past. This change may be due to the fact that medical professionals and organizations have normalized infertility experiences as medical phenomena. In 2009, the World Health Organization (WHO) defined infertility as "a disease of the reproductive system" for the first time.[22] The increased awareness of infertility as a prevalent

medical condition and public health issue may encourage patients to speak more freely about their reproductive challenges.

As mentioned previously, Asian Americans are less likely to report strong relationships with their healthcare providers. When reflecting on their infertility experiences, many of our participants reported frustration with their providers' communication styles, disregarding their questions and rushing through counseling. This disregard appears to be a common theme in the literature as multiple studies have reported that Asian patients are more likely to be dissatisfied with their medical care compared to their white counterparts.[23, 24] These feelings may result in lack of or delayed infertility evaluation and treatment, which has been seen in other aspects of women's healthcare. For example, Vietnamese American women are five times more likely to have cervical cancer compared to white women, but only half of Vietnamese women aged 18 years and older report ever having a Pap smear.[25]

Due to their longstanding history of practicing medicine rooted in Asian societies, Asian Americans are more likely to use complementary and alternative medicine (CAM) compared to other race/ethnicities.[26, 27] The Asian American women in our study reported utilizing a wide range of complementary treatments, including herbal medications, acupuncture, and specific exercises, including tai chi and yoga. Although CAM such as acupuncture may not result in increased live birth rates when treating infertility, they may provide other benefits such as reducing stress and anxiety.[28-29] Healthcare providers can work to discuss and integrate culturally meaningful naturopathic remedies into infertility treatment plans in an effort to alleviate cultural barriers and provide individually centered care. This integration may aid in building stronger

physician-patient relationships.

The Asian American women in our study repeatedly expressed their desire to help other Asian women also experiencing infertility. In-person support groups have been found to be an effective intervention to reduce the stress associated with infertility treatment.[30] However, utilization of social media and online forums should also be considered to reduce logistical barriers. Participants of online infertility support groups have reported increased access to information, reduced sense of isolation and increased empowerment.[31]

Our study is not without limitations. One limitation of the study is the small sample size with only 17 patients interviewed. While thematic saturation was reached, the sample size still limits the generalizability of the study results. It has been documented that Asian American patients are less likely to participate in infertility research for a variety of reasons, including the belief that research is associated with compromised clinical care. [6, 32] Our study was only conducted in English and thus excludes patients who cannot speak this language. Utilizing interpreters may help to increase Asian American involvement in future studies. One of the largest limitations of our study is the use of the monolithic term "Asian" when collecting demographic data. According to the U.S. Census Bureau, when a person checks "Asian" in the race category, they are "a person having origins in any of the original people of the Far East, Southeast Asia, or the Indian subcontinent, including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam".[3] This encompasses a very broad range of ethnicities, each of which may have their own infertility patterns and trends. Future studies could benefit from investigating the trends that differentiate racial and ethnic categories within the term "Asian" to prevent overgeneralization of findings and better individualize patient care.

Our study provides more insight to the unique barriers Asian Americans face when diagnosed with infertility and seeking fertility care. Healthcare providers may consider addressing the cultural pressure Asian American patients face and its impact on their mental/emotional health. By increasing research of naturopathic remedies and discussing the importance of religion with

patients, medical professionals can strengthen the physician-patient relationship. Helping connect

Asian American women with one another can also build social support.

**Conclusion** 

Asian Americans commonly experienced culturally-determined stigma and distress around reproduction, with fewer perceived opportunities to communicate effectively about their infertility experience with care providers, family or friends. They expressed a desire to support other women experiencing infertility and explored religion and traditional therapies to address their fertility issues.

#### References

- 1. *Infertility*. 2022 June 20 2023]; Available from: https://www.cdc.gov/nchs/fastats/infertility.htm.
- 2. Jackson-Bey, T., et al., Systematic review of racial and ethnic disparities in reproductive endocrinology and infertility: where do we stand today? F&S Reviews, 2021. **2**(3): p. 169-188.
- 3. *About the Topic of Race*. 2022 June 20 2023]; Available from: https://www.census.gov/topics/population/race/about.html.
- 4. *Profile: Asian Americans*. Minority Population Profiles 2023 June 20 2023]; Available from: https://minorityhealth.hhs.gov/omh/browse.aspx?lvl=3&lvlid=63.
- 5. Kong, C.W., et al., Health Disparity Measurement Among Asian American, Native Hawaiian, and Pacific Islander Populations Across the United States. Health Equity, 2022. 6.
- 6. Vu, M.H., A.A. Nguyen, and S. Alur-Gupta, *Asian Americans and infertility: genetic susceptibilities, sociocultural stigma, and access to care.* F S Rep, 2022. **3**(2 Suppl): p. 40-45.
- 7. Lamb, J.D., et al., Asian ethnicity is associated with decreased pregnancy rates following intrauterine insemination. Reproductive BioMedicine Online, 2009. **19**(2): p. 252-262.
- 8. Shapiro, A.J., et al., *Effect of race and ethnicity on utilization and outcomes of assisted reproductive technology in the USA*. Reprod Biol Endocrinol, 2017. **15**(1): p. 44.
- 9. Fujimoto, V.Y., et al., *Racial and ethnic disparities in assisted reproductive technology outcomes in the United States.* Fertil Steril, 2010. **93**(2): p. 382-90.
- 10. Martin, J.A., et al., *Births: Final Data for 2013*. 2015: U.S. Department of Health and Human Services.
- 11. Purcell, K., et al., *Asian ethnicity is associated with reduced pregnancy outcomes after assisted reproductive technology.* Fertil Steril, 2007. **87**(2): p. 297-302.
- 12. Tiu, M.M., et al., *Lived experience of infertility among Hong Kong Chinese women*. Int J Qual Stud Health Well-being, 2018. **13**(1): p. 1554023.
- 13. Missmer, S.A., D.B. Seifer, and T. Jain, *Cultural factors contributing to health care disparities among patients with infertility in Midwestern United States.* Fertil Steril, 2011. **95**(6): p. 1943-9.
- 14. Ngo-Metzger, Q., A.T.R. Legedza, and R.S. Phillips, *Asian Americans' Reports of Their Health Care Experiences*. Journal of General Internal Medicine, 2004. **19**(2): p. 111-119.
- 15. Cheng, Y.-h.A., *Ultra-low fertility in East Asia: Confucianism and its discontents.* Vienna Yearbook of Population Research, 2020. **18**: p. 83-120.
- 16. Culley, L. and N. Hudson, *Marginalized Reproduction: Ethnicity, Infertility and Reproductive Technologies* 1ed. Commonalities, Differences and Possibilities: Culture and Infertility in British South Asian Communities. 2009: Earthscan.
- 17. Uba, L., *Asian Americans: Personality Patterns, Identity, and Mental Health.* 1994: The Guilford Press.
- 18. Yao, H., C.H.Y. Chan, and C.L.W. Chan, *Childbearing importance: A qualitative study of women with infertility in China*. Research in Nursing & Health, 2017. **41**(1): p. 69-77.
- 19. Wang, Y., et al., *Prevalence of intimate partner violence against infertile women in low-income and middle-income countries: a systematic review and meta-analysis.* Lancet Glob Health, 2022. **10**(6): p. e820-e830.

- 20. Klitzman, R., *Impediments to communication and relationships between infertility care providers and patients.* BMC Womens Health, 2018. **18**(1): p. 84.
- 21. Bottorff, J.L., et al., *Voices of Immigrant South Asian Women: Expressions of Health Concerns.* Journal of Health Care for the Poor and Underserved, 2001. **12**(4): p. 392-403.
- 22. Adashi, E.Y., Infertility: A Disease by Any Other Name. JAMA Forum, 2018.
- 23. Murray-Garcia, J.L., et al., *Racial and ethnic differences in a patient survey: patients'* values, ratings, and reports regarding physician primary care performance in a large health maintenance organization. Medical Care, 2000. **38**(3): p. 300-10.
- 24. Shi, L. and G.D. Stevens, *Disparities in access to care and satisfaction among U.S. children: the roles of race/ethnicity and poverty status.* Public Health Reports, 2005. **120**(4): p. 431–441.
- 25. Ngo-Metzger, Q., A.T.R. Legedza, and R.S. Phillips, *Asian Americans' Reports of Their Health Care Experiences*. Journal of General Internal Medicine, 2004. **19**(2): p. 111–119.
- 26. Felicilda-Reynaldo, R.F.D., et al., *A National Survey of Complementary and Alternative Medicine Use for Treatment Among Asian-Americans*. J Immigr Minor Health, 2020. **22**(4): p. 762-770.
- 27. Bigby, J., *Cross-Cultural Medicine*. 2003: American College of Physicians-American Society of Internal Medicine.
- 28. Clark, N.A., et al., *A systematic review of the evidence for complementary and alternative medicine in infertility.* Int J Gynaecol Obstet, 2013. **122**(3): p. 202-6.
- 29. Cheong, Y.C., et al., *Acupuncture and assisted reproductive technology*. Cochrane Database Syst Rev, 2013. 7(1): p. 1465-1858.
- 30. McNaughton-Cassill, M.E., et al., Development of brief stress management support groups for couples undergoing in vitro fertilization treatment. Fertility and Sterility, 2000. 74(1): p. 87-93.
- 31. Malik, S.H. and N.S. Coulson, *Computer-mediated infertility support groups: an exploratory study of online experiences.* Patient Educ Couns, 2008. **73**(1): p. 105-13.
- 32. Johnstone, E., et al., *Asian women are less likely to express interest in infertility research.* Fertil Steril, 2010. **94**(4): p. 1249-1253.

Table 1. Demographic characteristics of Asian American participants

Demographic Characteristics of Asian American		N
Age (years)	18-29	0
	30-39	9
	40-49	5
	≥50	3
Sex	Female	17
Gender Identity	Female	17
Sexual Identity	Heterosexual or straight	15
	Gay	0
	Lesbian	0
	Bisexual	2
	Other	0
Ethnicity	Chinese	4
	Indian	3
	Filipino	2
	Vietnamese	1
	Korean	1
	Japanese	1
	Pakistani	0
	Thai	0
	Cambodian	0
	Hmong	0
	Laotian	1
	Bangladeshi	0
	Nepalese	1
	Burmese	1
	Indonesian	0
	Sri Lankan	0
	Malaysian	0
	Mongolian	0
	Other	2

### Figure 1. Qualitative Discussion Guide

There is no right answer to these questions, and you may ask to skip questions you do not feel comfortable answering. You can also stop the interview at any point or withdraw your consent.

Guiding interview questions:

### Do you identify as Asian?

- 1. Yes
- 2. No

## To which ethnicity do you most identify?

- 1. Chinese
- 2. Indian
- 3. Filipino
- 4. Vietnamese
- 5. Korean
- 6. Japanese
- 7. Pakistani
- 8. Thai
- 9. Cambodian
- 10. Hmona
- 11. Laotian
- 12. Bangladeshi
- 13. Nepalese
- 14. Burmese
- 15. Indonesian
- 16. Sri Lankan
- 17. Malaysian
- 18. Mongolian
- 19. Other (write in)

Please tell me a little bit about yourself and your goals for having children.

Possible follow-up questions: Is it important for you have children?

#### Tell me about your experience with infertility.

If the subject does not know what infertility is: Infertility means that you were unable to get pregnant

Tell me more about your experience with infertility workup.

Possible follow-up questions: When did you decide to get workup? What tests did you have? According to you, what caused your infertility?

Tell me more about your experience with infertility treatment.

Possible follow-up questions: What treatments did you expect to receive that you did not? If you had multiple treatments, was one treatment more difficult than the other? Did you try any other treatments for your fertility that were not prescribed by your doctor? Acupuncture? Yoga? Prayer? Herbs?

What do you think are the hardest parts about infertility?

How does having infertility change the way you feel or think about yourself?

Did you tell your family/friends about your infertility experience? How did they feel about it?

Possible follow-up questions: Is it common in your culture to talk about infertility? Do you think it changed the way they look at you? How important is fertility to your family?

Did you have any trouble paying for your infertility care?

Possible follow-up questions: Did your insurance pay for any of it?

### What helped you through this time of your life?

Possible follow-up questions: Did your spiritual life/faith/religion play a role in helping you?

#### How was your experience with your doctor?

Possible follow-up questions: Do you feel like you were given good care? Do you feel like you were listened to? Do you trust your doctor with your infertility care? Would you go back to the same doctor if you had to undergo infertility treatment again?

How has seeking infertility care changed the way you look at life in general?

Is there anything else you would like to tell me about your experience with infertility?

How did you feel about this interview? Did you feel the questions made sense to you and your experience?

Additional Demographic Questions:

Before we end the interview, we have a few final questions to ask you about yourself. What age are you:

- 1. < 20
- 2. ≥20 <30
- 3. ≥30 <40
- 4. ≥40 <50
- 5. ≥50 <60
- 6. ≥60

### What sex were you assigned at birth (listed on your original birth certificate)?

- 1. Female
- 2. Male
- 3. Intersex
- 4. Other (write in)

#### To which gender do you most identify?

- 1. Female
- 2. Male
- 3. Transgender female
- 4. Transgender male
- 5. Gender variant
- 6. Other (write in)

#### What do you consider your sexual orientation to be?

1. Heterosexual or straight

- 2. Gay
- 3. Lesbian
- 4. Bisexual
- 5. Other (write in)

Thank you for taking the time to speak with me.

Figure 2. Significant themes from qualitative interviews




Table 1. Demographic characteristics of Asian American participants

Demographic		N
Age (years)	18-29	0
	30-39	9
	40-49	5
	≥50	3
Sex	Female	17
Gender Identity	Female	17
Sexual Identity	Heterosexual or straight	15
	Gay	0
	Lesbian	0
	Bisexual	2
orint doi: https://doi.org/10.1101/2024.09.21.24314	0ther	r this 0
was not certified by peer review) is the auth	4139; this version posted September 23, 2024. The copyright holder founder, who has granted medRxiv a license to display the preprint in pe	rpetuity.4
It is made available unde	er a CC-BY 4 0 International license . Indian	3
	Filipino	2
	Vietnamese	1
	Korean	1
	Japanese	1
	Pakistani	0
	Thai	0
	Cambodian	0
	Hmong	0
	Laotian	1
	Bangladeshi	0
	Nepalese	1
	Burmese	1
	Indonesian	0
	Sri Lankan	0
	Malaysian	0
	Mongolian	0
	Other	2

# Figure 1. Qualitative Discussion Guide

There is no right answer to these questions, and you may ask to skip questions you do not feel comfortable answering. You can also stop the interview at any point or withdraw your consent.

Guiding interview questions:

Do you identify as Asian?

- 1. Yes
- 2. No

# To which ethnicity do you most identify?

- 1. Chinese
- 2. Indian

medRxiv preprint doi: https://doi.org/10.1101/2024.09.21.24314139; this version posted September 23, 2024. The copyright holder for this preprint (which vas not be lifted by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.

- 4. Vietnameskis made available under a CC-BY 4.0 International license .
- Korean
- 6. Japanese
- 7. Pakistani
- 8. Thai
- 9. Cambodian
- 10. Hmong
- Laotian
- 12. Bangladeshi
- Nepalese
- Burmese
- 15. Indonesian
- 16. Sri Lankan
- 17. Malaysian
- 18. Mongolian
- 19. Other (write in)

Please tell me a little bit about yourself and your goals for having children.

Possible follow-up questions: Is it important for you have children?

## Tell me about your experience with infertility.

If the subject does not know what infertility is: Infertility means that you were unable to get pregnant

Tell me more about your experience with infertility workup.

Possible follow-up questions: When did you decide to get workup? What tests did you have? According to you, what caused your infertility?

Tell me more about your experience with infertility treatment.

Possible follow-up questions: What treatments did you expect to receive that you did not? If you had multiple treatments, was one treatment more difficult than the other? Did you try any other treatments for your fertility that were not prescribed by your doctor?

Acupuncture? Yoga? Prayer? Herbs?

What do you think are the hardest parts about infertility?

How does having infertility change the way you feel or think about yourself?

Did you tell your family/friends about your infertility experience? How did they feel about it?

Possible follow-up questions: Is it common in your culture to talk about infertility? Do you think it changed the way they look at you? How important is fertility to your family?

# Did you have any trouble paying for your infertility care?

Possible follow-up questions: Did your insurance pay for any of it?

## What helped you through this time of your life?

Possible follow-up questions: Did your spiritual life/faith/religion play a role in helping you?

## How was your experience with your doctor?

you were listemed and or of the same doctor if you had to undergo infertility treatment again?

How has seeking infertility care changed the way you look at life in general?

Is there anything else you would like to tell me about your experience with infertility?

How did you feel about this interview? Did you feel the questions made sense to you and your experience?

Additional Demographic Questions:

Before we end the interview, we have a few final questions to ask you about yourself. What age are you:

- 1. <20
- 2. ≥20 <30
- 3. ≥30 <40
- 4. ≥40 <50
- 5. ≥50 <60
- 6. ≥60

What sex were you assigned at birth (listed on your original birth certificate)?

- Female
- 2. Male
- Intersex
- 4. Other (write in)

## To which gender do you most identify?

- Female
- Male
- Transgender female
- 4. Transgender male
- 5. Gender variant
- 6. Other (write in)

# What do you consider your sexual orientation to be?

1. Heterosexual or straight

- Gay
   Lesbian
- 4. Bisexual
- 5. Other (write in)

Thank you for taking the time to speak with me.

medRxiv preprint doi: https://doi.org/10.1101/2024.09.21.24314139; this version posted September 23, 2024. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity.

It is made available under a CC-BY 4.0 International license .

Figure 2. Significant themes from qualitative interviews

