1 Title

- 2 Aligning Funding Models with Clinical Practice: Phases of Neonatal Care and the Link
- 3 with Activity-Based Funding

4

- 5 Article Type
- 6 Article
- 7
- 8 Authors
- 9 Dylan A Mordaunt 1,2,3,*
- 10

11 Affiliations

- 12 1 Southern Adelaide Local Health Network, Bedford Park, South Australia
- 13 2 College of Medicine and Public Health, Flinders University, Bedford Park, South

14 Australia

- 15 3 Faculty of Medical and Health Sciences, The University of Adelaide, Adelaide,
- 16 South Australia
- 17

18 Correspondence

19 d.a.mordaunt@gmail.com

21 186 words (250-word limit)

22 Abstract

23 Objective

- 24 To explore the potential impact of partitioning neonatal unit funding into acute and sub-
- 25 acute/non-acute care (SNAP) types, within a level 6 neonatal unit under the
- 26 Independent Health and Aged Care Pricing Authority (IHACPA) National Efficient Price
- 27 (NEP) Funding Model.

28 Methods

In a 12-month retrospective cohort from our neonatal unit, we simulated the effect of a

30 care type change to SNAP. We then explored the trend in this activity type over the past

31 20 years.

32 Results

- 33 341 patients with a length of stay greater than 10 days were identified from FY 2021-22.
 34 Modelling estimates that between 51 and 175 episodes could have a SNAP opportunity.
 35 When moderated, this corresponds with an uplift of between AUD \$0.3 1.7M, based on
- 36 2023-24 value and NEP price.

37 Conclusions

- 38 Utilisation of a SNAP care-type change has the potential for a considerable uplift in
- 39 funding for level 6 neonatal units, supporting service sustainability. This may be of use
- 40 for other units, whilst the neonatal funding model continues to be reviewed and
- 41 optimized by IHACPA. Implementation in our context, would require changes to both

- 42 local and state funding management systems, as well as alterations in the Electronic
- 43 Medical Record (EMR).

- 45 Keywords
- 46 Health economics; healthcare financing; case-mix systems; neonatology and
- 47 perinatology

48 2475 (2500 word limit)

49 Introduction

50	Neonatal care is highly specialized and complex. Major innovations introduced in
51	neonatal and public health over the past 50 years have both markedly improved
52	outcomes in newborns and significantly increased the cost of neonatal care ¹ . As these
53	technologies have become more mature, and perinatal intervention at the limits of
54	viability has become routine, with further advancements being made in terms of the
55	gestational ages at which survival can occur, this has had two key effects ² .
56	Firstly, neonatal care has become more specialised in terms of workforce skill mix and
57	health technologies, with the consequence of centralising the neonatal intensive care
58	capacity in our jurisdiction in two centres ³ . Secondly, funding models based on birth
59	weight are not well aligned with the clinical and resulting operational context- for
60	instance, units providing services to interstate patients may need to fund
61	accommodation for patients with or without co-payment, whereas in some jurisdictions
62	funding may be addressed through a separate accommodation scheme and not costed
63	as part of the episode of care ⁴ .

What this means is that as intervention continues to occur closer to the limits of viability,
the funding models have not kept pace with clinical models, resulting in a situation
where the Australian Independent Health and Aged Care Pricing Authority (IHACPA)
National Efficient Price (NEP) Activity-Based Funding (ABF) model, has required
specific adjustments to account for variance in outcomes for neonatal care diagnosis-

related groups (DRGs), with a longer-term plan to continue to review the underlying
 groupings for alignment with good clinical care ⁵.

71 This is exacerbated in South Australia, where Neonatal Intensive Care Unit (NICU) and 72 Special Care Baby Unit (SCBU) capacity is centralised in two units, following international trends ⁶. This centralisation limits the tacit separation of admissions into 73 74 different phases, such as between neonatal intensive care (hyperacute care) through to 75 step-down care, and the convalescent nutritional and low acuity monitoring support 76 often provided in services with lower Clinical Services Capability Levels, interstate 77 (sometimes referred to as "feeders and growers" or "transitional" phase). The concept of separating out phases of the neonatal admission has long been 78 79 undertaken, including the separation of different levels of care between NICUs and SCBUs⁷. Further separation into transitional care is also well established^{8,9}. Recent 80 81 reviews of the NEP have advocated for unbundling neonatal or to remodel the neonatal 82 Diagnosis-Related Groups (DRGs) to follow a gestationally rather than weightorientated model of funding ¹⁰. This suggests that the current funding models are not 83 84 aligned with good clinical practice and raises whether admissions should be separated 85 into acute and sub-acute/non-acute (SNAP) care types, a common practice in other 86 types of non-neonatal hospital care such as child and adult stroke care focused on 87 functional gain.

In this study, we explored the predicted impact of introducing care-type change from
acute to Australian National Subacute and Non-Acute Patient (AN-SNAP) care into a
level 6 NICU and level 5 SCBU unit operation, and the potential impact that this would

- 91 have on financing of the units. We simulated the impact of care type changes on ABF
- 92 funding and making long-term estimates on the trends around the identified cohort.
- 93

94 Methods

- 95 Study
- 96 We undertook a simulation study utilising administrative data from patients treated in
- 97 South Australia. That is, we simulated the effect of changing care-type from acute
- 98 admitted care to AN-SNAP within a retrospective cohort, providing an estimate of the
- 99 financial impact of care-type change within the unit. We subsequently looked over a
- 100 longer period to determine the activity trends around this sub-cohort, to determine
- 101 whether this activity was increasing or decreasing.

both SA and the Northern Territory.

102 Setting

105

- Our context is a 50-bed level 6 NICU and associated level 5 SCBU, that sits alongside a
 level 6 obstetrics and perinatal service. This unit has a state-wide catchment from within
- 106 Dataset and ethics

Data was accessed from our institutional case-mix system and patient administration
system (PAS). This work was undertaken under the auspices of quality improvement
activities for which institutional ethics review is exempted in our organisation. This
assessment was made by the Southern Adelaide Local Health Network Research
Governance Office, under the Soutb Australia Research Ethics and Governance Policy.

112 Participants

113	A review of "qualified" admissions (admissions where the infant required medical input)
114	was undertaken to evaluate the length of stay (LOS) for neonates, compared to the
115	IHACPA average length of stay (ALOS) for the episode DRG. In-scope admissions
116	included any neonatal episodes with more than 10 qualified bed days that did not have
117	a principal diagnosis of being "born in hospital" (i.e. no comorbidities) or were admitted
118	with a low acuity diagnosis-related group (D complexity DRG).

119 Valuation

120 We revalued the cost of the admissions using the 2023-24 IHACPA NEP model, utilising

all components of the model, including adjustments. This incorporated both uplift

adjustments including outlier per diem payments and downward adjustments such as

123 those from healthcare-acquired complications. These adjustments were separately and

aggregated to create the total weighting for each scenario. The cost estimate was made

by multiplying this NWAU estimate by the 2023-24 NEP value (AUD 6032).

126 Analysis

127 To calculate the potential funding uplift, it was assumed any patient with a length of stay

128 less than 1.5 times the IHACPA ALOS was not long enough to be considered as a

129 potentially convertible episode. For the remaining episodes with >1.5 times the IHACPA

130 ALOS, the National Weighted Average Unit (NWAU) opportunity for the potentially

131 convertible episodes was modelled by the following:

132 1. A modelled SNAP point was calculated at either 1.5 times IHACPA ALOS or the

133 IHACPA upper bound for the acute DRG,

- Any potentially convertible episode with LOS above the IHACPA ALOS were split
 into two separate episodes of care,
- 136 3. The original episode (i.e. LOS equals modelled SNAP point) received the current
- 137 inlier acute rate.
- 138 The new 'SNAP' episode (i.e. remaining qualified bed days above the modelled SNAP
- point) was funded as a SNAP episode of care (see Figure 1). The potential SNAP
- 140 episode uplift was modelled using the funding parameters for Episode Type "4ES5' -
- 141 Maintenance, Age <= 17, LOS <= 91" ⁵.
- 142 Long-Term Trends
- 143 To explore the long-term trends related to this opportunity, we filtered raw activity data
- 144 from 2000-23 with the same inclusion and exclusion criteria and visualised these using

145 matplotlib and Seaborn ^{11, 12}.

- 146
- 147 Results
- 148 Baseline Characteristics
- 149 In the financial year 2021-22, there were 308 neonatal admissions deemed to be
- 150 potentially convertible episodes (Figure 2), representing a total of 10,143 occupied bed
- 151 days (OBDs) with an average length of stay of 32.9 days compared with the IHACPA
- 152 ALOS for the same case-mix of 22.2 days. 33 of these admissions were low complexity
- 153 (D complexity DRGs), and therefore excluded from further analysis. Of the remaining
- 154 308 admissions, modelling estimates that either 175 (upper estimate) or 51 (lower

- estimate) episodes could have a SNAP opportunity. The remaining 133 episodes were
- 156 excluded due to having a LOS less than the modelled SNAP point.
- 157 Analysis
- 158 The lower estimate of the uplift was 92.3 NWAU (51 episodes) and the upper estimate
- 159 was 485 NWAU (124 episodes), corresponding to AUD \$556,616 and \$2,926,011, in
- 160 2023-24 value. This is in the context of a modelled base for the activity of 2857 2895
- 161 NWAU (\$17.2-17.5M). Long-term trends are visualised in Figure 6 and showed that this
- 162 cohort is likely increasing in incidence within our centre.
- 163

164 Discussion

165 Estimated Financial Impact of Introducing SNAP Care

In this study of a level 6 neonatal unit, we identified between \$0.5M and 3M in potential
financial uplift from within the 2021-22 financial year, through utilising a care type
change from acute admitted to SNAP. This is in the context of a base activity of \$17.2-

- 169 17.5M. When compared with the actual revenue from 2021 of \$19.6M against a budget
- 170 variance of \$1.4M unfavourable, the potential uplift may be enough to account for the
- 171 cost variance. With reference to long-term trends, this estimate appears to be at least
- 172 stable, if not growing in potential impact.
- 173 The Disconnect Between Funding and Clinical Practice
- 174 The challenges in aligning the NEP to good clinical practice are well described in
- 175 submissions to IHACPA in recent years. Children's Healthcare Australia describe

176	scenarios in which bundled payments (where newborn care is included in the maternity
177	care price), has significant limitations, including post-natal maternity mental health
178	admissions. The issue of bundling ICU payments into neonatal DRGs is also highlighted,
179	with the key message being that wide variability in length of stay, complexity, variability
180	in the need for ICU care and variability in the type of ICU care utilised (Paediatric
181	compared with Neonatal Intensive Care Units), make bundling less suitable in this
182	context because the variance isn't primarily accounted through an efficiency lens ¹⁰ .
183	These challenges have led Queensland to unbundle neonatal from maternity funding ¹³ .
184	Within the feedback provided about this matter over multiple consultation periods,
185	stakeholders noted that bundled payment does not reflect the current cost of care, that
186	this could drive adverse resource allocation and that it may have the effect of separating
187	mother and baby, which does not reflect current best practice ¹⁴ .

188 Challenges of Birth Weight-Based Funding Models

189 The Australia and New Zealand Neonatal Network submitted to IHACPA to move 190 towards funding based on gestational age, given that this is a better predictor of clinical course than weight-based DRGs¹⁵. Since DRGs (in version 12 and below) are based 191 192 on data obtained from the National Minimum Dataset, and that dataset doesn't currently 193 collect information on gestational age, this is a key barrier to progressing this. Since the 194 International Classification of Diseases Tenth Version (ICD-10-AM) Twelfth Edition has 195 included greater detail around gestational age and this forms the basis for AR-DRGs, 196 costed data is said not to be available to IHACPA until the AR-DRG 13.0 development cycle¹⁵. 197

198 Aligning Funding with Clinical Phases of Care

199 The academic and grey literature discussing neonatal care converges on a number of 200 concepts- 1) neonatal care is effective, costly and specialized; 2) neonatal care is 201 provided in a variety of ways for a number of reasons, some of which include integration 202 with the local health system and patient-specific needs (e.g. use of a Paediatric ICU 203 rather than NICU for extra-corporeal membranous oxygenation in some centres); 3) 204 There are likely to be three broad phases of care-hyperacute (e.g. intensive care), 205 acute (e.g. special-care baby unit), sub-acute/maintenance/transitional care. Whilst 206 ANZNN have submitted that a gestationally-orientated funding system will greater align 207 with the clinical course of care, this doesn't account for the system aspects of care 208 pointed to in the SA context- that the duration of care intersects with the duration of 209 each phase and is highlighted when each phase is routinely provided within a centre 210 that provides all three phases of care, in contrast to the tacit separation that occurs 211 when the phases of care are provided separately.

212 The Economic Burden and the Cost of Neonatal Care in Context

The health economic and financing context of neonatal units, particularly in high income countries, reflects the complexities of providing high-quality, specialized care within the constraints of healthcare budgets and policies. Neonatal care, especially in NICUs, is resource-intensive, involving advanced technologies, highly specialized staff, and extensive use of pharmaceuticals and medical supplies ¹⁶. The cost of neonatal care can be substantial, with expenses for preterm or critically ill infants significantly higher than for term infants without complications. Future advancements such as critical care

genomics or genomic newborn screening are likely to add further cost and clinical and
 operational complexities, leading to improved health outcomes ¹⁷.

222 However, the cost of the outcomes of newborn conditions such as prematurity undermanaged, are also substantial ¹⁸. Economic evaluations of interventions to prevent 223 or treat newborn conditions are generally considered highly cost effective ^{16, 19}. The 224 225 benefits include significantly improved survival rates for extremely preterm and critically 226 ill infants, reduced long-term disability, and enhanced quality of life for survivors²⁰. The 227 investment in neonatal care not only saves lives but also contributes to reduced future 228 healthcare costs, and improved developmental outcomes, supporting the argument that 229 the high initial costs are justified by the substantial long-term benefits to individuals and 230 society ¹⁶. This emphasizes the importance of continued investment in and optimization 231 of neonatal care to ensure its sustainability and accessibility, aligning with broader 232 health policy objectives of maximising health outcomes within available resources.

233 Limitations of the Simulation Study

This exploration into care-type changes demonstrates a proactive approach to leveraging existing components of the ABF model (AN-SNAP) to enhance the financial sustainability of neonatal care and enable appropriate care. The limitations of the study are specific to the method used, and then questions about the appropriateness of applying the funding model to this context.

The limitations of the simulation are primarily that it provides an indication of the
possible financial uplift in implementing the SNAP care type. The actual uplift would
depend on implementation in practice and determining clinically appropriate indicators

for care type change. This latter piece could be developed but there are currently no
standardised tools available to guide when neonatal care shifts between the
aforementioned phases of care. Given that neonates are entirely dependent for
activities of daily living, current assessment instruments such as the FIM and paediatric
modifications, wouldn't be particularly helpful. *Implementation Challenges*

248 In our context, there were three significant practical challenges identified- 1) whether the 249 level of effort required to implement care-type change in this cohort is likely to return 250 significant enough of a return (in terms of sustainability and impact on clinical care) to 251 warrant the investment; 2) the existing implementation of neonatal ABF in SA has 252 several constraints over and above that required by the IHACPA NEP model; 3) That 253 changes would impact multiple systems, including operational financing and in particular, 254 the PAS and interdependent Electronic Medical Record (EMR). SA uses the Sunrise 255 EMR and PAS provided by Alere, but these problems are not inherent to the system, 256 but rather related to SA's configuration of the PAS functions in the system.

257 Further Implications for Practice

Finally, the study serves as a reminder of the evolving nature of healthcare financing and the need for continuous review and adaptation of funding models to ensure they meet the changing needs of specialized care units. This project not only contributes to the body of knowledge on healthcare financing and neonatal care but also provides a practical framework for other units to follow, potentially leading to better healthcare outcomes and financial efficiency.

264

265 Conclusion

- 266 In this study we simulated the financial uplift involved in introducing a care type change
- into neonatal care in our level 6 unit. This demonstrated a 2.8-17.4% uplift in funding.
- 268 Exploring episode characteristics over 23 years demonstrated a long-term trend within
- 269 our unit to an increase in this SNAP-eligible cohort. Understanding this further could be
- 270 subject to future research.
- 271 We explored that there are several potential barriers to implementation, including
- 272 practical steps to introduce this into the South Australian funding system and IT systems,
- as well as a lack of standardised tools available for determining when it would be
- 274 clinically appropriate to change care type.
- 275

276 Acknowledgements

- 277 Kirsty Taylor and Cameron Abbott from Deloitte Financial Advisory Pty. Ltd. provided
- advice and undertook the initial analysis.
- 279

280 Declaration of Funding

281 This research did not receive any specific funding.

282

283 Disclosures

284 There are no relevant disclosures.

285

286 Author Contributions

287 DM is responsible for the concept, additional analysis and the manuscript.

288 Data Availability Statement

- 289 Data is not available for sharing as this was not included as a part of the institutional
- approval.

291

292 References

293 1. Morgan AS, Mendonça M, Thiele N, David AL. Management and outcomes of

extreme preterm birth. Bmj2022 Jan 10;376:e055924.

- 295 2. Lawn JE, Blencowe H, Oza S, You D, Lee ACC, Waiswa P, et al. Every
- 296 Newborn: progress, priorities, and potential beyond survival. The
- 297 Lancet2014;384(9938):189-205.
- 298 3. Doyle LW, Darlow BA. The changing face of neonatal intensive care for infants
- born extremely preterm (<28 weeks' gestation). Seminars in Perinatology2021
- 300 2021/12/01/;45(8):151476.
- 301 4. Health Alo, Welfare. Hospital resources 2017–18: Australian hospital statistics.
- 302 Canberra: AIHW2019.

- 303 5. Independent Health and Aged Care Pricing Authority. Pricing Framework for
- 304 Australian Public Hospital Services 2024–25. Online: Australian Government; 2023. p.

305 37.

- 306 6. England N, Improvement N. Implementing the recommendations of the neonatal
- 307 critical care transformation review. London: NHS England2019.
- 308 7. Foster J, Pathrose SP, Briguglio L, Trajkovski S, Lowe P, Muirhead R, et al.
- 309 Scoping review of systematic reviews of nursing interventions in a neonatal intensive
- 310 care unit or special care nursery. J Clin Nurs2024 Jun;33(6):2123-37.
- 311 8. Duddridge E. What are the advantages of transitional care for neonates? British
- 312 Journal of Midwifery2001 2001/02/01;9(2):92-8.
- 313 9. Lasby K, Newton S, von Platen A. Neonatal transitional care. Can Nurse2004
 314 Oct;100(8):18-23.
- 315 10. Women's and Children's Healthcare Australasia. Submission to the Independent
- 316 Hospital Pricing Authority on the Pricing Framework for Australian Public Hospital
- 317 Services 2020-21. Independent Hospital Pricing Authority; 2020.
- 318 11. Hunter JD. Matplotlib: A 2D graphics environment. Computing in science &
 319 engineering2007;9(03):90-5.
- 320 12. Waskom ML. Seaborn: statistical data visualization. Journal of Open Source
 321 Software2021;6(60):3021.
- 322 13. Independent Health and Aged Care Pricing Authority. Pricing Framework for
 323 Australian Public Hospital Services 2024–25 Consultation Report. Online: Australian
 324 Covernment: 2022, p. 41
- 324 Government; 2023. p. 41.

325 14. Independent Health and Aged Care Pricing Authority. Pricing Framework for

326 Australian Public Hospital Services 2022-23 - Consultation Report. Online: Australian

327 Government; 2021. p. 39.

328 15. Independent Health and Aged Care Pricing Authority. Development of ICD-10

329 AM/ACHI/ACS Thirteenth Edition and AR-DRG Version 12.0 Consultation Paper.

330 Online: Australian Government; 2023. p. 57.

331 16. Cheah IGS. Economic assessment of neonatal intensive care. Transl

332 Pediatr2019 Jul;8(3):246-56.

333 17. Mordaunt D, Gonzalez F, Lunke S, Eggers S, Sadedin S, Chong B. The cost of

proband and trio exome and genome analysis in rare disease: A micro-costing study.

335 Genet Med2023;26(4):101058.

13. Petrou S, Sach T, Davidson L. The long-term costs of preterm birth and low birth

337 weight: results of a systematic review. Child Care Health Dev2001 Mar;27(2):97-115.

338 19. Mangiaterra V, Mattero M, Dunkelberg E. Why and how to invest in neonatal

health. Seminars in Fetal and Neonatal Medicine2006 2006/02/01/;11(1):37-47.

340 20. Younge N, Goldstein RF, Bann CM, Hintz SR, Patel RM, Smith PB, et al.

341 Survival and Neurodevelopmental Outcomes among Periviable Infants. N Engl J

342 Med2017 Feb 16;376(7):617-28.

343

345 Figure 1. Opportunity Calculation – Qualified Neonate SNAP (Upper Estimate)

- 346 Independent Health and Aged Care Pricing Authority (IHACPA), Average Length of Stay
- 347 (ALOS), Length of Stay (LOS), Weighted Activity Unit (WAU).

Original acute episode of care



349 Figure 2. Qualified Neonate SNAP Opportunity Summary

- 350 Independent Health and Aged Care Pricing Authority (IHACPA), Average Length of Stay
- 351 (ALOS), Length of Stay (LOS), Weighted Activity Unit (WAU), Diagnosis-Related Group

352 (DRG).

175 51 Episodes which are episodes which are potentially potentially SNAP-able SNAP-able where LOS is at the where LOS is at least 1.5x acute DRG's upper bound the IHACPA ALOS Upper Estimate Lower Estimate Modelled WAU Modelled WAU 577 91 \$0.3M S1.7M^ * WAU value moderated by 50%

Figure 3. Potential Sub-Acute Neonatal Admissions Cohort Determination

Independent Health and Aged Care Pricing Authority (IHACPA), Average Length of Stay (ALOS), Length of Stay (LOS), Weighted Activity Unit (WAU), Diagnosis-Related Group (DRG).



Figure 4. Case Study – Long-Stay Neonatal Admission - Upper Estimate

Independent Health and Aged Care Pricing Authority (IHACPA), Average Length of Stay (ALOS), Length of Stay (LOS), Weighted Activity Unit (WAU), Diagnosis-Related Group (DRG).



Current Admission Funding Profile Acute episode of care

Figure 5. Case Study – Long-Stay Neonatal Admission – Lower Estimate

Independent Health and Aged Care Pricing Authority (IHACPA), Average Length of Stay (ALOS), Length of Stay (LOS), Weighted Activity Unit (WAU), Diagnosis-Related Group (DRG).



Current Admission Funding Profile Acute episode of care



Figure 6. Long-Term Trends of SNAP-able Neonatal Admissions (2000-23)