Title: The NGAGE Model Developed at the Rush Alzheimer's Disease Research Center: An Approach to Community Engagement and Inclusion in Dementia Research with Diverse Community-Dwelling Older Adults.

Authors: Crystal M. Glover, PhD*^{1,2,3}, Julie A. Schneider, MD^{1,3}, David A. Bennett, MD^{1,3}, Lisa L. Barnes, PhD^{1,2,3}, David X. Marquez^{1,4}, Neelum T. Aggarwal^{1,5}, Sue Leurgans^{1,3}, Karen L. Graham, PhD¹, Susan Frick, MSW¹, Raj C. Shah^{1,6}

*Corresponding author at: Rush Alzheimer's Disease Center, Rush University Medical Center, 1750 West Harrison Street, Suite 1000, Chicago, Illinois 60612 United States of America. Tel: +1 312-563-1077 Fax: +1 312-942-4154 Email Address: Crystal_Glover@rush.edu Twitter: @CGster

Word Count of Main Text: (Including Abstract, Text, and References)

Number of References:

Number of Data Elements: Tables, Figures, Total Data Elements

Acknowledgements: We thank all community members who have attended and supported activities and events hosted by and affiliated with the Rush Alzheimer's Disease Research Center. We thank all communities across the Chicago metropolitan area that have welcomed the Rush Alzheimer's Disease Research Center. Last but not least, we thank all staff at the Rush Alzheimer's Disease Center, especially those affiliated with the Outreach, Recruitment, and Engagement Core, past and present, for their dedication and tireless efforts over the years, including Traci Colvin, Israel Hernandez, Yadira Montoya, Judy Phillips, Jamie Plenge, Kyra Reynolds, and Tarisha Washington. A very special mention to Barbara Eubeler, Carol Farran, and Pamela Smith who were pivotal in developing and forming a solid foundation of ORE Core efforts.

Author Contributions: CMG and RCS contributed to the conception and design of the research study; CMG and RCS drafted the work; CMG, DAB, LLB, DXM, NTA, SL, KLG, SW, and RCS revised the work critically for important intellectual content; CMG, DAB, LLB, DXM, NTA, SL, KLG,SW, and RCS provided approval for publication of the content; CMG and RCS agree to be accountable for all aspects of the work.

Funding: This work was supported by grants from the National Institute on Aging [grant numbers: P30AG072975 and P30AG010161 to JAS; R01AG022018 to LLB; R01AG17917 to DAB], the Illinois Department of Public Health, and the National Center for the Advancement of Translational Science [UL1TR002389]. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

Declaration of Any Conflict of Interest: The authors report no conflicts with any product mentioned or concept discussed in this article.

Institutional Review Board:

¹Rush Alzheimer's Disease Center, Rush University Medical Center, Chicago, Illinois, 60612

²Department of Psychiatry and Behavioral Sciences, Rush University Medical Center, Chicago, Illinois, 60612

³Department of Neurological Sciences, Rush University Medical Center, Chicago, Illinois 60612

⁴Department of Kinesiology and Nutrition, Institute for Health Research and Policy, The University of Illinois at Chicago, Chicago, Illinois 60612

⁵Department of Neurology, Rush University Medical Center, Chicago, Illinois 60612

⁶Department of Family Medicine, Rush University Medical Center, Chicago, Illinois 60612

1 ABSTRACT

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

Background: One of the biggest challenges in the field of Alzheimer's disease and related dementias (ADRD) is the severe inequitable inclusion of Black and Latino adults in clinical research studies. Despite consistent and persistent efforts, rates of participation among diverse older adults remain critically low. Objective: The purpose of this paper is to set forth The NGAGE Model, one developed at the Rush Alzheimer's Disease Research Center (Rush ADRC) to facilitate community engagement and research participation among diverse older adults. **Methods:** The NGAGE Model consists of five steps that are conceptually distinct but overlapping in practice: 1) Networking, 2) Give first, 3) Advocate for research, 4) Give back, and 5) Evaluate. We define and describe each step. For steps 1 through 4, we calculated the number of events, number of attendees for each event, and percentages of attendees by racial and ethnic categorizations annually from July 1, 2011, through June 30, 2023, resulting in data for 12 distinct years, as provided in annual progress reports to the National Institute on Aging. For Step 5, we counted the number of persons and computed percentages of people by racial and ethnic groups who consented to our Data and Specimen Repository and enrolled in a research study. **Results:** Over 12 years, the Rush ADRC conducted 5,362 events with 265,794 attendees. Give First activities represented the NGAGE step with both the highest number of events (n=2,247) and the most attendees (n=124,403). Among Black adults, the highest attendee percentage existed for Advocate for Research events (47%), while the highest for Latinos occurred for Give First activities (26%). Furthermore, 2,135 persons consented to the Data and Specimen Repository and 5,905 enrolled in a research study across 12 years. Higher percentages of both Black (37%) and Latino (10%) adults enrolled in research studies compared to the Repository with 21% and 7%, respectively. Conclusions: The NGAGE Model facilitated community engagement and research inclusion among Black and Latino adults, particularly via Give First and Advocate for Research activities. We discuss the impacts of study milestones, staff resources, and the COVID-19 pandemic on The NGAGE Model activities and outcomes.

Keywords: Older Adults; Community Engagement; Recruitment Science; Cognitive Aging; Health Equity.

Introduction

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

One of the biggest challenges in the field of aging is the severe inequitable inclusion of Black and Latino adults in clinical research focused on Alzheimer's disease (AD) and related dementias (ADRD). [1-7] Insufficient representation of Black and Latino adults exists across the research spectrum, from outreach and engagement activities to participation in both observational studies and clinical trials. Simultaneously, older Black and Latino adults face a disproportionate risk of developing ADRD, with estimates ranging from 1.5 to 2 times higher risk compared to their non-Latino White counterparts.[8-12] Furthermore, ADRD devastates not only Black and Latino adults living with dementia but their entire families and communities who comprise formal and informal care networks, with dire consequences of ADRD impacting every facet of life, including current and future financial, physical, and psychological outcomes.[13-15] As such, the resounding underrepresentation and under-inclusion of Black and Latino adults in ADRD research severely impedes the field's advancement. [2,16,17] More specifically, the field lacks necessary data from Black and Latino adults to understand aging experiences and ADRD trajectories in diverse communities and, thus, how to address the disparate burden of ADRD within these populations. The absence of such data severely limits the development and implementation of effective community engagement approaches and necessary informational materials regarding common topics related to aging and ADRD (e.g., managing comorbidities and phases of AD); and undermines the safety and applicability of strategies and therapeutics to diagnose, mitigate, and treat ADRD. Overall, Black and Latino adults cannot fully benefit from scientific advances and existing knowledge associated with ADRD research as findings are non-generalizable, inapplicable, or unavailable to these populations. It is paramount that a sweeping and marked shift must occur in the field regarding the inclusion of Black and Latino adults in ADRD clinical research.

Researchers have continuously put forth efforts to remedy the under-representation and under-inclusion of Black and Latino adults in ADRD research. Unfortunately, these efforts have yielded less than optimal participation levels among diverse adults. ^{19,21-27} Well-documented barriers to research participation have persisted at the individual-, study-, and structural levels, including distrust of the medical system and research due to past and current mistreatment, caregiving responsibilities, cultural perceptions regarding ADRD, lack of

familial support for research participation, a dearth of diverse researchers, linguistic incompatibility between study resources and communities, and inadequate transportation. [18-23]

Conversely, community engagement has facilitated, in part, existent research participation by Black and Latino adults. Researchers focused on welcoming Black and Latino adults into ADRD research have tenaciously developed community-based approaches to collaborate with diverse communities to increase research participation. [3,5,6,18,24-28]The foundation of effective community engagement consists of researchers establishing and maintaining trusting and mutually beneficial relationships with community leaders and members. These researcher-community relationships result in the bidirectional transmission of knowledge, the development and use of information and programming that is both scientifically relevant and of use to community-based audiences, current research participants as study ambassadors and collaborators, and institutional support of local community-based services and resources. [29-32] However, a recent systematic review regarding recruitment and retention with diverse older adults in ADRD research notes that related strategies vary widely by research site and largely lack a clear evaluation plan. [3] Furthermore, current recruitment and retention efforts specifically geared toward diverse older adults do not pertain to longitudinal studies focused on ADRD. [3]

The Rush Alzheimer's Disease Research Center (Rush ADRC) has largely focused its community engagement efforts to facilitate research participation by older Black, Latino, and other minoritized populations traditionally under-included in ADRD research. Funded by the National Institutes of Health (NIH) since 1994, the Rush ADRC's robust research portfolio mostly consists of longitudinal cohort studies focused on cognitive aging, including studies that request biospecimens and postmortem brain tissue. Initially, the Rush ADRC's Outreach, Recruitment, and Engagement (ORE) Core provided tactical support for study recruitment and related activities. Largely through its ORE Core and support from the Patient-Centered Outcomes Research Institute (PCORI), the Rush ADRC subsequently began to foster enduring bi-directional relationships with community organizations, leaders, and members to address barriers to and facilitate increased research participation among prominent populations of older adults across the Chicago metropolitan area, including older Black and Latino adults. Hallmarks of the Rush ADRC's approach to community engagement included community-based

research activities - from recruitment events to study visits - and the creation and dissemination of evidencebased, scientific- and community-relevant, and linguistically congruent education materials.

In 2010, the Rush ADRC's ORE Core re-examined its activities and recognized that their efforts formed the foundation of a more sustainable approach - one that is both systematic and pragmatic - to community engagement and facilitation of equitable research participation among diverse older adults. Fundamentally, the ORE Core approached community engagement by first networking with organizations that actively support diverse older adults and addressing needs identified by diverse community leaders and members then advocating for research participation. In 2011, the ORE Core formally characterized its approach to community engagement as the NGAGE Model, a community-based, participant-centered, information-focused model (See Figure 1). 31,32 The NGAGE Model consists of five conceptually distinctive and sequential but overlapping steps: 1) Network, 2) Give first, 3) Advocate for research, 4) Give back, and 5) Evaluate. The purpose of this paper is to describe the NGAGE Model and resultant research participation in Rush ADRC and other NIH-supported studies among diverse older adults, specifically older Black and Latino adults. We developed and evaluated the process of the NGAGE Model to examine its utility as an example of effective community engagement and subsequent recruitment and retention as well as to advance recruitment science in ADRD research. As such, the NGAGE Model may inform and bolster national research efforts to facilitate representative and inclusive ADRD studies to develop and improve informational materials, treatment and risk reduction methods, and other intervention strategies and therapeutics to foster equity in aging and dementia.

Methods

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

Participants

The Rush ADRC focuses its efforts on community-dwelling, non-demented older adults from diverse backgrounds and who are traditionally under-included in ADRD research, particularly older Black and Latino adults. The Rush ADRC's ORE Core aims to engage with diverse communities across the Chicago metropolitan area, with its efforts guided by the NGAGE Model. Activities related to the ORE Core were approved by an Institutional Review Board (Protocol Number L91020181-AM59) at The Rush University Medical Center. Data

are publicly available, de-identified, and aggregated from required annual progress reports to NIH for the Rush ADRC.

Activities Associated with Each Step of the NGAGE Model

The first step of the NGAGE Model involves networking with leaders of community organizations and other prominent community members. Networking interactions provide insight on how to best engage with communities and "give first" (second step) to meet community-specified needs using services supported by the Rush ADRC. Community engagement leads to the third step or advocating for research. Here, ORE Core events center on providing information to community members regarding the role and value of research participation and encourage volunteering for Rush ADRC and other NIH-supported research and related initiatives.

Cumulative knowledge from the Rush ADRC as well as from NIH, the Alzheimer' Association, and other reputable scientific entities is "given back" (fourth step) to community members - regardless of consenting or not consenting to research or related participation. The Rush ADRC and its ORE Core evaluates (fifth step), in part, by examining the number of older adults who enroll in the Rush ADRC Data and Specimen Repository and those who join Rush ADRC studies and other NIH-supported initiatives. See Table 1.

Step One: Network

The first step of the NGAGE Model involves networking between Rush ADRC ORE Core staff and community leaders and prominent members located within and serving diverse communities. Staff initially identify leaders and prominent members and become consistently active in various organizations and groups within diverse communities, including regular attendance at meetings, faith-based services, health fairs, and as board members. Staff also engage in one-on-one meetings with leaders and other prominent members to further existing community-based health-related efforts. ORE Core staff learn about ongoing community efforts, and, in turn, community organizations, leaders, and members gain information about the Rush ADRC, its commitment to equity in aging, and related research efforts. At this step, the overarching goal is for the Rush ADRC ORE Core to establish relationships with local leaders and members to understand the needs and interests of diverse communities. Engagement occurs at an acceptable pace to community leaders and members, as we realize that early mistakes may jeopardize sustainable relationships. 14,41

Step Two: Give First

130

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

Over time, networking can foster the development of consistent, long-term relationships between the Rush ADRC ORE Core and community leaders and members that are mutually beneficial and bi-directionally trusting. Through these relationships, the ORE Core offers "give first" activities. These events include presentations on health-related topics that are important while aging (e.g., the relationship between cardiovascular and brain health, diet and physical activity, and disaster relief and preparation) at communitybased locations (e.g., park districts, libraries, and faith-based organizations); sponsorship and other resource support of community-based activities; encouragement of memory evaluation; and conducting age-friendly physical activity classes. Typically, Give First programming, including presentation topics and locations, is suggested by community leaders and members. As such, community members may also request to receive information about adjacent topics in aging, such as Long COVID and Parkinson's disease. Here, we partner with Rush colleagues and those from nearby institutions to provide programming of interest to community members. We also pivoted Give First activities from scholarship to service during the COVID-19 pandemic, an unprecendented time, where community members requested Personal Protective Equipment (PPE) and Rush ADRC staff and other collaborators made or purchased PPE materials to provide across diverse communities. All events and activities are publicized using word-of-mouth, flyers, and social media platforms (i.e., Facebook and X – formally know as Twitter). Through Give First activities, the ORE Core consistently nurtures community-centered relationships, in part, by matching expressed community needs with informatinal events as well as support for community-initiated activities. Notably, Give First events may not directly tie to Rush ADRC and other NIH-supported studies.

Step Three: Advocate for Research

Upon establishing bidirectional and trusting relationships between the Rush ADRC and community organizations, leaders, and members - as indicated by consistent incorporation of Rush ADRC ORE Core staff in organization and group activities, we seek counsel from community leaders and members regarding the appropriate and allowable time, if any, to introduce opportunities for research participation. If permitted, the ORE Core outlines the general purpose and value of research, the need for and process of participation,

anticipated outcome(s) of research and its participation, and possible implications of study findings. Then, we follow up with presentations and announcements regarding specific Rush ADRC research studies and other NIH-supported initiatives. The ORE Core aims for all presentations and correspondences regarding research opportunities to be culturally relevant and linguistically compatible with community audiences. After each presentation, attendees are asked to complete a form indicating their interest in research participation (i.e., yes, I am interested in learning more about research opportunities; maybe, I am interested in learning more about research opportunities; and no, I am not interested in learning more about research opportunities). If an attendee indicates yes or maybe, ORE Core staff contacts the person with further information. If an attendee indicates no, then we do not contact the person again at all. We encourage all attendees to share research opportunities with their social networks as well as advertise research opportunities via flyers, local radio stations, and social media platforms.

Step Four: Give Back

The Rush ADRC ORE Core aims to Give Back to research participants and the broader communities where they reside and represent through the dissemination of Rush ADRC research findings and related developments produced by the Rush ADRC and NIH, other NIH-funded studies, the Alzheimer's Association, AARP, and other reputable health-related National and State entities. The ORE Core disseminates information via, in part, an annual newsletter for research participants; smaller coffee gatherings; quarterly topic-focused and annual study-specific print communications; and social media platforms. We also collaborate with the NIH-supported Alzheimer's and related Dementias Education And Referral (ADEAR) Center and the Alzheimer's Disease Outreach, Recruitment, and Engagement (ADORE) Repository to nationally disseminate informational and study-related materials developed at the Rush ADRC. Give Back activities also include an annual health and back-to-school fair and celebrating cultural holidays. The overall goal of Give Back activities is to support community capacity related to health and aging among diverse groups of people as well as to show appreciation for research participants and diverse communities.

Step Five: Evaluate

The Rush ADRC ORE Core leverages the ADRC's Data Management and Statistical Cores to record and track the impact of NGAGE efforts for required tables in our annual NIH progress reports. We note the number and demographic characteristics of persons who: 1) consent and enter into the Rush ADRC Data and Specimen Repository from communities (i.e., not via the affiliated Memory Clinic); and 2) consent to and enroll in research studies at the Rush ADRC and other NIH-supported initiatives. We postulate that consent and enrollment into the Data and Specimen Repository and Rush ADRC and NIH-supported research studies denote linkages between NGAGE Model efforts and subsequent research participation.

Analyses

We began systematically collecting data in 2011 regarding the NGAGE Model. For this analysis, we focus on data collected from July 1, 2011 (the formal implementation of the NGAGE model) to June 30, 2023 (the end of the fiscal year with complete data), with data broken into one-year increments (e.g., July 1, 2021-June 30, 2022), for a total of 12 years of NGAGE data. Data collected included the name of the activity or event; its corresponding NGAGE Model step (e.g., Networking); the estimated number of attendees; the percentage of attendees who belonged to the following racial categorizations: White, Black/African American, American Indian/Native American, Asian American and Pacific Islander, and multiracial; and the percentage of attendees of Latino ethnicity. Due to relatively small numbers, we collapsed the percentages for American Indian/Native American, Asian American and Pacific Islander, and multiracial categorizations into a combined racial category labeled as "Additional Groups." For the full reporting timeframe of July 1, 2011 to June 30, 2023, we provide: 1) the number of activities and events; 2) the estimated number of attendees; 3) percentages of White, Black, and Additional Group racial categorizations of attendees; and 4) percentage of attendees of Latino ethnicity. We report these data across all NGAGE steps and for each step, cumulatively and by each reporting year.

For the Evaluate step, we aimed to understand linkages between Rush ADRC ORE Core efforts and research participation. In 2011, we began formally tracking the number and racial and ethnic identifications of individuals who: 1) consented to join the Rush ADRC Data and Specimen Repository; and 2) decided to participate in research studies at the Rush ADRC and other NIH-supported initiatives. For the Evaluate step, we

report the number of persons who consented to the Data and Specimen Repository and enrolled in Rush ADRC research studies and other NIH-supported initiatives as well as racial and ethnic categorizations of participants for the full reporting timeframe and for each year.

Results

The ORE Core supports three longitudinal cohort studies at the Rush ADRC – The Religious Orders Study (ROS), The African American Clinical Core (AA Core), and the Latino Core (LATC). ROS began in 1994 and consists of clergypersons predominately self-identified as older White adults. Since 2010, the AA Core solely includes older adults who self-identify as Black or African American. The Latino Core began in 2015 and is solely comprised of older adults who identify as Hispanic or Latino. The growth and expansion of these Rush ADRC cohort studies continue each year and require adaptations of NGAGE model activities, particularly associated with the COVID-19 pandemic and its aftermath. Furthermore, over time, the Rush ADRC provides infrastructure and resources for an increasing number of other NIH-supported initiatives and investigators. The NGAGE Model continues to inform engagement, recruitment, and retention across these diverse communities and various study needs and contexts.

Step One: Networking

Number of Events

Networking comprises the first step of the NGAGE Model, where the Rush ADRC identifies and initiates contact with community-based organizations, community-serving leaders, and other prominent members of a community. Networking requires an understanding of the needs and activities of diverse communities across Chicagoland, and new and existing organizations and leaders. Across the timeframes, we observe expected fluctuations with the acceleration of Networking activities during the first three years. Notably, one of the largest spikes in Networking occurred in Year 3, roughly two years prior to the formalization of a cohort (i.e., LATC) exclusively comprised of older Latinos in 2015. Another increase in Networking activities took place in Year 9, right before a predicted decrease due to COVID-19. See Table 2.

Number of Attendees by Racial and Ethnic Categorization

Among attendees, the number of Black adults remained consistently high during Years 1 through 3 and again in Years 10 and 11. For Years 1 through 3, Rush ADRC staff worked to maintain and grow participation in AA Core. In Years 10 and 11, Rush ADRC staff worked to identify new community-based collaborators to serve older Black adults and communities where they reside and represent in novel and necessary ways considering the COVID-19 pandemic. Conversely, a low number of Latino attendees persisted during Years 1 through 3. However, the number of Latino attendees steeply increased for Years 4 through 7, which corresponded with a heavy ORE Core focus on the assembly of LATC. Latino participation in Networking events steeply decreased during Years 8 through 11. See Table 3.

Step Two: Give First

Number of Events

Give First fosters a foundation for mutually beneficial, trusting, and lasting relationships between the Rush ADRC and various community organizations, leaders, and members. Give First activities include sponsoring an event such as financial support or food or providing an informational activity or lecture on topics of interest (e.g., heart health, physical activity, and diet). The pattern of Give Back activities during the reporting period resembles Networking events. For example, Give Back events steadily increased during the first four years of tracking, especially with preparation for recruitment into LATC. However, the number of Give First occurrences dipped, peaked once more, then decreased during the COVID-19 pandemic. See Table 2.

Number of Attendees by Racial and Ethnic Categorization

Attendance by Black adults remained elevated during Years 1 through 4 and peaked again in Year 11. Give First participation among Black adults follows a similar pattern as for Networking events. This suggests that Networking events were quickly followed by an ability to engage in Give First activities especially focused on Black adults. The number of Latino attendees at Give First events steadily increased from Year 1, peaking in Year 6. Subsequently, numbers for Latino attendees fluctuate and dwindle but remain robust. This pattern corresponds with efforts to establish LATC. See Table 3.

Step Three: Advocate for Research

Number of Events

Once relationships are established between the Rush ADRC and community organizations, leaders, and members, researchers begin to Advocate for Research. Like Network and Give First, we tracked high numbers of Advocate for Research activities in Years 1 through 3. These increases may be related to recruiting for two established longitudinal cohort studies exclusively focused on older Black adults, including AA Core as well as the Minority Aging Research Study (MARS; PI: Dr. Lisa L. Barnes) – among communities where the Rush ADRC has long-standing relationships prior to formally tracking NGAGE efforts. Notably, Advocate for Research activities experienced a peak or higher point in Year 5, which coincided with the official start of LATC. Numbers of Advocate for Research events remained high and stable during Years 6 through 9 but steeply dropped during the COVID-19 pandemic, with numbers for Advocate for Research being the lowest of all NGAGE steps during the pandemic. See Table 2.

Number of Attendees by Racial and Ethnic Categorization

Black adults consistently attended Advocate for Research events, especially during Years 2 through 4 and again in Years 7 and 8. Notably, high attendance in Years 2 through 4 maps onto trends for Networking and Give First events. This may indicate that Rush ADRC staff were able to conduct Advocate for Research events sequentially and in a proximal time period as Networking and Give First activities. However, the number of Black adults who attended these events significantly dropped in Year 11. This decrease in Advocate for Research attendance among Black adults likely signals the Rush ADRC's pivot to other NGAGE steps during the COVID-19 pandemic with less focus on showcasing and offering study participation, particularly to this population. See Table 3.

Compared to Networking and Give First events, participation in Advocate for Research events by Latino attendees began more slowly during Years 1 through 6, likely due to efforts to identify, establish, and maintain community relationships prior to explicit LATC study recruitment. Peaks for Advocate for Research events with Latino attendees existed in Years 6 and again in Year 10. Such peak years not only correspond with the beginning of LATC enrollment but also with more staff resources. See Table 3.

Step Four: Give Back

Number of Events

Give Back events focus on informing research participants and communities in which they reside and represent regarding study findings and recent developments at the Rush ADRC, NIH, and other reputable scientific and health-related organizations. Research participants and related communities should not hear what is being learned from their data via news or other outlets but rather from researchers and related staff. Like previous NGAGE steps, we recorded high numbers of Give Back activities during Years 1 through 3. These increased numbers may be attributed to research findings stemming from the established AA Core and MARS cohort studies, where sustaining research participation and dissemination of findings were paramount based upon study durations. In Years 4 through 7, Give Back occurrences steadily decreased as the Rush ADRC focused more on Networking, Giving First, and Advocating for Research. However, we note an uptick in Give Back activities during the pandemic when it was, arguably, of utmost importance to raise awareness around rapid research developments as well as sustain research participation. See Table 2.

Number of Attendees by Racial and Ethnic Categorization

Among Black adults, overall attendance was lowest for Give Back events. It is unclear why the proportion of Black attendees was lower compared to participation in other NGAGE Model steps. Perhaps higher numbers of Black participants in Networking, Give First, and Advocate for Research events support lower numbers for Give Back activities. For Latino adults, attendance at Give Back activities remained steady across the reporting time period, with higher levels of participation in Years 6 through 8. This general pattern exists in the context of LATC simultaneously aiming to recruit and sustain participation among older Latinos; hence, concurrent peak numbers of Latino attendees in Give First, Advocate for Research, and Give Back activities. See Table 3.

Step 5: Evaluate

For evaluating our NGAGE efforts, we obtained counts and percentages for persons who enrolled in the Rush ADRC Data and Specimen Repository and individuals who joined research studies at the Rush ADRC and those supported by NIH. Overall, more people joined research studies compared to those who enrolled in the Data and Specimen Repository, with individuals at least four times more likely to take part in research studies compared to enrolling in the Repository during Years 7 through 11. For the full reporting period, White adults

comprised 58% of all participants who enrolled in Rush ADRC and other NIH-supported studies, with 37% Black adults and 10% Latinos. For Years 1 through 4, the pathway to research participation diverged for Black adults compared to Latino adults. Black adults joined research studies at higher percentages than Data and Specimen Repository enrollment. Conversely, Latino adults enrolled in the Data and Specimen Repository at higher percentages than research study participation. This pattern did reverse in Year 5, with Black adults enrolling in the Data and Specimen Repository at a higher percentage and Latinos joining research studies in higher numbers. Furthermore, Data and Specimen Repository enrollment and research participation followed a slightly different pattern in Years 8 through 10. During this timeframe, both Black and Latino adults joined research studies at higher percentages than enrolling in the Data and Specimen Repository. See Table 4.

Discussion

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

The purpose of this study was to describe and demonstrate the utility of the NGAGE Model, an approach developed at the Rush ADRC to equitably engage, include, and sustain participation in clinical ADRD research with diverse older adults. The NGAGE Model consists of five steps that are conceptually separate but practically interconnected – Network, Give first, Advocate for research, Give back, and Evaluate. We set forth 12 years of data, from July 1, 2011 to June 30, 2023, associated with each step of the NGAGE Model. To contextualize results across all NGAGE steps, we first provide a general pattern of events and attendees across the full reporting timeframe. For the first three years, we saw a steady increase in events followed by a decrease in such activities. Notably, we restructured the Rush ADRC's ORE Core in 2015, distributing roles throughout the Rush ADRC, followed by the addition of a new ORE co-Leader and the loss of a key staff member in 2016. We note increases in the number of events during the reporting periods between 2017 and 2019, with an alltime high across the NGAGE Model activities. We believe that the addition of new ORE and other Rush ADRC staff members and a focus on building LATC contributed to the increase in events during the 2017 through 2019 timeframes. In 2020, we experienced an expected decrease in events due to the beginning of the COVID-19 pandemic. The number of activities stabilized in 2021 forward. The maintenance of events post-2020/after the onset of the COVID-19 pandemic included a necessary and quick pivot to connecting with new organizations, leaders, and members to serve diverse older adults, including research participants.

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

In addition to data patterns related to NGAGE Model events and activities, we recorded numbers of attendees as well as race and ethnic categorizations of those attendees. Across NGAGE Model Steps 1 through 4, White adults comprised the majority of attendees, with slightly more than 55% being White adults, compared to Black adults (~38%) and Latinos (~22%). This pattern also demonstrates that at least 40% of all attendees across all events associated with Steps 1 through 4 for the total reporting period belonged to Black, Latino, and Additional racial and ethnic groups. Hence, the NGAGE Model may represent one that promotes and fosters the inclusion of diverse older adults in events and activities associated with research and related opportunities across more than a decade.

To evaluate NGAGE efforts at the Rush ADRC, we obtained counts and percentages for persons who enrolled in the Data and Specimen Repository and individuals who joined ADRC research studies and other NIH-supported initiatives. Overall, more people joined research studies compared to those who enrolled in the Repository. For the full reporting period, White adults comprised more than 50% of all research participants, with more than 30% being Black adults and 10% being Latinos. Notably, during the first 5 years of the timeframe, Black adults were more likely to join research studies while older Latinos were more likely to join the Repository. This pattern reversed in the sixth year; however, afterward, both Black and Latino adults largely ioined research studies at higher percentages than enrolling in the Repository. These patterns may speak to the broader Rush ADRC context where the first half of the timeframe focused on an established AA Core, while LATC was under development with study enrollment formally occurring near the second half of the timeframe. Furthermore, in 2015, the Rush ADRC explicitly and completely de-emphasized clinic-based entry into the Repository due to predominant enrollment of non-Latino White older adults, staffing resources, and clinic priorities. The Rush ADRC simultaneously began to exclusively focus on increasing community-based engagement, recruitment, and retention to ensure research and related activities with older adults from racially and ethnically diverse backgrounds, especially older Black and Latino adults. Hence, these structural changes at the Rush ADRC likely contributed to direct enrollment in affiliated studies at the Rush ADRC, with a lower number of persons enrolling into the Repository. It is also possible that older adults are more interested in joining an active research study compared to a Repository, a possibly passive research activity. Nevertheless,

the NGAGE Model was able to facilitate research participation among older Black and Latino adults during the reporting timeframe.

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

Previous literature has established the critical role of several factors in the decision to take part in research and related activities. [3,5,7,28,33-43] Barriers to research participation exist at the individual level, with studies being inaccessible to a person due to a lack of transportation, existent responsibilities such as caregiving, and linguistic incompatibility. These individual-level factors are inextricably tied to local and structural factors. For example, local transportation – such as insufficient or unsafe roads, sidewalks, or public transportation – is directly tied to local policy, prioritization, and investment. Academic structures, both historic and current practices, also contribute to barriers to research participation, including studies taking place at an institution of higher learning or medical center, mistreatment of Black, Latino, and other members of minoritized communities, lack of remuneration, and not sharing knowledge gained from research that may benefit communities. [3,5,10,28,40,41,44,45] Conversely, prior research has set forth two central facilitators of accessible and inclusive research – trustworthy researchers and related practices, and community-engaged research. [3,5,10,28,40,41,44,45] The field of ADRD increasingly recognizes and leverages approaches to clinical research that engage, are informed by, and based within communities traditionally inequitably included in studies. As such, it is necessary to collect and report data, especially longitudinally, associated with the reach and utility of such approaches.

We follow a long line of esteemed researchers who aimed to develop, apply, and examine community-based approaches in service of equity in ADRD clinical research. Upon this scientific foundation, the Rush ADRC conceptualized and implemented the NGAGE Model for the previous 12 years, complete with requisite data. The NGAGE Model exclusively utilized community-based and, increasingly, community-informed approaches regarding engagement, recruitment, and retention in clinical research studies, particularly focused on Black, Latino, and other communities underrepresented and underincluded in ADRD research. Data patterns indicate the ability of the NGAGE Model to guide outreach and engagement activities with diverse community organizations, leaders, and other prominent members. These relationships fostered the bidirectional trust and consistency needed to advocate for research affiliated with the Rush ADRC. Activities that focused on giving

back to not only participants but also broader communities, in part, sustained research participation. Many older Black and Latino adults decided to take part in active research studies instead of signing into the data repository. While the NGAGE model represents a non-linear and iterative process, data patterns persisted through changes due to staffing resources, leadership, and the COVID-19 pandemic; thus, speaking to the durability of the NGAGE Model. Through consistent and concerted activities and events, the NGAGE Model provides a strong, pragmatic, and generalizable structure – rather than abstract or a simplified set of tactics – that may be usable and adaptable in many diverse academic contexts and communities. The NGAGE Model provides evidence-based support toward equitable engagement and inclusion with diverse older adults in clinical ADRD research. The NGAGE Model extends the field of ADRD clinical research by adding to the translational science of recruitment with diverse older adults. With this field-wide change, there will be net positive movement in required representation and inclusion in ADRD clinical research studies.

We should note that the NGAGE Model did not include the assembly and dedication of an advisory board, neither community nor participant. We decided to eschew asking community members and participants to directly assist with and focus on our research agenda but rather going to diverse communities and offering (hoping) to be a valuable service for them and supporting their decision-making regarding research. The NGAGE Model shows the possibility to facilitate diverse research participation in the absence of such advisory boards. As the use of advisory boards within ADRCs and other ADRD-focused institutions continues to grow, it is important to not lose sight of research and related efforts consistently exist within diverse communities. It remains paramount to standardize and evaluate the role, effectiveness, and experience of advisory boards from individual and community perspectives.

The current study does include limitations. First, more women took part in NGAGE model activities and events compared to men. We continue to develop NGAGE activities that may be more inclusive of men, particularly by planning to host men-only events and activities where men frequent such as barbershops.

Second, while we used NIA Progress Report data for the Rush ADRC, designation of race and ethnic categories for some attendees at NGAGE Model events and activities were assessed by Rush ADRC event organizers and staff. These data were not collected from all individual attendees as this would require that people consent to

enrolling into the Rush ADRC Data Repository so that we may save their Interest Form Data. Lastly, NGAGE Model events and activities took place within and surrounding the Chicago metropolitan area, with scant understanding of how this Model may work in other areas. Researchers in other geographic areas can adapt, implement, and track outcomes related to the NGAGE Model based on their research purposes. These researchers must also bolster the impact of the NGAGE Model in their work by assessing and centering the interests and needs of communities that they aim to serve through research. Cumulatively, the NGAGE Model represents a pragmatic model for community-based engagement, recruitment, and retention in service of equitable and inclusive ADRD clinical research with diverse older adults.

References

- 1. Levkoff, S., & Sanchez, H. (2003). Lessons learned about minority recruitment and retention from the Centers on Minority Aging and Health Promotion. The Gerontologist, 43(1), 18-26.
- 2. Matthews, K. A., Xu, W., Gaglioti, A. H., Holt, J. B., Croft, J. B., Mack, D., & McGuire, L. C. (2019).

 Racial and ethnic estimates of Alzheimer's disease and related dementias in the United States (2015–2060) in adults aged≥ 65 years. Alzheimer's & Dementia, 15(1), 17-24.
- 3. Nápoles, A. M., & Chadiha, L. A. (2011). Advancing the science of recruitment and retention of ethnically diverse populations. The Gerontologist, 51(suppl_1), S142-S146.
- 4. Alzheimer's Association. Alzheimer's Disease Facts and Figures. Alzheimer's & Dementia. 2015; 11(3): 332+.
- Gilmore-Bykovskyi, A. L., Jin, Y., Gleason, C., Flowers-Benton, S., Block, L. M., Dilworth-Anderson,
 P., ... & Zuelsdorff, M. (2019). Recruitment and retention of underrepresented populations in
 Alzheimer's disease research: A systematic review. Alzheimer's & Dementia: Translational Research & Clinical Interventions, 5, 751-770.
 - 6. Rabinowitz YG, Gallagher-Thompson D. Recruitment and retention of ethnic minority elders into clinical research. Alzheimer Dis Assoc Disord. 2010;24:S35-S41.
- 7. Reed PS, Foley KL, Hatch J, Mutran EJ. Recruitment of older African Americans for survey research: a process evaluation of the community and church-based strategy in the Durham Elders Project.

 Gerontologist. 2003;43:52-61.
- 8. Curry L, Jackson J. The science of including older ethnic and racial group participants in health-related research. Gerontologist. 2003:43;15-17.
- 9. Valle, R. Culturally attuned recruitment, retention, and adherence in Alzheimer disease and associated disorders: a best practices working model. Alzheimer Dis Assoc Disord. 2005;19:261-266.
- 10. Gluck, M. A., Shaw, A., & Hill, D. (2018). Recruiting Older African Americans to Brain Health and Aging Research Through Community Engagement. Generations, 42(2), 78-82.

- Graham, L. A., Ngwa, J., Ntekim, O., Ogunlana, O., Wolday, S., Johnson, S., ... & Obisesan, T. O.
 (2018). Best strategies to recruit and enroll elderly Blacks into clinical and biomedical research. Clinical interventions in aging, 13, 43.
- 12. Weiner, M. W., Nosheny, R., Camacho, M., Truran-Sacrey, D., Mackin, R. S., Flenniken, D., ... & Veitch, D. (2018). The Brain Health Registry: An internet-based platform for recruitment, assessment, and longitudinal monitoring of participants for neuroscience studies. Alzheimer's & Dementia, 14(8), 1063-1076.
- 13. Mayeda, E. R., Glymour, M. M., Quesenberry, C. P., & Whitmer, R. A. (2016). Inequalities in dementia incidence between six racial and ethnic groups over 14 years. Alzheimer's & Dementia, 12(3), 216-224.
- 14. Schnieders T, Danner DD, McGuire C, Reynolds F, Abner E. Incentives and barriers to research participation and brain donation among African Americans. Am J Alzheimers Dis Other Demen. 2013;28:485-490.
- 15. Welsh KA, Ballard E, Nash F, et al. Issues affecting minority participation in research studies of Alzheimer's disease. Alzheimer Dis Assoc Disorders. 1994;8(Suppl 4):38-48.
- 16. Ayalon L. Re-examining ethnic differences in concerns, knowledge, and beliefs about Alzheimer's disease: results from a national sample. Int J Geriatr Psychiatry. 2013;28(12):1288-95.
- 17. Valle, R. Culturally attuned recruitment, retention, and adherence in Alzheimer disease and associated disorders: a best practices working model. Alzheimer Dis Assoc Disord. 2005;19:261-266.
- 18. Dilworth-Anderson P, Cohen MD. Beyond diversity to inclusion: recruitment and retention of diverse groups in Alzheimer research. Alzheimer Dis Assoc Disord. 2010;24:S14-S18.
- 19. U.S. Department of Health and Human Services. National plan to address Alzheimer's Disease 2015 Update. 2015. http://aspe.hhs.gov/national-plan-address-alzheimer%E2%80%99s-disease-2015-update. Accessed October 18, 2015.
- 20. U.S Department of Health and Human Services. Alzheimer's Disease Research Summit 2015. https://www.nia.nih.gov/about/events/2014/alzheimers-disease-research-summit-2015. Accessed October 18, 2015.

21. Vincent GK and VA Velkoff. The Next Four Decades, The Older Population in the United States: 2010 to 2050, Current Population Reports, P25-1138. 2010. U.S. Census Bureau, Washington, DC.

- 22. http://www.aoa.acl.gov/Aging_Statistics/Minority_Aging/Facts-on-Black-Elderly-plain_format.aspx Accessed October 14, 2015.
- 23. http://www.aoa.acl.gov/Aging_Statistics/Minority_Aging/Facts-on-API-Elderly2008-plain_format.aspx.

 Accessed October 18, 2015.
- 24. http://www.aoa.acl.gov/Aging_Statistics/Minority_Aging/Facts-on-AINA-Elderly2008-plain_format.aspx. Accessed October 18, 2015.
- 25. http://www.aoa.gov/aoaroot/aging_statistics/minority_aging/Facts-on-Hispanic-Elderly.aspx. Accessed Accessed October 18, 2015.
- 26. http://www.aoa.acl.gov/Aging_Statistics/Census_Population/Population/2009/index.aspx. Accessed October 18, 2015.
- 27. Alzheimer's Association. Alzheimer's Disease Facts and Figures. Alzheimer's & Dementia. 2015; 11(3): 332+.
- 28. Ayalon L. Re-examining ethnic differences in concerns, knowledge, and beliefs about Alzheimer's disease: results from a national sample. Int J Geriatr Psychiatry. 2013;28(12):1288-95.
- 29. Paskett ED, Reeves KW, McLaughlin JM, et al. Recruitment of minority and underserved populations in the United States: The Centers for Population Health & Health Disparities Experience. Contemp Clin Trials. 2008;29:847-861. Epub 2008 Jul 31.
- 30. Valle R, Caregiving across cultures: working with dementing illness and ethnically diverse populations.

 1998, Washington: Taylor and Francis.
- 31. Levkoff S, Sanchez H. Lessons learned about minority recruitment and retention from the Centers on Minority Aging and Health Promotion. Gerontologist. 2003;43:18-26.
- 32. McNeilly M, Musick M, Efland JR, et al. Minority populations and psychophysiologic research: challenges in trust building and recruitment. J Ment Health Aging. 2000;6:91-102.

33. Levkoff SE, Levy BR, Weitzman PF. The matching model of recruitment. J Ment Health Aging. 2000;6:29-38.

- 34. Gadegbeku CA, Stillman PK, Huffman MD, et al. Factors associated with enrollment of African Americans into a clinical trial: results from the African American Study of Kidney Disease and Hypertension. Contemp Clin Trials. 2008;29:837-842.
- 35. Trauth JM, Jernigan JC, Siminoff LA, et al. Factors affecting older African American women's decisions to join the PLCO Cancer Screening Trial. J Clin Oncol. 2005;23:8730-8738.
- 36. Gorelick PB, Richardson D, Hudson E, et al. Establishing a community network for recruitment of African Americans into a clinical trial. The African-American antiplatelet stroke prevention study (AAASPS) experience. J Natl Med Assoc. 1996;88:701-704.
- 37. Bonner GJ, Miles TP. Participation of African Americans in clinical research. Neuroepidemiology. 1997;16:281-284.
- 38. Gallagher-Thompson D, Solano N, Coon D, Arean P. Recruitment and retention of latino dementia family caregivers in intervention research: issues to face, lessons to learn. Gerontologist, 2003;43:45-51.
- 39. Vesey GA. A successful strategy for recruitment and retention of Black elders in applied research, in African American Research Perspectives, R.J. Taylor, et al., Editors. 2002, Michigan Center for Urban African American Aging Research: Ann Arbor. p. 40-56.
- 40. Sinclair S, Hayes-Reams P, Myers HF, et al. Recruiting African-Americans for health studies: lessons from the Drew-RAND Center on Health and Aging. J Ment Health Aging, 2000;6:39-51.
- 41. Ford ME, Havstad SL, Davis SD. A randomized trial of recruitment methods for older African American men in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. Clin Trials. 2004;1:343-351.
- 42. Reed PS, Foley KL, Hatch J, Mutran EJ. Recruitment of older African Americans for survey research: a process evaluation of the community and church-based strategy in the Durham Elders Project.

 Gerontologist. 2003;43:52-61.

43. Welsh KA, Ballard E, Nash F, et al. Issues affecting minority participation in research studies of Alzheimer's disease. Alzheimer Dis Assoc Disorders. 1994;8(Suppl 4):38-48.

- 44. Schnieders T, Danner DD, McGuire C, Reynolds F, Abner E. Incentives and barriers to research participation and brain donation among African Americans. Am J Alzheimers Dis Other Demen. 2013;28:485-490.
- 45. Ejiogu N, Norbeck JH, Mason MA, Cromwell BC, Zonderman AB, Evans MK. Recruitment and retention strategies for minority or poor clinical research participants: lessons from the Healthy Aging in Neighborhoods of Diversity across the Life Span study. Gerontologist. 2011;51Suppl1:S33-S45.
- 46. Mendez-Luck CA, Trejo L, Miranda J, Jimenez E, Quiter ES, Mangione CM. Recruitment strategies and costs associated with community-based research in a Mexican-origin population. Gerontologist. 2011;51Suppl1:S94-S95.
- 47. Rexroth DF, Friedland RP. Lessons learned regarding recruitment to the National African American Alzheimer Disease Health Literacy Program. Alzheimer Dis Assoc Disord. 2010;24:S54-S57.
- 48. Areán PA, et al. Recruitment and retention of older minorities in mental health services research. The Gerontologist, 2003. 43(1): 36-44.
- 49. Rabinowitz YG, Gallagher-Thompson D. Recruitment and retention of ethnic minority elders into clinical research. Alzheimer Dis Assoc Disord. 2010;24:S35-S41.
- 50. Valle, R. Culturally attuned recruitment, retention, and adherence in Alzheimer disease and associated disorders: a best practices working model. Alzheimer Dis Assoc Disord. 2005;19:261-266.
- 51. Dilworth-Anderson P, Cohen MD. Beyond diversity to inclusion: recruitment and retention of diverse groups in Alzheimer research. Alzheimer Dis Assoc Disord. 2010;24:S14-S18.
- 52. Ballard EL, Gwyther LP, Edmonds HL. Challenges and opportunities: recruitment and retention of African Americans for Alzheimer disease research: lessons learned. Alzheimer Dis Assoc Disord. 2010;24;S19-S23.

- 53. Bachman DL, Stuckey M, Ebeling M, et al. Establishment of a predominantly African-American cohort for the study of Alzheimer's disease: The South Carolina Alzheimer's disease clinical core. Dement Geriatr Cogn Disord. 2009;27:329-336. Epub 2009 Mar 10.
- 54. Williams MM, Scharff DP, Mathews KJ, et al. Barriers and facilitators of African American participation in Alzheimer disease biomarker research. Alzheimer Dis Assoc Disord. 2010;24:S24-S29.
- 55. Curry L, Jackson J. The science of including older ethnic and racial group participants in health-related research. Gerontologist. 2003:43;15-17.
- 56. Fillenbaum GG, Huber MS, Beekly D, et al. The consortium to establish a registry for Alzheimer's Disease (CERAD). Part XIII. Obtaining autopsy in Alzheimer's disease. Neurology.1996;46:142-145.
- 57. Schmitt FA, Wetherby MM, Wekstein DR, et al. Brian donation in normal aging: procedures, motivations, and donor characteristics from the Biologically Resilient Adults in Neurological Studies (BRAiNS) Project. Gerontologist. 2001;41:716-722.
- 58. Olsen SJ, Malvern KT, May BJ, et al. Partnership with an African American sorority to enhance participation in cancer genetics research. Community Genet. 2008;11:201-207.
- 59. Fritsch T, Adams KB, Redd D, et al. Use of live theater to increase minority participation in Alzheimer disease research. Alzheimer Dis Assoc Disord. 2006;20:105-111.
- 60. McCallion P, Toseland RW, Lacey D, Banks S. Educating nursing assistants to communicate more effectively with nursing home residents with dementia. Gerontologist. 1999;39:546-558.
- 61. Stevens AB, Burgio LD, Bailey E, et al. Teaching and maintaining behavior management skills with nursing assistants in a nursing home. Gerontologist. 1998;38:379-384.
- 62. Pullen-Smith B, Carter-Edwards L, Leathers KH. Community health ambassadors: a model for engaging community leaders to promote better health in North Carolina. J Public Health Management Pract. 2008;14(Suppl);S73-S81.
- 63. Israel BA, Cummings KM, Dignan MB, et al. Evaluation of health education programs: current assessment and future directions. Health Educ Q. 1995; 22:364-389.

64. Connell CM, Kole SL, Benedict CJ, et al. Increasing coordination of the dementia service delivery network: planning for the Community Outreach Education Program. Gerontologist. 1994;34:700-706.

- 65. Patton M. Qualitative research and evaluation methods. 3rd ed. 2002, Newbury Park: Sage Publications.
- 66. Centers for Disease Control and Prevention. HIV Surveillance Report, 2015; vol. 27.
 http://www.cdc.gov/hiv/library/reports/hiv-surveillance.html. Published November 2016. Accessed 06
 May 2017.
- 67. Illinois Department of Public Health. 2014 Illinois HIV/AIDS Epidemiology Profile.

 http://www.dph.illinois.gov/sites/default/files/publications/1-27-16-OHP-HIVfactsheet-Overview.pdf.

 Accessed 06May2017.
- 68. Chicago Department of Public Health. HIV/STI Surveillance Report, 2015. Chicago, IL: City of Chicago; December 2015.
- 69. Hessol NA, Schneider M, Greenblatt RM, Bacon M, Barranday Y, Holman S, Robison E, Williams C, Cohen M, Weber K; Women's Interagency Human Immunodeficiency Virus Collaborative Study Group. Retention of women enrolled in a prospective study of human immunodeficiency virus infection: impact of race, unstable housing, and use of human immunodeficiency virus therapy. Am J Epidemiol. 2001 Sep 15;154(6):563-73.
- 70. Asare Bempong G, Ramamurthi HC, McCuller J, Williams JK, Harawa NT. Recruiting Black Men Who Have Sex with Men and Women (BMSMW) in an Urban Setting for HIV Prevention Research. J AIDS Clin Res. 2014 Dec 30;6(1). pii: 408.
- 71. Haley DF, Lucas J, Golin CE, Wang J, Hughes JP, Emel L, El-Sadr W, Frew PM, Justman J, Adimora AA, Watson CC, Mannheimer S, Rompalo A, Soto-Torres L, Tims-Cook Z, Carter Y, Hodder SL; HPTN 064 Study Team. Retention strategies and factors associated with missed visits among low income women at increased risk of HIV acquisition in the US (HPTN 064). AIDS Patient Care STDS. 2014 Apr;28(4):206-17. doi: 10.1089/apc.2013.0366.
- 72. Magnus M, Franks J, Griffith S, Arnold MP, Goodman K, Wheeler DP; HPTN 061 Study Group. Engaging, recruiting, and retaining black men who have sex with men in research studies: don't

- underestimate the importance of staffing--lessons learned from HPTN 061, the BROTHERS study. J Public Health Manag Pract. 2014 Nov-Dec;20(6):E1-9. doi: 10.1097/PHH.00000000000000055.
- 73. Painter TM, Ngalame PM, Lucas B, Lauby JL, Herbst JH. Strategies used by community-based organizations to evaluate their locally developed HIV prevention interventions: Lessons learned from the CDC's innovative interventions project. AIDS Educ Prev. 2010 Oct;22(5):387-401. doi: 10.1521/aeap.2010.22.5.387.
- 74. Fortune T, Wright E, Juzang I, Bull S. Recruitment, enrollment and retention of young black men for HIV prevention research: experiences from The 411 for Safe Text project. Contemp Clin Trials. 2010 Mar;31(2):151-6. doi: 10.1016/j.cct.2009.12.004. Epub 2009 Dec 24.
- 75. Allman RM, Sawyer P, Crowther M, Strothers HS 3rd, Turner T, Fouad MN. Predictors of 4-year retention among African American and white community-dwelling participants in the UAB study of aging. Gerontologist. 2011 Jun;51 Suppl 1:S46-58. doi: 10.1093/geront/gnr024.
- 76. Ejiogu N, Norbeck JH, Mason MA, Cromwell BC, Zonderman AB, Evans MK. Recruitment and retention strategies for minority or poor clinical research participants: lessons from the Healthy Aging in Neighborhoods of Diversity across the Life Span study. Gerontologist. 2011 Jun;51 Suppl 1:S33-45. doi: 10.1093/geront/gnr027.
- 77. Dilworth-Anderson P, Williams SW. Recruitment and retention strategies for longitudinal African American caregiving research: the Family Caregiving Project. J Aging Health. 2004 Nov;16(5 Suppl):137S-56S.
- 78. Levkoff S, Sanchez H. Lessons learned about minority recruitment and retention from the Centers on Minority Aging and Health Promotion. Gerontologist. 2003 Feb;43(1):18-26.
- 79. Barnes LL, Shah RC, Aggarwal NT, Bennett DA, Schneider JA. The Minority Aging Research Study: ongoing efforts to obtain brain donation in African Americans without dementia. Curr Alzheimer Res. 2012;9:734-745.
- 80. Viswanathan M, Ammerman A, Eng E, Gartlehner G, Lohr KN, Griffith D, Rhodes S, Samuel-Hodge C, Maty S, Lux, L, Webb L, Sutton SF, Swinson T, Jackman A, Whitener L.Community-Based

- Participatory Research: Assessing the Evidence. Evidence Report/Technology Assessment No. 99 (Prepared by RTI–University of North Carolina Evidence-based Practice Center under Contract No. 290-02-0016). AHRQ Publication 04-E022-2. Rockville, MD: Agency for Healthcare Research and Quality. July 2004.
- 81. Staley K. Exploring impact: public involvement in NHS, public health and social care research.

 Eastleigh, United Kingdom: INVOLVE; 2009.
- 82. MacQueen KM, McLellan E, Metzger DS, Kegeles S, Strauss RP, Scotti R, Blanchard L, Trotter RT.

 What is community? An evidence-based definition for participatory public health. Am J Public Health.

 2011;91:1929-1938.
- 83. Centers for Disease Control and Prevention Principles of community engagement (1st ed) Atlanta (GA): CDC/ATSDR Committee on Community Engagement; 1997.
- 84. Clinical and Translational Science Awards Consortium Community Engagement Key Function
 Committee Task Force on the Principles of Community Engagement. Principles of Community
 Engagement Second Edition (2011). NIH Publication No. 11-7782 Printed June 2011.
- 85. McCormack L, Sheridan S, Lewis M, Boudewyns V, Melvin CL, Kistler C, Lux LJ, Cullen K, Lohr KN.
- 86. Communication and Dissemination Strategies To Facilitate the Use of Health-Related Evidence.

 Evidence Report/Technology Assessment No. 213. (Prepared by the RTI International—University of North Carolina Evidence-based Practice Center under Contract No. 290-2007-10056-I.) AHRQ

 Publication No. 13(14)-E003-EF. Rockville, MD: Agency for Healthcare Research and Quality;

 November 2013. www.effectivehealthcare.ahrq.gov/reports/final.cfm.
- 87. Bowen DJ, Sorenson G, Weiner BJ, et al. Dissemination research in cancer control: where are we and where should we go? . Cancer Causes Control. 2009 Aug;20(4):473-85.
- 88. Grimshaw JM, Shirran L, Thomas R, et al. Changing provider behavior: an overview of systematic reviews of interventions. Med Care 2001 Aug;39(8 Suppl 2):II2-45. PMID: 11583120.
- 89. Areán PA, et al. Recruitment and retention of older minorities in mental health services research. The Gerontologist, 2003. 43(1): 36-44.

90. Rabinowitz YG, Gallagher-Thompson D. Recruitment and retention of ethnic minority elders into clinical research. Alzheimer Dis Assoc Disord. 2010;24:S35-S41.

- 91. Sha B, Exner K, Kniuksta R, Fritsche J, Williams B, Aziz M, Lochowitz J, Purim-Shem-Tov Y. Use of an electronic health record (EHR) best practice alert (BPA) in an urban emergency department (ED) diagnosed acute and chronic HIV infection. HIV Research for Prevention 2016: AIDS Vaccine, Microbicide and ARV-based Prevention Science (HIVR4P), Chicago, USA October 17-21, 2016, Abstract P15.01.
- 92. Russell N, Igras S, Kuoh H, Pavin M, Wickerstrom J The active community engagement continuum.

 ACQUIRE Project Working Paper 2008. Retrieved from http://www.acquireproject.org/

 fileadmin/user upload/ACQUIRE/ Publications/ ACE-Working-Paper-final.pdf on 07May2017.
- 93. Strauss RP, Sengupta S, Quinn SC, Goeppinger J, Spaulding C, Kegeles SM, et al. The role of community advisory boards: involving communities in the informed consent process. Am J Public Health. 2001;91(12):1938–1943.
- 94. Patton MQ. Qualitative evaluation and research methods. Newbury Park (CA): Sage; 2002.
- 95. Rossi P, Lipsey M, Freeman H Evaluation: a systemic approach (7th ed) Thousand Oaks (CA): Sage; 2004.
- 96. http://www.aoa.gov/aoaroot/aging_statistics/minority_aging/Facts-on-Black-Elderly-plain_format.aspx. Accessed September 2, 2010.
- 97. http://www.aoa.gov/aoaroot/aging_statistics/minority_aging/Index.aspx. Accessed September 2, 2010.
- 98. http://factfinder.census.gov/home/saff/main.html?_lang=en. Accessed September 2, 2010.
- 99. http://www.aoa.gov/aoaroot/aging_statistics/minority_aging/Facts-on-Hispanic-Elderly.aspx. Accessed September 2, 2010.
- 100. Paskett ED, Reeves KW, McLaughlin JM, et al. Recruitment of minority and underserved populations in the United States: The Centers for Population Health & Health Disparities Experience. Contemp Clin Trials. 2008;29:847-861. Epub 2008 Jul 31.

- 676 Valle R, Caregiving across cultures: working with dementing illness and ethnically diverse populations.
- 1998, Washington: Taylor and Francis.
- 678 7. Levkoff S, Sanchez H. Lessons learned about minority recruitment and retention from the Centers on
 - Minority Aging and Health Promotion. Gerontologist. 2003;43:18-26.
- 680 8. McNeilly M, Musick M, Efland JR, et al. Minority populations and psychophysiologic research:
 - challenges in trust building and recruitment. J Ment Health Aging. 2000;6:91-102.
 - 9. Levkoff SE, Levy BR, Weitzman PF. The matching model of recruitment. J Ment Health Aging.
- 683 **2000;6:29-38**.

681

682

684

685

688

690

691

695

696

- 10. Gadegbeku CA, Stillman PK, Huffman MD, et al. Factors associated with enrollment of African
- Americans into a clinical trial: results from the African American Study of Kidney Disease and Hypertension.
- 686 Contemp Clin Trials. 2008;29:837-842.
- Trauth JM, Jernigan JC, Siminoff LA, et al. Factors affecting older African American women's
 - decisions to join the PLCO Cancer Screening Trial. J Clin Oncol. 2005;23:8730-8738.
- 689 12. Gorelick PB, Richardson D, Hudson E, et al. Establishing a community network for recruitment of
 - African Americans into a clinical trial. The African-American antiplatelet stroke prevention study (AAASPS)
 - experience. J Natl Med Assoc. 1996;88:701-704.
- Bonner GJ, Miles TP. Participation of African Americans in clinical research. Neuroepidemiology.
- 693 1997;16:281-284.
- 694 14. Gallagher-Thompson D, Solano N, Coon D, Arean P. Recruitment and retention of latino dementia
 - family caregivers in intervention research: issues to face, lessons to learn. Gerontologist, 2003;43:45-51.
 - 15. Vesey GA. A successful strategy for recruitment and retention of Black elders in applied research, in
- African American Research Perspectives, R.J. Taylor, et al., Editors. 2002, Michigan Center for Urban African
- American Aging Research: Ann Arbor. p. 40-56.
- 699 16. Sinclair S, Hayes-Reams P, Myers HF, et al. Recruiting African-Americans for health studies: lessons
 - from the Drew-RAND Center on Health and Aging. J Ment Health Aging, 2000;6:39-51.

- 701 17. Ford ME, Haystad SL, Davis SD. A randomized trial of recruitment methods for older African
- American men in the Prostate, Lung, Colorectal and Ovarian (PLCO) Cancer Screening Trial. Clin Trials.
- 703 2004;1:343-351.
- Reed PS, Foley KL, Hatch J, Mutran EJ. Recruitment of older African Americans for survey research: a
 - process evaluation of the community and church-based strategy in the Durham Elders Project. Gerontologist.
- 706 2003;43:52-61.

707

710

711

715

- 19. Welsh KA, Ballard E, Nash F, et al. Issues affecting minority participation in research studies of
- Alzheimer's disease. Alzheimer Dis Assoc Disorders. 1994;8(Suppl 4):38-48.
- 709 20. Rexroth DF, Friedland RP. Lessons learned regarding recruitment to the National African American
 - Alzheimer Disease Health Literacy Program. Alzheimer Dis Assoc Disord. 2010;24:S54-S57.
 - 21. Areán PA, et al. Recruitment and retention of older minorities in mental health services research. The
- 712 Gerontologist, 2003. 43(1): 36-44.
- Rabinowitz YG, Gallagher-Thompson D. Recruitment and retention of ethnic minority elders into
- clinical research. Alzheimer Dis Assoc Disord. 2010;24:S35-S41.
 - 23. www.re-aim.org. Accessed August 30, 2010.
- 716 24. Valle, R. Culturally attuned recruitment, retention, and adherence in Alzheimer disease and associated
 - disorders: a best practices working model. Alzheimer Dis Assoc Disord. 2005;19:261-266.
- Dilworth-Anderson P, Cohen MD. Beyond diversity to inclusion: recruitment and retention of diverse
- groups in Alzheimer research. Alzheimer Dis Assoc Disord. 2010;24:S14-S18.
- Ballard EL, Gwyther LP, Edmonds HL. Challenges and opportunities: recruitment and retention of
- African Americans for Alzheimer disease research: lessons learned. Alzheimer Dis Assoc Disord.
- 722 **2010;24;S19-S23**.
- 27. Bachman DL, Stuckey M, Ebeling M, et al. Establishment of a predominantly African-American cohort for
- the study of Alzheimer's disease: The South Carolina Alzheimer's disease clinical core. Dement Geriatr Cogn
- 725 Disord. 2009;27:329-336. Epub 2009 Mar 10.

- 726 28. Williams MM, Scharff DP, Mathews KJ, et al. Barriers and facilitators of African American
- participation in Alzheimer disease biomarker research. Alzheimer Dis Assoc Disord. 2010;24:S24-S29.
- Curry L, Jackson J. The science of including older ethnic and racial group participants in health-related
- research. Gerontologist. 2003:43;15-17.

736

737

738

740

746

748

- 730 30. Fillenbaum GG, Huber MS, Beekly D, et al. The consortium to establish a registry for Alzheimer's
- Disease (CERAD). Part XIII. Obtaining autopsy in Alzheimer's disease. Neurology.1996;46:142-145.
 - 31. Schmitt FA, Wetherby MM, Wekstein DR, et al. Brian donation in normal aging: procedures,
- motivations, and donor characteristics from the Biologically Resilient Adults in Neurological Studies
- 734 (BRAiNS) Project. Gerontologist. 2001;41:716-722.
- Olsen SJ, Malvern KT, May BJ, et al. Partnership with an African American sorority to enhance
 - participation in cancer genetics research. Community Genet. 2008;11:201-207.
 - 33. Lindenstruth KA, Curtis CB, Allen JK. Recruitment of African American and white postmenopausal
 - women into clinical trials: The Beneficial Effects of Sov Trial Experience. Ethn Dis. 2006;16:938-942.
- Wilbur J, McDevitt J, Wang E, et al. Recruitment of African American women to a walking program:
 - eligibility, ineligibility, and attrition during screening. Res Nurs Health. 2006:29:176-189.
- Jones RA, Steves R, Williams I. Strategies for recruiting African American men into prostate cancer
- 742 screening studies. Nurs Res. 2009;58:452-456.
- 743 36. Fritsch T, Adams KB, Redd D, et al. Use of live theater to increase minority participation in Alzheimer
- disease research. Alzheimer Dis Assoc Disord. 2006;20:105-111.
- 745 37. McCallion P, Toseland RW, Lacey D, Banks S. Educating nursing assistants to communicate more
 - effectively with nursing home residents with dementia. Gerontologist. 1999;39:546-558.
- 38. Stevens AB, Burgio LD, Bailey E, et al. Teaching and maintaining behavior management skills with
 - nursing assistants in a nursing home. Gerontologist. 1998;38:379-384.
- 749 39. Pullen-Smith B, Carter-Edwards L, Leathers KH. Community health ambassadors: a model for
- engaging community leaders to promote better health in North Carolina. J Public Health Management Pract.
 - 2008;14(Suppl);S73-S81.

40. Israel BA, Cummings KM, Dignan MB, et al. Evaluation of health education programs: current assessment and future directions. Health Educ Q. 1995; 22:364-389.

752

753

754

755

- 41. Connell CM, Kole SL, Benedict CJ, et al. Increasing coordination of the dementia service delivery network: planning for the Community Outreach Education Program. Gerontologist. 1994;34:700-706.
- 42. Patton M. Qualitative research and evaluation methods. 3rd ed. 2002, Newbury Park: Sage Publications.

Table 1: Main Events and Activities Associated with Each Step of the Network, Give first, Advocate for research, Give back, and Evaluate (NGAGE) Model Developed at the Rush Alzheimer's Disease Research Center.

Step 1. Network	 Identify and foster relationships with local leaders of organizations and other prominent community members. One-on-one meetings with community leaders and other prominent community members. Active in various organizations and groups by regularly attending related meetings, faith-based services, health fairs, and other organization-specific and community-based events; and serving as board members.
Step 2. Give First	 Development and provision of presentations and materials regarding prevention, early detection, and early treatment of AD/ADRD; cognitive health; and other critical topics in aging such as the link between cardiovascular and brain health. Development of programming requested by community members and provided in collaboration with experts at Rush, including question and answer sessions focused on community-identified topics such as Long COVID. Support of local community-based activities, including financial resources and non-financial assistance with events such as catering. Free health screenings. Encouragement of memory evaluations.
Step 3. Advocate for Research	 Development and provision of presentations regarding the purpose, value, and outcomes of research participation and related aspects including biospecimen collection and brain autopsy. Discussion of Rush ADRC studies and other NIH-supported initiatives and how to participate Completion of an Interest Form - interest in research participation (yes, maybe, no).
Step 4. Give Back	 Annual newsletter for research participants and their social networks. Annual study-specific print communications and via social media platforms. Coffee gatherings. Collaboration with the NIH-supported ADEAR Center and the ADORE Repository. Annual health and back-to-school fair.
Step 5. Evaluate	 Number of persons who enrolled into the Rush ADRC Data and Specimen Repository. Number of persons who consented to Rush ADRC research studies and other NIH-supported initiatives.

Table 2. Number of Activities and Attendees Associated with Each Step of the NGAGE Model - Network, Give First, Advocate

for Research, and Give Back - From Year 1 Through Year 11*.

	Year Year Year Year Year Year Year Year											Total		
	r ear		Year	r ear	Year	r ear	r ear		r ear				Total	
	1	2	3	4	5	6	7	8	9	10	11	12	Number	
	Step 1: Network													
Activities	69	73	118	89	51	79	75	106	265	93	77	52	1,095	
Attendees	2,051	1,706	7,894	1,826	1,281	3,228	1,869	4,608	7,462	3,020	1,685	2,264	36,630	
	Step 2: Give First													
Activities	146	207	296	219	137	186	268	226	232	184	146	64	2,247	
Attendees	20,106	15,819	21,550	9,869	9,283	8,923	12,547	9,175	9,992	3,625	3,514	3,529	124,403	
					Step 3:	Advoca	te for Re	search						
Activities	200	150	160	76	97	75	75	82	75	16	10	13	1,016	
Attendees	11,809	5,812	6,378	3,471	3,771	3,257	4,323	5,466	5,831	947	307	517	51,372	
					9	Step 4: G	ive Back							
Activities	84	109	112	65	53	43	44	59	87	81	68	68	805	
Attendees	14,847	3,902	3,848	2,860	2,093	1,677	2,702	3,893	4,392	3,464	1,995	1,406	45,673	
Total Number														
Activities	499	539	686	449	338	383	464	473	659	374	301	197	5,362	
Attendees	48,813	27,239	39,670	18,026	16,428	17,085	21,441	23,142	27,677	11,056	7,501	7,716	265,794	

*Year 1: July 1, 2011-June 30, 2012; Year 2: July 1, 2012-June 30, 2013; Year 3: July 1, 2013-June 30, 2014; Year 4: July 1, 2014-June 30, 2015; Year 5: July 1, 2015-June 30, 2016; Year 6: July 1, 2016-June 30, 2017; Year 7: July 1, 2017-June 30, 2018; Year 8:July 1, 2018-June 30, 2019; Year 9: July 1, 2019-June 30, 2020; Year 10: July 1, 2020-June 30, 2021; Year 11: July 1, 2021-June 30, 2022.

Table 3. Percentages of Attendees Self-Identifying as Black and Latino Adults Associated with NGAGE Model Steps - Network, Give First, Advocate for Research, and Give Back - From Year 1 Through Year 11*.

	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	Year 8	Year 9	Year 10	Year 11	Year 12	Total Number
Attendee Race/Ethnicity**,													
Step 1: Network													
White	49.67	40.73	50.40	46.69	89.14	65.08	73.33	55.14	64.26	51.20	55.70	40.77	56.84
Black	34.68	53.13	41.08	25.32	9.38	31.24	23.00	35.51	31.00	44.54	37.67	53.00	34.96
Additional	15.65	6.14	8.53	27.99	1.48	3.68	3.67	9.34	4.74	4.26	6.63	6.23	8.20
Latino	6.11	7.05	7.40	26.17	74.82	50.92	46.56	16.38	38.47	11.91	7.91	16.38	25.84
Step 2: Give First													
White	48.25	40.48	31.69	46.69	54.46	68.25	56.12	61.95	59.18	65.48	49.62	43.77	52.16
Black	37.27	52.88	66.54	48.52	38.68	31.04	40.17	35.18	36.42	32.58	48.70	54.82	43.57
Additional	14.48	6.64	1.77	4.78	6.86	0.17	2.99	2.87	4.40	1.93	1.69	1.51	4.17
Latino	19.75	13.70	13.65	18.96	34.78	52.64	32.27	30.81	43.69	25.71	17.24	10.08	26.11
				S	tep 3: A	dvocate	e for Re	search					
White	47.21	38.27	39.63	45.66	53.76	50.96	41.80	40.99	48.02	39.50	89.84	78.05	51.14
Black	48.60	58.66	59.00	52.60	44.85	47.93	56.49	58.16	48.75	60.48	5.85	21.95	46.94
Additional	4.19	3.07	1.37	1.74	1.39	1.11	1.71	0.85	3.23	0.02	4.32	0.00	1.92
Latino	16.16	2.64	12.32	17.71	27.87	34.11	12.25	24.23	35.85	58.54	29.45	7.16	23.19
Step 4: Give Back													
White	71.37	63.95	65.51	61.55	69.41	79.09	71.73	67.54	58.43	58.75	73.58	74.45	67.95
Black	15.00	27.19	24.36	25.45	25.78	17.37	23.07	28.44	34.48	32.69	19.66	23.12	24.72
Additional	13.63	8.86	10.13	13.00	4.82	3.54	5.20	4.02	7.08	8.55	6.76	2.43	7.34
Latino	10.05	9.41	10.14	7.14	7.41	12.59	20.75	18.46	7.08	9.59	5.55	21.66	11.65

*Year 1: July 1, 2011-June 30, 2012; Year 2: July 1, 2012-June 30, 2013; Year 3: July 1, 2013-June 30, 2014; Year 4: July 1, 2014-June 30, 2015; Year 5: July 1, 2015-June 30, 2016; Year 6: July 1, 2016-June 30, 2017; Year 7: July 1, 2017-June 30, 2018; Year 8: July 1, 2018-June 30, 2019; Year 9: July 1, 2019-June 30, 2020; Year 10: July 1, 2020-June 30, 2021; Year 11: July 1, 2021-June 30, 2022.** Race refers to Black/African American, White, or Additional (i.e., American Indian/Native American, Asian American and Pacific Islander, and multiracial) categories; Ethnicity denotes Latino or Non-Latino.


Table 4: Participation in the Rush Alzheimer's Disease Research Center (Rush ADRC) Data Repository and Rush ADRC and Other NIH-Supported Research Studies Across Participants and by Participant Race and Participant Ethnicity** From Year 1 To Year 11*.

	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	Year 8	Year 9	Year 10	Year 11	Year 12	Total Number
Consented and Entered into the Rush ADRC Data and Specimen Repository from the Community													
Participants, N	232	357	384	418	241	150	116	44	26	45	59	63	2135
White %	62.50	63.87	62.50	71.77	67.22	80.00	74.14	86.36	65.38	75.56	59.32	71.43	70.00
Black %	22.41	13.17	27.34	22.49	27.39	10.67	13.79	9.09	26.92	11.11	38.98	25.40	20.73
Additional %	15.08	22.97	10.15	5.75	5.39	9.33	12.06	4.55	7.70	13.33	1.69	3.18	9.27
Latino %	14.66	3.92	5.21	5.98	5.81	12.67	16.38	0.00	3.85	4.44	8.47	4.76	7.18
		Joined	Rush A	DRC ar	d Other	r NIH-S	upporte	d Resea	rch Stu	dies			
Participants, N	452	609	472	384	489	333	668	835	604	192	465	402	5905
White %	70.58	44.83	54.24	53.39	71.98	53.45	55.96	62.28	42.88	61.46	65.59	56.97	57.80
Black %	28.98	54.68	45.13	44.79	19.84	36.94	37.65	32.34	52.32	33.33	26.24	35.82	37.34
Additional %	0.44	0.49	0.63	1.82	8.18	9.61	6.40	5.39	4.80	5.21	8.18	7.22	4.86
Latino %	3.54	1.97	4.45	5.47	17.38	23.72	10.03	10.18	5.79	14.06	10.97	10.95	9.88

^{*} Year 1: July 1, 2011-June 30, 2012; Year 2: July 1, 2012-June 30, 2013; Year 3: July 1, 2013-June 30, 2014; Year 4: July 1, 2014-June 30, 2015; Year 5: July 1, 2015-June 30, 2016; Year 6: July 1, 2016-June 30, 2017; Year 7: July 1, 2017-June 30, 2018; Year 8: July 1, 2018-June 30, 2019; Year 9: July 1, 2019-June 30, 2020; Year 10: July 1, 2020-June 30, 2021; Year 11: July 1, 2021-June 30, 2022.

^{**} Race refers to Black/African American, White, or Additional (i.e., American Indian/Native American, Asian American and Pacific Islander, and multiracial) categories; Ethnicity denotes Latino or Non-Latino.

<u>Figure 1: The NGAGE Model, Community and Participant Input on Study Activities, and Individual Rush ADRC Study Operation.</u>



All Community-Based

Outer circle represents community-based events and activities associated with steps of the NGAGE Model, including Step 1: Network, Step 2: Give first, Step 3: Advocate for research, and Step 4: Give back.

<u>Middle circle</u> represents community and participant input throughout the research process, including A. Question development, B. Prioritization of topics, C. Approach to the study, D. Dissemination of materials and study findings, and E. Execution of the study.

Inner circle represents individual study activities, including the Religious Orders Study, African American Clinical Core, and Latino Core.

At the core is **Step 5. Evaluate** of the NGAGE Model.