Fear, Stigma and Uncertainty: The short and long-term effects of Ebola on survivors, affected families, and community in Bundibugyo, Western Uganda

3

Shamilah Namusisi^{1*}, Jacinta Mukulu Waila², Sarah J. Hoffman³, Cheryl.Roberston³, Katey
Pelican⁴ and Michael. Mahero⁵,

⁶ ¹Makerere University, Kampala, Uganda, ²Heidelberg Institute of Global Health, University of

7 Heidelberg, Germany ³School of Nursing, University of Minnesota, ⁴Department of Veterinary

8 Population Medicine, University of Minnesota, Saint Paul USA, ⁵University of Tennessee College

9 of Veterinary Medicine, ⁵Department of Veterinary Population Medicine, University of Minnesota,

10 Saint Paul USA

11

12 Abstract+

In 2014, Uganda was identified as a high-risk country for Ebola Virus Disease (EVD), with 13 a series of outbreaks recorded since 2000. In 2007, the second outbreak in Bundibugyo district 14 resulted in 149 reported cases and 37 confirmed Ebola deaths. Through the outbreak response, a 15 new strain of the Ebola virus (Bundibugvo ebolavirus) was discovered. Although much is known 16 about the nature of Ebola, including disease signs and symptoms, transmission and management, 17 there is limited understanding of the short and long-term sociocultural impacts of the disease in 18 19 communities. The study team conducted a focused ethnography in Bundibugyo District 10 years after the 2007 outbreak. Data collection included a review of archival data, participant observation, 20 field notes and 19 in-depth interviews with survivors and affected families. Results underscored 21 22 time-limited social, cultural and economic disruptions caused by the outbreak. We interpreted findings through an Eco-health framework with an emphasis on ways that underlying stigma 23 accentuated detrimental long-term effects of the outbreak. Affected women, particularly widows, 24 25 experienced social exclusion, and economic strain, and acknowledged loss of opportunity for a better life for their orphaned children. Deepening fear of the possible recurrence of Ebola resulted 26 in ethnic tension driven by speculations on the 2007 outbreak source. Survivors reported varying 27 28 persistent health effects including impaired vision and general body weakness. Community members reported positive changes in health seeking behaviors. Health care workers described 29 high levels of alert for early clinical signs of Ebola, a critical factor for early outbreak detection at 30 31 the community level. Our findings can inform future Ebola response and recovery interventions, particularly those targeting community re-integration and a mitigation of the fear and stigma 32 associated with survivorship. 33

34 *Keywords:* Affected families; Bundibugyo; community; Ebola; ethnography; survivors;

- 35 *Corresponding
- 36 E-mail: <u>shamilahnamusisi@gmail.com(SN)</u>
- 37 Author
- 38 Authors' Contribution
- ⁸These authors contributed equally to this work.
- 40
- 41
- 42
- 43

It is made available under a CC-BY 4.0 International license .

44

45 Introduction

Since the identification of the Ebola virus in 1976, Africa has suffered the highest number 46 of outbreaks globally [1]. It is generally estimated that the number of outbreaks are going to 47 increase across Sub-Saharan Africa as habitats for Ebola aggregate [2]. Over the last two decades. 48 49 two major outbreaks have been recorded, in West Africa (2013-2016) the largest and deadliest, and in Eastern part of Democratic Repulic of Congo (DRC), causing 11.310 cases and 2,287 50 51 deaths [3,4] respectively. The outbreak in DRC is believed to be the second largest and most complicated to date due to conflict, political instability, poor infrastructure and socio-economic 52 weaknesses [3,5,6]. Ebola disproportionately impacts people living in rural communities in low 53 income countries causing disruption of various economic activities [7,8]. The origin of Ebola 54 outbreaks in Africa has tended to be rural and among impoverished communities, including the 55 West Africa outbreak that started in rural Guinea and expanded to the level of an epidemic [9– 56 11]. Ebola places a burden on communities and nations through loss of money and economic 57 activities and capital, an increase in unemployment and brain drain, slowdown or closure of health 58 facilities, disruption of internal and external trade, decrease in tourism and travel activity, and an 59 increase in social and cultural barriers [3,11]. 60

EVD outbreaks affect many aspects of life at individual, household and community 61 62 levels [12]. The outbreak in West Africa further highlights the outbreak's impact on the population, health care system and economy of affected countries [13]. Previous studies primarily focused on 63 the disease's spread, clinical signs, diagnostics, prevention, and more recently, vaccine and drug 64 development [14]. However, this alone cannot comprehensively explain the devastating 65 consequences the disease has had in the lives of those diagnosed with EVD and their families 66 [15,16]. Studies of mental health effects in West Africa have found high prevalence of symptoms 67 related to depression, anxiety and psychological distress due to stigma [12,17]. 68

The stigmatization of survivors, affects the ability to establish effective response strategies 69 following an outbreak [18]. Disease-related stigma and its sequalae have been documented 70 previously in the context of EVD. The 2000-2001 outbreak in the Gulu, Masindi, and Mbarara 71 districts of Uganda resulted in social rejection, harassment, and discrimination of Ebola survivors 72 73 [19]. During the 1995 EVD outbreak in Kikwit, Zaire (renamed Democratic Republic of the Congo), EVD survivors returned to their communities' post-recovery to find their homes and 74 75 belongings had been burned, and many times spouses had fled [20]. Community members refused to buy market goods from EVD survivors post-return, influencing economic status and position in 76 the societal hierarchy [21]. The sociocultural effects of disease-related stigma can have dramatic 77 effects on housing, criminal activity, meaningful relationships, and individual wellbeing [3,22]. 78 These effects also drive larger, collective factors such as food insecurity, displacement and 79 80 environmental degradation, which are directly relevant to human interaction with the environment 81 [22].

Uganda has experienced several outbreaks of Ebola virus disease (EVD) and the most recent outbreak in Uganda started in September 2022 in Mubende district, spreading to other neighboring districts [23,24]. The country's first and largest outbreak occurred in the Northern district of Gulu in 2000 [25,26]. This was followed by several other outbreaks: 2007 in Bundibugyo district, 2011 in Luwero (single case, one death) and the 2012 outbreak in Kibale

It is made available under a CC-BY 4.0 International license .

[27]. On 29 November 2007, the Uganda Ministry of Health (MoH) and the World Health 87 Organization (WHO) confirmed an outbreak of EHF in Bundibugyo District, western Uganda and 88 On 20 February 2008, the outbreak concluded with 93 putative and 56 laboratory-confirmed 89 90 cases[28]. There were 37 case fatalities in an outbreak that saw the discovery of a new strain of Ebola (Bundibugvo ebolavirus) (CDC, 2007). Notably, the 2012 outbreak in Isiro, Democratic 91 Republic of Congo was retrospectively attributed to the same strain Bundibugyo ebolavirus 92 [28,29]. The majority of cases (36%) in the Bundibugvo outbreak were subsistence farmers and 93 94 12% were health workers [30]).

A characterization of short and long term impacts of Ebola outbreaks is a more recent area 95 96 of focus in research [13,17,31,32]. Apart from the immediate health effects, the disease also 97 instigates a breakdown in social and cultural values or norms that have long been known as major survival strategies among resource-limited communities such as those in Bundibugyo [3,26,29]. 98 99 Survivors and affected communities experience short and long-term consequences of Ebola [12,32]. The short-term psychological effects among survivors include the traumatic disease 100 course and the physiological trauma associated with fear of death and proximity to others dving 101 [27,30]. Survivors report feelings of shame or guilt and stigma or blame from others [29,33]. These 102 are compounded by a change in cultural practices surrounding many of the traditions that long held 103 communities together [16,29]. At the community level, there is an immediate sense of grief due to 104 loss of community members and shifting family structures due to loss of parents, primary income 105 106 earners, health workers, community leaders and other social services provision professionals[34]. The United Nations Development Program (2014) predicted an orphan crisis and disruption of 107 longstanding traditional community support in West Africa caused by the Ebola outbreak [8]. 108 109 However, no parallel studies describe the Ugandan context.

110 Purpose

The aim of this study was to understand socio-economic and cultural effects of Ebola among survivors, affected families and communities post-outbreak in Bundibugyo district, Uganda. The findings are important in the design of recovery programs targeting Ebola affected individuals and communities. Moreover, our findings add to the emerging body of literature describing the short and long-term impacts of epidemic/pandemic courses in affected communities.

116

117 Conceptual Framework

118 We used an Eco-health approach integrated with perspectives on disease-related stigma to design the study and interpret reported individual, familial, and community experiences on EVD 119 120 survivorship in the ten years since the Bundibugyo outbreak. In studies involving zoonotic 121 diseases, where there are fundamental connections between human, health, and environmental systems, examining factors that potentiate vulnerable points in these relationships offers a greater 122 understanding of the phenomenon as well as potential mechanisms for intervention (Ecohealth). 123 124 Based on our work and the work of others in the social, cultural, and economic intersections of zoonoses, we framed our analysis through the perspective of Ecohealth and stigma. Stigma is a 125 collective, negative social reaction to an individual attribute that is specific to time and place 126 (Miles, 1981). Depending on contextual factors, enduring disease-related stigma is associated with 127 128 social rejection, violence, long term inequities in the distribution of income, housing, and health, and significant, negative psychosocial effects of survivorship [32,34,35]. In the context of an 129

It is made available under a CC-BY 4.0 International license .

outbreak, stigma and resulting discrimination are potentially more damaging than the pathology

- 131 of the disease itself [34].
- 132

133 METHODS

Study area: This study was conducted in Bundibugyo district and data were collected over a 134 period of three months from October to December 2015. The district lies in western Uganda 135 bordering the DRC and is the only district west of the Rwenzori Mountains. It is bordered by 136 Ntoroko District to the northeast, Kibaale District to the east, Kabarole District to the south, and 137 the DRC to the west and north. The district headquarters at Bundibugyo town council are located 138 approximately 32 kilometers (20 miles), by road, west of Fort Portal. Though part of the Nile basin, 139 140 Bundibugyo district is ecologically and culturally part of Central Africa with similar customs to those of eastern DRC. The study took place in Bundibugyo town council and Kikyo, about 25 141 kilometers apart. Kikyo, the epicenter of the outbreak, is characterized geographically by low 142 lying and mountainous areas rising to about 6200-8900ft above sea level. Its rainfall distribution 143 enables agriculture to take place throughout the year. It is also surrounded by swamps, rivers like 144 Humya, Kirumya forest (Semuliki) that harbors wild species like monkeys, chimpanzees, buffalos 145 146 among others. The communities adjacent to the forest practice subsistence agriculture and use the forests to supplement their livelihoods. Some of the forest products include bush meat, herbal 147 medicines, fruits, vegetables, fuel in form of firewood and charcoal, and construction materials 148 149 such as timber and vines for making ropes. Therefore, the forest is of great social-economic importance to the local communities. Land for agricultural production is steadily shrinking due to 150 an increase in population and the fact that this area is sandwiched between the Semuliki national 151 152 park and North Rwenzori Forest Reserve.

153 Map showing Ebola Outbreak Areas in Uganda

It is made available under a CC-BY 4.0 International license .



154

155

Study design: We conducted a focused ethnographic inquiry collecting data through: in-depth interviews with survivors, affected families and community members, participant observation, extensive field note documentation and archival data review. The study team consisted of five scholars with veterinary and nursing backgrounds led by an expert in ethnographic research methods.

Participant sampling: Initially, purposive sampling and subsequently snowball sampling 161 techniques were used to identify interview participants. All study participants were 18 years and 162 older and included survivors and affected families and community members that were residents in 163 the area at the time of the outbreak. Survivors were adults who self-reported laboratory confirmed 164 EVD infection, and who were hospitalized and discharged after laboratory confirmed negative 165 status. Affected families were those who had a member suffer from EVD regardless of whether 166 167 they survived or succumbed to the disease. The community refers to residents of the study area who were present at the time of the outbreak. 168

169 Data collection procedures

170 In-depth interviews: Interviews were conducted either in English or local languages with the aid 171 of an interpreter who was a trained qualitative research assistant and a native of the area, fluent in

- 172 Rubwisi and Rukonzo (the two major local languages in Bundibugyo) and highly proficient in
- 173 English. An in-depth interview guide provided the interview framework. All interviews were audio

recorded with participant consent and written notes were taken during the interviews. A total of 19interviews were conducted.

Archival data: The team reviewed medical records of patients admitted with Ebola at Bundibugyo
 hospital. These records showed who was affected, the area of residence, ethnicity, religious
 affiliation, sex, age, dates of admission. Treatment received and whether recovered or died

Participant observation: Data collectors recorded community observation, including activities
being carried out, the general home environment, how people interacted with each other, and key
issues emerging out of the conversations besides the interviews. All data was collected between
November 1 and December 20, 2015.

Data management: Verbatim transcription of the audio files was performed and the interviews that were conducted in local languages translated into English. Investigators reviewed the transcripts with the study interpreter after the translation was complete. Independent verification of all translated transcripts was done by a second study team member who was not involved in the original translation and fluent in one of the local languages and English. Finally, all transcripts were subjected to quality checks against the audio recordings and compared with the hand written notes by the translator and the investigators.

Data Analysis: Thematic qualitative analysis was performed in close collaboration with the 190 research assistant who did interpretation during data collection. Two researchers with expertise in 191 qualitative methods independently read at least six transcripts and developed a list of codes through 192 193 open descriptive coding. The codebooks were then merged into a single codebook through review, discussion, and consensus. The codebook was then applied to manually analyze the data using 194 195 Microsoft Word. Analysts constructed a table that included all codes where excerpts of texts from the transcripts that corresponded to the codes were copied and pasted into the table. After coding 196 seven transcripts together revising the codebook iteratively, the two analysts then divided the 12 197 remaining transcripts equally to complete coding, meeting after every three transcripts to review 198 199 and integrate new codes into the coding frame and back code when appropriate. Once coding was complete, the codes were then grouped together into categories guided by similarity in content 200 201 after which the categories were further collapsed into themes. The field notes and archival data were used during data analysis to give context to participants' narrations, aiding with 202 interpretation. 203

Trustworthiness was established through analytic procedures, that included maintenance of an audit trail of audio files, close collaboration with a consistent study interpreter, memoing, and other methodological procedures like field note review, rich description of participant observation, and the cross-referencing of findings across the categories of respondents

208 **Funding information**

The study was conducted with funding support from University of Minnesota as a capacity building grant for the then One Health residents under the USAID first funded program of Emerging Pandemic Threats (EPT1).

212 Ethical considerations

We received ethical approval to conduct this study from the Joint Clinical Research Center in Uganda and the University of Minnesota Institutional Review Board (IRB Code Number:

It is made available under a CC-BY 4.0 International license .

1502S62201). Written informed consent was obtained from all study participants. Additionally,

Bundibugyo local government, through the office of Chief administrative officer granted the study

team permission for community entry. The medical superintendent approved access to medical

records and this facilitated the recruitment of study participants.

219 Findings

220 Characteristics of study participants

Table 1 describes the characteristics of the key informants. The age of participants ranged between 221 32 and 52 years with the mean and median being 43 years. Majority of the participants were male 222 (74%) while females were about a guarter (26%). All participants reported attaining some level of 223 education ranging from primary school to graduate levels. Whereas men engaged in various 224 225 income generating activities, all women were engaged with unpaid work in the home. Among male 226 participants, paid employment varied by education level whereby college graduates worked as district technical leaders (16%), health workers (16%) and social workers (11%). Most of those 227 educated below post-secondary level worked as farmers (32%). All participants reported being 228 229 affiliated to various religious groups with the majority (90%) identifying as Seventh Day 230 Adventists (SDA).

231 Table 1. Summary of respondents

232 **Descriptive statistics (n=19)**

Variable	
Location	
Bundibugyo- urban	9 (47%)
Kikyo- rural	10 (53%)
Category	
Affected community	6 (32%)
survivor	9 (47%)
Affected family	4 (21%)
Marital status	
Married	13 (68%)
Single	2 (11%)
Widow	4 (21%)
Sex	
Female	5 (26%)
Male	14 (74%)
Education level	
Post-secondary	7(37%)
Primary	9 (47%)
Secondary	3 (16%)
Religious affiliation	
Christian (SDA)	17 (90%)
Christian (Protestant)	1 (5%)
Moslem	1 (5%)
Age	
Mean (SD); Median (IQR)	43 (2.4); 43 (32-52)
Affected community survivor Affected family Marital status Married Single Widow Sex Female Male Education level Post-secondary Primary Secondary Religious affiliation Christian (SDA) Christian (Protestant) Moslem Age Mean (SD); Median (IQR)	6 (32%)9 (47%)4 (21%)13 (68%)2 (11%)4 (21%)5 (26%)14 (74%)7(37%)9 (47%)3 (16%)17 (90%)1 (5%)1 (5%)43 (2.4); 43 (32-52)

It is made available under a CC-BY 4.0 International license .

233	Occupation		
234	Boda boda rider	2 (11%)	
	Business man	1 (5%)	
35	District leaders	3 (16%)	
36	Farmer	6 (32%)	
	Health worker	3 (16%)	
37	Market vendor	1 (5%)	
28	Social worker	2 (11%)	
50	VHT	1 (5%)	
.39			

240

241 Description of general life before the Ebola outbreak

Participants described their lives before the outbreak as being "normal", men and women went 242 about their daily routine activities of providing for the families and caring for the children 243 respectively. Community gatherings went on without any restrictions (freedom of association), 244 children went to school and non-governmental organizations were present to offer humanitarian 245 aid to address various challenges in the community. Cocoa farming, the main cash crop in the area, 246 was the major economic activity undertaken by most residents. The area faced the challenge of 247 poor road infrastructure and the main road to Bundibugyo from the neighboring districts was as 248 poor as the road network within the district. Bundibugyo district hospital was the main health 249 facility serving the population supported by other health facilities of lower levels, including Kikyo 250 health center III, where the first Ebola cases were reported. 251

Emerging themes

Three major themes emerged during data analysis; i) The Ebola outbreak, ii) The effects of the outbreak, and iii) Life after the outbreak, as described below. Quotes are identified using the interview number and the category of the participant (survivor, affected family or community member). The acronym 'CHW' is used for Community Health Workers, 'HSP' is used for health service providers such as nurses, clinical officers, and medical doctors.

258 **Theme 1: The outbreak**

This theme presents the community experiences during the Ebola outbreak from the detection of the viral disease to its containment. It has two main subthemes:

Subtheme 1a: The health care system response including the challenges with diagnosis and management of an unusual health situation are presented under this subtheme.

263 The Strange Disease: Around August 2007, participants reported that community members began 264 falling ill from what was described as a strange disease. To the health workers and the community 265 members alike, this strange disease has signs and symptoms like those of malaria and was managed 266 as such.

"The clinical officer who was very instrumental in diagnosing...had some disease that he
called strange of course...A fever, diarrhea and vomiting so anyone would have thought
that this was possibly what? Malaria. So he started I think managing, managing, managing
but at the end people were not improving." - IDI002-HSP

It is made available under a CC-BY 4.0 International license .

271 "Ebola started with our dad and it was the first family to get affected. We first heard of it
272 in a place called Kikyo. That malaria has come to Kikyo."- IDI004-Survivor&HSP

To bring the situation under control, health workers exchanged information among themselves,
although EVD suspicion was very low partly because none of the health workers had prior clinical
experience with such a disease.

"When the disease occurred in Kikyo for 2 months...a nurse in Kikyo called me and
explained to me what was happening and I felt that it could be a Hemorrhagic Fever
(HF).." – IDI001- HSP

The characteristic symptom of bleeding from body openings was only observed in a few of the cases, further eluding the suspicion of hemorrhagic fever.

- "People had no knowledge about Ebola. Of course, people had heard...during the Gulu
 outbreak but had never had knowledge to know how it spreads, how it looks, of course we
 used to hear may be on news on how it spreads but being in Gulu which is far away from
 Bundibugyo." IDI003-NGO worker
- 285 ".....the way it came was not really not typical...people will start thinking of Ebola
 286 when you have bleeding from anywhere...the kind of presentation that was here that would
 287 possibly be the latest sign." IDI002-HSP
- Health care workers at Kikyo health center, the epicenter, reported cases to the district and theMinistry of Health in Kampala, appealing for support to diagnose the strange disease.
- "…People are not improving…at a certain point, the district reported, even officials from the
 ministry came, they went to Kikyo down at the ground and tried to investigate, took samples and
 things of that kind." IDI002-HSP
- Complicating factors for the outbreak: Some participants expressed concerns that the imminent hosting of the Commonwealth Heads of Government meeting of November, 2007 by Uganda somehow delayed the detection and declaration of the outbreak. Similarly, during that same time, the district had an ongoing typhoid fever outbreak which masked the fact that something new was coming up.
- "So, within that period of typhoid fever also Ebola came in so the whole thing was just
 happening I think at one time some of those patients ended in theater thinking that
 maybe they have gotten perforated gut and they were opened up maybe to find inside there
 is nothing happening." IDI002-HSP
- Ebola confirmation, fear and panic during response: Amidst the confusion of a strange disease
 with associated death, the Ministry of Health sent a technical team to assess the situation and
 samples were taken which finally confirmed it was Ebola.
- 305 "It began in August in Kikyo and started getting cases in the last week of September and
 306 managed cases in the hospital until 30th October when it was announced as Ebola."
 307 IDI001- HSP
- Having heard about the devastating nature of Ebola from the Gulu outbreak, the declaration that the strange disease was Ebola sent waves of panic across the entire community. Health workers

experienced as much fear as lay community members and this fear led to disruption of healthcareservice delivery.

- "Most of the staff in the ward and even patients fled due to fear..... That experience was
 really terrible for me and my colleague. Even my family members often pestered me to
 leave unit/hospital but I told them no. What I know is that God kept me for a purpose and
 He knows it. The entire time I did not step home until Bundibugyo was declared Ebolafree." IDI001- HSP
- 317 *"The professional health workers had fled the hospital but for us as volunteers we would*318 *not leave our community.* IDI018-CHW, boda boda rider & burial team member
- 319 Similarly, other social and economic activities were also affected:
- 320 "The bank was the only way to get...support in terms of funds to run these activities. But
 321 you are going to the bank, the bank manager, everybody in the bank they are scared." –
 322 IDI003-NGO worker
- "So indeed, there was stampede so to say...every person packed and left the district including even
 government workers those who were not from here. They packed and left." IDI014-Government
 official
- Subtheme 1b: The affected communities' response: This subtheme expounds on how local
 community members reacted to the emergence of a strange disease which the healthcare system
 was unable to diagnose.
- Suspected witchcraft: With no clarity on what was happening, community members speculated to explain the unusual occurrences. For some families, it was an act of witchcraft. The concern was, why people from the same family experiencing the same signs? If the problem was medical, why were medical workers failing to diagnose and or treat the disease?
- "Partly the witchcraft issue came before the declaration was made, people were not aware
 of what was killing." IDI003-NGO worker
- "People were thinking that maybe there are some charms and there was a story somewhere
 that someone there is a witch doctor so people were thinking that maybe because he was
 getting some people from Congo coming for those herbal medicines."- IDI008- Survivor
 &HSP
- Act of sacrifice: In one of the villages where six people died in a family, community members thought that it was an act of sacrifice by one young man, a member of the same village, to get richer. At one of the burials, he was attacked and almost beaten to death causing him and his family to migrate to Kasese district.
- "One home in Butholya six people died at once. There was a young rich man in that
 village, they thought he is the one sacrificing them, even on the burial people had to beat
 him. It was after the death of the 5th person and people thought that maybe he is
 getting.....he wanted to get money using "mayembe" (local charms), up to now that man
 shifted to Kasese and said he will never come back, he hates the whole clan and the family."
 IDI018- HSP

It is made available under a CC-BY 4.0 International license .

Suspected poisoning and tribal conflict: Though tribal tensions between the Bakonzo and Bamba ethnic groups in this area existed long before the Ebola outbreak, the confusion surrounding 'the strange disease' seemed to have rekindled the rift between the two tribes. Most of the initial cases of 'the strange disease' were reported in mountainous areas among the Bakonzo. There emerged a confusing narrative that the Bamba who live at the foot of the mountain had poisoned the water source causing death of the Bakonzo. This claim resolved after 'the strange disease' was confirmed to be Ebola.

"I remember at first there was general complaint that there is a strange disease and it is
killing people. You know here we having majorly like two or three tribes; the Bakonzo, the
Bamba, the Babwisi and this strange disease was in the area dominated by the Bakonzo.
So, I remember they came to our office, the CAO's office complaining that, the Bakonzo
have been poisoned, you know." – IDI014-Government official

361 Acceptance and compliance: Following the official declaration of an Ebola outbreak, community 362 attention shifted to a positive response to an outbreak situation, highly influenced by what they 363 had heard about previous Ebola outbreaks. The immediate reaction was that of acceptance and 364 compliance to the situation and fear for one's self.

"We've heard of Ebola in Sudan; we had heard of Ebola in Congo so the moment people
heard this is Ebola there was no one like to contest it. People knew this was Ebola the only
problem now was everyone was starting to fear for him/herself" – IDI002-HSP

Community members exhibited heightened levels of suspicion which motivated cooperation with the outbreak response teams evidenced by reporting suspected cases to health workers to facilitate prompt isolation and treatment.

"……he used to work in the taxi park, he vomited in the park and since vomiting was one
of the major signs of Ebola and everyone knew it, they ran away. Now that there was this
surveillance and mobile team with ambulances ever ready, they came for him and he was
running because he knew that he had no Ebola, he had just taken a lot of waragi(local
alcohol drink) that's why he vomited." – IDI019-Affected family

Use of dangerous remedies: Communities adopted various strategies to ensure their safety
 including excessive use of chemicals like sodium hypochlorite (JIK) causing hand burns to some
 and abdominal pains among those who attempted to drink it.

- 379 "People were even starting to take JIK thinking it is something that can, you know people
 380 were saying, now if you take JIK you... so people were even washing hands with JIK and
 381 people got some burns." IDI003-NGO worker
- Additionally, people resorted to high consumption of *waragi*, a local alcoholic drink. The assumption was that the alcohol would cleanse the system off the "Ebola germs". High consumption of waragi was also supported by the community observation that some of the people who were recovering from the disease, were those that practiced daily consumption of alcohol.
- "There were three beliefs (about the relationship between waragi and Ebola); if someone was a
 drunkard, he could not die of Ebola, because it's only those who had never tasted alcohol that
 died and only those who were known drunkards survived. Waragi being a spirit helps to clear the
- stomach and Ebola was associated with taking dirty things. and lastly that drinking makes people

It is made available under a CC-BY 4.0 International license .

not to move, so you stay in the same place reducing the risk of getting outside. " – IDI019-Affected
 family

392 Theme 2: The effects of the outbreak

- 393 The outbreak disrupted normal activities, amplifying fear, and stigmatizing affected individuals
- and their families. Media messages, the exodus of non-locals, and the shunning of people from
- Bundibugyo wherever they went heightened this stigma. In efforts to control the outbreak,
- various regulations were implemented, impacting life in multiple spheres and to varying degrees.
- 397 This theme explores the short-term effects of the Ebola outbreak on the community at different
- 398 levels
- Subtheme 2a: At the social level: Various containment measures that were put in place affectedthe social lives of the community members.
- 401 **Social gatherings' restriction** meant ceremonies like weddings and prayer gatherings were 402 completely put off:
- 403 "Completely no, you couldn't do a wedding. Those are the things you could not talk about.
 404 What was here was basically fighting the disease and looking for what to eat. These other
 405 social issues, we would not talk about them" IDI014-Government official
- 406 "Well, I should say of course when something like this was declared, then the local 407 government, the central government, the political wing of course they put lots of 408 regulations like they already started restricting gatherings. I can say people started shying 409 going to church because when in church you are going to sit together, shake hands and so 410 some people started shunning some of these functions" – IDI002-HSP
- **Rejection by community members:** Those who came into contact with or were associated with Ebola patients faced rejection from the rest of the community. Transport operators, especially *boda boda* riders who transported Ebola patients and the bodies of victims, bore the brunt of this rejection
- "We used to carry patients, but we didn't know which disease they were suffering from. 415 Then people started dving, only to hear that its Ebola. One day one of the patients died and 416 everyone was fearing to carry the body. For me I decided I would do it after all the body 417 418 was already in the coffin. My other friend also did the same on a different day and then people started fearing us that those ones carry Ebola, saying that's the one who carried 419 Ebola he is going to affect us, they would run away whenever they would see us at a 420 421 distance. We used to go to restaurants and they would refuse to give us food because we carried bola patients and dead bodies." - IDI015-Boda boda rider 422
- 423 **Stigma and trauma** suffered by Ebola survivors and their families driven by fear among 424 community members that survivors were still infectious.
- "We came back to our home in town...It took long time for people to get used to, before
 they could come near us to even touch us. You know people before they trust that you don't
 have the disease, it takes a person time about a month or two. We spent about two months
 in the community to fit in the community." IDI004-Survivor

It is made available under a CC-BY 4.0 International license .

- 429 *"There was a day I came to town to cut my hair and when the people scampered away saying I am an Ebola patient. People used to run away from us." IDI006-Survivor*
- "But people feared us, whenever they could see us at a distance, they would run away
 [laughing]....it was a bad period for me." IDI010-Survivor
- A breastfeeding mother described what she and her baby went through when she returned fromhospital after surviving Ebola
- "It was the father who used to take care of the baby. I did not have anyone else to take care
 of me. He used to carry the baby while putting on gloves. He would take the baby and bring
 him at a time of breast feeding. My husband had to take that risk as a parent; he couldn't
 throw me away IDI017-Survivor
- 439 **Subtheme 2b: Cultural changes:** Burial ceremonies and funeral rites suffered major disruptions.
- 440 Death and grief were experienced by the entire community but the effects were more at the family441 level with some losing several of their members to Ebola.
- 442 "Very many people died. You know where there is death, it is a disaster...some families
 443 where both a father and a mother died, some families a father died, some families a mother
 444 died, so as you know where there is death there automatically must be some challenges
 445 which are negative to the lives and of course being that the end of it all who are the victims
 446 of such a situation? There are the children. Most children were left orphan and now they
 447 had no people to look after them." IDI003-NGO worker
- There were no children reported to have caught or died from the disease even though one woman continued to breastfeed when she was suffering from Ebola and after recovery.
- 450 "They used to bring the baby in the evening, and we sleep together, and they come for him
 451 very early in the morning and baby didn't get the disease. I would breast feed him very
 452 early in the morning then they take him the whole day. They would give him porridge and
 453 milk during daytime. He was like 3 months old that's why I had to breast feed him." –
 454 IDI017-Survivor
- **Burial teams and sites:** Most families were given the opportunity to bury their dead in their homes under the supervision of burial teams except for a few categories of people like health workers and the religious leaders who were buried at the hospital and churches respectively. However, since the usual burial ritual were not conducted, their loved ones were left devastated.
- "He (my husband) was not buried in the normal way, they did not wash him, they just
 brought him from the hospital after they had wrapped and put him in the coffin direct into
 the grave, they did not perform any rituals. Too bad but there was nothing to do, it was
 touching, because I could not burry him in the normal way." IDI005-Survivor
- 463 "You know when someone dies here there are so many practices, you wash the body, you
 464 want to bury your person, you want to mourn him very grievously but all those things
 465 because laws were in place, they changed ideally because like in this case no family was
 466 allowed to bury its own person. This is against culture but I think people allowed, people
 467 accepted because at the end people heeded to what the government had said and started

It is made available under a CC-BY 4.0 International license .

allowing their people to be buried by the authorities so ideally so many things changed.
You cannot just expect it to be like that that your person dies and you just give the corpse
to other people to go and bury for you that's not acceptable in cultures but they accepted
and so they allowed the burial teams to move around looking at who has died, they collect,
either if you didn't they of course meant decisions." - IDI002-HSP

For those who came from the hills, communities in the lowlands offered land for burial to avoid carrying dead bodies for long distances without motorized transport which would increase the chances of disease transmission.

476 "People were scared. Others would be buried on the way if a vehicle can't reach your
477 home. They would request any relative who has land where a vehicle can reach to bury
478 there. People would feel bad but there was nothing to do, because we feared the disease,
479 no one could be blamed." – IDI016-Survivor

Hunting practices: Another major cultural shift was suspension of the hunting because of the
 widely disseminated message that EVD was associated with hunting of wild animals like monkeys
 and gorillas. Overall, these cultural shifts were temporary, with people quick to reverting to their
 usual practices once the outbreak was declared over.

484 "People forget easily, our communities forget easily, because if somebody must have eaten
485 a monkey, I should say at this time you cannot stop him if he is still living, if he is a hunter,
486 he is still hunting...Even the animals in the bush were like, why are we not being hunted
487 this time because there was negativity because of the constant information people had to
488 change their way of living." – IDI003-NGO worker

489 **Subtheme 2c:** At family level: Interactions among family members were restricted more 490 especially among Ebola survivors and persons who were high risk such as healthcare providers.

491 Being cut off from families: This especially affected healthcare workers in the frontline of case
492 management. For some people, they also lost friends and significant others due to the outbreak.

- 493 "I was cut off from the family because now as I recovered the third week I joined the
 494 isolation. I couldn't even go home I was just at the isolation site. Then after that aha 21
 495 days they monitored me at least that one I went home" IDI008-Survivor&HSP
- 496 Men in polygamous family set ups also stuck to one wife as a means of protecting their loved ones.
- 497 "I told you that I have two wives. At the time of Ebola I stayed with one woman, I didn't
 498 go to the other wife's home. I first stayed with one wife & the children were young. I stayed
 499 with the wife with the young children. I stayed there until the end of three months that when
 500 I went to the other home." IDI006-Survivor
- 501 "No. strictly I had stopped sleeping at my homes. I think it took around 4 to 5 months. I
 502 could not. But I was with one of my wives here and my children." IDI014-Government
 503 official

504 Sexual restrictions among couples and in cases where one of the partners was a survivor, was 505 another effect that families had to deal with.

It is made available under a CC-BY 4.0 International license .

506 "There was a little bit challenge came on the issue sex part where of course we would
507 encourage partners to take a little bit long for 2 months, not having sex, Then, they would
508 say, oh! If now you say we should take this long without having sex that means that the
509 person is still dangerous, so that was also again a little bit challenging" – ID1003-NGO
510 worker

511 They said that I had to spend three months without sleeping with my wife. I was put in a
512 separate room. So from there I was give some condoms so that if I feel that the situation
513 was unbearable, I should use a condom. – IDI006-Survivor

Family breakups/abandonment: In some cases, people separated from their spouses. One *boda boda* rider explained that one of his friends died of Ebola at Bundibugyo district hospital, and because the body was already in the coffin, he decided to carry the body home, something that his wife did not take lightly.

"My own wife run away. I decided to leave her because you go when am not sick, what will
happen if I became sick? It means you can't take care of me, we had to separate. I have
never even got another one I decided to leave women, that woman made me leave women."
– IDI015-Boda boda rider

522 **Subtheme 2d: Economic disruptions:** The economic disruptions affected production, sale and consumption of goods and services.

524 **Cocoa cash crop:** Generally, Bundibugyo is a cocoa growing district and many households 525 depend on the crop for income. Harvesting of the crop usually takes place around October / 526 November. This was the time the outbreak took place, disrupting business activities. The district 527 was cut off even from the neighboring one, where not only were Bundibugyo residents shunned 528 or denied entry, but trade in produce and general merchandize was severely restricted, despite the 529 need for resources to control the outbreak

- "The economy... there was no business, everywhere business came to a standstill of course
 who would buy? People were just at home, everybody was scared. You know people would
 even think that by merely moving, one would probably contract Ebola, but also once you
 move a head of household would tell you, whoever moves should not come back here, just
 stay there, so there was no movement, no business." IDI003-NGO worker
- 535It came at a time when you know this place has a major cash crop called cocoa and there536is a season actually that is when it begins from around September, October, November,537December, January that's when the season is peaking. IDI002-HSP
- 538 Local businesses/Retailers: At the family level, economic effects varied depending on gender, 539 occupation, role in the community, family size, and infection status. Men, who traditionally are 540 the bread winners, who worked in the business and transport were most affected. One businessman 541 who survived Ebola narrated how difficult it was for him to look after his family during and after 542 the outbreak.
- "My customers first feared me. It took me about six months and my business was really
 slow. People used to say they fear me, I still have Ebola....It (business) was closed because
 if my wife had opened, they would not have given her money, she was also feared & all my
 people at that time. They feared my family as well...Almost if we could add the months that

547 *I spent in the hospital without working, plus the time I spent home, it's almost three years.*548 *The three years were difficult.* " – IDI006-Survivor

549 **Theme 3: Life after the outbreak**

550 This theme presents how the affected community has readjusted to life after the disruptions 551 associated with the outbreak including long-term effects of the outbreak.

Subtheme 3a: Deepening tribal conflict: The two main communities, the Bakonzo and Bamba,
still traded blame long after the outbreak.

"Okay, as I talk even now there still those clashes on small scale between the Bakonzo and
the Bamba. Other people claim the district is theirs, others claim to be from Kasese so
there is no real rich understanding of the point".- IDI008- Survivor&HSP

Insults linked to bush meat consumption: The Bamba ethnic group still believed that the rival
Bakonzo tribe who live in the mountains were responsible for the Ebola outbreak and its associated
devastation.

560 "The ethnic group which was more affected were Bakonzo…After the ministry of health
561 declared some causes of Ebola disease that it was caused by eating some monkeys and
562 ...because of neighboring the Rwenzori mountains where the monkeys stay that it was due
563 to that, they are hunters that's why they were affected, such a kind of statements are painful
564 – IDI012-CHW

Subtheme 3b: The road to recovery: The recovery process varied from one individual to another
 and from one family to another and was determined by whether the person was a survivor, affected
 family or community.

568 "The widows still manifest some kind of sadness. Especially one widow has never come
569 back to the normal life. When you look at her she still has some sadness. She is somebody
570 who was depending on her husband and she explains that she has lost that relationship
571 and her way of life has not come back to normal.". – IDI001-HSP

Psychosocial support: To support recovery, immediate psychosocial and material support was provided to the survivors and affected families. Efforts were made, through open discussions, to facilitate understanding, the value of supporting survivors, and that survivors did not possess any risk of spreading the virus. Once the communities understood this, they embraced survivors, a factor that contributed to the reintegration and recovery.

- 577 "People started knowing that although it is a deadly disease, we can manage. Each one
 578 had different feelings. Especially those who lost relatives were grieved for a long time and
 579 wondered if they would be compensated. The hardest thing was the psychological trauma...
 580 they were very sad and lived with no hope for a long time." IDI001-HSP
- ''In the first days and weeks, some of the families feared their fellows after discharge and
 it took time for them to accept or be in contact with them. After some time, they realized
 that these people were not contagious. In fact, if you go to the affected homes, you wouldn't
 know them not unless they tell you." IDI001-HSP

585 However, despite the support, some families felt they had not been compensated while some 586 survivors suffered prejudice:

587 "I have been getting some complaints from affected families especially survivors saying
588 that they have not been compensated. The government compensated the health workers
589 only. Their properties were burnt after discharge and communities complain that they were
590 not compensated." – IDI001-HSP

- 591 *"We lost him (husband) ... we are suffering, I am suffering, I am taking care of myself and the kids and I don't have any support." IDI009-Affected family*
- 593 "My daughter left me with her two school-going children and we did not get any assistance.
 594 I am weak". IDI005 -Survivor
- 595 **Chronic health conditions:** For the survivors, the recovery process was complicated by the 596 trauma they faced while in the isolation ward.
- 597 "I just knew that I am already dead. You can imagine another patient dying when you are
 598 just seeing and you are suffering from the same disease! We were not allowed to get out of
 599 the ward, they would keep it closed all the time. I couldn't think that I can survive."
 600 IDI016-Survivor
- 601 "Very many people died...you are seeing and another, then another.... the whites would
 602 come and wrap the body with buvera (polythene bags), spray and they take the body out."
 603 IDI004-Survivor
- 504 Some of the other effects described by survivors include general body weakness, headache, 505 hypertension, pneumonia, diabetes, and impaired vision.
- 606 "The way I see since I got hypertension & diabetes because of too much thinking...I used
 607 to think that am dead, am no longer among the live ones. That's how I think Ebola changed
 608 my life. Otherwise, am okay." IDI006-Survivor
- 609 "I have some eye problems, in the morning hours I don't read very well, that was a after
 610 the disease, so I use some glasses to read properly. Then periodically I normally get, we
 611 call it lobe pneumonia, its normally one side so that one comes at least every month at the
 612 beginning of the month I experience that thing." IDI008-Survivor&HSP
- 613 Improved emergency preparedness and health-seeking behavior whereby healthcare workers
 614 adhere to infection control measures and community members are keen to seek medical attention
 615 for unknown or suspicious health conditions.
- 616 "Before Ebola, some health workers took the use of gloves for granted but now they know
 617 the importance of hand washing and use of protective equipment. We have some protective
 618 gadgets in the store awaiting any events. Before Ebola we had traditional healers, even
 619 now they are there. Some of the patients were rushed to the traditional healers. Whereas
 620 they are there, when the community suspects that the disease is unknown, they bring the
 621 patient to the hospital."- IDI001-HSP
- 622 "So on the basis of this Ebola outbreak, there are so many people who went to study and 623 they are going to come back. I know even of recent there is someone who we just connected 624 to go and study medicine and surgery in Mbarara and he is in 3rd year so doctors went to 625 school just because of the outbreak". – IDI002-HSP

626 The outbreak also led to healthier decisions by individuals:

627 "When I fell sick of Ebola I realized that anytime I could die. I realized that now I need to
628 plan for my future because I reached the extent of death. I used to take alcohol before
629 Ebola but after I returned from hospital, after my dad died I sat down and asked myself,
630 nobody gave me medicine to leave alcohol. I asked myself a question, "I have been taking
631 this alcohol for long, what Have I benefited?". I replied myself and decided to quit
632 alcohol." – IDI004-Survivor

633 **Subtheme 3c: The unanswered questions:** Most of the participants had vivid memories of the 634 situation during the outbreak and had questions regarding the viral disease emphasizing the need 635 for more research.

636 **Are survivors immune to Ebola?** Survivors expressed desire to know whether they had acquired 637 natural immunity and were safe to participate in helping others in case of a future outbreak

638 "Like me I would have loved that when you do such research to find out that among us who
639 suffered from Ebola, can't we catch it again? I want you to do research in that area
640 because another disaster might happen and we go there saying we survived let's help
641 others & end up getting the disease again. Do research on that if a person who suffered
642 Ebola cannot catch the disease again. Do research on that." – IDI006-Survivor

643 Where and how did Ebola start? To many people this was indeed strange given that the 644 community had never experienced such an event before. Some believed the disease's origin to be 645 a hunting community near the forest, since all affected members from a family living near the 646 forest perished. A competing theory was that a traditional healer worked with a patient from 647 Congo. However, there is still confusion as to where and how the disease started, resulting in fear 648 that the disease could strike the community again.

649 "It has been difficult to establish the origin but it started in Kasitu Sub county currently
650 Ngamba Sub county. There are many versions about the origin. Some people say there is
651 a family that ate a monkey and another story in Ngamba then was that a family where the
652 family leader is a traditional healer had a patient who came from Congo and was managed
653 and died." - IDI001-HSP

"Some people ate bush meat but these are all speculations...They used to tell us during
their campaigns here that Ebola is not airborne and I think that is what they say. Isn't it?
That you will not get it by someone sneezing on you...you get by contact with someone
body fluids.... they just think ..." – IDI002-HSP

658 Several years since the outbreak, most people have generally returned to normal life except those 659 that lost family members and the survivors. Ebola is now as well-known as malaria. When asked 660 what they feel when they hear the word 'Ebola,' responses varied from that of no fear to fearful 661 expressions with emotions associated with loss of many people. Participants also had varied 662 reactions to the potential of another outbreak in the future.

663 *"I would not fear Ebola so much, no. Because I have been there and I have seen but I fear*664 *for people who don't know how the disease spreads." –* IDI006-Survivor

It is made available under a CC-BY 4.0 International license .

"I feel shocked, it's like death, that people will die again the way it happened, it was not
an easy situation. It is not easy disease" and to others "A dragon monster again because
of all the people who have come for research, they have told us that they have not come up
with medicine to treat Ebola. So, it is a scaring word once you hear Ebola then that's a
scaring word because it's something that cannot be treated." –IDI013-Administrator &
affected family

To some this is the worst experience they have ever gone through and would not want to go through the same experience ever again.

673 *"This time if they say that Ebola has come, I will leave boda boda business, eeeh! The truth is*

674 that the disease is dangerous. Every part of the body blood is coming out eeh! They give glove to

touch someone, I still fear the disease. I saw the other man the brother to ... who died in

676 Ngamba, every part of his body was bleeding but the brother survived he works at the kikyo

677 health center. I carried him from kikyo health center after being referred Bundibugyo." –

678 IDI015-Boda boda rider

679

680

681 Discussion

Over ten years down the line, communities in Bundibugyo still live with the experience of the 2007 Ebola outbreak that occurred in their area. This study examined the socio-cultural and economic effects of an Ebola outbreak on survivors, affected families and communities in Bundibugyo and at the time of the study, the outbreak in West Africa was on-going. Three major themes emerged during data analysis; i) The Ebola outbreak, ii) The effects of the outbreak iii) Life after the outbreak.

688 Host-parasite interactions are a key driver of infectious disease emergence and transmission. For human hosts these interactions transcend biological factors to include the social 689 cultural environment. Ebola is a disruptive disease that occurs at the intersection of culture and 690 691 public health[36]. Its therefore important that we include social science approaches to explain the cultural, social and the economic impacts of such outbreaks. Studies have shown that there are 692 many social, cultural and economic changes that occur during and after the outbreak placing a 693 694 significant burden on the lives of affected people [8,35] Although this outbreak was caused by a mild strain[37], the community had never witnessed people dving in large numbers before. The 695 community response in this outbreak was driven by fear, shaping the response mechanisms before 696 and after the confirmation of the outbreak. Fear, panic and anxiety in the community was attributed 697 698 to the overall crisis communication management that was used, initially inadequate due to the strange nature of disease as studies have indicated [38]. This affected the social cultural fabric 699 700 and by extension the disease dynamics particularly during the outbreak. There is fear that communities in Bundibugyo continue to live with, the fear that the disease could strike again, 701 702 pushing them to continually seek for a proper answer to what caused the disease. This experience is similar to what has been described in the Kibale Ebola outbreak, where constant fear and 703 704 lingering pain of the experience has been described [39]. Therefore this calls for the long-term investment in research and engagement with communities to try and understand the origin of the 705 disease, factors that could potentially lead to outbreaks and how best to support long term 706 707 community recovery. However, just like in many other Ebola outbreaks in West Africa, DRC 708 including the most recent outbreak in Uganda, the origin remains unknown [24,40].

It is made available under a CC-BY 4.0 International license .

Several studies have linked hunting and bushmeat consumption to Ebola outbreaks 709 [41,42]. Human contact with wildlife species, both direct and indirect, is undoubtedly an important 710 factor in the transmission and emergence of new human pathogens from wildlife [36]. This contact 711 712 is further exacerbated by the conflict with the land tenure system [43,44]. However, communities in Bundibugyo continue to hunt, eat, and trade in bushmeat and have highlighted several health 713 and economic benefits that accrue from this practice. This finding is similar to findings in Western 714 Uganda [45]. This is further highlighted by rejection of messaging that unilaterally stressed the 715 health risk posed by wild meat that contradicted the experiences of target publics in West Africa 716 Ebola outbreak, who consume wild meat without incident [41]. The communities in Bundibugyo 717 are asking for explanations as to why hunting and bushmeat consumption are risk factors for 718 719 spillover now and not before, since these are practices that have been going on for generations. It's important to note that risk perception among such communities remains low [46], this this calls 720 for concerted efforts among stakeholders to involve communities in the management of zoonotic 721 diseases for early detection of such outbreaks [47]. 722

Outbreak detection can also be enhanced by availability of in country diagnostic facilities, 723 a key response function of the healthcare system. In the Bundibugyo outbreak, Ebola samples 724 were tested in the USA and so what was identified as a strange disease was treated as malaria 725 because of similarity in the presentation of the disease until confirmatory diagnosis was arrived at 726 [48,49]. Communities also tried to seek for alternative treatment for the strange disease using 727 witchcraft and acts of sacrifice were sighted. Tribal conflicts also played a role as Bakonzo accused 728 the Bamba of poisoning their water source. However, these (witchcraft, acts of sacrifice and tribal 729 accusation) resolved when the Ebola outbreak was confirmed and communities united to confront 730 a common enemy, Ebola. This is contrary to what has been reported in the West Africa Ebola 731 732 outbreak, where there was conflict between health workers and the community due to violation of cultural beliefs that are usually contradictory to prevention measures, demonstrating the value 733 of continuous community engagement in the management of such outbreaks [50]. Lessons from 734 COVID-19 further indicate that, heavy-handed bans risk numerous unintended consequences and 735 tend to fail if they lack legitimacy or clash with people's values [51]. 736

During the outbreak, communities' response mechanisms also involved consumption of 737 738 alcohol and jik to prevent the disease. The consumption of alcohol for example was supported by 739 community observation that some survivors were alcohol users and most of those that died, were non-alcohol users because of their religious belief. Communities believed that alcohol was a 740 cleanser for the "Ebola germ" and offered protection to consumers. There were reports of people 741 sustaining serious burns from jik and although many participants believed the consumption of 742 alcohol was helpful in preventing the disease, it remains a speculation. This highlights ongoing 743 community learning process with detrimental or beneficial effects, that is rarely documented in 744 745 such outbreaks. It also highlights opportunity for partnership between local communities and use of their local observations that could be a source of insight into protective or beneficial strategies 746 that can be taken advantage of in the battle against such emerging infectious diseases [44]. For 747 example, in most rural communities' consumption of alcohol is accompanied by copious 748 749 consumption of meat as well [52]. Perhaps the differential health outcomes between the alcohol and non-alcohol users who are exposed to the Ebola virus could be tied to this varied access to 750 751 protein between the two groups.

Overall, the effects on survivors, affected families and community varied from side effects,
 a sense of loss, physical and psychosocial effects among survivors and deepening tribal conflict

It is made available under a CC-BY 4.0 International license .

persisting for years in some cases as already found [30]. Many survivors reported some positive 754 755 outcomes such as improvement in personal hygiene and protection practices, self-awareness and health seeking behavior. However, the negative impacts were more. They include self-isolation, 756 stigmatization, shame and embarrassment and loss of close relatives similar to what has been 757 reported in West Africa and DRC [32]. Most significant is the impact on widows who lost their 758 husbands. The young widows felt a great sense of loss and burden to support their children to be 759 able to go through school. On the other hand, the older widows were haunted by the fact that their 760 spouses did not get a decent burial and many reported withdrawing from community related 761 762 activities (Self-isolation). Disease response measures can interrupt education in the short and long term. During the 2014 Ebola epidemic in West Africa and the 2018 Ebola outbreak in DRC, 763 schools were closed, or parents were reluctant to send their children to school, due to fear of 764 contagion, Additionally, widowed women after the loss of their spouses....struggled to take care 765 of their children's school needs, widows were also barred from 'accessing their deceased 766 husband's land because of discriminatory inheritance laws [53], further revealing the pernicious 767 768 long term effect of the disease. Effects that transcend the epidemiological triad and have farreaching negative impacts on the social fabric of these communities. 769

770 **Conclusions**

Our study has highlighted important insights into the silent epidemic of stigma and social disruption that persists long after the last contact has been traced and the infectious force of the epidemic died down. Through our focused ethnography we have shown the important role social sciences play in responding to both the short- and long-term needs of communities hit by these emerging infectious diseases. Our findings can inform future Ebola response and recovery interventions, particularly those targeting community re-integration and a mitigation of the fear and stigma associated with survivorship.

778

779 **References**

- 1. Jacob ST, Crozier I, Fischer WA, Hewlett A, Kraft CS, Vega M-A de L, et al. Ebola virus disease. Nat Rev
- 781 Dis Primers [Internet]. 2020 [cited 2024 Mar 23];6:1–31. Available from:
- 782 https://www.nature.com/articles/s41572-020-0147-3
- 783 2. Balakrishnan VS. Africa's lessons of resiliency and preparedness after Ebola. The Lancet Infectious
- 784 Diseases [Internet]. 2024 [cited 2024 Mar 23];24:128. Available from:
- 785 https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(24)00017-3/abstract
- 786 3. Mukadi-Bamuleka D, Nkuba-Ndaye A, Mbala-Kingebeni P, Ahuka-Mundeke S, Muyembe-Tamfum J-J.
- 787 Impact of Ebola epidemics on the daily operation of existing systems in Eastern Democratic Republic of
- the Congo: a brief review. Journal of Medical Economics [Internet]. 2024 [cited 2024 Mar 23];27:184–92.
- 789 Available from: https://doi.org/10.1080/13696998.2024.2305009
- 4. Vossler H, Akilimali P, Pan Y, KhudaBukhsh WR, Kenah E, Rempała GA. Analysis of individual-level data
- from 2018–2020 Ebola outbreak in Democratic Republic of the Congo. Sci Rep [Internet]. 2022 [cited
- 792 2024 Mar 27];12:5534. Available from: https://www.nature.com/articles/s41598-022-09564-4

- 5. Cnops, L., De Smet, B., Mbala-Kingebeni, P., van... Google Scholar [Internet]. [cited 2019 Nov 5].
- 794 Available from:
- 795 https://scholar.google.com/scholar?hl=en&as_sdt=0%2C5&q=Cnops%2C+L.%2C+De+Smet%2C+B.%2C+
- 796 Mbala-Kingebeni%2C+P.%2C+van+Griensven%2C+J.%2C+Ahuka-
- 797 Mundeke%2C+S.%2C+%26+Ariën%2C+K.+K.+%282019%29.+Where+are+the+Ebola+diagnostics+from+la
- 798 st+time%3F.&btnG=
- 6. Challenges to Ebola preparedness during an ongoing outbreak: An analysis of borderland livelihoods
- and trust in Uganda | PLOS ONE [Internet]. [cited 2024 Mar 27]. Available from:
- 801 https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0230683
- 7. Coltart CEM, Lindsey B, Ghinai I, Johnson AM, Heymann DL. The Ebola outbreak, 2013-2016: old
 lessons for new epidemics. The Ebola outbreak. 2017;2013–6.
- 804 8. Obeng-Kusi M, Martin J, Abraham I. The economic burden of Ebola virus disease: a review and
- recommendations for analysis. Journal of Medical Economics [Internet]. 2024 [cited 2024 Mar
- 806 23];27:309–23. Available from: https://doi.org/10.1080/13696998.2024.2313358
- 9. Coltart CEM, Lindsey B, Ghinai I, Johnson AM, Heymann DL. The Ebola outbreak, 2013-2016: old
 lessons for new epidemics. The Ebola outbreak. 2017;372:2013–6.
- 809 10. Frerichs R. Disease Maps, History, and More. 2017;
- 11. Alexander KA, Sanderson CE, Marathe M, Lewis BL, Rivers CM, Shaman J, et al. What Factors Might
- 811 Have Led to the Emergence of Ebola in West Africa? PLOS Neglected Tropical Diseases [Internet]. 2015
- 812 [cited 2024 Mar 28];9:e0003652. Available from:
- 813 https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0003652
- 12. Schindell BG, Kangbai JB, Shaw SY, Kindrachuk J. Stigmatization of Ebola virus disease survivors in
- 815 2022: A cross-sectional study of survivors in Sierra Leone. Journal of Infection and Public Health
- 816 [Internet]. 2024 [cited 2024 Mar 23];17:35–43. Available from:
- 817 https://www.sciencedirect.com/science/article/pii/S1876034123003611
- 13. Lötsch F, Schnyder J, Goorhuis A, Grobusch MP. Neuropsychological long-term sequelae of Ebola
- 819 virus disease survivors A systematic review. Travel Medicine and Infectious Disease [Internet]. 2017
- 820 [cited 2024 Mar 28];18:18–23. Available from:
- 821 https://www.sciencedirect.com/science/article/pii/S1477893917300728
- 822 14. [cited 2024 Mar 27]. Available from:
- 823 https://journals.plos.org/plospathogens/article?id=10.1371/journal.ppat.1000212
- 15. Okware SI, Omaswa FG, Zaramba S, Opio A, Lutwama JJ, Kamugisha J, et al. An outbreak of Ebola in
- Uganda. Tropical Med Int Health [Internet]. 2002 [cited 2024 Mar 27];7:1068–75. Available from:
- 826 https://onlinelibrary.wiley.com/doi/10.1046/j.1365-3156.2002.00944.x
- 16. Tabata RC. Thin-layer chromatography. Forensic Science [Internet]. [cited 2024 Mar 27];981.
- Available from: http://ndl.ethernet.edu.et/bitstream/123456789/44715/1/215.pdf#page=1001

It is made available under a CC-BY 4.0 International license .

- 17. Jalloh MF, Li W, Bunnell RE, Ethier KA, O'Leary A, Hageman KM, et al. Impact of Ebola experiences
- and risk perceptions on mental health in Sierra Leone, July 2015. BMJ Global Health [Internet]. 2018
 [cited 2024 Mar 28];3:e000471. Available from: https://gh.bmj.com/content/3/2/e000471
- 18. Barry H, Belmont HB-, Thomson Calif:, 2008 undefined. Ebola, Culture and Politics: The
 Anthropology of Emerging Disease.
- 19. Cultural Contexts of Ebola in Northern Uganda | 35 | Health Psychology [Internet]. [cited 2024 Mar
- 835 28]. Available from: https://www.taylorfrancis.com/chapters/edit/10.4324/9781315664033-35/cultural-
- 836 contexts-ebola-northern-uganda-barry-hewlett-richard-amola
- 20. De Roo A, Ado B, Rose B, Guimard Y, Fonck K, Colebunders R. Survey among survivors of the 1995
- 838 Ebola epidemic in Kikwit, Democratic Republic of Congo: their feelings and experiences. Tropical
- 839 Medicine & International Health [Internet]. 1998 [cited 2024 Apr 28];3:883–5. Available from:
- 840 https://onlinelibrary.wiley.com/doi/abs/10.1046/j.1365-3156.1998.00322.x
- 841 21. Kinsman J. "A time of fear": local, national, and international responses to a large Ebola outbreak in
- Uganda. Global Health [Internet]. 2012 [cited 2024 Mar 27];8:15. Available from:
- 843 http://globalizationandhealth.biomedcentral.com/articles/10.1186/1744-8603-8-15
- 844 22. Agaba J. Impact of Landslides on Smallholder Famers' Livelihoods in Bubukwanga Sub County,
- 845 Bundibugyo District [Internet] [Thesis]. 2019 [cited 2024 Mar 27]. Available from:
- 846 http://dissertations.mak.ac.ug/handle/20.500.12281/6747
- 23. Wanyana MW, Akunzirwe R, King P, Atuhaire I, Zavuga R, Lubwama B, et al. Performance and impact
- of contact tracing in the Sudan virus outbreak in Uganda, September 2022-January 2023. International
- Journal of Infectious Diseases [Internet]. 2024 [cited 2024 Mar 28];141:106959. Available from:
- 850 https://www.sciencedirect.com/science/article/pii/S1201971224000274
- 851 24. Kiggundu T. Notes from the Field: Outbreak of Ebola Virus Disease Caused by Sudan ebolavirus —
- Uganda, August–October 2022. MMWR Morb Mortal Wkly Rep [Internet]. 2022 [cited 2024 Mar 29];71.
- 853 Available from: https://www.cdc.gov/mmwr/volumes/71/wr/mm7145a5.htm
- 25. Okware SI, Omaswa FG, Zaramba S, Opio A, Lutwama JJ, Kamugisha J, et al. An outbreak of Ebola in
 Uganda. Tropical Medicine and International Health. 2002;7:1068–75.
- 26. Omaswa FG, Okware SI, Kiguli-Malwadde E. Strategies from the 2000–01 Ebola outbreak in Uganda.
 The Lancet Global Health. 2015;3:S29.
- 27. Okware SI. Three ebola outbreaks in Uganda 2000-2011. 2015 [cited 2024 Mar 28]; Available from:
 https://bora.uib.no/bora-xmlui/handle/1956/9239
- 28. Ebola Hemorrhagic Fever Associated with Novel Virus Strain, Uganda, 2007–2008 PMC [Internet].
 [cited 2024 Mar 29]. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3321896/
- 862 29. Kratz T, Borchert M, De La Rosa O, Pou D, Jeffs B, Roddy P, et al. Bundibugyo Ebola virus disease:
- symptoms, treatment and outcomes in the Ebola Treatment Centre, Isiro, Democratic Republic ofCongo, 2012.

- 30. Clark DV, Kibuuka H, Millard M, Wakabi S, Lukwago L, Taylor A, et al. Long-term sequelae after Ebola
- virus disease in Bundibugyo, Uganda: a retrospective cohort study. The Lancet Infectious Diseases
- 867 [Internet]. 2015 [cited 2024 Mar 27];15:905–12. Available from:
- 868 https://www.thelancet.com/journals/laninf/article/PIIS1473-3099(15)70152-0/fulltext
- 869 31. Economic and Social Burden of the 2014 Ebola Outbreak in West Africa | The Journal of Infectious
- Diseases | Oxford Academic [Internet]. [cited 2024 Mar 27]. Available from:
- 871 https://academic.oup.com/jid/article/218/Supplement_5/S698/5129071
- 872 32. Van Bortel T, Basnayake A, Wurie F, Jambai M, Koroma AS, Muana AT, et al. Psychosocial effects of
- an Ebola outbreak at individual, community and international levels. Bulletin of the World Health
- 874 Organization [Internet]. 2016 [cited 2024 Mar 27];94:210. Available from:
- 875 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4773931/
- 876 33. James PB, Wardle J, Steel A, Adams J. Post-Ebola psychosocial experiences and coping mechanisms
- among Ebola survivors: a systematic review. Tropical Medicine & International Health [Internet]. 2019
- 878 [cited 2024 Mar 28];24:671–91. Available from:
- 879 https://onlinelibrary.wiley.com/doi/abs/10.1111/tmi.13226
- 880 34. Elston JWT, Cartwright C, Ndumbi P, Wright J. The health impact of the 2014–15 Ebola outbreak.
- Public Health [Internet]. 2017 [cited 2024 Mar 28];143:60–70. Available from:
- 882 https://www.sciencedirect.com/science/article/pii/S0033350616303225
- 883 35. Ryan C. 'Understanding Lived Experiences and Contextual Realities of Ebola Outbreaks: A Case
- 884 Studies Approach in Western Uganda' [Internet]. February; 2018 [cited 2024 Mar 27]. Available from:
- 885 http://www.tara.tcd.ie/bitstream/handle/2262/82673/Caroline%20Ryan_Thesis_2018.pdf?sequence=1
- 36. LaBrunda M, Amin N. The Emerging Threat of Ebola. In: Masys AJ, Izurieta R, Reina Ortiz M, editors.
- 610 Global Health Security: Recognizing Vulnerabilities, Creating Opportunities [Internet]. Cham: Springer
- 888 International Publishing; 2020 [cited 2024 Mar 31]. p. 103–39. Available from:
- 889 https://doi.org/10.1007/978-3-030-23491-1_6
- 890 37. Towner JS, Sealy TK, Khristova ML, Albariño CG, Conlan S, Reeder SA, et al. Newly discovered ebola
- virus associated with hemorrhagic fever outbreak in Uganda. PLoS pathogens [Internet]. 2008 [cited
- 892 2024 Mar 27];4:e1000212. Available from:
- 893 https://journals.plos.org/plospathogens/article?id=10.1371/journal.ppat.1000212
- 38. Muzaale T, Basheka BC, Auriacombe CJ. The Efficacy of Crisis Communication in the Management of
- Ebola Fever in the Bundibugyo District, Uganda 2007/2008. Administratio Publica [Internet]. 2018
- 896 [cited 2024 Mar 29];26:42–57. Available from: https://journals.co.za/doi/abs/10.10520/ejc-adminpub-
- 897 v26-n1-a3
- 39. Matua GA, Wal DMV der. Living Under the Constant Threat of Ebola: A Phenomenological Study of
- 899 Survivors and Family Caregivers During an Ebola Outbreak. Journal of Nursing Research [Internet]. 2015
- 900 [cited 2024 Apr 20];23:217. Available from: https://journals.lww.com/jnr-
- 901 twna/FullText/2015/09000/Living_Under_the_Constant_Threat_of_Ebola__A.9.aspx

It is made available under a CC-BY 4.0 International license .

- 40. James PB, Lane R, Bah AJ. Social Sciences in Emerging Infectious Disease. Handbook of Social
- 903 Sciences and Global Public Health [Internet]. Springer, Cham; 2023 [cited 2024 Apr 12]. p. 1–12.
- Available from: https://link.springer.com/referenceworkentry/10.1007/978-3-030-96778-9_71-1
- 41. Bonwitt J, Dawson M, Kandeh M, Ansumana R, Sahr F, Brown H, et al. Unintended consequences of
- 906 the 'bushmeat ban' in West Africa during the 2013–2016 Ebola virus disease epidemic. Social Science &
- 907 Medicine [Internet]. 2018 [cited 2024 Apr 12];200:166–73. Available from:
- 908 https://www.sciencedirect.com/science/article/pii/S027795361730758X
- 909 42. Bonwitt J, Kandeh M, Dawson M, Ansumana R, Sahr F, Kelly AH, et al. Participation of women and
- 910 children in hunting activities in Sierra Leone and implications for control of zoonotic infections. PLoS
- 911 Neglected Tropical Diseases [Internet]. 2017 [cited 2024 Apr 3];11:e0005699. Available from:
- 912 https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0005699
- 913 43. Human–Wildlife Interactions Predict Febrile Illness in Park Landscapes of Western Uganda
- 914 EcoHealth [Internet]. [cited 2024 May 22]. Available from:
- 915 https://link.springer.com/article/10.1007/s10393-017-1286-1
- 916 44. "There are many fevers": Communities' perception and management of Febrile illness and its
- 917 relationship with human animal interactions in South-Western Uganda | PLOS Neglected Tropical
- 918 Diseases [Internet]. [cited 2024 Apr 3]. Available from:
- 919 https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0010125
- 45. A descriptive study of zoonotic disease risk at the human-wildlife interface in a biodiversity hot spot
- 921 in South Western Uganda | PLOS Neglected Tropical Diseases [Internet]. [cited 2024 Apr 3]. Available
- 922 from: https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0008633
- 923 46. Assessment of community perceptions and risk to common zoonotic diseases among communities
- 924 living at the human-livestock-wildlife interface in Nakuru West, Kenya: A participatory epidemiology
- 925 approach | PLOS Neglected Tropical Diseases [Internet]. [cited 2024 Apr 3]. Available from:
- 926 https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0011086
- 47. Awareness and Community Engagement in Zoonotic Disease Management. IJAB [Internet]. 2023
- 928 [cited 2024 Apr 13];470–85. Available from: https://uniquescientificpublishers.com/wp-
- 929 content/uploads/2023/zon-v1/470-485.pdf
- 48. Hartley M-A, Young A, Tran A-M, Okoni-Williams HH, Suma M, Mancuso B, et al. Predicting Ebola
- 931 infection: A malaria-sensitive triage score for Ebola virus disease. PLOS Neglected Tropical Diseases
- 932 [Internet]. 2017 [cited 2024 Mar 31];11:e0005356. Available from:
- 933 https://journals.plos.org/plosntds/article?id=10.1371/journal.pntd.0005356
- 49. Kratz T, Roddy P, Oloma AT, Jeffs B, Ciruelo DP, Rosa O de la, et al. Ebola Virus Disease Outbreak in
- 935 Isiro, Democratic Republic of the Congo, 2012: Signs and Symptoms, Management and Outcomes. PLOS
- 936 ONE [Internet]. 2015 [cited 2024 Mar 31];10:e0129333. Available from:
- 937 https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0129333
- 938 50. Wilkinson A, Parker M, Martineau F, Leach M. Engaging 'communities': anthropological insights from
- the West African Ebola epidemic. Phil Trans R Soc B [Internet]. 2017 [cited 2024 Mar 31];372:20160305.
- 940 Available from: https://royalsocietypublishing.org/doi/10.1098/rstb.2016.0305

It is made available under a CC-BY 4.0 International license .

- 51. Cawthorn D-M, Kennaugh A, Ferreira SM. The future of sustainability in the context of COVID-19.
- 942 Ambio [Internet]. 2021 [cited 2024 Apr 13];50:812–21. Available from: https://doi.org/10.1007/s13280943 020-01430-9
- 944 52. Bardosh K, Inthavong P, Xayaheuang S, Okello AL. Controlling parasites, understanding practices: The
- 945 biosocial complexity of a One Health intervention for neglected zoonotic helminths in northern Lao PDR.
- 946 Social Science & Medicine [Internet]. 2014 [cited 2024 Jun 15];120:215–23. Available from:
- 947 https://www.sciencedirect.com/science/article/pii/S0277953614005978
- 948 53. 756_Secondary_impacts_of_major_disease_outbreak__20in_low_income_countries-libre.pdf
- 949 [Internet]. [cited 2024 Apr 13]. Available from:
- https://d1wqtxts1xzle7.cloudfront.net/80585626/756_Secondary_impacts_of_major_disease_outbreak
 _20in_low_income_countries-libre.pdf?1644574098=&response-content-
- 952 disposition=inline%3B+filename%3DSecondary_Impacts_of_Major_Disease_Outbr.pdf&Expires=171303
- 953 5043&Signature=VKPFWoAesVfoGGuMVTLfeEb54W8AdeUdnuytSC62DGF4cU~7GaFZ27Lmmm16OVeNV
- 954 qlVK2fOI76nqoOP13i2y-PLHq-KNmGEpJgxgzpIjG~j2z0Dw88hDZFuwuZVbxsa2RDL6kXSKEpt-
- 955 IVxDPcai8iDG1S2nTmUXxXjfwvcho5xgPlOdi1Vsb~7w4QVs9HNh02AhFi45i8hbQW1HPoaPXLYvuYTqqxva0
- 956 7qQBIZ3c7-LksfDn3IoK1rNtWrRjIAwtKpfo59quycc4MWr6HIG0jCfsw6LRtbrUWMBwMt-VMOrUy-
- 957 YUrHi62cHxXJwMIFaU9iGgfj1pMqfoh1XfZZOw_&Key-Pair-Id=APKAJLOHF5GGSLRBV4ZA

958

959 Acknowledgement

960 This project was funded by University of Minnesota as part of the capacity building under the one

961 health work force and I would like to thank Associate Professor Katey Pelican and Chery

Robertson for all the support and time they have invested in us and for maturing us into the

scientists that we are today.



