1 2 3	Prevalence and risk factors of neurodevelopmental disorders among migrant and refugee preschool children in high-income countries: A systematic review and meta-analysis protocol
4 5	Kh Shafiur Rahaman ^{1, 2, 3*} , Valsamma Eapen ^{4,5,6} , Mythily Subramanium ^{7,8,9} , James Rufus John ^{4,5,6} , Kanchana Ekanayake ¹⁰ , Amit Arora ^{1, 2, 11, 12, 13}
6 7 8	 School of Health Sciences, Western Sydney University, Campbelltown Campus, Locked Bag 1797, Penrith, NSW 2751, Australia Health Equity Laboratory, Campbelltown, NSW 2560, Australia
9 10	 Bangladesh Academy of Dietetics and Nutrition (BADN), Dhaka, Bangladesh School of Clinical Medicine, UNSW Australia, Liverpool, NSW 2170
11 12 13	 Ingham Institute of Applied Medical Research, Liverpool, NSW, Australia South Western Sydney Local Health District, Liverpool, NSW, Australia Research Division, Institute of Mental Health, Singapore 539747
14 15	 Saw Swee Hock School of Public Health, National University of Singapore, Singapore 117549
16 17	 Lee Kong Chian School of Medicine, Nanyang Technological University University of Sydney Library, Camperdown, NSW, 2006, Australia. Translational Health Descents Institute, Western Sydney University, Leeked Descents
19 20	17. Translational Health Research Institute, western Sydney Oniversity, Locked Bag 1797, Penrith, NSW 2751, Australia 12. Discipline of Child and Adolescent Health. Sydney Medical School. Faculty of
21 22	 Medicine and Health, The University of Sydney, Westmead, NSW 2145, Australia 13. Oral Health Services, Sydney Local Health District and Sydney Dental Hospital, NSW
23 24	Health, Surry Hills, NSW 2010, Australia * Correspondence: 22108248@student.westernsydney.edu.au
25 26	
27	
28 29	
30 31	NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

32 Abstract

Neurodevelopment is a complicated mechanism involving genetic, cognitive, emotional, and 33 34 behavioural processes. Factors related to parental migration directly or indirectly affect their 35 children's neurodevelopmental process and may lead to Neurodevelopmental Disorders 36 (NDDs). Other factors such as barriers to accessing health services, social discrimination, 37 mother's psychosocial health during pregnancy may disrupt the neurodevelopmental process and lead to disorders and disabilities among children of migrants. However, there is a gap in 38 data on the prevalence and the risk factors of neurodevelopmental disorders among migrant 39 40 children have been inadequately listed. This paper presents a protocol for a systematic review to study and synthesise published evidence to ascertain the global prevalence of 41 42 Neurodevelopment disorders and risk factors leading to those groups of neurodevelopment disorders among children of migrants in high-income countries. The protocol of this systematic 43 44 review was developed with guidance from the Joanna Briggs Institute (JBI) methodology and 45 reported as per the Preferred Reporting Items for Systematic Review and Meta-Analysis 46 Protocols (PRISMA-P) statement. Observational studies that report on the prevalence and risk 47 factors of neurodevelopment disorders among migrant young children under 5 years of age in high-income countries will be included in this study. Four electronic databases will be searched 48 49 comprehensively (MEDLINE (Ovid), EMBASE (Ovid), CINAHL, PsycINFO, and Scopus). Two reviewers will independently screen, select studies, assess the methodological quality, and 50 51 extract all relevant data subsequently. The systematic review and meta-analysis will help design tailored interventions for migrant children with and identify gaps from previous research 52 53 to guide future research. This review is registered with PROSPERO (CRD42024589357). 54 55

56

57

58 59

60

61

63 income countries; systematic review

⁶² **Keywords:** Prevalence; Risk; Neurodevelopment Disorders; NDDs; migrant; refugee; high-

64 1. Introduction

Neurodevelopmental disorders involve a group of conditions that start in the development 65 phase of a child and disrupt the individual, socioeconomic, academic, and occupational 66 functioning [1]. Neurodevelopmental Disorders broadly include intellectual disorders, autistic 67 spectrum disorders (ASD), attention deficit hyperactivity disorders (ADHD), language and 68 69 learning disorders, motor disorders, etc. [1]. Both genetic and environmental factors contribute to the development of these disorders [2], leading to impairments in motor, cognitive, language, 70 71 and behavioural [3]. Globally, 316.8 million cases of developmental conditions have been reported, with males being affected more than females [3]. The prevalence of 72 neurodevelopmental disorders among children aged between 0 to 18 years differs across 73 74 different population groups. A recent systematic review reported a significant variation in the prevalence of neurodevelopmental disorders (4.7% to 88.5%) [4]. The prevalence of 75 76 Neurodevelopment disorders in high-income countries was estimated between 7.0% to 15.0% 77 of children in the general population [5, 6]. In contrast, the prevalence in low-middle countries 78 has been reported to be 7.6% [7], and children from low-economic settings are asymmetrically 79 affected by neurodevelopmental disorders [8].

Various risk factors of neurodevelopmental disorders have been reported in the literature, 80 81 which include genetic, environmental, prenatal and postnatal issues, nutritional disorders, exposure to crisis, trauma, and poverty [9]. Furthermore, some children are more likely than 82 83 others to develop developmental disabilities because of multiple unfavourable circumstances at different levels which include but are not limited to the family's socioeconomic standing, 84 85 their nationality, and their racial and ethnic heritage [3]. A recent review reported that children from migrant and refugee families coming from low and middle-income countries have a 86 higher risk of neurodevelopmental disorders [10]. Children with one or both migrant parent(s) 87 were found to have an increased risk of neurodevelopmental disorders related to language, 88 89 academic skills, or coordination [11, 12].

The risk factors related to neurodevelopmental delays in children may vary based on parents' ethnic background and circumstances during the migration [13, 14]. Other difficulties related to stigma [15], inadequate knowledge, differences in perception [16], referral patterns [17], and delayed diagnosis [18] also contribute to the risk of neurodevelopmental disorders among children with parental history of migration and ethnic minority. Migrants often exhibit risk factors such as inappropriate residence, inadequate nutrition (e.g., obesity) [19, 20], and low

96 socioeconomic conditions [21], which are different from the host population. Maternal mental 97 health is another risk factor for neurodevelopmental disorders. Some migrant mothers also 98 would have experienced war and political conflict or extreme economic crises in their home 99 country. Some mothers may have been exposed to poverty and sexual violence, which caused 100 high mental stress during their pregnancy [22]. Health literacy among migrant families varies. 101 as do the developmental outcomes of children. Additionally, cultural sensitivity and the 102 capacity of health services in the host country to identify and treat developmental disabilities 103 and impairments can differ significantly.

104 Available data on the prevalence and incidence rates of neurodevelopmental disorders are 105 necessary to plan for the sustainable delivery of health, social and education services. However, 106 data is often available only for the mainstream population, with only a few studies reporting on children with migrant and refugee backgrounds [25-27]. The main objective of this study is 107 to conduct a systematic review and/or meta-analysis of the literature to explore the prevalence 108 109 of neurodevelopmental disorders and their risk factors in young children (<6 years) with a 110 parental history of migration in high-income countries. Specific review questions are the 111 following:

- i) What is the prevalence of neurodevelopmental disorders among preschool (<6
 years) children of migrants, according to internationally published literature?
- 114 ii) What are the risk factors or associated factors of neurodevelopmental disorders
 115 among preschool (<6 years) children of migrants, according to internationally
 116 published literature?
- 117
- . . .
- 118
- 119
- 120
- 121
- 122
- 123
- 124

125 **2. Methods**

126 2.1. Protocol and Registration

127 The systematic review will be conducted using the Joanna Briggs Institute (JBI) methodology 128 for systematic reviews of effectiveness [28] and reported using the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) guidelines [29]. The protocol for 129 130 this review was reported as per the PRISMA for Systematic Review Protocols (PRISMA-P) 131 framework. Additionally, the review has been registered with PROSPERO 132 (CRD42024589357).

133 2.2 Review Question

The primary review questions were designed based on the population/ participants, concept,
and context (PCC) as recommended by the Joanna Briggs Institute JBI. The framework will
suggest the search strategy and allow us to set the inclusion and exclusion criteria [30].

137 Table 1. Framework for inclusion criteria

Parameter		Criteria				
Р	Preschool children of migrants and refugees (as defined by IOM (31), aged 0-6 years.					
С	Concept	a. Prevalence of Neurodevelopmental Disorders (NDDs) as per the DSM-5				
		b. Risk factors/ predictors of NDDs				
С	Context/ setting	High-income countries, as defined by the World Bank [32]				

138

Among preschool children of migrant and refugee populations in high-income countries, what
is the prevalence of neurodevelopmental disorders, and what are the risk factors affecting the
disorders in question?

142 2.3 Inclusion Criteria

"Migrants and refugees" refer to groups of people moving for numerous reasons, often with
overlapping motivations, as part of mixed movements – as defined by the United Nations High
Commissioner for Refugees (UNHCR) [33]. According to the International Organization for
Migration (IOM), a "migrant" is anyone who crosses an international border, leaving their

147 birthplace or usual place of residence, for instance, unauthorised entrants, asylum seekers, and 148 irregular or undocumented migrants. This applies regardless of their legal status and includes 149 authorised migrants who left for work, family, and study [31]. Additionally, "refugee" 150 encompasses individuals who have been granted refugee status of humanitarian protection and 151 those fleeing persecution or organised violence – as defined by IOM [31]. In this study, children 152 of migrants and refugee populations residing in high-income countries will be included, as 153 classified by the World Bank (countries with a Gross National Income per capita of USD 154 13,205 or more) [32].

For our review, studies that included children aged between 0 and 5 years will be considered. Observational studies, such as cross-sectional and cohort studies (prospective and retrospective) that reported the prevalence of neurodevelopmental disorders and the risk factors among children of migrants, will also be included. Other studies, such as randomised controlled trials, case reports, opinions, letters to editors, and unpublished materials, will be excluded. Studies published in English in peer-reviewed journals will be included, with no restrictions on publication date.

162 *2.4 Search Strategy*

The search strategy will be developed with opinions from two expert health-sciences librarians. 163 A mix of specific medical subject headings (MeSH), free-text terms, and Boolean operators 164 165 will be included. The search terms will focus on prevalence, risk factors, migrants, refugees, 166 preschool children, and relevant high-income countries. First, these terms will be tested in the 167 Medline (OVID) database. The reviewers (K.S.R and A.A.) with experience in database searches will conduct an initial pilot search on two databases. The reviewers will then carry 168 169 out all remaining literature searches independently. The preliminary Medline (OVID) search 170 strategy formulated with guidance from expert librarians in the field is outlined in Table 2. After completing the Medline (OVID) database search, we will use the same syntax and subject 171 headings for the remaining databases and adapt where necessary. We will manually review 172 173 reference lists of the qualifying studies and existing literature reviews, including background and forward citation tracking of the studies included. 174

175

176

177

Table 2. Primary search strategy for Medline (OVID) (2nd of October 2024) 178

#	Query	Results				
1	Prevalence/	359205				
2	Risk Factors/	1000283				
3	(Prevalence* or risk factor*).mp.	2201718				
4	1 or 2 or 3	2201718				
5	exp Neurodevelopmental Disorders/	218963				
6	exp Communication Disorders/	70764				
7	exp Autism Spectrum Disorder/	46231				
8	exp "Attention Deficit and Disruptive Behavior Disorders"/	41201				
9	exp Specific Learning Disorder/	10419				
10	exp Motor Disorders/	1127				
11	exp Tic Disorders/	6159				
12	exp Schizophrenia/	118287				
13	exp Personality Disorders/	46206				
14	exp Catatonia/	2978				
15	exp Mental Disorders/	1509921				
16	exp "Bipolar and Related Disorders"/	46618				
17	"bipolar and related disorders"/ or exp depressive disorder/ or cyclothymic disorder/	126696				
18	exp Anxiety Disorders/	94708				
19	exp Substance-Related Disorders/	321725				
20	exp Body Dysmorphic Disorders/	1355				
21	exp Mental Disorders/	1509921				
22	exp "Feeding and Eating Disorders"/	38000				
23	exp Elimination Disorders/	5738				
24	exp Sleep Wake Disorders/	115641				
25	exp sleep apnea syndromes/ or exp sleep apnea, obstructive/	45562				
26	exp Sleep Disorders, Circadian Rhythm/	2875				
27	exp Parasomnias/	9504				
28	exp Sexual Dysfunctions, Psychological/	31245				
29	exp Neurocognitive Disorders/	331222				
	(Intellectual* Disabilit* or Global Developmental Delay* or					
	Communication Disorder* or Language Disorder* or Speech Sound					
	Disorder* or Phonological Disorder* or Childhood-Onset Fluency					
	Disorder* or Stuttering* or Communication Disorder* or Autism*					
	or autistic* or Attention-Deficit* or Hyperactivity Disorder* or					
	Learning Disorder* or Motor Disorder* or Developmental					
	Coordination Disorder* or Stereotypic Movement Disorder* or Tic	1365436				
30	Disorder* or Tourette* Disorder* or Motor disorder* or Tic					
50	Disorder* or Neurodevelopmental Disorder* or Schizophrenia* or	1000100				
	Psychotic Disorder* or Schizotypal* or Personality Disorder* or					
	Delusional Disorder* or Brief Psychotic Disorder* or					
	Schizophreniform Disorder* or Schizoaffective Disorder* or					
	Psychotic Disorder* or Catatonia* or mental disorder* or Bipolar*					
	or Cyclothymic Disorder* or Substance* disorder* or Depressive Disorder* or Disruptive Mood Dysregulation Disorder* or					

Dysthymia* or Premenstrual Dysphoric Disorder* or Anxiet* or Selective Mutism* or Phobia* or Panic Disorder* or Agoraphobia* or Obsessive-Compulsive* or Body Dysmorphic Disorder* or Hoarding Disorder* or Trichotillomania or Hair-Pulling Disorder* or Excoriation* or Skin-Picking Disorder* or Trauma*disorder* or stress* Disorder* or Reactive Attachment Disorder* or Disinhibited Social Engagement Disorder* or Posttraumatic Stress Disorder* or Acute Stress Disorder* or Adjustment Disorder* or Dissociative Disorder* or Dissociative Amnesia* or Depersonali?ation* disorder* or Dereali?ation Disorder* or Somatic Symptom disorder*or Illness Anxiety Disorder* or Conversion Disorder*or Functional Neurological Symptom Disorder*or Factitious Disorder* or Somatic Symptom* or "Feeding and Eating Disorder*" or Pica or Rumination Disorder*or Food Intake Disorder* or Anorexia Nervosa* or "Bulimia Nervosa*" or "Binge-Eating Disorder*" or "Elimination Disorder*" or Enuresis* or Encopresis or "Sleep-Wake Disorder*" or "Insomnia Disorder*" or "Hypersomnolence Disorder*" or Narcolepsy or "Breathing-Related Sleep Disorder*" or "Sleep Apnea*" or Hypopnea or "Sleep-Related Hypoventilation*" or "Circadian Rhythm Sleep-Wake Disorder*" or Parasomnias or "Non-Rapid Eye Movement Sleep Arousal Disorder*" or Sleepwalking* or "Sleep Terror*" or "Nightmare Disorder*" or "Rapid Eye Movement Sleep Behavio* Disorder*" or "Restless Legs Syndrome*" or "Sleep* Disorder*" or "Insomnia Disorder*" or "Hypersomnolence Disorder*" or "Sexual Dysfunction*" or "Delayed Ejaculat*" or "Erectile Disorder*" or "Female Orgasmic Disorder*" or "Female Sexual* Disorder*" or "Genito-Pelvic Pain* Disorder*" or "Male Hypoactive Sexual Desire Disorder* Premature Ejaculation*" or "Sexual Dysfunction*" or "Gender Dysphoria*" or "Oppositional Defiant Disorder*" or "Intermittent Explosive Disorder*" or "Conduct Disorder*" or "Antisocial Personality Disorder*" or Pyromania* or Kleptomania* or "Substance* Disorder*" or "Alcohol* Disorder*" or "Alcohol Intoxication*" or "Alcohol Withdrawal*" or "Caffeine* Disorder*" or "Caffeine Intoxicat*" or "Caffeine Withdrawal*" or "Cannabis* disorder*" or "Cannabis Intoxicat*" or "Cannabis Withdrawal*" or "Hallucinogen* Disorder*" or "Phencyclidine* Disorder*" or "Phencyclidine Intoxicat*" or "Hallucinogen Intoxicat*" or "Hallucinogen Persisting Perception Disorder*" or "Phencyclidine-Induced Disorder*" or "Hallucinogen-Induced Disorder*" or "Inhalant* Disorder*" or "Inhalant Intoxicat*" or "Opioid* Disorder*" or "Opioid Intoxicat*" or "Opioid Withdrawal*" or "Sedative* disorder" or "Anxiolytic* Disorder*" or "Anxiolytic Withdrawal*" or "Hypnotic disorder*" or "Stimulant* Disorder*" or "Stimulant Intoxication*" or "Stimulant Withdrawal*" or "Tobacco* Disorder*" or Gambling Disorder* or Neurocognitive Disorder* or Delirium* or Neurocognitive Disorder* or Personality Disorder* or Personality Disorder* or Paranoid Personality Disorder* or Schizoid Personality Disorder* or Schizotypal Personality Disorder* or Paraphilic Disorder* or

	Voyeuristic Disorder* or Exhibitionistic Disorder* or Frotteuristic Disorder* or Sexual Masochism Disorder* or Sexual Sadism Disorder* or Pedophilic Disorder* or Fetishistic Disorder* or Transvestic Disorder* or Mental Disorder*).mp.	
31	5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30	2029481
32	exp "Transients and Migrants"/	15053
33	(migrant* or immigrant* or emigrant* or migration*).mp.	425986
34	"Culturally and linguistically".mp.	1984
35	Cultural diversity/	13427
36	(cultural* divers* or ethnic*).mp.	253077
37	Ethnicity/	76660
38	ethnic*.mp. or "Ethnic and Racial Minorities"/	240137
39	Refugee*.mp. or Refugees/	20225
40	32 or 33 or 34 or 35 or 36 or 37 or 38 or 39	680044
41	child/ or child, preschool/ or infant/	2504975
42	(infant* or newborn* or child*).mp.	3633778
43	41 or 42	3633778
44	((high* or upper) adj5 income? adj5 (countr* or econom* or group? or nation?)).mp.	21629
45	(America* or Andorra* or Antigua* or Aruba* or Australia* or Austria* or Barbuda* or Bermuda* or Britain or British or Baham* or Bahrain* or Barbad* or Belgium or Belgian* or Brunei* or Canada or Canadian* or Cayman Island* or Channel Island* or Chile* or Croatia* or Curacao* or Cyprus or Cyprian* or Cypriot? or Czech* or Darussalam or Denmark or Danish or England or English or Estonia* or Faroe Island* or Finland or Finnish or Finn? or France or French or German* or Gibralta* or Greece or Greek* or Greenland* or Guam* or Hong Kong* or Hungary or Hungarian* or Iceland* or Ireland or Irish or "Isle of Man" or Israel* or Italy or Italian* or Japan* or South Korea* or Kuwait* or Latvia* or Liechtenstein* or Lithuania* or Luxembourg* or Macao* or Malta or Maltese or Monaco or Nauru* or Netherlands or Dutch or New Caledonia* or New Zealand* or Northern Mariana Island* or Norway or Norwegian* or Oman* or Panama* or Poland or Polish or Portug* or Puerto Ric* or Romania* or Qatar* or Saint Kitts or San Marino or Saint Martin or Sint Maarten or Saudi Arabia* or Seychelles or Singapore* or Slovak* or Slovenia* or Scotland or Scottish or Spain or Spanish or Sweden or Swedish or Switzerland or Swiss or Taiwan* or Trinidad* or Tobago* or (Turks and Caicos Island*) or United Arab Emirates or United Kingdom or UK or Great Britain or United States or USA or Uruguay* or Virgin Island* or Wales or Welsh or (western adj (countr* or econom* or nation*))) mp	6240757
46	(America* or Andorra* or Antigua* or Aruba* or Australia* or Austria* or Barbuda* or Bermuda* or Britain or British or Baham* or Bahrain* or Barbad* or Belgium or Belgian* or Brunei* or Canada or Canadian* or Cayman Island* or Channel Island* or	2913320

Chile* or Croatia* or Curacao* or Cyprus or Cyprian* or Cypriot?
or Czech* or Darussalam or Denmark or Danish or England or
English or Estonia* or Faroe Island* or Finland or Finnish or Finn?
or France or French or German* or Gibralta* or Greece or Greek*
or Greenland* or Guam* or Hong Kong* or Hungary or Hungarian*
or Iceland* or Ireland or Irish or "Isle of Man" or Israel* or Italy or
Italian* or Japan* or South Korea* or Kuwait* or Latvia* or
Liechtenstein* or Lithuania* or Luxembourg* or Macao* or Malta
or Maltese or Monaco or Nauru* or Netherlands or Dutch or New
Caledonia* or New Zealand* or Northern Mariana Island* or
Norway or Norwegian* or Oman* or Panama* or Poland or Polish
or Portug* or Puerto Ric* or Romania* or Qatar* or Saint Kitts or
San Marino or Saint Martin or Sint Maarten or Saudi Arabia* or
Seychelles or Singapore* or Slovak* or Slovenia* or Scotland or
Scottish or Spain or Spanish or Sweden or Swedish or Switzerland
or Swiss or Taiwan* or Trinidad* or Tobago* or (Turks and Caicos
Island*) or United Arab Emirates or United Kingdom or UK or
United States or USA or Uruguay* or Virgin Island* or Wales or
Welsh or (western adj (countr* or econom* or nation*))).sh.

47	44 or 45 or 46	6254004
58	4 and 31 and 40 and 43 and 47	1984

179

180 2.5 Information Sources

The following electronic databases will be searched without any restrictions on publication 181 date (i.e., from the time of database inception to the present): MEDLINE (Ovid), Embase 182 (Ovid), PsycINFO, Scopus, and Cumulative Index to Nursing and Allied Health Literature 183 (CINAHL) (EBSCO). Search will be limited to English language only. 184

185 2.6 Study Selection

The studies identified through electronic databases and citations will be imported into EndNote 186 21 (Clarivate Analytics, Philadelphia, PA, USA). All the duplicates will be removed. After a 187 pilot test, two independent reviewers (K.S.R. and A.A.) will review the titles and abstracts, 188 adhering strictly to the inclusion and exclusion criteria. Total text will be retrieved for 189 190 clarification if necessary. Then, the articles that meet the inclusion criteria will be retrieved in 191 full, and their details will be imported into the JBI System for Unified Management, Assessment and Review of Information (JBI SUMARI) [34]. The same two reviewers will then 192 193 independently evaluate the full texts to confirm eligibility. When we need additional information, the study authors will be contacted. Any disagreements with the reviewer will be 194 195 addressed through discussion involving a third reviewer (J.J.) if necessary. The reasons for 196 excluding full-text studies will be recorded and reported in the systematic review. If we find

multiple articles published from the same study, they will be linked. The study selection
process will be presented as a Preferred Reporting Items for Systematic Reviews and MetaAnalysis (PRISMA) flow diagrams [35].

200 2.7 Assessment of Methodological Quality

Each study included in this review will be assessed distinctly by two reviewers (K.S.R and 201 202 A.A.) for methodological quality. A standardised critical appraisal tool developed by the Joanna Briggs Institute (JBI) will be used to determine the calibre of the articles included in 203 204 the study [36]. Relevant quantitative tools will be used from JBI. Any disagreements will be 205 solved between the two reviewers through discussion, and a third reviewer (J.J.) will be 206 included when required. The authors of the study will be contacted to request missing or additional information where necessary to ensure the methodological quality. The studies will 207 208 be assessed based on the available information if there is no response from the authors following two attempts. The risk of bias will be presented for each study through tables and 209 210 figures and described narratively in the final review publication. The methodological concerns 211 and their impact on result interpretation will be addressed in this narrative. All articles 212 considered in this review will be subject to data extraction and synthesis, regardless of their methodological quality outcomes. Where possible, each study will be included for data 213 214 extraction and synthesis irrespective of their methodological quality.

215 2.8 Data Extraction

216 A standard data extraction tool (see Table 1 in the Appendix) has been developed, which will 217 be piloted in one study. The tool will be refined to ensure that all relevant data is captured. A 218 calibration exercise will be conducted to ensure consistency among the two reviewers. Two 219 authors (K.S.R and A.A.) will independently extract the discrepancies between them, which 220 will be resolved by involving a third author (K.E.) when necessary. The extracted data will be 221 recorded in an Excel spreadsheet with article details, participant characteristics, prevalence and 222 risk factors of neurodevelopment disorders, type of migrant or refugee, study context, etc. Any additional information relevant to our study will be recorded, and the data extraction form will 223 224 be modified accordingly. The authors of the study will be contacted when we require any additional information. If there is no response from the authors following two attempts, we will 225 226 continue with the available information. The extracted data will be presented in narrative form 227 and tables.

229 2.9 Data Synthesis

Quantitative data synthesis methods will be used to address the research findings 230 231 comprehensively. The results will be categorised into settings, considering the origin of the 232 participants and other environmental features. Depending on the number of eligible articles, a 233 weighted inverse variance random-effects model will be used to estimate the overall pooled 234 prevalence of neurodevelopmental disorders [37]. Otherwise, we will report the findings 235 narratively. A subgroup analysis will be conducted based on the geographical area of the listed 236 studies, study design, geographical origin of the study population, and type of 237 neurodevelopment disorders to account for potential discrepancies in the overall prevalence estimates. Another subgroup analysis will be conducted in high-risk subgroups, such as 238 239 recently resettled migrants/ refugees (< 5 years versus long-term) and migrants/ refugees from humanitarian crises. These subgroups could be more vulnerable to health conditions due to 240 241 specific socioeconomic conditions, access to healthcare, and health inequalities. By identifying 242 these sub-groups and analysing them separately, we aim to provide more unique insights into 243 the comprehensive needs of these populations. Further sub-group analysis will be conducted 244 based on the regional differences, for instance, population in North America, Europe, and Australia/ New Zealand, to address contextual variability across high-income countries. 245 246 Furthermore, a sensitivity analysis will be conducted to assess the robustness of the findings 247 by excluding the studies with a high risk of bias or those that use different definitions or 248 measurements of Neurodevelopment disorders. The publication bias among the studies will be 249 assessed using a funnel plot and Egger's regression test [38]. A narrative synthesis of the study 250 findings will be used in tables and figures where statistical pooling is challenging due to 251 heterogeneity among the studies. Stata 18 will be used for any statistical analysis to ensure 252 rigorous data evaluation, leading to more valid and reliable conclusions.

253 **3.** Conclusions

The systematic review aims to provide overarching details on the prevalence of neurodevelopmental disorders and risk factors among preschool children of migrants (aged 0 to 6 years) in a global context. Understanding the risk factors is crucial to knowing what contributes to this population's higher prevalence of neurodevelopmental disorders. The findings can help to design targeted interventions, develop culturally appropriate programs and attenuate these risks. Policymakers and health officials can use the review findings to address the unique challenges faced by children and their migrant parents within the health system. Our

- 261 research also prioritises the necessity of including a diverse group in health research. Migrant
- population has their unique cultural practices, norms, and traditions. In this review, we will try
- to address this insufficiently represented group and contribute to equitable health researchpractices.
- **Funding:** Western Sydney University International Master of Research (MRes) Scholarship.
- 266 Institutional Review Board Statement: Not applicable.
- 267 Informed Consent Statement: Not applicable.
- 268 **Data Availability Statement**: Not applicable.

Author Contributions: K.S.R., K.E., and A.A. led the protocol design, search strategy, drafting, and revision of the manuscript. A.A. provided statistical advice and drafted and revised the manuscript. V.E., M.S., J.J., and A.A. were involved in the conception and design of the protocol, drafting, and revisions of the manuscript. All authors have read and agreed to the published version of the manuscript.

- Acknowledgements: This study is being completed as part of the Master of Research (MRes)
 degree for K.S.R. and acknowledges the Western Sydney University International Master of
 Research Scholarship.
- 277 **Conflicts of Interest:** The authors declare no conflict of interest.

278 References

- Psychiatric Association American. Neurodevelopmental disorders: DSM-5 selections.
 American Psychiatric Publishing; 2015.
- Boivin MJ, Kakooza AM, Warf BC, Davidson LL, Grigorenko EL. Reducing
 neurodevelopmental disorders and disability through research and interventions.
 Nature. 2015 Nov 19;527(7578):S155-60. doi: 10.1038/nature16029. PMID:
 26580321.
- 3. World Health Organization, United Nations Children's Fund. Global report on children
 with developmental disabilities: from the margins to the mainstream. World Health
 Organization; 2023 Sep 15.
- 4. Frances L, Quintero J, Fernandez A, et al. Current state of knowledge on the prevalence
 of neurodevelopmental disorders in childhood according to the DSM-5: a systematic

290 review in accordance with the PRISMA criteria. Child Adolesc Psychiatry Ment 291 Health. 2022;16:27; https://doi:10.1186/s13034-022-00462-1 292 5. Halfon N, Houtrow A, Larson K, Newacheck PW. The changing landscape of disability 293 in childhood. Future Child. 2012;22:13-42; https://doi:10.1353/foc.2012.0004 294 6. Boyle CA, Boulet S, Schieve LA, et al. Trends in the prevalence of developmental disabilities in US Children, 1997-2008. Pediatrics. 2011;127:1034-1042; https://doi:1 295 296 0.1542/peds.2010-2989. 297 7. Bitta M, Kariuki SM, Abubakar A, Newton CRJC. Burden of neurodevelopmental 298 disorders in low and middle-income countries: a systematic review and meta-analysis. 299 Wellcome Open Res. 2017;2:121-136; https://doi:10.12688/wellcomeopenres.13540.3 300 8. Durkin MS, Schneider H, Pathania VS, et al. Learning and Developmental Disabilities. 301 In: Disease Control Priorities in Developing Countries. 2nd ed. The International Bank 302 for Reconstruction and Development / The World Bank, Washington (DC); 2006. PMID: 21250359. 303 9. Durkin M. The epidemiology of developmental disabilities in low-income countries. 304 305 Mental retardation and developmental disabilities research reviews. 2002;8(3):206-11. 306 10. Abdullahi I, Wong K, Mutch R, Glasson EJ, de Klerk N, Cherian S, Downs J, Leonard 307 H. Risk of Developmental Disorders in Children of Immigrant Mothers: A Population-308 Based Data Linkage Evaluation. J Pediatr. 2019 Jan;204:275-284.e3. doi: 309 10.1016/j.jpeds.2018.08.047. Epub 2018 Oct 4. PMID: 30293641. 310 11. Loi S, Pitkänen J, Moustgaard H, Myrskylä M, Martikainen P. Health of immigrant 311 children: the role of immigrant generation, exogamous family setting, and family material and social resources. Demography. 2021 Oct 1;58(5):1655-85. 312 313 12. Lehti V, Gyllenberg D, Suominen A, Sourander A. Finnish-born children of immigrants 314 are more likely to be diagnosed with developmental disorders related to speech and 315 language, academic skills and coordination. Acta paediatrica. 2018 Aug;107(8):1409-17. 316 13. Leonard, H., Glasson, E., Nassar, N., Whitehouse, A., Bebbington, A., Bourke, J., ... & 317 318 Stanley, F. (2011). Autism and intellectual disability are differentially related to sociodemographic background at birth. PloS one, 6(3), e17875. 319 320 14. Gerritsen AA, Bramsen I, Devillé W, van Willigen LH, Hovens JE, van der Ploeg HM. 321 Physical and mental health of Afghan, Iranian and Somali asylum seekers and refugees 322 living in the Netherlands. Soc Psychiatry Psychiatr Epidemiol. 2006 Jan;41(1):18-26. 323 doi: 10.1007/s00127-005-0003-5. Epub 2006 Jan 1. PMID: 16341619.

- 15. Ikram UZ, Snijder MB, Fassaert TJ, Schene AH, Kunst AE, Stronks K. The
 contribution of perceived ethnic discrimination to the prevalence of depression. Eur J
 Public Health. 2015 Apr;25(2):243-8. doi: 10.1093/eurpub/cku180. Epub 2014 Nov 21.
 PMID: 25416918.
- 16. Ellen Selman L, Fox F, Aabe N, Turner K, Rai D, Redwood S. 'You are labelled by
 your children's disability' A community-based, participatory study of stigma among
 Somali parents of children with autism living in the United Kingdom. Ethn Health.
 2018 Oct;23(7):781-796. doi: 10.1080/13557858.2017.1294663. Epub 2017 Mar 2.
 PMID: 28277014.
- 17. Fox F, Aabe N, Turner K, Redwood S, Rai D. "It was like walking without knowing
 where I was going": A Qualitative Study of Autism in a UK Somali Migrant
 Community. J Autism Dev Disord. 2017 Feb;47(2):305-315. doi: 10.1007/s10803-0162952-9. PMID: 27858263; PMCID: PMC5309314.
- 18. Begeer S, Bouk SE, Boussaid W, Terwogt MM, Koot HM. Underdiagnosis and referral
 bias of autism in ethnic minorities. J Autism Dev Disord. 2009 Jan;39(1):142-8. doi:
 10.1007/s10803-008-0611-5. Epub 2008 Jul 4. PMID: 18600440.
- 340 19. Magaña S, Lopez K, Aguinaga A, Morton H. Access to diagnosis and treatment services
 341 among latino children with autism spectrum disorders. Intellect Dev Disabil. 2013
 342 Jun;51(3):141-53. doi: 10.1352/1934-9556-51.3.141. PMID: 23834211.
- 20. Delobel-Ayoub M, Ehlinger V, Klapouszczak D, Maffre T, Raynaud JP, Delpierre C,
 Arnaud C. Socioeconomic Disparities and Prevalence of Autism Spectrum Disorders
 and Intellectual Disability. PLoS One. 2015 Nov 5;10(11):e0141964. doi:
 10.1371/journal.pone.0141964. PMID: 26540408; PMCID: PMC4635003.
- 347 21. Miller LL, Gustafsson HC, Tipsord J, Song M, Nousen E, Dieckmann N, Nigg JT. Is
 348 the Association of ADHD with Socioeconomic Disadvantage Explained by Child
 349 Comorbid Externalizing Problems or Parent ADHD? J Abnorm Child Psychol. 2018
 350 Jul;46(5):951-963. doi: 10.1007/s10802-017-0356-8. PMID: 29128953; PMCID:
 351 PMC5948120.
- 22. Ikram UZ, Snijder MB, Fassaert TJ, Schene AH, Kunst AE, Stronks K. The
 contribution of perceived ethnic discrimination to the prevalence of depression. Eur J
 Public Health. 2015 Apr;25(2):243-8. doi: 10.1093/eurpub/cku180. Epub 2014 Nov 21.
 PMID: 25416918.

- 356 23. Daseking M, Bauer A, Knievel J, Petermann F, Waldmann HC. Cognitive development
 357 and risk factors in bilingual pre-school children from an immigrant background. Praxis
 358 der kinderpsychologie und kinderpsychiatrie. 2011 Jan 1;60(5):351-68.
- 359 24. Graham HR, Minhas RS, Paxton G. Learning problems in children of refugee
 360 background: A systematic review. Pediatrics. 2016 Jun 1;137(6).
- 361 25. Crafa D, Warfa N. Maternal migration and autism risk: systematic analysis.
 362 International review of psychiatry. 2015 Jan 2;27(1):64-71.
- 363 26. Fairthorne J, de Klerk N, Leonard HM, Schieve LA, Yeargin-Allsopp M. Maternal
 364 race–ethnicity, immigrant status, country of birth, and the odds of a child with autism.
 365 Child neurology open. 2017 Jan 12;4:2329048X16688125.
- 27. Leonard H, Glasson E, Nassar N, Whitehouse A, Bebbington A, Bourke J, Jacoby P,
 Dixon G, Malacova E, Bower C, Stanley F. Autism and intellectual disability are
 differentially related to sociodemographic background at birth. PloS one. 2011 Mar
 30;6(3):e17875.
- 370 28. Tufanaru C, Munn Z, Aromataris E, Campbell J, Hopp L. Systematic reviews of
 371 effectiveness. Joanna Briggs Institute reviewer's manual. 2017 Apr 19;3.
- 29. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, Shamseer
 L, Tetzlaff JM, Akl EA, Brennan SE, Chou R. The PRISMA 2020 statement: an
 updated guideline for reporting systematic reviews. bmj. 2021 Mar 29;372.
- 375 30. Pollock D, Peters MD, Khalil H, McInerney P, Alexander L, Tricco AC, Evans C, de
 376 Moraes ÉB, Godfrey CM, Pieper D, Saran A. Recommendations for the extraction,
 377 analysis, and presentation of results in scoping reviews. JBI evidence synthesis. 2023
 378 Mar 1;21(3):520-32.
- 379 31. International Organization for Migration. Glossary on Migration; International
 380 Organization for Migration (IOM): Geneva, Switzerland, 2019.
- 381 32. The World Bank. World Bank Country and Lending Groups; The World Bank:
 382 Washington, DC, USA, 2022.
- 383 33. Assembly UG. New York declaration for refugees and migrants. Resolution adopted384 by the General Assembly. 2016 Sep:19.
- 34. Munn Z, Aromataris E, Tufanaru C, Stern C, Porritt K, Farrow J, Lockwood C,
 Stephenson M, Moola S, Lizarondo L, McArthur A. The development of software to
 support multiple systematic review types: the Joanna Briggs Institute System for the

- Unified Management, Assessment and Review of Information (JBI SUMARI). JBI 388 389 evidence implementation. 2019 Mar 1;17(1):36-43. 35. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, Shamseer 390 391 L, Tetzlaff JM, Akl EA, Brennan SE, Chou R. The PRISMA 2020 statement: an 392 updated guideline for reporting systematic reviews. bmj. 2021 Mar 29:372. 36. Munn Z, Moola S, Riitano D, Lisy K. The development of a critical appraisal tool for 393 394 use in systematic reviews addressing questions of prevalence. International journal of 395 health policy and management. 2014 Aug;3(3):123. 396 37. DerSimonian R, Kacker R. Random-effects model for meta-analysis of clinical trials: an update. Contemporary clinical trials. 2007 Feb 1;28(2):105-14. 397 **38.** Munn Z, Moola S, Riitano D, Lisy K. The development of a critical appraisal tool for 398 use in systematic reviews addressing questions of prevalence. International journal of 399 health policy and management. 2014 Aug;3(3):123. 400
- 401

402

Appendix

Table 1. Data extraction template

Authors: Authors et al. [ref]Sampling: Details on the number of participants and sampling technique.Details on the setting of the study.Details on the country of origin of the study.Details on the country of origin of the study.Details on the country of amis of the study.Details on the reported ampricipants and sampling technique.Details on the study.Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported ample:Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported ampricipants ample:Details on the reported the study.Details on the reported ampricipants ampricipants participants participants accoider orgaphic example:Details on the reported the study.Details on the reported to a duty.Details on the reportedDetails on <th>Study Details</th> <th>Population</th> <th>Setting</th> <th>Country of Origin</th> <th>Study Aims</th> <th>Type of NDDs</th> <th>Reported Prevalence</th> <th>Statistical Methods and Risk factors</th> <th>Article's conclusion/ Recommendations</th> <th>Author's conclusion and Reviewer's comments</th>	Study Details	Population	Setting	Country of Origin	Study Aims	Type of NDDs	Reported Prevalence	Statistical Methods and Risk factors	Article's conclusion/ Recommendations	Author's conclusion and Reviewer's comments
Notage Exploration of contain concepts to provide elevity on the interpretation Example: A. D. V and V are the exampler used for elevity.	Authors: Authors et al. [ref] Year of Publication: Example:2005 Study design: Example: Cross-sectional study Country: Example: Australia	Sampling: Details on the number of participants and sampling technique. Participants details: Details on the characteristics of participants (age, sex, sociodemographic characteristics, etc.). Example: Participants included children of migrants	Details on the setting of the study. <i>Example:</i> The study was conducted in the City A in Country B, and among participants residing in middle income society.	Details on the country of origin of the participants family. <i>Example:</i> Participants parent(s)'s country of origin is Country X or Mother is from Country Y.	Details on the aims of the study.	Details on the type of NDDs <i>Example:</i> Autistic Spectrum Disorder	Details on the reported prevalence. <i>Example:</i> Prevalence of autism in this population was 8.5%.	Details on the statistical approach used in the study. Example: Regression analysis was used to predict factor Z. Risk factors: Details on the potential risk factor of disease A. <i>Example:</i> Variable X was a predictor or risk factor of disease X	Details on the Article's conclusion or Recommendations	Details on the Author's conclusions. Reviewer's comments: Review comments after evaluation of a publication, and brief explanation on its relation to the key research question of the systematic review. Assessment of methodological quality: This study has clearly met X/Y (x.x%) criteria in the critical appraisal tool.