

1
2
3 27 Community Health Worker

4
5 28 HealthproMED Inc.

6
7 29 jesalicea@healthpromed.org

8
9 30

10
11 31 Carlos Rodriguez-Diaz PhD, MPH, MCHES

12
13 32 Professor and Chair Department of Community Health Sciences

14
15 33 Boston University School of Public Health

16
17 34 carod@bu.edu

18
19 35

20
21
22 36 **CRedit Taxonomy**

23
24 37

25
26 38 **Contributor Roles**

27
28 39 Conceptualization: José G. Pérez-Ramos, Scott McIntosh, Joselyn Wei-Chen

29
30 40 Data curation: José G. Pérez-Ramos, Joselyn Wei-Chen, Jessica Alicea-Vellon

31
32 41 Formal analysis: José G. Pérez-Ramos, Joselyn Wei-Chen

33
34 42 Funding acquisition: José G. Pérez-Ramos

35
36 43 Investigation: José G. Pérez-Ramos, Jessica Alicea-Vellon

37
38 44 Methodology: José G. Pérez-Ramos, Scott McIntosh, Joselyn Wei-Chen

39
40 45 Project administration: José G. Pérez-Ramos, Jessica Alicea-Vellon, Joselyn Wei-Chen

41
42 46 Resources: José G. Pérez-Ramos, Jessica Alicea-Vellon

43
44 47 Software: José G. Pérez-Ramos, Joselyn Wei-Chen, Jessica Alicea-Vellon

45
46 48 Supervision: José G. Pérez-Ramos, Scott McIntosh

47
48 49 Validation: José G. Pérez-Ramos, Scott McIntosh

49
50 50 Visualization: José G. Pérez-Ramos, Joselyn Wei-Chen

51
52 51 Writing original draft: José G. Pérez-Ramos, Joselyn Wei-Chen, Scott McIntosh, Carlos Rodriguez-Diaz

It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/) .

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

52 Writing review & editing: José G. Pérez-Ramos, Joselyn Wei-Chen, Scott McIntosh, Jessica Alicea-
53 Vellon, Carlos Rodriguez-Diaz

For Peer Review

1
2
3 **78 ABSTRACT**

4
5 **79 Background**

6
7 **80** Rural and isolated communities, such as Culebra, Puerto Rico, face significant healthcare challenges due
8
9 **81** to geographic isolation, limited medical resources, and socioeconomic disadvantages. Chronic diseases,
10
11 **82** particularly diabetes and hypertension, are prevalent and contribute to poor health outcomes. Telehealth
12
13 **83** services (THS) and community health workers (CHWs) have been identified as effective interventions for
14
15 **84** improving healthcare access in underserved areas. This study aimed to explore the community
16
17 **85** perceptions and attitudes towards integrating THS with the support of CHWs to enhance chronic disease
18
19 **86** management in Culebra.

20
21
22 **87 Methods**

23
24 **88** A Qualitative Research approach involved 20 patients from Culebra's Federally Qualified Health Center
25
26 **89** (FQHC). Semi-structured interviews were conducted, guided by the Socio-Ecological Model (SEM), to
27
28 **90** assess community perspectives toward THS and CHWs at individual, interpersonal, community, and
29
30 **91** societal levels. Thematic analysis revealed three primary themes: social determinants of health, the role of
31
32 **92** CHWs, and the benefits and challenges of THS.

33
34
35 **93 Results**

36
37 **94** Findings indicate that CHWs play a critical role in improving healthcare access by assisting with medical
38
39 **95** appointments, medication management, and providing emotional support. THS was recognized for its
40
41 **96** potential to reduce transportation barriers and improve continuity of care, though concerns regarding
42
43 **97** convenience, technology access, and data privacy persist. The integration of CHWs and THS was viewed
44
45 **98** positively as a solution to healthcare access challenges, with participants expressing trust in this model for
46
47 **99** managing chronic diseases.

48
49
50 **100 Discussion**

51
52 **101** This study highlights the need for further development of THS infrastructure and CHW support to ensure
53
54 **102** equitable healthcare access in rural areas like Culebra. The combination of THS and CHWs shows
55
56 **103** promise for reducing healthcare disparities and improving outcomes for isolated populations. Future

It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/) .

1
2
3 104 efforts should focus on systemic changes to address broader social determinants of health, fostering
4
5 105 sustainable and effective healthcare delivery in underserved communities.
6

7 106

9 107

11 108

13 109

15 110

17 111

19 112

21 113

23 114

25 115

27 116

29 117

31 118

33 119

35 120

37 121

39 122

41 123

43 124

45 125

47 126

49 127

51 128

53 129

55

57

59

For Peer Review

1
2
3 **130 BACKGROUND**

4
5 **131** In the United States (US), one in five communities represents a rural or isolated area.(1) Rural and
6
7 **132** isolated communities face numerous healthcare challenges, typically as consequences of having limited
8
9 **133** access to healthcare due to their lower socioeconomic status and geographic location relative the
10
11 **134** services.(2, 3) The health outcomes of people living in rural communities, such as survival rate,
12
13 **135** complication frequency, and disease management, are often worse compared to people living in urban
14
15 **136** areas, resulting in a significant public health crisis.(4) The same factors impact the health and healthcare
16
17 **137** of persons in Latinx communities, including a higher prevalence of chronic conditions such as diabetes
18
19 **138** (10.3% in Hispanic communities compared to 8.5% in non-Hispanic white communities) among adults
20
21 **139** aged 18 years or older.(5) These disparities are even more pronounced for people living in Puerto Rico,
22
23 **140** who experience the worst health outcomes compared to the general US population, having an estimated
24
25 **141** diabetes prevalence of 20.1% among adults.(6) Puerto Rico (PR) is a territory of the US that includes
26
27 **142** many rural communities that experience further isolation by an amalgam of factors. Chronic diseases,
28
29 **143** such as diabetes and hypertension, represent pressing public health problems in many rural and isolated
30
31 **144** communities in PR. According to The Centers for Disease Control and Prevention (CDC), chronic
32
33 **145** diseases are the leading cause of death among adults in the US and PR.(7) Compared to other jurisdictions
34
35 **146** in the US, previous studies had suggested a higher prevalence of chronic diseases among people in PR;
36
37 **147** hypertension (39% vs 36%) and high cholesterol (16% vs 10%).(8)
38
39 **148** Most people in PR (98.9%) self-identify as Latinx/Hispanic in official federal documents. PR is an
40
41 **149** archipelago with three inhabited islands; most people live in the “big island” of Puerto Rico, and the two
42
43 **150** populated island municipalities are Culebra and Vieques. Culebra is the smallest of the inhabited islands,
44
45 **151** located 17 miles east of the island of PR with an extension of 11.62 mi². The island of Culebra is the least
46
47 **152** populous municipality of PR, with a population of 1,792. Among its residents, the median age is 44.6
48
49 **153** years, 23.5% live under the poverty level, 56.7% are unemployed, and 13.5% don’t have healthcare
50
51 **154** coverage.(9) The estimated prevalence of diabetes and hypertension were 15.1% and 39.2%, respectively,
52
53 **155** in Culebra (2019).(10) The people of Culebra have historically faced numerous challenges accessing
54
55
56
57
58
59
60

1
2
3 156 healthcare services.(11) Geographic isolation, scarce medical resources, and a shortage of healthcare
4
5 157 providers all affect the consistent medical care, particularly for those with chronic diseases. They rely on
6
7 158 the health services on the main island, already strained by the lack of enough providers due to migration,
8
9 159 causing long waiting times for service.(12) The lack of reliable transportation to the main island
10
11 160 exacerbates these barriers to access to care. (13-15) These challenges are social determinants of health
12
13 161 (SDoH) that result in significant health inequities affecting the lives of island residents.
14
15 162 Healthcare responses to the COVID-19 pandemic have demonstrated that Telehealth services (THS) and
16
17 163 the deployment of community health workers (CHWs) increase access to care and improve health
18
19 164 outcomes, particularly in rural areas that were previously underserved.(16) However, THS has not been
20
21 165 equitably available, and rural communities such as those in PR have yet to benefit from this opportunity
22
23 166 for increased access.(17) The healthcare disparities and challenges associated with chronic disease
24
25 167 management faced by Culebra or similar communities have not been fully addressed, particularly with the
26
27 168 integration of CHWs and THS in improving the health outcomes of rural and isolated communities.
28
29 169 Considering the opportunity to provide evidence-based services to improve access to care services for
30
31 170 Latinx populations in isolated communities, this study aimed to explore the community perceptions and
32
33 171 attitudes toward integrating THS with the support of CHWs to improve healthcare access for people with
34
35 172 chronic diseases in isolated areas such as the island of Culebra, PR.
36
37
38
39
40

41 174 **METHODS**

42 175 **Research Team**

43
44 176 This research was implemented by an established Community-Academic Partnership (CAP) between a
45
46 177 research academic institution and HealthproMed Inc., the only Federally Qualified Health Center (FQHC)
47
48 178 in Culebra. The CAP identified the need to understand how the community perceived the potential
49
50 179 implementation of two evidence-based interventions (EBI): 1) CHWs assisted 2) THS for patients with a
51
52 180 specialist referral to manage their chronic disease (e.g., diabetes and hypertension). The research team
53
54 181 integrated the Socio-Ecological Model (SEM) as a theoretical framework to explore how the community
55
56
57
58
59
60

1
2
3 182 perspectives were related within and across different and multiple levels. With this approach, findings
4
5 183 would support the comprehensive implementation of these integrated interventions.(18)
6
7 184 The research team comprised a multidisciplinary group of professionals, including a trained and certified
8
9 185 community health worker in Culebra, FQHC personnel, including a nurse and health specialist provider,
10
11 186 and the study team located in Rochester, NY. The team’s collective efforts aim to create a culturally
12
13 187 congruent, ethically sound research environment that contributes to the academic field and brings tangible
14
15 188 improvements to healthcare access and better management of individuals in isolated island communities
16
17 189 like Culebra. This study was approved by the URMCI Institutional Review Board #STUDY00007257 and
18
19 190 followed COREQ guidelines to report qualitative research.(19)
20
21
22
23

24 191

24 192 **Study Design**

25
26 193 This study focused on ascertaining community perceptions toward THS infrastructures and the role of
27
28 194 CHWs in addressing health access for people with chronic diseases. For this qualitative study, we
29
30 195 recruited 20 community patients from the local FQHC in Culebra, using a purposive sampling
31
32 196 methodology and direct recruitment efforts from CHWs. A total of 20 participants were recruited, which
33
34 197 was considered sufficient to provide adequate information power. Information Power approach facilitates
35
36 198 the justification for this smaller sample size by having the study with a specific aim, a focused sample,
37
38 199 and strong interactions between participants and researchers.(20) Participants were required to be older, at
39
40 200 least 18 years old, live in Culebra, have a chronic disease diagnosis, and be able to read the information
41
42 201 provided in Spanish for informed consent. The exclusion criteria included non-residents, non-patients of
43
44 202 the local FQHC, and unable to communicate in Spanish. The study was conducted in Spanish because it is
45
46 203 the official language in PR and the primary language of most of Culebra’s residents.
47
48
49

50 204

51 205 An interview guide for semi-structured qualitative interviews was developed and conducted by a team
52
53 206 member proficient in qualitative research methodologies and fluent in Spanish.(21) The interview guide
54
55 207 was developed using the SEM framework to capture in-depth perceptions of THS and the role of CHWs
56
57
58
59
60

1
2
3 208 in the community as an intervention to increase access to healthcare. Our research team member
4
5 209 experienced in qualitative research methodology conducted all interviews in Spanish. The Rapid
6
7 210 Qualitative Inquiry (RQI) method allowed for a dynamic and iterative data collection and analysis
8
9 211 process, which supported the identification of salient themes and patterns.(22) Participants were recruited
10
11 212 from the clinic's patient population and were informed of their rights to discontinue participation or skip
12
13 213 questions at any point. The interviews lasted up to an hour and were conducted in familiar community
14
15 214 settings, such as the facilities of the FQHC and community centers, ensuring a comfortable and private
16
17 215 environment for participants to share their experiences. Thematic analysis was conducted and supported
18
19 216 the identification of salient topics shared by participants.(23) Themes and supportive quotes were
20
21 217 translated and back-translated from Spanish to English by two Spanish-speaking speakers members of the
22
23 218 research team following the Brislin Back-Translation Method to address interval validity.(24)
24
25
26 219
27
28 220 Participants were compensated with \$10.00 cash at the end of the interviews. Additionally, they were
29
30 221 offered refreshments in a culturally congruent manner to express gratitude for their participation. The
31
32 222 study design prioritized participant privacy and data protection. Data were collected anonymously, and
33
34 223 participants were encouraged not to disclose identifiable information during the interviews. However, any
35
36 224 identifiable information to participants was removed from transcripts and data analysis. Risks were
37
38 225 minimized by de-identifying all data in the final analysis, thus preserving participant confidentiality.
39
40 226 Interview audio files were initially stored on encrypted phones, transferred to encrypted computers, and
41
42 227 uploaded into a cloud-based HIPAA-compliant software with 256-bit encryption and SSL-EV to ensure
43
44 228 the highest level of data protection.
45
46
47 229 Table 1 presents the demographic profile of the 20 participants, who predominantly self-identified as
48
49 230 female (n=12; 60%) and with a diverse age range (20-70 years old). Most participants shared their age,
50
51 231 including from their 20s to their 70s. However, (n=8; 40%) of the participants declined to disclose their
52
53 232 age. The average interview duration was 55 minutes and 42 seconds. Participants' educational levels
54
55 233 varied, with a slight majority having completed or exceeded high school (n=11; 55%) and a quarter
56
57
58
59
60

1
2
3 234 having less than a high school education. Interviews were conducted between October 2022 and March
4
5 235 2023.

6
7 236

9 237 **Data Preparation and Analysis**

11 238 Qualitative data analysis was conducted using Dedoose®, a qualitative analysis software that allows for
12
13 239 direct coding.(25) Interview data were examined iteratively using thematic analysis for patterns and
14
15 240 themes, investigating community attitudes and perceptions toward THS systems and the community
16
17 241 health worker’s model.(23) The analysis was guided by the SEM,(18) which provided a comprehensive
18
19 242 understanding of participants' attitudes and perceptions toward our integrated model. The team regularly
20
21 243 (≥5 times per week) debriefed about findings during fieldwork with partners and community members.
22
23

24 244

26 245 **RESULTS**

28 246 Identified themes and subthemes were categorized across SEM domains to provide a comprehensive
29
30 247 understanding of the factors influencing participants’ perceptions of implementing integrated, evidence-
31
32 248 based interventions. As shown in Figure 1, the SEM domains include Individual, Interpersonal,
33
34 249 Community, and Societal levels, each addressing three main themes with subthemes: social determinants
35
36 250 of health, the role of CHWs, and the impact of THS services.(18) This categorization helped illustrate
37
38 251 how these factors interact and contribute to the understanding of the community's perspectives and
39
40 252 attitudes toward integrating THS with the support of CHWs to improve healthcare access for people with
41
42 253 chronic diseases on the island of Culebra. The most relevant subthemes of each theme will be discussed in
43
44 254 the following sessions.

48 255 **Theme 1 (T1): Social Determinants of Health**

50 256 Participants highlighted several key issues affecting their community, including limited educational
51
52 257 resources, economic instability, violence, and inadequate housing and transportation (Table 2). These
53
54 258 factors create significant barriers to health and well-being, emphasizing the need for community-based
55
56
57
58
59
60

1
2
3 259 interventions and policies to address these underlying causes of health disparities in rural and isolated
4
5 260 areas.

6
7
8 261 **Subtheme: Transportation Problems**

9
10
11 262 Transportation was identified as a significant issue, with the community's geographical isolation
12
13 263 contributing to difficulties in accessing other areas. This affects daily life and service provision. A
14
15 264 participant explained, "Well, transportation. Like Vieques and Culebra, we are, as you say, far from the
16
17 265 big island, so sometimes we have a lot of problems with transportation, that's more than most of what it
18
19 266 affects" (IND49). This reflects societal-level challenges.

20
21
22
23 267 **Subtheme: Environmental Health Hazards**

24
25
26 268 The improper management of sewage and wastewater was identified as a severe environmental and health
27
28 269 concern by the Culebra community. Overflows cause a threat to the cleanliness and hygiene of the
29
30 270 community, as expressed by one participant: "Sewage is overflowing everywhere. It is really a very
31
32 271 strong concern." On the other hand, participants also discussed the negative impact of exploitation-
33
34 272 induced destruction, particularly from investors and unsustainable practices. This leads to the destruction
35
36 273 of natural resources and cultural heritage and threatens the community's long-term well-being. A
37
38 274 participant stated, "Our natural resources are being destroyed. The new generations are the ones who are
39
40 275 going to have to deal with the exploitation" (IND2). Both issues affect the community and societal levels.

41
42
43
44 276 **Subtheme: Lack of Medications**

45
46
47 277 A consistent medication shortage was identified as a pressing health issue, particularly affecting
48
49 278 emergency services and controlled medications. This hinders the effective management of health
50
51 279 conditions. One participant highlighted, "There is a lot of lack of medication. In the emergency area, there
52
53 280 is a lot of medication shortage" (IND2). This issue impacts individual, community, and societal levels.

1
2
3 **281 Subtheme: Lack of Education Resources**

4
5
6 **282** Participants identified a shortage in the availability and quality of educational resources, exemplified by a
7
8 **283** lack of schools and the underutilization of existing educational spaces. This lack of resources was seen as
9
10 **284** a barrier to providing adequate education within the community. For instance, one participant stated,
11
12 **285** "Everything that has to do with education, that is what we are looking for" (FG1). These insights reflect
13
14 **286** significant concerns at the individual, community, and societal levels.

15
16
17
18 **287 Subtheme: Loneliness in Some Individuals**

19
20
21 **288** Feelings of isolation and loneliness were identified as significant concerns for specific community
22
23 **289** members, particularly during times of personal crisis. Loneliness affects mental and emotional well-
24
25 **290** being. For example, one participant noted that some patients like to come to the clinic to have company
26
27 **291** "because many times they are alone, and what they want is to talk" (IND2). This reflects the individual-
28
29 **292** level impact of social isolation.

30
31
32 **293 Subtheme: Employment**

33
34
35 **294** A lack of diverse employment opportunities was highlighted as a significant issue, especially for the
36
37 **295** youth. The local economy offers limited career paths, forcing individuals to migrate or accept
38
39 **296** employment outside their desired professions. A participant explained, "For young people, there are not
40
41 **297** many [options out] there; what we have are the same [jobs] in a restaurant, but there is no way that if
42
43 **298** someone wants to be a lawyer, there is no way. There are not many alternatives for work" (FG1). The
44
45 **299** decline in the available labor force, mainly due to an aging population, was seen as a challenge in
46
47 **300** maintaining essential services. This sense of vulnerability affects those who are aging or ill. This issue
48
49 **301** impacts the individual, community and societal levels.

50
51
52
53 **302 Theme 2 (T2): The Role of Community Health Workers**

1
2
3 303 Community Health Workers are vital in enhancing healthcare access and quality for individuals in
4
5 304 underserved communities (Table 3). They provide essential support by assisting with patient education,
6
7 305 scheduling medical appointments, managing medications, and offering companionship during medical
8
9 306 visits. Their involvement improves health outcomes and fosters a sense of trust and comfort among
10
11 307 patients, significantly impacting their overall healthcare experience. However, most people do not fully
12
13 308 understand CHWs' role, even though some might already have been in contact with CHWs before.
14
15 309 Therefore, it is essential for people to know what CHWs can do for them to improve their healthcare
16
17 310 access.

19
20
21 311 **Subtheme: Assists and Guides the Patient**

22
23
24 312 Participants highlighted the vital role of CHWs in providing valuable assistance and guidance. CHWs
25
26 313 help patients understand their health conditions and learn how to manage their treatments, improving their
27
28 314 autonomy and care. One participant noted, "They guide you, give you information so you know what
29
30 315 these symptoms are based on, and how to take care of yourself" (FG103). Another shared, "They have
31
32 316 taught me how to inject insulin. I have done it, but I have had several doubts. And they clear up my
33
34 317 doubts" (IND39). These interactions enhance the interpersonal relationships between CHWs and patients,
35
36 318 fostering trust and confidence.

37
38
39
40 319 **Subtheme: Helps Schedule Appointments with Specialists**

41
42
43 320 CHWs play a crucial role in helping patients schedule appointments with specialists, ensuring continuous
44
45 321 and specialized care, especially for chronic conditions. A participant explained, "If I needed such an
46
47 322 appointment with the specialist, find me one. When I need a referral, what I do is that I go with the
48
49 323 community health worker, we interconnect, and things seem to move a little faster; that's why it's
50
51 324 important" (IND2). This assistance is essential in maintaining the continuity of care and addressing the
52
53 325 specific health needs of patients.

1
2
3 **326 Subtheme: Assists in Medication Management**

4
5
6 **327** The support provided by CHWs in medication management is seen as crucial, particularly for those who
7
8 **328** struggle with maintaining their medication regimens. One participant stated simply, "They get the
9
10 **329** medicines for me" (IND59). This service is essential for ensuring that patients adhere to their prescribed
11
12 **330** treatments and manage their health conditions effectively.

13
14
15
16 **331 Subtheme: Trust and Social/Health Support**

17
18 **332** Participants valued the accompaniment provided by CHWs when accessing medical facilities. This
19
20 **333** support offers comfort and confidence, particularly when patients need to access laboratory services or
21
22 **334** return home. One participant shared, "And I have a lot of confidence in her when I have to go to the
23
24 **335** laboratory. She waits for me patiently. She takes me home" (IND59). This accompaniment helps reduce
25
26 **336** the stress and anxiety associated with medical appointments, contributing to better health outcomes.

27
28
29
30 **337 Subtheme: Provides Comfort and Confidence**

31
32
33 **338** CHWs are recognized for their attentive and considerate care, which instills comfort and confidence in
34
35 **339** patients. As one participant expressed, "They gave me comfort" (IND49). This emotional support is
36
37 **340** essential to the healthcare experience, helping patients feel more secure and supported in managing their
38
39 **341** health.

40
41
42
43 **342** By offering these services, CHWs play an integral role in improving healthcare delivery and outcomes,
44
45 **343** particularly in underserved communities. Their work addresses both the practical and emotional needs of
46
47 **344** patients, fostering a more supportive and effective healthcare environment.

48
49
50 **345 Theme 3 (T3): Telehealth Services**

51
52
53 **346** Participants expressed different perspectives towards the THS Services in providing healthcare access in
54
55 **347** rural and underserved communities for chronic disease management (Table 4). Some participants

1
2
3 348 believed that THS could offer numerous benefits, including reducing the need for transportation, saving
4
5 349 time and costs, and ensuring continuity of care when in-person medical visit options aren't available or
6
7 350 accessible. However, THS also faces challenges such as perceived inconvenience compared to in-person
8
9 351 visits, lack of knowledge among users, and concerns about data privacy. Despite these challenges, THS
10
11 352 was seen as a beneficial alternative when traditional healthcare options are inaccessible, enhancing overall
12
13 353 healthcare experiences by offering peace of mind and improved communication between patients and
14
15 354 providers.

16
17
18
19 355 **Subtheme: Less Convenient than In-Person Care**

20
21
22 356 Participants identified concerns about the convenience of remote healthcare services compared to in-
23
24 357 person visits, especially highlighting the value of physical exams and the personal touch of face-to-face
25
26 358 consultations. One participant stated, "In-person visits are more convenient" (IND39). This underscores
27
28 359 the interpersonal challenge of remote healthcare services.

29
30
31 360 **Subtheme: Assistance During the Pandemic**

32
33
34 361 The crucial role of THS services during the pandemic was emphasized, providing necessary support and
35
36 362 care in challenging times, significantly when traditional services were disrupted. A participant noted, "It
37
38 363 was a great moment. And if you come to apply it in the case of Culebra, it would be phenomenal, too. I
39
40 364 would want to have a doctor all the time, but if I have no other option, well, it's great that this option is
41
42 365 there" (IND2). This highlights the community and societal benefits of THS during crises.

43
44
45
46 366 **Subtheme: A Good Alternative When No Other Option is Available**

47
48
49 367 Participants viewed THS services as beneficial alternatives when in-person care is inaccessible, mainly
50
51 368 due to transportation issues. One participant shared, "I don't know about anyone else, but I do. I prefer a
52
53 369 doctor on camera than none at all" (IND39). This demonstrates the individual, community, and societal
54
55 370 advantages of having THS as an option.

1
2
3 **371 Subtheme: Lack of Knowledge**

4
5
6 **372** More knowledge about THS services and procedures still needs to be provided, which may prevent
7
8 **373** individuals from fully utilizing them. A participant admitted, "I haven't done it yet" (IND49). This reflects
9
10 **374** the individual-level challenge of awareness and education regarding THS.

11
12
13 **375 Subtheme: Independent of Transportation**

14
15
16 **376** The advantage of THS services not requiring transportation was particularly noted as useful for
17
18 **377** communities with limited access to transportation. One participant explained, "In bad weather that there is
19
20 **378** no transportation which cannot come, then that would be a good alternative" (IND39). This benefit spans
21
22 **379** community and societal levels.

23
24
25 **380 Subtheme: Time and Cost Savings**

26
27
28
29 **381** Participants identified significant time and cost savings with the use of remote or THS services,
30
31 **382** eliminating the need for travel and reducing the opportunity cost of seeking medical care. One participant
32
33 **383** stated, "These trips would actually waste money and time" (FG103). Another noted, "It saves a lot of time
34
35 **384** because the kids don't have to miss school. It's a whole lost day" (IND1). These points highlight the
36
37 **385** individual and community benefits of THS.

38
39
40
41 **386 Subtheme: Privacy Issues-Improper Disclosure of Personal Information**

42
43
44 **387** Concerns were raised about the potential for improper disclosure of personal information when using
45
46 **388** remote services, which may deter some from utilizing these services. A participant expressed, "There are
47
48 **389** also many people who do not like to give "[their]" data over the phone. There have been many hackers"
49
50 **390** (IND49). This concern affects individual, interpersonal, community, and societal levels.

51
52
53 **391 Subtheme: Rejection by Older or Technologically Challenged Individuals**

1
2
3 392 Participants identified that older individuals or those who are less technologically savvy may resist using
4
5 393 remote healthcare services due to unfamiliarity with technology or a preference for traditional in-person
6
7 394 care. One participant's opinion was, "Because sometimes there are many elderly people, they don't know
8
9 395 technology" (IND49). This reflects the individual and community challenges in THS adoption.

11
12 396 **Subtheme: Trust Depends on the Type of Medical Examination**

13
14
15 397 Trust in the THS varies depending on the type of medical examination required. For visual assessments or
16
17 398 follow-ups, remote consultations may suffice, but for more tactile, in-depth examinations, in-person visits
18
19 399 are preferred to ensure safety and accuracy. One participant remarked, "The decision depends on whether
20
21 400 it is a follow-up consultation or if it is the first time with the specialist. If it is an evaluation or, if they
22
23 401 need to do a laboratory check, and if they are going to do a study later. Therefore, people should go in
24
25 402 person" (FG103). This indicates the individual-level trust considerations.

26
27
28
29 403 **Subtheme: Peace of Mind**

30
31
32 404 Having healthcare consultations in the comfort of their own home provides patients with peace of mind. It
33
34 405 allows them to communicate more effectively, ensuring they remember to discuss all their concerns with
35
36 406 the doctor. A participant shared, "Yes, I sit in my room and explain everything to him. Sometimes, you go
37
38 407 to see the doctor, and you forget the things that you had to tell him" (IND59). This benefit is significant at
39
40 408 the individual level.

41
42
43
44 409 **DISCUSSION**

45
46 410 Our findings suggest that the integration of THS with the support of CHWs was perceived positively by
47
48 411 the community as an effective approach to improve access to healthcare for those with chronic diseases
49
50 412 living in rural settings. Participants indicated that CHWs can positively impact some identified SDoH,
51
52 413 such as transportation challenges, particularly on the island, where a golf cart or a clinic official vehicle
53
54 414 was proposed to offer patients transportation to and from the clinic. However, it is essential to note that

1
2
3 415 some of these structural determinants include economic instability and geographical isolation, which are
4
5 416 beyond the scope of CHWs alone. This study found that the community perceived THS) along with the
6
7 417 support of CHWs, as a positive sign to improve access to healthcare. Moreover, participants' perspectives
8
9 418 confirmed that an intervention of CHWs-assisted THS can reduce the lack of specialized healthcare
10
11 419 access for patients living in rural settings.

12
13
14 420 The integration of CHWs and THS can help mitigate barriers related to transportation, provide timely
15
16 421 medical consultations, and offer continuous support for managing chronic conditions. The combination of
17
18 422 technology and personalized care from CHWs can foster trust and enhance patient engagement, leading to
19
20 423 better health outcomes.(26)

21
22
23
24 424 The SEM served as a theoretical framework that helped us better understand the impact of interventions
25
26 425 using technology, such as THS, whether used alone or assisted by CHWs. SEM allowed for a
27
28 426 comprehensive analysis of how individual, interpersonal, community, and societal factors interact to
29
30 427 influence health outcomes. We were able to identify people's perspectives towards the potential
31
32 428 integration of CHWs and THS to solve the challenges of healthcare access. Results suggest that CHWs
33
34 429 can provide comfort and trust to patients, assist with patient education, schedule medical appointments,
35
36 430 manage medications, and offer companionship during medical visits. On the other hand, THS could solve
37
38 431 health access challenges, including the time-saving and cost-effectiveness of medical appointments,
39
40 432 transportation independence, and a more accessible tool for better chronic disease management. The
41
42 433 results confirm that this framework helps to better understand the perspectives and attitudes of people
43
44 434 toward integrating CHWs and the THS model for chronic disease management in rural areas.

45
46
47
48 435 Findings from the present study confirm participants' challenges and perceptions toward CHW and THS.
49
50 436 We found that these two evidence-based models can be and should be implemented in rural and
51
52 437 underserved areas as part of an equitable model for healthcare. However, while CHWs and THS show
53
54 438 promise in addressing certain SDoH and improving healthcare access in rural areas, addressing the

1
2
3 439 broader structural determinants requires systemic changes and policy interventions. Future efforts should
4
5 440 enhance THS infrastructure, increase community health literacy and willingness, and support CHWs
6
7 441 (training) to ensure sustainable and equitable healthcare solutions for rural and isolated populations. By
8
9 442 leveraging the strengths of both CHWs and THS, we can move towards a more integrated and effective
10
11 443 approach to reducing health disparities and improving the overall health of communities like Culebra.
12
13
14 444 From a health equity perspective, the findings also inform strategies to address similar issues in other
15
16 445 countries, particularly in rural island communities. These communities often face unique challenges such
17
18 446 as geographic isolation, limited healthcare resources, and higher vulnerability to health disparities.
19
20 447 Previous studies have shown that CHWs can help navigate health services for Latinx communities who
21
22 448 face challenges such as limited resources during COVID-19.(27) Studies have also demonstrated THS as
23
24 449 a powerful tool for routine provision of care for Latinos.(28) However, non-previous studies have
25
26 450 integrated both CHWs and THS to use them together. By adopting the evidence-based models of CHWs
27
28 451 and THS, rural island communities can improve healthcare access, enhance health education, and build
29
30 452 sustainable healthcare systems. This can lead to better health outcomes and reduced health disparities,
31
32 453 ultimately benefiting communities like Culebra and similar rural island populations globally.
33
34
35

36 454 **Study Limitations**

37
38
39 455 The qualitative findings are based on subjective self-reported data, which participants' personal biases
40
41 456 may influence. This study was limited by factors that could influence participant's perceptions and
42
43 457 experiences, including prior healthcare experiences, individual health literacy, and personal attitudes
44
45 458 toward technology and healthcare providers.
46
47
48

49 459 **Acknowledgments**

50
51
52 460 The study team would like to thank the HealthproMed Inc. Culebra clinic staff members for their support
53
54 461 during the implementation of the study. In addition, the study team acknowledges Mujeres de Islas Inc.
55
56
57
58
59
60

1
2
3 462 (Culebra community-based organization) for allowing the study team to recruit and promote our study
4
5 463 and the Puerto Rico Public Health Trust for CHWs capacity training.
6
7

8 464 **Funding**
9

10
11 465 This study was supported by the Robert Wood Johnson Foundation Health Equity Scholars for Action
12
13 466 Award (GR531931; Pérez-Ramos PI).
14
15

16 467
17
18

19 468
20
21

22 469
23
24

25 470
26
27

28 471
29
30

31 472
32
33

34 473
35
36

37 474
38
39

40 475
41
42

43 476
44
45

46 477
47
48

49 478
50
51

52 479
53
54

For Peer Review

1
2
3 480 **REFERENCES**
4
5

- 6 481 1. The United States Census Bureau. American Community Survey 2017 Population Estimates 2017
7 482 [Available from: <https://www.census.gov/programs-surveys/acs>.
8 483 2. Laditka JN, Laditka SB, H PJ. Health care access in rural areas: evidence that hospitalization for
9 484 ambulatory care-sensitive conditions in the United States may increase with the level of rurality. *Health &*
10 485 *place*. 2009;15 (3):761-70.
11 486 3. Gong G PS, Hudson C, Curti D, et al. Higher US rural mortality rates linked to socioeconomic
12 487 status, physician shortages, and lack of health insurance. *Health Affairs*. 2019;38(12):2003-10.
13 488 4. James W CJ. Long-term trends in Black and White mortality in the rural United States: Evidence
14 489 of a race-specific rural mortality penalty. *The Journal of Rural Health*. 2017;33(1):21-31.
15 490 5. The Centers for Disease Control and Prevention, National Diabetes Statistics Report. (2022)
16 491 6. International Diabetes Federation. *Diabetes in Puerto Rico (2021)*.
17 492 7. Goodman R PS, Huang E, Prekh A, et al. *Defining and Measuring Chronic Conditions:*
18 493 *Imperatives for Research. Policy, Program, and Practice*. 2013.
19 494 8. Josiemer Mattei MT, Carlos F. Ríos'Bedoya, Rui S. Xiao, et al. Health conditions and lifestyle
20 495 risk factors of adults living in Puerto Rico: a cross-sectional study. *BMC Public Health*. 2018;19(491).
21 496 9. The United States Census Bureau. *Culebra Municipio, Puerto Rico Population Facts 2022*
22 497 10. HealthproMED Inc. *2024 Community Health Needs Assessment*.
23 498 11. Perez-Ramos JG, McIntosh S, Barrett ES, et al. Qualitative Assessment of Environmental Health
24 499 Risk Perceptions and Community Challenges in a Puerto Rican Community: Change and Continuity in
25 500 Response to Hurricanes Irma and Maria. *Behav Med*. 2019:1-14.
26 501 12. Varas-Díaz N, Rodríguez-Madera S, Padilla M, et al. On leaving: Coloniality and physician
27 502 migration in Puerto Rico. *Soc Sci Med*. 2023;325:115888.
28 503 13. El Nuevo Dia. *Manifestantes llevan reclamos sobre lanchas para Vieques y Culebra a La*
29 504 *Fortaleza y al Capitolio*. El Nuevo Dia. 2019.
30 505 14. Perez-Ramos JG, McIntosh S, Barrett ES, et al. Qualitative Assessment of Environmental Health
31 506 Risk Perceptions and Community Challenges in a Puerto Rican Community: Change and Continuity in
32 507 Response to Hurricanes Irma and Maria. *Behav Med*. 2020;46(3-4):231-44.
33 508 15. Perez-Ramos JG, McIntosh S, Barrett ES, et al. Attitudes Toward the Environment and Use of
34 509 Information and Communication Technologies to Address Environmental Health Risks in Marginalized
35 510 Communities: Prospective Cohort Study. *J Med Internet Res*. 2021;23(9):e24671.
36 511 16. Wosik J FM, Cameron B, et al. Telehealth transformation: COVID-19 and the rise of virtual care.
37 512 *Journal of the American Medical Informatics Association*. 2020;27(6):957-62.
38 513 17. Chu C CP, Pang A, Stamenova V, et al. Rural Telemedicine Use Before and During the COVID-
39 514 19 Pandemic: Repeated Cross-sectional Study. *Journal of medical Internet research*. 2021;23(4):e26960.
40 515 18. Kilanowski JF. Breadth of the Socio-Ecological Model. *Journal of Agromedicine*. 2017:295-7.
41 516 19. Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a
42 517 32-item checklist for interviews and focus groups. *Int J Qual Health Care*. 2007;19(6):349-57.
43 518 20. Malterud K, Siersma VD, Guassora AD. Sample Size in Qualitative Interview Studies: Guided by
44 519 Information Power. *Qualitative Health Research*. 2015;26(13):1753-60.
45 520 21. Hanna Kallio A-MP, Martin Johnson, Mari Kangasniemi Docent. Systematic methodological
46 521 review: developing a framework for a qualitative semi-structured interview guide. *Journal of Advanced*
47 522 *Nursing*. 2016;72(12):2954-65.
48 523 22. Beebe J. *Rapid qualitative inquiry: A field guide to team-based assessment*: Rowman &
49 524 *Littlefield*; 2014.
50 525 23. Glaser BG, Strauss AL. *The discovery of grounded theory: Strategies for qualitative research*:
51 526 *Routledge*; 2017.
52 527 24. Brislin RW. Back-translation for cross-cultural research. *Journal of cross-cultural psychology*.
53 528 1970;1(3):185-216.
54
55
56
57
58
59
60


1
2
3 529 25. Dedoose. 4.5, web application for managing, analyzing, and presenting qualitative and mixed
4 530 method research data (2013). Los Angeles, CA: SocioCultural Research Consultants, LLC.
5 531 26. Bhaumik S, Moola S, Tyagi J, et al. Community health workers for pandemic response: a rapid
6 532 evidence synthesis. *BMJ Global Health*. 2020;5(6):e002769.
7 533 27. Hernandez-Salinas C, Marsiglia FF, Oh H, et al. Community Health Workers as Puentes/Bridges
8 534 to Increase COVID-19 Health Equity in Latinx Communities of the Southwest U.S. *J Community Health*.
9 535 2023;48(3):398-413.
10 536 28. Anaya YB, Hernandez GD, Hernandez SA, et al. Meeting them where they are on the web:
11 537 addressing structural barriers for Latinos in telehealth care. *J Am Med Inform Assoc*. 2021;28(10):2301-
12 538 5.

13
14
15 539
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

For Peer Review

Figure 1- Applied Social Ecological Framework to the Thematic Analysis

Figure 1- Applied Social Ecological Framework to the Thematic Analysis



T1, T2, and T3 represents the main three themes from study findings

Table 1- Qualitative Research Logistic and Demographic Information

Table 1. Qualitative Research logistic and demographic informations

Criteria	Description
Gender	Male = 8 (40%) Women = 12 (60%)
Interviews Length	55 min 42 sec (AVERAGE)
Age	20s: N=2 (10%) 30s: N=1 (5%) 40s: N=2 (10%) 50s: N=3 (15%) 60s: N=3 (15%) 70s: N=1 (5%) Undisclosed: N=8 (40%)
Educational Levels	<HS: N=5 (25%) =HS: N=9 (45%) >HS: N=2 (10%) Undisclosed: N=4 (20%)

It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/).

Table 2: Theme 1 - Social Determinants of Health

Domains	Individual	Interpersonal	Community	Societal
Subthemes	<ul style="list-style-type: none"> • Lack of education resources • Loneliness • Employment • Lack of housing and residences • Lack of medications 	Employment	<ul style="list-style-type: none"> • Lack of education resources • Employment • Community unity • Environmental health hazards • Lack of medications 	<ul style="list-style-type: none"> • Lack of education resources • Employment • Lack of housing and residences • Transportation problems • Safety/Low crime • Community unity • Environmental health hazards • Lack of medications

For Peer Review

It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/).

Table 3: Theme 2 – The role of Community Health Workers

Domains	Individual	Interpersonal	Community	Societal
Subthemes	<ul style="list-style-type: none">• Helps schedule appointments with specialists• Assists in medication management• Provides comfort and confidence	<ul style="list-style-type: none">• Assist and guides the patient• Helps schedule appointments with specialists• Assists in medication management• Trust and social/health support• Provides comfort and confidence	<ul style="list-style-type: none">• Provides comfort and confidence	<ul style="list-style-type: none">• Provides comfort and confidence

For Peer Review

It is made available under a [CC-BY-NC-ND 4.0 International license](https://creativecommons.org/licenses/by-nc-nd/4.0/).

Table 4: Theme 3 – Telehealth Services

Domains	Individual	Interpersonal	Community	Societal
Subthemes	<ul style="list-style-type: none"> • A good alternative when no other option is available • Lack of knowledge • Time and cost saving • Possible improper disclosure of personal information • Rejection by older or technologically challenged individuals • Trust depends on the type of medical examination • Peace of Mind 	<ul style="list-style-type: none"> • Less convenient than in-person care • Possible improper disclosure of personal information 	<ul style="list-style-type: none"> • Assistance during the pandemic • A good alternative when no other option is available • Independent of transportation • Time and cost saving • Possible improper disclosure of personal information • Rejection by older or technologically challenged individuals 	<ul style="list-style-type: none"> • Assistance during the pandemic • A good alternative when no other option is available • Independent of transportation • Possible improper disclosure of personal information