

Addressing inequalities in vaccination coverage among children aged 12 to 23 months in ten Sub-Saharan African countries: Insights from DHS and MIS Data (2017-2022)

Sancho Pedro Xavier¹, Manuel Mahoche², Patrícia Helen Rondó², Ageo Mário da Silva¹, Renzo Flores-Ortiz³, Audêncio Victor²

¹Institute of Collective Health, Federal University of Mato Grosso. Av. Fernando Correa da Costa, nº 2367 - Bairro Boa Esperança. Cuiabá - MT - 78060-900, Brazil

²School of Public Health, University of São Paulo (USP), Avenida Doutor Arnaldo, 715, São Paulo, São Paulo, 01246904, Brazil

³ Centre for Data and Knowledge Integration for Health (CIDACS), Oswaldo Cruz Foundation (Fiocruz), Rua Waldemar Falcão, 121, Candeal, Salvador, Bahia, 40296-710, Brazil

***Correspondence:** Sancho Pedro Xavier, Federal University of Mato Grosso - Institute of Collective Health, Cuiaba-MT, 78060-900, Brazil. E-mail: sanchoxavierxavier@gmail.com

Equal contribution

Abstract

Introduction: Vaccination is one of the most effective public health interventions for preventing and controlling infectious diseases, particularly in low- and middle-income countries. This study analyzed disparities in vaccination coverage among children aged 12 to 23 months in ten Sub-Saharan African (SSA) countries.

Methods: A cross-sectional study using data from Demographic and Health Surveys (DHS) and Multiple Indicator Cluster Surveys (MICS) collected between 2017 and 2022 in ten Sub-Saharan African countries. The primary outcome was full vaccination coverage. Logistic regression models were applied to identify factors associated with the outcome.

Results: Full vaccination coverage rates varied significantly across countries, with Gambia presenting the highest rate (86.4%) and Guinea the lowest (21.2%). Factors associated with full vaccination coverage included place of residence, maternal education and age, economic status, place of delivery, possession of a health card, and attendance at prenatal care services.

Conclusion: The study highlighted significant disparities in vaccination coverage among children in Sub-Saharan Africa, influenced by sociodemographic and economic factors. Investing in maternal education, improving economic conditions, and strengthening healthcare infrastructure are essential measures to reduce these inequalities.

Keywords: vaccination coverage, childhood immunization, health inequalities, public health, Sub-Saharan Africa

Introduction

Vaccination is widely recognized as one of the most effective public health interventions for preventing infectious diseases and reducing child mortality [1]. The World Health Organization (WHO) estimates that immunization prevents between 2 to 3 million deaths annually worldwide [2]. However, vaccine coverage remains unequal, particularly in low- and middle-income countries, where social, economic, and cultural barriers can limit access to vaccines [3, 4].

Sub-Saharan Africa (SSA) is one of the regions facing the greatest challenges in terms of vaccine coverage. Disparities exist both between and within countries, with significant differences associated with factors such as maternal education level, economic status, geographical location (urban versus rural), and access to information [5, 6]. These disparities result in heightened vulnerability among underserved populations, exacerbating health inequities. Previous studies have demonstrated that maternal education is one of the strongest determinants of child vaccination coverage, with more educated mothers being more likely to adhere to their children's vaccination schedules [7, 8]. Moreover, families with higher economic status have better access to healthcare services and are more likely to complete vaccination schedules [9]. Urban healthcare infrastructure also facilitates higher vaccination coverage compared to rural areas, where service availability is limited [4].

In the context of SSA, where cultural and religious diversity is significant, religious affiliation has also been identified as a factor influencing vaccination acceptance [8, 10]. For example, studies indicate that children from Muslim families have lower rates of full vaccination compared to those from Christian families in some countries [7]. This study aims to explore disparities in vaccine coverage among children aged 12 to 23 months in 10 SSA countries, identifying the key social and economic determinants influencing these disparities.

Methods

Study design and data Sources

This study utilized data from the Demographic and Health Surveys (DHS) and Multiple Indicator Cluster Surveys (MICS) of ten SSA countries. The most recent secondary datasets from Ghana, Nigeria, Liberia, Guinea, Gambia, Ethiopia, Côte d'Ivoire, Benin, Burkina Faso, and Cameroon were analyzed (Figure 1). DHS and MICS are nationally representative surveys that collect data on key health indicators, such as maternal and child health, mortality, morbidity, family planning services use, and vaccination coverage [11]. These datasets are accessible upon request and approval via the following link: <https://www.dhsprogram.com/Data>.

Study Variables

The dependent variable was full vaccination coverage, defined as a child receiving one dose of BCG vaccine, three doses of the polio vaccine, three doses of the pentavalent vaccine (DPT), and one dose of the measles vaccine [12, 13].

The independent variables included religion (Christian, Muslim, and others), parental education level (none, primary, secondary, and higher), mother's marital status (single, married/cohabiting, divorced/separated, and widowed), mother's occupation (unemployed, informal sector, formal sector, and self-employed), access to prenatal care (none, limited, and adequate), type of residence (urban or rural), proximity to healthcare facilities (<1 km, 1–5 km, >5 km), access to information (presence of TV and/or radio), and family economic status (stratified into wealth quintiles: very poor, poor, middle, rich, very rich).

Statistical analysis

Descriptive analysis was initially performed, including frequencies, means, and 95% confidence intervals for each vaccination indicator by country. Associations between full vaccination coverage and independent variables were tested using the chi-square or Fisher's exact test. Logistic regression models were then applied to identify factors associated with full vaccination coverage, adjusting for potential confounding variables. Data analysis was conducted using R software version 4.3.2 (<https://www.r-project.org/>).

Results

Vaccination coverage and disparities

Full vaccination coverage among children aged 12 to 23 months in ten Sub-Saharan African countries exhibited wide variation, highlighting significant disparities across the region. Gambia recorded the highest coverage rate at 86.4% (95% CI: 84.5–88), while Guinea had the lowest, with only 21.2% (95% CI: 19.1–23.5). In Ghana, BCG vaccine coverage was 95.1% (95% CI: 93.9–96), and DPT1 coverage reached 96.9% (95% CI: 96.1–97.7). In contrast, Nigeria showed low coverage rates for DPT3 and Polio 3 vaccines, with 50.1% (95% CI: 48.8–51.4) and 47.2% (95% CI: 45.9–48.7), respectively (Table 1). Furthermore, Guinea stood out negatively with low measles vaccine coverage, achieving only 37.2% (95% CI: 34.7–39.8) (**Figures 1 and 2**).




Figure 1. Map of African countries participating in the study on vaccination coverage among children aged 12 to 23 months in 10 Sub-Saharan African countries.




Figure 2. Percentage of vaccination coverage among children aged 12 to 23 months for different vaccines in SSA (2017–2022).

Vaccination coverage

Various sociodemographic and economic factors were associated with full vaccination coverage, as presented in Table 2. Religion significantly influenced vaccination rates, with children from Christian families in countries such as Ghana, Nigeria, and Cameroon exhibiting higher coverage compared to those from other religions ($p < 0.001$). Similarly, urban residence was consistently associated with better vaccination rates in countries like Burkina Faso, Ghana, and Cameroon ($p < 0.01$). Maternal education also emerged as a critical factor, with children of mothers with higher education achieving higher vaccination coverage in Ghana, Benin, and Nigeria ($p < 0.001$). Family economic status was another significant determinant, with children from wealthier families showing higher vaccination coverage than those from poorer families, as observed in Côte d'Ivoire (68.0% versus 25.2%; $p < 0.001$). Other factors, such as proximity to healthcare facilities and access to information, also influenced vaccination rates.

Logistic models of factors associated with vaccination coverage

Tables 3, 4, and 5 present crude and adjusted logistic regression models, highlighting maternal higher education as a key factor for full vaccination coverage. In Ghana, children of mothers with higher education were 3.6 times more likely to be fully vaccinated compared to those whose mothers had no education (AOR: 3.60; 95% CI: 1.93–6.72). Similar results were observed in Côte d'Ivoire, Cameroon, Nigeria, Guinea, and Ethiopia, with AORs ranging from 2.21 to 4.97.

Residence also significantly influenced vaccination coverage. In Gambia, children in rural areas had only 32% of the odds of being fully vaccinated compared to those in urban areas (AOR: 0.32; 95% CI: 0.21–0.50). Conversely, in Burkina Faso and Côte d'Ivoire, children in rural areas showed higher vaccination coverage than those in urban settings. Family economic status was another critical determinant. Children from wealthy families in countries such as Nigeria, Liberia, and Guinea were significantly more likely to achieve full vaccination coverage compared to those from poorer families. Other factors included maternal age, with mothers aged 30–39 years in Cameroon and Côte d'Ivoire having higher odds of fully vaccinating their children

compared to mothers aged 15–19 years. Additionally, children born in public institutions and those possessing a vaccination card were more likely to achieve full vaccination coverage.

Discussion

This study revealed significant variation in full vaccination coverage rates across the analyzed countries. While Gambia (86.4%), Ghana (74.6%), and Burkina Faso (72.4%) demonstrated the highest rates, countries such as Nigeria, Liberia, Guinea, Côte d'Ivoire, and Benin reported coverage rates below 50%. These findings align with previous studies conducted in other contexts, such as Tanzania (71.1%) [6], Pakistan (74.1%) [14], Ethiopia (75.6%) [15], Southeast Asia (78.6%) [16] and Mozambique (71.8%) [17]. Additional research using DHS data found similar results for Ethiopia, with a rate of 58.4% [18], while more recent data from 2023 reported a lower rate of 39.09% [19]. In Nigeria, full vaccination coverage increased from 11% in 2013 to 18% in 2018 [20], rates still lower compared to the national coverage identified in this study (30.5%). In SSA, only about 60% of children aged 12–23 months receive complete immunization [21]. In comparison, India had a rate of 60.9% while China achieved 83.1% [22].

Although differences in full vaccination coverage rates may partially be attributed to variations in study designs and methodologies, the findings underscore inequalities in vaccination coverage both within SSA and in comparison, to other countries worldwide. These disparities can be attributed to differences in healthcare infrastructure quality, vaccination policies, awareness of immunization importance, and diverse sociocultural, geographic, and economic factors [13].

Bivariate analysis revealed significant associations between full vaccination coverage and factors such as religion, type of residence, maternal education, access to information, maternal age, economic status, maternal occupation, distance to healthcare facilities, place of birth, health insurance, possession of a vaccination card, and frequency of prenatal care visits. After adjusting for potential confounders, the determinants that remained significantly associated included residence, maternal education, maternal age, economic status, place of birth, possession of a vaccination card, and frequency of prenatal care visits.

In this study, children in urban areas generally showed lower vaccination coverage compared to those in rural areas, consistent with previous findings [12, 18, 19], although rural children in Gambia exhibited lower coverage. This discrepancy may be explained by limited awareness, difficulties accessing healthcare services, and low utilization of vaccination services among rural residents [23]. Interestingly, children of mothers with higher education showed greater vaccination coverage compared to those with uneducated mothers, a result supported by prior studies [17, 19, 24, 25]. These findings highlight the importance of education and awareness interventions to improve childhood vaccination coverage, especially among vulnerable populations. Regarding maternal age, results were mixed. In Gambia, children of adolescent mothers showed lower vaccination coverage compared to those of non-adolescent mothers, consistent with other studies [25]. This may be due to adolescent mothers having less contact with healthcare services, where they would receive guidance on childhood vaccination, thereby improving their children's immunization coverage.

Concerning the place of birth, children born in public health institutions exhibited higher vaccination coverage in nearly all countries included in this study compared to those born outside such institutions. This finding is consistent with other research [12, 15, 18, 19, 23, 26, 27]. As institutional births provide an opportunity for newborns to receive the initial doses of vaccines [27]. Moreover, these settings raise maternal awareness of the importance of immunization, appropriate timing for vaccines, and potential side effects, which can enhance adherence to immunization schedules [23]. Similarly, possession of a vaccination card proved crucial for vaccination coverage. Across all analyzed countries, children whose mothers reported having a vaccination card had higher coverage compared to those whose mothers did not [2, 28, 29]. This

is likely because vaccination cards help caregivers track immunization schedules, encouraging full adherence.

Another important factor was attendance at prenatal care visits. Children whose mothers participated in prenatal care had higher vaccination coverage compared to those whose mothers did not receive such care. These findings align with previous research [18, 25], likely due to the guidance provided to mothers during prenatal visits regarding the importance of childhood immunization and adherence to recommended schedules [30].

This study has some limitations. The cross-sectional nature of the data does not allow for causal relationships to be established between full vaccination coverage and explanatory variables. Additionally, vaccination status relied on vaccination cards or maternal recall, which may introduce recall bias, and supply-side factors influencing immunization could not be evaluated due to data limitations. Nevertheless, the study utilized extensive, nationally representative data applicable to children aged 12–23 months in the ten analyzed countries. It also included a broad range of variables in the multivariate analysis, reinforcing the validity of the findings. Caution is recommended when generalizing results to other regions, as this study focused on ten Sub-Saharan African countries.

Conclusion

The study identified significant variations in full vaccination coverage rates among the analyzed countries, with most exhibiting concerning low rates. Factors such as residence, maternal education and age, economic status, place of birth, possession of a vaccination card, and frequency of prenatal care visits were identified as key determinants of vaccination coverage. These findings highlight the urgent need for integrated policies promoting maternal education, improving economic conditions, and expanding healthcare infrastructure, particularly in vulnerable areas. Additionally, targeted and accessible interventions are essential to ensure that all children have access to essential immunization, promoting health and reducing inequalities.

Declarations

Ethical Consideration and consent to participate

As this study was based on a secondary analysis of data from surveys publicly available through the DHS program, it was not necessary to obtain ethical approval or consent from participants for this particular study. Permission was requested from the DHS program, and authorization was granted for downloading and using the data available at <http://www.dhsprogram.com>. The data files do not contain names of individuals or residential addresses, ensuring the confidentiality and anonymity of the information.

Informed Consent Statement

Not applicable

Acknowledgments

The authors would like to acknowledge www.dhsprogram.com (access date: 18th May 2024) for giving us access to all datasets.

Consent for publication

Not applicable.

Availability of data and materials

In this study, publicly available datasets (DHS and MIS, between 2017 and 2022) were analyzed. Upon registration and request, these data can be found at the following link: https://dhsprogram.com/data/dataset_admin/index.cfm.

Competing interests

The authors declare that there are no competing interests.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or nonprofit sectors.

Authors' contributions

All authors contributed to the study's conceptualization and reviewed and submitted the manuscript. SX conducted data analysis, while SX, AV, MM, PHC, and AS were involved in interpreting and appropriating the manuscript. SX was responsible for data requests. All authors read and approved the final manuscript.

References

1. Hussain S (2019) Immunization and Vaccination. *Psychiatry Pandemics A Ment Heal Response to Infect Outbreak* 153–177
2. Adokiya MN, Baguune B, Ndago JA (2017) Evaluation of immunization coverage and its associated factors among children 12–23 months of age in Techiman Municipality, Ghana, 2016. *Arch public Heal* 75:1–10
3. Ali HA, Hartner A-M, Echeverria-Londono S, et al (2022) Vaccine equity in low and middle income countries: a systematic review and meta-analysis. *Int J Equity Health* 21:82
4. Bergen N, Cata-Preta BO, Schlotheuber A, Santos TM, Danovaro-Holliday MC, Mengistu T, Sodha S V, Hogan DR, Barros AJD, Hosseinpoor AR (2022) Economic-Related Inequalities in Zero-Dose Children: A Study of Non-Receipt of Diphtheria-Tetanus-Pertussis Immunization Using Household Health Survey Data from 89 Low- and Middle-Income Countries. *Vaccines*. <https://doi.org/10.3390/vaccines10040633>
5. Costa JC, Weber AM, Darmstadt GL, Abdalla S, Victora CG (2020) Religious affiliation and immunization coverage in 15 countries in Sub-Saharan Africa. *Vaccine* 38:1160–1169
6. Ekouevi DK, Gbeasor-Komlanvi FA, Yaya I, Zida-Compaore WI, Boko A, Sewu E, Lacle A, Ndibu N, Toke Y, Landoh DE (2018) Incomplete immunization among children aged 12-23 months in Togo: a multilevel analysis of individual and contextual factors. *BMC Public Health* 18:952
7. Sheikh N, Sultana M, Ali N, Akram R, Mahumud RA, Asaduzzaman M, Sarker AR (2018) Coverage, Timelines, and Determinants of Incomplete Immunization in Bangladesh. *Trop Med Infect Dis*. <https://doi.org/10.3390/tropicalmed3030072>
8. Russo G, Miglietta A, Pezzotti P, Biguioh RM, Bouting Mayaka G, Sobze MS, Stefanelli P, Vullo V, Rezza G (2015) Vaccine coverage and determinants of incomplete vaccination in children aged 12–23 months in Dschang, West Region, Cameroon: a cross-sectional survey during a polio outbreak. *BMC Public Health* 15:1–11
9. McMaughan DJ, Oloruntoba O, Smith ML (2020) Socioeconomic status and access to

- healthcare: interrelated drivers for healthy aging. *Front public Heal* 8:231
10. Ellison CG, Levin JS (1998) The religion-health connection: evidence, theory, and future directions. *Heal Educ Behav Off Publ Soc Public Heal Educ* 25:700–720
 11. Tesema GA, Tessema ZT, Tamirat KS, Teshale AB (2020) Complete basic childhood vaccination and associated factors among children aged 12–23 months in East Africa: a multilevel analysis of recent demographic and health surveys. *BMC Public Health* 20:1837
 12. Wassenaar M, Fombah AE, Chen H, et al (2024) Immunisation coverage and factors associated with incomplete immunisation in children under two during the COVID-19 pandemic in Sierra Leone. *BMC Public Health* 24:143
 13. Kibreab F, Lewycka S, Tewelde A (2020) Impact of mother’s education on full immunization of children aged 12-23 months in Eritrea: population and health survey 2010 data analysis. *BMC Public Health* 20:267
 14. Rehman SU, Siddiqui AR, Ahmed J, Fatmi Z, Shah SM, Rahman A, Yousafzai MT (2017) Coverage and predictors of routine immunization among 12-23 months old children in disaster affected communities in Pakistan. *Int J Health Sci (Qassim)* 11:1–6
 15. Mekonnen AG, Bayleyegn AD, Ayele ET (2019) Immunization coverage of 12–23 months old children and its associated factors in Minjar-Shenkora district, Ethiopia: a community-based study. *BMC Pediatr* 19:1–8
 16. Legesse E, Dechasa W (2015) An assessment of child immunization coverage and its determinants in Sinana District, Southeast Ethiopia. *BMC Pediatr* 15:1–14
 17. Jani J V, De Schacht C, Jani I V, Bjune G (2008) Risk factors for incomplete vaccination and missed opportunity for immunization in rural Mozambique. *BMC Public Health* 8:1–7
 18. Tesfaye TD, Temesgen WA, Kasa AS (2018) Vaccination coverage and associated factors among children aged 12–23 months in Northwest Ethiopia. *Hum Vaccin Immunother* 14:2348–2354
 19. Sako S, Gilano G, Hailegebreal S (2023) Determinants of childhood vaccination among children aged 12–23 months in Ethiopia: a community-based cross-sectional study. *BMJ Open* 13:e069278
 20. Matthew Ayodele A, Fasasi MI, Rejoice Uche O, Gideon Ikemdinachi N, Henry Ugochukwu U (2024) Factors associated with full childhood vaccination coverage among young mothers in Northern Nigeria. *Pan Afr Med J* 47:4
 21. Fenta SM, Biresaw HB, Fentaw KD, Gebremichael SG (2021) Determinants of full childhood immunization among children aged 12–23 months in sub-Saharan Africa: a multilevel analysis using Demographic and Health Survey Data. *Trop Med Health* 49:1–12
 22. Zhang H, Lai X, Mak J, Sriudomporn S, Zhang H, Fang H, Patenaude B (2022) Coverage and equity of childhood vaccines in China. *JAMA Netw Open* 5:e2246005–e2246005
 23. Tamirat KS, Sisay MM (2019) Full immunization coverage and its associated factors among children aged 12–23 months in Ethiopia: further analysis from the 2016 Ethiopia demographic and health survey. *BMC Public Health* 19:1019
 24. Khanam M, Jahan NA (2024) Determinants of Full Vaccination Coverage among Children Aged 12-23 Months in Bangladesh: A Comparison between High- and Low-Performing Divisions. *Int J Pediatr* 2024:7787593
 25. Kundu S, Kundu S, Seidu A-A, Okyere J, Ghosh S, Hossain A, Alshahrani NZ, Banna

- MH Al, Rahman MA, Ahinkorah BO (2023) Factors influencing and changes in childhood vaccination coverage over time in Bangladesh: a multilevel mixed-effects analysis. *BMC Public Health* 23:862
26. Yadita ZS, Ayehubizu LM (2021) Full immunization coverage and associated factors among children aged 12–23 months in Somali Region, Eastern Ethiopia. *PLoS One* 16:e0260258
 27. Etana B, Deressa W (2012) Factors associated with complete immunization coverage in children aged 12–23 months in Ambo Woreda, Central Ethiopia. *BMC Public Health* 12:566
 28. Sarder MA, Lee KY, Keramat SA, Hashmi R, Ahammed B (2023) A multilevel analysis of individual and community-level factors associated with childhood immunisation in Bangladesh: Evidence from a pooled cross-sectional survey. *Vaccine X* 14:100285
 29. Seror V, Cortaredona S, Ly EY, Ndiaye S, Gaye I, Fall M, Peretti-Watel P (2020) Vaccination card availability and childhood immunization in Senegal. *BMC Public Health* 20:658
 30. Gualu T, Dilie A (2017) Vaccination Coverage and Associated Factors among Children Aged 12–23 Months in Debre Markos Town, Amhara Regional State, Ethiopia. *Adv Public Heal* 2017:5352847

Table 1: Vaccination coverage in children aged 12 to 23 months in 10 Sub-Saharan African countries (2017-2022)**Cobertura vacinal por país**

Immunization	Ghana (N = 1896) 2022	Nigeria (N = 5982) 2018	Liberia (N = 1021) 2019-20	Guinea (N = 1378) 2018	Gambia (N = 1527) 2019-20	Ethiopia (N = 1688) 2019	Côte d'Ivoire (N = 1752) 2021	Benin (N = 2327) 2017-18	Burkina-Faso (N = 2257) 2021	Cameroon (N = 1688) 2018
	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)	% (CI 95%)
BCG	95.1 (93.9; 96.0)	66.4 (65.2; 67.6)	91.4 (89.4; 92.9)	71.8 (69.4; 74.2)	98.8 (98.1; 99.3)	86.9 (85.2; 88.5)	86.8 (85.1; 88.3)	88.0 (86.6; 89.2)	97.2 (96.4; 97.8)	86.9 (85.2; 88.5)
DPT 1	96.9 (96.1; 97.7)	64.4 (63.2; 65.6)	91.5 (89.5; 93.1)	60.4 (57.8; 63.0)	98.4 (97.5; 98.9)	82.6 (80.7; 84.4)	73.8 (71.7; 75.8)	84.1 (82.5; 85.5)	95.4 (94.4; 96.2)	82.6 (80.7; 84.4)
DPT 2	94.6 (93.4; 95.5)	57.3 (56.0; 58.5)	83.2 (80.7; 85.4)	47.6 (44.9; 50.3)	96.7 (95.6; 97.5)	78.9 (76.8; 80.8)	66.1 (63.8; 68.3)	78.6 (76.8; 80.2)	93.0 (91.9; 94.0)	78.9 (76.8; 80.8)
DPT 3	89.3 (87.8; 90.6)	50.1 (48.8; 51.4)	68.8 (65.8; 71.6)	38.0 (35.6; 40.7)	94.6 (93.3; 95.6)	72.9 (70.7; 75.0)	57.5 (55.1; 59.8)	73.8 (71.9; 75.6)	89.2 (87.8; 90.4)	72.9 (70.7; 75.0)
Polio 0	74.4 (72.3; 76.3)	53.6 (52.4; 54.9)	84.1 (81.7; 86.3)	67.5 (64.9; 69.9)	98.3 (97.5; 98.9)	76.2 (74.1; 78.2)	69.7 (67.5; 71.1)	86.3 (84.8; 87.6)	93.6 (92.5; 94.5)	76.2 (74.1; 78.2)
Polio 1	95.1 (94.1; 96.1)	73.1 (71.9; 74.2)	87.6 (85.3; 89.5)	62.6 (59.9; 65.1)	97.6 (96.6; 98.3)	85.1 (83.3; 86.7)	82.1 (80.2; 83.8)	82.1 (80.5; 83.6)	92.8 (91.6; 93.8)	85.1 (83.3; 86.7)
Polio 2	91.3 (89.9; 92.5)	66.7 (65.5; 67.9)	78.8 (76.2; 81.3)	50.1 (47.5; 52.8)	96.0 (94.9; 96.9)	79.5 (77.5; 81.4)	75.1(73.0; 77.1)	77.5 (75.8; 79.2)	89.9 (88.5; 91.1)	79.5 (77.5; 81.4)
Polio 3	83.9 (82.2; 85.5)	47.2 (45.9; 48.7)	62.9 (59.8; 65.8)	37.7 (35.1; 40.3)	92.9(91.4; 94.1)	69.0 (66.7; 71.1)	63.2(60.9; 65.4)	66.1(64.2; 68.1)	82.0(80.4; 83.6)	69.0(66.7; 71.1)
Sarampo 1	86.7 (85.1; 88.2)	53.1 (51.8; 54.4)	71.5 (68.6; 74.2)	37.2 (34.7; 39.8)	92.1 (90.6; 93.4)	65.5 (63.1; 67.8)	65.0 (62.7; 67.2)	68.0 (66.1; 69.9)	85.8 (84.3; 87.2)	65.5 (63.2; 67.8)
Coverage										
Complete	74.6 (72.5; 76.5)	30.5 (29.4; 31.7)	49.8 (46.6; 52.9)	21.2 (19.1; 23.5)	86.4 (84.5; 88.0)	53.1 (50.7; 55.5)	38.8 (36.5; 41.1)	56.5 (54.4; 58.5)	72.4 (70.5; 74.3)	53.1 (50.7; 55.5)
Incomplete	25.4 (23.5; 27.5)	69.5 (68.3; 70.6)	50.2 (47.1; 53.4)	78.8 (76.5; 80.9)	13.6 (12.0; 15.5)	46.9 (44.5; 49.3)	61.2 (58.9; 63.5)	43.5 (41.5; 45.6)	27.6 (25.7; 29.5)	46.9 (44.5; 49.3)

Table 2: Inequities in complete vaccination coverage by country, related to socioeconomic, geographic, maternal and child health characteristics (2017-2022)

Características	Complete vaccination coverage by country																			
	Ghana (N = 1896)		Nigeria (N = 5982)		Liberia (N = 1021)		Guinea (N = 1378)		Gambia (N = 1527)		Ethiopia (N = 1688)		Côte d'Ivoire (N = 1752)		Benin (N = 2327)		Burkina-Faso (N = 2257)		Cameroon (N = 1688)	
	2022	2018	2018	2018	2019-20	2018	2019-20	2018	2019-20	2019	2019	2019	2021	2017-18	2021	2017-18	2021	2018	2018	2018
Yes (%)	No (%)	Yes(%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	Yes (%)	No (%)	
Religion	P < 0.001		P < 0.001		P = 0.037		P = 0.018		P = 0.381		P < 0.001		P < 0.001		P < 0.001		P = 0.491		P < 0.001	
Traditional/Other	936 (77.3)	275 (22.7)	1033 (42.7)	1386 (57.3)	421 (48.1)	454 (51.9)	36 (30.0)	84 (70.0)	17 (77.3)	5 (22.7)	701 (58.6)	495 (41.4)	336 (45.0)	411 (55.0)	758 (62.4)	456 (37.6)	485 (73.9)	171 (26.1)	701 (58.6)	495 (41.4)
Islam	438 (70.8)	181 (29.2)	787 (22.4)	2724 (77.6)	80 (59.7)	54 (40.3)	256 (20.3)	1002 (79.7)	1302 (86.5)	203 (13.5)	185 (40.2)	275 (59.8)	323 (34.2)	622 (65.8)	413 (48.9)	431 (51.1)	1074 (71.6)	425 (28.4)	185 (40.2)	275 (59.8)
Christian	40 (60.6)	26 (39.4)	7 (13.5)	45 (86.5)	7 (58.3)	5 (41.7)	----	----	----	----	10 (31.2)	22 (68.8)	20 (33.3)	40 (66.7)	143 (53.2)	126 (46.8)	76 (74.5)	26 (25.5)	10 (31.2)	22 (68.8)
Type of Residence	P = 0.003		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P = 0.870		P = 0.005		P < 0.001		P < 0.001	
Urban	785 (72.0)	306 (28.0)	918 (23.4)	3001 (76.6)	315 (45.9)	372 (54.1)	172 (17.8)	795 (82.2)	762 (90.3)	82 (9.7)	448 (47.4)	497 (52.6)	399 (39.0)	625 (61.0)	758 (54.1)	643 (45.9)	1199 (74.7)	406 (25.3)	448 (47.4)	497 (52.6)
Rural	629 (78.1)	176 (21.9)	909 (44.1)	1154 (55.9)	193 (57.8)	141 (42.2)	120 (29.2)	291 (70.8)	557 (81.6)	126 (18.4)	448 (60.3)	295 (39.7)	280 (38.5)	448 (61.5)	556 (60.0)	370 (40.0)	436 (66.9)	216 (33.1)	448 (60.3)	295 (39.7)
Maternal Education	P < 0.001		P < 0.001		P = 0.021		P < 0.001		P = 0.947		P < 0.001		P < 0.001		P < 0.001		P = 0.225		P < 0.001	
None	357 (66.5)	180 (27.8)	390 (15.0)	2215 (85.0)	201 (49.1)	208 (50.9)	191 (18.8)	824 (81.2)	664 (86.5)	104 (13.5)	138 (36.3)	242 (63.7)	380 (33.5)	755 (66.5)	750 (51.3)	713 (48.7)	1112 (72.4)	423 (27.6)	138 (36.3)	242 (63.7)
Primary	221 (72.2)	85 (27.8)	278 (32.0)	591 (68.0)	162 (48.5)	172 (51.5)	33 (20.9)	121 (79.1)	266 (85.5)	45 (14.5)	267 (46.9)	302 (53.1)	145 (46.0)	170 (54.0)	277 (62.8)	164 (37.2)	216 (73.7)	77 (26.3)	267 (64.5)	302 (53.1)
Secondary	717 (78.9)	192 (21.1)	859 (42.5)	1161 (57.5)	133 (50.2)	132 (49.8)	50 (29.2)	121 (70.8)	351 (86.5)	54 (13.3)	420 (64.5)	231 (35.5)	113 (46.7)	129 (53.3)	262 (68.4)	121 (31.6)	284 (70.5)	119 (27.6)	420 (64.5)	231 (35.5)
Higher	119 (82.6)	25 (17.4)	300 (61.5)	188 (38.5)	12 (92.3)	1 (7.7)	18 (52.9)	16 (47.1)	38 (88.4)	5 (11.6)	71 (80.7)	17 (19.3)	41 (68.3)	19 (53.3)	25 (62.5)	15 (37.5)	23 (88.5)	3 (11.5)	71 (80.7)	17 (19.3)
Access to Information (TV or Radio)	P = 0.007		P < 0.001		P = 0.181		P = 0.002		P = 0.500		P < 0.001		P = 0.009		P = 0.015		P = 0.026		P < 0.001	
Yes	369 (70.2)	157 (29.8)	390 (18.8)	1681 (81.2)	275 (47.8)	300 (52.2)	70 (16.2)	363 (83.8)	237 (84.9)	42 (15.1)	278 (43.0)	369 (57.0)	184 (34.1)	356 (65.9)	471 (53.2)	414 (46.8)	517 (69.6)	226 (30.4)	278 (43.0)	369 (57.0)
No	1045 (76.3)	325 (23.7)	1437 (36.7)	2474 (63.3)	233 (52.2)	213 (47.8)	222 (23.5)	723 (76.5)	1082 (86.7)	166 (13.3)	618 (59.4)	423 (40.6)	495 (40.8)	717 (59.2)	843 (58.5)	599 (41.5)	1118 (73.8)	396 (26.2)	618 (59.4)	423 (40.6)
Maternal Age	P = 0.539		P < 0.001		P = 0.780		P = 0.291		P = 0.025		P = 0.650		P = 0.104		P = 0.461		P = 0.074		P = 0.650	
15-19	112 (70.9)	46 (29.1)	134 (18.2)	604 (81.8)	98 (18.8)	99 (81.2)	45 (18.8)	195 (81.2)	115 (79.3)	30 (20.7)	160 (50.5)	157 (49.5)	74 (32.5)	154 (67.5)	134 (55.6)	107 (44.4)	210 (70.9)	86 (29.1)	160 (50.5)	157 (49.5)
20-29	682 (74.0)	240 (26.0)	943 (30.6)	2142 (69.4)	229 (49.2)	236 (50.8)	155 (23.1)	517 (76.9)	710 (87.8)	99 (12.2)	461 (53.5)	401 (46.5)	323 (38.3)	521 (61.7)	774 (57.7)	567 (42.3)	794 (71.7)	314 (28.3)	461 (53.5)	401 (46.5)
30-39	523 (76.0)	165 (24.0)	685 (36.1)	1211 (63.9)	142 (49.1)	147 (50.9)	83 (20.7)	318 (79.3)	430 (85.5)	73 (14.5)	252 (54.5)	210 (45.5)	240 (41.2)	343 (58.8)	350 (54.0)	298 (46.0)	547 (75.4)	178 (24.6)	252 (54.5)	210 (45.5)
40-49	97 (75.8)	31 (24.2)	65 (24.7)	198 (75.3)	39 (55.7)	31 (44.3)	9 (13.8)	56 (86.2)	64 (91.4)	6 (8.6)	23 (48.9)	24 (51.1)	42 (43.3)	55 (56.7)	56 (57.7)	41 (42.3)	84 (65.6)	44 (34.4)	23 (48.9)	24 (51.1)
Economic Condition	P < 0.001		P < 0.001		P < 0.001		P < 0.001		P = 0.139		P < 0.001		P = 0.020		P < 0.001		P = 0.550		P < 0.001	

Poor	258 (75.20)	85 (24.8)	383 (31.1)	848 (68.9)	116 (60.1)	77 (39.9)	46 (18.3)	206 (81.7)	52 (16.5)	264 (83.5)	225 (54.7)	186 (45.3)	164 (41.6)	230 (58.4)	313 (61.5)	196 (38.5)	348 (73.3)	127 (26.7)	225 (54.7)	186 (45.3)
Middle	764 (71.4)	306 (28.6)	485 (17.5)	2279 (82.5)	287 (44.5)	358 (55.5)	96 (15.1)	539 (84.9)	104 (12.2)	750 (87.8)	301 (42.5)	407 (57.5)	313 (35.5)	568 (64.5)	415 (46.4)	480 (53.6)	650 (73.3)	237 (26.7)	301 (42.5)	407 (57.5)
Rich	392 (81.2)	91 (18.8)	959 (48.3)	1028 (51.7)	105 (57.4)	78 (42.6)	150 (30.5)	341 (69.5)	52 (14.6)	305 (85.4)	370 (65.0)	199 (35.0)	202 (42.3)	275 (57.7)	586 (63.5)	337 (36.5)	637 (71.2)	258 (28.8)	370 (65.0)	199 (35.0)
Current Maternal Occupation	P = 0.525		P < 0.001		P = 0.241		P = 0.015		P = 0.024		P = 0.893		P = 0.744		P = 0.001		P < 0.001		P = 0.893	
No	284 (73.2)	104 (26.8)	488 (24.9)	1473 (75.1)	151 (46.9)	171 (53.1)	76 (17.2)	366 (82.8)	615 (84.2)	115 (15.8)	305 (52.8)	273 (47.2)	254 (38.2)	411 (61.8)	240 (49.9)	241 (50.1)	542 (65.9)	281 (34.1)	305 (52.8)	273 (47.2)
Yes	1130 (74.9)	378 (25.1)	1339 (33.3)	2682 (66.7)	357 (51.1)	342 (48.9)	216 (23.1)	720 (76.9)	704 (88.3)	93 (11.7)	591 (53.2)	519 (46.8)	425 (39.1)	662 (60.9)	1074 (58.2)	772 (41.8)	1093 (76.2)	341 (23.8)	591 (53.2)	519 (46.8)
Distance to hospital	P = 0.004		P < 0.001		P = 0.363		P < 0.001		P = 0.089		P = 0.038		P = 0.017		P < 0.001		P = 0.584		P = 0.038	
Not a big problem	385 (70.0)	165 (30.0)	384 (21.3)	1418 (78.7)	185 (47.8)	202 (52.2)	99 (15.2)	553 (84.8)	417 (88.7)	53 (11.3)	357 (50.1)	356 (49.9)	308 (35.9)	551 (64.1)	400 (49.8)	403 (50.2)	606 (71.7)	239 (28.3)	357 (50.1)	356 (49.9)
Big problem	1029 (76.4)	317 (23.6)	1443 (34.5)	2737 (65.5)	323 (50.9)	311 (49.1)	193 (26.6)	533 (73.4)	902 (85.3)	155 (14.7)	539 (55.3)	436 (44.7)	371 (41.5)	522 (58.5)	914 (60.0)	610 (40.0)	1029 (72.9)	383 (27.1)	539 (55.3)	436 (44.7)
Place of Birth	P < 0.001		P < 0.001		P < 0.001		P < 0.001		P = 0.016		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001	
Home	157 (62.8)	93 (37.2)	661 (19.5)	2734 (80.5)	67 (37.2)	113 (62.8)	78 (12.2)	561 (87.8)	45 (18.0)	205 (82.0)	180 (36.5)	313 (63.5)	117 (28.7)	291 (71.3)	72 (24.1)	227 (75.9)	68 (54.0)	58 (46.0)	180 (36.5)	313 (63.5)
Private sector/others	130 (75.6)	42 (24.4)	409 (48.7)	431 (51.3)	40 (40.4)	59 (59.6)	17 (22.7)	58 (77.3)	21 (20.2)	83 (79.8)	252 (63.8)	143 (36.2)	36 (52.2)	33 (47.8)	223 (57.6)	164 (42.4)	38 (74.5)	13 (25.5)	252 (63.8)	143 (36.2)
Public sector	1127 (76.5)	347 (23.5)	754 (43.3)	986 (56.7)	401 (54.1)	340 (45.9)	197 (29.7)	467 (70.3)	142 (12.1)	1031 (87.9)	463 (58.2)	332 (41.8)	526 (41.4)	744 (58.8)	1016 (62.1)	621 (37.9)	1524 (73.5)	549 (26.5)	463 (58.2)	332 (41.8)
Health Insurance	P < 0.001		P < 0.001		P = 0.548		P = 0.234		P = 0.890		P = 0.019		P = 0.011		P = 0.001		P = 0.598		P = 0.019	
No	69 (60.0)	69 (60.0)	1757 (30.0)	4093 (70.0)	492 (49.5)	501 (50.5)	287 (21.0)	1078 (79.0)	1299 (86.4)	214 (13.6)	872 (52.7)	784 (47.3)	634 (38.1)	1032 (61.9)	1291 (56.1)	1010 (43.9)	1629 (72.5)	618 (27.5)	872 (52.7)	784 (51.6)
Yes	1345 (75.5)	718 (40.3)	70 (53.0)	62 (47.0)	16 (57.1)	12 (42.9)	5 (38.5)	8 (61.5)	20 (83.3)	4 (16.7)	24 (75.0)	8 (25.0)	45 (52.3)	41 (47.4)	23 (88.5)	3 (11.5)	6 (60.0)	4 (40.0)	24 (75.0)	8 (25.0)
Hospital Card	P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001		P < 0.001	
No/no longer has	14 (7.8)	165 (92.2)	184 (6.0)	2907 (94.0)	27 (10.5)	230 (89.5)	8 (1.9)	406 (98.1)	35 (77.8)	10 (22.2)	33 (9.4)	319 (90.6)	4 (1.5)	269 (98.5)	35 (8.7)	366 (91.3)	18 (9.8)	165 (90.2)	33 (9.4)	319 (90.6)
Yes	1400 (81.5)	317 (18.5)	1643 (56.8)	1248 (43.2)	481 (63.0)	283 (37.0)	284 (29.5)	680 (70.5)	173 (11.7)	1309 (88.3)	863 (64.6)	473 (35.4)	675 (45.6)	804 (54.4)	1279 (66.4)	647 (33.6)	1617 (78.0)	457 (22.0)	863 (64.6)	473 (35.4)
Prenatal Care	P < 0.001		P < 0.001		P < 0.001		P < 0.001		P = 0.010		P < 0.001		P < 0.001		P < 0.001		P = 0.414		P < 0.001	
No visits	949 (76.0)	299 (24.0)	811 (43.9)	1038 (56.1)	320 (56.6)	245 (43.4)	50 (26.9)	136 (73.1)	517 (86.5)	81 (13.5)	299 (63.8)	170 (36.2)	142 (48.8)	149 (51.2)	361 (61.9)	222 (38.1)	156 (70.6)	65 (29.4)	299 (63.8)	170 (36.2)
Frequent	11 (40.7)	16 (59.3)	122 (8.5)	1310 (91.5)	0 (0.00)	19 (100.0)	16 (8.5)	173 (91.5)	2 (40.0)	3 (60.0)	49 (25.4)	144 (74.6)	21 (21.2)	78 (78.8)	27 (11.9)	199 (88.1)	15 (62.5)	9 (37.5)	49 (25.4)	144 (74.6)
Infrequent	383 (72.3)	147 (27.7)	761 (31.9)	1628 (68.1)	164 (41.5)	231 (58.5)	216 (22.7)	735 (7.3)	751 (86.7)	115 (13.3)	503 (53.9)	431 (46.1)	493 (38.0)	802 (62.0)	858 (61.0)	548 (39.0)	1407 (72.9)	523 (27.1)	503 (53.9)	431 (46.1)

Table 3: Crude logistic regression models of the associations between socioeconomic, geographic, maternal and child health characteristics and vaccination coverage (2017-2022)

	Ghana	Nigeria	Liberia	Guinea	Gambia	Ethiopia	Côte d'Ivoire	Benin	Burkina-Faso	Cameroon
	COR	COR	COR	COR	COR	COR	COR	COR	COR	COR
	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)
Religion										
Traditional/Other	Ref	Ref	Ref			Ref	Ref	Ref	Ref	Ref
Islam	1.57 (0.93; 2.65)	1.86 (0.83; 4.13)	1.06 (0.32; 3.51)	Ref	Ref	1.48 (0.68; 3.20)	1.04 (0.60; 1.81)	0.84 (0.64; 1.11)	0.86 (0.55; 1.37)	1.48 (0.68; 3.20)
Christian	2.21 (1.33; 3.69)	4.79 (2.15; 10.67)	0.66 (0.21; 2.10)	1.68 (1.11; 2.54)	1.89 (0.69; 5.17)	3.12 (1.46; 6.64)	1.64 (0.94; 2.85)	1.46 (1.12; 1.91)	0.97 (0.60; 1.57)	3.12 (1.46; 6.64)
Type of Residence										
Urban	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Rural	0.72 (0.58; 0.89)	0.39 (0.35; 0.44)	0.62 (0.48; 0.81)	0.52 (0.40; 0.69)	0.48 (0.35; 0.64)	0.59 (0.49; 0.72)	1.02 (0.84; 1.24)	0.78 (0.66; 0.93)	1.46 (1.20; 1.78)	0.59 (0.49; 0.72)
Maternal Education										
None	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Primary	1.31 (0.96; 1.78)	2.67 (2.23; 3.19)	0.97 (0.73; 1.30)	1.14 (0.75; 1.72)	1.08 (0.74; 1.58)	1.55 (1.19; 2.02)	1.69 (1.32; 2.18)	1.61 (1.29; 2.00)	1.07 (0.80; 1.42)	3.19 (2.45; 4.15)
Secondary	1.88 (1.48; 2.39)	4.20 (3.66; 4.83)	1.04 (0.77; 1.42)	1.78 (1.24; 2.57)	0.98 (0.69; 1.40)	3.19 (2.45; 4.15)	1.74 (1.31; 2.31)	2.06 (1.62; 2.61)	0.91 (0.71; 1.16)	3.19 (2.45; 4.15)
Higher	2.40 (1.50; 3.83)	9.06 (7.33; 11.20)	12.4 (1.60; 96.24)	4.85 (2.43; 9.69)	0.84 (0.32; 2.18)	7.32 (4.2; 12.9)	1.02 (0.84; 1.24)	1.58 (0.83; 3.03)	2.92 (0.87; 9.76)	7.32 (4.15; 12.9)
Access to Information (TV or Radio)										
Yes	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
No	0.73 (0.58; 0.91)	0.40 (0.35; 0.45)	0.84 (0.65; 1.07)	0.63 (0.47; 0.85)	1.16 (0.80; 1.67)	0.52 (0.42; 0.63)	0.75 (0.61; 0.93)	0.81 (0.68; 0.96)	0.81 (0.67; 0.98)	0.52 (0.42; 0.63)
Maternal Age										
15-19	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
20-29	1.17 (0.80; 1.70)	1.98 (1.62; 2.43)	0.98 (0.70; 1.37)	1.30 (0.90; 1.88)	0.53 (0.34; 0.84)	1.13 (0.87; 1.46)	1.29 (0.95; 1.76)	1.09 (0.83; 1.44)	1.04 (0.78; 1.37)	1.13 (0.87; 1.46)
30-39	1.30 (0.89; 1.91)	2.55 (2.07; 3.14)	0.98 (0.68; 1.40)	1.13 (0.75; 1.69)	0.65 (0.41; 1.04)	1.18 (0.88; 1.57)	1.46 (1.05; 2.01)	0.94 (0.70; 1.26)	1.26 (0.93; 1.70)	1.18 (0.88; 1.57)
40-49	1.29 (0.76; 2.18)	1.48 (1.06; 2.07)	1.27 (0.73; 2.20)	0.70 (0.32; 1.51)	0.36 (0.14; 0.91)	0.94 (0.51; 1.74)	1.59 (0.98; 2.59)	1.09 (0.68; 1.76)	0.78 (0.50; 1.22)	0.52 (0.42; 0.63)
Economic Condition										
Poor	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Middle	1.22 (0.92; 1.61)	2.12 (1.82; 2.48)	1.88 (1.35; 2.61)	1.25 (0.85; 1.85)	1.42 (0.99; 2.04)	1.64 (1.28; 2.09)	1.29 (1.01; 1.65)	1.85 (1.48; 2.31)	1.00 (0.78; 1.29)	1.64 (1.28; 2.09)
Rich	1.73 (1.33; 2.25)	4.38 (3.84; 5.00)	1.68 (1.21; 2.34)	2.47 (1.85; 3.30)	1.23 (0.86; 1.76)	2.51 (2.00; 3.16)	1.33 (1.06; 1.67)	2.01 (1.67; 2.43)	0.90 (0.73; 1.11)	2.51 (2.00; 3.16)
Distance to hospital										
Not a big problem	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Big problem	0.72 (0.58; 0.90)	0.51 (0.45; 0.58)	0.88 (0.68; 1.14)	0.49 (0.38; 0.65)	0.74 (0.53; 1.03)	0.81 (0.67; 0.98)	0.79 (0.65; 0.95)	0.66 (0.56; 0.79)	0.94 (0.78; 1.14)	0.81 (0.67; 0.98)
Place of Birth										
Home	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Private sector/others	1.83 (1.19; 2.82)	3.93 (3.35; 4.60)	1.14 (0.69; 1.89)	2.11 (1.17; 3.80)	1.15 (0.65; 2.05)	3.06 (2.33; 4.04)	2.71 (1.62; 4.56)	4.29 (3.07; 5.98)	2.49 (1.21; 5.13)	3.06 (2.33; 4.04)
Public sector	1.92 (1.45; 2.550)	3.16 (2.78; 3.59)	1.99 (1.42; 2.78)	3.03 (2.27; 4.05)	0.63 (0.43; 0.91)	2.43 (1.92; 3.06)	1.76 (1.38; 2.24)	5.16 (3.89; 6.85)	2.37 (1.65; 3.41)	2.43 (1.92; 3.06)
Health Insurance										
No	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Yes	2.06 (1.39; 3.03)	2.63 (1.86; 3.72)	1.36 (0.64; 2.90)	2.35 (0.76; 7.23)	1.27 (0.43; 3.76)	2.70 (1.20; 6.04)	1.79 (1.16; 2.76)	6.0 (1.80; 20.03)	0.57 (0.16; 2.02)	2.70 (1.20; 6.04)

Hospital Card										
No/no longer has	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Yes	52 (29.76; 91.04)	20.8 (17.61; 24.56)	14.48 (9.47; 22.14)	21.2 (10.39; 43.3)	0.04 (0.02; 0.08)	17.64 (12.; 25.7)	56.5 (20.9; 152)	20.7 (14.4; 29.6)	32.4 (19.7; 53.3)	17.6(12.1 25.7)
Prenatal Care										
No visits	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Frequent	0.22 (0.10; 0.47)	0.12 (0.10; 0.15)	0.01 (0.00; 2.14)	0.25 (0.14; 0.46)	9.6 (1.58; 58.1)	0.19 (0.13; 0.28)	0.28 (0.17; 0.48)	0.08 (0.05; 0.13)	0.69 (0.29; 1.67)	0.19 (0.13; 0.28)
Infrequent	0.82 (0.65; 1.03)	0.60 (0.53; 0.68)	0.54 (0.42; 0.71)	0.80 (0.56; 1.14)	0.98 (0.72; 1.33)	0.66 (0.53; 0.83)	0.64 (0.50; 0.83)	0.96 (0.79; 1.17)	1.12 (0.83; 1.52)	0.66 (0.53; 0.83)

Table 4: Adjusted logistic regression models of associations between socioeconomic, geographic, maternal and child health characteristics and vaccination coverage (DHS and MIS, 2017-2022)

	Ghana	Nigeria	Liberia	Guinea	Gambia	Ethiopia	Côte d'Ivoire	Benin	Burkina-Faso	Cameroon
	AOR	AOR	AOR	AOR	AOR	AOR	AOR	AOR	AOR	AOR
	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)	(CI 95%)
Religion										
Traditional/Other	Ref	Ref	Ref			Ref	Ref	Ref	Ref	Ref
Islam	1.30 (0.70; 2.43)	2.06 (0.79; 5.39)	1.00 (0.26; 3.91)	Ref	Ref	1.51 (0.62; 3.69)	0.92 (0.50; 1.70)	1.12 (0.80; 1.55)	0.82 (0.47; 1.42)	1.51 (0.62; 3.69)
Christian	1.05 (0.56; 1.98)	2.29 (0.88; 5.96)	0.66 (0.18; 2.46)	1.33 (0.83; 2.13)	1.18 (0.37; 3.72)	1.94 (0.81; 4.66)	1.12 (0.61; 2.07)	1.21 (0.88; 1.65)	0.88 (0.50; 1.55)	1.94 (0.81; 4.66)
Type of Residence										
Urban	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Rural	0.95 (0.70; 1.29)	0.89 (0.76; 1.06)	0.81 (0.57; 1.16)	1.34 (0.85; 2.10)	0.34 (0.22; 0.53)	1.11 (0.82; 1.51)	1.57 (1.18; 2.08)	1.05 (0.84; 1.20)	1.58 (1.17; 2.13)	1.11 (0.82; 1.51)
Maternal Education										
None	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Primary	1.21 (0.83; 1.77)	1.20 (0.95; 1.51)	1.12 (0.79; 1.60)	0.89 (0.57; 1.41)	0.97 (0.63; 1.49)	0.89 (0.63; 1.26)	1.45 (1.08; 1.96)	1.22 (0.94; 1.58)	1.00 (0.72; 1.39)	0.89 (0.63; 1.26)
Secondary	1.54 (1.10; 2.16)	1.36 (1.08; 1.70)	1.17 (0.77; 1.78)	1.00 (0.65; 1.56)	0.91 (0.60; 1.39)	1.38 (0.93; 2.06)	1.62 (1.14; 2.29)	1.34 (0.99; 1.80)	0.95 (0.70; 1.29)	1.38 (0.93; 2.06)
Higher	2.80 (1.38; 5.67)	1.97 (1.42; 2.73)	9.35 (0.98; 89.14)	2.96 (1.25; 7.01)	0.70 (0.23; 2.15)	2.81 (1.32; 5.95)	4.43 (2.13; 9.22)	1.15 (0.52; 2.53)	3.79 (0.91; 15.85)	2.81 (1.32; 5.95)
Maternal Age										
15-19	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
20-29	2.80 (1.38; 5.67)	1.60 (1.25; 2.04)	1.11 (0.75; 1.62)	1.26 (0.83; 1.91)	0.42 (0.26; 0.70)	0.98 (0.72; 1.34)	1.24 (0.88; 1.75)	1.12 (0.81; 1.55)	1.00 (0.72; 1.38)	0.98 (0.72; 1.34)
30-39	0.98 (0.61; 1.58)	1.96 (1.51; 2.55)	1.02 (0.66; 1.57)	1.19 (0.75; 1.87)	0.57 (0.34; 0.96)	1.13 (0.80; 1.62)	1.50 (1.04; 2.15)	1.04 (0.73; 1.48)	1.30 (0.91; 1.85)	1.13 (0.80; 1.62)
40-49	1.29 (0.67; 2.47)	1.38 (0.90; 2.10)	1.43; 0.74 (2.76)	0.86; 0.37 (2.01)	0.31; 0.11 (0.84)	1.00; 0.49 (2.05)	1.62; 0.94 (2.79)	1.33; 0.75 (2.34)	0.80 (0.48; 1.33)	1.00 (0.49; 2.05)
Economic Condition										
Poor	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Middle	0.90 (0.63; 1.30)	1.01 (0.83; 1.24)	1.84 (1.23; 2.73)	1.16 (0.76; 1.76)	0.73 (0.45; 1.17)	1.26 (0.92; 1.74)	1.29 (0.96; 1.73)	1.30 (1.01; 1.69)	1.11 (0.83; 1.49)	1.26 (0.92; 1.74)
Rich	1.16 (0.77; 1.75)	1.42 (1.15; 1.77)	1.61 (0.98; 2.64)	2.10 (1.30; 3.38)	0.58 (0.35; 0.98)	1.54 (1.05; 2.26)	1.14 (0.80; 1.62)	1.17 (0.90; 1.52)	1.26 (0.93; 1.72)	1.26 (0.92; 1.74)
Distance to hospital										
Not a big problem	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Big problem	0.99 (0.75; 1.31)	0.81 (0.68; 0.96)	1.20 (0.88; 1.63)	0.74 (0.54; 1.01)	0.82 (0.55; 1.22)	1.24 (0.97; 1.58)	0.94 (0.75; 1.18)	0.93 (0.75; 1.14)	1.00 (0.79; 1.27)	1.24 (0.97; 1.58)

Place of Birth										
Home	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Private sector/others	1.17 (0.68; 2.01)	1.06 (0.84; 1.34)	0.89 (0.49; 1.61)	1.04 (0.53; 2.06)	0.89 (0.45; 1.76)	1.47 (1.01; 2.16)	2.00 (1.08; 3.70)	1.28 (0.82; 1.98)	2.90 (1.24; 6.79)	1.47 (1.01; 2.16)
Public sector	1.51 (1.05; 2.16)	1.18 (0.99; 1.41)	1.46 (0.99; 2.16)	1.77 (1.26; 2.49)	0.50 (0.33; 0.76)	1.24 (0.89; 1.71)	1.63 (1.23; 2.17)	1.56 (1.07; 2.27)	2.72 (1.81; 4.11)	1.24 (0.89; 1.71)
Health Insurance										
No	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Yes	1.39 (0.86; 2.25)	1.49 (0.92; 2.39)	0.84 (0.34; 2.08)	0.94 (0.27; 3.26)	1.53 (0.48; 4.82)	1.60 (0.61; 4.24)	0.77 (0.46; 1.31)	4.1 (1.11; 15.2)	0.5(0.09; 2.41)	1.60 (0.61; 4.24)
Hospital Card										
No/no longer has	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Yes	51.4(28.8; 91.63)	14.7 (12; 17.6)	14.7 (9.50; 22.82)	20.9(9.8; 44.7)	0.03 (0.02; 0.08)	15.6(10.5; 23.2)	53.5 (19.7; 145)	13.6 (9.28; 19.9)	34.8(20.5; 59)	15.62 (10.54; 23.16)
Prenatal Care										
No visits	Ref	Ref		Ref	Ref	Ref	Ref	Ref	Ref	Ref
Frequent	0.64 (0.22; 1.82)	1.80 (1.39; 2.35)	–	0.59 (0.28; 1.25)	0.10 (0.01; 0.77)	1.69 (1.04; 2.76)	1.34 (0.71; 2.53)	3.43 (2.03; 5.79)	0.93 (0.30; 2.87)	1.69 (1.04; 2.76)
Infrequent	0.91 (0.69; 1.20)	1.87 (1.46; 2.38)	–	0.57 (0.29; 1.11)	0.10 (0.01; 0.77)	1.50 (0.97; 2.32)	0.97 (0.55; 1.72)	3.58 (2.19; 5.85)	1.15 (0.38; 3.43)	1.50 (0.97; 2.32)

Table 4: Adjusted logistic regression models analyzing the association between socio-demographic characteristics and complete vaccination coverage in children from SSA Countries (DHS & MIS, 2017-2022)

	Ghana	Nigeria	Liberia	Guinea	Gambia	Ethiopia	Côte d'Ivoire	Benin	Burkina-Faso	Cameroon
	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)	AOR (CI 95%)
Type of Residence										
Urban	–	–	–	–	Ref	–	Ref	–	Ref	–
Rural	–	–	–	–	0.32 (0.21; 0.50)	–	1.43 (1.14; 1.79)	–	1.36 (1.09; 1.71)	–
Maternal Education										
None	Ref	Ref	–	Ref	–	Ref	Ref	Ref	–	Ref
Primary	1.21 (0.85; 1.72)	1.25 (1.00; 1.56)	–	0.83 (0.53; 1.29)	–	1.00 (0.72; 1.39)	1.64 (1.24; 2.15)	1.23(0.96; 1.59)	–	1.00 (0.72; 1.39)
Secondary	1.75 (1.32; 2.32)	1.45 (1.18; 1.78)	–	1.04 (0.69; 1.58)	–	1.68 (1.19; 2.38)	1.93 (1.41; 2.65)	1.36 (1.02; 1.80)	–	1.68 (1.19; 2.38)
Higher	3.60 (1.93; 6.72)	2.21 (1.62; 3.00)	–	3.24 (1.41; 7.46)	–	3.94 (1.97; 7.88)	4.97 (2.56; 9.63)	1.16 (0.52; 2.55)	–	3.94 (1.97; 7.88)
Maternal Age										
15-19	–	Ref	–	–	Ref	–	Ref	–	–	–
20-29	–	1.62 (1.27; 2.07)	–	–	0.41 (0.25; 0.68)	–	1.24 (0.89; 1.74)	–	–	–
30-39	–	2.01 (1.55; 2.61)	–	–	0.57 (0.34; 0.95)	–	1.51 (1.06; 2.15)	–	–	–
Economic Condition										
Poor	–	1.43 (0.94; 2.17)	–	–	0.31 (0.11; 0.83)	–	1.64 (0.96; 2.79)	–	–	–
Middle	Ref	Ref	Ref	Ref	Ref	–	–	Ref	–	–
Rich	–	1.03 (0.84; 1.26)	1.98 (1.36; 2.88)	1.15 (0.77; 1.73)	0.74 (0.46; 1.19)	–	–	1.32 (1.02; 1.71)	–	–
Type of Residence Distância para o CS										
Not a big problem	–	Ref	–	–	–	–	–	–	–	–
Big problem	–	0.81 (0.69; 0.96)	–	–	–	–	–	–	–	–
Local de parto	–	–	–	–	–	–	–	–	–	–
Home										
Sector privado/outros	1.36 (0.82; 2.28)	1.10 (0.88; 1.38)	0.93 (0.52;1.66)	1.02 (0.53; 1.98)	0.91 (0.47; 1.78)	1.59 (1.10; 2.29)	2.03 (1.12; 3.69)	1.32 (0.86; 2.04)	3.65 (1.61; 8.28)	1.59 (1.10; 2.29)
Sector publico	1.59 (1.14; 2.22)	1.20 (1.01; 1.44)	1.47 (1.00; 2.16)	1.83 (1.33; 2.53)	0.50 (0.33; 0.76)	1.32 (0.97; 1.81)	1.70 (1.30; 2.22)	1.60 (1.10; 2.32)	2.72 (1.84; 4.01)	1.32 (0.97; 1.81)
Seguro de saúde										
Não	–	–	–	–	–	–	–	Ref	–	–
Sim	–	–	–	–	–	–	–	4.13 (1.12; 15.26)	–	–
Cartão hospitalar										
No/no longer has	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref	Ref
Yes	57.05 (32; 101)	14.8 (12.3; 17.63)	14.5 (9.4; 22.42)	19.00 (9.25; 39.02)	0.03 (0.02; 0.08)	15.5 (10.5; 23)	56.2(20.7; 152.3)	13.61 (9.30; 19.92)	32.09 (19.5; 52.9)	15.6 (10; 23)
Cuidados prenatais										
Nenhuma visita	–	Ref	–	–	Ref	Ref	–	Ref	–	Ref
Frequente	–	1.83 (1.41; 2.38)	–	–	0.10 (0.01; 0.70)	1.75 (1.08; 2.82)	–	3.58 (2.14; 5.99)	–	1.75 (1.08; 2.82)
Pouco frequente	–	1.87 (1.47; 2.38)	–	–	0.10 (0.01; 0.70)	1.47 (0.96; 2.27)	–	3.65 (2.25; 5.94)	–	1.47 (0.96; 2.27)

Ref indicates the reference category for each variable in the logistic regression model; AOR (Adjusted Odds Ratio); The table also includes 95% confidence intervals for each AOR;