1	"People will not even bring out their children to be immunised, because of the corona
2	vaccine": fake news, misinformation, vaccine hesitancy and the role of community
3	engagement in COVID-19 vaccine acceptance in Southern Ghana
4	
4	
5	Mawulom Kuatewo ¹ Wisdom Ebelin ^{2*} , Phidelia Theresa Doegah ³ , Lebene Kpodo ⁴ , Atsu
6	Godsway Kpordorlor ³ , Samuel Lissah ⁵ , Senanu Djokoto ⁶ , Matilda Aberese-Ako ³ , Evelyn
7	Ansah ^{3,}
8	
9	¹ Hohoe Municipal Health Directorate, Ghana Health Service, P.O. Box 27, Hohoe, Volta
10	Region, Ghana
11	² Evangelical Presbyterian Health Services, Evangelical Presbyterian Headquarters, P.O. Box
12	HP 18, Ho, Volta Region, Ghana
13	³ Institute of Health Research, University of Health and Allied Sciences, PMB 31, Ho, Volta
14	Region, Ghana
15	⁴ Savana Signatures, P.O. Box TL 332, Tamale, Northern Region, Ghana
16	⁵ Department of Agricultural Sciences and Technology, Faculty of Applied Sciences and
17	Technology, Ho Technical University, Ghana
18	⁶ Regional Health Directorate, P.O. Box 72, Ho, Volta Region, Ghana
19	
20	Corresponding author
21	*ebelinwisdom@gmail.com
22	
23	
24	
25	NOTE: This preprint reports new research that has not been certified by peer review and should not be used to guide clinical practice.

2	6	ì

- 27
- 28
- 29
- 30

31 Abstract

Introduction: The novel coronavirus (COVID-19) is characterised by loads of fake news and misinformation, which can influence vaccine acceptance. According to the World Health Organisation, implementing a harmonized public health strategy during an outbreak necessitates effective community engagement and communication, which facilitates public trust and decision-making. This study explored the role of community engagement in the acceptance of COVID-19 vaccine in the midst of fake news and misinformation in two municipalities in Ghana.

Method: A qualitative case study was employed using in-depth interviews with government officials from the Ghana Health Service, Municipal Assembly, Information Services Department and the National Commission on Civic Education and community gatekeepers. Additionally, focus group discussions were conducted with a cross-section of community members to understand the role of community engagement in vaccine acceptance. Qualitative analysis software Nvivo 12 was used to support thematic coding and analysis. All ethical procedures and COVID-19 preventive protocols were observed.

46 Results: Study participants reported the sources of fake news and misinformation about the47 COVID-19 vaccines from interpersonal communication, the radio, and a popular anti-vaccine

48 song. Some of the factors contributing to vaccine hesitancy were community members believed 49 in the fake news and misinformation, low trust in the government and public institutions, and the lack of extensive education on COVID-19 vaccines. The Ghana Health Service was the 50 51 most successful in engaging communities to promote vaccine acceptance in the midst of fake 52 news and misinformation. It leveraged on its existing community-based health planning and services (CHPS) programme, which engaged the communities frequently through routine 53 54 programmes such as durbars, antenatal clinics, child welfare clinics, and other community programmes to carry out engagement. 55

56 **Conclusion:** For Ghana to promote uptake of health interventions, it is important that 57 communities are effectively engaged. This can be done through the provision of resources to 58 responsible government institutions for community engagement. The gains made by 59 government institutions during the pandemic can be sustained through continued community 60 engagement, which will empower them to contribute towards population health.

61 1.0 Introduction

62 Pandemics claim millions of lives when they strike (1). In the absence of an effective treatment, 63 the right information effectively communicated can save lives (2). This therefore requires that health information is provided by scientific experts, medical personnel or health authorities (3). 64 65 Effective communication builds public trust and encourages people to adopt a recommended behavior (4). In the case of the novel COVID-19 pandemic, vaccination has been 66 recommended as the most effective way of curbing the spread of the disease and saving lives 67 (5). Sadly though, epidemics according to Wardle and Derakhshan (2017) are often 68 69 characterized by loads of fake news. For instance it has been reported that during the Ebola epidemic, there was the fake news that anti-Ebola tablets had fatal consequences on people and 70 71 that the vaccine was effective only for people from the white race (7). Similarly, during an

72 outbreak of Hepatitis A in San Diego between 2016-2018, there was dangerous misinformation 73 that the vaccine could lead to autism. The novel coronavirus (COVID-19) has been characterised by huge amounts of misleading and false information about the virus and the 74 75 vaccines (8). According to Bernard et.al., (2021), information that is inconsistent with the facts about the natural history, epidemiology, and clinical outcomes of COVID-19 have been 76 produced from all kinds of sources including the political and scientific world (Bernard et al., 77 78 2021), as well as from the social media (11). (11) have noted that false stories about COVID-19 have become so common that it has become difficult to distinguish fake news from the truth 79 80 The World Health Organization (WHO) has in fact warned the public that the world is in battle 81 over another type of epidemic called 'infodemics' which it defines as the spread of fake news, 82 false information, and false scientific claims. In Vietnam for example, evidence shows that 83 fake information on COVID-19 is more than the official and reliable information given by the 84 authorities (12). Similarly, studies show that fake news and misleading information have become so popular in China and India that the Indian government has resorted to the drastic 85 86 measure of turning off the internet to curb the spread of rumors (13). In the U.S.A., extensive 87 use of social media caused many people to share and rely on false information related to the corona virus (14). 88

Sub-Saharan Africa has been flooded by tons of fake information related to COVID-19 (15). 89 90 According to Osuagwu and others, one such misinformation is that COVID-19 has only slight 91 effects on Blacks compared to Whites (15). In Nigeria for example misinformation and fake news proliferated mainly because the sharers of those news thought they were helping others 92 just as their culture demanded (11). In Ghana, limited community education fuelled 93 94 proliferation of misinformation on COVID-19 and its vaccines such as the COVID-19 vaccine 95 is a chip being implanted in the human body and have resulted in fear, vaccine hesitancy (16), and has been observed as a threat to public health (11). According to WHO, culturally 96

97 appropriate communication can give positive results during an outbreak (World Health 98 Organization, 2018). Additionally, implementing a harmonized public health strategy during an outbreak necessitates effective communication (18) because effective communication is the 99 100 main public trust driver (19). Research evidence has also shown that people are more likely to 101 trust government and believe in vaccination only if they are properly and effectively educated 102 (20). Not only does communication clear doubts in the public's mind but also helps them make 103 the right decision as they will neither over-nor underestimate the severity of the outbreak (21). 104 According to the WHO, vaccine hesitancy is a severe threat to global health (World Health 105 Organization, 2017). Vaccine hesitancy is defined as a delay in the uptake or the refusal of 106 vaccines, despite the availability of vaccination services (23). Several factors can be posited 107 for vaccine hesitancy such as religious persuasion, misinformation, and lack of proper 108 orientation regarding the scientific basis of vaccines and the result of widespread 109 misinformation across multiple social media channels (24). The Ghana Government made 110 several efforts in engaging its citizens to accept the COVID-19 vaccine through some 111 governmental institutions. The Ghana Health Service (GHS) regularly held press briefings to 112 provide a situational report on COVID-19 and educate the populace about the COVID-19 113 vaccine. Also, health personnel involved in the vaccination program sensitized the general 114 public about the safety, efficacy, possible side effects, and benefits of receiving the COVID-115 19 vaccine, which has aided in the acceptance and uptake of the vaccines (25). Furthermore, to 116 promote uptake of the vaccine, the Ghana government adopted multi-faceted health education 117 approaches, such as use of print, electronic and social media. These communications strategies 118 were led by the Ministries of Information and Communication, Information Services 119 Department, Ministry of Health and Ghana Health Service (GHS) (26). Ghana administered 120 28,515,854 doses of the COVID-19 vaccine as of December 2023 and as at April 07, 2024 the 121 country had 21 active cases (GHS., 2024). The country dedicated the month of July, 2024 to

intensify efforts at administering 500,000 doses of the COVID-19 vaccines to persons 18 years
and above (Ghanaweb, 2024) Despite government efforts to promote the uptake of the
COVID-19 vaccine, findings of a study conducted by Manu et al (2024) indicated that
misconceptions about the COVID-19 vaccine persists in the Volta Region. This qualitative
research study therefore explored how fake news and misinformation influenced vaccine
hesitancy and the role of community engagement in promoting vaccine acceptance in Volta
Region, Ghana.

129 **2.0 Methods**

130 This section presents details of the methods used for the study.

131 **2.1. Study design**

132 The study used a case study approach employing in-depth interviews and focus groups to 133 explore and describe how community engagement was utilised to promote the COVID-19 134 vaccine acceptance in the midst of fake news and misinformation in two municipalities in the 135 Volta Region of Ghana. The study presented how these communities experienced the 136 engagement process. Using in-depth interviews (IDIs) and focus group discussions (FGDs), the study explored in-depth knowledge on the Ghanaian government's initiative through 137 138 government institutions such as the Municipal Assembly, Ghana Health Service (GHS), Information Services Department (ISD) the National Commission on Civic Education (NCCE) 139 140 and community experiences.

141 2.2. Study areas

The Volta Region was chosen for the study because it recorded a low vaccine acceptance rate
 (32.50%)(27). Two municipalities dubbed Municipality A* and Municipality B* were
 6 | P a g e

purposively selected for the study, because they were among the most urbanized municipalities in the region. The choice was aimed at understanding how urban populations engage with the healthcare system and other governmental entities in providing health interventions. Both municipalities have a fair proportion of the rural population and Municipality B also has migrant settlements mostly made up of persons from the Republic of Togo, with which it shares boundaries.

150 The Ghana Health Service operates a decentralized administrative system with offices at the 151 national, regional, municipal levels, sub-district offices, hospitals, health centers, and 152 Community-based Health Planning and Services (CHPS) compound in each region (28). To 153 ensure that the study was reflective of the different levels of health service delivery, a multistage random sampling technique was used to select a sub-municipality and a CHPS facility 154 155 for the study. In the first stage, the names of all the sub-municipal health directorates in each 156 study municipality were obtained from the respective Municipal Health Directorates. They 157 were written on pieces of paper, which were folded and an observer selected one sub-158 municipality each from the two municipalities for the study. In the second stage, all CHPS 159 compounds under the two selected sub-municipalities were written on pieces of paper, which 160 were folded and the observer randomly picked one. To ensure that community experiences were also captured in the study, a third stage was included, which concerned writing down the 161 162 names of communities under each selected CHPS zone, folding it, and letting the observer randomly selected two (one from each municipality) to participate in the study. 163

164 2.3. Selection of study participants and sampling

From each of the study sites, one Municipal Health Directorate Officer, one sub-municipalhealth leader, two health providers from the selected CHPS facility, one official from the

167 Municipal Assembly, NCCE, and ISD respectively, and some of the community elders were 168 purposively sampled to participate in IDIs (Table 1). A cross-section of women, men, and 169 migrants of different age groups who were available and willing to participate in the study were 170 conveniently sampled to participate in FGDs consisting of 6 to 13 participants. The interviews sought to understand how the Municipal Assembly, GHS, NCCE, and the ISD engaged 171 172 communities toward the COVID-19 vaccination rollout and uptake. Saturation was attained 173 when no new information was obtained from study participants, which is in accordance with 174 qualitative inquiry (29). Participation was voluntary and those who were not interested were 175 automatically excluded, as well as those who were mentally challenged.

Study participants who participated in IDIs	Municipality	Municipality	
	Α	В	
District Health Officials (1 municipal and 1 sub	2	2	
district)			
Frontline workers in CHPS compounds	2	2	
District Assembly officials	1	1	
National commission for civic education	1	1	
Information services department	1	1	
Chiefs and queen mothers	2	2	
Community Elders	2	2	

176 Table 1: List of data collection methods and categories of respondents

Religious Leaders (Christian, Moslem,		
Traditionalist		
Herbalists	2	2
Assembly persons	1	1
Community healthcare volunteers	2	2
Total	18	18
Study participants for FGDs		
Women below 30 years	8	8
Women above 30 years	10	8
Men below 30 years	9	9
Men above 30 years	9	8
*Migrant men	0	7
Migrant women	0	7
	36	47

were conducted for such a category

178

The three components of the WHO's definition of community engagement (categories of stakeholders, processes used to engage communities, and the purpose of the engagement), were used to guide the selection of the stakeholders, design of the IDI and FGD guides and to determine the focus of the study, which was on COVID-19 interventions (details of the questions for each spectrum of engagement has been included as appendix 1). This manuscript is drafted from a larger study and other aspects have been published (30).

185 **2.4. Training of data collectors and quality control**

Four graduate data collectors were trained by the first author, MA, a medical and organizational anthropologist, on qualitative data collection methods including interviewing and writing field notes and also seeking informed consent, which equipped them with the needed skills for data collection. The IDI and FGD guides for community members were translated into the native language Ewe during the training and research assistants were trained in English and the local language.

192 To ensure rigor, the study guides were pre-tested among eligible participants from a 193 municipality similar to the municipalities selected for the study. The pre-testing process also 194 guided in the revision of the guides to ensure its validity and reliability.

195 **2.5. Data collection, management and analysis**

In-person interviews were conducted in English with the government officials (health workers,
NCCE officials, ISD officials and assemblymen) and in Ewe with the community members.
Migrants were interviewed in French, as majority of them were from Togo and could not speak
English nor the Ewe dialect spoken in Ghana. Interviews were recorded using a digital audio
recorder and later transcribed verbatim to preserve respondents' views and experiences. The

average duration of IDIs was 50 minutes and FGDs was one hour. Meetings were held between
 MA and the data collectors every week to ensure the trustworthiness of data.

203 Transcribed data (IDIs and FGDs) were uploaded onto a computer and transferred onto a 204 qualitative software NVivo 12, to support data coding. The data was triangulated and analyzed 205 thematically. Deductive and inductive coding were carried out by LK, WE, AK and MK 206 through carefully reading data, thinking critically and paying attention to the study questions, 207 which were based on the five spectrum of community engagement (28). MA validated the 208 codes by cross checking them with the study questions and with a sample of study participants' 209 responses. Matrixes were developed from the coded data to support further analysis. The 210 themes were generated from the analysis report on how government institutions conducted 211 engagement activities in the two study municipalities to address vaccine acceptance in the 212 midst of fake news and misinformation, challenges, gaps, future plans, community experiences. 213 Other aspects of the study have been reported in other articles(Aberese-Ako et al., 2024; Aberese-Ako et al., 2023). 214

215 **2.6. Ethics**

216 The University of Health and Allied Sciences (UHAS) Research Ethics Committee (REC) 217 approved the study (UHAS-REC A.5 [51 20-21]). Potential study participants were approached and informed of the study and those who were willing to participate were taken through a 218 219 consenting process. The consent form contained the following information: purpose, 220 procedure, contact details of the principal investigator and the REC administrator, plan to 221 disseminate study findings, date of consent, and signature columns for the interviewer and 222 interviewee. Two copies of the consent form were completed, one was given to the study 223 participant and the second copy was kept by the study team. Participation was voluntary and

those who were not interested were automatically excluded, as well as those who were mentally challenged and persons under 18 years old. COVID-19 protocols were observed throughout the study. Interview participants were offered disposable masks and their hands were sanitized before consenting and participating in the interview. The data sets were anonymized to protect study communities and participants' identities and were accessible to only the study team.

Community entry was carried out in the study municipalities and study communities. The study
team visited and sought permission from all gatekeepers (municipal chief executives,
municipal health directors, CHPS compounds, officials of the NCE, and ISD, Assembly
members, chiefs, and opinion leaders in the two municipalities).

233 **3.0 Results**

Findings are presented on the types and sources of misinformation and fake news concerning the COVID-19 vaccines and factors that contributed to their proliferation in the study communities. Results on how government institutions dealt with the misinformation and the effect their response had on the community members' willingness to vaccinate were also presented.

3.1 Fake news and misinformation

All study participants reported that they were aware of the rumours about the vaccines. These rumours according to the majority of the participants were negative, while a few stated that they heard positive stories. Study participants who reported that they heard negative information about the vaccines said they heard the vaccine was aimed at reducing the population of Africa. They explained that the vaccine was aimed at making African men impotent and African women infertile. Majority of the participants also reported that the

246 vaccine could cause disability or death, either instantly or a few years after vaccination. Study participants also claimed that they heard that the COVID-19 vaccines administered in European 247 countries were different from the ones being administered in African countries including 248 249 Ghana. A few of the participants reported that they heard that the vaccine could result in 250 Africans getting inclined towards homosexuality, while others reported that the vaccine could render Africans mentally retarded so that the whites would be able to take over the resources 251 252 in the future. Others reported that they heard that the vaccine was a form of a sim card being injected into people's bodies, to make it possible for whites to control them remotely and a 253 254 participant reported that he was told that those who took the vaccine turned into animals.

255 "When we hear these stories, we become scared. When they developed the vaccine in 256 the US, they halted its use but they are telling us to take it. There is no company in Africa that produces vaccines. It is only those from the outside world and these guvs 257 have plotted to make us extinct. We are scared of the vaccine. The whites want to take 258 259 over Africa due to our natural resources, so they want to decrease our population. They 260 are giving us this vaccine to make us infertile or to cause us to die. They are experiencing tsunamis and other natural disasters, so they want to run to Africa. ... I 261 262 heard that when you take the vaccine, after some years to come, a man could meet his fellow man on the street and start having sexual feelings for him. Due to the vaccine 263 men could sleep with their fellow men. These whites hid something in the vaccine which 264 can be used to control you from wherever they are located. You will only do their 265 *biddings unknowingly or unwillingly.*" (FGD Participant, Male Migrants, Municipality 266 267 B)

268 "The concern that people shared was that the whites that developed the vaccine also
269 at times make some medicines that are poisons. The doctors do not know it is poison,

270	they see it only as vaccine. The same way, the Coronavirus came and everyone is afraid
271	of its vaccine, saying that if they should take it, their life expectancy will be reduced.
272	That is why people do not want to take the vaccine." (Male volunteer, Municipality A)
273	On the other hand, a few participants were also misinformed that the vaccine could prevent
274	COVID-19 completely and give long life to those accepting it and that it could prevent any
275	other disease: "They said that when we take the vaccine, no disease will affect us." (FGD
276	Females less than 30 zears, Municipality A)
277	Study participants reported that fake news and misinformation made them afraid and
278	discouraged them from getting vaccinated.
279	"Our president his Excellency Nana Akufo Addo brought a number of them [COVID-
280	19 vaccines] and they injected the health workers earlier. Recently I heard that he said
281	he has made plans for 20,000 vaccine doses for Ghana. But the fear is that there is
282	no assurance about the safety of the vaccine and whether it will be beneficial. So, I
283	myself have said that when the vaccine comes, I will not take the injection because of
284	the things and the information I am hearing." (Pastor- Municipality A)

285 **3.2 Sources of misinformation and fake news**

Majority of the study participants reported that they heard fake news about the COVID-19 vaccine from friends and relatives in their communities and also from the media such as the radio and television. A few participants also indicated that they heard such news from acquaintances who live abroad and through newspapers.

"But COVID-19 vaccination, they said AstraZeneca vaccination, we heard it in the
news, on radios, in papers, media and internet that Indian government is the one
producing this vaccine." (Pastor- Municipality A)

14 | Page

"I forgot some important points... These whites hid something in the vaccine which can
be used to control you from wherever they are located. You will only do their biddings
unknowingly or unwillingly. The most intelligent Africans who are all abroad are
feeding us with some of these information." (Male participant, FGD, Migrants
Municipality B)

Interestingly, all the study participants also reported having heard that the vaccine was not good
by listening to a song composed by a Ghanaian artist in one of the Ghanaian languages (Ewe).
Another popular source was through social media platforms particularly WhatsApp platforms.

301 "No matter how ill I am, I only use herbs. When I squeeze the herbs with water and 302 drop some lemon in it. That's all I use. Whatever illness comes I only use herbs. I say 303 even if I'm coughing, I will only chew ginger. That injection I am not taking it. The 304 injection I'm not taking it. That injection I'm not taking it. The thieves have deceived 305 themselves. The injection I'm not taking it....If I get a Dzemeni herb [explain the Dzemeni herb here] and mix it with neem tree leaves and mix it with 'devetsui' (local 306 307 name of a certain herb) and add some milk, then I've become a pharmacist. ... My body 308 is very strong. That injection I'm not taking it. Never...My mother won't take it; my 309 wife won't, my child won't. ... I will follow the ways of my forefathers. All their teachings 310 I no fit forget. Full Ewe man [indigenes from the Volta region], I won't fall in any trap 311 that the white is setting. I will only stick to the herbs. It has always been there for us 312 since ages and I came to meet it. The injection I'm not taking it. I'm not taking it." 313 (Lyrics of the song titled Abi, translated from Ewe into English by *authors*, 2021)

314 "Also, it has spread on all social media platforms that the vaccine is fake, and some
315 people also did videos and voice notes on WhatsApp platforms that they should not
316 accept the vaccine. So that is what destroyed everything. Many people heard it because

317	everybody got up and started sharing it on social media platforms. So that information
318	reached the entire community and people do not trust anything about it again. It will
319	be very difficult before it will completely go off the minds of people." (Community
320	Elder, Municipality A)
321	"It is because of what we heard that they will come and inject us to die, they want to
322	clear off human race, they want to clear off the blacks and all that. When corona came,
323	there were a lot of rumours on our WhatsApp platforms." (Community Elder

324 Municipality B)

325

326 **3.3 Factors accounting for belief in fake news and misconceptions**

327 and the willingness to vaccinate

Interactions with study participants suggested that factors such as lack of trust in the Ghanaiangovernment, contributed to the spread and success of fake news.

Study participants distrusted the Ghanaian government because of the varying number of COVID-19 cases reported by the Ghana health service. Sometimes the cases rose and other times it dropped. They felt that the government's motive was to mislead the general populace in order to raise funds for some individuals to benefit. Also, study participants believed that the government was corrupt, so the West was using it by giving it money in order to get the government to mislead the citizenry to take the vaccines. Consequently, they were unwilling to vaccinate.

337 "...the cases, as they say it has increased in Ghana, it is up, it is down, it is a camouflage
338 from the Government to raise funds into the pockets of some individuals to use. ...So,

that trust was not there for some time. ... we do not have 100% trust in the government
concerning COVID-19." (Church Leader, Municipality A)

341 "Our governments are like idols. When their faces are turned in a direction because
342 of money; that is the only thing they see. These whites know they can only get us through
343 the government. They gave them money to entice us so that when we take it, they give
344 us something small and they get to keep the rest of the money. The government cannot
345 tell me to take the vaccine and I will go for it, never. It is a deception." (FGD, Male
346 Migrants, Municipality B)

347 Some of the study participants believed that the vaccine was effective, however, the health 348 workers were not competent, so they were administering the vaccine wrongly. The level of 349 distrust was extended to childhood immunisations as community members became suspicious 350 of health workers who usually visited their homes to vaccinate children, which resulted in the 351 refusals of such vaccines.

352 "Before any drug will be imported into the country, it is checked with the computer to
353 ascertain its potency and efficiency. So, I believe the vaccine is good but the healthcare
354 workers didn't give the injections well and that is what led to the problems." (FGD,
355 Male Above 30 Years, Municipality B)

356 "... Even it came to a point where they [health workers] cannot even go to the houses
357 to give normal [routine childhood] immunizations. People will not even bring out their
358 children to be immunised, because of the corona [COVID-19] vaccine. They are afraid
359 that it is the coronavirus vaccine" (Community Elder, Municipality B)

360 Study participants mostly relied on other community members, rumours, and radio programs361 as their main source of information on the COVID-19 vaccine.

362 "There are a lot of misconceptions about this vaccine, fertility issues, so many. They
363 talk about it anytime we go for communal labour: 'Oh the government wants to kill us;
364 they want to stop us from giving birth.'. So, a lot of them do not really get information
365 about the vaccine... sometimes when we hear it, we just have to come in and give them
366 education." (Assemblyman, Municipality A).

367 *"I've not been to school before. I am an Okada rider. I only work with the hearsays I*368 *hear around "* (FGD, Migrants Male 30 years and above, Municipality B).

Many radio stations and TV stations reported the fake news that were circulating on the COVID-19 vaccine. Most participants demonstrated a high trust in the media, so once any information was reported by the media, they believed it.

- 372 "Yes, we believe everything that comes from these media platforms, they are so valid.
 373 So especially when you hear it on radio. Like these elderly ones, they will say 'oh, we
 374 have all heard it on radio already." (Church Elder, Municipality B)
- 375 *"On the radio station. I heard on Citi that there is no assurance about the safety of the*
- vaccine and whether it will be beneficial. I said that I heard it on Citi Breakfast news
 from Mohammed* [a Ghanaian journalist] and his team. I heard it from Lorlornyo
 major news as well as Heritage FM. GBC too. All the media houses all over. I heard it
 personally." (Church Leader, Municipality A)

Some participants believed that COVID-19 was not yet in Ghana, while others were of the view that the number of cases reported in the country was actually less than what was being reported by government officials. Others said that the burden of the disease had reduced in the population, so, there was no need for a vaccine, and easily believed or spread the fake news they heard about it.

385 "... the disease has not come to Africa, so why are they bringing the vaccine!"
386 (Community Elder, Municipality A)

387 "Even if the government brings the vaccine right now, it would be difficult to take it,
388 because as it stands now, the burden of the disease has reduced and it is left with us to
389 take care of ourselves, and follow the safety protocols." (FGD, Females 30 Years and
390 Above, Municipality B)

391 Some study participants who experienced severe adverse events following Immunization with 392 other antigens in the past, whilst others also witnessed close relatives experience adverse side 393 events after taking the COVID-19 vaccine were reluctant to vaccinate. As such they found it 394 easy to believe and inform others that the vaccine was harmful.

395 "..., when one of my children took the vaccine, it really disturbed him. The injection
396 site got swollen and he had to go to a different hospital to be attended to before he was
397 fine. One of my siblings also had a swollen face after taking the vaccine; so it has
398 created some fear in me." (FGD, Female Participant above 30 Years, Municipality B)

Another factor for the refusal to vaccinate had to do with individuals personal perceptions onvaccination. Some reported that they were afraid of needles and being injected with them.

401 "Now, in actual fact, some of us do not like taking injections. Not only the COVID-19
402 vaccine. Like coming to the hospital right now and you tell me that you are going to
403 inject me, then you will not see me again... So, I fear a lot that they will use a needle
404 and pierce me." (Church Elder, Municipality B)

Few study participants had a misconception that the vaccine was meant to treat COVID-19, so,
there was no reason why they should vaccinate since they were not sick. Others on the other
hand, still sought to know whether the fake news and misconceptions were true.

408 "My concern is, I am not sick so, why should I take the vaccine? And here lies the case,
409 they said after vaccination, I need to wear the nose mask, still sanitize, and practice
410 social distancing. So why should I vaccinate? I have been following all these protocols
411 and have not contracted the disease. Why then should I get vaccinated and experience
412 the reactions it comes with?" (Opinion leader, Municipality A)

413 *"I just want to know if what (referring to the rumours they heard about the vaccine) we*414 *heard about the vaccine are true,"* (FGD, Migrants Females Municipality B)

Some of the study participants reported that they had not received adequate information on the COVID-19 vaccines and so they were not willing to take it. Others reported that they were not properly informed by the government on the Covid-19 vaccine. As such, they indicated that they had not received ample education about the vaccine and so they needed to be educated in order to help them get over the misconceptions before they will take the vaccines.

420 "I will think about it because we have not received in-depth teaching about the vaccine
421 and due to that, we have kept the notion that they want to reduce our population. If the
422 vaccine is brought now, I would not take it. However, when there is in-depth teaching
423 and I understand and accept the teaching, I would take it." (FGD, males 30 years and
424 above, Municipality B)

A noteworthy factor that made it easy for misinformation on the COVID-19 vaccine to thrive
was the community members previous experience on the truncated Ebola trial in Ghana. The
study region was earmarked as an Ebola trial centre. However, Participants believed that they
were being used for a clinical trial on the COVID-19 vaccine.

429 *"For the COVID-19 vaccine, I have not heard anything about it but what I heard from*430 *the time of Ebola was, normally in the Volta Region, Municipality A and certain areas*

431 *of Oti are used for vaccine testing. It came up during the Ebola pandemic.*" (Opinion 432 Leader, Municipality A)

433 Study participants also reported that they had alternative sources of care such as herbs and 434 alcohol that was working for them. They believed their herbs were powerful enough to offer 435 them immunity against COVID-19 and even cure them if they got COVID-19. Some added 436 that their forefathers took herbs and lived longer, so they too are taking herbs and that is what 437 is sustaining them

438 "Taking herbal medicine is better. It is the herbal medicine that our forefathers too
439 drank and they lived longer. I have also been using the herbs and got to this stage. So,
440 if you are taking a good herb, you will live long." (IDI, Herbalist/Fetish Priest,
441 Municipality B)

"My colleague just mentioned the strong alcohol. However, when you get herbs that
have not been polluted by fertilizers, they would get you healed. This is because even
when you go to the hospital, the drugs are made from herbal extracts." (FGD, males
above 30, Municipality B)

446 *"Our herbs are more powerful than that vaccine."* (FGD, females above 30 years,
447 Municipality B)

3.4 Government's community engagement efforts to counter fake 448 news and misinformation and its influence on community 449

acceptance of vaccination 450

451 The Ghanaian government through its institutions such as the municipal assembly, the Ghana 452 Health Service, the Information Services Department, and the National Commission for Civic 453 Education carried out various community engagement activities such as meeting with 454 community groups, elders, and community members to inform them about the vaccine and to 455 encourage them to take the vaccine.

456 The Ghanaian government's strategy to dispel the fake news concerning the COVID-19 457 vaccine included a weekly broadcast of the president on COVID-19 update, the televising of the president, the vice president, their spouses, and other prominent dignitaries such as chiefs 458 459 and religious leaders receiving their COVID-19 vaccine. Health workers and other essential workers in the fight against COVID-19 were also among the first group of people to take the 460 vaccine. Some of the government officials such as health workers, NCCE officials and ISD 461 462 officials also took their vaccines in public, while some of the health workers recorded them and 463 showed the videos and pictures to their clients and communities within their districts to motivate community members to vaccinate against the COVID-19 virus. "It is through 464 465 education and they was the president taking the vaccine, the vice president, the former 466 president Kufuor on the television (ISD Director Municipal B).

467 Government officials reported that they engaged the various communities through existing mediums such as community durbars, opinion leaders, religious bodies, various associations 468 469 such as drivers and traders associations, and radio programs.

470

"Initially we had this public health emergency management committee. So as part of

471 their plans, they identify various groups in the community. For example, we have the market women or market traders' groups, we have drivers' unions or moto bike riders 472 473 and other associations of small-scale industries operating in the municipality, then we also have the chiefs. So we engage these groups at a particular time. When we engage 474 475 them, we also listen to them and we give them the message on how to prevent the spread 476 of the disease. We also encourage the various institutions at the community level to 477 engage the subjects and educate them on the disease. So it was good. I can give you an 478 example. For example, when we met the drivers, we told them to always make sure 479 everybody is in a nose mask before getting in their vehicles. So if you're not in a nose mask, they insist that you buy one around and put it on before joining their vehicle." 480

- 481 (Deputy Director of Municipal A Assembly)
- 482

Also, majority of the government officials interviewed expressed concern that the President of Ghana and the Ghana Health Service had announced that the second dose of the COVID-19 vaccine would arrive four weeks after the first dose was administered. However, the second dose delayed by over 12 weeks, significantly contributing to public distrust in the government and leading many Ghanaians refusing to take the COVID-19 vaccine when it was made available.

489

We are already doing that. We go on radio every now and then to talk about the
vaccine. But now that the people are demanding for the second dose and we are not
getting it, we are not able to go to the radio station to talk about it. If we go and talk
about it and they ask for the vaccine, what would we do? So, now, we are mute for the
meantime. When we receive it, we would let them know that we have received it and I
know they would come in their numbers to take it." (Health Director of Municipal B)

496

497	_"With regards to COVID-19 vaccination, generally, my personal concern is the
498	delay in the second jab. I think the delay is too much. When word goes out that the
499	second dose can be taken after let's say a maximum of four weeks, it should be four
500	weeks. Once it delays, it creates room for any misconceptions to come up. And those
501	are what might be affecting the others who are willing to or considering to take the
502	jab later from probably changing their mind. So, once we have given a timeline, let's
503	stick to it." (Sub District In-Charge of Health Center Municipal B)

504

The Ghana Health Service also utilised routine health care programs such as Child Welfare Clinics, Antenatal clinics, Post-natal clinics to inform clients about the vaccine roll-out. They informed and educated the communities that the companies that manufacture the COVID-19 vaccines were similar multi-national companies based in the developed countries that manufacture vaccines for their children against poliomyelitis, yellow fever, measles, and other childhood killer diseases; so if they wanted to wipe out Africans, they could have done so using earlier developed vaccines rather than the COVID-19 vaccines.

512 "If you listen to the radio, you'd hear people saying they would not take the 513 vaccine because it is a plan by the Western world to kill Africans and they'll never 514 take it and they're urging the public never to get vaccinated. So, when the vaccine 515 came, we used the radio stations to educate them and tell them vaccines have existed f 516 or long. We have been immunizing the children with polio, tetanus, and other 517 vaccines." (Director NCCE Municipal A)

3.5 Impact of limited engagement in addressing misinformation 518

on decision to vaccinate 519

The engagement process contributed to some of the study participants changing their mind 520 521 towards vaccination, nevertheless, others had already been influenced by the misinformation 522 and myths and for that matter were unwillingly to be vaccinated.

523 A few participants were indecisive and testified that they might change their minds and take the vaccine if the following conditions are fulfilled, 1. They are informed and educated about 524 525 the vaccine, 2. others take the vaccine and nothing happens to them and 3. they are sure that they would experience no side effects after taking it. 526

- "When it is brought, I would wait for other people to take it and if nothing happens to 527 them, I would also take it." (FGD, female migrants, Municipality B) 528
- "That is what I have said in my own case. They have said that the government has gone 529 530 for the vaccine to kill people. Per my thought, as I have earlier said, I believe the government cannot go for vaccines because its citizens are sick and then he will inject 531 them and those who are not sick will also die. I do not believe that the government can 532 533 do such a thing. But since then, we heard that the vaccine was received in some places and people received it. For me, I am also waiting for the vaccine so that when it comes, 534 535 if some people will not take it or if I will not take it, then it is up to me," (Chief, Municipality A) 536

537 "If I am well educated and I understand everything about it, I will take it. But if I ask questions and they are not well explained to me, then, I will not take." (Opinion Leader, 538 539 Municipality A)

540 Very few of the participants revealed they had no reservations about the COVID-19 vaccine 541 while others reported that due to the fear that they have towards the COVID-19 virus, they will 542 accept the vaccine.

543 *"I have no concerns. When it comes, I will take it."* (Community Elder, Municipality544 A)

545 "The reason why I accept to take it is because of the fear of the virus. That is why I
546 said when it comes, I will take it so that I won't contract the virus." (Volunteer,
547 Municipality A)

548 Despite the engagement efforts made by the government institutions to get community 549 members to vaccinate some were not convinced, some community members still distrusted the 550 efforts from the president and other government institutions to vaccinate.

- *"First, I do not know if the vaccine they will inject me with is the one they injected our president with. His vaccine may be different. Maybe, the one they injected him with is not the one they will inject me with for me to become paralyzed. That is why I am scared of taking the vaccine.*" (FGD, males above 30 years, Municipality A)
- 555 "My concern is, I am not sick so, why should I take the vaccine and here lies the case, 556 they said after vaccination, I need to wear the nose mask, still sanitize and practice 557 social distancing. So why should I vaccinate? I have been following all these protocols 558 and have not acquired the disease. Why then should I get vaccinated and experience 559 the reactions it comes with?"(Opinion leader, Municipality A)

560

Failure to have been engaged about the COVID-19 vaccine caused majority of the participantsto reject the vaccine even if that would mean death. Most participants reported that they

preferred continuing the protocols and stated that they would not even allow their relatives totake the vaccine.

565	"They first have to be educated. Honestly, if you should bring that vaccine
566	tomorrow, everybody will run away." (Traditionalist, Municipality A)
567	"Even though the coronavirus also leads to death, it should rather kill us when
568	we get infected. It is better than dying from the vaccine." (FGD, females above
569	30 years, Municipality B)
570	"I am scared that if I take the injection, I will die and leave my children." (FGD,
571	females less than 30 years, Municipality A)

572 **3.6 Recommendations from the study participants on how they**

573 will like to be engaged concerning misinformation and uptake of

574 the COVID-19 vaccination

575 Study participants reported that they were ready to take the COVID-19 vaccine once they were 576 properly educated. They stated that this education should be channelled through the community 577 elders and health workers in their communities. They would like to be engaged about the 578 vaccine. A Few participants also recommended that Africans also manufacture their own 579 vaccines and that will motivate them to take the vaccine.

580 *"For that one, it is necessary that the health directorate officials should come and give*

582 *and that is the only way it will be accepted. But if there is no education like how they*

us more education. They should come and give detailed education about the vaccine

581

have been telling us to wash our hands and others, nobody will accept it. More
education is necessary". (Assembly member, Municipal B)

585 "Africa should also set up a company that can manufacture vaccines for its members. Madagascar came out with a herbal cure for COVID-19 but the World Health 586 587 Organization rejected it because it is from Africa. The God who created us, is He not 588 on the side of Africans? Or the brain or knowledge given to the Whites, wasn't it given to Africans? Does it mean that we can only rely on drugs from the Whites and we cannot 589 590 manufacture any for them to use? These diseases like COVID-19, Ebola, and the rest 591 were engineered in the lab by the Whites. They also created COVID-19 to kill us. Why 592 can't African leaders think and come out with their own solutions to this disease? 593 Because it appears it is the same Whites manufacturing the cure for the disease again. If Africans get the cure or the vaccine, we will take it, if not we will not accept it." 594 595 (FGD, Male Migrants, Municipality B)

596 They further added that they would like to be educated on the vaccine and only then would 597 they be willing to agree to be vaccinated. Persons they wanted the government institutions to 598 involve in the engagement process were their chiefs, the community elders, the assemblymen.

599 "Sincerely speaking, if the government comes to work with the community to settle on
600 level grounds, then we would change our mindset. However, if they don't come to work
601 with us to settle on level grounds, nothing would change." (FGD, males 30 years and
602 above, Municipality B)

In the same vein, all participants reported they would like to be informed about the vaccine. Most study participants stated that they were not engaged in planning of the COVID-19 vaccine roll out but were engaged in activities to fight COVID-19 itself. Regarding the COVID-19 vaccine, few participants reported to have only been informed about it through the radio.

However, they reported neither to have been involved in planning, nor been consulted,collaborated with, or empowered to take the vaccine.

609	"They also spoke about it on the radio. The District Director of Health Services went
610	on the radio and spoke about it. And so, in our various homes, we listened to the
611	information given to us." (Assemblyman, Municipality A)
612	"Not yet! They did not take any steps and came to individuals like that yet. You are the
613	first person to ask me concerning these plansPlanning assiduously has not surfaced
614	that I know of" (Pastor, Municipality A)
615	

616 **4.0 Discussion**

This qualitative case approach used in-depth interviews and focus group discussion to explore 617 618 fake news and misinformation and how they influenced the decision to vaccinate in two 619 municipalities in Ghana and how community engagement contributed to willingness to 620 vaccinate. The study found that study participants had many sources of information, however, 621 they were predominantly exposed to vaccine-related misinformation through social media, 622 friends, and local media outlets, most of these sources provided fake news, which misinformed 623 them. The extensive dissemination of inaccurate information, primarily through social media 624 and community channels, influenced community members' decisions regarding vaccination. 625 Such misinformation ranged from distortions about the vaccine's intent to outright conspiracy 626 theories concerning its safety and efficacy. This finding corroborates the literature that suggests 627 that social media is a dual-edged sword that offers access to both accurate and misleading 628 information (Joseph et al., 2022; Muric et al., 2021; Naeem & Bhatti, 2020; Skafle et al.,

2022).The United Nations has noted that this dual exposure complicates the community's
ability to distinguish credible information from falsehoods, thereby fostering vaccine hesitancy
(36). According to Skafle et al. (2022). Misinformation about COVID-19 vaccines spread on
social media platforms includes medical misinformation, vaccine development, and
conspiracies, with twitter being the most studied platform.

634 The prevalent myths encountered in this study, such as vaccines causing infertility or being a 635 conduit for colonial control, reflect a deep-seated mistrust in external health interventions, a 636 sentiment echoed in the literature as well (Awan et al., 2022; Kassi et al., 2021; Kern et al., 2023). In addition, a critical aspect of the misinformation was the belief that vaccines 637 638 distributed in Africa were different from those in Europe, intensifying fear and resistance. A 639 similar finding was reported by Gunawardhana et al. (2022) that 85% of participants believed the COVID-19 vaccines available in Africa were less effective than those available in Europe. 640 641 This belief undermines public health efforts and highlights the necessity for transparent communication from health authorities to dispel such myths and reinforce the global standard 642 and safety of the vaccines administered. Moreover, inaccurate information concerning COVID-643 644 19 vaccination is more likely to be believed by some conservative religious groups in the US, 645 according to recent studies (41). Sharing fake news is a real challenge as people cannot 646 distinguish between what is true and what is false which deviates them from searching for 647 information from relevant professionals (37). Furthermore, considering the powerful influence of religious leaders and their institutions, members who trust these religious leaders are more 648 649 likely to believe in COVID-19 myths and false information.

650 Our findings also underscore a significant gender and socio-economic disparity in 651 susceptibility to fake news, with male participants, particularly those with lower educational 652 and economic backgrounds, more prone to accepting and spreading misinformation. This

observation aligns with Almenar et al's. (2021) study, which found that men are more likely to receive fake news. Another study highlighted that men were generally more susceptible to gender biases in fake news, indicating a higher prevalence of fake news consumption among male individuals (43). The challenge here extends beyond mere exposure to misinformation; it involves addressing the foundational reasons that make these demographics more vulnerable, such as lack of access to reliable information and critical engagement with the content they receive.

Despite efforts by the Ghanaian government and health services to combat misinformation 660 through public vaccination campaigns and community engagement, it is evident in our study 661 662 that these measures were met with scepticism and limited success. This scepticism was partly 663 due to distrust in governmental transparency and the integrity of public health initiatives (Lee & Li, 2021). The study's results align with findings from De Freitas et al. (2021), emphasising 664 665 that trust in government and health institutions plays a crucial role in public receptiveness to 666 vaccination campaigns. Furthermore, this distrust had a spillover effect on routine childhood 667 immunizations, which saw a decline as parents conflated their fears about the COVID-19 668 vaccine with general vaccine mistrust. This trend is alarming and highlights a broader public 669 health crisis where misinformation about a single vaccine affects broader perceptions and 670 acceptance of other essential vaccines.

The distrust of COVID-19 vaccines became so bad that it had a trickle-down effect on vaccinations for children. Resulting in distrust of health workers resulting in parents being unwilling to vaccinate their children against the six childhood killer diseases. This has historical bearing as the region has consistently recorded low rates of childhood vaccination in the country (45). Similarly, the WHO reported that COVID-19 lockdowns and fears of its transmission at health facilities routine immunization rates dropped between 2019 and 2020

in Ghana. For instance coverage of the third dose of pertussis-containing vaccine (DTP3),
crucial for protecting against diseases like diphtheria and tetanus, declined from 99% to 97%,
leaving over 32,000 Ghanaian children vulnerable (WHO Africa,2023). Now, the government,
with support from the World Health Organization (WHO) and partners, is intensifying efforts
to restore immunization rates, aiming to reach the children who missed vaccinations, return to
pre-pandemic levels, and strengthen the overall vaccination program" (World Health
Organisation, 2023).

684 Further, we observed that the pervasive nature of misinformation significantly heightened vaccine hesitancy. Participants expressed fear of severe adverse reactions and doubted the 685 686 vaccine's efficacy, with many preferring to rely on natural immunity or traditional remedies. 687 This hesitancy is underpinned by a lack of accurate knowledge and an overreliance on anecdotal and often misleading information from non-scientific sources. The gravity of this 688 689 issue is highlighted in studies by Joseph et al. (2022) and Wilson and Wiysonge (2020), who 690 noted that misinformation could drastically reduce vaccination rates and increase public health 691 risks. Similarly, other studies have observed that misinformation has led to increased vaccine 692 hesitancy and reduced adherence to public health measures, posing a threat to global health 693 efforts (Muric et al., 2021; Skafle et al., 2022).

Our study further revealed participants' clear desire for more effective and inclusive strategies to combat misinformation surrounding COVID-19 vaccinations. They recommended that engagement efforts should be spearheaded by trusted community figures such as chiefs, elders and health workers, who are perceived as more credible and approachable. These figures should be well-equipped with accurate and relevant information to address specific concerns and debunk prevalent myths. This validates (48) who echoed the importance of involving traditional and religious leaders in vaccination campaigns. According to them, these leaders,

701 being trusted community figures, play a crucial role in restoring public trust in vaccines. Aside, 702 Cooper et al. (2018) emphasised the need for interventions by trusted community members to 703 address vaccine hesitancy and improve vaccination rates. Additionally, the participants 704 suggested that such educational campaigns should be conducted through familiar and 705 accessible platforms, including local community meetings, radio programmes, and social 706 media channels tailored to the local dialects and cultural contexts. Emphasising the importance 707 of transparency, they proposed that the government and health institutions should openly share 708 information about vaccine sourcing, safety protocols, and efficacy studies to build trust. 709 Moreover, there was a strong recommendation for the establishment of local vaccine 710 production to reduce dependency on foreign vaccines, which they believed would significantly 711 increase trust and acceptance among the community members (Makenga et al., 2019; 712 Mohammed et al., 2023). This approach underscores a holistic strategy that not only 713 disseminates information but also fosters a sense of ownership and trust in health interventions.

714 **5.0 Recommendation and conclusion**

715 Misinformation about the COVID-19 vaccine is widespread, which affects COVID-19 vaccine 716 acceptance and can affect the possibility of acceptance of future vaccines if the lessons learned 717 are not well used to correct gaps in the engagement process. It is therefore recommended that 718 the government allocates resources to institutions such as the GHS, NCCE, and ISD to enable 719 them to implement and intensify community engagement efforts to promote acceptance of the COVID-19 vaccine. Additionally, going forward, it is important that communities are engaged 720 721 prior to the introduction of new vaccines. This is likely to improve awareness on facts about 722 the vaccines, which would therefore prevent fake news from thriving. It is also recommended 723 that media personalities such as journalists should be educated on the COVID-19 virus and 724 media houses charged with the delivery of factual information about the vaccine to the public.

725 **References**

726	1.	Huremović D. Psychiatry of Pandemics: A Mental Health Response to Infection
727		Outbreak. Psychiatry Pandemics A Ment Heal Response to Infect Outbreak. 2019;1-
728		185.
729	2.	Al Knawy B. Global Data and Digital Public Health Leadership for Current and Future
730		Pandemic Responses. Front Digit Heal. 2021;3(January):2-4.
731	3.	Ahinkorah BO, Ameyaw EK, Elvis J, Jr H, Seidu A aziz, Schack T. Rising Above
732		Misinformation or Fake News in Africa : Another Strategy to Control COVID-19
733		Spread. 2020;5(June):2018–21.
734	4.	Garrett L. COVID-19: the medium is the message. Lancet [Internet].
735		2020;395(10228):942-3. Available from: http://dx.doi.org/10.1016/S0140-
736		6736(20)30600-0
737	5.	Goldstein E, Lipsitch M, Cevik M. On the effect of age on the transmission of SARS-
738		CoV-2 in households, schools, and the community. J Infect Dis. 2021;223(3):362–9.
739	6.	Wardle C, Derakhshan H. Information disorder: Toward an interdisciplinary
740		framework for research and policymaking. Inf Disord Towar an Interdiscip Framew
741		Res policy Mak [Internet]. 2017;20-5. Available from: https://rm.coe.int/information-
742		disorder-report-november-2017/1680764666?ct=t()
743	7.	Azim D, Nasim S, Kumar S, Hussain A, Patel S. Neurological consequences of 2019-
744		nCoV infection: a comprehensive literature review. Cureus. 2020;12(6).
745	8.	van der Linden S, Roozenbeek J, Compton J. Inoculating Against Fake News About
746		COVID-19. Front Psychol. 2020;11(October):1-7.

747	9.	Bernard D, Francis S. When your audience is your channel: Facebook for behavior
748		change. Entertain Behind Scenes Case Stud Theory Pract. 2021;311-22.
749	10.	Bernard A, Cottenet J, Bonniaud P, Piroth L, Arveux P, Tubert-Bitter P, et al.
750		Comparison of cancer patients to non-cancer patients among COVID-19 inpatients at a
751		national level. Cancers (Basel). 2021;13(6):1436.
752	11.	Apuke OD, Omar B. Modelling the antecedent factors that affect online fake news
753		sharing on COVID-19: the moderating role of fake news knowledge. Health Educ Res.
754		2020;35(5):490–503.
755	12.	Huynh TLD. Does culture matter social distancing under the COVID-19 pandemic?
756		Saf Sci. 2020;130:104872.
757	13.	Rodrigues UM, Xu J. Regulation of COVID-19 fake news infodemic in China and
758		India. Media Int Aust. 2020;177(1):125–31.
759	14.	Pennycook G, McPhetres J, Zhang Y, Lu JG, Rand DG. Fighting COVID-19
760		misinformation on social media: Experimental evidence for a scalable accuracy-nudge
761		intervention. Psychol Sci. 2020;31(7):770-80.
762	15.	Osuagwu UL, Miner CA, Bhattarai D, Mashige KP, Oloruntoba R, Abu EK, et al.
763		Misinformation about COVID-19 in sub-saharan africa: Evidence from a cross-
764		sectional survey. Heal Secur. 2021;19(1):44-56.
765	16.	Alhassan RK, Nketiah-Amponsah E, Immurana M, Abuosi AA. Financing COVID-19
766		vaccination in sub-Saharan Africa: lessons from a nation-wide willingness to pay
767		(WTP) survey in Ghana. BMC Public Health. 2022;22(1):1273.
768	17.	Organization WH. WHO report on surveillance of antibiotic consumption: 2016-2018
769		early implementation. 2018;

770	18.	Oren O, Nuriel P, Kylander-Clark ARC, Haviv I. Evolution and Propagation of an
771		Active Plate Boundary: U-Pb Ages of Fault-Related Calcite From the Dead Sea
772		Transform. Tectonics. 2020;39(8):e2019TC005888.
773	19.	Vergara-Merino L, Meza N, Couve-Pérez C, Carrasco C, Ortiz-Muñoz L, Madrid E, et
774		al. Maternal and perinatal outcomes related to COVID-19 and pregnancy: an overview
775		of systematic reviews. Acta Obstet Gynecol Scand. 2021;100(7):1200-18.
776	20.	Blanchard A, Camera S, Carbone C, Cardone VF, Casas S, Clesse S, et al. Euclid
777		preparation-VII. Forecast validation for Euclid cosmological probes. Astron
778		Astrophys. 2020;642:A191.
779	21.	Paek HJ, Dewhirst T, Hove T. Can removing tar information from cigarette packages
780		reduce smokers' misconceptions about low-tar cigarettes? an experiment from one of
781		the world's lowest tar yield markets, South Korea. Nicotine Tob Res. 2020;22(6):990-
782		6.
783	22.	Organization WH. WHO model list of essential medicines, 20th list (March 2017,
784		amended August 2017). 2017;
785	23.	Marti-Carvajal AJ, Sola I, Lathyris D, Dayer M. Homocysteine-lowering interventions
786		for preventing cardiovascular events. Cochrane database Syst Rev. 2017;(8).
787	24.	McCarthy E, DeViva JC, Na PJ, Pietrzak RH. New-onset and exacerbated insomnia
788		symptoms during the COVID-19 pandemic in US military veterans: A nationally
789		representative, prospective cohort study. J Sleep Res. 2022;31(1):e13450.
790	25.	Afrifa-Anane GF, Larbi RT, Addo B, Agyekum MW, Kyei-Arthur F, Appiah M, et al.
791		Facilitators and barriers to COVID-19 vaccine uptake among women in two regions of
792		Ghana: A qualitative study. PLoS One [Internet]. 2022;17(8 August):1-17. Available

from: http://dx.doi.org/10.1371/journal.pone.0272876

- 26. Alhassan RK, Owusu-Agyei S, Ansah EK, Gyapong M. COVID-19 vaccine uptake
- among health care workers in Ghana: a case for targeted vaccine deployment
- campaigns in the global south. Hum Resour Health [Internet]. 2021;19(1):1–12.
- 797 Available from: https://doi.org/10.1186/s12960-021-00657-1
- 798 27. Tchoualeu DD, Harvey B, Nyaku M, Opare J, Traicoff D, Bonsu G, et al. Evaluation
- of the impact of immunization second year of life training interventions on health care
 workers in ghana. Glob Heal Sci Pract. 2021;9(3):498–507.
- 801 28. Ghana Health Service. Community-Based Health Planning and Services SEPTEMBER
 802 2016. 2016;(September):144.
- 29. Charmaz K. The power and potential of grounded theory. Med Sociol online.
 2012;6(3):2–15.
- 30. Aberese-Ako M, Ebelin W, Doegah PT, Kuatewo M, Kpodo L, Kpordorlor AG, et al.
- 806 Promoting COVID-19 Vaccine Acceptance through Community Engagement: An

Ethnographic Study in Ghana. Adv Public Heal. 2023;2023(1):3626862.

- 808 31. Aberese-Ako M, Doegah PT, Kpodo L, Ebelin W, Kuatewo M, Baba AA, et al. The
- role of community engagement toward ensuring healthy lives: a case study of COVID-
- 810 19 management in two Ghanaian municipalities. Front Public Heal. 2024;11:1213121.
- 32. Joseph JJ, Deedwania P, Acharya T, Aguilar D, Bhatt DL, Chyun DA, et al.
- 812 Comprehensive management of cardiovascular risk factors for adults with type 2
- 813 diabetes: a scientific statement from the American Heart Association. Circulation.
- 814 2022;145(9):e722–59.
- 815 33. Muric G, Wu Y, Ferrara E. COVID-19 vaccine hesitancy on social media: building a

- 816 public Twitter data set of antivaccine content, vaccine misinformation, and
- 817 conspiracies. JMIR public Heal Surveill. 2021;7(11):e30642.
- 818 34. Naeem S Bin, Bhatti R. The Covid-19 'infodemic': a new front for information
- 819 professionals. Heal Inf Libr J. 2020;37(3):233–9.
- 820 35. Skafle I, Nordahl-Hansen A, Quintana DS, Wynn R, Gabarron E. Misinformation
- about COVID-19 vaccines on social media: rapid review. J Med Internet Res.

822 2022;24(8):e37367.

- 823 36. Organization WH, Fund UNC. Levels and trends in child malnutrition: key findings of
- the 2020 edition. UNICEF/WHO/World Bank Group joint child malnutrition
- estimates. World Health Organization; 2020.
- 37. Awan TM, Aziz M, Ch TR, Jasam T, Alvi Y. Fake news during the pandemic times :
 A Systematic Literature Review using PRISMA. 2022;49–60.
- 828 38. Kassi LA, Shah S, Lawson AK, Feinberg EC, Swanson A, Pavone ME. Vaccine
- hesitancy and medical mistrust in women considering or undergoing fertilitytreatments. Fertil Steril. 2021;116(3):e363.
- 831 39. Kern J, Schippert C, Fard D, Bielfeld AP, von Versen-Höynck F. Fear of fertility side
 832 effects is a major cause for COVID-19 vaccine hesitance in infertile patients. Front
 833 Med. 2023;10:1178872.
- 40. Gunawardhana N, Baecher K, Boutwell A, Pekwarake S, Kifem M, Ngong MG, et al.
- 835 COVID-19 vaccine acceptance and perceived risk among pregnant and non-pregnant
 836 adults in Cameroon, Africa. PLoS One. 2022;17(9):e0274541.
- 41. Melki J, Tamim H, Hadid D, Makki M, Amine J El, Id EH. Mitigating infodemics :
- 838 The relationship between news exposure and trust and belief in COVID-19 fake news

- and social media spreading. 2021;1–13. Available from:
- 840 http://dx.doi.org/10.1371/journal.pone.0252830
- 42. Almenar E, Aran-Ramspott S, Suau J, Masip P. Gender differences in tackling fake
- news: Different degrees of concern, but same problems. Media Commun.
- 843 2021;9(1):229–38.
- 43. Sahadevan N, Deepak P. On Gender Bias in Fake News. CoRR. 2022;
- 845 44. De Freitas L, Basdeo D, Wang HI. Public trust, information sources and vaccine

846 willingness related to the COVID-19 pandemic in Trinidad and Tobago: an online

- cross-sectional survey. Lancet Reg Heal. 2021;3.
- 848 45. Sheff MC, Bawah AA, Asuming PO, Kyei P, Phillips JF, Kachur SP, et al. Evaluating
- health service coverage in Ghana 's Volta Region using a modified Tanahashi model
- Evaluating health service coverage in Ghana 's Volta Region using a modified
- Tanahashi model. Glob Health Action [Internet]. 2020;13(1). Available from:
- 852 https://doi.org/10.1080/16549716.2020.1732664
- 853 46. Joseph AM, Fernandez V, Kritzman S, Eaddy I, Cook OM, Lambros S, et al. COVID-
- 19 misinformation on social media: a scoping review. Cureus. 2022;14(4).
- Wilson SL, Wiysonge C. Social media and vaccine hesitancy. BMJ Glob Heal.
 2020;5(10):1–7.
- 48. Njoga EO, Awoyomi OJ, Onwumere-Idolor OS, Awoyomi PO, Ugochukwu ICI,
- Ozioko SN. Persisting vaccine hesitancy in Africa: the whys, global public health
 consequences and ways-out—COVID-19 vaccination acceptance rates as case-inpoint. Vaccines. 2022;10(11):1934.
- 49. Cooper S, Betsch C, Sambala EZ, Mchiza N, Wiysonge CS. Vaccine hesitancy-a

862		potential threat to the achievements of vaccination programmes in Africa. Hum Vaccin
863		Immunother. 2018;14(10):2355-7.
864	50.	Makenga G, Bonoli S, Montomoli E, Carrier T, Auerbach J. Vaccine production in
865		Africa: a feasible business model for capacity building and sustainable new vaccine
866		introduction. Front public Heal. 2019;7:56.
867	51.	Mohammed A, Idris-Dantata H, Okwor T, Tanui P, Paintsil E, Kabwe PC, et al.
868		Supporting the Manufacturing of Medical Supplies in Africa: Collaboration Between
869		Africa CDC, Partners, and Member States. Glob Heal Sci Pract. 2023;11(5).
870		
871		
872		
873		
874		
875		
876		
877		
878	Data	Availability
879	The d	atasets used during the current study are available from the principal investigator of the
880	study	, Matilda Aberese-Ako (maberese-ako@uhas.edu.gh) or from the Institute of Health
881	Resea	arch (ihr@uhas.edu.gh) on reasonable request.

882 Ethical Approval

The protocol was submitted to the University of Health and Allied Sciences' Research Ethics
Committee for approval (UHAS-REC A.5 [51 20-21])

885 Consent

- 886 Selection and participation in the study was purely voluntary and written informed consent
- 887 was sought and obtained from all study participants. Participants who met the inclusion
- 888 criteria and agreed to participate were taken through the consenting process such as the
- 889 objectives, the study procedures, voluntariness, risks, benefits, and confidentiality of the
- 890 ethical process.

891 Disclosure

892 COVID-19-related protocols were strictly observed throughout the study. Data collectors
893 used face masks and sanitizers in all the activities. They observed social distancing at all
894 times. Each study participant was provided with a face mask and their hands were sanitized
895 before and after the consenting process.

896 **Conflicts of Interest**

897 All the authors declare that they have no conflicts of interest.

898 Authors' Contributions

- 899 MA and EA conceptualized the study. MA trained LK, WE, AK and MK to collect data, code
- and analyze the data. MK and WE drafted the results section under the supervision of MA
- and PD. WE and SL drafted the discussion the conclusion sections. SD revised the
- 902 manuscript. All the authors reviewed the manuscript critically.

903 Acknowledgments

904	The authors thank the officials of the two municipalities, the participating District Health
905	Management Teams, health facilities, and staff for their support and cooperation. The authors
906	are grateful to community leaders and community members for their cooperation and support.
907	Funding
908	This study was funded by the Royal Society of Tropical Medicine and Hygiene's Small
909	Grants Program.
910	
911	