It is made available under a CC-BY 4.0 International license .

1 Primary healthcare capacity in Northwest Ethiopia: Insights through the

2 Primary health care progression model

- 3 Chalie Tadie Tsehay¹*, Nigusu Worku¹, Endalkachew Dellie¹, Wubshet Debebe Negash^{1,3},
- 4 Andualem Yalew Aschalew¹, Ayal Debie¹, Tsegaye G. Haile², Samrawit Mihret Fetene¹, Adane
- 5 Kebede¹, Asmamaw Atnafu¹
- ⁶ ¹ Department of Health Systems and Policy, Institute of Public Health, College of Medicine and
- 7 Health Sciences, and Specialized Hospital, University of Gondar, Gondar, Ethiopia
- ⁸ ²Curtin School of Population Health, Curtin University, Perth, WA, Australia
- 9 ³National Centre for Epidemiology and Population Health, the Australian National University,
- 10 Canberra, Australia
- 11 Email address
- 12 CTT: <u>Chatadie78@gmail.com</u>
- 13 NW: <u>nigusuworku29@gmail.com</u>
- 14 ED: endalkd.07@gmail.com
- 15 WDN: wubshetdebe23@gmail.com
- 16 AY: <u>yalewandualem@gmail.com</u>
- 17 AD: <u>debieayal@gmail.com</u>
- 18 TGH: tsegishg27@gmail.com
- 19 SMF: <u>samrimih21@gmail.com</u>

It is made available under a CC-BY 4.0 International license .

- 20 AK: <u>adanedbm@gmail.com</u>
- 21 AA: <u>asme2002@gmail.com</u>
- 22 *Corresponding author
- 23 CTT: <u>Chatadie78@gmail.com</u>

24 Abstract

Background: Primary healthcare (PHC) systems are widely recognized as essential foundations for ensuring equitable access to quality medical care for all. Achieving the healthrelated Sustainable Development Goals (SDGs), including the sub-targets of universal health coverage by 2030 requires resilient PHC systems, supported by scientific evidences to inform better policy. However, there is a lack of evidence regarding the PHC system capacity at the operational level in Ethiopia. Therefore, we assessed the capacity of primary health care at the health facilities level in northwest Ethiopia.

Methods: We used a mixed-method assessment of the PHC capacity guided by the 32 progression model, which includes governance, input, and population health and facility 33 management domains with a total of 33 rubric-based (scaled from 1 to 4) measurement items. 34 We included a total of three primary hospitals and five health centers from Northwest Ethiopia. 35 Key informants interviews, facility observations including guideline and policy reviews and 36 reports, discussion with key stakeholders, were our source of data. Data were independently 37 collected by two groups of assessors (internal and external assessors) and a final score was 38 determined by consensus through panel discussion. Finally, we summarized and synthesized the 39 results over the three domains of PHC capacity assessment and the nine subdomains. 40

Results: All the three domains scores were found to be low. We found that the scores were 1.5, 2.2, and 1.3 out of four points for the governance, input, and population health and facility management domains, respectively. While we found a better achievement on health management information system and civil registration and vital statistics, the local priority setting, facility management capability, innovation and learning, community engagement and social accountability measures had lowest capacity score.

47 Conclusions: Our study highlighted that the governance and population health and facility 48 management domains scored lower at the health facilities in central Gondar zone. Therefore, it is 49 crucial to enhance these domains to strengthen PHC though a comprehensive approach, aiming 50 to meet its targets and achieve UHC by 2030 or beyond.

51 Background

Primary healthcare (PHC) system is the foundations for guaranteeing that everyone has equitable access to quality medical care[1]. Sustaining a strong PHC system is also crucial for meeting the health-related Sustainable Development Goals (SDG) and its sub-targets of universal health coverage (UHC) by 2030 or beyond[2].

The Astana Declaration of 2018 emphasized the critical role that PHC must play in achieving UHC and reiterated the international community's commitment to developing PHC[3]. But all too often, especially in low- and middle-income countries (LMICs), PHC is ineffective, under prioritized, and unable to fulfill its promise[4].

The PHC system, which emphasizes service accessibility by delivering it as near to people'shomes and communities as possible, acts as the cornerstone of the health system[5].

It is made available under a CC-BY 4.0 International license .

Accordingly, Ethiopia has taken a number of steps to address the fragmentation of basic health
 cares through a community-based PHC services.

Despite a wide range of interventions aimed at improving PHC capacity, there is limited evidence regarding the impact of primary healthcare system performance across country [6]. The Primary Health Care Performance Initiative (PHCPI) was developed to measure PHC and evaluate PHC systems[7]. Owing to the lack of available data sources and metrics for PHC capacity, PHCPI created the PHC Progression Model, a participatory rubric-based mixedmethods evaluation tool, to measure capacity [8].

70 The lack of resources and practical implementation strategies has created a need to accelerate progress in achieving universal health goals[9]. The health system delivers preventive, 71 promotive, curative, and rehabilitative interventions through a combination of public health 72 actions and a pyramid of healthcare facilities that provide personal healthcare[10]. The PHC 73 facilities play a crucial role in addressing essential health care. Despite limited national-level 74 studies, there remains a lack of evidence regarding the capacity of PHC at the zonal and district 75 level. Therefore, we evaluated the capacity of primary health care at the health facility level in 76 Northwest Ethiopia. 77

78 Methods

79 Study context

Our study was conducted from March to June 2023 in Central Gondar zone of northwest Ethiopia, which comprises one comprehensive specialized hospital, one general hospital, nine primary hospitals, 76 health centers and 154 health posts. The study focused on three randomly

It is made available under a CC-BY 4.0 International license .

chosen public primary hospitals (Wogera, Sanja, and Qoladba) and five health centers
(Ambagiorgis, Makisegnit, Qoladba, Chua hit, and Sanja).

85 **PHC capacity assessment**

In our study, to evaluate the PHC capacity, we used the PHC progression model taken from PHC performance initiative[11]. This progression model was recently introduced to systematically guide PHC capacity assessment, with the aim of improving PHC system performance in resource-limited settings and contributing to the achievement of UHC targets in the long run.

90 The capacity aspect of the PHC-VSP evaluates three main elements of primary healthcare: 91 governance, inputs, and management of population health and facilities. The assessment tool for 92 capacity assessment has 33 specific measures derived from the primary healthcare progression 93 model[7].

94 Data sources and assessment procedures

We used multiple data collection methods from different data sources including key informant interviews, documents (patient charts and registration) reviews, and facility observations (review of facilities' strategic plan, reports). We adapted tools for secondary data collection regarding to surveillance and facility inputs from the Ethiopian Public Health Institute's (EPHI) Service Availability and Readiness Assessment (SARA) [12] In addition, we utilized the DHIS 2 databases, from hospital and health center levels to address matters related to population health and health facility management.

102 The evaluation process first encompassed an internal review conducted by healthcare facility103 staff, followed by external assessments carried out by evaluation teams from outside the study

areas. The 33 individual measure scores are consolidated into nine sub-scores, each representing a subdomain of the PHC Capacity. These sub-scores are calculated by taking the simple unweight average of the relevant measures. The nine sub-scores are further aggregated into three overall scores—Governance, Inputs, and Population Health and Facility Management—which are displayed in the Capacity pillar of the Vital Signs Profile (Table 1). These overall scores are also calculated using a simple unweight average of the respective sub-scores.

Document review and synthesis: A PHC capacity assessment team, consisting of two members assigned to each of the eight health facilities. Utilizing different templates specifically developed for the assessment, the team gathered relevant data from different sources.

113 **Key informant interviews**: After review of documents and finalizing the synthesis of 114 secondary data, the assessment team thoroughly identified information gaps and indicators 115 requiring additional verification and clarification subsequently, the team identified key 116 informants based on their exposure and expertise.

117 Internal assessment

The internal assessors were recruited with in each facility considering their experience. Two days of training was given for internal assessors on data collection tools, study objective, participant handling and other ethical issues, and they have measured the capacity of the PHCs from their respective health facilities using both document review and key informants interview and gave scores for all 33 measures.

123 External Assessment

It is made available under a CC-BY 4.0 International license .

We recruited a total of two external assessors, all of whom held master's degrees in public health. The recruitment process was considered the assessors previous data collection and related experience. Prior to the actual data collection, two days training was given for data collectors. Like internal assessors the team gathered pertinent data from their assigned health facilities, and the collected data were combined using a template developed for this purpose. The scoring scale was the same for internal and external assessors (score of 1 to 4 for each measure).

130 Data synthesis

131 The external assessment team combined relevant information derived from document review,132 desk review and key informant interviews related to the 33 measures.

133 This information was briefly summarized and organized into a single document for use in both internal and external assessments. The internal and external assessment teams evaluated the 33 134 PHC capacity measures based on this evidence summary, recording the scores in an Excel file. 135 136 The findings taken from each data source were documented separately, with clear indications of their sources. Both qualitative and quantitative data from various sources were recorded and 137 138 combined for each of the 33 measures, using data synthesis template for respective facilities. Scoring in the PHC Progression Model follows a threshold approach, where a performance level 139 140 is only achieved if all criteria within a measure meet the standards outlined in the corresponding rubric. Each indicator was given rating scale of one to four, based on criteria's taken from the 141 PHC progression model. During rating scale the lowest capacity was considered as one whereas 142 the highest capacity score was scored as four. Subsequently, these scores were aggregated into 143 nine sub-domains and three domains of PHC capacity assessment. In this study, we figure out the 144

It is made available under a CC-BY 4.0 International license .

summarized findings for each domain and sub-domain of the assessment. The key informantinterviews were recorded, then coded, transcribed and translated to be suitable for analysis.

147 Ethical considerations and consent to participate

Ethical review, approval and clearance were granted by the Institutional Review Board (IRB) of 148 the University of Gondar (Ref.no R/T/T/C/ENG./193 /11/2022) and an official letter of support 149 was obtained from Gondar city administration Health Department. Permission letter was also 150 taken from each health facility. All methods were performed in accordance with the declaration 151 of Helsinki. Written informed consent to participate was taken from each study participant. 152 Thereby each respondent signed consent after a brief explanation of the risk and benefits of their 153 involvement in the study. Participants were also informed about their right to withdraw from the 154 study at any time they want and/or to skip questions that they are not comfortable to respond. 155

156 **Results**

157 Primary health care progression model vital signs (VSP)

The assessment of PHC capacity in central Gondar health facilities revealed that all most below the expected standard. In the governance domain, the average score is 1.5, out of 4. Regarding the inputs average score domain, 2.2. On the other hand, in the population health and facility management domain, the PHC capacity scored is 1.3 (Table 1).

Table 1: The primary health care progression model vital signs in three main domains, centralGondar, Ethiopia, 2023

VSP Capacity Score Category

Score

It is made available under a CC-BY 4.0 International license .

VSP Capacity Score	Category	Score
	OVERALL GOVERNANCE	1.5
Governance	Governance and Leadership	1.6
	Adjustment to Population Health Needs	1.3
	OVERALL INPUTS	2.2
. .	Drugs and Supplies	2.0
	Facility Infrastructure	2.3
Inputs	Information Systems	2.7
	Workforce	2.5
	Funds	1.7
	OVERALL POPULATION HEALTH AND FACILITY	
Population Health and	MANAGEMENT	1.3
Facility Management	Population Health Management	1.0
	Facility Organization and Management	1.6

164 Color code: Yellow=2-3 and pink = less than 2

165 Governance

Four measures namely primary healthcare policy, primary healthcare leadership, social accountability and multi-sectorial actions were assessed under Governance domain. The assessment findings showed that Primary health care policies had medium score (3/4) whereas the rest three measures had low score (1/4) each.

170 **Inputs**:

It is made available under a CC-BY 4.0 International license .

171 Most of the indicators to assess the input domain were taken from Service Availability and 172 Readiness Assessment (SARA) report since 2028. Accordingly, five main domains were selected 173 for this study. As the finding indicated the fund domain inputs had lost score (1.7/4) whereas the 174 rest four had medium score (2-2.7/4).

Population Health and Management

The characteristics of Ethiopia's health system within the population health and facility management domain are marked by features such as community engagement in health planning, implementation and evaluation. Community engagement is raised through different initiation like Women's health Development Armies, Managing board at health institution as well as community-based health insurance. Two main domains (population health management and facility management) were assessed under population health and facility management. The result showed that both domains had low scores (1 and 1.6/4) respectively.

183 Comparison of Capacity assessment scores across health facilities

Among the 33 measures in the Primary Health Care Progression Model, only the health information management measure achieved a higher score (3 out of 5 for some health facilities and 3 out of 4 for others), indicating a yellow or green code. However, three measures, namely social accountability, innovation and learning, and empanelment, had the lowest scores across all facilities (Table 2).

Table: 2 Individual scores out of four for each measure in the Primary Health Care ProgressionModel by facility in Central Gondar zone, Ethiopia, in 2023.

It is made available under a CC-BY 4.0 International license .

Individual Measures	Amba	Giorgis HC	Chuahit HC	Makisegnit HC	Qoladipa HC	Sanja HC	Qoladipa PH	Sanja PH	Wogera PH
1. PHC policies	3		2	3	1	3	3	3	3
2. PHC Leadership	1		2	1	1	2	2	2	2
3. Quality management infrastructure	2		3	3	1	2	2	2	2
4. Social accountability	1		1	1	1	2	1	1	1
5. Multi-sectorial action	1		1	1	1	1	1	1	1
6. Surveillance	2		3	2	3	3	2	3	3
7. Priority setting	1		1	1	2	1	1	1	1
8. Innovation and learning	1		1	1	1	1	1	1	1
9. Availability of essential medicines &									
consumable commodities	2		2	2	2	2	3	2	3
10. Basic equipment	1		2	2	2	2	2	2	2
11. Diagnostic supplies	2		2	2	2	2	2	2	2
12. Facility distribution	2		2	2	2	2	1	2	2
13. Facility amenities	2		2	3	3	3	3	2	2
14. Standard safety precautions &									
equipment	2		2	3	3	3	3	3	2
15. Civil registration and vital statistics	4		2	4	3	2	4	2	3
16. HMIS	4		4	4	3	3	3	3	3
17. Personal care records	2		2	2	3	4	3	4	2
18. Workforce density and distribution	2		2	3	3	3	2	3	3

It is made available under a CC-BY 4.0 International license .

Individual Measures	Amba	Giorgis HC	Chuahit HC	Makisegnit	HC Qoladipa HC	Sanja HC	Qoladipa PH	Sanja PH	Wogera PH
19. Quality Assurance of PHC workforce	1		2	2	3	2	2	2	2
20. PHC workforce competencies	4		2	3	3	4	2	4	2
21. Community health workers	2		2	3	2	1	1	1	3
22. Facility budgets	2		2	3	3	3	2	3	3
23. Financial MIS	3		2	4	2	1	1	4	3
24. Remuneration			2	1	2	1	2	1	2
25. Local priority setting			1	1	2	1	1	1	1
26. Community engagement			1	1	2	1	1	2	1
27. Empanelment	1		1	1	1	1	1	1	1
28. Proactive population outreach	2		1	2	2	1	1	1	1
29. Team-based care organization	3		3	2	2	2	1	3	1
30. Facility Mx capability & leadership	1		1	1	2	1	1	1	2
31. Information system use	2		1	2	2	2	2	2	2
32. Performance measurement &									
Management (1/2)	1		2	2	2	2	2	2	1
33. Performance measurement &									_
Management (2/2) Supportive									
Supervision	3		4	2	2	3	1	3	3

191 Color codes Green=4, Yellow=2-3; Red=1

192 The PHC progression model main domain scores at each facility.

It is made available under a CC-BY 4.0 International license .

Governance was better implemented at wogera primary hospital 2.1/4) as compared to other
health facilities, the input domain was better implemented at Sanja and wogera primary hospitals
and population health and facility management was also better at Qoladba health center (Table
3).

197 Table 3: The overall three domains of capacity assessment in Central Gondar, Ethiopia, 2023

	Domains		
Health facilities	Overall	Overall inputs	Overall population
	governance		health and facility
			management
Ambagiorgis Health Center	1.5	2.3	1.8
Chuahit Health Center	1.7	1.8	1.3
Makisegnit Health Center	1.6	2.7	1.8
Qoladba Health center	1.5	2.3	2.0
Sanja Health center	1.8	2.2	1.3
Sanja Primary Hospital	1.7	2.6	1.6
Wogera Primary Hospital	2.1	2.6	1.5
Qoladba Primary Hospital	1.6	2.4	1.3

198 Summarized internal, external and consensus scores with respective average scores

Among primary health care capacity measures, the lowest average internal assessment score was 1 out of 4 (social accountability multi-sectorial action, and innovation and learning whereas the highest score was 3.1 (Surveillance Health Management Information Systems, and personal

It is made available under a CC-BY 4.0 International license .

- recorders). The highest average external as well as average consensus score was 3.38 (Health
- 203 Management Information Systems).
- Almost the final internal and external assessment scores were similar and they agreed on the
- score either consensus or on average score on eight health facilities (Table 4)
- Table 4: Final internal, external and consensus and average scores of each PHC measure central
- 207 Gondar Ethiopia, 2023 (Summary of 8 HFs).

Individual Measures	nal	ernal	ore	ternal nal	nsuəsu	'erage	ernal 'erage	ternal	'erage nsensu
	Fi	int	sco Fii	exi Fij	[0]	A	int Av	eX)	AV C0]
Primary health care policy	21		21	21		2.625	2.625		2.625
Primary health care leadership	14		13	13		1.75	1.625		1.625
Quality management infrastructure	19		17	17		2.375	2.125		2.125
Social Accountability	10		9	9		1.25	1.125		1.125
Multi sectorial action	8		8	8		1	1		1
Surveillance	25		21	21		3.125	2.625		2.625
Priority setting	10		9	9		1.25	1.125		1.125
Innovation and learning	8		8	8		1	1		1
Availability of Essential medicines &						2.375	2.125		2.25
consumable commodities	19		17	18					
Basic equipment	18		15	15		2.25	1.875		1.875
Diagnostic supply	16		16	16		2	2		2
Facility distribution	17		15	15		2.125	1.875		1.875
Facility Amenities	20		20	20		2.5	2.5		2.5

It is made available under a CC-BY 4.0 International license .

Individual Measures		I		al su	je J	al se	su
	Final	interns	score Final	extern: Final consen	Averag	Averag externa	Averag consen
Standard safety precaution and equipment	22		21	21	2.75	2.625	2.625
Civil Registration and vital statistics	22		24	24	2.75	3	3
Health Management Information Systems	25		27	27	3.125	3.375	3.375
Personnel care record	25		22	22	3.125	2.75	2.75
Workforce density and distribution	21		21	21	2.625	2.625	2.625
Quality assurance of PHC workforce	18		16	16	2.25	2	2
PHC workforce competency	22		22	24	2.75	2.75	3
Community health workers	21		14	15	2.625	1.75	1.875
Facility budget	22		21	21	2.75	2.625	2.625
Financial Management information system	18		18	20	2.25	2.25	2.5
Remuneration	15		12	12	1.875	1.5	1.5
Local priority setting	10		11	10	1.25	1.375	1.25
Community engagement	12		10	10	1.5	1.25	1.25
Empanelment	8		10	8	1	1.25	1
Proactive population out reach	11		11	11	1.375	1.375	1.375
Team based care organization	15		18	17	1.875	2.25	2.125
Facility management capability and	13		11	10	1.625	1.375	1.25
leadership							
Information system use	15		15	15	1.875	1.875	1.875
Performance Measurement and	15		14	14	1.875	1.75	1.75
Management							

It is made available under a CC-BY 4.0 International license .

Individual Measu	res		Final	internal	score	Final	external	Final	consensu	Average	internal	Average	external	Average	consensu
Performance	Measurement	and								2.5		2.625		2.625	
Management supp	ortive supervision		20			21		21							
Total			555			528		529		69.37	'5	66		66.125	5

208 The primary health care progression model subdomains measure scores out of 4 points.

The subdomain measures scored by internal and external scorers were: Governance and Leadership, Adjustment to Population Health Needs, Drugs and Supplies, Facility Infrastructure, Information Systems, Workforce, Funds, Population Health Management, and Facility Organization and Management. (Table 5)

Table 5: Primary health care progression model subdomain measure scores out of 4 points

		Internal	External	Final
Category	Measure	Score	Score	Score
	Primary health care policies	3	3	3
Governance and	Primary health care Leadership	2	1	1
Leadership	Quality management infrastructure	3	2	2
	Social accountability	2	1	1
	Multi-sectorial action	1	1	1
Adjustment to	Surveillance	3	2	2
Population Health	Priority Setting	2	1	1
Needs	Innovation and Learning	1	1	1

214 Central Gondar, Ethiopia, 2023

It is made available under a CC-BY 4.0 International license .

	Availability of essential medicines			
Drugs and Supplies	and consumable commodities	3	2	2
5 11	Basic equipment	3	2	2
	Diagnostic supplies	2	2	2
	Facility Distribution	3	2	2
Facility Infrastructure	Facility amenities	3	3	3
	Standard Safety Precautions and			
	Equipment	3	2	2
	Civil Registration and Vital			
	Statistics	2	3	3
Information Systems	Health Management Information			
	Systems (HMIS)	2	3	3
	Personal Care Records	3	2	2
	Workforce Density and Distribution	3	3	3
	Quality assurance of PHC			
Workforce	workforce	2	2	2
	PHC workforce competencies	2	3	3
	Community Health Workers	3	2	2
	Facility budgets	2	1	1
Funda	Financial Management Information			
T UNUS	System	3	2	3
	Remuneration	2	1	1

It is made available under a CC-BY 4.0 International license .

	Local priority setting	1	2	1
Population Health	Community engagement	2	1	1
Management	Empanelment	1	2	1
	Proactive Population Outreach	1	1	1
	Team-based care organization	3	2	2
	Facility management capability and			
Facility Organization	leadership 22	2	1	1
and Management	Information system use	2	2	2
	Performance measurement and			
	management	3	2	2
	Supportive Supervision	2	1	1

215 **Discussion**

This study evaluated the capacity of PHC in health facilities in Central Gondar zone using the 216 217 PHC progression model. The results indicated a generally low level of PHC capacity across all assessed domains. Significantly, the capacity in the population health and facility management 218 domain was found to be particularly lacking. While the input domain exhibited low scores as 219 220 well, it was comparatively better than those of the population health management and governance domains. These findings highlight critical areas for improvement in PHC capacity, 221 222 especially in governance and population health and facility management aspects, which are essential for enhancing overall health system performance. 223

Utilizing the PHC progression model, the study showed that the overall capacity of health facilities was 1.5 out of 4 in the governance domain, 2.2 out of 4 in the input's domain, and 1.3

It is made available under a CC-BY 4.0 International license .

out of 4 in the population health and facility management domain. This finding is low compared
to the national level study in Ethiopia, however, the scores of input was similar from the Ministry
of Health assessment of capacity[13].

229 Governance

The Governance domain of the study achieved an average score of 2.2 out of 4, which is categorized as a medium score according to the Primary Health Care (PHC) progression model. This score is notably lower than the findings of a national level study in Ethiopia, which reported an average score of 2.8 out of 4 [14], and a study conducted in Qatar that scored 3.6 out of 4 [15].

The observed differences in scores may be attributed to variations in the study settings; the previous studies were conducted at a national level focusing on regional offices, while our study was performed at the facility level. The implications of our findings suggest potential issues such as the unavailability of essential policies and strategies, lack of social accountability, inadequate handling of quality documents, violations of rules and regulations, and the absence of quality improvement projects and capacity-building training. These factors may contribute to the suboptimal performance of health facilities [4].

The study assessed eight governance measures in health care including primary health care policy, primary healthcare leadership, social accountability, multi-sectorial action, quality management infrastructure, surveillance, priority setting and innovation and learning. Among these only three domains; primary healthcare leadership, quality management infrastructure and surveillance scored 2 or above out of 4, indicating medium level performance. The remaining domains scored 1 out of 4, highlighting that over 60% of the governance areas are poorly

functioning and require urgent attention. The findings suggest that without prompt action from 248 the health care government in central Gondar zone, significant impairments in health service 249 delivery may occur due to limited leader- workers interaction, poor community engagement, 250 inadequate collaboration with public organizations, and in effective participatory decision 251 making[16]. District and zonal health offices must address these gaps urgently and collaborate 252 253 with health facilities [17]. Evidences indicated that the capacity building training, organizational restructuring, and fostering a positive social environment can enhance leadership capacities in 254 255 health facilities[18].

256 Inputs

The input dimension of PHC capacity received an overall score of 2.2 out of 4, indicating a medium level performance. Within this dimension, the lowest score was 1.7, attributed to funding, while the highest score was 2.7, related to information system.

260 In this study, the financial aspect of the domain received the lowest score among all subdomains. 261 Suggest that delivering quality health services is challenging due to the dynamic nature of 262 healthcare, which requires constant adaptation to emerging patient needs, new technologies, and changing environments. Evidences indicate that robust healthcare budget is crucial for leaders to 263 264 effectively plan for the future and prioritize care across various departments and programs, ultimately enabling health care organizations to provide more efficient and effective patient care 265 [19]. Healthcare budgeting plays a vital role in decision making with in health system and 266 organizations. An effective budgeting process enables health care leaders to align daily 267 operations with financial targets, prioritize key areas in line with strategic goals and manage 268 capital expenditures and cash flow efficiently. Additionally, it provides a clear understanding of 269

It is made available under a CC-BY 4.0 International license .

funding allocation for individual projects, initiatives and clinical departments, while also helpingto minimize purchasing errors[20].

The study identified several budget related challenges faced by health centers and hospitals in central Gondar zone. These challenges include unpredictable economic events such as the COVID 19 pandemic and conflicts which render static budgets ineffective. Other issues include changes or delay in reimbursement and payment models, labor shortage, rising costs and supply chain disruptions, particularly shortage of personal protective equipment (PPE) and prescribed drugs. In addition, external factors such as fluctuation in patient volume and inflation also significantly impact health care budget[21].

In the input domain, the availability of essential medicines and consumable commodities 279 received score of 2 and 3 out of 4 across all facilities, categorizing them at the "yellow level." 280 This finding aligns with a systematic review conducted in low and middle income countries[22]. 281 Stock-outs of medical consumables adversely affect health outcomes by delaying effective 282 service delivery and discouraging patients from seeking care. The study also revealed low 283 availability of fully functioning basic equipment, with Ambagiorgis health center scoring "red" 284 285 (1/4) and other facilities scoring "yellow" (2/4). This outcome is consistent with a study from Jimma, Ethiopia, which found that one-third of basic equipment was unavailable [23]. 286

The civil registration and vital statistics measure achieved a "green level" score (4/4) at Ambagiorgis, Makisegnit, and Qoladba health centers, indicating a high level of performance in these facilities. In contrast, other health facilities only reached a "yellow level," suggesting room for improvement. This disparity may be linked to the government's prioritization of civil

It is made available under a CC-BY 4.0 International license .

registration and vital statistics, along with effective collaboration between health facilities andgovernment administration offices in Ethiopia.

Additionally, the Management and Health Information Systems (MHIS) measure demonstrated strong performance, achieving a "green level" score (4/4) at three health facilities and a "yellow level" (3/4) at five others. This performance is consistent with findings from a study conducted in public hospitals across Ethiopia[24], although it surpasses results from a study in the Oromia zone. The variation in results may stem from the different study tools employed; our study utilized indicators from the PHC Progression Model, while the previous study relied on indicators from national HMIS guidelines[25].

Population health and facility management

301 The population health and facility management domain of primary health care (PHC) received a low overall score of 1.3 out of 4. Nine measures were evaluated by both internal and external 302 assessors, with the final scores reached by consensus. Only three measures-team-based care, 303 information system use, and performance measurement—scored medium based on primary 304 health care progression models. In contrast, several critical measures, including local priority 305 setting, community engagement, proactive population outreach, empanelment, and supportive 306 supervision, were poorly implemented in the study area, highlighting significant gaps in health 307 system priorities[4]. 308

The findings indicate that local community health issues are often overlooked, leading to decision-making and resource allocation being influenced more by historical and political factors than by technical knowledge or an understanding of current health needs [26]. Community

It is made available under a CC-BY 4.0 International license .

engagement, recognized by the World Health Organization as a key measure of primary health 312 care capacity, is highlighted as a cost-effective strategy for promoting health and preventing 313 illness. Although there are no direct comparative studies, various preliminary findings and 314 reports from international organizations emphasize the importance of community engagement in 315 local health governance. Active participation of residents not only enhances democratic 316 317 governance but also increases their support for health initiatives. Moreover, community engagement fosters strong, cohesive communities where residents feel connected and supported. 318 This sense of belonging can reduce social isolation, increase cooperation, and promote a spirit of 319 320 mutual aid and collective responsibility. It also enables local governments to create more sustainable and inclusive policies, as engaged communities are more likely to support and 321 participate in initiatives related to environmental conservation, economic development, and 322 social well-being. 323

During crises, communities that are actively engaged are more capable of responding effectively 324 to challenges such as natural disasters, economic difficulties, or public health emergencies. 325 Additionally, community engagement fosters a sense of ownership among residents in local 326 governance, resulting in increased civic pride, higher volunteerism, and a more dynamic 327 citizenry [27]. However, our findings indicate that the level of implementation in the central 328 329 Gondar zone is low (1 out of 4). Specifically, there have been no community forums, campaigns, or activities aimed at building trust between the community and the health system. These 330 shortcomings may be attributed to issues of insecurity and the adverse effects of the COVID-19 331 332 pandemic.

333 Acknowledgement

It is made available under a CC-BY 4.0 International license .

We authors would like to thank to the University of Gondar, internal and external assessors for devoting their time and commitment, the study participants for providing information and their patience

337 Authors' contribution

- 338 Conceptualization: Chalie Tadie Tsehay, Tsegaye G. Haile, Nigusu Worku, Asmamaw Atnafu.
- **Data curation**: Chalie Tadie Tsehay, Nigusu Worku, Wubshet Debebe Negash
- 340 Formal analysis: Chalie Tadie Tsehay, Nigusu Worku

Methodology: Chalie Tadie Tsehay, Tsegaye G.Haile, Endalkachew Delie, Wubesht Debebe
Negash, Andualem Yalew Aschalew , Ayal Debie, Samrawit Mihret Fetene, Adana Kebede,
Asmamaw Atnafu

- 344 Validation: Chalie Tadie Tsehay, Tsegaye G.Haile, Endalkachew Delie, Wubesht
 345 Debebe, Nigusu Worku, Asmamaw Atnafu
- 346 Visualization: Chalie Tadie Tsehay, Tsegaye G.Haile, Endalkachew Delie, Wubesht
 347 Debebe Negash, Andualem Yalew Aschalew , Ayal Debie, Samrawit Mihret Fetene, Adana
 348 Kebede, Asmamaw Atnafu
- 349 Writing original draft: Chalie Tadie Tsehay, Nigusu Worku

350 **References**

It is made available under a CC-BY 4.0 International license .

351	1.	Tesema AG, Abimbola S, Mulugeta A, Ajisegiri WS, Narasimhan P, Joshi R, Peiris D: Health
352		system capacity and readiness for delivery of integrated non-communicable disease services
353		in primary health care: a qualitative analysis of the Ethiopian experience. PLOS Global Public
354		<i>Health</i> 2021. 1 (10):e0000026.
355	2	Organization WH: Primary health care measurement framework and indicators: monitoring
252	۷.	health systems through a primary health care long. Web appays technical engilisations 2022
250	2	nearth systems through a primary hearth care lens. web annex: technical specifications. 2022.
357	3.	Friedrich IVI: Declaration of Astana emphasizes primary care as key to world health. JAIVIA
358		2018, 320 (23):2412-2412.
359	4.	Ratcliffe HL, Schwarz D, Hirschhorn LR, Cejas C, Diallo A, Garcia-Elorrio E, Fifield J, Gashumba D,
360		Hartshorn L, Leydon N et al: PHC Progression Model: a novel mixed-methods tool for
361		measuring primary health care system capacity. BMJ Global Health 2019, 4(5):e001822.
362	5.	Pettigrew LM. De Maeseneer J. Anderson M-IP. Essuman A. Kidd MR. Haines A: Primary health
363	-	care and the Sustainable Development Goals The Lancet 2015 386(10009):2119-2121
364	6	Liu L Desai MM Fetene N Avenu T Nadew K Linnander F: District-level health management
204	0.	and health system newformences the Ethionic primary healthcare transformation initiative
202		and nearth system performance: the Ethopia primary hearthcare transformation initiative.
366	_	International journal of nealth policy and management 2022, 11 (7):973.
367	7.	Ratcliffe HL, Schwarz D, Hirschhorn LR, Cejas C, Diallo A, Garcia-Elorrio E, Fifield J, Gashumba D,
368		Hartshorn L, Leydon N: PHC Progression Model: a novel mixed-methods tool for measuring
369		primary health care system capacity. BMJ global health 2019, 4(5):e001822.
370	8.	Al-Kuwari MG, Abdulmajeed J, Kandy MC, Al-Mudahka H, Al-Abdulla S, Al-Mujalli H, Tarazi A,
371		Abdulmalik MA: Primary health care capacity assessment in Qatar: the primary health care
372		progression model as an assessment method. MIDDLE FAST JOURNAL OF FAMILY MEDICINE
373		2023 7 (10)
274	0	Organization WH: The Delivery of essential health convice in Africa, realities and needla's
374 375	9.	organization whither beinvery of essential health service in Ainca, realities and people's
3/5	4.0	perceptions and perspectives: report submitted for the North West site in Nigeria. 2011.
376	10.	Organization WH: Monitoring the building blocks of health systems: a handbook of indicators
377		and their measurement strategies: World Health Organization; 2010.
378	11.	Ramli AS, Taher SW, Zakaria ZF, Ali N, Shamsuddin NH, Wong PF, Talib NH, Ismail SB: The
379		primary health care performance initiative (PHPCI): issues and challenges for Malaysia as a
380		trailblazer country. Journal of Clinical and Health Sciences 2019, 4(1):1-18.
381	12.	Ethiopian Public Health Institute Addis Ababa E: Ethiopia Service Availability and Readiness
382		Assessment (SARA), 2018 Final Report.
383	13	Vitharek K. Serawit A. Medhin G. Alemavehu VK. Teklu AM. Assefa Y. Haregu TN: Canacity of the
281	15.	Ethionian primary health care system to achieve universal health coverage: a primary health
204 20E		core progression approach. Health policy and planning 2022, 29 (4):474,495
202	1.4	Care progression approach. Health poincy and planning 2025, 56(4).474-465.
386	14.	YItbarek K, Serawit A, Mednin G, Alemayenu YK, Teklu Alvi, Asseta Y, Haregu TN: Capacity of the
387		Ethiopian primary health care system to achieve universal health coverage: a primary health
388		care progression approach. <i>Health Policy Plan</i> 2023, 38 (4):474-485.
389	15.	Al-Kuwari M, Abdulmajeed J, Kandy M, Al-Mudahka H, Al-Abdulla S, Al-Mujalli H, Tarazi A,
390		Abdulmalik M: Primary health care capacity assessment in Qatar: the primary health care
391		progression model as an assessment method. World Family Medicine Journal /Middle East
392		Journal of Family Medicine 2023.
393	16.	McMurray A: Leadership in primary health care: an international perspective. Contemp Nurse
301	10.	2007 26 (1)·30-36
302	17	Desta RE Abitew A Reshir IA Argaw MD Abdikader Stleadershin governance and
200	17.	Desia Di, Abitew A, Desilii IA, Algaw IVID, Abulkauer S. Leauership, governance diu
396		management for improving district capacity and performance: the case of USAID transform:
397		primary health care. BMC Family Practice 2020, 21 (1):252.

It is made available under a CC-BY 4.0 International license .

Flahault D, Roemer MI, World Health O: Leadership for primary health care : levels, functions,
 and requirements based on twelve case studies / Daniel Flahault, Milton I. Roemer. In.
 Geneva: World Health Organization; 1986.

- 401 19. Alebachew A, Abdella E, Abera S, Dessie E, Mesele T, Mitiku W, Muñoz R, Opuni M, Teplitskaya
 402 L, Walker DG *et al*: Costs and resource needs for primary health care in Ethiopia: evidence to
 403 inform planning and budgeting for universal health coverage. *Front Public Health* 2023,
 404 11:1242314.
- Anderson DM, Cronk R, Best L, Radin M, Schram H, Tracy JW, Bartram J: Budgeting for
 environmental health services in healthcare facilities: a ten-step model for planning and
 costing. International journal of environmental research and public health 2020, 17(6):2075.
- 408 21. Gaspar K, Portrait F, van der Hijden E, Koolman X: Global budget versus cost ceiling: a natural
 409 experiment in hospital payment reform in the Netherlands. The European Journal of Health
 410 Economics 2020, 21(1):105-114.
- 411 22. Olaniran A, Briggs J, Pradhan A, Bogue E, Schreiber B, Dini HS, Hurkchand H, Ballard M: Stock412 outs of essential medicines among community health workers (CHWs) in low- and middle413 income countries (LMICs): a systematic literature review of the extent, reasons, and
 414 consequences. Human Resources for Health 2022, 20(1):58.
- 415 23. Ademe BW, Tebeje B, Molla A: Availability and utilization of medical devices in Jimma zone
 416 hospitals, Southwest Ethiopia: a case study. *BMC Health Serv Res* 2016, 16:287.
- Tesfamichael A, Samuel S, Senait S: Implementation Level of Health Management Information
 System Program in Governmental Hospitals of Ethiopia. International Journal of Intelligent
 Information Systems 2019, 8(2):52-57.
- Bogale A: Implementation status of health management information system in hospitals of
 South West Shoa Zone, Oromia, Central Ethiopia. ClinicoEconomics and Outcomes Research
 2021:1-8.
- 423 26. Mitton C, Donaldson C: Health care priority setting: principles, practice and challenges. Cost Eff
 424 Resour Alloc 2004, 2(1):3.
- 425 27. Holzer JK, Ellis L, Merritt MW: Why we need community engagement in medical research.
 426 Journal of Investigative Medicine 2014, 62(6):851-855.