Surveying the Literature on Implementation Determinants and Strategies for HIV Structural Interventions: A Systematic Review Protocol alithia zamantakis^{1,2}, Shruti Chandra¹, Valeria A. Donoso¹, R. Mariajose Paton¹, Alec Powers¹, 6 Brian Mustanski^{1,2,3}, Nanette Benbow^{1,3} ¹ Institute for Sexual and Gender Minority Health and Wellbeing, Northwestern University, 625 N Michigan Ave., Chicago, IL 60611 ² Medical Social Sciences, Northwestern University, 625 N Michigan Ave., Chicago, IL 60611 ³ Psychiatry and Behavioral Sciences, Northwestern University, 425 E Ontario St., Chicago, IL Corresponding Author: Nanette Benbow; nanette.benbow@northwestern.edu

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

Surveying the Literature on Implementation Determinants and Strategies for HIV Structural Interventions: A Systematic Review Protocol **Abstract Background:** Despite improvements in HIV prevention, treatment, and surveillance, vast disparities remain in access, uptake, and adherence of evidence-based interventions. These disparities are most pronounced among racially, sexually, and gender minoritized populations, as well as among those living in poverty and/or who use injectable drugs. Structural interventions, or interventions that target social and structural determinants of health like housing, transportation, or income, are needed to increase access to, use of, and adherence to HIV EBIs to advance the aims of the national Ending the HIV Epidemic initiative. However, it is unclear to what extent barriers and facilitators of structural interventions have been identified in the U.S. and what implementation strategies and adjunctive interventions have been developed to enhance their delivery. **Methods:** To identify what implementation determinants, implementation strategies, and adjunctive interventions have been identified for HIV structural interventions, we carried out a broad database search between May and July 2024, identifying a total of 8,098 articles. We will use a multi-step process to identify articles to include in the systematic review. We will use natural language processing to identify articles for exclusion, followed by manual text review and extraction using COVIDENCE software. Literature on determinants will be coded according to the Consolidated Framework for Implementation Research. Implementation strategies and adjunctive interventions will be coded according to the Expert Recommendations for Implementing Change, the Theoretical Domains Framework, and COM-B. We will descriptively analyze determinants, implementation strategies, and adjunctive interventions, use natural language processing for thematic analysis of determinants, implementation strategies, and

adjunctive interventions, and provide narrative description of implementation strategies and adjunctive interventions. **Discussion:** This systematic review will identify key barriers and facilitators for HIV structural intervention implementation strategies, including multi-level approaches to address disparities among marginalized populations. Findings will provide insights for advancing equitable, scalable interventions to support the goals of the Ending the HIV Epidemic initiative. Systematic review registration: CRD42024554315 **Keywords:** Systematic Review; Protocol Paper; HIV/AIDS; Structural Intervention; Implementation Science

Background

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

The HIV epidemic disproportionately impacts minoritized populations, underscoring the need to examine the social and structural determinants of health (SSDOH) that contribute to these inequities (1,2). SSDOH include the "upstream" or structural factors like public policy, economic context, social and cultural values, and political ideology that produce or give shape to social determinants of health (3). SSDOH, thus, also include the more "mid-stream" or social factors, often referred to as the conditions where individuals work, live, grow, and play, that shape a populations' health before individuals step foot in a clinic (3). The federal government has identified "key populations" that are disproportionately affected by the HIV epidemic due, in part, to SSDOH: cisgender gay, bisexual, and other men who have sex with men of all races and ethnicities (MSM); Black women people who inject drugs (PWID); youth aged 13 to 24 years; and transgender women (4). Despite improvements in overall HIV incidence due to the development and implementation of numerous evidence-based interventions (EBIs), trends in the United States highlight the disparities between these groups and the general population (5). For example, between 2018 and 2022, new HIV diagnoses in Black, Indigenous, Hispanic/Latine, and Native Hawaiian or Pacific Islander populations increased, but decreased or stabilized in Asian and White populations, respectively (5). SSDOH such as racism, access to care, economic status, and social stigma can all contribute to discrepancies in HIV diagnosis, treatment, and prevention rates (6). Pre-exposure prophylaxis (PrEP), an oral pill or bimonthly injection that significantly reduces the risk of acquiring HIV (7–9), is a critical tool in HIV prevention, but disparities in access and uptake present significant challenges. For example, PrEP uptake has been slow among Black and Latine individuals, particularly Black females and Latino males (10,11). Barriers such as stigma,

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

medical mistrust, and structural racism contribute to the inequitable distribution of PrEP, limiting its full potential in reducing HIV incidence (12). Treatment as Prevention, another critical innovation, involves the suppression of individuals' HIV viral load through consistent antiretroviral therapy (ART) adherence and has emerged as a highly effective strategy in preventing the transmission of HIV through sex, syringe sharing, and vertical (mother-to-child) transmission (13–18). However, barriers to access to care and to ART adherence remain prevalent among key populations, including housing instability, lack of access to transportation, substance use, which each, without further patient support, contribute to patients missing a greater number of clinic appointments (19). Achieving the goals of the Ending the HIV Epidemic in the US (EHE) Initiative to reduce HIV incidence and improve health equity necessitates the implementation of structural interventions (20). Structural interventions attempt to make changes to the performance and creation of public health initiatives (21). These interventions target the structural factors of a public health initiative that can influence the target population's behavior. The structural factors (or determinants) influencing health behaviors can include social inequalities, economic factors, cultural influences, policies, and physical structures (21). Structural interventions have been used as a preventative strategy to target the structural variables that impact behavior and risk of obtaining HIV. For example, the provision of housing as an intervention has been found to reduce engagement in sexual and substance use behaviors that may increase the likelihood of acquiring HIV, as well as to increase access and adherence to ART (22). While a growing body of literature has attended to developing and piloting structural interventions, there has been less attention to their implementation within the U.S. Implementation science has identified a persistent gap between the development, piloting, and trialing of an EBI and its eventual implementation (referred to as the implementation gap (23)).

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

Thus, it is necessary for researchers to identify the implementation determinants, or barriers and facilitators, of structural interventions and the implementation strategies or processes, methods, policies, and programs to increase the reach, effectiveness, adoption, implementation, and sustainability of the interventions (24–27). Structural interventions will also likely require the identification and development of adjunctive interventions, or methods to increase patient uptake, access, and adherence to the intervention (28). Implementation science's focus on swift translation of research to practice is necessary to achieve the goals of the EHE initiative (29). Thus, we aim to carry out a systematic review to identify: 1. What implementation determinants, implementation strategies, and adjunctive interventions have been identified as relevant to the adoption, acceptability, feasibility, appropriateness, reach, cost, sustainability, and equitable delivery of structural interventions for HIV EBIs? 2. What gaps are present in the literature regarding the implementation of structural interventions for HIV EBIs? 3. How are or how may structural interventions be differentiated from implementation strategies and adjunctive interventions? Methods Search Strategy Between May and July 2024, a broad database search strategy (see Supplemental File 1) was carried out to identify literature focused on implementation determinants, implementation strategies, and adjunctive interventions for structural interventions for HIV EBIs along the HIV prevention and care continua (30,31). The protocol for this search is registered with the International Prospective Register of Systematic Reviews (PROSPERO ID: CRD42024554315). A research librarian provided consultation on the search strategy and recommended additional

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

databases to search. The first author (az) searched Ovid MEDLINE [2000-2024], Embase (Elsevier) [2000-2024], PsycINFO (EbscoHost) [2000-2024], Web of Science [2000-2024], Sociological Abstracts [2000-2024], Google [All years], and ProQuest Congressional CRS Reports and Miscellaneous Publications [2000-2024]. The second author (VAD) also identified the primary sources from the CDC's compendium of evidence based structural interventions for HIV to add to the initial search (32). From this, 8,098 articles were identified before duplication. Using these articles, we will conduct a systematic review in two phases: 1) identifying implementation determinants and 2) identifying implementation strategies and adjunctive interventions. Both phases of the systematic review will be carried out in compliance with the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA; see **Supplemental File 2).** Screening and eligibility criteria We used a multi-step process to identify articles to include in the systematic review. Inclusion criteria include: 1) a focus on HIV/AIDS; 2) 50% or more of the study sample is based in the U.S.; 3) the study is an implementation or hybrid implementation-effectiveness study (33); 4) the study contains original research with an original data sample; 5) behavioral or social science (i.e., not basic science); 6) the study reports, explores, or tests at least one implementation outcome (i.e., acceptability, feasibility, adoption, fidelity, implementation costs, reach, sustainability (26,27)); and 7) that the intervention either (a) affects risks and/or behavioral choices by changing something external to the individual and not under their control and/or (b) targets social determinants of health. Preliminary inclusion was determined using natural language processing (NLP) to analyze titles and abstracts (N = 8,092) and classify articles for eligibility in our systematic review. NLP was performed by author MH using R version 4.4.1 (34) and packages quanted afor quantitative

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

analysis of textual data (35), RWeka for machine learning algorithms for data mining (36), and tidyverse (37), tidytext (38), broom (39), readr (40), stringr (41), and magrittr (42) for data cleaning and manipulation. Five domains, with separate R scripts, were defined: 1) Domestic Setting (i.e., not international or foreign); 2) Study Design; 3) Behavioral Science; 4) HIV/AIDS Relevance; and 5) Structural Intervention. Using the quanteda package in R, each article was assigned a label for inclusion, exclusion, further inspection required, or no label based on the quantified presence of predetermined terms. 405 articles were assigned an 'include' label across all five domain classifiers, and 4,285 articles contained at least one 'further inspection' label and were not assigned an 'exclude' label across any classifier. Lastly, results were output into a table indicating the classification of each article. After computerized exclusion, articles identified for inclusion in the NLP were uploaded to COVIDENCE for manual review (43). COVIDENCE will automatically identify duplicate articles for exclusion. A team of trained investigators, including but not limited to a faculty investigator with experience leading systematic reviews (az), a postdoctoral fellow (MP), and two research staff with Bachelor-level training (VAD, SC), will conduct the manual review. The research staff and postdoctoral fellow were trained by az to review articles until 90% reliability was reached between their identification of articles to include and az's identification of articles to include. Manual review will begin with title and abstract review. The team of investigators will screen each article's title and abstract to identify whether to include or exclude each article based on the same criteria as the NLP will use. Following, title and abstract review, we will conduct full-text review of each article, once again screening each article to identify whether to include or exclude each article based on the same criteria as the prior two steps. In both steps of manual screening, each article will be reviewed by two investigators. In the case of disagreement, the article will be re-reviewed by senior members of the team (az and NB) for consensus.

Extraction

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

Following the multi-step screening process, we will manage and extract data from articles using COVIDENCE software. Extraction will include identification of high-level information detailed in Table 1. This will include CDC-identified priority populations, which are based on disparities in HIV prevalence and incidence in the U.S. Study type will be categorized as withinsite designs (e.g., post-design examination of healthcare processes), between-site designs (e.g., comparing a new implementation strategy to usual practice or comparing different implementation strategies), within- and between-site designs (e.g., roll-out designs), nonexperimental designs (e.g., qualitative designs, surveys that aren't part of a larger trial), configurational comparative methods (e.g., qualitative comparative analysis, coincidence analysis), simulation study, or other type of design (44). Implementation outcomes, or "the effects of deliberate and purposive actions to implement new treatments, practices, and services," will be categorized according to the oft-cited Proctor et al. (2011) framework for implementation outcomes, which includes acceptability, adoption, appropriateness, costs, feasibility, fidelity, penetration, and sustainability (26). In addition to other extraction variables, we will categorize structural intervention types using a taxonomy developed by Sipe et al. (2017). These include interventions aimed at increasing access to an HIV EBI, policy/procedure interventions, the use of mass media to disseminate an intervention, interventions changing the physical structure where an HIV EBI is delivered, capacity-building interventions, community mobilization as an intervention, and interventions targeting SDOH (45). Extraction will be conducted by two members of the investigative team (VAD, MP, SC) for each article. Consensus for any discrepancies will be reviewed for final decision making by senior members of the team (az, NB).

Determinants Coding

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

Following extraction, articles identified as assessing implementation determinants will be uploaded to MaxODA, a qualitative data analysis software, for coding (46). Determinants coding will focus on barriers and facilitators to implementing the structural intervention, rather than barriers and facilitators to implementing an HIV EBI. Determinants will be coded according to valence (i.e., barrier, facilitator, both, neither) and structural intervention type. We will also code the determinant level; that is, whether the determinant is an innovation determinant or an implementation determinant. In comparison to implementation determinants, innovation determinants are barriers or facilitators to patients or other recipients of an EBI access, using, adhering to, or otherwise receiving the intervention (47). Finally, we will code determinants using the domains and constructs of the Consolidated Framework for Implementation Research (CFIR) 2.0 as codes (24,25). CFIR is the most widely-cited compendium (48,49) of implementation determinants and includes five domains: 1) innovation characteristics (i.e., factors about the EBI itself that make it more or less difficult to be delivered); 2) outer setting (i.e., contextual factors in the larger society or community); 3) inner setting (i.e., contextual factors within the setting in which an EBI is delivered that make it more or less difficult to do so); 4) individuals (i.e., whether individuals delivering an EBI have the capability, opportunity, and motivation to do so); and 5) process (i.e., factors about the actual process of implementing an EBI that hinder or facilitate delivery, such as engaging patients or adapting the EBI). The investigative team (VAD, SC, MP) will be trained by a senior team member (az) in use of MaxQDA and coding of determinants. We will continue training and practice coding until an interrater reliability of at least $\kappa = .70$ is reached. Strategy and adjunctive intervention coding Following extraction, articles identified as assessing strategies (including implementation strategies and adjunctive interventions) will be coded in Excel. Coding will be performed of

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

implementation strategies and adjunctive interventions for structural interventions, rather than implementation strategies and adjunctive interventions for HIV EBIs. The investigative team (VAD, SC, MP) will be trained by a senior team member (az) in coding of strategies. Each article will be coded by two investigators who will meet to review their individual coding and come to consensus on discrepancies. In the case that they cannot come to consensus, a senior team member (NB) will be brought in to finalize consensus. Strategy coding will begin by identifying whether the article is examining an implementation strategy or an adjunctive intervention. Implementation strategy coding will include 1) identification of the discrete strategies, their names, their temporal order, and their definition/description; 2) differentiation of the structural intervention and the implementation strategies (if possible); 3) coding of each discrete implementation strategy to Expert Recommendations for Implementing Change (ERIC) framework (50); 4) identification of the specific implementation outcomes each discrete strategy is targeting; 5) identification of the effectiveness of the strategy based on quantitative evidence of effectiveness in comparison to a control group, baseline, or other comparator; 6) whether the investigators assess health disparities and/or health equity, with health disparities defined as identifying a disparity and health equity defined as targeting disparities, including a priority population, and/or having a community-based study design; 7) identification of the stage of implementation research (i.e., are they developing, piloting, testing/trialing, and/or comparing strategies); 7) study design (e.g., observational, within-site); 8) sample size; 9) whether the investigators use a hybrid approach in the study design (i.e., hybrid implementation-effectiveness approach (44)); 8) assessment of how well specified each discrete strategy is according to recommendations by Proctor et al. on a 3-point scale, with each coder rating the level of specification (0 = no details provided; 1 = very little detail; 2 = there is some detail about

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

components of the strategy but key details are left out; 3 = investigators clearly indicate the components of the implementation strategy such that it could be replicated (51)); and 9) whether the authors identified the specific determinants the strategy aims to target. Adjunctive intervention coding will include 1) identification of the discrete components of the adjunctive intervention (e.g., training, on-going supervision, audit and feedback); 2) description of the adjunctive intervention components; 3) coding the adjunctive intervention components to the Theoretical Domains Framework (TDF) and COM-B (52,53); 4) identification of the specific outcomes each discrete component is targeting (i.e., intervention awareness, acceptability, feasibility, uptake, adherence, costs, and maintenance, implementation strategy acceptability, appropriateness, feasibility, and fidelity); 5) whether the investigators assess health disparities and/or health equity, with health disparities defined as identifying a disparity and health equity defined as targeting disparities, including a priority population, and/or having a communitybased study design; 6) identification of the effectiveness of the adjunctive intervention based on quantitative evidence of effectiveness in comparison to a control group, baseline, or other comparator; 7) identification of the stage of implementation research (i.e., are they developing, piloting, testing/trialing, and/or comparing adjunctive interventions); 8) study design (e.g., observational, within-site); 9) sample size; 10) whether the investigators use a hybrid approach in the study design (i.e., hybrid implementation-effectiveness approach); 11) assessment of how well specified each discrete component of the adjunctive intervention is; 12) identification of who the intervention is delivered to; 13) whether the investigators identify the recipient/patientlevel determinants the adjunctive intervention aims to target. Analysis **Determinants.** We will export data to Excel to tabulate the number of discrete determinants by CFIR constructs. We will further stratify determinants by delivery setting, CDC priority

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

populations, study method, type of structural intervention (45), the particular HIV EBI the structural intervention is targeting, and implementation outcomes associated with the determinants. Due to the large amount of data potentially analyzed, we will use NLP to thematically analyze determinants to provide narrative description of the types of determinants identified across papers (54). Strategies and adjunctive interventions. For implementation strategies and adjunctive interventions, we will tabulate the number of discrete implementation strategies according to ERIC strategies and the number of adjunctive intervention components according to TDF and COM-B constructs. We will further stratify implementation strategies and adjunctive interventions by study design, stage of research, type of structural intervention (45), the particular HIV EBI the structural intervention is targeting, delivery setting, the patient or provider population the implementation strategy or adjunctive intervention is targeting, and implementation and recipient/patient-level outcomes. We will describe implementation strategy and adjunctive intervention specification by mean specification rating. We will also tabulate the number of studies addressing health disparities and/or health equity. We will tabulate the number of structural interventions that, themselves, are implementation strategies and/or adjunctive interventions. Due to the large amount of data potentially analyzed, we will use NLP to thematically analyze strategies and adjunctive interventions to provide narrative description of the types of strategies and adjunctive interventions identified across papers (54). Dissemination We will disseminate the results of this systematic review via two primary papers: one focused on determinants of structural interventions for HIV EBIs and one focused on implementation strategies and adjunctive interventions for HIV EBIs. We will produce additional qualitative manuscripts examining determinants, implementation strategies, and adjunctive interventions

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

with greater nuance and depth for specific priority populations (e.g., transgender women) or specific types of structural interventions (e.g., structural interventions targeting patient access). We will share out results at research conferences. Finally, we will incorporate the results into a literature review dashboard (https://hivimpsci.northwestern.edu/dashboard/) our team has created out of previous systematic reviews. This dashboard will provide a high-level visualization of determinants, implementation strategies, and adjunctive interventions by CFIR, ERIC, the TDF and COM-B, as well as stratified by HIV EBI, structural intervention type, recipient/patient population, provider role(s), delivery setting, geographic region of implementation, and publication year. The dashboard is meant to serve researchers in exploring what has already been identified by prior research, to aid them in deciding the direction of future research, as well as to assist them in quickly identifying literature to include in publications and grant submissions. Further, the dashboard is meant to serve as a tool to implementation practitioners, who may seek to understand what determinants have been identified in their particular delivery settings or the population(s) they serve and to identify potential implementation strategies or adjunctive interventions to implement in their own delivery settings. *Timeline* We have thus far completed the initial search and the NLP screening process. We are currently conducting title and abstract review. Full text review and extraction will begin January 2025 with both analyses beginning June 2025 and running through June 2026. Dissemination will occur in Fall 2025 through Fall 2026. **Discussion** Our systematic review aims to address the critical gap in understanding and targeting the barriers and facilitators to implementing HIV structural interventions in the U.S and will provide

insights that are essential for guiding efforts to scale up HIV structural interventions.

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

Understanding these implementation determinants, implementation strategies, and adjunctive interventions is crucial for reaching marginalized populations who continue to face disparities in access to and engagement with HIV EBIs. Social and economic determinants such as housing stability, transportation, and healthcare access are critical factors influencing HIV outcomes, particularly for racially, sexually, and gender minoritized groups, and those with co-occurring conditions including substance misuse, serious mental illness, and other infectious diseases and chronic conditions which make treatment engagement more challenging (4,6,19). The implementation strategies and adjunctive interventions to be identified in this review can inform future policy and program development. For example, strategies that leverage digital health technologies, patient transportation and housing, and adaptation of existing EBIs could address systemic barriers such as geographic, financial, and social/linguistic constraints. Conclusion By providing a comprehensive analysis of the implementation determinants, implementation strategies, and adjunctive interventions for HIV structural interventions, our review will identify existing gaps in the literature and provide researchers with an understanding of the needs of the field. These findings hold the potential to significantly advance the goals of the Ending the HIV Epidemic initiative, particularly by addressing the complex needs of populations that have historically been left behind in the fight against HIV. List of abbreviations CFIR: The Consolidated Framework for Implementation Research EBI: Evidence based intervention ERIC: Expert Recommendations for Implementation Change GBMSM: Gay, bisexual, and other men who have sex with men

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

IS: Implementation science NLP: Natural language processing PrEP: Pre-exposure prophylaxis PRISMA: Preferred reporting items for systematic reviews and meta-analyses SDOH: Social and structural determinants of health TDF: Theoretical Domains Framework **Declarations** Ethics approval and consent to participate: Not applicable. Consent for publication: Not applicable Availability of data and materials: The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request. Competing interests: The authors declare that they have no competing interests. Funding: This manuscript is funded by the National Institute for Mental Health, the National Institute on Drugs Abuse, and the National Institute of Allergy and Infectious Diseases (R24MH134305; PI: Mustanski and Benbow). The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health. The sponsor had no involvement in the conduct of the research or the preparation of the article. The sponsor had no involvement in the conduct of the research or the preparation of the protocol. Author's Contributions: az, VAD, SC, MP, and RP contributed to the writing of the manuscript. az, MH, NB, and BM contributed to the design. All authors reviewed the manuscript. Acknowledgments: The authors would like to thank James Merle who assisted us in designing the NLP screening strategy. The authors would also like to thank Corinne Miller who provided consultation on the search strategy.

| Table 1. Information to be ex | tracted from articles included in the review |
|-------------------------------------|---|
| Item | Definition/Explanation |
| Article Title | |
| Publication Year | |
| First Author's Name | |
| Journal Name | |
| Geographic Setting | Northeast, West, Midwest, South, U.S. colony, nationwide, simulation, unspecified, or other |
| Inner Setting ¹ Verbatim | Where the intervention is being delivered (e.g., HIV clinic, mobile testing unit) |
| Inner Setting Category | Specialized HIV Clinic, Substance Use Treatment Facility, Non-Specialized Private Clinic or Hospital, Community Health Centers, Pharmacy, Dental Clinic, Hospital System, Community Organization, Church, Prison/Jail, Emergency Department, Labor Unit/Department, Community Level, Legislative Bodies |
| Unit(s) of Analysis | Patients, providers, policy, non-primary data |
| Patient Population | If applicable; Who the paper identifies as their patient population |
| CDC Priority Population | Cisgender, gay and bisexual Men, African Americans, persons who use drugs, Latines, transgender individuals, cisgender women, adolescents (13-25) |
| Provider Role Verbatim | If applicable; Which role the paper identifies as delivering the intervention (e.g., HIV tester) |
| Provider Role Category | If applicable; HIV Tester, Physician, Pharmacist, Nurse, Laboratory Personnel, Community Health Worker, Program Leadership/Administration, Administrative Assistant, Policymaker, Peer Navigator, Case Manager, Business Owner, Other |
| Higher Level Unit of Analysis | If applicable (e.g., Policymakers, Public Health Department, Nonprofit Organization, Private Entities, Community) |
| HIV Evidence-Based Intervention | PrEP, HIV testing/diagnosis, Linkage to HIV Care, HIV Treatment, nPEP ² , or other intervention |
| Data Type | Qualitative, Quantitative, Mixed/Multi-Method, Simulation, N/A or Not Reported, and Other |
| Data Collection Method | Electronic Health/Medical Record, Survey, Surveillance, Participant Observation, Interview, Focus Group, Administrative Data, Policy Analysis, Document Review, Simulation, or Other |
| Study Design | Between-Site; Within- and Between-Site; Non-Experimental; Configurational Comparative Methods; Simulation Study; Other |
| Implementation Variables Studied | Determinants Only, Strategies Only, Both Strategies and Determinants |

| Implementation Outcome | Appropriateness, Adoption, Acceptability, Feasibility, Cost, Penetration, Sustainability, Other |
|------------------------------------|--|
| Implementation Outcome Definition | How do the authors operationalize the implementation outcome |
| Structural Intervention Type | Access, Policy/Procedure, Mass Media, Physical Structure, Capacity-Building, Community Mobilization, Social Determinants of Health Intervention, Other |
| Structural Intervention Outcome | Access, Stigma Reduction, Housing, Food Stability, Poverty Alleviation, Use of Sterilized Syringes, Equity, Other |

¹ Inner setting is a domain of CFIR, which refers to the setting in which an intervention is delivered.

References

390

391

392 393

394

395

396

397

398

- 399 1. Sullivan PS, Satcher Johnson A, Pembleton ES, Stephenson R, Justice AC, Althoff KN, et al.
- Epidemiology of HIV in the USA: epidemic burden, inequities, contexts, and responses. The
- 401 Lancet. 2021 Mar 20;397(10279):1095–106.
- 402 2. Menza TW, Hixson LK, Lipira L, Drach L. Social Determinants of Health and Care
- Outcomes Among People With HIV in the United States. Open Forum Infect Dis. 2021;8(7).
- 404 3. World Health Organization. A conceptual framework for action on the social determinants of
- health [Internet]. 2010. (Debates, Policy, & Practice, Case Studies). Report No.: 2. Available
- 406 from:
- 407 https://iris.who.int/bitstream/handle/10665/44489/9789241500852 eng.pdf?sequence=1
- 4. The White House. National HIV/AIDS Strategy for the United States 2022–2025. 2022;
- 409 Available from: https://www.whitehouse.gov/wp-content/uploads/2021/11/National-HIV-
- 410 AIDS-Strategy.pdf

² nPEP refers to nonoccupational post-exposure prophylaxis, an oral pill taken within 72 hours of exposure to HIV, which, if taken as prescribed, can prevent HIV infection.

- 5. Centers for Disease Control and Prevention. Diagnoses, deaths, and prevalence of HIV in the
- United States and 6 territories and freely associated states, 2022 [Internet]. 2024 [cited 2024]
- Oct 18]. (HIV Surveillance Report). Available from: http://www.cdc.gov/hiv-data/nhss/hiv-
- diagnoses-deaths-prevalence.html.
- 6. Dasgupta S, McManus T, Tie Y, Lin CYC, Yuan X, Sharpe JD, et al. Comparison of
- Demographic Characteristics and Social Determinants of Health Between Adults With
- Diagnosed HIV and All Adults in the U.S. AJPM Focus. 2023 Sep 1;2(3):100115.
- 418 7. Landovitz RJ, Donnell D, Clement ME, Hanscom B, Cottle L, Coelho L, et al. Cabotegravir
- for HIV Prevention in Cisgender Men and Transgender Women. N Engl J Med. 2021 Aug
- 420 12;385(7):595–608.
- 8. Mayer KH, Molina JM, Thompson MA, Anderson PL, Mounzer KC, De Wet JJ, et al.
- Emtricitabine and tenofovir alafenamide vs emtricitabine and tenofovir disoproxil fumarate
- for HIV pre-exposure prophylaxis (DISCOVER): primary results from a randomised,
- double-blind, multicentre, active-controlled, phase 3, non-inferiority trial. Lancet Lond Engl.
- 425 2020;396:239–54.
- 426 9. Jourdain H, de Gage SB, Desplas D, Dray-Spira R. Real-world effectiveness of pre-exposure
- prophylaxis in men at high risk of HIV infection in France: a nested case-control study.
- 428 Lancet Public Health. 2022 Jun;7(6):e529–36.
- 429 10. Bonacci RA, Smith DK, Ojikutu BO. Toward Greater Pre-exposure Prophylaxis Equity:
- 430 Increasing Provision and Uptake for Black and Hispanic/Latino Individuals in the U.S. Am J
- 431 Prev Med. 2021 Nov;61(5 Suppl 1):S60.
- 432 11. Harawa NT, Tan D, Leibowitz AA. Disparities In Uptake Of HIV Pre-exposure Prophylaxis
- 433 Among California Medicaid Recipients. Health Aff (Millwood). 2022 Mar;41(3):360–7.

- 434 12. Baugher A, Trujillo L, Kanny D, Freeman J, Hickey T, Sionean C, et al. Racial, Ethnic, and
- Gender Disparities in Awareness of Preexposure Prophylaxis Among HIV-Negative
- Heterosexually Active Adults at Increased Risk for HIV Infection 23 Urban Areas, United
- States, 2019 [Internet]. 2021 [cited 2024 Oct 18]. (MMWR Morb Mortal Wkly Rep). Report
- 438 No.: 70. Available from: http://dx.doi.org/10.15585/mmwr.mm7047a3
- 439 13. Cohen MS, Chen YQ, McCauley M, Gamble T, Hosseinipour MC, Kumarasamy N, et al.
- Prevention of HIV-1 infection with early antiretroviral therapy. N Engl J Med. 2011 Aug
- 441 11;365(6):493–505.
- 14. Cohen MS, Chen YQ, McCauley M, Gamble T, Hosseinipour MC, Kumarasamy N, et al.
- Antiretroviral Therapy for the Prevention of HIV-1 Transmission. N Engl J Med. 2016 Sep
- 444 1;375(9):830–9.
- 15. Cohen MS, Dye C, Fraser C, Miller WC, Powers KA, Williams BG. HIV Treatment as
- Prevention: Debate and Commentary—Will Early Infection Compromise Treatment-as-
- Prevention Strategies? PLoS Med. 2012 Jul 10;9(7):e1001232.
- 16. Delva W, Wilson DP, Abu-Raddad L, Gorgens M, Wilson D, Hallett TB, et al. HIV
- Treatment as Prevention: Principles of Good HIV Epidemiology Modelling for Public Health
- Decision-Making in All Modes of Prevention and Evaluation. PLoS Med. 2012 Jul
- 451 10;9(7):e1001239.
- 452 17. LeMessurier J, Traversy G, Varsaneux O, Weekes M, Avey MT, Niragira O, et al. Risk of
- 453 sexual transmission of human immunodeficiency virus with antiretroviral therapy,
- suppressed viral load and condom use: a systematic review. Can Med Assoc J. 2018 Nov
- 455 19;190(46):E1350–60.
- 456 18. Holmes CB, Hallett TB, Walensky RP, Bärnighausen T, Pillay Y, Cohen MS. Effectiveness
- and Cost-Effectiveness of Treatment as Prevention for HIV. In: Holmes KK, Bertozzi S,

- Bloom BR, Jha P, editors. Major Infectious Diseases [Internet]. 3rd ed. Washington (DC):
- The International Bank for Reconstruction and Development / The World Bank; 2017 [cited
- 460 2024 Oct 18]. Available from: http://www.ncbi.nlm.nih.gov/books/NBK525180/
- 461 19. Wood BR, Kassaye SG, Gerstoft J. Long-acting cabotegravir/rilpivirine for HIV-1 treatment:
- real-world evaluation of barriers to implementation. AIDS. 2023 Mar 15;37(4):689–91.
- 20. Centers for Disease Control and Prevention. Ending the HIV Epidemic in the US (EHE).
- 464 2024 [cited 2024 Oct 18]. Ending the HIV Epidemic in the US Goals. Available from:
- https://www.cdc.gov/ehe/php/about/goals.html
- 466 21. Greenwood G, Gaist P, Namkung A, Rausch D. Methodological and Measurement Advances
- in Social Determinants of HIV: View from NIH. AIDS Behav. 2021 Mar 29;25(Suppl
- 468 2):127.
- 469 22. Adimora AA, Auerbach JD. Structural Interventions for HIV Prevention in the United States.
- 470 JAIDS. 2010 Dec 15;55(Supplement 2):S132–5.
- 23. Rubin R. It Takes an Average of 17 Years for Evidence to Change Practice-the Burgeoning
- Field of Implementation Science Seeks to Speed Things Up. JAMA. 2023 Apr
- 473 25;329(16):1333–6.
- 474 24. Damschroder LJ, Reardon CM, Widerquist MAO, Lowery J. The updated Consolidated
- Framework for Implementation Research based on user feedback. Implement Sci.
- 476 2022;17(1):1–16.
- 477 25. Damschroder LJ, Aron DC, Keith RE, Kirsh SR, Alexander JA, Lowery JC. Fostering
- implementation of health services research findings into practice: a consolidated framework
- for advancing implementation science. Implement Sci. 2009;4(1):1–15.

- 480 26. Proctor E, Silmere H, Raghavan R, Hovmand P, Aarons G, Bunger A, et al. Outcomes for
- 481 Implementation Research: Conceptual Distinctions, Measurement Challenges, and Research
- 482 Agenda. Adm Policy Ment Health. 2011;38(2):65–76.
- 483 27. Glasgow RE, Vogt TM, Boles SM. Evaluating the public health impact of health promotion
- interventions: the RE-AIM framework. Am J Public Health. 1999 Sep;89(9):1322–7.
- 28. Smith JD, Li DH, Merle JL, Keiser B, Mustanski B, Benbow ND. Adjunctive interventions:
- change methods directed at recipients that support uptake and use of health innovations.
- 487 Implement Sci. 2024 Feb 8;19(1):10.
- 488 29. Fauci AS. Ending the HIV/AIDS Pandemic: Research and Implementation. JAIDS.
- 489 2013;62:55.
- 490 30. Hogg RS. Understanding the HIV care continuum. Lancet HIV. 2018 Jun 1;5(6):e269–70.
- 491 31. McNairy ML, El-Sadr WM. A Paradigm Shift: Focus on the HIV Prevention Continuum.
- Clin Infect Dis Off Publ Infect Dis Soc Am. 2014 Jul 1;59(Suppl 1):S12.
- 493 32. Centers for Disease Control and Prevention. Compendium of Evidence-Based Interventions
- and Best Practices for HIV Prevention. 2022 [cited 2024 Oct 18]. Structural Interventions
- 495 (SI). Available from:
- 496 https://www.cdc.gov/hiv/research/interventionresearch/compendium/si/index.html#:~:text=T
- he%20Structural%20Interventions%20Chapter%20identifies,individual%20risk%20and%20
- 498 protective% 20 behaviors.
- 499 33. Curran GM, Bauer M, Mittman B, Pyne JM, Stetler C. Effectiveness-implementation Hybrid
- Designs: Combining Elements of Clinical Effectiveness and Implementation Research to
- Enhance Public Health Impact. Med Care. 2012 Mar;50(3):217.

- 34. R Core Team. R: A language and environment for statistical computing [Internet]. Vienna,
- Austria: R Foundation for Statistical Computing; 2021. Available from: https://www.R-
- 504 project.org/
- 505 35. Benoit K, Watanabe K. quanteda: Quantitative Analysis of Textual Data [Internet]. Available
- from: https://quanteda.io/
- 36. Hornik K, Buctha C, Hothorn T, Karatzoglou A, Meyer D, Zeileis A. RWeka [Internet].
- 508 2023. Available from: https://cran.r-project.org/web/packages/RWeka/index.html
- 509 37. Wickham H, RStudio. tidyverse: Easily Install and Load the "Tidyverse" [Internet]. 2023.
- Available from: https://cran.r-project.org/web/packages/tidyverse/index.html
- 38. De Quieroz G, Fay C, Hvitfeldt E, Keyes O, Mastny T, Erickson J, et al. tidytext: Text
- Mining using "dplyr", "ggplot2", and Other Tidy Tools [Internet]. 2024. Available from:
- 513 https://cran.r-project.org/web/packages/tidytext/index.html
- 39. Robinson D, Hayes A, Couch S, Posit Software P, et al. broom: Convert Statistical Objects
- into Tidy Tibbles [Internet]. 2024. Available from: https://cran.r-
- project.org/web/packages/broom/index.html
- 517 40. Wickham H, Hester J, Francois R, Bryan J, Bearrows S, Posit Software P, et al. readr: Read
- Rectangular Text Data [Internet]. 2024. Available from: https://cran.r-
- project.org/web/packages/readr/index.html
- 520 41. Wickham H, Posit Software P. stringr: Simple, Consistent Wrappers for Common String
- 521 Operations [Internet]. 2023. Available from: https://cran.r-
- project.org/web/packages/stringr/index.html
- 523 42. Bache S, Wickham H, Henry L, RStudio. magrittr: A Forward-Pipe Operator for R
- [Internet]. 2022. Available from: https://cran.r-project.org/web/packages/magrittr/index.html

- 525 43. Veritas Health Innovation. Covidence Systematic Review Software [Internet]. Melbourne,
- Australia; Available from: https://support.covidence.org/help/how-can-i-cite-covidence
- 527 44. Brown CH, Curran G, Palinkas LA, Aarons GA, Wells KB, Jones L, et al. An Overview of
- Research and Evaluation Designs for Dissemination and Implementation. Annu Rev Public
- 529 Health. 2017 Mar 20;38:1.
- 530 45. Sipe TA, Barham TL, Johnson W, Joseph H, Tungol-Ashmon ML, O'Leary A. Structural
- Interventions in HIV Prevention: A Taxonomy and Descriptive Systematic Review. AIDS
- 532 Behav. 2017 Dec;21(12):3366.
- 533 46. Verbi Software. MaxQDA 2022 [computer software] [Internet]. Berlin, Germany: VERBI
- Software; Available from: maxqda.com
- 535 47. Damschroder LJ, Reardon CM, Opra Widerquist MA, Lowery J. Conceptualizing outcomes
- for use with the Consolidated Framework for Implementation Research (CFIR): the CFIR
- Outcomes Addendum. Implement Sci. 2022 Jan 22;17(1):7.
- 538 48. Skolarus TA, Lehmann T, Tabak RG, Harris J, Lecy J, Sales AE. Assessing citation
- networks for dissemination and implementation research frameworks. Implement Sci. 2017
- 540 Jul 28;12(1):97.
- 49. Kirk MA, Kelley C, Yankey N, Birken SA, Abadie B, Damschroder L. A systematic review
- of the use of the Consolidated Framework for Implementation Research. Implement Sci.
- 543 2016 May 17;11(1):72.
- 50. Powell BJ, Waltz TJ, Chinman MJ, Damschroder LJ, Smith JL, Matthieu MM, et al. A
- refined compilation of implementation strategies: results from the Expert Recommendations
- for Implementing Change (ERIC) project. Implement Sci. 2015 Feb 12;10(1):21.
- 51. Proctor EK, Powell BJ, McMillen JC. Implementation strategies: recommendations for
- specifying and reporting. Implement Sci. 2013 Dec 1;8(1):139.

52. Atkins L, Francis J, Islam R, O'Connor D, Patey A, Ivers N, et al. A guide to using the Theoretical Domains Framework of behaviour change to investigate implementation problems. Implement Sci. 2017 Jun 21;12(1):77.
53. Michie S, van Stralen MM, West R. The behaviour change wheel: A new method for characterising and designing behaviour change interventions. Implement Sci. 2011 Apr 23;6(1):42.
54. Guetterman TC, Chang T, DeJonckheere M, Basu T, Scruggs E, Vydiswaran VV. Augmenting Qualitative Text Analysis with Natural Language Processing: Methodological Study. J Med Internet Res. 2018 Jun 29;20(6):e231.