

Letter to the Editor

**SARS-Cov-2 RNA Found on Particulate Matter of Bergamo
in Northern Italy: First Preliminary Evidence**

Leonardo Setti¹, Fabrizio Passarini², Gianluigi De Gennaro³, Pierluigi Barbieri⁴, Maria Grazia Perrone⁵, Massimo Borelli⁶, Jolanda Palmisani³, Alessia Di Gilio³, Valentina Torboli⁶, Alberto Pallavicini⁶, Maurizio Ruscio⁷, Prisco Piscitelli⁸, Alessandro Miani^{8,9}

1. Dept. Industrial Chemistry, University of Bologna, Viale del Risorgimento – 4, I-40136, Bologna, Italy
e-mail: leonardo.setti@unibo.it
2. Interdepartmental Centre for Industrial Research "Renewable Sources, Environment, Blue Growth, Energy", University of Bologna, Rimini, Italy e-mail: fabrizio.passarini@unibo.it
3. Dept. of Biology, University "Aldo Moro" of Bari, Bari, Italy
e-mail: gianluigi.degennaro@uniba.it; alessia.digilio@uniba.it; jolanda.palmisani@uniba.it
4. Dept. of Chemical and Pharmaceutical Sciences, University of Trieste, Trieste, Italy
e-mail: barbierp@units.it
5. Environmental Research Division, TCR TECORA, Milan, Italy
e-mail: mariagrazia.perrone@tcrtecora.com
6. Dept. of Life Sciences - University of Trieste, Trieste, Italy
e-mail: borelli@units.it; torboli@units.it; pallavic@units.it
7. Division of Laboratory Medicine, University Hospital Giuliano Isontina (ASU GI), Trieste, Italy
email: maurizio.ruscio@asugi.sanita.fvg.it
8. Italian Society of Environmental Medicine (SIMA), Milan, Italy
e-mail: priscofreedom@hotmail.com; alessandro.miani@unimi.it
9. Department of Environmental Science and Policy, University of Milan, Milan, Italy
e-mail: priscofreedom@hotmail.com; alessandro.miani@unimi.it

Corresponding Author:

Leonardo Setti, Department of Industrial Chemistry, University of Bologna
Viale del Risorgimento 4, 40136, Bologna, Italy; e-mail: leonardo.setti@unibo.it

Severe acute respiratory syndrome known as COVID-19 disease - due to SARS-CoV-2 virus - is recognized to spread via respiratory droplets and close contacts.[1] The burden of COVID-19 was extremely severe in Lombardy and Po Valley (Northern Italy),[2] an area characterized by high concentrations of particulate matter, which are already known to produce negative effects on human health.[3] Regional figures available for Italy at the date of April 12th show that about 30% of currently positive people still live in Lombardy (about 40% if considering the overall cases confirmed from the beginning of the epidemic), followed by Emilia Romagna (13.5%), Piedmont (10.5%), and Veneto (10%).[2] These four regions of the Po Valley account for 80% of total deaths recorded in Italy and 65% of Intensive Care Units admissions.[2]

A research carried out by the Harvard School of Public Health seems to confirm an association between increases in PM concentrations and mortality rates due to COVID-19 in the U.S.[4] In previous communications, we have hypothesized the possibility that SARS-CoV-2 virus could be present on particulate matter (PM) during the spreading of the infection,[5,6] consistently with evidence already available for other viruses.[7-15] However, the issue of airborne PM-associated microbiome, especially in urban environments, remains largely under-investigated,[16] and – at the present – nobody has still carried out experimental studies specifically aimed at confirming or excluding the presence of the SARS-CoV-2 on PM.

Here, we present the first results of the analyses that we have performed on 34 PM₁₀ samples of outdoor/airborne PM₁₀ from an industrial site of Bergamo Province, collected with two different air samplers over a continuous 3-weeks period, from February 21st to March 13th.

Following the methodology described by Pan et al. in 2019 (for the collection, particle sizing and detection of airborne viruses),[17] PM samples were collected on quartz fiber filters by using a low-volume gravimetric air sampler (38.3 l/min for 23 h), compliant with the reference method EN12341:2014 for PM₁₀ monitoring. Particulate matter was trapped onto filters with 99.9% typical aerosol retention, properly stored and delivered to the laboratory of Applied and Comparative Genomics of Trieste University. Given the "environmental" nature of the sample, presumably rich in inhibitors of DNA polymerases, we proceeded with the extraction of RNA by using the Quick RNA fecal soil microbe kit adapted to the type of the filters.[18] Half filter was rolled, with the top side facing inward, in a 5 ml polypropylene tube, together with the beads provided in the kit. From the initial 1 ml of lysis buffer, we were able to get about 400 ul of solution, which was then processed as defined by the standard protocols, resulting in a final eluate of 15 ul. Subsequently, 5 ul were used for the SARS-CoV-2 testing. Given the particular origin of the sample, the qScript XLT 1-Step RT-qPCR ToughMix was used.[19] The amplification systems were those of the protocol developed by Corman et al, published on the WHO website [20].

The test was explicitly aimed at confirming or excluding the presence of the SARS-CoV-2 RNA on particulate matter. The first analysis used the "E gene" as a molecular marker and produced an impressive positive result on 15 out of 16 filters even if, as we could expect, the Ct was between 36-38

cycles.

After that, we have replicated the analysis on 6 of the positive filters (already positive to “E gene”) by using the “RtDR gene” as a molecular marker – which is highly specific for SARS-CoV-2 – reaching 5 significant results of positivity; control tests to exclude false positivity were also successfully performed (Fig. 1).

To avoid the running out of the scarce sampling material available, the remaining extracted RNAs were delivered to the local University Hospital (one of the clinical centres authorized by the Italian Government for SARS-CoV-2 diagnostic tests), in order to perform a second parallel blind test. This second clinical laboratory tested 34 RNA extractions for the E, N and RdRP genes, reporting 7 positive results for at least one of the three marker genes, with positivity separately confirmed for all the three markers (Fig. 2). Because of the nature of the sample, and considering that the sampling has not been carried out for clinical diagnostic purposes but for environmental pollution tests (taking also into account that filters were stored for at least four weeks before undergoing molecular genetic analyses, as a consequence of the Italian shutdown), we can confirm to have reasonably demonstrated the presence of SARS-CoV-2 viral RNA by detecting highly specific “RtDR gene” on 8 filters. However, due to the lack of additional materials from the filters, we were not able to repeat enough number of tests to show positivity for all the 3 molecular markers simultaneously.

This is the first preliminary evidence that SARS-CoV-2 RNA can be present on outdoor particulate matter, thus suggesting that, in conditions of atmospheric stability and high concentrations of PM, SARS-CoV-2 could create clusters with outdoor PM and – by reducing their diffusion coefficient – enhance the persistence of the virus in the atmosphere. Further confirmations of this preliminary evidence are ongoing, and should include real-time assessment about the vitality of the SARS-CoV-2 as well as its virulence when adsorbed on particulate matter. At the present, no assumptions can be made concerning the correlation between the presence of the virus on PM and COVID-19 outbreak progression. Other issues to be specifically addressed are the average concentrations of PM eventually required for a potential “boost effect” of the contagion (in case it is confirmed that PM might act as a “carrier” for the viral droplet nuclei), or even the theoretic possibility of immunization consequent to minimal dose exposures at lower thresholds of PM.

Fig.1 Amplification curves of *E* (A) and *RdRP* genes (B): green lines represent tested filters; cross line represents reference filter extractions; red lines represent the amplification of the positive samples.






Fig.2. Positive results (marked with X) for *E*, *N* and *RdRP* genes obtained for all the 34 *PM10* sample filters tested in the second parallel analyses.

Code	Sampler	Date	E gene	RdRP gene	N gene
20LB01175	2	21/02/20			
20LB01163	1	21/02/20			
20LB01176	2	22/02/20			
20LB01164	1	22/02/20			
20LB01177	2	23/02/20	X	X	
20LB01165	1	23/02/20		X	
20LB01178	2	24/02/20			
20LB01166	1	24/02/20			
20LB01179	2	25/02/20			
20LB01167	1	25/02/20	X		
20LB01180	2	26/02/20			
20LB01168	1	26/02/20			
20LB01181	2	27/02/20	X	X	
20LB01169	1	27/02/20			
20LB01182	2	28/02/20	X	X	
20LB01170	1	28/02/20		X	
20LB01183	2	29/02/20			
20LB01171	1	29/02/20			
20LB01184	2	01/03/20			X
20LB01172	1	01/03/20			
20LB01185	2	02/03/20	X		X
20LB01173	1	02/03/20			
20LB01186	2	03/03/20			
20LB01187	2	04/03/20		X	
20LB01188	2	05/03/20			
20LB01189	2	06/03/20			
20LB01190	2	07/03/20			
20LB01191	2	08/03/20			
20LB01192	2	09/03/20		X	
20LB01193	2	10/03/20			X
20LB01174	1	10/03/20		X	
20LB01194	2	11/03/20			
20LB01195	2	12/03/20			

References

1. World Health Organisation, Modes of transmission of virus causing COVID-19: implications for IPC precaution recommendations, Scientific brief; available at: <https://www.who.int/news-room/commentaries/detail/modes-of-transmission-of-virus-causing-covid-19-implications-for-ipc-precaution-recommendations> (29 March 2020)
2. Italian Ministry of Health, daily bulletin Covid-19 outbreak in Italy, available at http://www.salute.gov.it/imgs/C_17_notizie_4451_0_file.pdf
3. EEA, European Environmental Agency, Air Quality in Europe 2019 Report; No 10/2019; European Environment Agency: Copenhagen, Denmark, available at: <https://www.eea.europa.eu/publications/air-quality-in-europe-2019>
4. Xiao Wu, Rachel C. Nethery, M. Benjamin Sabath, Danielle Braun, Francesca Dominici, Exposure to air pollution and COVID-19 mortality in the United States, available at: https://projects.iq.harvard.edu/files/covid-pm/files/pm_and_covid_mortality.pdf
5. Italian Society of Environmental Medicine (SIMA), Position Paper Particulate Matter and COVID-19, available at: http://www.simaonline.it/wpsima/wp-content/uploads/2020/03/COVID_19_position-paper_ENG.pdf
6. Setti L., Passarini F., De Gennaro G., Barbieri P., Perrone M.G., Piazzalunga A., Borelli M., Palmisani J., Di Gilio A, Piscitelli P, Miani A., Is there a Plausible Role for Particulate Matter in the spreading of COVID-19 in Northern Italy?, *BMJ Rapid Responses*, April 8th 2020, available at: <https://www.bmj.com/content/368/bmj.m1103/rapid-responses>
7. Sedlmaier, N., Hoppenheidt, K., Krist, H., Lehmann, S., Lang, H., Buttner, M. Generation of avian influenza virus (AIV) contaminated fecal fine particulate matter (PM_{2.5}): genome and infectivity detection and calculation of immission. *Veterinary Microbiology*. 139, 156-164 (2009)
8. Zhao, Y., Richardson, B., Takle, E., Chai, L., Schmitt, D., Win, H. Airborne transmission may have played a role in the spread of 2015 highly pathogenic avian influenza outbreaks in the United States. *Sci Rep*. 9, 11755. <https://doi.org/10.1038/s41598-019-47788-z> (2019)
9. Ma, Y., Zhou, J., Yang, S., Zhao, Y., Zheng, X. Assessment for the impact of dust events on measles incidence in western China. *Atmospheric Environment*. 157, 1-9 (2017)
10. Sorensen, J. H., Mackay, D. K. J., Jensen, C. Ø., Donaldson, A. I. An integrated model to predict the atmospheric spread of foot-and-mouth disease virus *Epidemiol. Infect.*, 124, 577–590 (2000)
11. Gloster, J., Alexandersen, S. New Directions: Airborne Transmission of Foot-and-Mouth Disease Virus *Atmospheric Environment*, 38 (3), 503-505 (2004)
12. Reche, I., D’Orta, G., Mladenov, N., Winget, D.M., Suttle, C.A. Deposition rates of viruses and bacteria above the atmospheric boundary layer. *The ISME Journal*. 12, 1154-1162 (2018)
13. Qin, N., Liang, P., Wu, C., Wang, G., Xu, Q., Xiong, X., Wang, T., Zolfo, M., Segata, N., Qin, H., Knight, R., Gilbert, J.A., Zhu, T.F. Longitudinal survey of microbiome associated with particulate matter in a megacity. *Genome Biology*. 21, 55 (2020)
14. Zhao, Y., Richardson, B., Takle, E., Chai, L., Schmitt, D., Win, H. Airborne transmission may have played a role in the spread of 2015 highly pathogenic avian influenza outbreaks in the United States. *Sci Rep*. 9, 11755. <https://doi.org/10.1038/s41598-019-47788-z> (2019)
15. Ma, Y., Zhou, J., Yang, S., Zhao, Y., Zheng, X. Assessment for the impact of dust events on measles incidence in western China. *Atmospheric Environment*. 157, 1-9 (2017)
16. Jiang, W., Laing, P., Wang, B., Fang, J., Lang, J., Tian, G., Jiang, J., Zhu, T.F. Optimized DNA extraction and metagenomic sequencing of airborne microbial communities. *Nat. Protoc.* 10, 768-779 (2015)
17. Pan, M., Lednicky, J.A., Wu, C.-Y., Collection, particle sizing and detection of airborne viruses. *Journal of Applied Microbiology*, 127, 1596-1611 (2019)
18. Zymoresearch Ltd, product description, available at: <https://www.zymoresearch.com/products/quick-rna-fecal-soil-microbe-microprep-kit>
19. Quantabio Ltd, description of the product, available at: <https://www.quantabio.com/qscript-xlt-1-step-rt-qpcr-toughmix>
20. Corman, V. M., Landt, O., Kaiser, M., Molenkamp, R., Meijer, A., Chu, D. K., & Mulders, D. G. (2020). Detection of 2019 novel coronavirus (2019-nCoV) by real-time RT-PCR. *Eurosurveillance*, 25(3), available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6988269/>



Code	Sample	Date	E game	MLP game	R game
01-00001	1	200001			
01-00002	1	200002			
01-00003	1	200003			
01-00004	1	200004			
01-00005	1	200005	1	1	
01-00006	1	200006		1	
01-00007	1	200007			
01-00008	1	200008			
01-00009	1	200009			
01-00010	1	200010	1		
01-00011	1	200011			
01-00012	1	200012			
01-00013	1	200013	1	1	
01-00014	1	200014	1	1	
01-00015	1	200015		1	
01-00016	1	200016			
01-00017	1	200017			
01-00018	1	200018			1
01-00019	1	200019	1		1
01-00020	1	200020			
01-00021	1	200021			
01-00022	1	200022			
01-00023	1	200023		1	
01-00024	1	200024			
01-00025	1	200025			
01-00026	1	200026		1	
01-00027	1	200027			1
01-00028	1	200028		1	
01-00029	1	200029			
01-00030	1	200030			
01-00031	1	200031			
01-00032	1	200032			
01-00033	1	200033			
01-00034	1	200034			
01-00035	1	200035			
01-00036	1	200036			
01-00037	1	200037			
01-00038	1	200038			
01-00039	1	200039			
01-00040	1	200040			
01-00041	1	200041			
01-00042	1	200042			
01-00043	1	200043			
01-00044	1	200044			
01-00045	1	200045			
01-00046	1	200046			
01-00047	1	200047			
01-00048	1	200048			
01-00049	1	200049			
01-00050	1	200050			
01-00051	1	200051			
01-00052	1	200052			
01-00053	1	200053			
01-00054	1	200054			
01-00055	1	200055			
01-00056	1	200056			
01-00057	1	200057			
01-00058	1	200058			
01-00059	1	200059			
01-00060	1	200060			
01-00061	1	200061			
01-00062	1	200062			
01-00063	1	200063			
01-00064	1	200064			
01-00065	1	200065			
01-00066	1	200066			
01-00067	1	200067			
01-00068	1	200068			
01-00069	1	200069			
01-00070	1	200070			
01-00071	1	200071			
01-00072	1	200072			
01-00073	1	200073			
01-00074	1	200074			
01-00075	1	200075			
01-00076	1	200076			
01-00077	1	200077			
01-00078	1	200078			
01-00079	1	200079			
01-00080	1	200080			
01-00081	1	200081			
01-00082	1	200082			
01-00083	1	200083			
01-00084	1	200084			
01-00085	1	200085			
01-00086	1	200086			
01-00087	1	200087			
01-00088	1	200088			
01-00089	1	200089			
01-00090	1	200090			
01-00091	1	200091			
01-00092	1	200092			
01-00093	1	200093			
01-00094	1	200094			
01-00095	1	200095			
01-00096	1	200096			
01-00097	1	200097			
01-00098	1	200098			
01-00099	1	200099			
01-00100	1	200100			
01-00101	1	200101			
01-00102	1	200102			
01-00103	1	200103			
01-00104	1	200104			
01-00105	1	200105			
01-00106	1	200106			
01-00107	1	200107			
01-00108	1	200108			
01-00109	1	200109			
01-00110	1	200110			
01-00111	1	200111			
01-00112	1	200112			
01-00113	1	200113			
01-00114	1	200114			
01-00115	1	200115			
01-00116	1	200116			
01-00117	1	200117			
01-00118	1	200118			
01-00119	1	200119			
01-00120	1	200120			
01-00121	1	200121			
01-00122	1	200122			
01-00123	1	200123			
01-00124	1	200124			
01-00125	1	200125			
01-00126	1	200126			
01-00127	1	200127			
01-00128	1	200128			
01-00129	1	200129			
01-00130	1	200130			
01-00131	1	200131			
01-00132	1	200132			
01-00133	1	200133			
01-00134	1	200134			
01-00135	1	200135			
01-00136	1	200136			
01-00137	1	200137			
01-00138	1	200138			
01-00139	1	200139			
01-00140	1	200140			
01-00141	1	200141			
01-00142	1	200142			
01-00143	1	200143			
01-00144	1	200144			
01-00145	1	200145			
01-00146	1	200146			
01-00147	1	200147			
01-00148	1	200148			
01-00149	1	200149			
01-00150	1	200150			
01-00151	1	200151			
01-00152	1	200152			
01-00153	1	200153			
01-00154	1	200154			
01-00155	1	200155			
01-00156	1	200156			
01-00157	1	200157			
01-00158	1	200158			
01-00159	1	200159			
01-00160	1	200160			
01-00161	1	200161			
01-00162	1	200162			
01-00163	1	200163			
01-00164	1	200164			
01-00165	1	200165			
01-00166	1	200166			
01-00167	1	200167			
01-00168	1	200168			
01-00169	1	200169			
01-00170	1	200170			
01-00171	1	200171			
01-00172	1	200172			
01-00173	1	200173			
01-00174	1	200174			
01-00175	1	200175			
01-00176	1	200176			
01-00177	1	200177			
01-00178	1	200178			
01-00179	1	200179			
01-00180	1	200180			
01-00181	1	200181			
01-00182	1	200182			
01-00183	1	200183			
01-00184	1	200184			
01-00185	1	200185			
01-00186	1	200186			
01-00187	1	200187			
01-00188	1	200188			
01-00189	1	200189			
01-00190	1	200190			
01-00191	1	200191			
01-00192	1	200192			
01-00193	1	200193			
01-00194	1	200194			
01-00195	1	200195			
01-00196	1	200196			
01-00197	1	200197			
01-00198	1	200198			
01-00199	1	200199			
01-00200	1	200200			