

**Supplemental Table 1: Flow cytometry panels**

AIM				ICS			
Marker	Fluorochrome	Clone	Company	Marker	Fluorochrome	Clone	Company
Viability	UV		Invitrogen	Viability	UV		Invitrogen
CCR7	PercpCy5.5	150503	BD Pharminogen	CD107a	FITC	H4A3	BD Pharminogen
CD4	Pe610	RPA-T4	Invitrogen	CD3	A780	UCHT1	Invitrogen
CD3	A780	UCHT1	Invitrogen	CD4	BV785	SK3	Biolegend
CD8	FITC	SK1	BD Biosciences	CD8	V500	RPA-T8	BD Horizon
CD14	A700	M5E2	BD Pharminogen	CD14	PercpCy5.5	M5E2	BD Pharminogen
CD19	A700	HIb19	BD Pharminogen	CD19	PercpCy5.5	SJ25C1	BD Biosciences
Ox40	PeCy7	Ber-ACT35	Biolegend	IFN $\gamma$	A700	B27	BD Pharminogen
PDL1	PE	MIH1	BD Pharminogen	TNF $\alpha$	PeCy7	MAb11	BD Pharminogen
CXCR5	BV421	RF8B2	BD Horizon	CD154	APC	TRAP1	BD Pharminogen
PD1	BV785	EH12.2H7	Biolegend				
CD45RA	BV510	HI100	BD Horizon				
CD137	BV650	4B4-1	BD Horizon				
CD69	BUV737	RN50	BD Horizon				