

## Supplemental Material

*Long-Term Exposure to Fine Particulate Matter, Lung Function and Cognitive Performance: A Prospective Dutch Cohort Study on the Underlying Routes*

*Benjamin Aretz, Fanny Janssen, Judith Marijke Vonk; Michael Thomas Heneka; Hendrika Marika Boezen, Gabriele Doblhammer*

**Supplementary Table S1.** Decomposition of the Associations between Time-Weighted Average, Long-Term Exposure to PM<sub>2.5</sub> and Black Carbon and Cognitive Processing Time (CPT) Showing Single Parameters among the Entire Study Population

**Supplementary Table S2.** Sensitivity Analysis of the Model Approach – Causal Mediation Analyses Using G-Formula and Bootstrapping Method

**Supplementary Table S3.** Comparison of the Descriptive Statistics among Participants with Complete (n = 31232) and Incomplete Data (n = 110908)

**Supplementary Table S4.** Descriptive Statistics - Sensitivity Models among Participants Aged 45+ Only and by Using One-Year Annual Concentrations Only

**Supplementary Figure S1.** Construction of the Study Population Based on the Lifelines Cohort Study Population Aged 18+

**Supplementary Figure S2.** Used Structural Equation Model (SEM) to Test the Direct and Indirect Routes of Air Pollutants on Cognitive Processing Time (CPT)

**Supplementary Figure S3.** Adjusted Predictions of Cognitive Processing Time for the Total Effects of PM<sub>2.5</sub>

**Supplementary Figure S4.** Distribution of the Mediator Variable (FEV<sub>1</sub>)

**Supplementary Figure S5.** Distribution of the Mediator Variable (FVC)

**Supplementary Figure S6.** Distribution of the Outcome Variable (CPT)

This supplementary material has been provided by the authors to give readers additional information about their work.

**Supplementary Table S1.** Decomposition of the Associations between Time-Weighted Average, Long-Term Exposure to PM<sub>2.5</sub> and Black Carbon and Cognitive Processing Time (CPT) Showing Single Parameters among the Entire Study Population

Air pollutant	Lung function measure	Estimations		
		$\beta_1$	$\theta_2$	$\theta_1$
PM <sub>2.5</sub>	FEV <sub>1</sub>	<b>-0.2485201</b> (-0.3960919, -0.1009484)	<b>-0.0013092</b> (-0.0021924, -0.0004259)	<b>0.0180010</b> (0.0065133, 0.0294888)
	FVC	<b>-0.4211821</b> (-0.5628614, -0.2795029)	<b>-0.0011381</b> (-0.0020566, -0.0002196)	<b>0.0178471</b> (0.0063529, 0.0293412)
BC	FEV <sub>1</sub>	<b>-1.3064010</b> (-1.9730400, -0.6397608)	<b>-0.0013337</b> (-0.0022172, -0.0004503)	0.0043738 (-0.0481413, 0.0568889)
	FVC	<b>-2.3886740</b> (-3.025584, -1.7517650)	<b>-0.0011835</b> (-0.0021021, -0.0002649)	0.0032892 (-0.0492554, 0.0558337)

Abbreviations: FEV<sub>1</sub>, Forced Expiratory Volume in one second; FVC, Forced Volume Capacity, PM<sub>2.5</sub>, (fine) particulates with diameters of 2.5  $\mu\text{m}$  and smaller; BC, black carbon proportion in the fine particulate matter

Table shows the decompositions of the Total Effects of the associations between long-term time-weighted air pollution (in  $\mu\text{g}/\text{m}^3$ ) up to baseline and Cognitive Processing Time (CPT) measured by the Cogstate Brief Battery into the single estimation parameters from the used equations. The direct (Direct Effect) and the indirect (Indirect Effect) routes over the lung function measures FEV<sub>1</sub> and FVC (potential mediators) at baseline (2006-2012) were modelled simultaneously by performing linear structural equation models with robust standard errors by Huber/ White. Illustrated were the point estimators and confidence intervals coming from single models for each air pollutant, controlled for sex, age, province of residence, educational level, income, pack-years of cigarettes smoked, hypertension, asthma, COPD, diabetes, depression, stroke, multiple sclerosis, BMI, the age- and z-standardized CBB accuracy, and the total number of CBB trials. Shown values for point estimators, lower and upper confidence intervals were not transformed after estimation. Bold values mark significant coefficients.

**Supplementary Table S2.** Sensitivity Analysis of the Model Approach – Causal Mediation Analyses Using G-Formula and Bootstrapping Method

Air pollutant	Lung function measure	Total Effect	Indirect Effect	Direct Effect	Mediation/ Direct Effect
		$\beta_1 + \theta_1 + \theta_2$	$\beta_1 * \theta_2$	$\theta_1$	
PM <sub>2.5</sub>	FEV <sub>1</sub>	<b>18.40</b> (7.72, 29.28)	<b>0.32</b> (0.05, 0.64)	<b>18.08</b> (7.34, 29.16)	Mediation + direct effect
	FVC	<b>18.39</b> (9.00, 27.97)	<b>0.48</b> (0.02, 0.96)	<b>17.92</b> (8.46, 27.68)	Mediation + direct effect
BC	FEV <sub>1</sub>	6.56 (-53.92, 68.09)	<b>1.73</b> (0.30, 3.41)	4.83 (-55.92, 67.50)	Mediation
	FVC	6.55(-54.24, 68.45)	<b>2.81</b> (0.08, 5.49)	3.74 (-57.14, 66.56)	Mediation

Abbreviations: PM<sub>2.5</sub>, (fine) particulates with diameters of 2.5 μm and smaller; BC, black carbon proportion in the fine particulate matter; FEV<sub>1</sub>, Forced Expiratory Volume in one second; FVC, Forced Volume Capacity

Table shows the decompositions of the Total Effects of the associations between long-term time-weighted air pollution (in μg/m<sup>3</sup>) up to baseline and Cognitive Processing Time (CPT) measured by the Cogstate Brief Battery. The direct (Direct Effect) and the indirect (Indirect Effect) routes over the lung function measures FEV<sub>1</sub> and FVC (potential mediators) at baseline (2006-2012) were modelled simultaneously by performing g-formula method using bootstrapped standard errors (1,000 iterations). Illustrated were the point estimators and confidence intervals coming from single models for each air pollutant, controlled for sex, age, province of residence, educational level, income, pack-years of cigarettes smoked, hypertension, asthma, COPD, diabetes, depression, stroke, multiple sclerosis, BMI, the age- and z-standardized CBB accuracy, and the total number of CBB trials. Shown values for point estimators, lower and upper confidence intervals were not transformed after estimation. Shown values for point estimators, lower and upper confidence intervals were multiplied by 10<sup>3</sup>. Bold values mark significant paths.

**Supplementary Table S3.** Comparison of the Descriptive Statistics among Participants with Complete (n = 31232) and Incomplete Data (n = 110908)

Characteristic	Up to baseline	Baseline (2006-2012)	Follow-up (2014-2015)	Up to baseline	Baseline (2006-2012)	Follow-up (2014-2015)
	Complete data			Incomplete data		
No. of participants		n = 31232			n = 110,908	
Sex, No. (%)						
Women		18342 (58.73)			64703 (58.34)	
Men		12890 (41.27)			46205 (41.66)	
Age, mean (SD)		43.95 (11.02)			50.10 (12.77)	
Province of residence, No. (%)						
Drenthe		5076 (16.25)			29963 (27.02)	
Friesland		15968 (51.13)			43531 (39.25)	
Groningen		9386 (30.05)			33711 (30.40)	
Other		802 (2.57)			3703 (3.34)	
Educational level, No. (%)						
No education		61 (0.20)			504 (0.46)	
Primary education		310 (0.99)			2279 (2.06)	
Lower or preparatory vocation		3130 (10.02)			14299 (12.95)	
Junior general secondary education		3909 (12.52)			14973 (13.56)	
Secondary vocational education		9352 (29.94)			32926 (29.82)	
Senior general secondary education		3022 (9.68)			9523 (8.62)	
Higher vocational education		8614 (27.58)			26946 (24.40)	
University education		2321 (7.43)			6878 (6.23)	
Other		513 (1.64)			2088 (1.89)	
Missing values, No. (% of all participants)					492 (0.44)	
Net income per month, No. (%)						
Lower than 1500 Euro		4283 (13.71)			15138 (14.07)	
1500 to 2500 Euro		8474 (27.13)			28637 (26.61)	
Higher than 2500 Euro		14688 (47.03)			49010 (45.54)	
Do not know/ do not want to tell		3787 (12.13)			14838 (13.79)	
Missing values, No. (% of all participants)					3285 (2.96)	
Pack-years of cigarettes smoked, No. (%) <sup>a</sup>						
Never smokers		14895 (47.69)			51304 (48.82)	
Lower/ equal than the 50th percentile of ever smokers		8482 (27.16)			27311 (25.99)	

Higher than the 50th percentile of ever smokers	7855 (25.15)	26588 (25.30)
Missing values, No. (% of all participants)		5814 (5.24)
BMI, No. (%)		
Lower than 25	15026 (48.11)	50021 (45.10)
25 to lower than 30	12254 (39.24)	44358 (40.00)
Higher/ equal than 30	3952 (12.65)	16529 (14.90)
Hypertension, No. (%) <sup>b</sup>		
Yes	4869 (15.59)	20320 (18.32)
No	26363 (84.41)	90588 (81.68)
Asthma, No. (%) <sup>c</sup>		
Yes	2322 (7.43)	8461 (7.63)
No	28910 (92.57)	102447 (92.37)
COPD, No. (%) <sup>c</sup>		
Yes	1342 (4.30)	5584 (5.03)
No	29890 (95.70)	105324 (94.97)
Diabetes, No. (%) <sup>c</sup>		
Yes	2056 (6.58)	8446 (7.62)
No	29176 (93.42)	102462 (92.38)
Depression, No. (%) <sup>c</sup>		
Yes	3158 (10.11)	10455 (9.43)
No	28074 (89.89)	100453 (90.57)
Stroke, No. (%) <sup>c</sup>		
Yes	139 (0.45)	787 (0.71)
No	31093 (99.55)	110121 (99.29)
Multiple Sclerosis, No. (%) <sup>c</sup>		
Yes	62 (0.20)	255 (0.23)
No	31170 (99.80)	110653 (99.77)
Long-term air pollution, mean (SD) <sup>d</sup>		
PM2.5 (in $\mu\text{g}/\text{m}^3$ ) from ELAPSE	14.95 (0.95)	14.99 (2.73)
BC (in $\mu\text{g}/\text{m}^3$ ) from ELAPSE	1.25 (0.21)	1.24 (0.24)
Total exposure time (in days) for ELAPSE	8567.56 (2448.31)	8974.04 (2603.82)
Missing values, No. (% of all participants)		59 (0.00)
Lung function, mean (SD) <sup>e</sup>		
FEV1 (L), % predicted	96.62 (12.59)	96.33 (13.29)
FVC (L), % predicted	100.69 (12.07)	100.65 (12.67)

Missing values, No. (% of all participants)		27620 (24.90)	
Number of CBB trials, mean (SD) <sup>f</sup>	139.87 (24.35)		140.58 (25.01)
Missing values, No. (% of all participants)			45866 (41.35)
Accuracy of given responses, mean (SD) <sup>g</sup>	0.00 (1.00)		0.00 (1.00)
Less accurate (lower values) than the mean, No. (%)	14577 (46.67)		28779 (44.25)
More accurate (higher values) than the mean, No. (%)	16655 (53.33)		36263 (55.75)
Missing values, No. (% of all participants)			46240 (41.69)
Cognitive processing time (CPT), mean (SD) <sup>h</sup>	0.00 (1.00)		0.00 (1.00)
Faster CPT (lower values) than the mean, No. (%)	16103 (51.56)		31999 (49.20)
Slower CPT (higher values) than the mean, No. (%)	15129 (48.44)		33043 (50.80)
Missing values, No. (% of all participants)			46240 (41.69)

Abbreviations: BMI, body mass index (calculated as weight in kilograms divided by height in meters squared); PM<sub>2.5</sub>, (fine) particulates with diameters of 2.5 µm and smaller; BC, black carbon proportion in the fine particulate matter

<sup>a</sup> Pack-years of cigarettes smoked were calculated from the baseline questionnaire (1 pack-year = 20 cigarettes per day in 1 year).

<sup>b</sup> Hypertension was defined when systolic pressure was higher than 139 mmHg or diastolic pressure higher than 89 mmHg (blood pressure was measured by medical staff).

<sup>c</sup> Prevalence of diseases at baseline was assessed by questions, whether a specific disease was diagnosed by a doctor or not.

<sup>d</sup> Long-term air pollution concentrations were assessed as time-weighted average concentrations up to the 31st December before the baseline year.

<sup>e</sup> Lung function was measured by spirometry by trained medical staff.

<sup>f</sup> Number of CBB trials represents the total number of responses given by the participants during the three subtests (detection, identification, working-memory) of the Cogstate Brief Battery.

<sup>g</sup> Accuracy was measured by the proportion of correct responses. For each domain (detection, identification, working-memory), the accuracy of each response to each trial was recorded. Each of the three already arcsine-transformed and age-standardized accuracy measures from the Cogstate Brief Battery were z-standardized, averaged and again z-standardized.

<sup>h</sup> Cognitive Processing Time was measured by using three (detection, identification, working-memory) log<sub>10</sub>-transformed and age-standardized speed measures from the Cogstate Brief Battery. The three measures were z-standardized, averaged and again z-standardized.

**Supplementary Table S4.** Descriptive Statistics - Sensitivity Models among Participants Aged 45+ Only and by Using One-Year Annual Concentrations Only

Characteristic	Up to baseline	Baseline (2006-2012)	Follow-up (2014-2015)	Up to baseline	Baseline (2006-2012)	Follow-up (2014-2015)
	Participants aged 45+ only			One-Year Annual Concentrations Only		
No. of participants	n = 15624			n = 49705		
Sex, No. (%)						
Women	8963 (57.37)			29422 (59.19)		
Men	6661 (42.63)			20283 (40.81)		
Age, mean (SD)	52.66 (6.68)			44.77 (11.41)		
Province of residence, No. (%)						
Drenthe	2707 (17.33)			10117 (20.35)		
Friesland	7975 (51.04)			22087 (44.44)		
Groningen	4603 (29.46)			16402 (33.00)		
Other	339 (2.17)			1099 (2.21)		
Educational level, No. (%)						
No education	42 (0.27)			124 (0.25)		
Primary education	197 (1.26)			565 (1.14)		
Lower or preparatory vocation	2131 (13.64)			5549 (11.16)		
Junior general secondary education	2515 (16.10)			6728 (13.54)		
Secondary vocational education	4107 (26.29)			15386 (30.95)		
Senior general secondary education	1419 (9.08)			4538 (9.13)		
Higher vocational education	3978 (25.46)			12803 (25.76)		
University education	927 (5.93)			3175 (6.39)		
Other	308 (1.97)			837 (1.68)		
Net income per month, No. (%)						
Lower than 1500 Euro	1577 (10.09)			6497 (13.07)		
1500 to 2500 Euro	4368 (27.96)			13413 (26.99)		
Higher than 2500 Euro	7537 (48.24)			23302 (46.88)		
Do not know/ do not want to tell	2142 (13.71)			6493 (13.06)		
Pack-years of cigarettes smoked, No. (%) <sup>a</sup>						
Never smokers	6204 (39.71)			23773 (47.83)		
Lower/ equal than the 50th percentile of ever smokers	4272 (27.34)			13184 (26.52)		
Higher than the 50th percentile of ever smokers	5148 (32.95)			12748 (25.65)		
BMI, No. (%)						

Lower than 25	6464 (41.37)		22750 (45.77)
25 to lower than 30	6949 (44.48)		19892 (40.02)
Higher/ equal than 30	2211 (14.15)		7063 (14.21)
Hypertension, No. (%) <sup>b</sup>			
Yes	3375 (21.60)		8597 (17.30)
No	12249 (78.40)		41108 (82.70)
Asthma, No. (%) <sup>c</sup>			
Yes	962 (6.16)		3803 (7.65)
No	14662 (93.84)		45902 (92.35)
COPD, No. (%) <sup>c</sup>			
Yes	790 (5.06)		2332 (4.69)
No	14834 (94.94)		47373 (95.31)
Diabetes, No. (%) <sup>c</sup>			
Yes	1307 (8.37)		3528 (7.10)
No	14317 (91.63)		46177 (92.90)
Depression, No. (%) <sup>c</sup>			
Yes	1663 (10.64)		4865 (9.79)
No	13961 (89.36)		44840 (90.21)
Stroke, No. (%) <sup>c</sup>			
Yes	112 (0.72)		262 (0.53)
No	15512 (99.28)		49443 (99.47)
Multiple Sclerosis, No. (%) <sup>c</sup>			
Yes	32 (0.20)		114 (0.23)
No	15592 (99.80)		49591 (99.77)
Long-term air pollution, mean (SD) <sup>d</sup>			
PM2.5 (in µg/ m <sup>3</sup> ) from ELAPSE	14.90 (0.98)		14.92 (1.01)
BC (in µg/ m <sup>3</sup> ) from ELAPSE	1.23 (0.21)		1.22 (0.22)
Total exposure time (in days) for ELAPSE	8655.35 (2455.38)		
Lung function, mean (SD) <sup>e</sup>			
FEV1 (L), % predicted	97.73 (13.59)		96.54 (12.72)
FVC (L), % predicted	102.60 (12.75)		100.78 (12.14)
Number of CBB trials, mean (SD) <sup>f</sup>		141.99 (25.50)	140.26 (24.65)
Accuracy of given responses, mean (SD) <sup>g</sup>		0.00 (1.00)	0.00 (1.00)
Less accurate (lower values) than the mean, No. (%)		6837 (43.76)	22427 (45.12)
More accurate (higher values) than the mean, No. (%)		8787 (56.24)	27278 (54.88)



Cognitive processing time (CPT), mean (SD) <sup>h</sup>	0.00 (1.00)	0.00 (1.00)
Faster CPT (lower values) than the mean, No. (%)	6837 (43.60)	24457 (49.20)
Slower CPT (higher values) than the mean, No. (%)	7924 (50.72)	25248 (50.80)

Abbreviations: BMI, body mass index (calculated as weight in kilograms divided by height in meters squared); PM<sub>2.5</sub>, (fine) particulates with diameters of 2.5 µm and smaller; BC, black carbon proportion in the fine particulate matter

<sup>a</sup> Pack-years of cigarettes smoked were calculated from the baseline questionnaire (1 pack-year = 20 cigarettes per day in 1 year).

<sup>b</sup> Hypertension was defined when systolic pressure was higher than 139 mmHg or diastolic pressure higher than 89 mmHg (blood pressure was measured by medical staff).

<sup>c</sup> Prevalence of diseases at baseline was assessed by questions, whether a specific disease was diagnosed by a doctor or not.


<sup>d</sup> Long-term air pollution concentrations were assessed as time-weighted average concentrations up to the 31st December before the baseline year.

<sup>e</sup> Lung function was measured by spirometry by trained medical staff.


<sup>f</sup> Number of CBB trials represents the total number of responses given by the participants during the three subtests (detection, identification, working-memory) of the Cogstate Brief Battery.

<sup>g</sup> Accuracy was measured by the proportion of correct responses. For each domain (detection, identification, working-memory), the accuracy of each response to each trial was recorded. Each of the three already arcsine-transformed and age-standardized accuracy measures from the Cogstate Brief Battery were z-standardized, averaged and again z-standardized.

<sup>h</sup> Cognitive Processing Time was measured by using three (detection, identification, working-memory) log<sub>10</sub>-transformed and age-standardized speed measures from the Cogstate Brief Battery. The three measures were z-standardized, averaged and again z-standardized.




**Supplementary Figure S1.** Construction of the Study Population Based on the Lifelines Cohort Study Population Aged 18+




**Supplementary Figure S2.** Used Structural Equation Model (SEM) to Test the Direct and Indirect Routes of Air Pollutants on Cognitive Processing Time (CPT)

**Supplementary Figure S3.** Adjusted Predictions of Cognitive Processing Time for the Total Effects of PM<sub>2.5</sub>




Abbreviations: PM<sub>2.5</sub>, (fine) particulates with diameters of 2.5  $\mu\text{m}$  and smaller; BC, black carbon proportion in the fine particulate matter; CPT, cognitive processing time


Adjusted Predictions of cognitive processing time (CPT) for the Total Effects of PM<sub>2.5</sub> were estimated for each single integer exposure value between the minimum and the maximum by a linear model. The linear predictions (black line) of CPT were controlled for sex, age, province of residence, educational level, income, pack-years of cigarettes smoked, hypertension, asthma, COPD, diabetes, depression, stroke, multiple sclerosis, BMI, the age- and z-standardized CBB accuracy, and the total number of CBB trials. Green lines show the 95% confidence intervals for the point estimators. The red line marked the upper confidence interval of the prediction when no effect of PM<sub>2.5</sub> (zero value of CPT) on CPT is present.



**Supplementary Figure S4.** Distribution of the Mediator Variable (FEV<sub>1</sub>)



**Supplementary Figure S5.** Distribution of the Mediator Variable (FVC)



**Supplementary Figure S6.** Distribution of the Outcome Variable (CPT)