

eTable 2. Associations between dexamethasone dosage and the endpoint of death in the full sample and in the matched analytic sample.

With oxygen or intubation					Without oxygen or intubation				
Dexamethasone total dosage	Crude analysis	Cox regression adjusted for age and sex	Multivariable (Weighted) Cox regression analysis	Univariate Cox regression in the matched analytic samples	Dexamethasone total dosage	Crude analysis	Cox regression adjusted for age and sex	Multivariable (Weighted) Cox regression analysis	Univariate Cox regression in the matched analytic samples
	HR (SE) / p-value	HR (SE) / p-value	HR (SE) / p-value	HR (SE) / p-value		HR (SE) / p-value	HR (SE) / p-value	HR (SE) / p-value	HR (SE) / p-value
No dexamethasone (n=1,129)	Ref.	Ref.	Ref.	Ref.	No dexamethasone (n=10,910)	Ref.	Ref.	Ref.	Ref.
Other dosage (n=14)	0.21 (1.00) / 0.117	0.21 (1.00) / 0.115	0.24 (1.03) / 0.169	0.24 (1.00) / 0.150	Other dosage (n=18)	0.60 (0.58) / 0.376	0.57 (0.58) / 0.332	0.23 (0.90) / 0.101	0.50 (0.58) / 0.241
60 mg to 150 mg (n =33)	0.28 (0.58) / 0.028*	0.28 (0.58) / 0.027*	0.24 (0.65) / 0.030*	0.32 (0.58) / 0.048*	60 mg to 150 mg (n=45)	0.37 (0.58) / 0.089	0.41 (0.58) / 0.122	0.47 (0.57) / 0.178	0.32 (0.58) / 0.049*
Missing (n=16)	1.16 (0.41) / 0.723	1.22 (0.41) / 0.636	1.10 (0.51) / 0.856	1.32 (0.42) / 0.507	Missing (n=35)	1.40 (0.35) / 0.355	1.19 (0.36) / 0.618	1.32 (0.31) / 0.361	1.19 (0.36) / 0.634

* p-value is significant (p<0.05).

Abbreviations: HR, hazard ratio; SE, standard error.