

Supplementary Figures:

Supplementary Figure 1. Post mortem histological analysis of focal invasive pulmonary aspergillosis

(IPA). A. Focus of invasive aspergillosis in the left lower lobe involving a large vessel with surrounding lung showing diffuse alveolar damage (approximately 1cm x 1cm) (Haematoxylin & Eosin x 12). B. This was a single focus identified from ten 3 x 2cm sections of lung. B. Focal invasive aspergillosis was identified microscopically at post-mortem (Grocott silver stain x 100).

Tables:

Supplementary Table 1. Proportion of patients with different *Klebsiella spp.* in respiratory and blood cultures and their acquired resistance phenotypes impacting on guideline recommendations.

Supplementary Table 2A. Sequencing metadata for all respiratory samples processed with clinical metagenomics.

Supplementary Table 2B. Negative controls run with each batch of samples sequenced.

Supplementary Table 3. Phenotypic resistance reported by culture and resistance genes reported by clinical metagenomics in all culture-positive samples after 2 hours of sequencing.

Supplementary Table 4. Microbiology, PCR and clinical metagenomics results for all samples processed in this study for the identification of *Aspergillus fumigatus*.

Supplementary Table 5. *Klebsiella pneumoniae* and *Corynebacterium striatum* alignment for outbreak analysis. (A) Number of SNPs between each sample of *Corynebacterium striatum*. (B) Number of SNPs between each sample of *K. pneumoniae*, (C) the 7 predicted gene multi-locus sequence types for each sample against the *K. pneumoniae* database (numbers in each gene column refer to the allele - a ~ indicates a full length allele similar to the given allele but less than 100% identity) and (D) number of SNPs analysis in between the two identical CMg samples and two epidemiologically linked *K. pneumoniae* isolates.

Supplementary Table 6. All organisms identified in all respiratory samples processed with clinical metagenomics (above pre-defined thresholds^a).

Supplementary Table 1. Proportion of patients with different *Klebsiella spp.* in respiratory and blood cultures and their acquired resistance phenotypes impacting on guideline recommendations

<i>Klebsiella spp.</i> identified	Number in respiratory tract (%)	Acquired β -lactam Resistance	Acquired resistance phenotypes (number)	Number in blood (% ^f)
<i>K. pneumoniae</i>	51 ^a	32 (63%)	ESBL + AGR (13)	3 (23%)
			Other: non-ESBL + AGS ^d (16)	6 (30%)
			Other: AGS ^e (4)	0
			None (28)	3 (11%)
<i>K. aerogenes</i>	37 ^a	0 ^c	N/A	5 (14%)
Other <i>Klebsiella spp</i> ^b	6	1	N/A	2 ^g (33%)

^a Includes 6 patients with *K. pneumoniae* and *K. aerogenes* in respiratory specimens at different times. Where total numbers in different columns or rows differ this is due to co-infection with different *Klebsiella spp.* or their resistance phenotypes at some time during ICU stay.

^b 5 *K. oxytoca* and 1 *K. variicola*

^c *K. aerogenes* intrinsic resistance to co-amoxiclav and piperacillin-tazobactam

^d 14 resistant to co-amoxiclav and piperacillin-tazobactam and 6 others

^e Co-amoxiclav susceptible but with resistance to second or third generation cephalosporins)

^f % = Number of patients with *Klebsiella* BSI/number with *Klebsiella* in respiratory tract.

^g 1 *K. oxytoca* with no acquired resistance and 1 *K. variicola* with resistance to co-amoxiclav and piperacillin-tazobactam

AGR = aminoglycoside resistance. AGS =aminoglycoside susceptible

Supplementary Table 2A. Sequencing metadata for all respiratory samples processed with clinical metagenomics.

Sample ID	Human reads	Microbial classified reads	Unclassified reads	Microbial reads	Number of raw reads from 2hrs	Metagenomics output	Classified reads of reported pathogens after chosen thresholds ^a
S1 ^{N3}	2,805	144,220	975	145195	148,000	<i>K. aerogenes</i>	138,626
S5 ^{N3}	16	0	0	0	16	Negative	0
S8 ^{N5}	736	579	820	1,399	2135	<i>A. fumigatus</i> <i>K. oxytoca</i>	77 44
S10 ^{N5}	4,118	74,891	459	75,350	79,468	<i>K. pneumoniae</i>	69,029
S11 ^{N5}	39,675	28,473	7,195	35,668	68,148	<i>K. pneumoniae</i>	16,828
S14 ^{N6}	3,795	195	10	205	4000	Negative	0
S16 ^{N6}	8,308	42,269	1,423	43,692	52,000	<i>S. aureus</i>	1,768
S17 ^{N7}	6,095	1790	115	1,905	8000	<i>P. aeruginosa</i>	1,457
S18 ^{N6}	17,224	19,478	3,298	22,776	40,000	Negative	0
S19 ^{N6}	37,629	6,866	3,505	10,371	48,000	Negative	0
S20 ^{N7}	21,292	38,361	347	38,708	60,000	<i>S. aureus</i>	36,281
S21 ^{N6}	134	75,112	754	75,866	76000	<i>E. cloacae</i>	62,314
S25 ^{N15}	62,587	1325	88	1,413	64,000	Negative	0
S27 ^{N11}	11,214	4,238	548	4,786	16,000	Negative	0
S28 ^{N11}	87,316	43,293	1,391	44,684	132000	<i>S. aureus</i> <i>A. fumigatus</i>	3,165 2,649
S29 ^{N10}	1108	439	320	759	1867	Negative	0
S30 ^{N10}	200	91	136	227	307	Negative	0
S31 ^{N10}	200	31,233	567	31,800	32,000	<i>K. pneumoniae</i>	28,056
S33 ^{N10}	16,179	981	195	1,176	17,355	Negative	0

S34 ^{N10}	27,481	76,803	5,993	82,796	110,277	<i>K. pneumoniae</i>	38,758
S35 ^{N10}	18	465	388	853	871	<i>A. baumannii</i>	99
S36 ^{N8}	119	117,999	1,882	119,881	120,000	<i>S. aureus</i>	109,767
S37 ^{N8}	10,605	31,895	13,500	45,395	56,000	<i>M. morgannii</i> <i>K. pneumoniae</i> <i>P. mirabilis</i>	28,300 876 397
S39 ^{N8}	1,749	25804	447	26251	28,000	<i>C. koseri</i> <i>K. pneumoniae</i>	23,870 284
S40 ^{N11}	78	1024	133	1157	1235	Negative	0
S41 ^{N8}	933	24,770	6,297	31,067	32,000	<i>S. aureus</i>	1,365
S42 ^{N8}	449	45474	6,077	51551	52,000	<i>Burkholderia spp.</i>	34,347
S44 ^{N13}	2,922	63,370	1,708	65,078	68,000	<i>S. marcesens</i> <i>C. freundii</i> <i>K. aerogenes</i> ^b	53,082 6,082 173
S45 ^{N16}	12,239	13,256	2,505	15,761	28,000	<i>C. striatum</i> <i>K. aerogenes</i> ^b	8,665 104
S46 ^{N13}	766	300	162	462	1,228	<i>C. koseri</i>	237
S49 ^{N13}	33,798	2,070	132	2,202	36,000	<i>K. pneumoniae</i>	594
S50 ^{N13}	5,845	10,005	150	10,155	16,000	Negative	0
S51 ^{N14}	87,418	8,342	240	8,582	96,000	<i>S. aureus</i> <i>C. koseri</i>	5,203 2,262
S52 ^{N7}	49,146	37,875	979	38,854	88,000	<i>K. aerogenes</i> <i>C. striatum</i>	5,277 24,347
S53 ^{N15}	24	0	0	0	24	Negative	0
S54 ^{N14}	8,985	2,698	317	3,015	12,000	<i>C. striatum</i>	1,758
S55 ^{N11}	26,854	8,724	422	9,146	36,000	<i>A. fumigatus</i>	16

S56 ^{N11}	3,342	36,278	380	36,658	40,000	<i>P. mirabilis</i> <i>A. fumigatus</i>	11,323 79
S59 ^{N14}	542	117,780	1,678	119,458	120,000	<i>K. pneumoniae</i> <i>C. striatum</i>	99,186 8,478
S61 ^{N15}	76	47,159	765	47,924	48,000	<i>C. koseri</i> <i>K. pneumoniae</i> <i>P. mirabilis</i>	29,797 14,118 815
S62 ^{N14}	10,979	920	101	1,021	12,000	<i>K. aerogenes</i> <i>C. striatum</i>	184 227
S63 ^{N15}	621	141,567	5,812	147,379	148,000	<i>C. striatum</i> <i>K. pneumoniae</i>	89,166 17,034
S64 ^{N16}	3,516	19,652	4,832	24,484	28,000	Negative	0
S65 ^{N16}	26,010	32,859	13,131	45,990	72,000	Negative	0

^aPre-defined thresholds: $\geq 1\%$ microbial classified, >2503 alignment score and barcode cross-talk rule applied.

^bPathogens identified but were not above pre-defined thresholds

Supplementary Table 2B. Negative controls run with each batch of samples sequenced.

Control number	Human reads	Microbial classified reads	Unclassified reads	Number of reads minus hg38	Number of raw reads from 2hrs	Pathogen identified by metagenomics	Pathogen classified reads after 2hrs of sequencing
N3	35	0	0	0	35	<i>K. aerogenes</i> <i>M. catarrhalis</i> <i>P. aeruginosa</i>	23 6 5
N5	2	136	112	248	250	<i>E. coli</i> <i>K. pneumoniae</i>	9 4
N6	2946	898	156	1054	4,000	<i>E. coli</i>	76
N7	0	0	9	0	9	-	0
N8	414	89	10	99	513	<i>E. coli</i> <i>S. aureus</i>	9 4
N10	5812	1599	288	1887	7699	<i>E. coli</i> <i>K. pneumoniae</i>	390 20
N11	238	1234	114	1348	1586	<i>E. coli</i> <i>H. influenzae</i> <i>K. pneumoniae</i>	290 14 11
N13	41,567	2,420	13	2,433	44,000	<i>E. coli</i> <i>C. striatum</i>	63 7
N14	15	402	63	465	480	<i>E. coli</i> <i>K. pneumoniae</i>	37 15
N15	56	80	8642	6942	6998	<i>E. coli</i> <i>C. striatum</i> <i>K. pneumoniae</i>	13 3 9
N16	1248	480	0	480	1728	-	0

Supplementary Table 3. Phenotypic resistance reported by culture and resistance genes reported by clinical metagenomics in all culture-positive samples after 2 hours of sequencing.

Sample number	Pathogen identified by culture	Reported phenotypic resistance ^a	AMR genes reported by metagenomic sequencing
S1	<i>K. aerogenes</i>	Amoxicillin Co-amoxiclav Cefuroxime Ceftazidime Pireracillin/Tazobactam	ND
S8	<i>A. fumigatus</i>	ND	ND
S10	<i>K. pneumoniae</i>	Amoxicillin	<i>oqcA_1</i> <i>fosA_5</i>
S11	<i>K. pneumoniae</i>	Amoxicillin	<i>oqxB_1</i> <i>oqcA_1</i> <i>fosA5_1</i> <i>fosA_6</i> <i>fosA_5</i> <i>fosA_5</i> <i>oqcA_1</i>
S17	<i>P. aeruginosa</i>	Sensitive	ND
S20	<i>S. aureus</i>	Penicillin Erythromycin Fusidic acid	<i>fusB_1</i> <i>fosD_1</i> <i>aadD_1</i> <i>erm(T)_2</i>
S21	<i>E. cloacae</i>	Ampicillin	<i>fosA_1</i> <i>fosA_7</i>
S28	<i>Aspergillus</i>	ND	ND
S31	<i>K. pneumoniae</i>	ESBL Ciprofloxacin Penicillins Septrin Amoxicillin	<i>aph(6)-ld_1</i> <i>oqxB_1</i> <i>aph(3'')-lb_5</i> <i>blaOXA-1_1</i> <i>dfrA14_1</i> <i>oqcA_1</i> <i>fosA6_1</i> <i>sul2_2</i> <i>blaTEM-1B_1</i> <i>blaSHV-28_1</i> <i>sul2_15</i> <i>blaCTX-M-103_1</i>
S34	<i>K. pneumoniae</i>	Amoxicillin	<i>oqxB_1</i> <i>aph(3'')-la_5</i> <i>blaTEM-168_1</i> <i>fosA_3</i> <i>tet(W)_4</i> <i>blaSHV-108_1</i>
S35	<i>A. baumannii</i>	Co-amoxiclav Cefuroxime	No genes

		Piperacillin/Tazocin Cefpodoxime Cefoxitin	
S36	<i>S. aureus</i>	Penicillin, Erythromycin Ciprofloxacin Trimethoprim	<i>ermC_13</i> <i>ermC_1</i> <i>ermC_10</i> <i>ermC_2</i> <i>ermC_12</i> <i>dfrG_1</i>
S37	<i>P. mirabilis</i>	Sensitive	<i>aac(3)-IId_1</i> <i>blaOXA-1_1</i> <i>dfrA17_1</i> <i>aadA5_1</i>
	<i>M. morganni</i>	Gentamicin Cephalosporin Septrin Ciprofloxacin Trimethoprim Fosfomycin	<i>sul1_2</i> <i>aac(3)-IId_1</i> <i>blaOXA-1_1</i> <i>dfrA17_1</i> <i>aadA5_1</i> <i>blaDHA-1_1</i>
S39	<i>C. koseri</i>	Amoxicillin	<i>BlaCKO-1_1</i> <i>blaMAL-1_2</i>
S42	<i>B. cenocepacia</i>	Gentamicin Amikacin	ND
S44	<i>S. marcesens</i>	Amoxicillin Co-amoxiclav Cefuroxime Cotrimoxazole Piperacillin/Tazobactam Ceftazidime	<i>aac(6')-Ic_1</i> <i>blaSRT-1_1</i>
	<i>K. aerogenes</i>	Amoxicillin Co-amoxiclav Cefuroxime Piperacillin/Tazobactam Ceftazidime	ND
S45	<i>C. striatum</i>	ND	ND
S46	<i>C. koseri</i>	Amoxicillin	ND
S49	<i>K. pneumoniae</i>	Ciprofloxacin ESBL	<i>blaTEM-168_1</i> <i>blaTEM-176_1</i>
S51	<i>S. aureus</i>	Penicillin, Erythromycin	<i>ermC_13</i> <i>ermT_2</i> <i>fusB_1</i> <i>blaTEM-171_1</i>
	<i>C. koseri</i>	Amoxicillin	<i>blaCKO-1_1</i>
S52	<i>K. aerogenes</i>	Penicillin Cephalosporin	<i>aac(6')-Ib_1</i>
S54	<i>C. striatum</i>	Penicillin Ciprofloxacin Clindamycin	ND
S56	<i>P. mirabilis</i>	Amoxicillin Septrin	<i>aac(6')-aph(2'')_1</i> <i>blaTEM-1B_1</i> <i>tet(J)_2</i> <i>erm(B)_18</i>
	<i>A. fumigatus</i>	ND	ND
S59	<i>K. pneumoniae</i>	Penicillin Cephalosporin Septrin Ciprofloxacin	<i>aph(6)-Id_1</i> <i>oqx_B_1</i> <i>aph(3'')-Ib_5</i> <i>blaOXA-1_1</i> <i>dfrA14_1</i> <i>oqx_A_1</i>

			<i>fosA6_1</i> <i>sul2_2</i> <i>blaTEM-1B_1</i> <i>blaSHV-28_1</i> <i>sul2_15</i> <i>blaSHV-106_1</i> <i>sul1_2</i> <i>tet(A)_4</i> <i>aac(6')-Ib_1</i> <i>fosA_3</i> <i>blaTEM-122_1</i> <i>blaCTX-M-106_1</i>
	<i>C. striatum</i>	Ciprofloxacin Penicillin Tetracycline Clindamycin Doxycycline	ND
S61	<i>P. mirabilis</i>	Sensitive	No genes
	<i>K. pneumoniae</i>	Amoxicillin	<i>oqxA</i> <i>oqxB</i>
S62	<i>K. aerogenes</i>	Amoxicillin Co-Amoxiclav Cefuroxime Piperacillin/Tazobactam Ceftazidime Cefpodoxime	ND
	<i>C. striatum</i>	Ciprofloxacin Penicillin Tetracycline Clindamycin Doxycycline	ND
S63	<i>K. pneumoniae</i>	Co-amoxiclav Tazocin	<i>sul1_2</i> <i>aac(6')-Ib</i> <i>fosA6</i> <i>aph(6)-IId</i> <i>blaSHV-27</i>
	<i>C. striatum</i>	ND	ND

^aIntrinsic and acquired phenotypic resistance reported by culture, ND=Not Done

Supplementary Table 4. Microbiology, PCR and clinical metagenomics results for all samples processed in this study for the identification of *Aspergillus fumigatus*

Patient	Respiratory samples				Galactomannan (Positive/Tested)	
	Sample Number	Organism identified by metagenomic sequencing	<i>Aspergillus fumigatus</i> qPCR assay (Cq)	<i>Aspergillus</i> Respiratory Culture (Positive/Tested)	BAL > 1.0	Serum > 0.5
26	S35	Negative	>40	Negative		
	Other	Not done	Not done	0 / 1	0 / 1	0 / 1
100	S39	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 1	0 / 0
121	S37	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 0	0 / 0
177	S36	Negative	>40	Negative		
	Other	Not done	Not done	0 / 4	0 / 0	0 / 1
196	S42	Negative	>40	Negative		
	Other	Not done	Not done	0 / 2	0 / 0	0 / 0
400	S49	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 0	0 / 1
408	S21	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 0	0 / 0
441	S51	Negative	>40	Negative		
	S20	Negative	>40	Negative		
	Other	Not done	Not done	0 / 4	0 / 0	0 / 1
550	S10	Negative	>40	Negative		
	Other	Not done	Not done	0 / 7	0 / 0	0 / 2
563	S28	Positive	31	Positive		
	Other	Not done	Not done	3 / 6	0 / 1	0 / 0
613	S18	Negative	>40	Negative		
	Other	Not done	Not done	2 / 2	1 / 1	0 / 0
618	S45	Negative	>40	Negative		
	Other	Not done	Not done	0 / 8	0 / 0	0 / 0
677	S63	Negative	>40	Negative		
	S54	Negative	>40	Negative		
	S52	Negative	>40	Negative		
	Other	Not done	Not done	0 / 8	2 / 2	0 / 5
727	S53	Negative	>40	Negative		
	Other	Not done	Not done	0 / 0	0 / 0	0 / 0
740	S59	Negative	>40	Negative		
	S30	Negative	>40	Negative		
	Other	Not done	Not done	0 / 16	1 / 4	1 / 2

749	S62	Negative	>40	Negative		
	S40	Negative	>40	Negative		
	Other	Not done	Not done	0 / 8	0 / 1	0 / 1
815	S46	Negative	>40	Negative		
	S25	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 2	0 / 2
855	S41	Negative	>40	Negative		
	Other	Not done	Not done	0 / 6	0 / 0	0 / 0
872	S61	Negative	>40	Negative		
	S11	Negative	>40	Negative		
	Other	Not done	Not done	0 / 4	0 / 1	0 / 3
1033	S8	Positive	33	Positive		
	Other	Not done	Not done	0 / 0	1 / 1	1 / 1
1036	S5	Negative	>40	Negative		
	Other	Not done	Not done	0 / 2	0 / 0	0 / 1
1054	S31	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 0	0 / 0
1065	S19	Negative	>40	Negative		
	S16	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 1	0 / 0
1069	S17	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 0	0 / 1
1082	S14	Negative	>40	Negative		
	Other	Not done	Not done	0 / 1	0 / 0	0 / 0
1092	S27	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 2	0 / 2
1262	S29	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 1	0 / 1
1292	S44	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 3	0 / 1
1346	S56	Positive	32	Positive		
	Other	Not done	Not done	0 / 3	1 / 1	0 / 2
1440	S33	Negative	>40	Negative		
	Other	Not done	Not done	0 / 4	1 / 2	0 / 1
1457	S65	Negative	>40	Negative		
	S64	Negative	>40	Negative		
	Other	Not done	Not done	0 / 9	2 / 2	0 / 2
1503	S1	Negative	>40	Negative		
	Other	Not done	Not done	0 / 5	0 / 0	0 / 1
1512	S34	Negative	>40	Negative		
	Other	Not done	Not done	0 / 3	0 / 1	0 / 2
1583	S55	Positive	31	Negative		
	Other	Not done	Not done	4 / 5	0 / 0	1 / 1

Supplementary Table 5. *Klebsiella pneumoniae* and *Corynebacterium striatum* alignment for outbreak analysis. (A) Number of SNPs between each sample of *Corynebacterium striatum*. (B) Number of SNPs between each sample of *K. pneumoniae*, (C) the 7 predicted gene multi-locus sequence types for each sample against the *K. pneumoniae* database (numbers in each gene column refer to the allele - a ~ indicates a full length allele similar to the given allele but less than 100% identity) and (D) number of SNPs analysis in between the two identical CMg samples and two epidemiologically linked *K. pneumoniae* isolates.

A

Patient ID	Sample	S45	S54	S59	S52	S63
618	S45	0	61	115	92	102
677	S54	61	0	122	89	97
740	S59	115	122	0	157	157
	S52	92	89	157	0	30
	S63	102	97	157	30	0

B

Patient ID	Sample	S10	S11	S31	S34	S59	S63	S61
550	S10	0	11273	11158	11322	11161	12162	26023
872	S11	11273	0	11216	11512	11219	11889	26148
1054	S31	11158	11216	0	11255	3	12081	25874
1512	S34	11322	11512	11255	0	11258	12525	25997
740	S59	11161	11219	3	11258	0	12084	25877
677	S63	12162	11889	12081	12525	12084	0	26929
872	S61	26023	26148	25874	25997	25877	26929	0

C

Patient ID	Sample	ST	<i>gapA</i>	<i>infB</i>	<i>mdh</i>	<i>pgi</i>	<i>phoE</i>	<i>rpoB</i>	<i>tonB</i>
550	S10	-	9	~4	~2	1	1	1	~27
872	S11	187	23	31	2	1	9	4	23
1054	S31	-	~4	1	2	52	1	1	7
1512	S34	33	2	3	5	1	12	4	9
400	S49	-							
740	S59	307	4	1	2	52	1	1	7
872	S61	-							
677	S63	661	4	3	1	36	9	10	14

D

Patient ID	301	968	1054	740
Sample ID	KP1	KP2	S31	S59
KP2	0	5	6	12
KP1	5	0	14	24
S31	6	14	0	55
S59	12	24	55	0

Supplementary Table 6. All organisms identified in all respiratory samples processed with clinical metagenomics (above pre-defined thresholds^a).

Sample ID	Organisms ^b identified above pre-defined thresholds ^a by respiratory metagenomics
S1	N/A
S5	N/A
S8	<i>Candida albicans</i> <i>Cutibacterium acnes</i> <i>Cutibacterium acnes</i> HL096PA1 <i>Moraxella osloensis</i>
S10	<i>Prevotella denticola</i> F0289 <i>Prevotella intermedia</i>
S11	<i>Candida dubliniensis</i> <i>Candida albicans</i>
S14	N/A
S16	<i>Candida ortholipsilosis</i> <i>S. epidermidis</i> <i>S. haemolyticus</i> , <i>Lactobacillus paracasei</i> <i>Lactobacillus casei</i>
S17	N/A
S18	<i>Candida glabrata</i> <i>Candida dublinensis</i> <i>Tannerella forsythia</i> <i>Olsenella uli</i>
S19	<i>C. orthopsilosis</i>
S20	N/A
S21	<i>Candida albicans</i> <i>Candida glabrata</i> <i>Enterobacter hormaechei</i> subsp. <i>oharae</i> , <i>Enterobacter hormaechei</i> subsp. <i>steigerwaltii</i>
S25	N/A
S27	<i>Cutibacterium acnes</i> HL096PA1 <i>Cutibacterium acnes</i> KPA171202 <i>Escherichia coli</i> 'BL21-Gold(DE3)pLysS AG' <i>Arthrobacter</i> sp. IHBB 11108 <i>Bacillus subtilis</i> BEST7003 <i>Jonesia denitrificans</i> DSM 20603 <i>Moraxella osloensis</i>
S28	<i>Candida albicans</i> <i>E. faecium</i> <i>Staphylococcus epidermidis</i> <i>Staphylococcus epidermidis</i> ATCC 12228 <i>Staphylococcus haemolyticus</i> JCSC1435 <i>Staphylococcus haemolyticus</i>
S29	<i>Cutibacterium acnes</i> <i>Bacillus subtilis</i> BEST7003 <i>Arthrobacter</i> sp. IHBB 11108 <i>Moraxella osloensis</i> <i>Mucilaginibacter</i> sp. PAMC 26640 <i>Haemophilus parainfluenzae</i> T3T1
S30	N/A
S31	N/A
S33	<i>Escherichia coli</i> 'BL21-Gold(DE3)pLysS AG' <i>Escherichia coli</i>

	<p><i>Cutibacterium acnes</i> <i>Atopobium parvulum</i> DSM 204699 <i>Arthrobacter</i> sp. IHBB 11108 <i>Bacillus subtilis</i> BEST7003 <i>Moraxella osloensis</i></p>
S34	<p><i>Candida albicans</i> <i>Streptococcus oralis</i> <i>Streptococcus oralis</i> Uo5 <i>Prevotella melaninogenica</i> <i>Prevotella</i> sp. oral taxon 299 str. F0039</p>
S35	<p><i>Acinetobacter pittii</i>, <i>Acinetobacter johnsonii</i> XBB1 <i>Acinetobacter</i> sp. TTH0-4 <i>Acinetobacter schindleri</i> <i>Acinetobacter</i> sp. NCu2D-2 <i>Acinetobacter nosocomialis</i> <i>Acinetobacter haemolyticus</i></p>
S36	N/A
S37	<p><i>Neisseria sicca</i> <i>Neisseria elongata</i> subsp. <i>glycolytica</i> ATCC 29315</p>
S39	N/A
S40	N/A
S41	<p><i>Candida albicans</i> <i>Eikenella corrodens</i>, <i>Streptococcus constellatus</i> subsp. <i>pharyngis</i> <i>Streptococcus anginosus</i> C238 <i>Streptococcus anginosus</i> subsp. <i>whileyi</i> MAS624 <i>Streptococcus intermedius</i> JTH08 <i>Staphylococcus epidermidis</i> <i>Prevotella melaninogenica</i> <i>Prevotella intermedia</i> <i>Rothia dentocariosa</i> ATCC 17931</p>
S42	<p><i>Burkholderia thailandensis</i> <i>Burkholderia thailandensis</i> 2002721643 <i>Burkholderia pseudomallei</i></p>
S44	N/A
S45	<p><i>Corynebacterium simulans</i> <i>Corynebacterium resistens</i> DSM 45100</p>
S46	<i>Cutibacterium acnes</i>
S49	<p><i>Candida albicans</i> <i>Streptococcus sanguinis</i> SK36 <i>Bacillus subtilis</i> BEST7003 <i>Arthrobacter</i> sp. IHBB 11108 <i>Staphylococcus epidermidis</i> <i>Enterococcus faecium</i> <i>Cutibacterium acnes</i> <i>Mucilaginibacter</i> sp. PAMC 26640</p>
S51	N/A
S52	<p><i>Corynebacterium simulans</i> <i>Candida albicans</i></p>
S53	N/A
S54	<p><i>Corynebacterium simulans</i>, <i>Corynebacterium resistens</i> DSM 45100 <i>Cutibacterium acnes</i> <i>Corynebacterium aurimucosum</i> ATCC 700975 <i>Corynebacterium resistens</i> DSM 45100</p>
S55	<i>Sphingomonas</i> sp. LK11

S56	<i>E. faecium</i>
S59	<i>Corynebacterium simulans</i>
S61	N/A
S62	<i>Corynebacterium simulans</i> <i>Arthrobacter sp.</i> IHBB 11108 <i>Bacillus subtilis</i> BEST7003 <i>Staphylococcus epidermidis</i> <i>Mucilaginibacter sp.</i> PAMC 26640 <i>Corynebacterium kroppenstedtii</i> DSM 44385 <i>Cutibacterium acnes</i>
S63	<i>Corynebacterium simulans</i> <i>Corynebacterium aurimucosum</i> ATCC 700975 <i>Corynebacterium resistens</i> DSM 45100
S64	<i>Candida albicans</i> <i>Prevotella melaninogenica</i> , <i>Streptococcus gordonii</i> , <i>Streptococcus gordonii str. challis</i> substr. CH1 <i>Actinomyces pacaensis</i> <i>Prevotella intermedia</i> <i>Fusobacterium nucleatum subsp. vincentii</i> <i>Prevotella fusca</i> JCM 17724, <i>Parabacteroides sp.</i> CT06, <i>Porphyromonas gingivalis</i>
S65	<i>Candida albicans</i> <i>Prevotella melaninogenica</i> <i>Atopobium parvulum</i> DSM 20469, <i>Streptococcus oralis</i> <i>Streptococcus oralis subsp. tigurinus</i> <i>Prevotella intermedia</i> <i>Fusobacterium nucleatum subsp. vincentii</i> , <i>Fusobacterium nucleatum subsp. vincentii</i> 3_1_36A2 <i>Streptococcus gordonii</i> <i>Porphyromonas gingivalis</i> <i>Parabacteroides sp.</i> CT06

^apre-defined thresholds are: $\geq 1\%$ microbial classified, ≥ 2504 alignment score and barcode cross-talk rule. ^bNot defined as pathogenic organisms in this study