

Unpublished Supplemental Material

Diarrhea, Helminth Infection, and Malnutrition Associated with Water, Sanitation, and Hygiene Facilities and Poor Handwashing in Schools in Metro Manila, Philippines: A Cross-Sectional Study

Stephanie O. Sangalang, Nelissa O. Prado, Allen Lemuel G. Lemence, Mylene G. Cayetano, Jinky Leilanie DP. Lu, John Cedrick Valencia, Thomas Kistemann, and Christian Borgemeister

Table of Contents

Table S1. Questions from children's health examination.

Table S2. Questions from school principal's interview.

Table S3. Questions from school restroom inspection.

Table S4. Questions from parent's interview.

Table S5. Questions from home restroom inspection.

Table S6. Expanded table of main sample descriptives of demographic, health, and hygiene-related factors of students from main sample and WaSH-related structural factors of schools.

Table S7. Prevalence rates of health outcomes--diarrhea only, STH infection only, diarrhea and STH infection, stunting only, undernutrition only, and over-nutrition only--by school.

Table S1. Questions from children's health examination

Number	Question
1	ID
2	Date of birth
3	Telephone number
4	Height (m)
5	Weight (kg)
6	Urine pH
7	Urine Specific Gravity
8	Urine Glucose
9	Urine Protein
10	Do you have any questions/comments?
11	Research ID

Table S2. Questions from school principal's interview

Number	Question
1	What is today's date?
2	What is the name of your school?
3	What is your name?
4	What is your telephone / cellphone number?
5	What is your email address?
6	How many students are enrolled in the school?
7	How many male students are enrolled?
8	How many female students are enrolled?
9	How many students have a physical handicap (e.g. cannot walk or is blind)?
10	Which grade levels are taught at the school (e.g. grades 1-6 or grades 9-12)?
11	Is there a school policy to clean the students' restrooms at least once per day?
12	Is there someone who is assigned to cleaning the students' restrooms? (e.g. janitor or cleaning lady)
13	Is there someone who is assigned to making sure that the cleaning policy is enforced? (e.g. sanitation officer or administrative staff)
14	Is there a school policy for repairing broken parts in the students' restrooms?
15	Is there someone assigned to checking if there are broken parts in the students' restrooms at least once per month?
16	Is hygiene taught in the school curriculum?
17	Is hand washing taught in the school curriculum?
18	Are students allowed to report any issues/concerns/problems with the students' restrooms?
19	Is there someone assigned to address students' issues/concerns/problems with the students' restrooms?
20	Are you satisfied with the sanitation in the students' restrooms?
21	Are you satisfied with the hygiene behaviors of the students?
22	Do you have any other questions or comments?

Table S3. Questions from school restroom inspection

Number	Question
1	What is the name of the school?
2	What is the date of inspection?
3	Restroom code
4	Is this restroom for males only?
5	Is this restroom NOT coed (for both males and females)?
6	Is the restroom clean?
7	Is the restroom without a bad smell?
8	Is the restroom well-lit (that is, not too dark)?
9	Is the restroom light working?
10	Is there place to wash hands in the same room?
11	What type of handwashing facilities are there in/ near this restroom?
12	Is there water to wash hands?
13	Is there soap to wash hands?
14	Is there a towel or paper to dry hands?
15	Is there toilet paper?
16	Is the floor dry?
17	Is there a door that locks for each toilet cabin?
18	Is there a wall separation for privacy of each toilet cabin?
19	Is the wall or separation high enough to provide privacy?
20	For male restrooms, are there partitions between urinals?
21	Are there NO signs of graffiti?
22	Are there NO signs of damage (e.g. leaky pipes, cracked walls, open ceilings, peeling paint, flaking plaster)?
23	Are there NO signs of mold?
24	Type of toilet
25	If it is a flush or pour-flush toilet, then where does the wastewater flow to? (see attached guide)
26	Do ALL of the toilets flush? (if a toilet is marked as “out of order,” then no need to check)
27	If it is a dry toilet, then what type of toilet is it? (see attached guide)
28	Are there NO flies?
29	Is there a garbage can inside?
30	Number of toilet bowls
31	Number of urinals
32	Number of handwashing basins
33	Distance between two (2) urinals (m)
34	Distance from toilet/urinal and nearest handwashing basin (m)
35	If there is a urinal wall present, then how long (cm) is it? Write "N/A" if there is no urinal wall.
36	Length of the urinal partition (cm)
37	Width of the urinal partition (cm)
38	How many photos did you take?
39	Did you collect a water specimen?

40 Did you notice anything else that you wish to document?

Table S4. Questions from parent's interview

Number	Question
1	What is today's date?
2	What is the name of the student (First and Last Name)?
3	What is the date of birth of the student?
4	What is the name of your child's school?
5	What is the name of the parent (First and Last Name)?
6	How many people live in the home?
7	How many adults live in the home?
8	How many children live in the home?
9	How long (years) have you lived in the home?
10	Is there enough food to eat for everyone in your home for most days?
11	Are there enough places near your home where you can buy food?
12	Are the prices of the food affordable?
13	Have you NEVER experienced a time when you wanted to eat but had no food or could not get to buy food?
14	Have you and your family NEVER had to ask for food?
15	Do you RARELY feel extreme hunger?
16	Do you eat a variety of food (e.g. fruits, vegetables, meat, rice) on most days?
17	Do you cook more often than buy already prepared food?
18	Do you have water that is safe for drinking?
19	Do you have enough water so everyone can drink?
20	Does the person who cooks for the family wash his/her hands before cooking?
21	Does he/she wash the fruits/vegetables before cooking them?
22	Do you have any other questions or comments?

Table S5. Questions from home restroom inspection

Number	Question
1	Date of inspection
2	Home address
3	Student's name
4	Student's date of birth
5	Student ID
6	Name of School
7	Is the restroom inside the house?
8	Is the restroom clean?
9	Is the restroom without a bad smell?
10	Is there a restroom light?
11	Is the restroom light working? (e.g., light bulb, bottle light, etc.)
12	Is the restroom well-lit (that is, not too dark)?
13	Is there a place to wash the hands in the same room?
14	Is there water to wash the hands?
15	Is there soap to wash the hands?
16	Is there towel or paper to dry the hands?
17	Is there toilet paper?
18	Is the floor dry?
19	Is there a door for the toilet that locks?
20	Is the toilet an example of "improved sanitation"? (e.g. flush toilet instead of open pit)
21	Is it a flush toilet?
22	Does the toilet flush?
23	Is there a septic tank for the toilet?
24	Are there NO signs of damage? (e.g. leaky pipes, cracked walls)
25	Are there NO signs of mold?
26	Is there a garbage can nearby?
27	Number of toilet bowls
28	Number of handwashing basins
29	Distance from toilet to nearest handwashing basin (in meters)

Table S6. Expanded table of main sample descriptives of demographic, health, and hygiene-related factors of students ($N = 1,558$) from main sample and WaSH-related structural factors of schools ($N = 15$)

	<i>n</i>	% (95% CI)
Student factors ($N=1,588$)		
WaSH-related knowledge (self-reported)		
Students may not complain about the “bad” condition of school restroom	312	21.0 (18.9, 23.1)
Does not know if students may complain or not	626	42.1 (39.6, 44.6)
School staff does not respond to students’ complaints about school restroom	280	18.8 (16.8, 20.8)
Does not know if school staff responds to complaints or not	589	39.6 (37.1, 42.1)
Health history and nutrition (self-reported)		
Has been hospitalized (ever)	211	14.2 (12.4, 16.0)
Has had surgery (ever)	72	4.8 (3.7, 5.9)
Eats 3 meals per day	1,394	94 (92.7, 95.2)
It is “rare” to feel extremely hungry	1,162	78.4 (76.2, 80.4)
Experienced being too hungry to focus at school	242	16.3 (14.4, 18.2)
Experienced being too hungry to sleep	199	13.4 (11.7, 15.1)
Health outcomes		
Had illness (self-reported)		
No diarrhea and no STH infection	617	41.9 (39.3, 44.4)
Diarrhea but no STH infection	212	14.4 (12.6, 16.3)
STH infection but no diarrhea	438	29.7 (27.4, 32.1)
Both diarrhea and STH infection	207	14.0 (12.3, 15.9)
Had diarrhea 1 - 3 days last month	374	25.3 (23.1, 27.6)
Hospitalized for diarrhea 1 - 3 days last month	91	6.1 (5.0, 7.5)
Malnutrition ^a and acute dehydration ^b (observed)		
No stunting and no undernutrition	1165	78.8 (76.6, 80.9)
Stunting but no undernutrition	186	12.6 (10.9, 14.4)
Undernutrition but no stunting	87	5.9 (4.7, 7.2)
Both stunting and undernutrition	40	2.7 (1.9, 3.7)
No stunting and no over-nutrition	946	64.0 (61.5, 66.5)
Stunting but no over-nutrition	211	14.3 (12.5, 16.2)
Over-nutrition but no stunting	306	20.7 (18.7, 22.9)
Both stunting and over-nutrition	15	1.0 (1.0, 1.7)
Normal weight	1030	69.7 (67.3, 72.0)
Urine specific gravity (sg), median (IQR)		1.025 (1.015, 1.025)
Urine has (any) protein ^c	360	25.7 (23.4, 28.1)
Urine protein, trace	346	24.7 (22.5, 27.0)
Urine protein, level 1	12	0.9 (0.4, 1.5)
Urine protein, level 2	1	0.1 (0.00181, 0.4)
Urine protein, level 3	1	0.1 (0.00181, 0.4)
Urine has no protein	1041	74.3 (71.9, 76.6)
School factors ($N = 15$)		

Facilities (observed)		
Toilets ($n = 223$)		
Number of male-only toilets, median (IQR)		7 (3, 11)
Number of female-only toilets, median (IQR)		10 (3, 16)
Number of coed toilets, median (IQR)		2 (2, 5)
Male student-to-male toilet ratio, median (IQR)		320.4 (245.1, 401.5)
Female student-to-female toilet ratio, median (IQR)		261.2 (182.1, 364.7)
Number of schools that exceeded male student-to male toilet ratio	11	91.7 (61.5, 99.8)
Number of schools that exceeded female student-to female toilet ratio	12	92.3 (64, 99.8)
Urinals ($n = 49.5^d$)		
Number of urinals, median (IQR)		2 (0, 4.9)
Male student-to-urinal ratio, median (IQR)		608.6 (407.8, 1624.5)
Number of schools that exceeded male student-to urinal ratio	8	88.9 (51.8, 99.7)
Handwashing basins ($n = 129$)		
Number of handwashing basins not near toilet	56	45.1 (36.2, 54.3)
Mean distance (m) between handwashing basin and toilet, median (IQR)		1.8 (0.9, 2.9)
Policies and school principals' perceptions (self-reported)		
School has a policy to clean school restroom daily	14	93.3 (68.1, 99.8)
School has a policy to enforce daily cleaning of school restroom	14	93.3 (68.1, 99.8)
School principal is not satisfied with students' hygiene	7	46.7 (21.3, 73.4)
School principal is not satisfied with restrooms' sanitation	7	46.7 (21.3, 73.4)
Students' perceptions (self-reported)		
Is not satisfied with restroom	716	51.8 (49.2, 54.3)
Restroom lacks cleanliness	924	62.1 (59.7, 64.6)
Restroom provides insufficient privacy	808	54.4 (51.9, 57.0)
Restroom is too far away	114	8.2 (6.7, 9.6)
Restroom is not accessible for PWD	777	52.2 (49.7, 54.8)
Restroom has long line to use toilet	351	23.6 (21.4, 25.8)
Number of school restrooms is not sufficient for the number of users	495	33.3 (30.9, 35.7)
No toilet paper available	1302	87.5 (85.8, 89.2)
Is not satisfied with handwashing basin	259	23.8 (21.3, 26.4)
Handwashing basin lacks cleanliness	335	30.8 (28.1, 33.6)
No water available	241	22.1 (19.7, 24.6)
No soap available	848	78.1 (75.6, 80.5)
No towel or paper for drying hands	946	87.0 (85.0, 89.0)
No handwashing basin available	398	28.6 (26.2, 30.9)

Note: CI = confidence interval; IQR = interquartile range; PWD = person(s) with disabilities; sg = specific gravity; STH = soil-transmitted helminth; WHO = World Health Organization.

^aMalnutrition as defined by the WHO (Table 1).

^bAcute dehydration, as exhibited by highly concentrated urine, was defined as urine sg ≥ 1.020 .

Sangalang et al. (2020). WaSH in Manila Schools. (Unpublished supplemental material.)

^cWe measured urine protein by using urine test strips (Insight Urinalysis Reagent Strips, Acon Laboratories Inc., San Diego, California, U.S.A.). The urine protein values are as follows: trace/+1 block (20 mg/dL), level 1/+2 blocks (50 mg/dL), level 2/+3 blocks (100 mg/dL), and level 3/+4 blocks (200, 400 mg/dL).

^dUrinal $N = 49.5$ includes data from one school wherein no urinals were present in one of the restrooms for male students. However, inside the restroom there was a common area, with running water, where male students could urinate.

Table S7. Prevalence rates of health outcomes--diarrhea only, STH infection only, diarrhea and STH infection, stunting only, undernutrition only, and over-nutrition only--by school ($N = 1,558$)

School	City	Students Surveyed	Diarrhea			STH infection			Stunting		
			valid n^a	n	% (95% CI)	valid n	n	% (95% CI)	valid n	n	% (95% CI)
1	Manila	111	111	40	36 (27.1, 45.7)	110	37	33.6 (24.9, 43.3)	119	16	13.4 (7.9, 20.9)
2	Navotas	108	106	36	34 (25, 43.8)	106	40	37.7 (28.5, 47.7)	108	17	15.7 (9.4, 24)
3	Navotas	90	90	30	33.3 (23.7, 44.1)	90	58	64.4 (53.7, 74.3)	89	27	30.3 (21, 41)
4	Navotas	105	103	37	35.9 (26.7, 46)	103	52	50.5 (40.5, 60.5)	105	16	15.2 (9, 23.6)
5	Navotas	103	80	34	42.5 (31.5, 54.1)	80	55	68.8 (57.4, 78.7)	103	24	23.3 (15.5, 32.7)
6	Navotas	99	97	31	32 (22.9, 42.2)	97	55	56.7 (46.3, 66.7)	98	22	22.4 (14.6, 32)
7	Navotas	133	120	34	28.3 (20.5, 37.3)	119	63	52.9 (43.6, 62.2)	132	38	28.8 (21.2, 37.3)
8	Quezon City	116	109	19	17.4 (10.8, 25.9)	109	34	31.2 (22.7, 40.8)	116	8	6.9 (3, 13.1)
9	Quezon City	103	103	31	30.1 (21.5, 40)	103	46	44.7 (34.9, 54.8)	103	13	12.6 (6.9, 20.6)
10	Quezon City	100	98	16	16.3 (9.6, 25.2)	97	28	28.9 (20.1, 39)	100	5	5 (1.6, 11.3)
11	Quezon City	118	104	21	20.2 (13, 29.2)	103	41	39.8 (30.3, 49.9)	118	15	12.7 (7.3, 20.1)
12	Quezon City	106	106	29	27.4 (19.1, 36.9)	106	40	37.7 (28.5, 47.7)	106	11	10.4 (5.3, 17.8)
13	Quezon City	90	86	24	27.9 (18.8, 38.6)	86	27	31.4 (21.8, 42.3)	90	5	5.6 (1.8, 12.5)
14	Quezon City	82	80	19	23.8 (14.9, 34.6)	80	25	31.3 (21.3, 42.6)	82	7	8.5 (3.5, 16.8)
15	Quezon City	94	85	20	23.5 (15, 34)	94	46	48.9 (38.5, 59.5)	36	3	8.3 (1.8, 22.5)
Total		1558	1478	421		1483	647		1505	227	

Note: CI = confidence interval; STH = soil-transmitted helminth.

^aExcludes missing data.

Sangalang et al. (2020). WaSH in Manila Schools. (Unpublished supplemental material.)

School	City	Students Surveyed	Undernutrition			Over-nutrition		
			valid <i>n</i>	<i>n</i>	% (95% CI)	valid <i>n</i>	<i>n</i>	% (95% CI)
1	Manila	111	111	7	6.3 (2.6, 12.6)	111	35	31.5 (23, 41)
2	Navotas	108	108	4	3.7 (1, 9.2)	108	32	29.6 (21.2, 39.2)
3	Navotas	90	89	11	12.4 (6.3, 21)	89	17	19.1 (11.5, 28.8)
4	Navotas	105	105	6	5.7 (2.1, 12)	105	16	15.2 (9, 23.6)
5	Navotas	103	103	10	9.7 (4.8, 17.1)	103	21	20.4 (13.1, 29.5)
6	Navotas	99	98	6	6.1 (2.3, 12.9)	98	20	20.4 (12.9, 29.7)
7	Navotas	133	132	20	15.2 (9.5, 22.4)	132	16	12.1 (7.1, 18.9)
8	Quezon City	116	116	8	6.9 (3, 13.1)	116	29	25 (17.4, 33.9)
9	Quezon City	103	103	10	9.7 (4.8, 17.1)	103	22	21.4 (13.9, 30.5)
10	Quezon City	100	100	12	12 (6.4, 20)	100	17	17 (10.2, 25.8)
11	Quezon City	118	118	13	11 (6, 18.1)	118	19	16.1 (10, 24)
12	Quezon City	106	106	8	7.5 (3.3, 14.3)	106	27	25.5 (17.5, 34.9)
13	Quezon City	90	90	2	2.2 (0.2, 7.8)	90	18	20 (12.3, 29.8)
14	Quezon City	82	82	7	8.5 (3.5, 16.8)	82	26	31.7 (21.9, 42.9)
15	Quezon City	94	17	3	17.6 (3.8, 43.4)	17	6	35.3 (14.2, 61.7)
Total		1558	1478	127		1478	321	

Note: CI = confidence interval; STH = soil-transmitted helminth.

^aExcludes missing data.